



This is a digital copy of a book that was preserved for generations on library shelves before it was carefully scanned by Google as part of a project to make the world's books discoverable online.

It has survived long enough for the copyright to expire and the book to enter the public domain. A public domain book is one that was never subject to copyright or whose legal copyright term has expired. Whether a book is in the public domain may vary country to country. Public domain books are our gateways to the past, representing a wealth of history, culture and knowledge that's often difficult to discover.

Marks, notations and other marginalia present in the original volume will appear in this file - a reminder of this book's long journey from the publisher to a library and finally to you.

### Usage guidelines

Google is proud to partner with libraries to digitize public domain materials and make them widely accessible. Public domain books belong to the public and we are merely their custodians. Nevertheless, this work is expensive, so in order to keep providing this resource, we have taken steps to prevent abuse by commercial parties, including placing technical restrictions on automated querying.

We also ask that you:

- + *Make non-commercial use of the files* We designed Google Book Search for use by individuals, and we request that you use these files for personal, non-commercial purposes.
- + *Refrain from automated querying* Do not send automated queries of any sort to Google's system: If you are conducting research on machine translation, optical character recognition or other areas where access to a large amount of text is helpful, please contact us. We encourage the use of public domain materials for these purposes and may be able to help.
- + *Maintain attribution* The Google "watermark" you see on each file is essential for informing people about this project and helping them find additional materials through Google Book Search. Please do not remove it.
- + *Keep it legal* Whatever your use, remember that you are responsible for ensuring that what you are doing is legal. Do not assume that just because we believe a book is in the public domain for users in the United States, that the work is also in the public domain for users in other countries. Whether a book is still in copyright varies from country to country, and we can't offer guidance on whether any specific use of any specific book is allowed. Please do not assume that a book's appearance in Google Book Search means it can be used in any manner anywhere in the world. Copyright infringement liability can be quite severe.

### About Google Book Search

Google's mission is to organize the world's information and to make it universally accessible and useful. Google Book Search helps readers discover the world's books while helping authors and publishers reach new audiences. You can search through the full text of this book on the web at <http://books.google.com/>











OK

11

.D95



INDEX  
GENERUM PHANEROGAMORUM





INDEX

GENERUM PHANEROGAMORUM

---

**Ex typis BECQUART-ARIEN**  
**Via dicta Van Artevelde, 31**  
**Bruzellis**

---

INDEX  
GENERUM PHANEROGAMORUM

USQUE AD FINEM ANNI 1887 PROMULGATORUM

IN BENTHAMII ET HOOKERI « GENERA PLANTARUM » FUNDATUS

CUM NUMERO SPECIERUM

SYNONYMIS ET AREA GEOGRAPHICA

CONSCRIPSIT

TH. DURAND

SUBCUSTOS HERB. HORT. BOT. PUBL. BRUXELLENSIS

---

Opus approbatum ab illustri doctore J. D. HOOKER  
ex-rectore hortorum regionum kewensium

---

BRUXELLIS  
SUMPTIBUS AUCTORIS

---

LONDINI  
DULAU & Co  
Fors dicto Soho square, 37

BEROLINI  
Fratres BORNTRÄGER  
(Ed. Eggers)  
Via dicta Carlsbad, 15

---

PARISIIS  
Paul KLINCKSIECK  
Via dicta de Sèvres, 15

M D C C C L X X X V I I I



gen. lib.  
12-17-1934  
Transf. flor.  
Scienc. lib.

## PRÆFATIO.

Quum præstantissimi botanici propositum *Indicem* nostrum benignissime acceperint, nihil necesse est de utilitate ejus multa disserere.

Verum in hac præfatione satis erit nobis pauca dicere de via atque ratione quam secuti sumus, atque gratias agere botanicis qui per suam benevolam simul doc-tamque operam effecerunt, ut inceptum nostrum feliciter perfici potuerit.

Amplum Herbarium Horti botanici Bruxellensis secun-dum *Synonymiam Botanicam* Ludovici Pfeiffer dispositum ordinatumque erat, cum D<sup>r</sup> F. Crépin, rector hujus Horti præscripsit nobis, ut in posterum pro duce sequeremur Benthami et Hookeri *Genera Plantarum*. Brevi autem cognovimus, egregium illud opus, propter indices tres et addita multa, non posse sine magno labore ad investiga-tiones ac præsertim ad novarum plantarum interpositiones adhiberi. Quæ incommoda ut corrigeremus nobisque utile instrumentum pararemus, hic *Index* in principio conscrip-tus est.

Igitur hic *Index* fundatur in laudato opere *Genera Plan-tarum*, ad quod conferre se debebit quicumque plura desi-derabit : quare ad illud opus lectorem semper remisimus et synonyma nostra sæpius eodem ordine, quo ibi collocata sunt, disposuimus. Botánicos autem quibus ille liber præsto non est, admonebimus, omnia generica nomina subjecta generi, quod numerus antecedit, synonyma haberi, vel potius hoc genere contineri (1).

Quibus de rebus vestigia ducis nostri deserenda puta-verimus, jam breviter exponemus.

(1) Exempl. 2732 **Pharnaceum** L. G. I. 857. (*Ginginsia* DC.). — Sp. ad 16. Afr. austr.

Hyperteles E. Mey.

*Ginginsia* DC. et Hyperteles E. Mey. disposita tanquam in *Genera Plantarum* existimanda sunt in genere *Pharnaceo* inclusa.

Primo *Gymnospermas*, quas censemus esse unum e tribus magnis ramis *Phanerogamarum*, post *Monocotyledones* transtulimus; dein in ordinum numero reposuimus *Fumariaceas*, *Hippocastanaceas*, *Aceraceas*, *Melanthaceas*, *Staphyleaceas*, *Lobeliaceas* et *Musaceas*.

Tum primi inventoris jura agnoscentes et in hoc assentientes eruditis viris H. Baillon et F. Müller recepimus nomina *Candolleaceas*, *Dichapetalas* et *Stemoneas* pro *Stylidiis*, *Chailletiaceis* et *Roxburghiaceis*.

Ex præcepto docti A. de Candolle familias Herbarii nostri, quæ post publicatum illud *Genera* in Monographiis tractatæ sunt, juxta hos novissimos libros distribuimus. Itaque in hoc Indice secuti sumus accuratissima opera confecta a cl. C. B. Clarke (de *Commelinaceis* et *Cyrtandreis*), C. De Candolle (de *Meliaceis*), A. W. Engler (de *Anacardiaceis*, *Aroideis*, *Burseraceis*, *Coniferis*, *Cycadeis* et *Gnetaceis*), E. Hackel (de *Gramineis*), E. Planchon (de *Ampelideis*), Ign. Urban (de *Turneraceis*), M. Micheli (de *Alismaceis* et *Butomaceis*).

Monographiæ compositæ a cl. G. Baker (*Tillandsiæ*), O. Drude (*Palmæ*), T. Valeton (*Olacineæ*) et Wittmack (*Bromeliaceæ*) nobis etiam magnopere auxiliatæ sunt.

Omnia fere opera, quæ modo citavimus, edita sunt vel in A. et C. De Candolle, *Suites au Prodromus*, vel in excellenti libro cl. Engleri et Prantli (*Die Natürlichen Pflanzenfamilien*), quæ collectio nimirum nos valde adjuvit.

Cl. Dr O. Beccari nobiscum communicavit utiles annotationes de *Palmis*, cui familiæ peculiari cura studet. Nos quidem piget illas non potuisse in scribendo capite nostro adhiberi, legi tamen inter *Addenda* poterunt.

Cl. Dr L. Radlkofer, Monachiensis, benevolentia summa erga nos fuit : huic debemus non solum duo capitula nova de *Sapindaceis* et *Sapotaceis*, sed etiam multas annotationes de variis familiis ac maxime de *Acanthaceis*.

Cl. A. Cogniaux, Verviensis, *Cucurbitacearum* et *Melastomacearum* monographus, capita de his familiis comiter ipse scripsit.

Inter botanicos, qui nobis ad nostrum munus perficiendum magno adjumento fuerunt, nominandi sunt etiam cl. G. Baker, F. Benecke, G. Boerlage, E. Bommer, A. Franchet, J. Jaggi, L. Krug, E. Malinvaud, E. Marchal, F. Müller, D. Oliver, J. Poisson, K. Reiche et Ign. Urban.

Sed tam arduum opus ægre absolvissemus, nisi operam suam nobis navassent eminentes viri, quos hic commemorare juvat.

Cl. D<sup>r</sup> J. D. Hooker non solum nos ad *Indicem* scribendum adhortatus est, sed non recusavit ejus patronus fieri, ut ab omnibus rei botanicæ studiosis amice acciperetur.

Illustris G. Benthami heredes (D<sup>res</sup> J. D. Hooker, T. Dyer et D. Oliver) tam benigni fuerunt, ut nobis crediderint manuscriptum *Supplementum ad Genera Plantarum* nobisque permiserint utilissimum quodque inde excerpere.

Cl. A. De Candolle, parum habens aperire nobis locupletissimam suam bibliothecam, dedit etiam consulere codicem quemdam unicum, ab inclyto patre inchoatum et ab ipso continuatum, in quo cuncta genera diligenter notantur. Harum copiarum custos, D<sup>r</sup> R. Buser, singulari benevolentia ducem se nobis obtulit.

Denique doctus rector F. Crépin quam bene de nobis meruerit, satis dici non potest. Ab initio usque ad peractionem hujus Indicis nobis adesse non desiit. Ad ejus exquisitam doctrinam dilucidumque judicium recurrimus quotiescumque difficultas aliqua nobis obstitit.

Quamquam scimus hunc Indicem vitiis minime carere, tamen speramus botanicos et pro fructu quem inde capturi sint et pro cura quam in eum elaborandum impendimus, indulgentes fore. Omnes libros, omnia fere botanica diaria ab anno 1863 ad 1888 publicata excussimus. Confidimus *Indicem alphabeticum* præcipue in pretio fore; cupientes eum quam maxime completum facere, inseruimus plura millia synonymorum, quæ nec in systematica parte *Indicis* nec in *Genera Plantarum* indicantur.

Bruxellis, d. 1 August. 1888.





## Genera vel nomina nova.

Credimus non inutile fore huic Indici præponere seriem generum novorum  
atque eorum quibus nomina nova imponere necesse fuit ad vitandam  
rerum confusionem.

### Dilleniaceæ.

- 74 *Ealdea* Nob. (1) Ind. Gen. phaner. 543. *Candollea* Labill. Ill  
Pl. N. Holl. II, 33, tab. 176 *non ejusd.* in Ann. Mus.  
Paris VI, 453, tab. 63, 64.

### Cruciferæ.

- 253<sup>b</sup> *Pirea* Nob. (2) *l. c.* 494. *Dictyosperma* Rgl, non Wendl. et Dr.

### Olacineæ.

- 1253 *Valetonia* Nob. (3) *l. c.* 64. *Martia* T. Valeton, non Benth.

### Sapindaceæ.

- 1376 *Athyana* Radlk. *l. c.* 73.  
1391 *Aphanococcus* Radlk. *l. c.* 74.  
1400 *Melanodiscus* Radlk. *l. c.* 75.  
1411 *Tristiropsis* Radlk. *l. c.* 76.  
1436 *Tinopsis* Radlk. *l. c.* 78.  
1481 *Conchopetalum* Radlk. *l. c.* 81.

### Myrtaceæ.

- 2338 *Strailia* Nob. (4) *l. c.* 129. *Cercophora* Miers, non Fresenius.

### Melastomaceæ.

- 2381 *Schwackæa* Cogn. (5) *l. c.* 133.

(1) Dicat. S. van Kelde, uxori meæ et adjutrici indefessæ laborum.

(2) Dicat. Lud. Piré, bot. bruxell.

(3) Dicat. T. Valeton, bot. batav.

(4) Dicat. abbati Car. Strail, bot. leod.

(5) Dicat. W. Schwacke, Brasilis exploratori.

**Rubiaceæ.**

- 3260 **Nostolachma** Nob. (1) *l. c.* 182. *Lachnostoma* Korth., non H. B. K.  
3264 **Buseria** Nob. (2) *l. c.* 501. *Leiochilus* H. f., non Kn. et Westc.

**Asclepiadææ.**

- 4752 **Lagoa** Nob. *l. c.* 269. *Zygostelma* E. Fourn., non Benth.

**Labiataæ.**

- 5823 **Thuspeinanta** Nob. (3) *l. c.* 703. *Tapeinanthus* Boiss., non Herb.

**Alismaceæ**

- 7866 **Lophotocarpus** Nob. *l. c.* 627. *Lophiocarpus* M. Micheli, non Turcz. ; *Michelia* Nob. *l. c.* 506, non L.

**Cyperaceæ.**

- 7953 **Bœckeleria** Nob. (4) *l. c.* 504. *Decalepis* Bœck., non W. et A.

(1) Anagr. *Lachnostomæ*.

(2) Dicat. R. Buser, custodi Herb. Candoll.

(3) Anagr. *Tapeinanthi*.

(4) Dicat. Bœckeler, bot. berolin.

---

# Nominum vocumque abbreviatorum explicatio.

## I

Acharius, E.	<i>Achar.</i>	Bertoloni, A.	<i>Bertol.</i>
Adanson, M.	<i>Adans.</i>	Besser, W. S. J. G.	<i>Bess.</i>
Aiton, W.	<i>Ait.</i>	Beurling, P. J.	<i>Beurl.</i>
Alcfeld, F.	<i>Alef.</i>	Bieberstein, L. B. F.	
Allemao, F. F.	<i>Allem.</i>	Marschall a	<i>M. B.</i>
Allioni, C.	<i>All.</i>	Bigelow, J.	<i>Bigel.</i>
Anderson, G.	<i>Anders.</i>	Billardièrre <i>vid.</i> Labil-	
Anderson, T.	<i>T. And.</i>	lardièrre.	
Anderssen	<i>Anderss.</i>	Binnendijk	<i>Binn.</i>
Andrews, H. C.	<i>Andr.</i>	Bischof, G. W.	<i>Bisch.</i>
Andrzejowsky, A.	<i>Andrz.</i>	Blume, C. L.	<i>Bl.</i>
Antoine, F.	<i>Ant.</i>	Bocquillon, H.	<i>Bocq.</i>
Archer, T. C.	<i>Arch.</i>	Böckeler	<i>Böckel.</i>
Arduino, L.	<i>Ard.</i>	Boerhaave, H.	<i>Boerh.</i>
Arnott, G. W. Walker	<i>Arn.</i>	Boissier, E.	<i>Boiss.</i>
Arrabida, A. da	<i>Arrab.</i>	Bojer, W.	<i>Boj.</i>
Arruda de Camara, M.	<i>Arrud.</i>	Bonato, G. A.	<i>Bonat.</i>
Aublet, Fusée de	<i>Aubl.</i>	Bongard, H. G.	<i>Bong.</i>
		Bonpland, A.	<i>Bonpl.</i>
Babington, C. C.	<i>Bab.</i>	Borkhansen, M. B.	<i>Borkh.</i>
Baillon, H. E.	<i>H. Bn.</i>	Bory de St-Vincent,	
Baker, J. G.	<i>Bak.</i>	J. B.	<i>Bory</i>
Balansa, B.	<i>Bal.</i>	Bowdich, T. E.	<i>Bowd.</i>
Balfour, J. H.	<i>Balf.</i>	Braun Al.	<i>Al. Br.</i>
Balfour, Bailey L.	<i>Balf. f.</i>	Brignoli, G. L.	<i>Brign.</i>
Barbosa Rodriguez,	<i>Barb. Rodr.</i>	Brongniart, A.	<i>Brong.</i>
Barnades, M.	<i>Barnad.</i>	Brotero, I. A.	<i>Brot.</i>
Bartling, F. G.	<i>Bartl.</i>	Brown, P.	<i>P. Br.</i>
Basiner, T. F. J.	<i>Basin.</i>	Brown, R.	<i>R. Br.</i>
Batemann, J.	<i>Batem.</i>	Bunge, A.	<i>Bge.</i>
Bauhin, C.	<i>Bauh.</i>	Burchell, W. J. F.	<i>Burch.</i>
Baumgarten, J. C. G.	<i>Baumg.</i>	Bureau, E.	<i>Bur.</i>
Beccari, O.	<i>Becc.</i>	Burmann, J.	<i>Burm.</i>
Beauvois, A. M. I. J.		Buxbaum, J. C.	<i>Buxb.</i>
Palisot de	<i>P. B.</i>		
Beddome, R. H.	<i>Bedd.</i>	Cæsalpini, A.	<i>Cæsalp.</i>
Belanger, C.	<i>Belang.</i>	Candolle <i>vid.</i> De	
Benjamin	<i>Benj.</i>	Candolle.	
Bennett, J. J.	<i>Benn.</i>	Capelli, C.	<i>Capel.</i>
Bentham, G.	<i>Benth.</i>	Casaretto, G.	<i>Casar.</i>
Bernhardi, J. J.	<i>Bernh.</i>	Cassini, A. H. G. de	<i>Cass.</i>
Bertero, C. J.	<i>Bert.</i>	Castagne, L.	<i>Cast.</i>
Berthelot, S.	<i>Berth.</i>	Catesby, M.	<i>Catesb.</i>

Cavanilles, A. J.	<i>Cav.</i>	Edgeworth, M. P.	<i>Edgew.</i>
Celakovsky, L.	<i>Celak.</i>	Ehrenberg, C. G.	<i>Ehrenb.</i>
Cervantes, V. de	<i>Cerv.</i>	Ehrhart, F.	<i>Ehrh.</i>
Chamisso, A. de	<i>Cham.</i>	Eichler, A. W.	<i>Eichl.</i>
Champion, J. G.	<i>Champ.</i>	Elliot, S.	<i>Ell.</i>
Chapman, A. W.	<i>Chapm.</i>	Endlicher, S. L.	<i>Endl.</i>
Chavannes, E.	<i>Chav.</i>	Engler, A.	<i>Engl.</i>
Clusius, C.	<i>Clus.</i>	Eschscholtz, J. F.	<i>Eschsch.</i>
Cogniaux, A.	<i>Cogn.</i>		
Colebrooke, H. T.	<i>Colebr.</i>	Falconer	<i>Falc.</i>
Commerson, P.	<i>Comm.</i>	Fingerhut, K. A.	<i>Fing.</i>
Correa de Serra, J. F.	<i>Corr.</i>	Flacourt	<i>Flac.</i>
Cosson, E.	<i>Coss.</i>	Fischer, F. E. L. de	<i>Fisch.</i>
Cothenius, C. A.	<i>Coth.</i>	Forskal, P.	<i>Forsk.</i>
Cramer.	<i>Cram.</i>	Forster, G.	<i>Forst.</i>
Crüger, H.	<i>Crüg.</i>	Fougeroux, A. D.	<i>Foug.</i>
Cunningham, A.	<i>Cunn.</i>	Fournier, E.	<i>Fourn.</i>
Curtis, M. C.	<i>Curt.</i>	Fremont	<i>Frem.</i>
Cyrillo, D.	<i>Cyr.</i>	Fresenius, G.	<i>Fresen.</i>
		Friwaldsky, E.	<i>Friwald.</i>
Dalzell	<i>Dalz</i>		
D'Anthon	<i>D'Anth.</i>	Galcotti	<i>Gal.</i>
Decaisne, J.	<i>Dcne.</i>	Gardner	<i>Gardn.</i>
De Candolle, A.	<i>A DC.</i>	Gärtner, J.	<i>Gärtn.</i>
De Candolle, A. P.	<i>DC.</i>	Gärtner, C. F.	<i>Gärtn. f.</i>
De Candolle, C.	<i>C. DC.</i>	Gärtner, G.	<i>G. Gärtn.</i>
Delarbre, A.	<i>Delarb.</i>	Gaudichaud, M. C.	<i>Gaud.</i>
Delile, A. Raffeneau	<i>Del.</i>	Gesner, C.	<i>Gesn.</i>
Dennstedt, A. W.	<i>Dennst.</i>	Gilibert, J. E.	<i>Gilib.</i>
De Notaris, G.	<i>De Not.</i>	Gillies	<i>Gill.</i>
Desfontaines, R. L.	<i>Desf.</i>	Gingins Lasarraz, F.	<i>Ging.</i>
Desmoulins, C.	<i>Desmoul.</i>	Gleditsch, J. G.	<i>Gled.</i>
Desrousseaux	<i>Desr.</i>	Gmelin, J. F.	<i>Gmel.</i>
Desvaux, N. A.	<i>Desv.</i>	Godron, D. A.	<i>Godr.</i>
Didrichsen, D. F.	<i>Didrichs.</i>	Graham, R.	<i>Grah.</i>
Dietrich, A.	<i>A. Dietr.</i>	Grenier, C.	<i>Gren.</i>
Dietrich, F. G.	<i>Dietr.</i>	Griffith W.	<i>Griff.</i>
Dodonæus, R.	<i>Dodon.</i>	Grisebach, A. H. R.	<i>Griseb.</i>
Dombey, J.	<i>Domb.</i>	Gronovius	<i>Gronov.</i>
Douglas, D.	<i>Dougl.</i>	Guettard, J. S.	<i>Guett.</i>
Drude, O.	<i>Dr.</i>	Guillemin	<i>Guill.</i>
Drummond, J.	<i>J. Drumm.</i>	Güldenstädt, J. A.	<i>Güld.</i>
Drummond, T.	<i>Drumm.</i>	Gussone, J.	<i>Guss.</i>
Dryander, J.	<i>Dryand.</i>		
Dufresne, P.	<i>Dufr.</i>	Hackel, J. C.	<i>Hack.</i>
Dumortier, B. C.	<i>Dmrt.</i>	Haller, A.	<i>Hall.</i>
Durand, Th.	<i>Th. Dur.</i> ( <i>Nob.</i> ).	Hamilton, F.	<i>Ham.</i>
Dyck, J. Princeps de		Hanstein, J.	<i>Hanst.</i>
Salm	<i>Salm Dyck.</i>	Hartmann, C. J.	<i>Hartm.</i>
		Harvey, W. H.	<i>Harv.</i>
Ecklon, C. F.	<i>Eckl.</i>	Hasskarl	<i>Hassk.</i>

Haworth, A. H.	<i>Haw.</i>	Lapeyrouse, P. de	<i>Lapeyr.</i>
Heister, J.	<i>Heist.</i>	Larreategui, J. D.	<i>Larr.</i>
Hemsley, W. B.	<i>Hemsl.</i>	Laxman, E.	<i>Laxm.</i>
Henfrey, A.	<i>Henfr.</i>	Leavenworth, M. C.	<i>Leavenw.</i>
Herbert, G.	<i>Herb.</i>	Ledebour, C. F. de	<i>Ledeb.</i>
Hermann, H.	<i>Herm.</i>	Lehmann, J. G. C.	<i>Lehm.</i>
Hernandez, F.	<i>Hern.</i>	Lejeune, A. L. S.	<i>Lej.</i>
Heuffel, J.	<i>Heuff.</i>	Lemaire, C.	<i>Lem.</i>
Hilsenberg, K. T.	<i>Hilsenb.</i>	Lemaire Lisancourt	<i>Lem. Lis.</i>
Hochstetter, C. F.	<i>Hochst.</i>	Leprieur	<i>Lepr.</i>
Hoffmann, G. F.	<i>Hoffm.</i>	Leschenault, L. T.	<i>Lesch.</i>
Hoffmann, O.	<i>O. Hoffm.</i>	Lessing, C. F.	<i>Less.</i>
Hoffmannsegg, J. C. de	<i>Hoffmsg.</i>	Lestiboudois, F. J.	<i>Lestib.</i>
Hombron	<i>Hombr.</i>	Lexarza, J.	<i>Lex.</i>
Horaninow, P.	<i>Horan.</i>	L'Heritier, C. L. de	<i>L'Hér.</i>
Hooker, W. J.	<i>Hook.</i>	Lichtenstein, H. von.	<i>Licht.</i>
Hooker, J. D.	<i>H. f.</i>	Liebmann, F. M.	<i>Liebm.</i>
Houston, W.	<i>Houst.</i>	Linden, J.	<i>Lind.</i>
Houttuyn, M.	<i>Houtt.</i>	Lindley, J.	<i>Lindl.</i>
Hügel, C. de	<i>Hüg.</i>	Linné C. A.	<i>L.</i>
Humboldt, F. H. A. de	<i>Humb.</i>	Linné C. A. (filius).	<i>L. f.</i>
Hyeronymus, F.	<i>Hyeron.</i>	Llave, P. de la	<i>Llav.</i>
Isnard, Danti d'	<i>Isn.</i>	Löffling, P.	<i>Löfl.</i>
Jacquin, J. F. de	<i>Jacq.</i>	Loudon, J. C.	<i>Loud.</i>
Jaubert, H. F.	<i>Jaub.</i>	Loureiro, J. de	<i>Lour.</i>
Jaume S <sup>t</sup> -Hilaire, J. H.	<i>J. S<sup>t</sup>-Hil.</i>	Macfadyen, J. C.	<i>Macfad.</i>
Jordan, A.	<i>Jord.</i>	Mærklin, G. J.	<i>Mærkl.</i>
Junghuhn, F. W.	<i>Jungh.</i>	Maingay	<i>Maing.</i>
Jussieu, A. L. de	<i>Juss.</i>	Marchal, E.	<i>E. March.</i>
Jussieu, Ad. de	<i>A. Juss.</i>	Marchand, L.	<i>L. March.</i>
Kæmpfer, E.	<i>Kæmpf.</i>	Marcgraf, G.	<i>Marcgr.</i>
Karelin, G.	<i>Kar.</i>	Margot, H.	<i>Marg.</i>
Karsten, H.	<i>Karst.</i>	Markham, C. R.	<i>Markh.</i>
Kellogg, A.	<i>Kell.</i>	Marschall a Bie-	
Kirilow, J.	<i>Kir.</i>	berstein, M. A.	<i>M. B.</i>
Klotzsch, J. F.	<i>Kl.</i>	Martius, C. F. P. von	<i>Mart.</i>
Knowles, G. B.	<i>Kn.</i>	Masters, M. T.	<i>Mast.</i>
Köler, G. L.	<i>Köl.</i>	Maximowicz, C. J.	<i>Maxim.</i>
König, C.	<i>Kön.</i>	Medikus, F. C.	<i>Medik.</i>
Körnigke	<i>Körn.</i>	Meissner, C. F.	<i>Meisn.</i>
Korthals, P. W.	<i>Korth.</i>	Mercier, P.	<i>Merc.</i>
Kosteletzky, V. F.	<i>Kostel.</i>	Meyer, C. A.	<i>C. A. Mey.</i>
Kunth, K. S.	<i>Kth.</i>	Meyer, E.	<i>E. Mey.</i>
Labillardière, J. J. de	<i>Labill.</i>	Meyer, G. F. W.	<i>G. F. W. Mey.</i>
Lafitau, J. F.	<i>Laft.</i>	Michaux, A.	<i>Mchx.</i>
Lagasca, M.	<i>Lag.</i>	Miegeville	<i>Miegev.</i>
Lamarck, J. B. P. A.	<i>Lam.</i>	Mikan, J. G.	<i>Mik.</i>
Lambert	<i>Lamb.</i>	Miller, P.	<i>Mill.</i>
		Miquel, F. A. W.	<i>Miq.</i>
		Mirbel, C. F. Brisseau	<i>Mirb.</i>
		Mitchel, J.	<i>Mitch.</i>

Mocino, J.	<i>Moç.</i>	Rafinesque, C. S.	<i>Raf.</i>
Molina, G. I.	<i>Mol.</i>	Radlkofer, L.	<i>Radlk.</i>
Monnier, Aug. le	<i>Monn.</i>	Redouté, P. J.	<i>Red.</i>
Moquin Tandon, C. H.		Regel, E.	<i>Rgl.</i>
B. A.	<i>Moq.</i>	Reichardt, H. W.	<i>Reich.</i>
Moritzi, A.	<i>Mor.</i>	Reichenbach, H. G. L.	<i>Rchb.</i>
Morren, C.	<i>C. Morr.</i>	Reichenbach, H. G.	<i>Rchb. f.</i>
Morren, E.	<i>E. Morr.</i>	Reinwardt, C. G. C.	<i>Reinw.</i>
Mühlenberg, H.	<i>Mühlbg.</i>	Reissek, S.	<i>Reiss.</i>
Müller, F. von	<i>F. Müll.</i>	Reuter, G. F.	<i>Reut.</i>
Müller, K.	<i>K. Müll.</i>	Richard, A.	<i>Rich.</i>
Müller, J.	<i>Müll. Arg.</i>	Richard, L. C. M.	<i>L. C. Rich.</i>
Münster	<i>Münst.</i>	Ridley	<i>Ridl.</i>
Murray, J. A.	<i>Murr.</i>	Riedel, L.	<i>Ried.</i>
Mutis, J. C.	<i>Mut.</i>	Rivinus, A. Q.	<i>Riv.</i>
		Rodrigues, J. B.	<i>Rodrig.</i>
Naudin	<i>Naud.</i>	Röhling, J. C.	<i>Röhl.</i>
Necker, N. J. de	<i>Neck.</i>	Rohrbach, P.	<i>Rohrb.</i>
Nelson <i>vid.</i> Senilis.		Römer, J. J.	<i>Röm.</i>
Noronha, F. de	<i>Nor.</i>	Römer, R.	<i>R. Röm.</i>
Notaris, G. de	<i>De Not.</i>	Rottböll, C. F.	<i>Rottb.</i>
Nuttall, T.	<i>Nutt.</i>	Roxburgh, W.	<i>Roxb.</i>
		Rudbeck, O.	<i>Rudb.</i>
OErsted, A. S.	<i>Ærst.</i>	Rumphius (Rumpf)	<i>Rumph.</i>
Oliver, D.	<i>Oliv.</i>	Ruppius, H. B.	<i>Rupp.</i>
Ortega, C. G. de	<i>Ort.</i>	Ruprecht, F. J.	<i>Rupr.</i>
Pancher	<i>Panch.</i>	St-Hilaire, A. de	<i>St-Hil.</i>
Palisot de Beauvois,		Saldanha de Gama J.	<i>Sald.</i>
A. M. F. J.	<i>P. B.</i>	Salisbury, R. A.	<i>Salisb.</i>
Parlatore, P.	<i>Parl.</i>	Sauvalle, F. A.	<i>Sauv.</i>
Pasquale, G. A.	<i>Pasq.</i>	Schauer, J. K.	<i>Schau.</i>
Pauquy, C. L. C.	<i>Pauq.</i>	Scheffer, R. H. C. C.	<i>Scheff.</i>
Pavon, J.	<i>Pav.</i>	Scheidweiler, M. J.	<i>Scheidw.</i>
Perrottet, G. S.	<i>Perr.</i>	Schimper	<i>Schimp.</i>
Persoon, C. H.	<i>Pers.</i>	Schlechtendal, D. F. L.	<i>Schlecht.</i>
Petermann, W. L.	<i>Peterm.</i>	Schleiden, M. J.	<i>Schleid.</i>
Peyritsch, J.	<i>Peyr.</i>	Schmalhausen, J.	<i>Schmalh.</i>
Pfeiffer, L.	<i>Pfeiff.</i>	Schmidel, C. C.	<i>Schmid.</i>
Philippi, R. A.	<i>Phil.</i>	Schneevoigt, G. W.	<i>Schnevg.</i>
Planchon, J. E.	<i>Pl., Planch.</i>	Schnitzlein, A.	<i>Schnitzl.</i>
Plukenet, L.	<i>Pluk.</i>	Schomburgk	<i>Schomb.</i>
Plumier, C.	<i>Plum.</i>	Schrader, H. A.	<i>Schrad.</i>
Poiret, J. L. M.	<i>Poir.</i>	Schreber, J. C. D.	<i>Schreb.</i>
Poiteau, A.	<i>Poit.</i>	Schultes, J. A.	<i>Schult.</i>
Poitrasson	<i>Poitrass.</i>	Schultz (Bipontinus),	
Pollich, J. A.	<i>Poll.</i>	C. H.	<i>Sch. Bip.</i>
Ponteder	<i>Ponted.</i>	Schultz, F.	<i>F. Sch.</i>
Pöppig, E.	<i>Pöpp.</i>	Schumann	<i>Schum.</i>
Pourret, A.	<i>Pourr.</i>	Schweinitz, L. D. von	<i>Schwein.</i>
Putterlick A.	<i>Putterl.</i>	Scopoli, J. A.	<i>Scop.</i>
		Scortechini	<i>Scortech.</i>



Scribner	<i>Scribn.</i>	Trinius, C. B.	<i>Trin.</i>
Seemann, B.	<i>Seem.</i>	Turczaninow	<i>Turcz.</i>
Sendtner, G.	<i>Sendtn.</i>	Turpin, P. J. F.	<i>Turp.</i>
Senilis (Nelson)	<i>Senil.</i>	Tussac, F. R. de	<i>Tuss.</i>
Seringe, N. C.	<i>Ser.</i>		
Seubert, M.	<i>Seub.</i>	Ungern Sternberg, F.	<i>Ung.</i>
Shuttleworth, A. T.	<i>Shuttl.</i>		
Sibthorp, J.	<i>Sibth.</i>	Vaillant, S.	<i>Vaill.</i>
Sieber, F. W.	<i>Sieb.</i>	Vandelli, D.	<i>Vand.</i>
Siegesbeck, L. G.	<i>Siegesb.</i>	Vellozo, J. M. da C.	<i>Vell.</i>
Smirnow	<i>Smirn.</i>	Ventenat, E. P.	<i>Vent.</i>
Smith, J. E.	<i>Sm.</i>	Vieillard, E.	<i>Vieill.</i>
Smith, J.	<i>J. Sm.</i>	Vigier, J.	<i>Vig.</i>
Solander, D.	<i>Soland.</i>	Villars, D.	<i>Vill.</i>
Sonder, W.	<i>Sond.</i>	Visiani, R. de	<i>Vis.</i>
Sonnerat, P.	<i>Sonn.</i>	Viviani, D.	<i>Viv.</i>
Spegazzini, C.	<i>Spegazz.</i>	Vogel, H.	<i>Vog.</i>
Sparrmann, A.	<i>Sparrm.</i>		
Spenner, F.	<i>Spenn.</i>	Wahlenberg, G.	<i>Wahlenb.</i>
Splitgerber, F. L.	<i>Splitg.</i>	Wallich, N.	<i>Wall.</i>
Sprengel, A.	<i>A. Spreng.</i>	Walpers, W. G.	<i>Walp.</i>
Sprengel, K.	<i>Spreng.</i>	Wallroth	<i>Wallr.</i>
Sprunner	<i>Sprunn.</i>	Walter	<i>Walt.</i>
Steinheil, A.	<i>Steinh.</i>	Warming, J. E. B.	<i>Warm.</i>
Sternberg, C.	<i>Sternb.</i>	Watson, J. F.	<i>Wats.</i>
Steudel, E. G.	<i>Steud.</i>	Watson, S.	<i>S. Wats.</i>
Steven, C.	<i>Stev.</i>	Weddell, H. A.	<i>Wedd.</i>
Stschgeleew, S.	<i>Stschgl.</i>	Welwitsch, F.	<i>Welw.</i>
Swartz, O.	<i>Sw.</i>	Wenderoth, G. W. F.	<i>Wender.</i>
		Wendland, H. L.	<i>Wendl.</i>
Tabernæmontanus,		Westcott	<i>Westc.</i>
J. T.	<i>Tabern.</i>	Wettstein, H.	<i>Wetts.</i>
Targioni Tozzetti, G.	<i>Targ.</i>	Wickström, J. E.	<i>Wickstr.</i>
Teijsmann	<i>Teijsm.</i>	Wiggers	<i>Wigg.</i>
Tenore, M.	<i>Ten.</i>	Willdenow, C. L.	<i>Willd.</i>
Thomson, T.	<i>Thoms.</i>	Willemet, P. R. F.	<i>Willem.</i>
Thouars <i>vid.</i> Du Petit		Willkomm, M.	<i>Willk.</i>
Thouars.		Wimmer, F.	<i>Wimm.</i>
Thonning	<i>Thonn.</i>	Wülfen, F. X	<i>Wülf.</i>
Thunberg, C. P.	<i>Thunb.</i>	Wydler, H.	<i>Wyd.</i>
Tineo, V.	<i>Tin.</i>		
Todaro, A.	<i>Tod.</i>	Zahlbruckner, J.	<i>Zahlbr.</i>
Torrey, J.	<i>Torr.</i>	Zenker, J. C.	<i>Zenk.</i>
Tournefort, J. P. de	<i>Tourn.</i>	Zippel, H.	<i>Zipp.</i>
Trattinick, L.	<i>Tratt.</i>	Zollinger, H.	<i>Zoll.</i>
Trautvetter, E. R.	<i>Trautv.</i>	Zuccarini, J. G.	<i>Zucc.</i>
Trécul	<i>Tréc.</i>	Zumaglini, A. M.	<i>Zumag.</i>
Triana, H.	<i>Tr.</i>		

## II

Bentham et Hooker	<i>B. et H.</i>
Chamisso et Schlechtendal	<i>Ch. et Schl.</i>
Decaisne et Planchon	<i>Dcne et Pl.</i>
Ecklon et Zeyher	<i>E. et Z.</i>
Humboldt et Bonpland	<i>H. et B.</i>
Hooker (filius) et Thomson	<i>H. f. et T.</i>
Humboldt, Bonpland et Kunth	<i>H. B. et K.</i>
Planchon et Triana	<i>Pl. et Tr.</i>
Römer et Schultes	<i>R. et S.</i>
Siebold et Zuccarini	<i>S. et Z.</i>
Wight et Arnott.	<i>W. et A.</i>

## III

?	<i>signum dubitationis</i> quoad verbum, genus, synonymum.		Flumen	<i>fl.</i>
			Hortulanus	<i>Hort.</i>
Aliorum sc. auctorum	<i>alior.</i>		Hemisphærium	<i>Hemisph.</i>
Africa	<i>Afr.</i>		Herbarium	<i>Herb.</i>
America	<i>Amer.</i>		Icon	<i>Ic.</i>
— æquinoctialis	— <i>æquinoc.</i>		Index	<i>Ind.</i>
— arctica	— <i>arct.</i>		Indigenus	<i>Indig.</i>
— australis	— <i>austr.</i>		Ineditus	<i>ined.</i>
— borealis	— <i>bor.</i>		Inquilinus	<i>inquil.</i>
— calida	— <i>calid.</i>		Insula	<i>Ins.</i>
— centralis	— <i>centr.</i>		Nova	<i>N.</i>
— extratropica	— <i>extratrop.</i>		Orbis	<i>Orb.</i>
— frigida	— <i>frigid.</i>		Peninsula	<i>Penins</i>
— montana	— <i>mont.</i>		Planta	<i>pl.</i>
— occidentalis	— <i>occ.</i>		Promontorium Bonæ	
— orientalis	— <i>or.</i>		Spei	<i>Pr. B. Spei</i>
— septentrio-			Reducendus	<i>reduc.</i>
nalis	— <i>sept.</i>		Regio	<i>reg.</i>
— subarctica	— <i>subarct.</i>		Regio Mediterranea	<i>Reg. Medit.</i>
— temperata	— <i>temp.</i>		Secundum	<i>sec.</i>
— tropica	— <i>trop.</i>		Species	<i>Sp., spec.</i>
Archipelagus	<i>Archip.</i>		Synonymum	<i>Syn.</i>
Auctor, Auctores	<i>Auct.</i>		Tabula	<i>tab.</i>
Australia	<i>Austral.</i>		Totus	<i>Tot.</i>
Conferatur	<i>Cf., Cfr.</i>		Volumen	<i>V.</i>
Descriptus	<i>descr.</i>		Vel	<i>v.</i>
Distinctus	<i>dist.</i>		Verisimiliter	<i>verisim.</i>
Enumeratus	<i>enum.</i>		Vetus	<i>vet.</i>
Flora	<i>Fl.</i>			

Conspectus synopticus Ordinum

DICOTYLEDONES

POLYPETALÆ

SERIES I. **Thalamifloræ.**

COHORS 1. *Ranales.*

		Genera Species				Genera Species	
Ranunculaceæ . . . .		30	680	Anonaceæ . . . .		63	450
Dilleniaceæ . . . .		48	200	Menispermaceæ . . . .		62	255
Calycanthaceæ . . . .		2	5	Berberideæ . . . .		20	105
Magnoliaceæ . . . .		14	86	Nymphæaceæ . . . .		8	35

COHORS 2. *Parietales.*

Sarraceniaceæ . . . .	3	10	Resedaceæ . . . .	6	45
Papaveraceæ . . . .	19	80	Cistineæ . . . .	4	71
Fumariaceæ . . . .	7	130	Violarieæ . . . .	25	270
Cruciferæ . . . .	188	1550	Canellaceæ . . . .	4	6
Capparideæ . . . .	36	355	Bixineæ . . . .	36	180

COHORS 3. *Polygalinæ.*

Pittosporeæ . . . .	10	90	Polygaleæ . . . .	17	470
Tremandreæ . . . .	3	27	Vochysiaceæ . . . .	7	130

COHORS 4. *Caryophyllinæ.*

Frankeniaceæ . . . .	3	32	Portulacææ . . . .	18	145
Caryophylleæ . . . .	37	1100	Tamariscineæ . . . .	5	45

COHORS 5. *Guttiferales.*

Elatineæ . . . .	2	25	Ternstroëmiaceæ . . . .	42	310
Hypericineæ . . . .	8	240	Dipterocarpeæ . . . .	17	182
Guttiferæ . . . .	28	370	Chlænaceæ . . . .	6	14

COHORS 6. *Malvales.*

Malvaceæ . . . .	65	800	Tiliaceæ . . . .	51	470
Sterculiaceæ . . . .	51	730			

SERIES II. **Discifloræ.**

COHORS 7. *Geraniales.*

Lineæ . . . .	15	235	Malpighiaceæ . . . .	53	600
Humiriaceæ . . . .	4	32	Zygophylleæ . . . .	18	110

	Genera Species			Genera Species	
Geraniaceæ. . . . .	26	986	Burseraceæ. . . . .	13	275
Rutaceæ. . . . .	103	782	Meliaceæ . . . . .	38	550
Simarubaceæ . . . . .	34	110	Dichapetalæ . . . . .	3	54
Ochnaceæ . . . . .	12	160			

Cohors 8. *Olacales*.

Olacineæ . . . . .	63	277	Cyrilleæ. . . . .	3	7
Ilicineæ. . . . .	4	181			

Cohors 9. *Celastrales*.

Celastrineæ. . . . .	39	300	Rhamneæ . . . . .	42	475
Hippocrateæceæ . . . . .	5	155	Ampelideæ . . . . .	10	435
Stackhousiæ . . . . .	2	21			

Cohors 10. *Sapindales*.

Sapindaceæ. . . . .	122	950	Staphyleaceæ . . . . .	4	16
Hippocastanaceæ . . . . .	2	16	Sabiaceæ . . . . .	4	40
Aceraceæ . . . . .	3	88	Anacardiaceæ . . . . .	57	430
Melianthaceæ . . . . .	3	10			

Ordines vel potius Genera anomala.

Coriariæ . . . . .	1	3	Moringæ . . . . .	1	3
--------------------	---	---	-------------------	---	---

SERIES III. *Calycifloræ*.

Cohors 11. *Rosales*.

Connaraceæ . . . . .	7	170	Droseraceæ. . . . .	6	105
Leguminosæ . . . . .	434	7000	Hamamelideæ . . . . .	19	40
Rosaceæ. . . . .	79	1000	Bruniaceæ . . . . .	10	45
Saxifragaceæ . . . . .	87	650	Haloragææ . . . . .	9	85
Crassulaceæ . . . . .	15	485			

Cohors 12. *Myrtales*.

Rhizophoraceæ . . . . .	17	50	Melastomaceæ . . . . .	133	2500
Combretaceæ . . . . .	18	280	Lytirariæ . . . . .	33	365
Myrtaceæ . . . . .	87	2100	Onagrarieæ. . . . .	23	330

Cohors 13. *Passiflorales*.

Samydaceæ. . . . .	20	160	Cucurbitaceæ . . . . .	86	633
Loasæ . . . . .	13	115	Begoniaceæ. . . . .	3	425
Turneraceæ. . . . .	6	85	Datisceæ . . . . .	3	4
Passifloraceæ . . . . .	27	235			

Cohors 14. *Ficoidales*.

Cactæ . . . . .	15	1100	Ficoidæ . . . . .	24	445
-----------------	----	------	-------------------	----	-----

Cohors 15. Umbellales.

Genera Species			Genera Species		
Umbelliferæ . . . . .	180	1400	Cornaceæ . . . . .	16	80
Araliaceæ . . . . .	51	375			

GAMOPETALÆ.

SERIES I. Inferæ.

Cohors 1. Rubiales.

Caprifoliaceæ . . . . .	14	240	Rubiaceæ . . . . .	378	4500
-------------------------	----	-----	--------------------	-----	------

Cohors 2. Asterales.

Valerianææ . . . . .	9	275	Calycerææ . . . . .	3	23
Dipsacææ . . . . .	5	150	Compositææ . . . . .	836	10200

Cohors 3. Campanales.

Candolleaceæ . . . . .	5	105	Lobeliaceæ . . . . .	28	540
Goodenovieæ . . . . .	12	210	Campanulaceæ . . . . .	32	540

SERIES II. Heteromeræ.

Cohors 4. Ericales.

Vacciniaceæ . . . . .	27	230	Epacrideæ . . . . .	26	325
Ericaceæ . . . . .	33	1080	Diapensiaceæ . . . . .	6	9
Monotropeæ . . . . .	9	12	Lennoaceæ . . . . .	3	4

Cohors 5. Primulales.

Plumbagineæ . . . . .	8	235	Myrsineæ . . . . .	24	550
Primulaceæ . . . . .	25	315			

Cohors 6. Ebenales.

Sapotaceæ . . . . .	40	400	Styraceæ . . . . .	7	235
Ebenaceæ . . . . .	6	250			

SERIES III. Bicarpellatæ.

Cohors 7. Gentianales.

Oleaceæ . . . . .	19	390	Asclepiadeæ . . . . .	204	1700
Salvadoraceæ . . . . .	3	8	Loganiaceæ . . . . .	34	365
Apocynaceæ . . . . .	124	1035	Gentianeæ . . . . .	49	575

Cohors 8. Polemoniales.

Polemoniaceæ . . . . .	8	150	Convolvulaceæ . . . . .	36	870
Hydrophyllaceæ . . . . .	17	130	Solanaceæ . . . . .	72	1500
Boragineæ . . . . .	77	1235			

Cohors 9. Personales.

	Genera	Species		Genera	Species
Scrophularineæ . . .	167	2000	Gesneraceæ. . . .	83	960
Orobanchaceæ . . .	12	150	Bignoniaceæ . . . .	55	500
Lentibulariæ . . .	4	200	Pedaliæ . . . .	15	46
Columelliaceæ . . .	1	2	Acanthaceæ. . . .	134	1500

Cohors 10. Lamiales.

Myoporineæ . . . .	5	78	Verbenaceæ . . . .	65	740
Selagineæ . . . .	9	140	Labiatae . . . .	142	2700

Ordo anomalus.

Plantagineæ. . . .	3	200
--------------------	---	-----

MONOCHLAMYDEÆ.

SERIES I. Curvembryæ.

Nyctagineæ. . . .	25	120	Phytolaccaceæ . . . .	21	55
Illeccbraceæ . . . .	20	90	Batideæ . . . .	1	1
Amarantaceæ . . . .	50	450	Polygonaceæ . . . .	30	750
Chenopodiaceæ. . . .	83	520			

SERIES II. Multiovulatæ Aquaticæ.

Podostemaceæ . . . .	21	116
----------------------	----	-----

SERIES III. Multiovulatæ Terrestres.

Nepenthaceæ . . . .	1	31	Aristolochiæ . . . .	5	225
Cytinaceæ . . . .	7	27			

SERIES IV. Micrembryæ.

Piperaceæ . . . .	11	1025	Myristiceæ . . . .	1	90
Chloranthaceæ. . . .	4	34	Monimiaceæ . . . .	23	150

SERIES V. Daphnales.

Laurineæ . . . .	42	900	Penæaceæ . . . .	4	20
Proteaceæ . . . .	52	950	Elæagnaceæ . . . .	3	31
Thymelæaceæ . . . .	38	400			

SERIES VI. Achlamydosporeæ.

Loranthaceæ . . . .	13	520	Balanophoreæ . . . .	16	37
Santalaceæ . . . .	28	200			

SERIES VII. **Unisexuales.**

	Genera	Species		Genera	Species
Euphorbiaceæ . . . .	212	3000	Juglandeæ . . . . .	5	35
Balanopseæ. . . . .	1	8	Myricaceæ . . . . .	1	40
Urticaceæ . . . . .	110	1560	Casuarinææ. . . . .	1	23
Platanaceæ . . . . .	1	6	Cupuliferæ . . . . .	10	420
Leitneriææ . . . . .	2	3			

SERIES VIII. **Ordines anomali.**

Salicinææ . . . . .	2	178	Empetraceæ . . . . .	3	4
Lacistemaceæ . . . . .	1	16	Ceratophylleæ . . . . .	1	3

MONOCOTYLEDONES

SERIES I. **Microspermæ.**

Hydrocharideæ. . . . .	14	10	Orchideæ . . . . .	370	5000
Burmanniaceæ. . . . .	10	50			

SERIES II. **Epigynæ.**

Zingiberaceæ . . . . .	36	470	Irideæ . . . . .	57	770
Musaceæ . . . . .	5	50	Amaryllideæ . . . . .	65	650
Bromeliaceæ . . . . .	38	525	Taccaceæ . . . . .	2	10
Hæmodoraceæ . . . . .	27	125	Dioscoreaceæ . . . . .	9	170

SERIES III. **Coronariæ.**

Stemonaceæ . . . . .	3	7	Xyrideæ. . . . .	2	47
Liliaceæ. . . . .	205	2300	Mayacaceæ . . . . .	1	7
Pontederiaceæ. . . . .	5	35	Commelinaceæ. . . . .	26	300
Philydraceæ . . . . .	3	3	Rapateaceæ. . . . .	6	21

SERIES IV. **Calycinæ.**

Flagellariææ . . . . .	3	6	Palmæ . . . . .	129	1100
Juncaceæ . . . . .	8	210			

SERIES V. **Nudifloræ.**

Pandaneæ . . . . .	2	83	Aroideæ. . . . .	105	900
Cyclanthaceæ . . . . .	6	44	Lemnaceæ . . . . .	2	19
Typhaceæ . . . . .	2	16			

SERIES VI. **Apocarpæ.**

Triurideæ . . . . .	2	16	Naiadaceæ . . . . .	16	120
Alismaceæ . . . . .	13	55			



SERIES 7. **Glumaceæ.**

Eriocaulææ . . . . .	6	236	Cyperaceæ . . . . .	66	2200
Centrolepideæ . . . . .	6	32	Gramineæ . . . . .	317	3500
Restiaceæ . . . . .	20	240			

**GYMNOSPERMÆ.**

Gnetaceæ . . . . .	3	36	Cycadaceæ . . . . .	9	83
Coniferæ . . . . .	34	300			

**Additio ordinum, generum et specierum**

Numeri secundum divisiones Phanerogamarum sunt :

		Ordines	Genera	Species
Dicotyledones	Polypetalæ	90	3050	28300
	Gamopetalæ	46	2885	37800
	Monochlamydeæ	36	849	12100
		<hr/>	<hr/>	<hr/>
		172	6784	78200
Monocotyledones		35	1587	19600
Gymnospermæ		3	46	2420
		<hr/>	<hr/>	<hr/>
Summa		210	8417	100220 (1)

(1) Sp. bene distinctæ, linneanæ dictæ.

---

# INDEX

## GENERUM PHANEROGAMORUM

### DICOTYLEDONES

#### POLYPETALÆ

#### ORDO I. **RANUNCULACEÆ** <sup>(1)</sup>

##### TRIBUS I. **Clematideæ.**

- 1 1 **Clematis** L. G. I. 3 et 953. — Sp. descript. ultra 200, a cl. Kunze ad 66 reduct. Orbis. fere tot. reg. temp. et trop.  
Sect. 1. *Viticella* DC., *Viticella* Mönch.  
Sect. 2. *Cheiropsis* DC., *Atragene* L., *Cheiropsis* et *Viorna* Spach.  
Sect. 3. *Flammula* DC., *Meclatis* Spach.
- 2 2 **Naravelia** DC. G. I. 4. — Sp. 2 v. 3. Asia trop.

##### TRIBUS II. **Anemoneæ.**

- 3 3 **Thalictrum** L. G. I. 4. — Sp. ad 70. Eur., Asia, Afr., Amer. bor. et austr.  
*Physocarpum* et *Tripterium* Spach.
- 4 4 **Anemone** L. G. I. 4 et 953. — Sp. bene distinct. ad 83. Utriusque orbis reg. extratrop.; alibi rariss.  
1. *Pulsatilla* Tourn.  
2. *Anemone* Tourn., *Syndesmon* Hoffmsg, *Anemonella* Spach, *Homalocarpus* Schur.  
3. *Hepatica* Dill., *Barneoudia* C. Gay.
- 5 5 **Knowltonia** Salish. G. I. 4. (*Anamenia* Vent.). — Sp. 5 v. 6. Afr. austr.
- 6 6 **Adonis** L. G. I. 5. — Sp. fere 20, sed fors. ad 5-6 reduc. Eur. et Asiæ reg. temp.  
*Adonanthè* Spach, *Chrysocyathus* Falc.
- 7 7 **Callianthemum** C. A. Mey. G. I. 5. — Sp. 2. Eur. et Asia temp. mont.
- 8 8 **Myosurus** L. G. I. 5. — Sp. 5. Eur., Asia, Amer., Austral., N. Zel.

(1) Sp. descript. ultra 1350, verisimiliter ad 680 reduc., per totum fere orbem terrarum dispersæ.

TRIBUS III. **Ranunculeæ.**

- 9 9 **Trautvetteria** F. et M. G. I. 5. — Sp. I. Amer. bor., Japon.  
 10 10 **Ranunculus** L. G. I. 5 et 953. — Sp. ad 200. Orbis totus.  
     *Batrachium* Dmrt.  
     *Ceratocephalus* Mönch, *Xiphocoma* et *Gampsoceras* Stev.,  
     *Pachyloma* et *Cyprianthe* Spach.  
     *Ficaria* Dill.  
     *Hecatonia* Lour., *Krapfia* DC.  
     *Casalea* et *Aphanostemma* S'-Hil., *Kumlicnia* Greene, *Cyrtorhyn-*  
     *cha* Nutt.  
 11 11 **Hamadrias** Comm. G. I. 6. — Sp. 4. Amer. antarct.  
 12 12 **Oxygraphis** Bge. G. I. 6. — Sp. 3. Asia mont. et arct.

TRIBUS IV. **Helleboreæ.**

- 13 13 **Caltha** L. G. I. 6. — Sp. ad 9. Eur., Asia, Amer., Austral, N. Zel.  
     *Psychrophila* C. Gay, *Thacla* Spach.  
 14 14 **Calathodes** H. f. et T. G. I. 7. — Sp. 1. Himal. or.  
 15 15 **Glaucidium** S. et Z. G. I. 7. — Sp. 1. Japon.  
 16 16 **Hydrastis** L. G. I. 7. — Sp. 2. Amer. bor., Japon.  
 17 17 **Trollius** L. G. I. 7. — Sp. ad 10. Eur., Asia, Amer. bor.  
     *Hegemone* Bge.  
 18 18 **Helleborus** L. G. I. 7. — Sp. descript. 17, ad 6 reduc. Eur., Asia  
     occ. et centr.  
 19 19 **Eranthis** Salisb. G. I. 7. — Sp. 5. Eur., Asia mont.  
 20 20 **Coptis** Salisb. G. I. 8 et 953. — Sp. ad 9. Eur., Asia, Amer. bor.  
     *Chrysocoptis* Nutt.  
 21 21 **Isopyrum** L. G. I. 8. — Sp. 17. Eur., Asia, Amer. bor.  
     *Enemion* Raf., *Leptopyrum* Rehb.  
 22 22 **Nigella** L. G. I. 8. — Sp. ad 23. Eur., Asia occ.  
     *Garidella* L., *Erobathos* Spach.  
 23 23 **Aquilegia** L. G. I. 8. — Sp. enum. ad 50, verisim. ad 6-8 reduc.  
     Eur., Asia, Amer. bor.  
 24 24 **Anemonopsis** S. et Z. G. I. 8. (*Xaveria* Endl.). — Sp. 1. Japon.  
 25 25 **Delphinium** L. G. I. 9 et 953. — Sp. ad 70. Eur., Asia, Amer.  
     bor., Abyss.  
     *Delphiniastrum*, *Staphysagria* et *Phledinium* Spach, *Consolida*  
     Lindl., *Ceratosanthus* Schur.  
 26 26 **Aconitum** L. G. I. 9. — Sp. ad 19. Eur., Asia, Amer. bor.  
     *Nirbisia* G. Don.  
 27 27 **Actæa** L. G. I. 9. — Sp. 2. Eur., Asia, Amer. bor.  
 28 28 **Cimicifuga** L. G. I. 9 et 953. — Sp. ad 10. Eur. Asia. Amer. bor.  
     *Macrotys* Raf. (*Botrophis* Raf.), *Pityrosperma* S. et Z., *Actino-*  
     *spora* Turcz.

- 29 29 *Xanthorhiza* Marsh. G. I. 9. (*Zanthorhiza* L'Hér.). — Sp. 1. Amer. bor.

TRIBUS V. **Pæoniææ**.

- 30 30 *Pæonia* L. G. I. 10. — Sp. verisim. ad 7 reduc. Eur. et Asia temp., Amer. bor. occ.  
Moutan Lindl.

ORDO II. **DILLENACEÆ** <sup>(1)</sup>

TRIBUS I. **Delimeææ**.

- 31 1 *Empedoclea* S'-Hil. G. I. 11. — Sp. 1. Brasil.  
32 2 *Davilla* Vand. G. I. 12. (*Hieronias* Vell.). — Sp. ad 14. Amer. trop.  
33 3 *Curatella* L. G. I. 12 et 953. — Sp. 2. Amer. trop.  
34 4 *Pinzona* Mart. et Zucc. G. I. 12 et 953. — Sp. 2. Brasil.  
35 5 *Doliocarpus* Roland. G. I. 12 et 953. (*Othlis* Schott). — Sp. ad 18. Amer. trop.  
Soramia et Calinea Aubl., Ricaurtea Trian., Mappia Schreb., Tigarea Aubl. (*Rhinium* Schreb.).  
36 6 *Delima* L. G. I. 12. (*Leontoglossum* Hance). — Sp. 1. Asia trop. ? *Trachytella* DC.  
37 7 *Tetracera* L. G. I. 12 et 954. (*Euryandra* Forst., *Wahlbomia* Thunb.) — Sp. ad 36. Orbis utriusque reg. trop. *Delimopsis* Miq.

TRIBUS II. **Dilleniææ**.

- 38 8 *Acrotrema* Jack. G. I. 13 et 954. — Sp. ad 10. Asia trop.  
39 9 *Schumacheria* Vahl. G. I. 13. — Sp. 3. Zeylan.  
40 10 *Wormia* Rottb. G. I. 13 et 954. (*Lenidia* Thou.). — Sp. 20. Asia et Austral. trop., Madagasc. *Capellia* Bl.  
41 11 *Dillenia* L. G. I. 13. — Sp. ad 15. Asia trop., Austral. *Colbertia* Salisb.  
42 12 *Reifferschiedia* Presl. G. I. 13. — Sp. 1. Ins. Philippin.

TRIBUS III. **Hibbertiææ**.

- 43 13 *Trisema* H. f. G. I. 14 et 954. (*Vanieria* Montrous.). — Sp. 2. N. Caled.  
44 14 *Hibbertia* Andr. G. I. 14 et 954. — Sp. ad 80. Austral., Madagasc.  
Sect. 1. *Hemistemma* Benth., *Hemistemma* R. Br.  
Sect. 2. *Hemipleurandra* Benth., *Pleurandra* DC., *Hemistephus* Dr. et Harv.  
Sect. 3. *Pleurandra* Benth., *Pleurandra* Labill.  
Sect. 4. *Cyclandra* F. Müll., *Hibbertia* DC., *Ochrolasia* Turcz., *Burtonia* Spach, *Warburtonia* F. Müll., *Trimorphandra* Brong. et Gris.

(1) Sp. ad 200 per reg. trop. et Austral. late disp.; in Amer. or. v. Asia bor. extratrop. rariores.

- 90 27 **Anaxagorea** S'-Hil. G. I. 23 et 937. — Sp. 7. Asia et Amer. trop.  
     *Rhopalocarpus* Teijsm et Binn.  
 91 28 **Popowia** Endl. G. I. 23 et 937. — Sp. ad 9. Asia, Afr. et Austral.  
     trop., Afr. austro-or.  
 92 29 **Eburopetalum** Becc. in *N. Giorn. bot. Ital.* III. 181. — Sp. 1.  
     Borneo.

TRIBUS III. **Mitrephoreæ.**

- 93 30 **Richella** A. Gray. G. I. 26. — Sp. 1. Ins. Viti.  
 94 31 **Oxymitra** Bl. G. I. 26 et 937. — Sp. ad 18. Afr. et Asia trop.  
 95 32 **Goniothalamus** Bl. G. I. 26 et 937. — Sp. ad 14. Asia trop.  
 96 33 **Atrutregia** Bedd. G. I. 937. — Sp. I Ind. or.  
 97 34 **Mitrephora** Bl. G. I. 26 et 937. — Sp. ad 10. Asia trop.  
     *Pseuduvaria* Miq.  
 98 35 **Marenteria** Thou. G. I. 937. — Sp. 1. Madagasc.  
 99 36 **Monodora** Dun. G. I. 26 et 937. — Sp. 6. Afr. trop. or. et occ.  
 100 37 **Phæanthus** H. f. et T. G. I. 27 et 937. — Sp. 3. Asia trop.  
 101 38 **Piptostigma** Oliv. G. I. 937. — Sp. 2. Afr. trop. occ.  
 102 39 **Anomianthus** Zoll. G. I. 27. — Sp. 1. Java.  
 103 40 **Heteropetalum** Benth. G. I. 27. — Sp. 1. Brasil. bor.  
 104 41 **Cymbopetalum** Benth. G. I. 27. — Sp. 2 v. 3. Brasil., Peruv.,  
     Mexic.  
 105 42 **Enantia** Oliv. G. I. 938. — Sp. 1. Afr. trop. occ.

TRIBUS IV. **Xylopiææ.**

- 106 43 **Rollinia** S'-Hil. G. I. 27. — Sp. ad 20. Amer. trop.  
 107 44 **Marsypopetalum** Scheff. *Observ. phytogr.* II. 30. — Sp. 1. Java.  
 108 45 **Anona** L. G. I. 27 et 938. — Sp. ad 50. Amer. trop., Afr. trop.  
     et austr., Madagasc.; in Asia introd.  
 109 46 **Rauwenhoffia** Scheff. in *Ann. Hort. Buitenz.* II. pars 1. —  
     Sp. 1. Asia trop. ins.  
 110 47 **Melodorum** Dun. G. I. 28 et 938. — Sp. ad 24. Asia et Afr.  
     trop., Austral.  
     *Kentia* Bl., *Pyramidanthe* et *Mitrella* Miq.  
 111 48 **Xylopia** L. G. I. 28 et 938. — Sp. 30-40. Amer., Asia et  
     Afr. trop.  
     *Waria* Aubl., *Habzelia* et *Cœlocline* A. DC., *Patonia* Wight.  
     *Parartabotrys* Miq.  
 112 49 **Tridimeris** H. Bn in *Adans.* IX. 219. — Sp. 1. Mexic. mer.  
 113 50 **Habzelia** H. f. et T. G. I. 28. — Sp. 2. Asia trop.

TRIBUS V. **Miliuseæ.**

- 114 51 **Miliusa** Leschen. G. I. 28 et 938. (*Hyalostemma* Wall.). —  
     Sp. 7 v. 8. Ind. or., Austral.?

ORDO V. **ANONACEÆ** <sup>(1)</sup>TRIBUS I. **Uvarieæ.**

- 64 1 **Sageræa** Dalz. G. I. 22 et 955. — Sp. 3. Ind. or.  
 65 2 **Stelechocarpus** Bl. G. I. 22. — Sp. 1 v. 2. Asia trop.  
 66 3 **Tetrapetalum** Miq. G. I. 955. — Sp. 1. Borneo.  
 67 4 **Uvaria** L. G. I. 23 et 955. — Sp. ad 44. Asia et Austral. trop.,  
 Afr. trop. et austr.  
     **Fitzalania** F. Müll.  
 68 5 **Porcelia** R. et P. G. I. 23 et 956. — Sp. 1. Peruv.  
 69 6 **Sapranthus** Seem. in *Journ. Bot.* IV. 369. — Sp. 1. Amer. centr.  
 70 7 **Sphærothalamus** H. f. G. I. 23. — Sp. 1. Borneo.  
 71 8 **Marcuccia** Becc. in *N. Giorn. bot. Ital.* III. 184. — Sp. 1. Borneo.  
 72 9 **Enicosanthemum** Becc. in *N. Giorn. bot. Ital.* III. 184. — Sp. 1.  
     Borneo.  
 73 10 **Ellipeia** H. f. et T. G. I. 23 et 956. — Sp. 5. v. 6. Penins. et  
     Archip. Malacc.  
 74 11 **Cleistochlamys** Oliv. G. I. 956. — Sp. 1. Afr. trop. austro-or.  
 75 12 **Guatteria** R. et P. G. I. 23 et 956. — Sp. ad 50. Amer. trop.  
     **Cananga** Aubl.  
 76 13 **Duguetia** S'-Hil. G. I. 23. (*Cardiopetalum* Schlecht.). — Sp. 12.  
     Amer. trop.  
     **Aberemoa** Aubl.

TRIBUS II. **Unoneæ.**

- 77 14 **Cyathocalyx** Champ. G. I. 24. — Sp. 3. Asia trop.  
 78 15 **Artabotrys** R. Br. G. I. 24 et 956. — Sp. ad 18. Asia et Afr. trop.  
     **Ropalopetalum** Griff.  
 79 16 **Drepananthus** Maingay in *Fl. B. Ind.* I. 56. — Sp. 2. Malacca.  
 80 17 **Hexalobus** A. DC. G. I. 24 et 956. — Sp. 4. Afr. trop.  
 81 18 **Cananga** Rumph. G. I. 24. — Sp. 3. Asia trop.  
 82 19 **Cyathostemma** Griff. *Notul.* IV. 707. — Sp. 1. Ind. or.  
 83 20 **Unona** L. f. G. I. 24 et 956. — Sp. ad 25. Asia et Afr. trop.; Austral.  
     **Meiogyne** Miq., **Ancana** F. Müll.  
 84 21 **Monocarpia** Miq. G. I. 956. — Sp. 1. Borneo.  
 85 22 **Asimina** Adans. G. I. 24. (*Orchidocarpum* Mchx.). — Sp. 6 v. 7.  
     Amer. bor. et centr., Ind. occ.  
 86 23 **Trigyneia** Schlecht. G. I. 25. — Sp. 5. Amer. trop.  
 87 24 **Disepalum** H. f. G. I. 25. — Sp. 1. Borneo.  
 88 25 **Polyalthia** Bl. G. I. 25 et 956. — Sp. ad 40. Asia trop., Austral.,  
     Afr. trop. et austr.  
     **Monoon** et **Trivalvaria** Miq.  
 89 26 **Ararocarpus** Scheff. in *Ann. Hort. Buitenz.* II. pars 1. —  
     Sp. 1. Asia trop. ins.

(1) Sp. ad 450 adhuc notæ, in Asia. Afr. et Amer. trop. v. subtrop. et Amer. bor. dispersæ.

- 142 18 **Tiliacora** Colebr. G. I. 36 et 961. (*Braunea* Willd. pr. p.). — Sp. 1 v. 2. Ind. or. (Afr. trop. or.?).
- 143 19 ?**Synclisia** Benth. G. I. 36. — Sp. 1. Afr. trop. occ.
- 144 20 **Aristega** Miers. *Menispermaceæ*. 375. — Sp. 1. Ind. or.?
- 145 21 **Desmonema** Miers. *Menispermaceæ*. 377. — Sp. 1. Afr. austr.
- 146 22 **Rhaptonema** Miers. *Menispermaceæ*. 379. — Sp. 1. Madagasc.
- 147 23 **Limacia** Lour. G. I. 36 et 961. — Sp. 6. Asia et Afr. trop.
- Hypserpa Miers.
- 148 24 **Cocculus** DC. G. I. 36 et 961. (*Wendlandia* Willd., *Epibaterium* Forst., *Cebatha* Forsk., *Leæba* Forsk., *Cocculidium* Spach). — Sp. ad 10. Amer. bor. calid., Afr. et Asia trop. et temp. Austral.
- Nephroia Lour. (Nephroica Miers), Holopeira et Diploclisia Miers, Adenocheton Fenzl, Selwynia F. Müll, Legnephora Miers, Galloa Korth., Quinio Schlecht.
- 149 25 **Pericampylus** Miers. G. I. 37 et 961. (*Pselium* Lour. pr. p.). — Sp. 1. Asia trop., Austral.
- 150 26 **Tristichocalyx** F. Müll. G. I. 962. — Sp. 1. Austral. trop.
- 151 27 ?**Spirospermum** Thou. G. I. 39 et 962. — Sp. 1. Madagasc.
- 152 28 **Menispermum** L. G. I. 37 et 962. — Sp. 2. Amer. bor. et Asia or. temp.

#### TRIBUS III. **Cissampelideæ.**

- 153 29 **Sarcopetalum** F. Müll. G. I. 37 et 962. — Sp. 1. Austral.
- 154 30 **Stephania** Lour. G. I. 37 et 962. (*Clypea* Bl.). — Sp. 4. Asia, Afr. trop. et austr., Austral.
- Ileocarpus, Homocnemia et Perichasma Miers.
- 155 31 **Cissampelos** L. G. I. 37 et 962. — Sp. vix 13. Amer. et Asia trop., Afr. trop. et austr.
- 156 32 **Antizoma** Miers in *Fl. Cap.* I. 11. — Sp. 5. Afr. austr.
- Dissopetalum Miers.
- 157 33 ?**Clambus** Miers. G. I. 962. — Sp. 1. Mexic.
- 158 34 **Cyclea** Arn. G. I. 38 et 963. — Sp. 3. Asia trop.
- Rhaptonomeris Miers.
- 159 35 **Lophophyllum** Griff. *Notul.* IV. 313. (*Peraphora* Miers). — Sp. 1. Ind. or.

#### TRIBUS IV. **Pachygoneæ.**

- 160 36 **Pachygone** Miers. G. I. 38 et 963. — Sp. 2. Asia trop., Austral.
- 161 37 **Hyperbæna** Miers. G. I. 38 et 963. — Sp. 3 v. 4. Amer. trop.
- 162 38 **Pycnarrhena** Miers. G. I. 38. — Sp. 2. v. 3. Asia trop.
- 163 39 **Macrococculus** Becc. *Malesia*. I. 160. — Sp. 1. N. Guinea.
- 164 40 **Albertisia** Becc. *Malesia*. I. 161. — Sp. 1. N. Guinea.

- 165 41 *Bania* Becc. *Malesia*. I. 162. — Sp. 1. N. Guinea.  
 166 42 *Chondrodendron* R. et P. G. I. 963. (*Botryopsis* Miers). —  
     Sp. 3 v. 4. Amer. trop.  
 167 43 *Rameya* H. Bn in *Adans*. IX. 313. — Sp. 1. Afr. trop. or.  
 168 44 *Sychnosepalum* Eichl. G. I. 463. — Sp. 3. Amer. austr.  
     *Detandra* Miers.  
 169 45 *Triclisia* Benth. G. I. 39 et 963. — Sp. 4. Afr. trop.  
 170 46 *Gamopoda* Bak. in *Journ. Linn. Soc.* XXII. 443. — Sp. 1.  
     Madagasc.  
 171 47 *Carronia* F. Müll. *Fragm.* IX, 84. — Sp. 1. Austral.  
 172 48 *Huesemannia* F. Müll. in *Wing's Exped.* (1883). — Sp. 1. Austral.  
 173 49 *Syrrheonema* Miers. G. I. 959. — Sp. 1. Afr. trop. occ.  
 174 50 *Penianthus* Miers. G. I. 959. — Sp. 1. Afr. trop. occ.  
 175 51 *Pleogyne* Miers. G. I. 963. (*Microclisia* Benth). — Sp. 1.  
     Austral. or.  
 176 52 *Hæmatocarpus* Miers. G. I. 964. — Sp. 1. Asia trop.  
 177 53 *Antitaxis* Miers. *Contrib.* IV. 336. — Sp. 4 v. 5. Asia trop. or.  
     *Galiba*. H. Bn.  
 178 54 *Sciadotenia* Miers. G. I. 39 et 964. — Sp. 3. Guiana, Brasil.  
     Genus anomalum.  
 179 55 ? *Adeliopsis* Benth. G. I. 964. — Sp. 1. Austral. trop.  
     Genera dubia.  
 180 56 ? *Somphoxylon* Eichl. G. I. 959. — Sp. 1. Guiana.  
 181 57 ? *Trepodandra* H. Bn in *Adans*. IX. 317. — Sp. 1. Madagasc.

ORDO VII. **BERBERIDEÆ** <sup>(1)</sup>TRIBUS I. **Lardizabaleæ.**

- 182 1 *Lardizabala* R. et P. G. I. 42. — Sp. 2. Chili.  
 183 2 *Boquila* Dene. G. I. 42. — Sp. 1. Chili, Peruv.  
 184 3 *Parvatia* Dene G. I. 42. — Sp. 1. Ind. or.  
 185 4 *Decaisnea* H. f. et T. G. I. 42. — Sp. 1. Ind. or.  
 186 5 *Stauntonia* DC. G. I. 42. — Sp. 2. China, Japon.  
 187 6 *Holboëllia* Wall. G. I. 42. — Sp. 2 v. 1. Himal., Tibet.  
 188 7 *Akebia* Dene G. I. 42. — Sp. 4. China, Japon.

TRIBUS II. **Berberææ.**

- 189 8 *Berberidopsis* H. f. G. I. 964. — Sp. 1. Chili.  
 190 9 *Berberis* L. G. I. 43 et 964. — Sp. descript. ultra 100, ad  
     60 reduc. Eur., Asia, Amer.  
     *Mahonia* Nutt.

(1) Sp. bene notæ ad 105, in reg. temp. hemisph. bor. v. Amer. australioris crescentes, perpaucæ inter tropicos in montibus obviæ.



- 191 10 *Bongardia* C. A. Mey. G. I. 43. — Sp. 1. Asia med.  
 192 11 *Leontice* L. G. I. 43 et 965. — Sp. 8. Eur. mer, Asia med.  
     *Gymnospermium* Spach.  
 193 12 *Canlophyllum* Mchx. — G. I. 43. — Sp. 1. Amer. bor., Japon.  
     Mandshuria.  
 194 13 *Nandina* Thunb. G. I. 44. — Sp. 1. China, Japon.  
 195 14 *Vancouveria* Dcne. G. I. 44. — Sp. 2. Amer. bor.  
 196 15 *Epimedium* L. G. I. 44. — Sp. enum. 15, ad 9 reduc. Eur., Asia  
     temp., Algeria.  
 197 16 *Aceranthus* Dcne. G. I. 44. — Sp. 2. Japon.  
 198 17 *Diphylleia* Mchx. G. I. 44. — Sp. 2. Amer. bor., Japon.  
 199 18 *Jeffersonia* Bart. G. I. 44. — Sp. 2. Amer. bor., Mandshuria.  
     *Plagiorhegma* Maxim.  
 200 19 *Podophyllum* L. G. I. 45 et 965. — Sp. 2. Amer. bor., Himal.  
 201 20 *Achlys* DC. G. I. 45. — Sp. 2. Amer. bor. occ, Asia or.

### ORDO VIII. NYMPHÆACEÆ<sup>(1)</sup>

#### SUBORDO I. Cabombeæ.

- 202 1 *Cabomba* Aubl. G. I. 46. — Sp. 2 v. 3? Amer. (Mexic., Guiana,  
     Brasil.).  
 203 2 *Brasenia* Schreb. G. I. 46. (*Hydropeltis* Mchx). — Sp. 1. Amer.  
     bor., Cuba, Austral., Afr. trop. occ., Asia trop. et or.

#### SUBORDO II. Nymphææ.

- 204 3 *Nuphar* L. G. I. 46 et 965. — Sp. 3 v. 4. — Hemisph. bor.  
     extratrop.  
 205 4 *Nymphæa* L. G. I. 46 et 965. (*Castalia* Salisb.). — Sp. ad 25.  
     Orbis fere totus.  
 206 5 *Barclaya* Wall. G. I. 47 — Sp. 2. Asia trop. or.  
 207 6 *Euryale* Salisb. G. I. 47 et 965. (*Anneslea* Roxb) — Sp. 1.  
     Ind. or., China, Japon.  
 208 7 *Victoria* Lindl. G. I. 47. — Sp. 3. Amer. æquinoct.

#### SUBORDO III. Nelumboneæ.

- 209 8 *Nelumbium* Juss. G. I. 47 et 965. (*Cyamus* Sm.). — Sp. 2. Amer.,  
     Asia et Austral. trop. et subtrop.  
     *Nelumbo* Gärtn.

### ORDO IX. SARRACENIACEÆ<sup>(2)</sup>

- 210 1 *Sarracenia* L. G. I. 48. — Sp. 8. Amer. bor.

(1) Sp. ad 35 in aquis orbis fere totius crescentes.

(2) Sp. 10. omnes americanæ.

211 2 *Darlingtonia* Torr. G. I. 48 et 965. — Sp. 1. Californ.

212 3 *Heliamphora* Benth. G. I. 48. — Sp. 1. Venezuela.

# ORDO X. PAPAVERACEÆ<sup>(1)</sup>

## TRIBUS I. Romneyeæ.

213 1 *Platystemon* Benth. G. I. 51. — Sp. 1. Californ.

214 2 *Platystigma* Benth. G. I. 51. — Sp. 3. Amer. bor.-occ.  
*Meconella* Nutt.

215 3 *Romneya* Harv. G. I. 51. — Sp. 1. Californ.

## TRIBUS II. Eupapaveræ.

216 4 *Papaver* L. G. I. 51 et 965. — Sp. ad 26. Eur. Asia, Afr., Amer.  
et Austral. extratrop.

*Calomecon* Spach, *Closterandra* Belang.

217 5 ?*Arctomecon* Torr. G. I. 52. — Sp. 1. Californ.

218 6 *Canbya* Parry in *Proc. Amer. Acad.* XII. 51. — Sp. 2. Amer. bor.

219 7 *Argemone* L. G. I. 52 et 965. (*Echtrus* Lour.). — Sp. vix 7.  
Amer. et sp. 1 per reg. trop. utriusque orbis inquil.

220 8 *Meconopsis* Vig. G. I. 52. — Sp. 9. Eur. occ., Asia centr.,  
Amer. bor. occ.

221 9 *Cathcartia* H. f. G. I. 52. — Sp. 3. Himal., China.

222 10 *Stylophorum* Nutt. G. I. 52. — Sp. 4 v. 5. Amer. bor., Himal.,  
Mandshuria, Japon.

*Dicranostigma* H. f. et T., *Hylomecon* Maxim.

223 11 *Eomecon* Hance in *Journ. Bot.* XXII, 346. — Sp. 1. China.

224 12 *Sanguinaria* L. G. I. 53. — Sp. 1. Amer. bor.

225 13 *Bocconia* L. G. I. 53. — Sp. 3. Amer. trop., China, Japon.  
*Macleya* R. Br.

226 14 *Glaucium* Juss. G. I. 53. — Sp. 9. Eur., Asia occ., Afr. bor.

227 15 *Rœmeria* DC. G. I. 53. — Sp. 2 v. 3. Eur., Asia occ., Afr. bor.

228 16 *Chelidonium* L. G. I. 53. — Sp. 1. Eur., Asia temp.. In Amer.  
bor. inquilina.

## TRIBUS III. Hunnemannieæ.

229 17 *Dendromecon* Benth. G. I. 54 et 965. — Sp. 1. Californ.

230 18 *Hunnemannia* Sweet. G. I. 54. — Sp. 1. Mexic.

231 19 *Eschscholtzia* Cham. G. I. 54. (*Chryseis* Lindl.). — Sp. 15.  
Amer. bor. occ.

(1) Sp. ad 80 in reg. temp. et subtrop. hemisph. bor. crescentes, alibi perpaucae; sed nonnullæ hodie per locos cultos orbis fere totius late dispersæ.

ORDO XI. **FUMARIACEÆ** <sup>(1)</sup>

- 232 1 **Hypecoum** L. G. I 54 et 965. (*Mnemosilla* Forsk.). — Sp. 7.  
Eur. Austral. Afr. bor., Asia temp.  
Chiazospermum Bernh.
- 233 2 **Pteridophyllum** S. et Z. G. I 54. — Sp 1. Japon.
- 234 3 **Dicentra** Borkh G. I. 55. (*Diclytra* et *Dielytra* DC., *Capnorchis* Planch.). — Sp. 13. Asia occ. et centr. Amer. bor.  
Eucapnos S. et Z. ; Dactylicapnos Wall., Macrocapnos Royle.
- 235 4 **Adlumia** Raf. G. I. 55. — Sp. 1. Amer. bor.
- 236 5 **Corydalis** DC. G. I. 55 et 965. — Sp. ad. 100. Eur., Asia, Afr.  
extratrop., Amer. bor.  
Bulbocapnos Bernh., Cryptoceras Schott, Sophorocapnos Turcz.,  
Ceratocapnos Durieu, Phacocapnos et Cysticapnos Bernh.
- 237 6 **Sarcocapnos** DC. G. I. 56. — Sp. 4. Eur. austr., occ, Afr.  
bor., occ.  
Aplectrocapnos Boiss.
- 238 7 **Fumaria** L. G I. 56 et 965. — Sp. enum. fere 50, sed vix 10  
Eur., Asia centr., Afr. extratrop., (Brasil. indig.?).  
Platycapnos Bernh. Discocapnos Schlecht.

ORDO XII. **CRUCIFERÆ**TRIBUS I. **Arabideæ.**

- 239 1 **Matthiola** R. Br. G. I. 67 et 966. (*Microstigma* Trautv.). — Sp.  
ad 36 Eur., Reg., Medit., Asia occ.
- 240 2 **Diptychocarpus** Trautv. G. I. 67. (*Alloceratum* H. f. et T.). — Sp.  
3. Turkest, Afghan.
- 241 3 **Parrya** R. Br. G. I. 67 et 966. — Sp. 14. Asia arct. et mont.  
Amer. bor. alp. et arct.  
Neuroloma Andrz., Leiospora C. A. Mey., Pachyneurum Bge,  
Ermania Cham.
- 242 4 **Cithareloma** Bge. G. I. 67. — Sp. 2. Reg. Caspica.
- 243 5 **Cheiranthus** L. G. I. 68. — Sp. ad 12. Eur., Asia, Afr. et Amer.  
bor.  
Dichroanthus Webb, Phœnicaulis Nutt.
- 244 6 **Atelantha** H. f. et T. G. I. 68. — Sp 1. Tibet.
- 245 7 **Nasturtium** R. Br. G. I. 68 et 966. — Sp. propos. ad 90, sed vix  
25 bene dist. Orbis. fere totus.  
Leiolobium Rehb, Roripa Bess., Clandestinaria et Brachylobus  
Spach, Nasturtiopsis Boiss.
- 246 8 **Barbarea** R. Br. G. I. 68. — Sp. enum. ad 25, sed vix 7 dist.  
Orb. tot. reg. temp. bor. et austr.

(1) Sp. ad 130 per reg. temp. et calid. hemisph. bor. et Afr. extratrop. late dispersæ.

- 247 9 **Arabis** L. G. I. 69. — Sp. enum. ad 140, sed vix ultra 79 dist.  
Reg. arct. et temp., præcipue hemisph. bor.  
1. *Turritis* L., 2. *Stevenia* Adams. 3. *Arabidium* Spach.
- 248 10 **Dryopetalum** A. Gr. G. I. 69. — Sp. 1. N. Mexic.
- 249 11 **Macropodium** R. Br. G. I. 69. — Sp. 1. Mont. Altai.
- 250 12 **Streptanthus** Nutt. G. I. 69 et 966. — Sp. ad 16. Amer. bor.
- 251 13 **Thelypodium** Endl. G. I. 81. (*Pachypodium* Nutt.). — Sp. 10-12.  
Amer. bor., Mexic.  
*Macropodium* Hook.
- 252 14 **Caulanthus** Wats. in *Bot. King's Exped.* 27. — Sp. 3. Amer. bor.
- 253 15 **Cardamine** L. G. I. 70 et 966. — Sp. ad 73. Orb. tot. reg. temp.  
alp. et arct.  
1. *Dentaria* L., 2. *Pteroneuron* DC., 3. *Kardanoglyphos* Schlecht.
- 254 16 **Loxostemon** H. f. et T. G. I. 70. — Sp. 1 v. 2. Himal., Sikkim, China.
- 255 17 **Iodanthus** Torr, et Gray. G. I. 70 et 966. — Amer. bor. or.
- 256 18 **Leavenworthia** Torr. G. I. 70 et 966. — Sp. 3, ad 1 reduc.  
Amer. bor.
- 257 19 **Morettia** DC. G. I. 70. — Sp. 5. Afr. bor. et trop. or., Arabia.
- 258 20 **Andrzejowskia** Rehb. G. I. 70. — Sp. 1. Asia minor.
- 259 21 **Notoceras** R. Br. G. I. 71. (*Diceratium* Lag.). — Sp. 1. Ins. Canar.,  
Reg. Medit., Asia occ. usque ad Indiam.
- 260 22 **Parolinia** Webb. G. I. 71. — Sp. 1. Ins. Canar.
- 261 23 **Diceratella** Boiss. G. I. 71. (*Diceratium* Boiss.). — Sp. 2. Persia.
- 262 24 **Lonchophora** Durieu. G. I. 71. — Sp. 2. Algeria.
- 263 25 **Anastatica** L. G. I. 71. — Sp. 1. Afr. bor., Syria, Arabia.

#### TRIBUS II. **Alyssineæ.**

- 264 26 **Lunaria** L. G. I. 71. — Sp. 2. Eur., Asia occ.  
*Brachypus* Ledeb.
- 265 27 **Selenia** Nutt. G. I. 72. — Sp. 2. Amer. bor. (Texas, Arkansas).
- 266 28 **Ricotia** L. G. I. 72. — Sp. 3 v. 1. Afr. bor., Oriens.
- 267 29 **Farsetia** Desv. G. I. 72. (*Fibigia* Medik.). — Sp. ad 20. Eur. austr.  
Afr. bor. et trop. or., Oriens, Ind. or.
- 268 30 **Platyspermum** Hook. G. I. 72. — Sp. 1. Amer. bor. (Oregon).
- 269 31 **Grællsia** Boiss. G. I. 72. — Sp. 1. Persia.
- 270 32 **Buchingera** Boiss. G. I. 72. — Sp. 1. Persia.
- 271 33 **Aubrietia** Adans. G. I. 73. — Sp. 7. Ital., Graec., Asia occ., Persia.
- 272 34 **Vesicaria** Lam. G. I. 73 et 966. — Sp. ad 32. Eur. austr., Amer.  
andina bor. et austr.  
*Physoptychis* et *Clastopus* Boiss., *Cystocarpum* Spach, *Physaria*  
A. Gray.
- 273 35 **Coluteocarpus** Boiss. G. I. 63 et 966. — Sp. 1. Asia minor.  
*Lagowskia* Trautv.

- 274 36 **Alyssum** L. G. I. 73 et 966. — Sp. ad 100. Eur., Afr. bor., Oriens  
Odontarrhena, Ptilotrichum et Psilonema C. A. Mey., Schive-  
reckia Andrz., Aurinia, Lobularia et Meniocus Desv.,  
Koeniga R. Br., Glyce Lindl., Berteroa DC.
- 275 37 **Alyssopsis** Boiss. G. I. 74. — Sp. 2. Persia.
- 276 38 **Heterodraba** Greene in *Bull. Calif. Acad.* 71 (1885). — Sp. 1.  
Californ.
- 277 39 **Draba** L. G. I. 74. — Sp. ultra 170 enum. (verisim. 80 dist.).  
Hemisph. bor. reg. temp. et frig., Amer. austro-occ.  
Dollineria Sauter, Holargidium Turcz., Petrocallis R. Br., Coleo-  
nema Maxim.
- 278 40 **Erophila** DC. G. I. 75. — Sp. ad 5. Eur., Asia occ. et centr.
- 279 41 ?**Odontocyclus** Turcz. G. I. 75. — Sp. 1. Ins. Kuril.
- 280 42 ?**Stenonema** Hook. G. I. 75 et 966. (*Leptonema* Hook., non Juss.,  
*Dolichostylis* Turcz.). — Sp. 1. N. Granada.
- 281 43 **Cochlearia** L. G. I. 75 et 966. — Sp. ad 26. Hemisph. bor. reg.  
temp. et frigid.  
Taphrospermum C. A. Mey., (Rhizobotrya Tausch), Kerneria  
Medik., Armoracia Fl. Wett., Chrysochamela Boiss.
- 282 44 **Pringlea** H. f. G. I. 76. — Sp. 1. Ins. Kerguelen.

### TRIBUS III. **Sisymbryeæ.**

- 283 45 **Tetracme** Bge. G. I. 76. — Sp. 5. Reg. Caspica, Afghan.
- 284 46 **Schizopetalon** Sims. G. I. 76. — Sp. 5. Chili.
- 285 47 **Hesperis** L. G. I. 76 et 966. — Sp. ad 22. Eur., Asia bor. et occ.  
Deilosma Spach, Clausia Trotzky, Kladnia Schur, Chalcanthus  
Boiss.
- 286 48 **Malcolmia** R. Br. G. I. 77 et 966. (*Wilckia* Scop.). — Sp. ad 26.  
Eur., Afr. bor., Asia occ. et centr.  
Strigosella et Eremobium Boiss.
- 287 49 **Dontostemon** Andrz. G. I. 77. (*Andreoskia* DC.). — Sp. 9. Sibir.  
Mongol., Mandshuria.
- 288 50 ?**Lepidostemon** H. f. et T. G. I. 77. — Himal. or.
- 289 51 **Streptoloma** Bge. G. I. 77. — Sp. 1. Reg. Caspica.
- 290 52 **Sisymbrium** L. G. I. 77 et 966 — Sp. ad 90 sat dist. Reg. temp.  
utriusque orbis, Afr. trop.  
Sect. 1. *Velarum* DC., *Velarum* Schur, *Chamæplium* Spach.  
Sect. 2. *Norta* DC. *Norta* Schur.  
Sect. 3. *Irio* DC.; *Pachypodium* et *Descurainia* Webb, *Tonguea*  
Endl., *Hugueninia* Rehb., *Leptocarpæa* DC., *Maresia* Pomel.  
Sect. 4. *Arabidopsis* DC., *Arabidopsis* Schur, *Stenophragma*  
Celak.  
Sect. 5. *Drabopsis* B. et H., *Drabopsis* C. Koch.

Sect. 6. *Kibera* DC. — Sect. 7. *Psilostylum* DC.

Sect. 8. *Alliaria* B. et H., *Alliaria* Adans.

Sect. 9. *Tricholobos* B. et H., *Tricholobos*, Turcz.

? *Sisymbrella* Spach.

291 53 **Eutrema** R. Br. G. I. 78. — Sp. 5. Reg. a.ct., Sibir., Himal, Japon.

292 54 **Conringia** Rchb. G. I. 78. — Sp. 6. Eur. austr. et cent., Asia occ.

293 55 **Porphirocodon** H. f. G. I. 79. — Sp. 1. N. Granada.

294 56 **Smelowskia** C. A. Mey. G. I. 79. — Sp. 5 v. 6. Sibir., Mongol., Amer. bor.

295 57 **Erysimum** L. G. I. 79. — Sp. enum. ad 125, sed ad 80 reduc. Reg. temp. hemisph. bor.

*Strophades* Boiss.

296 58 **Zerdana** Boiss. G. I. 80. — Sp. 1. Persia.

297 59 **Greggia** A. Gray. G. I. 80. — Sp. 1. Texas, N. Mexic.

298 60 **Syrenia** Andrz. G. I. 80. — Sp. 3-4, Sibir., Asia centr. et occ. Ross. austr.

299 61 **Christolea** Camb. G. I. 80. — Sp. 1. Tibet.

300 62 **Stanleya** Nutt. G. I. 80. — Sp. 6 v. 3. Californ., Arizona, Nevada.

301 63 **Warea** Nutt. G. I. 80. — Sp. 1. Florida.

302 64 **Heliophila** L. G. I. 81 et 967. (*Trentepohlia* Roth). — Sp. enum ad 70, sed verisim. ad 40 reduc. Afr. austr.

Sect. 1. *Leptomurus* DC., *Leptomurus* E. et Z.

Sect. 2. *Ormiscus* DC., *Ormiscus* E. et Z.

Sect. 3. *Selenocarpæa* DC., *Selenocarpæa* E. et Z.

Sect. 4. *Orthoselis* DC., *Orthoselis* Spach.

Sect. 5. *Pachystylum* DC., *Pachystylum* E. et Z.

Sect. 6. *Lanceolaria* DC.

303 65 **Chamira** Thunb. G. I. 81. — Sp. 1. Afr. austr. occ.

#### TRIBUS IV. **Camelineæ.**

304 66 **Mathewsia** Hook. G. I. 81. — Sp. 3. Chili, Peruv.

*Machærophorus* Schlecht.

305 67 **Leptaleum** DC. G. I. 81. — Sp. 1. Asia occ.

306 68 **Ammosperma** H. f. G. I. 82. Sp. 1. Tunisia.

307 69 **Blennodia** R. Br. G. I. 82 et 967. — Sp. 11. Austral.

308 70 **Stenopetalum** R. Br. G. I. 82 et 967. — Sp. 6. Austral.

309 71 **Tropidocarpum** Hook G. I. 82. — Sp. 6. Californ.

310 72 **Braya** Sternb. et Hoppe. G. I. 82. — Sp. ad 15. Reg. mont. et arct. utriusque orbis.

*Platypetalum* R. Br., *Oreas* Cham. et Schlecht., *Aphragmus* Andrz., *Orobium* Rchb., *Eudema* H. et B.

311 73 **Geococcus** J. Drumm. G. I. 83. — Sp. 1. Austral. austro-occ.

- 312 74 **Camelina** Crantz. G. I. 83. — Sp. 1. vel 5-10 inter se arcte aff.  
Eur., Oriens.  
313 75 **Sphærocardamum** S. Schauer. G. I. 83. — Sp. 1. Mexic.  
314 76 ? **Tetrapoma** Turcz G. I. 83 et 967. — Sp. 1. Sibir. or.  
315 77 **Menkea** Lehm. G. I. 83. — Sp. 2. Austral. austro-occid.  
316 78 **Subularia** L. G. I. 83. — Sp. 2. Eur., Asia et Amer. bor., Abyss.

TRIBUS V. **Brassicæ**.

- 317 79 **Brassica** L. G. I. 84 et 967. — Sp. usque ad 160 enum., sed ad  
85 reduc. Eur., Afr. bor. et austr., Asia; alibi cult. aut  
inquit.  
1. Sinapidendron Lour.  
2. Brassica DC., Melanosinapis Sch. et Sp., Corynelobos  
R. Röm.  
3. Sinapis L., Bonannia Presl, Napus Sch. et Sp.  
4. Hirschfeldia Mönch.  
5. Erucastrum Presl.  
318 80 **Diplotaxis** DC. G. I. 84 et 967. — Sp. ad 22. Eur., Afr. bor.  
Pendulina Willk.  
319 81 **Eruca** Tourn. G. I. 84 et 967. (*Euzomum* Link). — Sp. 4.  
Eur., Asia occ., Afr. bor.  
320 82 **Euzomodendron** Coss. G. I. 85. — Sp. 1. Hispan.  
321 83 **Savignya** DC. G. I. 85. — Sp. 1 v. 3. Arabia, Afr. bor., Asia occ.  
322 84 **Moricandia** DC. G. I. 85 et 967. — Sp. 5. Eur. austr., Afr. bor.,  
Asia occ., Arabia.  
Douepea Camb., Oudneya R. Br.  
323 85 **Orychophragmus** Bge. G. I. 85. — Sp. 1. China bor.  
324 86 **Henophyton** Coss. et Dur. (prius *Henonia*). G. I. 85 et 967. —  
Sp. 1. Algeria.  
325 87 **Vella** L. G. I. 85. — Sp. 3. Hispan.  
326 88 **Carrichtera** Adans. G. I. 86. — Sp. 1. Eur. austr., Afr. bor.,  
Asia occ.  
327 89 **Succovia** Medik. G. I. 86. — Sp. 1. Hispan., Ital., Afr. bor., Ins.  
Canar.

TRIBUS VI. **Lepidineæ**.

- 328 90 **Pachycladon** H. f. G. I. 967. — Sp. 1. N. Zel.  
329 91 **Capsella** Mönch. G. I. 86 et 967. — Sp. 8. Orb. tot. reg. temp.  
et subtrop.  
Hymenolobus Nutt., Microlepidium F. Müll.  
330 92 **Mancoa** Wedd. G. I. 86. — Sp. 1. Peruv.  
331 93 **Nocca** Rechb. G. I. 86. — Sp. 2. Eur. alp.  
332 94 **Ionopsidium** Rechb. G. I. 86. — Sp. 2. Lusit., Sicil., Afr. bor.  
Pastorea Tod.

- 333 95 *Senebiera* Poir. G. I. 87 et 967. (*Coronopus* Gärtn.). — Sp. ad 6. Orb. tot. reg. temp. et calid.
- 334 96 *Brachycarpæa* DC. G. I, 87. — Sp. 2. Pr. B. Spei.
- 335 97 *Lachnocapsa* Balf. f. *Diagn. pl. Socotra*. 55 (1882). — Sp. 1. Socotra.
- 336 98 *Lepidium* L. G. I. 87 et 967. — Sp. enum. ultra 100, ad 60-80 reduc. Orb. tot. reg. temp. et calid.  
*Physolepidium* Schrenk, *Monoploca* Bge.  
 Sect. 1. *Cardaria* DC., *Cardaria* Desv.  
 Sect. 2. *Ellipsaria* DC., — Sect. 3. *Bradypiptum* DC.  
 Sect. 4. *Cardamon* DC., *Thlaspidium* Spach.  
 Sect. 5. *Lepia* DC., *Lepia* Desv.  
 Sect. 6. *Dileptium* DC., *Cynocardamum* Webb.  
 Sect. 7. *Lepidiastrum* DC.
- 337 99 *Hymenophysa* C. A. Mey. G. I. 88. — Sp. 3. Altai, Persia, Turkest.
- 338 100 *Stroganovia* Kar. et Kir. G. I. 88. — Sp. 3 v. 4. Songaria.
- 339 101 *Physalidium* Fenzl. G. I. 88. — Sp. 1. Persia bor.
- 340 102 *Bivonæa* DC. G. I. 88. — Sp. 1. Sicil.
- 341 103 *Æthionema* R. Br. G. I. 88. — Sp. ad 40. Eur. austr., Asia minor, Persia.  
*Diastrophis* F. et M.
- 342 104 *Campyloptera* Boiss. G. I. 89. — Sp. 1. Syria.
- 343 105 *Eunonia* DC. G. I. 89. — Sp. 2. Asia minor.
- 344 106 *Dilophia* Thoms. G. I. 89. — Sp. 3. Tibet., Mongol.
- 345 107 *Dipoma* Franch. in *Bull. Soc. bot. Fr.* XXXIII 404 (1887).  
 — Sp. 1. China (Yun-Nan).
- 346 108 *Stubendorfia* Schrenk. G. I. 89. — Sp. 1. Songaria.
- 347 109 *Schouwia* DC. G. I. 89. — Sp. 3. Arabia., Ægypt., Abyss.  
*Cyclopterygium* Hochst.
- 348 110 *Psychine* Desf. G. I. 89 et 967. — Sp. 1. Algeria.
- 349 111 *Notothlaspi* H. f. G. I. 90 et 967. — Sp. 2. N. Zel.
- 350 112 *Hexaptera* Hook. G. I. 90. — Sp. 6. Chili.
- 351 113 *Menonvillea* DC. G. I. 90 et 967. — Sp. 4. Chili, Peruv.  
*Dispeltophorus* Lehm., *Cymatoptera* Turcz.
- 352 114 *Decaptera* Turcz. G. I. 90. — Sp. 1. Chili.

TRIBUS VII. **Thlaspideæ.**

- 353 115 *Cremolobus* DC. G. I. 90. — Sp. 5. Peruv., N. Granada, Columb.
- 354 116 *Didymophysa* Boiss. G. I. 91. — Sp. 1. Persia.
- 355 117 *Biscutella* L. G. I. 91. — Sp. ad 20 descript. sed vix ultra 5 dist. Eur., Oriens, Afr. bor., Californ., Mexic.  
*Jondraba* Webb, *Dithyrea* Harv.
- 356 118 *Heldreichia* Boiss. G. I. 91. — Sp. 6. Asia minor, Afghan.  
*Zygopeltis* Fenzl.



- 357 119 **Megacarpaea** DC. G. I. 91. — Sp. 4. Sibir., Himal., Tibet., Yun-Nan.
- 358 120 **Brossardia** Boiss. G. I. 91. — Sp. 2. Persia.
- 359 121 **Thlaspi** L. G. I. 91 et 967. — Sp. ad 30. Orb. tot. reg. temp. alp. et frigid. (Afr. trop. alp.?).  
Carpoceras Boiss.
- 360 122 **Minæa** Lojacono in *N. Giorn. bot. Ital.* 305 (1881). — Sp. 2 Ital., Hispan.
- 361 123 **Iberis** L. G. I. 92. — Sp. ad 20. Eur., Asia minor.
- 362 124 **Teesdalia** R. Br. G. I. 92. — Sp. 2. Eur. occ., Reg. Medit., Asia minor.
- 363 125 ?**Redowskia** Cham. et Schlecht. G. I. 92. — Sp. 1. Sibir. or.
- 364 126 **Hutchinsia** R. Br. G. I. 92. (*Hornungia* Rehb.). — Sp. 2. Eur., Ind. or.
- 365 127 **Winklera** Rgl in *Act. Hort. Petrop.* IX. 617 (1886). — Sp. 1 Turkest. or.
- 366 128 **Iberidella** Boiss. G. I. 92. — Sp. ad 6. Syria, Persia, Asia minor., Himal.  
Syrenopsis Jaub. et Spach.
- 367 129 **Lyrocarpa** Harv. G. I. 93. — Sp. 2. Amer. bor. occ.
- 368 130 **Synthlipsis** A. Gray. G. I. 93. — Sp. 2. N. Mexic., Texas.

TRIBUS VIII. **Isatideæ.**

- 369 131 **Peltaria** L. G. I. 93. — Sp. 3. Eur. austr., Asia minor, Syria, Persia.
- 370 132 **Tchihatchewia** Boiss. G. I. 93. — Sp. 1. Armenia.
- 371 133 **Clypeola** L. G. I. 93 et 967. — Sp. 8. Eur. med., Reg. Medit., Afr. bor., Asia occ.  
Bergeretia et Orium Desv.
- 372 134 **Thysanocarpus** Hook. G. I. 94. — Sp. ad 6. Californ., Oregon.
- 373 135 **Athysanus** Greene in *Bull. Acad. Calif.* 72 (1885). — Sp. 1. Californ.
- 374 136 **Moriera** Boiss. G. I. 94. — Sp. 7. Persia, Afghan., Græcia, Asia minor.  
Crenularia Boiss., Lipophragma Schott et Kotschy.
- 375 137 **Isatis** L. G. I. 94. — Sp. ad 65 enun., sed ad 30 reduc. Eur., Asia occ., bor. et med., Afr. bor.  
Sameraria Desv., Chartoloma Bge.
- 376 138 **Pachypterygium** Bge. G. I. 94. (*Pachypteris* Kar. et Kir.). — Sp. 5 v. 3. Songar., Turkest.
- 377 139 **Tauscheria** Fisch. G. I. 94. — Sp. 1. Asia occ. et centr., Ind. bor.
- 378 140 **Dipterygium** Dcne. G. I. 95. (*Pteroloma* Hochst.). — Sp. 5. Arabia, Nubia, Punjab.
- 379 141 **Tetrapterygium** F. et M. G. I. 95. — Sp. 1. Persia.

- 380 142 **Boreava** Jaub. et Spach. G. I. 95. (*Martinsia* Godr.). — Sp. 1.  
Asia minor. (Gall. mer., advena).
- 381 143 **Neslia** Desv. G. I. 95. — Sp. 1. Eur., Oriens, Asia bor.
- 382 144 **Sobolewskia** M. B. G. I. 95. — Sp. 4. Asia minor.
- 383 145 **Spirorhynchus** Kar. et Kir. G. I. 95. — Sp. 1. Songaria, Persia  
austro-or.
- 384 146 **Palmstruckia** Sond. G. I. 96. — Sp. 1. Pr. B. Spei.
- 385 147 **Texiera** Jaub. et Spach. G. I. 96. (*Glastaria* Boiss.). — Sp. 1.  
Syria.
- 386 148 **Calepina** Adans. G. I. 96. — Sp. 1. Eur. med. et austr., Asia  
minor., Sibir.
- 387 149 **Schimpera** Hochst. et Steud. G. I. 96. (*Traillia* Lindl.). — Sp. 2.  
Arabia, Persia.
- 388 150 **Myagrum** L. G. I. 96. — Sp. 1. Eur med. et austr., Asia occ.
- 389 151 **Pugionium** Gärtn. G. I. 96. — Sp. 2. Asia centr.
- 390 152 **Octoceras** Bge. G. I. 97. — Sp. 1. Reg. Caspica, Afghan.
- 391 153 **Euclidium** R. Br. G. I. 97. — Sp. 2. Eur. centr., Asia occ. et  
centr.
- 392 154 **Ochthodium** DC. G. I. 97. — Sp. 1. Syria, Ægypt., Asia minor.
- 393 155 **Bunias** R. Br. G. I. 97. — Sp. 4. Eur., Asia occ.  
Sect. 1. *Erucago* DC., *Erucago* Desv.  
Sect. 2. *Lælia* DC., *Lælia* Desv.
- 394 156 **Pyramidium** Boiss. G. I. 97. — Sp. 1. Afghan.
- 395 157 **Boleum** Desv. G. I. 98. — Sp. 1. Hispan.
- 396 158 **Lachnoloma** Bge. G. I. 98. — Sp. 1. Reg. Caspica.
- 397 159 **Cycloptychis** E. Mey. G. I. 98. — Sp. 2. Afr. austr.
- 398 160 **Zilla** Forsk. G. I. 98. — Sp. 4. Afr. bor., Nubia, Arabia, Persia.

TRIBUS IX. **Cakilineæ.**

- 399 161 **Crambe** L. G. I. 98. — Sp. ad 20. Eur., Ins. Canar., Madera,  
Asia temp., Afr. trop. or.
- 400 162 **Muricaria** Desv. G. I. 99. — Sp. 2. Afr. bor.  
*Kremeria* Coss.
- 401 163 **Rapistrum** Desv. G. I. 99. — Sp. 7. Eur. austr., Afr. bor., Asia  
occ. et centr.  
*Didesmus* Desv., *Cordylocarpus* Desf., *Otocarpus* Durieu.
- 402 164 **Ceratocnemum** Coss. et Bal. in *Bull. Soc. bot. Fr.* XX. 239 (1873).  
— Sp. 1. Mauritania.
- 403 165 **Cakile** Gärtn. G. I. 99 et 968. — Sp. 2. Eur., Amer. bor. occ.,  
Austral.
- 404 166 **Enarthrocarpus** Labill. G. I. 99. — Sp. 4. Afr. bor. Nubia,  
Syria, Asia minor.  
*Hussonia* Boiss.

- 405 167 **Hemicrambe** Webb. G. I. 99. — Sp. 1. Mauritania.  
 406 168 **Erucaria** Gärtn. G. I. 100. — Sp. 5. Græcia, Afr. bor., Syria,  
 Persia.  
 Reboudia Coss.  
 407 169 **Guiraoa** Coss. G. I. 100. — Sp. 1. Hispania.  
 408 170 **Fortuynia** Shuttl. G. I. 100. — Sp. 3. v. 1. Persia.  
 409 171 **Physorhynchus** Hook. G. I. 100. — Sp. 1. v. 2. Afghan.,  
 Belutsch., Persia.  
 410 172 **Morisia** Gay. G. I. 100. — Sp. 1. Cors., Sard.

TRIBUS X. **Raphaneæ.**

- 411 173 **Raphanus** L. G. I. 101 et 968. — Sp. ad 6. Eur., Asia temp.  
 1. **Raphanus** Gärtn.  
 2. **Raphanistrum** Gärtn., **Durandea** Delarb.  
 412 174 **Raffenaldia** Godr. G. I. 101. (*Cossonia* Durieu). — Sp. 1. Al-  
 geria, (Gall. mer. advena).  
 413 175 **Cryptospora** Kar. et Kir. G. I. 101. — Sp. 1. Songaria.  
 414 176 **Anchonium** DC. G. I. 101. — Sp. 3. Syria, Persia, Asia minor.  
 415 177 **Goldbachia** DC. G. I. 101. — Sp. 2. Asia occ., Sibiria, Ind.  
 bor. occ., Yun-Nan.  
 416 178 **Parlatoria** Boiss. G. I. 102. — Sp. 2. Syria, Assyr., Kurdist.  
 417 179 **Chorispora** DC. G. I. 102 et 968. — Sp. 9. Asia occ. et centr.,  
 Ind. bor.  
 418 180 **Sterigma** DC. G. I. 102. (*Sterigmostemon* M. B.). — Sp. 6. Persia,  
 Reg. Caspica, Sibiria.  
 419 181 **Carponema** E. et Z. G. I. 102. — Sp. 1. Pr. B. Spei.

Genera incertæ sedis.

- 420 182 ? **Agallis** Philippi. G. I. 966. — Sp. 1. Chili.  
 421 183 ? **Heterocarpus** Philippi in *Bot. Zeit.* 651 (1856). — Sp. 1. Ins.  
 Juan Fernandez.  
 422 184 ? **Onuris** Philippi *Descr. de nuov. plant.* 17 (1872). — Sp. 1.  
 Chili.  
 423 185 ? **Orthorhiza** Stäpf in *Denksch. K. K. Akad. Wiss.* III. 306  
 (1886). — Sp. 1. Persia.

ORDO XIII. **CAPPARIDEÆ** <sup>(1)</sup>

TRIBUS I. **Cleomeæ.**

- 424 1 **Dactylæna** Schrad. G. I. 105 et 968. — Sp. 3. Brasil.  
 425 2 **Cleome** L. G. I. 105 et 968. — Sp. ad. 90. Reg. calid. orbis totius.  
 1. **Dianthera** Kl.

(1) Sp. ad 350, inter regiones utriusque hemisphærii calidas et tropicas subæqualiter sparsæ.

2. *Siliquaria* et *Roridula* Forsk. (*Rorida* R. et S.).
3. *Peritoma* DC. (*Atalanta* Nutt.).
4. *Buhsea* Bge.
5. *Anomalostemon* Kl.
- 426 3 ***Physostemon*** Mart. et Zucc. *N. Gen. et Sp.* I. 72. tab. 45-47.  
— Sp. 4. Amer. austr. trop.
- 427 4 ***Cleomella*** DC. G. I. 105. — Sp. 6. Amer. bor. trop., et subtrop.
- 428 5 ***Cristatella*** Nutt. G. I. 105. (*Cyrbasium* Endl.) — Sp. 1. Amer.  
bor. or.
- 429 6 ***Isomeris*** Nutt. G. I. 106 et 968. — Sp. 1. Californ.
- 430 7 ***Polanisia*** Raf. G. I. 106 et 968. — Sp. ad 15. Orbis fere totius  
reg. calid.  
Sect. 1. *Eupolanisia* Endl., *Decastemon* et *Symphlostemon* Kl.  
Sect. 2. *Banmanissa* Endl., *Banmanissa* Endl.  
Sect. 3. *Corynandra* Endl., *Corynandra* Schrad.  
Sect. 4. *Tetrateleia* B. et H., *Tetrateleia* Sond.  
Sect. 5. *Chilocalyx* B. et H., *Chilocalyx* Kl.
- 431 8 ***Gynandropsis*** DC. G. I. 106 et 968. — Sp. ad 10. Utriusque  
hemisph. reg. trop.
- 432 9 ***Rœperia*** F. Müll. in *Hooker's Kew. Miscell.* IX. 15. — Sp. 1.  
Austral.
- 433 10 ***Wislizenia*** Engelm. G. I. 106. — Sp. 2. Mexic., Californ.,  
Colorado.
- 434 11 ***Oxystylis*** Torr. et Frem. G. I. 107. — Sp. 1. Californ.

TRIBUS II. **Cappareæ.**

- 435 12 ***Emblingia*** F. Müll. G. I. 968. — Sp. 1. Austral. occ.
- 436 13 ***Thylachium*** Lour. G. I. 107 et 968. — Sp. 6. Afr. trop. et ins.
- 437 14 ***Steriphoma*** Spreng. G. I. 107 et 969. (*Rœmeria* Tratt., *Stephania*  
Willd.). — Sp. 3. Amer. trop.  
*Hermupoa* Löffl.
- 438 15 ***Morisonia*** L. G. I. 107. — Sp. 4. Ind. occ., Amer. austr.
- 439 16 ***Niebhria*** DC. G. I. 107 et 969. — Sp. 12. Afr. trop., austr., et  
ins., Ind. or.
- 440 17 ***Mærua*** Forsk. G. I. 108. — Sp. ad 20. Asia et Afr. trop.  
1. *Mærua* R. Br. — 2. *Streblocarpus* Arn.
- 441 18 ***Cladostemon*** A. Br. et Vatke in *Monatsber. Akad. Berol.* 886  
(1876). — Sp. 1. Afr. trop. (Zanzibar).
- 442 19 ***Courbonia*** Brongn. G. I. 969. (*Physanthemum* Kl.). — Sp. 2 v. 3.  
Afr. trop.
- 443 20 ***Cadaba*** Forsk. G. I. 108 et 969. (*Stræmia* Vahl). — Sp. ad 12.  
Afr. trop. et austr., Asia. trop., Arabia.  
1. *Eucadaba* Endl. — 2. *Desmocarpus* Wall.  
3. *Schepperia* Neck. (*Macromerum* Burch.).

- 444 21 **Boscia** Lam. G. I. 108 et 969. (*Podoria* Pers.). — Sp. 8. Afr. trop. et austr.
- 445 22 **Bucholzia** Engl. in *Bot. Jahrb. Syst.* VII. 335 (1886). — Sp. 1. Afr. trop.
- 446 23 **Capparis** L. G. I. 108 et 969. — Sp. ad 135. Orbis totius reg. calid. et trop.
- Sect. 1. *Eucapparis* DC., *Petersia* Kl.
- Sect. 2. *Sodada* B. et H., *Sodada* Forsk.
- Sect. 3. *Capparidastrum* DC., *Uterveria* Bertol.
- Sect. 4. *Cynophalla* DC.
- Sect. 5. *Busbeckia* B. et H., *Busbeckia* Endl.
- Sect. 6. *Breyneastrum* DC., *Breynia* Plum.
- Sect. 7. *Calantheu* DC.
- Sect. 8. *Quadrella* DC., *Quadrella* Meisn., *Colicodendron* Mart., *Destruguezia* Gaud.
- Sect. 9. *Beautempsia* B. et H., *Beautempsia* Gaud.
- 447 24 **Apophyllum** F. Müll. G. I. 109. — Sp. 1. Austral. trop.
- 448 25 **Atamisquea** Miers. G. I. 109 et 969. — Sp. 1. Chili, Californ.
- 449 26 **Stixis** Lour. *Fl. Cochinch.* 295. — Sp. 10. Asia trop. med. et or.
- Roydsia* Roxb. G. I. 110 et 969.
- 450 27 **Tirania** L. Pierre in *Bull. Soc. Linn. Paris.* 658 (1886). — Sp. 1. Cochinch.
- 451 28 **Crataeva** L. G. I. 110 et 969. (*Othrys* Nor.). — Sp. 8. Orbis utriusque reg. trop.
- 452 29 **Ritchiea** R. Br. G. I. 110 et 969. — Sp. 2 v. 3. Afr. trop.
- 453 30 **Euadenia** Oliv. G. I. 969. — Sp. 2. Afr. trop.
- 454 31 ? **Tovaria** R. et P. G. I. 110 et 969. (*Bancroftia* Macfad.). — Sp. 1. Amer. centr. et austr. trop., Ind. occ.

#### ORDO XIV. RESEDACEÆ <sup>(1)</sup>

- 455 1 **Astrocarpus** Neck. G. I. 111. (*Sesamella* Rchb.). — Sp. 2. Eur. austr.
- 456 2 **Randonia** Coss. G. I. 111 et 970. — Sp. 1. Algeria.
- 457 3 **Caylusea** S<sup>t</sup>-Hil. G. I. 111 et 970. — Sp. 2. Afr. bor. et subtrop., Asia occ.
- 458 4 **Reseda** L. G. I. 112. (*Eresda* Spach.). — Sp. ad 30. Eur., Afr. bor., Oriens.
- 459 5 **Oligomeris** Camb. G. I. 112. — Sp. 5. Afr. bor. et austr. Asia occ. et med., (in Californ. et N. Mexic. inquil.).
- Resedella* Webb, *Ellimia* Nutt., *Holopetalum* Turcz

(1) Sp. enum. 70, ad 45 reduc., in Eur., Afr. bor., Asia occ. et med. et Afr. austr. dispersæ.

- 460 6 **Ochradenus** Delile. G. I. 112 et 970. — Sp. 3. Hispan., Afr. bor., Oriens.  
Homalodiscus Bge.

ORDO XV. **CISTINEÆ** <sup>(1)</sup>

- 461 1 **Cistus** L. G. I. 113. — Sp. enum. 50, ad 25 reduc. Eur., Afr. bor., Asia Medit.  
Halimium, Ladanum, Rhodocistus, Stephanocarpus et Ledonia Spach.
- 462 2 **Helianthemum** Pers. G. I. 113. — Sp. enum. ad 160, sed vix ultra 38 retin. Orbis uterque.  
Halimium, Fumana, Tuberaria et Lecheoides Dunal, Rhodax, Crocanthemum, Heteromeris et Tæniostema Spach, Codonia Gaud., Fumanopsis Pomel.
- 463 3 **Hudsonia** L. G. I. 114. — Sp. 3. Amer. bor.
- 464 4 **Lechea** L. G. I. 114. — Sp. ad 8. Amer. bor.  
Lechidium Spach.

ORDO XVI. **VIOLARIEÆ** <sup>(2)</sup>TRIBUS I. **Violeæ.**

- 465 1 **Corynostylis** Mart. G. I. 116 et 970. (*Calyptrion* Ging.). — Sp. 3. Amer. trop.
- 466 2 **Noisettia** H. B. et K. G. I. 116. — Sp. 3. Amer. trop., et bor. subtrop.  
Ionidiopsis Presl.
- 467 3 **Anchietea** S'-Hil. G. I. 117. — Sp. 3. Brasil.
- 468 4 **Schweiggeria** Spreng. G. I. 117. (*Glossarrhen* Mart.). — Sp. 2. Brasil., Mexic.
- 469 5 **Viola** L. G. I. 117 et 970. — Sp. enum. ultra 250, sed ad 150 reduc. Orbis fere totus.  
Mnemion, Chrysion et Lophion Spach, Erpetion DC.
- 470 6 **Ionidium** Vent. G. I. 117 et 970. (*Solea* Spreng.). — Sp. ad 50. Orbis utriusque reg. calid.  
Pombalia Vand., Pigea DC. (Vlamingia De Vriese).
- 471 7 **Hybanthus** Jacq. ex H. B. et K. *N. Gen. et Sp.* V. 385. (*Solea* Ging.). — Sp. 2. Amer. bor., Ind. occ.
- 472 8 **Agation** Brongn. G. I. 118. (*Agatea* A. Gray). — Sp. 3. Ins. Viti, N. Caled.

(1) Sp. ultra 220 descrip., ad 71 reduc., in reg. temp. hemisphær. bor. dispersæ.

(2) Sp. ad 270, per totam fere orbem terrarum sparæ.

TRIBUS II. **Paypayroleæ.**

- 473 9 **Amphirrhox** Spreng. G. I. 118. (*Spathularia* S<sup>t</sup>-Hil., *Braddleya* Vell.). — Sp. 3. Amer. trop.  
 474 10 **Paypayrola** Aubl. G. I. 118. (*Periclistia* Benth., *Wibelia* Pers.). — Sp. 5. Amer. trop.  
 475 11 **Isodendrion** A. Gray. G. I. 118. — Sp. 1. Ins. Viti.

TRIBUS III. **Alsodeleæ.**

- 476 12 **Alsodeia** Thou. G. I. 118 et 970. — Sp. 56. Orbis utriusque reg. trop.  
     Conohoria, Riana, Passoura et Rinorea Aubl., Physiphora Soland., Ceranthera P. B., Pentaloba et Medusa Lour., Vareca Roxb., Prothesia Bl., Dioryctandra Hassk., Jurgensia Spreng.  
 477 13 **Leonia** R. et P. G. I. 119 et 970. (*Steudelia* Mart.). — Sp. 2. Amer. austr. trop.  
 478 14 **Gloiospermum** Tr. et Pl. G. I. 119. — Sp. 3. Amer. æquinoct., Columbia.  
 479 15 **Tetrathylacium** Pöpp. et Endl. G. I. 119 et 970. (*Edmonstonia* Seem.). — Sp. 1. Amer. austr. trop.  
 480 16 **Melicytus** Forst. G. I. 119 et 970. — Sp. 5. N. Zel., Ins. Norfolk.  
 481 17 **Hymenanthera** R. Br. G. I. 120 et 970. (*Solenantha* G. Don). — Sp. 4. Austral., N. Zel.  
 482 18 **Scyphellandra** Thw. G. I. 120. — Sp. 1. Zeylanica.

TRIBUS IV. **Sauvagesleæ.**

- 483 19 **Sauvagesia** L. G. I. 120. — Sp. ad 13. Amer. trop. (sp. 1 in Asia et Afr. trop.).  
 484 20 **Leitgebia** Eichl. in *Fl. Brasil.* XIII. pars I. col. 413. — Sp. 1. Guiana.  
 485 21 **Lavradia** Vell. G. I. 120. — Sp. ad 6. Brasil.  
 486 22 **Schuurmansia** Bl. G. I. 120. — Sp. 2. Archip. Ind.  
 487 23 **Gestroa** Becc. *Malesia*. I. 181 (1877). — Sp. 1. N. Guinea.  
 488 24 **Neckia** Korth. G. I. 120. — Sp. 3. Archip. Ind.

ORDO XVII. **CANELLACEÆ** <sup>(1)</sup>

- 489 1 **Canella** Sm. G. I. 121. (*Winterana* L.). — Sp. 2. Antill., Columb.  
 490 2 **Cinnamodendron** Endl. G. I. 121 et 970. — Sp. 2. Antill., Brasil.  
 491 3 **Cinnamosma** H. Bn. G. I. 970. — Sp. 1. Madagasc.

(1) Sp. 5, in America tropica et Madagascaria crescentes.

ORDO XVIII. **BIXINEÆ** <sup>(1)</sup>TRIBUS I. **Bixeæ.**

- 492 1 **Cochlospermum** Kth. G. I. 124 et 974. (*Maximiliana* et *Wittelsbachia* Mart., *Azeredia* Arrud.). — Sp. ad 15. Orbis uterque inter trop.
- 493 2 **Amoreuxia** Moç. et Sessé. G. I. 124. (*Euryanthe* Ch. et Schlcht.). — Sp. 4. Amer. trop., Mexic.
- 494 3 **Bixa** L. G. I. 125 et 971. — Sp. 1 v. 2. Amer. trop., alib inquil.

TRIBUS II. **Oncobeæ.**

- 495 4 **Oncoba** Forsk. G. I. 125 et 971. (*Lundia* Schum. et Thonn.). — Sp. 15. Afr. trop.  
Heptaca Lour., Xylothea Hochst., Ventenatia P. B., Chlanis Kl.
- 496 5 **Mayna** Aubl. G. I. 125. (*Lindackeria* Presl). — Sp. 7. Amer. trop.
- 497 6 **Grandidiera** Jaub. G. I. 971. — Sp. 1. Afr. austr. or.
- 498 7 **Xymalos** H. Bn in *Bull. Soc. Linn. Paris*. 650 (1886). — Sp. 1. Madagasc.
- 499 8 **Carpotroche** Endl. G. I. 125. — Sp. 4. Amer. trop.
- 500 9 **Dendrostylis** Karst. et Tr. G. I. 125. — Sp. ad 6. Amer. trop.

TRIBUS III. **Flacourtiæ.**

- 501 10 ? **Streptothamnus** F. Müll. G. I. 972. — Sp. 2. Austral. or.
- 502 11 **Ryania** Vahl. G. I. 126 et 972. (*Patrisia* Rich.). — Sp. ad 6. Amer. trop.  
Tetracocyne Turcz.
- 503 12 **Lætia** L. G. I. 126. — Sp. 7. Amer. trop  
1. *Thiodia* Benn. (*Lightfootia* Sw.).  
2. *Casinga* Griseb.
- 504 13 **Ludia** Lam. G. I. 126. — Sp. 4. Ins. Mascar., Zanzibar.
- 505 14 **Aphloia** Benn. G. I. 126. (*Neumannia* Rich.). — Sp. 3. Ins Mascar.
- 506 15 **Tisonia** H. Bn in *Bull. Soc. Linn. Paris*. n° 72 (1886). — Sp. 3. Madagasc.
- 507 16 **Prockiopsis** H. Bn in *Bull. Soc. Linn. Paris*. n° 72 (1886). — Sp. 1. Afr. trop. (Nossibe).
- 508 17 **Rawsonia** Harv. et Sond. G. I. 127. — Sp. 1. Natal.
- 509 18 **Peridiscus** Benth. G. I. 127. — Sp. 1. Brasil. bor.

(1) Sp. ad 180, per regiones calidiores præcipue tropicas utriusque orbis dispersæ.



- 510 19 **Azara** R. et P. G. I. 127 et 972 (*Myrtophyllum* Turcz.). — Sp. 12. Chili, Mexic.
- 511 20 **Scolopia** Schreb. G. I. 127. (*Phoberos* Lour., *Rhinanthera* Bl., *Dasyanthera* Presl). — Sp. ad 15. Afr. austr. et or., Asia trop., Austral. bor.  
Eriudaphus Nees (Adenogyrus Kl.)
- 512 21 **Erythrospermum** Lam. G. I. 127 et 972. — Sp. ad 7. Ins. Masc., Zeylan., Austral. trop.
- 513 22 **Flacourtia** Comm. G. I. 128. (*Stigmarota* Lour.). — Sp. ad 14. Afr. et Asia trop.
- 514 23 **Bennettia** Miq. G. I. 128 et 972. — Sp. 1. Java.
- 515 24 **Idesia** Maxim. G. I. 972. — Sp. 1. Japon.
- 516 25 **Xylosma** Forst. G. I. 128 et 972. (*Myroxylon* Forst.). — Sp. ad 25. Orbis utriusque reg. trop. et subtrop.  
Hisingera Hellen., (Roumea Poit., Cræpalopruminon Karst.),  
Bessera Spreng., Limacia Dietr.
- 517 26 **Dovyalis** E. Mey. G. I. 128. — Sp. 8. Afr. austr. et trop., Zeylan. Aberia Hochst.
- 518 27 **Trimeria** Harv. G. I. 129. (*Monospora* Hochst., *Renardia* Turcz.). — Sp. 2. Afr. austr.

TRIBUS IV. **Pangieæ.**

- 519 28 **Pangium** Reinw. G. I. 129. — Sp. 1. Java.
- 520 29 **Gynocardia** R. Br. G. I. 129. (*Chaulmoogra* Roxb., *Chilmoria* Ham.). — Sp. 1. Ind. or.
- 521 30 **Bergsmia** Bl. G. I. 129. — Sp. 1. Java.
- 522 31 **Trichadenia** Thw. G. I. 129. — Sp. 1. Zeylan.
- 523 32 **Dasylepis** Oliv. G. I. 972. — Sp. 1. Afr. trop. occ.
- 524 33 **Taraktogenos** Hassk. G. I. 129. — Sp. 1. Java.
- 525 34 **Hydnocarpus** Gärtn. G. I. 129. — Sp. 6. Asia trop.
- 526 35 **Kiggelaria** L. G. I. 130. — Sp. 3. Afr. austr.
- 527 36 **Phyllobotryum** Müll. Arg. G. III. 325 et 1223. — Sp. 1. Afr. trop. occ.

ORDO XIX. **PITTOSPOREÆ** <sup>(1)</sup>

- 528 1 **Pittosporum** Banks. G. I. 131 et 973. — Sp. ad 55. Afr., Asia calid., Austral., N. Zel., Ins. Pacif.  
Senacia Comm., Quinsonia Montrous., ? Tribeles Philippi.
- 529 2 **Chalepoa** H. f. in *Ic. Plant.* tab. 1082. — Sp. 1.  
Terra Magellanica.

(1) Sp. ad 50, genere *Pittosporo* per reg. calid. orbis veteris disperso, ceteris omnibus Anstralias incolis.

- 530 3 **Hymenosporum** F. Müll. G. I. 131. — Sp. 1. Austral. or.  
 531 4 **Bursaria** Cav. G. I. 132 et 973. — Sp. 2. Austral. extratrop.  
 et trop.  
 532 5 **Marianthus** Hügel. G. I. 132 et 973. — Sp. ad 14. Austral.  
 Calopetalon Harv., Oncosporum Putterl., Rhytidosporum  
 F. Müll.  
 533 6 **Citriobatus** A. Cunn. G. I. 132 et 973. — Sp. 2 v. 3. Austral. or.  
 Ixiosporum F. Müll.  
 534 7 **Billardiera** Sm. G. I. 132 et 973. (*Labillardiera* R. et S.). —  
 Sp. 8 v. 10. Austral. extratrop.  
 535 8 **Pronaya** Hügel. G. I. 133 et 973. (*Campylanthera* et *Spiranthera*  
 Hook.). — Sp. 3. Austral. austro-occ.  
 536 9 **Sollya** Lindl. G. I. 133 et 973. — Sp. 2. Austral. austro-occ.  
 537 10 **Cheiranthra** A. Cunn. G. I. 133 et 973. — Sp. 3. Austral.  
 extratrop.

ORDO XX. TREMANDREÆ <sup>(1)</sup>

- 538 1 **Tetratheca** Sm. G. I. 134. — Sp. 24. Austral. extratrop.  
 539 2 **Platytheca** Steetz. G. I. 134. — Sp. 1. Austral. austro-occ.  
 540 3 **Tremandra** R. Br. G. I. 134. — Sp. 2. Austral. austro-occ.

ORDO XXI. POLYGALEÆ <sup>(2)</sup>

- 541 1 **Salomonina** Lour. G. I. 136 et 974. — Sp. ad 8. Asia et Afr.  
 trop.  
 Epirhizanthus Bl.  
 542 2 **Polygala** L. G. I. 136 et 974. — Sp. fere 260. Orbis uterque.  
 Badiera Hassk., Phylace Nor., Isolophus. Tricholophus,  
 Psychanthus, Chamæbuxus, Senega et Brachytropis Spach,  
 Semeiocardium Zoll.  
 543 3 **Badiera** DC. G. I. 137. — Sp. 2. Ind. occ.  
 544 4 **Muraltia** Neck. G. I. 137. — Sp. ad 50. Afr. austr.  
 545 5 **Mundtia** Kth. G. I. 137 et 974. (*Nylandtia* Dmrt.). — Sp. 1. Afr.  
 austr., Brasil.  
 546 6 **Comesperma** Labill. G. I. 138 et 974. — Sp. ad 24. Austral.  
 547 7 **Acanthocladus** Kl. G. I. 974. — Sp. 1. Brasil.  
 548 8 **Bredemeyera** Willd. G. I. 138 et 974. (*Catocoma* Benth.). — Sp.  
 ad 17. Amer. trop.  
 549 9 **Hualania** Philippi in *Linnæa*. XXXIII. 18. — Sp. 1. Chili.  
 550 10 **Phlebotænia** Griseb. G. I. 138 et 974. — Sp. 1. Cuba.

(1) Sp. ad 27, omnes Australiæ extratropicæ propriæ.

(2) Sp. ad 470, per reg. temp. et calid. totius orbis dispersæ.

- 551 11 **Securidaca** L. G. I. 138 et 974. — Sp. ad 30. Amer. calid.,  
Asia et Afr. trop.  
Lophostylis Hochst., Corytholobium Mart., Rodschiedia Miq.
- 552 12 **Trigoniasrum** Miq. G. I. 139. (*Isopteris* Wall.). — Sp. 1. Asia  
trop. or.
- 553 13 **Carpolobia** G. Don. G. I. 139 et 974. — Sp. 3. Afr. trop. occ.
- 554 14 **Monnina** R. et P. G. I. 139. (*Hebeandra* Bonpl.). — Sp. ad 54.  
Amer. austr., Mexic.
- 555 15 **Xanthophyllum** Roxb. G. I. 139 et 974. (*Jackia* Bl.). — Sp. ad  
15. Asia et Austral. trop.  
Macintyria F. Müll.
- 556 16 **Moutabea** Aubl. G. I. 140. (*Acosta* R. et P., *Cryptostomum*  
Schreb.). — Sp. 5. Amer. trop.
- 557 17 **Krameria** L. G. I. 140. — Sp. 20-25. Amer. calid.

ORDO XXII. **VOCHYSIACEÆ** <sup>(1)</sup>

- 558 1 **Callisthene** Mart. G. I. 976. — Sp. 7. Brasil.
- 559 2 **Qualea** Aubl. G. I. 976. — Sp. 33. Brasil., Guiana.  
Amphilochia Mart. (Agardhia Spreng.). Schuechia Endl.
- 560 3 **Erisma** Rudge. G. I. 976. — Sp. 7 v. 9. Brasil. bor., Guiana.  
Debræa R. et S., Dittmaria Spreng.
- 561 4 **Vochysia** Juss. G. I. 976. (*Vochya* Vandell., *Cucullaria* Schreb.,  
*Strukeria* Vell.). — Sp. ad 55. Brasil., Guiana, Peruv.,  
N. Granada.
- 562 5 **Salvertia** S'-Hil. G. I. 977. — Sp. 1. Brasil.
- 563 6 **Trigonia** Aubl. G. I. 977. (*Mainea* Vell.). — Sp. ad 25. Brasil.,  
Guiana, Amer. centr.
- 564 7 **Lightia** Schomb. G. I. 977. — Sp. 2. Brasil., Guiana.

ORDO XXIII. **FRANKENIACEÆ**

- 565 1 **Frankenia** L. G. I. 141 et 978. — Sp. ad 30, per littora marina  
vel ad rupes finitimas utriusque orbis.  
Hypericopsis Boiss.
- 566 2 **Beatsonia** Roxb. G. I. 141. — Sp. 1. S. Helena.
- 567 3 **Niederleinia** Hyeron. in Lorentz et Nederl. *Enum. Pl. Argent.* 183  
(1881). — Sp. 1. Patagonia.

(1) Sp. ad 130, per Amer. tropicam usque ad Panamam distributæ.

ORDO XXIV. CARYOPHYLLÆÆ <sup>(1)</sup>TRIBUS I. **Sileneæ.**

- 568 1 **Velezia** L. G. I. 144. — Sp. 4. Eur. austr., Asia occ.  
 569 2 **Dianthus** L. G. I. 144. — Sp. ad 225. Eur., Asia, Afr., Amer  
 bor. occ.  
 570 3 **Tunica** Scop. G. I. 145. — Sp. ad 12. Eur., Asia occ.  
 Kohlrauschia Kth, Fiedleria Rchb.  
 371 4 **Acanthophyllum** C. A. Mey. G. I. 145 et 978. — Sp. ad 17. Asia  
 occ. et med.  
 Jordania Boiss., Allochrusa Bge.  
 572 5 **Drypis** L. G. I. 145. — Sp. 1. Reg. Medit.  
 573 6 **Gypsophila** L. G. I. 146 et 978. — Sp. ad 55. Eur., Asia extra-  
 trop. (Austral., N. Zel., indig. ?).  
 1. Struthium Ser. (Rokejeka Forsk.).  
 2. Banffya Baumg.  
 3. ?Ankyropetalum Fenzl.  
 4. Dichoglottis F. et M.  
 5. Heterochroa Bge. (Acosmia Benth., Timæosia Kl.).  
 574 7 **Saponaria** L. G. I. 146. — Sp. ad 35. Eur., Asia extratrop.  
 Bootia Neck., Smegmathamnium Fenzl, Vaccaria Dod.  
 575 8 **Silene** L. G. I. 147. — Sp. enum. 480, sed verisim. ad 250 reduc.  
 Eur., Asia et Afr. extratrop., Amer. bor.  
 Heliosperma Rchb., Elisanthé Fenzl (Carpophora Kl.)  
 576 9 **Cucubalus** L. G. I. 147. — Sp. 1. Eur., Asia med.  
 Lychnanthus Gmel.  
 577 10 **Lychnis** L. G. I. 147. — Sp. ad 40. Reg. extratrop. hemisph.  
 bor.  
 1. Melandrium Röhl, Wahlbergella Fries, Gastrolychnis  
 Fenzl, Polyschemone Schott.  
 2. Eudianthe Rchb.  
 3. Viscaria Röhl.  
 4. Agrostemma L.  
 5. Githago Desf.  
 6. Petrocoptis A. Br. (Silenopsis Willk.).  
 578 11 **Uebelinia** Hochst. G. I. 148. — Sp. 1. Abyss.

TRIBUS II. **Alsineæ.**

- 579 12 **Holosteum** L. G. I. 148. — Sp. 3. Eur., Asia temp.

(1) Sp. ad 1100, per totum fere orbem terrarum dispersæ.

- 580 13 **Cerastium** L. G. I. 148. — Sp. descript. ultra 115, sed verisim. ad 45 reduc. Orbis fere totus.  
 1. Dichodon Bartl. — 2. Mœnchia Ehrh., Pentaple Rchb.  
 3. Dufourea Gren. — 4. Esmarckia Rchb.
- 581 14 **Stellaria** L. G. I. 149. — Sp. ad 85. Orbis fere totus.  
 1. Larbrea S<sup>t</sup>-Hil. (Spergulastrum Mchx, Micropetalon Pers.).  
 2. Malachium Fries. — 3. Krascheninikowia Turcz.  
 4. Leucostenima Benth. — 5. Adenonema Bge.  
 5. Schizotechium Fenzl.
- 582 15 **Brachystemma** Don. G. I. 149. — Sp. 1. Nepal.
- 583 16 **Arenaria** L. G. I. 149. — Sp. ultra 160. Orbis fere totus.  
 1. Arenaria Rchb., Eremogone et Dolophragma Fenzl, Pettera et Plinthine Rchb., Brewerina A. Gray.  
 2. Mœhringia L. — 3. Rhodalsine Gay.  
 4. Alsine Wahlenb., Sabulina, Tryphane, Facchinia, Alsinanthe, Neumayera et Wierzbickia Rchb., Siebera Schrad., Greniera Gay, Sommerauera Hoppe.  
 5. Minuartia L. — 6. Cherleria L.  
 7. Gouffeia Rob. et Cast. — 8. Lepyrodiclis et Odontostemma Fenzl.  
 9. Ammodenia Gmel. (Honckenya Ehrh., Adenarium Raf., Halianthus Fries). — 10. Merckia Fisch.
- 584 17 **Hymenella** Moç. et Sessé in DC. *Prodr.* I. 389. (*Triplateia* Bartl.). — Sp. 1. Mexic.
- 585 18 **Buffonia** L. G. I. 151. — Sp. 6 v. 42. Reg. Medit., Asia occ.
- 586 19 **Sagina** L. G. I. 151 et 978. — Sp. ad 9. Reg. extratrop. hemisph. bor.  
 Spergella Rchb.
- 587 20 **Colobanthus** Bartl. G. I. 151. — Sp. ad 10. Amer. mer., mont., vel. antarct., Austral., N. Zel.
- 588 21 **Thylacospermum** Fenzl. G. I. 151. — Sp. 1. Asia med.  
 Periandra et Flourensia Camb., Bryomorpha Kar. et Kir.
- 589 22 **Thurya** Boiss. et Bal. G. I. 978. — Sp. 1. Cilicia.
- 590 23 **Schiedea** Cham. et Schlecht. G. I. 151 et 978. — Sp. 11. Ins. Viti.
- 591 24 **Alsinodendron** H. Mann. G. I. 978. — Sp. 1. Ins. Viti.
- 592 25 **Queria** L. G. I. 152. — Sp. 1. Reg. Medit. et Caucas.
- 593 26 **Spergula** L. G. I. 152. — Sp. 3. v. 2. Orbis utriusque reg. temp.
- 594 27 **Spergularia** Pers. G. I. 152. (*Lepigonum* Fries). — Sp. 3. v. 4. Orbis utriusque reg. temp.  
 Balardia Camb.

### TRIBUS III. **Polycarpeæ.**

- 595 28 **Drymaria** Willd. G. I. 152. — Sp. ad 20. Amer. calid., Afr. et Asia trop.

- 596 29 **Polycarpon** L. G. I. 152. — Sp. ad 6. Orbis uterque.  
Arversia Camb. (Hapalosia W. et A.).
- 597 30 **Ortega** L. G. I. 153. — Sp. 1. Reg. Medit. occ.
- 598 31 **Loeflingia** L. G. I. 153. — Sp. descript. 3 v. 1? Eur., Asia  
med., Amer. bor.
- 599 32 **Cordia** Moç. et Sessé. G. I. 153. — Sp. 4. Mexic.
- 600 33 **Pycnophyllum** Remy. G. I. 153. (*Stichophyllum* Philippi). — Sp.  
4. Amer. austr. et antarct.  
? *Lyallia* H. f. G. I. 153.
- 601 34 **Microphyes** Philippi. G. I. 154. — Sp. 2. Chili.
- 602 35 **Stipulicida** Mchx. G. I. 154. — Sp. 1. Amer. bor.
- 603 36 **Polycarpæa** Lam. G. I. 154 et 979. (*Polycarpia* Webb., *Hagæa*  
Vent., *Mollia* Willd., *Lahaya* R. et S.). — Sp. ad 24. Reg.  
trop. et subtrop. orbis totius.  
*Aylmeria* Mart., *Planchonia* J. Gay., *Robbairia* Boiss.
- 604 37 **Sphærocoma** T. Anders. G. I. 154. — Sp. 2. Arabia, Persia.

ORDO XXV. PORTULACEÆ <sup>(1)</sup>

- 605 1 **Portulaca** L. G. I. 156 et 979. — Sp. ad 20. Reg. calid. utrius-  
que orbis.
- 606 2 ? **Pleuropetalum** H. f. G. I. 157. — Sp. 1. Ins. Galapag.  
*Allochlamys* Moq.
- 607 3 **Portulacaria** Jacq. G. I. 157. — Sp. 1. Afr. austr.
- 608 4 **Grahamia** Gill. G. I. 157. (*Xeranthus* Miers). — Sp. 1. Amer.  
austr. extratrop.
- 609 5 **Drudea** Griseb. *Symb. Fl. Argentin.* 27 (1881). — Sp. 1.  
Amer. austr.
- 610 6 **Talinopsis** A. Gray. G. I. 157. — Sp. 1. N. Mexic.
- 611 7 **Anacampseros** L. G. I. 157 et 979. (*Rulingia* Ehrh.). — Sp. ad  
9. Afr. austr.
- 612 8 **Talinum** Adans. G. I. 157. — Sp. ad 14. Asia, Afr. et Amer.  
trop.
- 613 9 **Talmella** H. Bn in *Bull. Soc. Linn. Paris.* 569 (1886). — Sp. 1.  
Madagasc.
- 614 10 **Calandrinia** H. B. et K. G. I. 158 et 979. — Sp. ad 65. Amer.,  
Austral.  
*Cistanthe* Spach, *Baitaria* R. et P., *Diazia* Philippi.
- 615 11 **Claytonia** L. G. I. 158. — Sp. ad 20. Amer. et Asia bor.,  
N. Zel.
- 616 12 **Spraguea** Torr. G. I. 158. — Sp. 2. Californ.

(1) Sp. ad 145, per totum fere orbem terrarum dispersæ.

- 617 13 **Monocosmia** Fenzl. G. I. 158. — Sp. 1. Chili.  
 618 14 **Montia** L. G. I. 159. (*Leptolina* Raf.). — Sp. 1 v. 3. Orbis  
       utriusque reg. temp. et frigid.  
 619 15 **Hectorella** H. f. G. I. 979. — Sp. 1. N. Zel.  
 620 16 **Silvæa** Philippi. G. I. 159. — Sp. 4. Chili.  
 621 17 **Calyptridium** Nutt. G. I. 159. — Sp. 2. Californ.  
 622 18 **Lewisia** Pursh. G. I. 159. — Sp. 2. Amer. bor. occ.

## ORDO XXVI. **TAMARISCINEÆ** <sup>(1)</sup>

### TRIBUS I. **Tamarisceæ.**

- 623 1 **Tamarix** L. G. I. 160 et 979. — Sp. enum. ad 60, sed vix 25  
       dist. Orbis veteris hemisph. bor., Afr. austr.  
       Trichaurus Arn.  
 624 2 **Myricaria** Desv. G. I. 161. — Sp. ad 4. Eur., Asia med. Himal.

### TRIBUS II. **Reaumurieæ.**

- 625 3 **Hololachne** Ehrenb. G. I. 161. — Sp. 1. Asia centr.  
 626 4 **Reaumuria** L. G. I. 161. (*Eichwaldia* Ledeb.). — Sp. ad 12.  
       Reg. Medit. or., Asia centr.

### TRIBUS III. **Fouquierieæ.**

- 627 5 **Fouquiera** H. B. et K. G. I. 161 et 979. (*Philetæria* Liebm.). —  
       Sp. 3. Amer. bor. calid.  
       Bronnia H. B. et K.

## ORDO XXVII. **ELATINEÆ**

- 628 1 **Elatine** L. G. I. 162. — Sp. bene dist. ad 10. Orbis utriusque reg.  
       temp. et subtrop.  
       Crypta Nutt., Birolia Bell.  
 629 2 **Bergia** L. G. I. 163 et 979. (*Lancretia* Delile, *Merimea* Camb.).  
       — Sp. ad 15. Orbis utriusque reg. trop. et subtrop.

## ORDO XXVIII. **HYPERYCINEÆ** <sup>(2)</sup>

### TRIBUS I. **Hypericeæ.**

- 630 1 **Ascyrum** L. G. I. 164. — Sp. 7. Amer. bor., Antill., Mexic.,  
       Himal.  
       Isophyllum Spach.

(1) Sp. 45, per reg. temp. et calid. hemisph. bor. et Afr. austr. crescentes.

(2) Sp. ad 240, per reg. temp. et calid, totius fere orbis dispersæ.

- 631    2 **Hypericum** L. G. I. 165. — Sp. ad 175. Orbis uterque.  
       A. 1. *Elodea* Spach. 2. *Elodes* Spach. 3. *Triadenia* Spach.  
       4. *Adenotrias* Spach.  
       B. 5. *Drosanthe* Spach. 6. *Eremosporus* Spach. 7. *Webbia*  
       Spach. 8. *Hypericum* Spach (*Tridia* Korth.). 9. *Olympia*  
       Spach. 10. *Campylopus* Spach. 11. *Psorophytum* Spach.  
       12. *Androsæmum* All. 13. *Eremanthe* Spach. 14. *Campy-*  
       *losporus* Spach. 15. *Norysca* Spach. 16. *Roscyna* Spach.  
       17. *Myriandra* Spach. 18. *Brathydium* Spach. 19. *Brathys*  
       (Mut.) Spach. (*Sarothra* L., *Receveura* Vell.).

TRIBUS II. **Cratoxyleæ.**

- 632    3 **Elizæa** Camb. G. I. 166. — Sp. 1. Madagasc.  
 633    4 **Cratoxylon** Bl. G. I. 166. (*Ancistrolobus* Spach). — Sp. ad 13.  
       Asia trop.  
       *Tridesmis* Spach.

TRIBUS III. **Vismieæ.**

- 634    5 **Endodesmia** Benth. G. I. 166. — Sp. 1. Afr. trop. occ.  
 635    6 **Vismia** Vell. G. I. 166 et 980. (*Acrossanthes* Presl). — Sp. ad  
       27. Amer. et Afr. trop.  
 636    7 **Psorospermum** Spach. G. I. 167 et 980. — Sp. ad 14. Afr. trop.  
       Madagasc., Guiana.  
 637    8 **Haronga** Thou. G. I. 167. (*Arungana* Pers.). — Sp. 1. Afr.  
       trop., Madagasc., ins. Maurit.

ORDO XXIX. **GUTTIFERÆ** <sup>(1)</sup>

TRIBUS I. **Clusieæ.**

- 638    1 **Clusia** L. G. I. 170. — Sp. ad 65. Amer. trop. et subtrop.  
       Sect. 1. *Euclusia* Pl. et Tr., *Oxystemon* Pl. et Tr.  
       Sect. 2. *Sphærandra* Pl. et Tr., *Triplandron* Benth., *Arrudea*  
       S'-Hil., *Androstylium* Miq., *Polythecandra* Pl. et Tr., *As-*  
       *thotheca* Miers, *Cahotia* Karst., *Quapoya* Aubl. pr. p.  
       (*Xanthe* Schreb.).  
       Sect. 3. *Criuva* B. et H., *Cochlanthera* Choisy, *Lipophyllum*  
       Miers.  
 639    2 **Renggeria** Meisn. G. I. 171. (*Schweiggera* Mart.). — Sp. 1 v. 2.  
       Amer. trop.  
 640    3 **Rengia** Pöpp. et Endl. G. I. 171. — Sp. 3. Amer. trop.  
       *Quapoya* Aubl. pr. p. (*Xanthe* Schreb.).

(1) Sp. ad 370, inter tropicos vigentes.



- 641 4 **Havetia** H. B. et K. G. I. 171. — Sp. 1. N. Granada.  
 642 5 ?**Pilosperma** Pl. et Tr. G. I. 171. — Sp. 1. N. Granada.  
 643 6 **Havetiopsis** Pl. et Tr. G. I. 172. — Sp. 8. Amer. trop.  
     **OEdematopus** Pl. et Tr.  
 644 7 ?**Clusiella** Pl. et Tr. G. I. 172. — Sp. 1. N. Granada.  
 645 8 **Balboa** Pl. et Tr. G. I. 172. — Sp. 1. Amer. trop.  
 646 9 **Chrysochlamys** Pöpp. et Endl. G. I. 172. — Sp. 12. Amer. trop.  
     **Tovomitopsis** Pl. et Tr. (*Bertolonia* Spreng.), *Commirhea*  
     Miers.  
 647 10 **Tovomita** Aubl. G. I. 173. (*Marialva* Vand., *Beauharnoisia* R.  
     et P., *Micranthera* Choisy). — Sp. ad 21. Amer. trop.

TRIBUS II. **Moronobeæ.**

- 648 11 **Symphonia** L. f. G. I. 173. (*Aneuriscus* Presl). — Sp. 6. Amer.  
     et Afr. trop., Madagasc.  
     **Chrysopia** Thou.  
 649 12 **Montrouzieria** Panch. G. I. 173. — Sp. 3. N. Caled.  
 650 13 **Moronobea** Aubl. G. I. 174. — Sp. 1 v. 2. Amer. trop.  
 651 14 **Platonia** Mart. G. I. 174. — Sp. 2. Amer. trop.  
 652 15 **Pentadesma** Sabine. G. I. 174. — Sp. 1. Afr. trop.

TRIBUS III. **Garcinieæ.**

- 653 16 **Allanblackia** Oliv. G. I. 980. — Sp. 2. Afr. trop. occ.  
 654 17 **Garcinia** L. G. I. 174 et 980. (*Cambogia* L., *Mangostana* Gärtn.,  
     *Brindonia* Thou., *Oxycarpus* Lour.). — Sp. ad 150. Asia  
     et Afr. trop., N. Caled.  
     **Discostigma** Hassk., **Terpnophyllum** Thou., **Rhinostigma**  
     Miq., **Clusianthemum** Vieill., **Xanthochymus** Roxb., **Sta-**  
     **lagmites** Murr., **Hebradendron** Grah.  
 655 18 **Sphærosepalum** Bak. in *Journ. Linn. Soc.* XXI. 321. — Sp. 1.  
     Madagasc.  
 656 19 **Rheedia** L. G. I. 175. — Sp. 20. Amer. et Afr. trop., Madagasc.  
     **Verticillaria** R. et P. (*Chloromyron* Pers.), **Lamprophyllum**  
     Miers.  
 657 20 **Ochrocarpus** Thou. G. I. 175 et 980. — Sp. ad 8. Asia et Afr.  
     trop., Ins. Mascar,

TRIBUS IV. **Calophylleæ.**

- 658 21 **Calophyllum** L. G. I. 175 et 980. — Sp. ad 35. Reg. trop.  
     utriusque orbis.  
     **Apoterium** Bl.  
 659 22 **Kayea** Wall. G. I. 176 et 980. — Sp. 6. Asia trop.  
 660 23 **Mesua** L. G. I. 176 et 981. — Sp. enum. 8, ad 3 reduc.? Asia  
     trop.

- 661 24 *Pöciloneuron* Bedd. G. I. 981. — Sp. 2. Ind. or.  
 662 25 *Mammea* L. G. I. 176 et 981. — Sp. 5. Amer, Asia et Afr. trop.  
*Calysaccion* Wight.

TRIBUS V. **Quineæ.**

- 663 26 *Quina* Aubl. G. I. 176 et 981. — Sp. 17. Amer. trop.  
*Touroulia* Aubl.

ORDO XXX. **TERNSTROEMIACEÆ** <sup>(1)</sup>TRIBUS I. **Rhizoboleæ.**

- 664 1 *Caryocar* L. G. I. 180. (*Rhizobolus* Gärtn.). — Sp. ad 11. Amer.  
 trop.  
 1. *Pekea* Aubl. — 2. *Saouari* Aubl.  
 665 2 *Anthodiscus* G. F. W. Mey. G. I. 181. — Sp. 3. Brasil., Peruv.

TRIBUS II. **Marcgraviæ.**

- 666 3 *Marcgravia* L. G. I. 181. — Sp. ad 15. Amer. trop.  
 667 4 *Norantea* Aubl. G. I. 181. (*Ascium* Schreb., *Schwartzia* Vell.).  
 Sp. 15. Amer. trop.  
 668 5 *Ruyschia* Jacq. G. I. 181. — Sp. 2. Ind. occ., Brasil., Vene-  
 zuela.  
 669 6 *Vargasia* Ernst in *Vargas Consid. como bot.* 23 (1877). —  
 Sp. 2. Venezuela  
 670 7 *Souroubea* Aubl. *Guian.* I. 244. tab. 97. — Sp. 4. Mexic., Amer.  
 austr. trop.

TRIBUS III. **Ternstroemiæ.**

- 671 8 *Anneslea* Wall. G. I. 182. — Sp. 2. Archip. Ind., Martabaniam.  
 672 9 *Visnea* L. f. G. I. 182 et 981. (*Mocanera* Juss.). — Sp. 1. Ins.  
 Canar. et Mader.  
 673 10 *Eremolæna* H. Bn in *Bull. Soc. Linn. Paris.* n° 56 (1884). —  
 Sp. 1. Madagasc.  
 674 11 *Medusagyne* Bak. *Fl. Maurit.* 17. — Sp. 1. Ins. Seychell.  
 675 12 *Trimenia* Seem. *Fl. Vitiensis.* 425. — Sp. 1. Ins. Viti.  
 676 13 *Dupinia* Scop. (*Ternstroemia* L. f. G. I. 182). — Sp. ad 40. Asia  
 et Amer. trop.  
*Taonabo* Aubl., *Tonabea* Juss., *Cleyera* Thunb., *Reinwardtia*  
*Korth.*, *Erythrochiton* Griff., *Vælkera* Kl. et Karst.  
 677 14 *Sladenia* Kurz in *Fl. B. Ind.* I. 281. — Sp. 1. Yun-Nan.  
 678 15 *Adinandra* Jack. G. I. 182. (*Sarosanthra* Korth.). — Sp. 13.  
 Asia et Afr. trop.

(1) Sp. notæ ad 310, fere omnes inter tropicos vigentes, nonnullæ in Amer. bor. v. in Asia or. extra trop. inveniuntur.

- 679 16 *Hoferia* Scop. (*Cleyera* DC. G. I. 183, *Tristylum* Turcz.). —  
Sp. 7. Asia et Amer. trop.
- 680 17 *Freziera* Sw. G. I. 183. (*Eroteum* Sw.). — Sp. ad 8. Amer.  
trop.  
*Lettsomia* R. et P.
- 681 18 *Tremanthera* F. Müll. in *Victorian Naturalist* octobr. 1886. —  
Sp. 1. Austral.
- 682 19 *Eurya* Thunb. G. I. 183. (*Geeria* Bl.) — Sp. enum. ultra 35, sed  
vix 15 dist. Asia calid. et or.
- 683 20 *Pentaphylax* Gardn. et Champ. G. I. 183. — Sp. 1. China austr.

TRIBUS IV. **Sauraujæ.**

- 684 21 *Actinidia* Lindl. G. I. 184. (*Trochostigma* S. et Z.). — Sp. 8.  
Himal., China, Japon.
- 685 22 *Saurauja* Willd. G. I. 184. (*Palava* R. et P., *Marumia* Reinw.,  
*Blumia* Spreng., *Reinwardtia* Bl.). — Sp. ad 65. Asia et  
Amer. trop. et subtrop.  
*Apatella* DC., *Obelanthera* Turcz., *Scapha* Choisy, *Draytonia*  
A. Gray.
- 686 23 *Stachyurus* S. et Z. G. I. 184. — Sp. 2. Japon., Himal.

TRIBUS V. **Gordonieæ.**

- 687 24 *Stuartia* L. G. I. 185. (*Stewartia* Auct., *Malachodendron* Cav.).  
— Sp. 6. Amer. bor., Japon.
- 688 25 *Schima* Reinw. G. I. 185. — Sp. 7. Asia trop., Archip. Ind.
- 689 26 *Strasburgeria* H. Bn in *Adans.* XI. 174. — Sp. 1. N. Caled.
- 690 27 *Pyrenaria* Bl. G. I. 185. (*Eusynaxis* Griff.). — Sp. 7. Archip.  
Ind., Malacca.
- 691 28 *Pelliciera* Pl. et Tr. G. I. 186. — Sp. 1. Amer. centr., N. Granada.
- 692 29 *Gordonia* Ellis. G. I. 186. — Sp. ad 25. Asia trop., Amer.  
bor., Mexic.  
Sect. 1. *Eugordonia* B. et H., *Polyspora* Sweet, *Carria* Gardn.,  
*Antheischima* Korth., *Dipterospermum* Griff.  
Sect. 2. *Franklinia* B. et H., *Franklinia* Marsh (*Lacathea*  
*Salisb.*).
- 693 30 *Nesogordonia* H. Bn in *Bull. Soc. Linn. Paris.* 356 (1886). —  
Sp. 1. Madagasc.
- 694 31 *Hæmocharis* Salisb. (*Laplacea* H. B. et K. G. I. 186). — Sp. ad  
13. Amer. trop., Archip. Ind.  
*Wickstroemia* Schrad., *Lindleya* Nees, *Closaschima* Korth.
- 695 32 *Camellia* L. G. I. 187. (*Calpandria* Bl.). — Sp. ad 16. Asia trop.  
et subtrop., China, Japon.  
*Thea* L.  
? *Cordyloblaste* Hensch.

- 696 33 ?*Microsemma* Labill. G. I. 187. — Sp. 1. N. Caled.

TRIBUS VI. **Bonnetiæ.**

- 697 34 *Bonnetia* Mart. et Zucc. G. I. 187. (*Kieseria* Nees). — Sp. 5 v. 6.  
Amer. austr.
- 698 35 *Archytæa* Mart. G. I. 188. — Sp. 3. Amer. trop., Archip. Ind.,  
Malacca.  
Ploiarium Korth.
- 699 36 *Kielmeyera* Mart. G. I. 188. (*Martiniera* Vell.). — Sp. ad 17.  
Brasil.
- 700 37 *Caraipa* Aubl. G. I. 188. — Sp. 8 v. 9. Amer. trop. (Afr. trop.?).
- 701 38 *Mahurea* Aubl. G. I. 188. (*Bonnetia* Schreb.). — Sp. 4. Amer.  
austr.
- 702 39 *Marila* Sw. G. I. 189. (*Scyphæa* Presl). — Sp. 4. Amer. austr.
- 703 40 *Haploclathra* Benth. G. I. 189. — Sp. 2. Amer. austr.

Genus incertæ sedis.

- 704 41 *Makokoa* H. Bn in *Bull. Soc. Linn. Paris*. 619 (1886). — Sp.  
1. Congo.

ORDO XXXI. **DIPTEROCARPEÆ** <sup>(1)</sup>

- 705 1 *Dryobalanops* Gärtn. G. I. 191. — Sp. 3. Archip. Ind.
- 706 2 *Dipterocarpus* Gärtn. G. I. 191 et 981. (*Pterygium* Corr.). — Sp.  
ad 50. Asia trop.
- 707 3 *Ancistrocladus* Wall. G. I. 191 et 981. (*Wormia* Vahl, *Bigamea*  
Kön.). — Sp. 11. Asia et Afr. trop.
- 708 4 *Anisoptera* Korth. G. I. 192. — Sp. 5 v. 10. Archip. Ind.  
Antherotriche Turcz.
- 709 5 *Pachynocarpus* H. f. G. I. 192. — Sp. 1. Borneo.
- 710 6 *Vatica* L. G. I. 192 et 981. — Sp. ad 12. Asia et Afr. trop.  
Sect. 1. *Euvatica* B. et H., *Pteranthera* Bl., *Sunaptea* Griff.  
Sect. 2. *Isauxis* B. et H., *Isauxis* Arn. (*Retinodendron* Korth.).
- 711 7 *Lophira* Banks. G. I. 192. — Sp. 1. Afr. trop. occ.
- 712 8 *Shorea* Roxb. G. I. 193 et 981. — Sp. ad 25. Asia trop.
- 713 9 *Parashorea* Kurz in *Journ. Asiat. Soc. Bengal*. XXXIV. 2. —  
Sp. 2. Asia trop.
- 714 10 *Hopea* Roxb. G. I. 193. — Sp. ad 38. Asia trop.  
Petalandra Hassk.
- 715 11 *Doona* Thw. G. I. 193. — Sp. 10. Zeylan.
- 716 12 *Monotes* A. DC. *Prod.* XVI. 923. — Sp. 1. Afr. austr. subtrop.
- 717 13 *Pentacme* A. DC. *Prodr.* XVI. 926. — Sp. 1. Martabania.

(1) Sp. ad 180, omnes in reg. trop. orbis veteris crescentes.

- 718 14 *Vateria* L. G. I. 193. — Sp. 28. Asia trop., ins. Seychell.  
Hemiphractum Turcz., Stemonoporus Thw.  
719 15 *Monoporandra* Thw. G. I. 194. — Sp. 3. Zeylan.

ORDO XXXII. **CHLÆNACEÆ** <sup>(1)</sup>

- 720 1 *Sarcolæna* Thou. G. I. 195. — Sp. 6. Madagasc.  
721 2 *Leptolæna* Thou. G. I. 195. — Sp. 2. Madagasc.  
722 3 *Schizolæna* Thou. G. I. 195. — Sp. 3. Madagasc.  
723 4 *Rhodolæna* Thou. G. I. 195. — Sp. 1. Madagasc.  
724 5 *Scleroolæna* H. Bn in *Adans.* X. 234. — Sp. 1. Madagasc.  
725 6 *Xerochlamys* Bak. in *Journ. Bot.* 45 (1882). — Sp. 1. Madagasc.  
726 7 *Xylolæna* H. Bn in *Bull. Soc. Linn. Paris.* 566 (1886). — Sp.  
1. Madagasc.

ORDO XXXIII. **MALVACEÆ** <sup>(2)</sup>TRIBUS I. **Malvææ.**

- 727 1 *Malope* L. G. I. 200. — Sp. 3. Reg. Medit.  
728 2 *Kitaibelia* Willd. G. I. 200. — Sp. 2. Eur. centr., Asia occ.  
729 3 *Palava* Cav. G. I. 200. — Sp. 2. Peruv., Chili.  
730 4 *Althæa* L. G. I. 200. — Sp. ad 15. Orb. vet. reg. temp.  
Alcea L.  
731 5 *Lavatera* L. G. I. 200. — Sp. ad 21. Orbis vet. reg. temp.,  
Austral.  
Stegia DC., Saviniona et Navæa Webb.  
732 6 *Malva* L. G. I. 201. — Sp. ad 16. Orb. vet. reg. temp.; in Amer.  
bor. inquil.  
733 7 *Callirhoe* Nutt. G. I. 201. (*Nuttallia* Bert.). — Sp. 7. Amer. bor.  
734 8 *Sidalcea* A. Gray. G. I. 201. — Sp. 8. Amer. bor. occ.  
735 9 *Napæa* L. G. I. 201. — Sp. 1. Amer. bor.  
736 10 *Malvastrum* A. Gray. G. I. 201 et 982 (*Nototriche* Turcz.). —  
Sp. ad 80. Amer. bor. et austr., Afr. (in Asia trop. inquil.).  
737 11 *Plagianthus* Forst. G. I. 202 et 982. — Sp. ad 11. Austral.,  
N. Zel.  
Philippodendron Poit., Asterotrichion et Blepharanthemum  
Kl., Halothamnus F. Müll., Lawrenceia Hook. (*Wrencia*  
A. Gray).  
738 12 *Hoheria* A. Cunn. G. I. 202. — Sp. 2. N. Zel.  
739 13 *Anoda* Cav. G. I. 202. — Sp. 8. Amer. calid.

(1) Sp. 15, omnes madagascarienses.

(2) Sp. plus minus cognitæ ultra 800, per omnes terrarum regiones, arcticis exceptis, dispersæ.

- 740 14 **Cristaria** Cav. G. I. 202. — Sp. ad 20. Amer. austr. extratrop.  
 741 15 **Gaya** H. B. et K. G. I. 203. — Sp. 5 v. 6. Amer. trop.  
 742 16 **Sida** L. G. I. 203 et 982. — Sp. ad 90. Utriusque orbis reg. calid.  
     *Dictyocarpus* Wight, *Malvella* Jaub. et Spach, *Fleischeria* Steud.  
 743 17 **Bastardia** H. B. et K. G. I. 203. — Sp. 2 v. 3. Amer. trop.  
 744 18 **Howittia** F. Müll. G. I. 203. — Sp. 1. Austral.  
 745 19 **Kydia** Roxb. G. I. 203. — Sp. 2 v. 3. Ind. or.  
 746 20 **Wissadula** Medik. G. I. 204. — Sp. 5 v. 6. Asia, Afr. et Amer. trop., Mexic.  
 747 21 **Abutilon** Gärtn. G. I. 204 et 982. — Sp. ad 80. Utriusque orbis reg. calid.  
     *Beloere* Shuttl., *Abutilæa* F. Müll.  
 748 22 ? **Periptera** DC. *Prodr.* I. 459. — Sp. 1. Mexic.  
 749 23 **Sphæralcea** S'-Hil. G. I. 204. — Sp. ad 25. Amer., Afr. austr.  
     *Phymosia* Desv., *Sphæroma* Harv. (*Anisodonteia* Presl), *Meli-phlea* Zucc.  
 750 24 **Modiola** Mönch. G. I. 205. — Sp. descr. plures, sed verisim. unius var. Amer. bor. calid. et mer., Afr. austr.

TRIBUS II. **Ureneæ.**

- 751 25 **Malachra** L. G. I. 205. — Sp. 5 v. 6. Amer. calid. (in Asia et Afr. inquil.).  
 752 26 **Urena** L. G. I. 205. — Sp. 4 v. 6. Utriusque orbis reg. trop.  
 753 27 **Pavonia** L. G. I. 205. — Sp. 72. Utriusque orbis reg. calid.  
     *Lebretonia* Schrank, *Greevesia* F. Müll., *Lopimia* Nees et Mart., *Asterochlaena* Garcke, *Thorntonia* Rehb.  
 754 28 **Goethea** Nees et Mart. G. I. 206. — Sp. 3. Brasil.  
 755 29 **Malvaviscus** Dill. G. I. 206. (*Achania* Sw.). — Sp. ad 6. Amer. centr., Mexic.

TRIBUS III. **Hibisceæ.**

- 756 30 **Kosteletzkya** Presl. G. I. 206. — Sp. 8. Amer. calid.  
 757 31 **Arcynospermum** Turcz. in *Bull. Soc. Nat. Mosc.* I. 191 (1858). — Sp. 1. Mexic.  
 758 32 **Decaschistia** W. et A. G. I. 206. — Sp. 2. Ind. or.  
 759 33 **Julostyles** Thw. G. I. 207. — Sp. 1. Zeylan.  
 760 34 **Dicellostyles** Benth. G. I. 207. — Sp. 2. Asia trop.  
 761 35 **Senra** Cav. G. I. 207. (*Dumreichera* Hochst., *Serra* Auct.). — Sp. 1. Asia et Afr. calid.  
 762 36 **Hibiscus** L. G. I. 207 et 982. (*Bombycodendron* Zoll.). — Sp. ad 180. Utriusque orbis reg. temp. et calid.

1. *Lagunæa* Cav. (*Triguera* Cav.).
  2. *Trionum* et *Trionæa* Medik.
  3. *Abelmoschus* Medik. (*Hymenocalyx* Zenk.).
  4. *Paritium* S'-Hil.
- 763 37 *Lagunaria* G. Don. G. I. 208. — Sp. 2. Austral., Ins. Norfolk.
- 764 38 *Fugosia* Juss. G. I. 208 et 982. (*Cienfugosia* Cav., *Cienfuegia* Willd., *Redoutea* Vent.). — Sp. ad 16. Amer. calid., Afr. trop., Austral.  
*Elidurandia* Buckl.
- 765 39 *Bombycospermum* Presl in *Reliquiæ Hænkeanæ*. II. 137. — Sp. 1. Mexic.
- 766 40 *Thespesia* Corr. G. I. 208. — Sp. ad 6. Asia trop., Madagasc. Azanza Alef., *Blumea* A. Rich.
- 767 41 *Thurberia* A. Gray. G. I. 209 et 982. — Sp. 1. Mexic.  
*Ingenhousia* Moç. et Sessé.
- 768 42 *Gossypium* L. G. I. 209. — Sp. enum. 32. Utriusque orbis reg. calid., spont. vel cult.  
*Sturtia* R. Br.

TRIBUS IV. **Bombacææ.**

- 769 43 *Adansonia* L. G. I. 209. (*Ophelus* Lour.). — Sp. 2. Afr., Austral., Ind. or.
- 770 44 *Pachira* Aubl. G. I. 210. (*Carolinea* L. f.). — Sp. ad 4. Amer. trop.
- 771 45 *Bombax* L. G. I. 210. — Sp. ad 27. Asia, Afr., et Amer. trop.  
*Eriotheca* et *Salmalia* Schott.
- 772 46 *Eriodendron* DC. G. I. 210. (*Ceiba* Gärtn.). — Sp. 8 v. 9. Asia, Afr. et Amer. trop.  
*Erione*, *Campylanthera* et *Gossampinus* Schott et Endl.
- 773 47 *Chorisia* H. B. et K. G. I. 210. — Sp. 3. Amer. trop.
- 774 48 *Hampea* Schlcht. G. I. 211. — Sp. 2. Mexic., Columbia.
- 775 49 *Scleronema* Benth. G. I. 211. — Sp. 1. Amer. trop.
- 776 50 *Cavanillesia* R. et P. G. I. 211. (*Pourretia* Willd.). — Sp. 2. Amer. trop.
- 777 51 *Matisia* H. et B. G. I. 211. — Sp. 9. Amer. trop.
- 778 52 *Quararibea* Aubl. G. I. 212. — Sp. 5. Guiana, Amer. centr., Brasil.
- 779 53 *Montezuma* DC. G. I. 212. — Sp. 1. Mexic.
- 780 54 *Ochroma* Sw. G. I. 212. — Sp. 1. Amer. trop.
- 781 55 *Dialycarpa* Mast. in *Journ. Linn. Soc.* XIV. 505 (1875). — Sp. 1. Sarawak.
- 782 56 *Cullenia* Wight. G. I. 212. — Sp. 1. Zeylan.
- 783 57 *Durio* L. G. I. 213. — Sp. 7. Malacca, Archip. Ind.

- 784 58 *Lahia* Hassk. G. I. 213. — Sp. 1. Borneo.  
 785 59 *Boschia* Korth. G. I. 213. (*Heteropyxis* Griff.). — Sp. 4. Malacca, Archip. Ind.  
 786 60 *Neesia* Bl. G. I. 213. (*Esenbeckia* Bl., *Cotylephora* Meisn.). — Sp. 3. Malacca, Archip. Ind.  
 787 61 *Camptostemon* Mast. in Hook. *Icon. Plant.* tab. 1119. — Sp. 1. Austral.  
 788 62 *Cumingia* Vidal in *Phanerog. Cuming.* 211 (1885). — Sp. 1. Ins. Philippin.  
 789 63 *Cœlostegia* Benth. G. I. 213. — Sp. 1. Malacca.

Genus incertæ sedis.

- 790 64 ? *Tetraptera* Philippi in *Bot. Zeit.* 169 (1870). — Sp. 1. Chili.

## ORDO XXXIV. STERCULIACEÆ <sup>(1)</sup>

### TRIBUS I. Sterculiææ.

- 791 1 *Sterculia* L. G. I. 217 et 982. — Sp. ad 85 descript. Utriusque orbis reg. calid.  
 1. *Sterculia* Cav., *Triphaca* Lour., *Ivira* Aubl., *Southwellia* Salisb., *Chichæa* Presl, *Mateatia* Vell., *Cavallium* Schott.  
 2. *Carpophyllum* Miq.  
 3. *Firmiania* Marsigl., *Erythropsis* Lindl.  
 4. *Brachychiton* Schott, *Pœcilodermis* et *Trichosiphon* Schott, *Delabechea* Lindl.  
 5. *Pterygota* Schott. — 6. *Hildegardia* Schott.  
 7. *Scaphium* Schott. — 8. *Pterocymbium* R. Br.  
 792 2 *Bernouillia* Oliv. in Hook. *Icon. Plant.* tab. 1169 et 1170. — Sp. 1. Guatemala.  
 793 3 *Tarrietia* Bl. G. I. 218. — Sp. 3. Austral., Java, Malacca. *Argyrodendron* F. Müll.  
 794 4 *Octolobus* Welw. G. I. 982. — Sp. 1. Afr. trop.  
 795 5 *Cola* Schott. G. I. 218 et 983. (*Siphoniopsis* Karst., *Lunanea* DC.). — Sp. 11. Afr. trop. *Courtenia* R. Br.  
 796 6 *Heritiera* Dryand. G. I. 219. (*Balanopteris* Gärtn.). — Sp. 4 v. 5. Asia, Afr., Austral.  
 797 7 ? *Tetradia* R. Br. G. I. 219. — Sp. 1. Java.  
 798 8 *Basiloxylon* Schum. in *Fl. Brasil.* XCVI. col. 12. obs. 2. — Sp. 1. Brasil.

(1) Sp. ad 780, per regiones calidiores utriusque orbis dispersæ.



TRIBUS II. **Helictereæ.**

- 799 9 **Myrodia** Sw. G. I. 219. (*Lexarsa* Llave). — Sp. ad 7. Amer. trop.  
 800 10 **Reevesia** Lindl. G. I. 219. — Sp. 1 v. 2. Asia bor. trop. et subtrop.  
 801 11 **Ungeria** Schott et Endl. G. I. 219. — Sp. 1. Ins. Norfolk.  
 802 12 **Kleinhovia** L. G. I. 219. — Sp. 1. Ind. or.  
 803 13 **Helicteres** L. G. I. 220 et 983. — Sp. ultra 40. Orbis utriusque reg. calid.  
     Methorium, Isora et Orthothecium Schott, Alicteres Neck., Oudemansia Miq.  
 804 14 **Pterospermum** Schreb. G. I. 220. (*Velaga* Gärtn. *Szegleewia* Turcz.). — Sp. ad 16. Asia trop.

TRIBUS III. **Eriolæneæ.**

- 805 15 **Eriolæna** DC. G. I. 220. — Sp. 7 v. 8. Ind. or.  
     Wallichia DC. (*Microlåna* Wall., *Schillera* Richb., *Jackia* Spreng.).

TRIBUS IV. **Fremontieæ.**

- 806 16 **Cheirostemon** H. et B. G. I. 212 et 983. (*Cheiranthodendron* Larreat). — Sp. 1. Mexic.  
 807 17 **Fremontia** Torr. G. I. 212 et 983. — Sp. 1. Californ.

TRIBUS V. **Dombeyeæ.**

- 808 18 **Ruizia** Cav. G. I. 221. — Sp. 3. Ins. Mascar.  
 809 19 **Astiria** Lindl. G. I. 221. — Sp. 1. Ins. Mascar.  
 810 20 **Dombeya** Cav. G. I. 221 et 983. — Sp. ad 30. Afr., Ins. Mascar.  
     Assonia Cav., Xeropetalum Delile, Astrapæa Lindl., Hilsenbergia Bojer.  
 811 21 **Cheirolæna** Benth. G. I. 222. — Sp. 1. Ins. Maurit.  
 812 22 **Trochetia** DC. G. I. 222 et 983. — Sp. 6. Ins. S. Helena et Mascar.  
 813 23 **Pentapetes** L. G. I. 222. — Sp. 1. Asia trop.  
     Eriorhaphe Miq.  
 814 24 **Melhania** Forsk. G. I. 222. (*Brotera* Cav., *Sprengelia* Schult.). — Sp. ad 20. Orbis veteris reg. calid.  
     Pentaglottis Wall., Cardistegia Presl, Vialia Vis.

TRIBUS VI. **Hermannieæ.**

- 815 25 **Hermannia** L. G. I. 223. — Sp. 90. Afr. trop., Arabia, Mexic., Texas, Austral.  
     Trichanthera Ehrenb. (*Eurynema* Endl.).

- 816 26 **Mahernia** L. G. I. 223. — Sp. 33. Afr. austr.  
 817 27 **Physodium** Presl. G. I. 223. — Sp. 2. Mexic.  
 818 28 **Melochia** L. G. I. 223. — Sp. ad 56. Orbis utriusque reg. calid.  
     1. *Riedleia* Vent. (*Mougeotia* H. B. et K., *Polychlæna* G. Don.  
     *Lochemia* Arn.), *Altheria* Thou., *Anamorpha* Karst. et Tr.,  
     *Physocodon* Turcz.  
     2. *Visenia* Houtt. (*Aleurodendron* Reinw., *Glossospermum*  
     Wall.).  
 819 29 **Dicarpidium** F. Müll. G. I. 224. — Sp. 1. Austral.  
 820 30 **Waltheria** L. G. I. 224 et 983. — Sp. ad 30. Utriusque orbis  
     reg. calid.  
     *Astropus* Spreng., *Lophanthus* Forst.

TRIBUS VII. **Buettneriæ.**

- 821 31 **Glossostemon** Desf. G. I. 224. — Sp. 1. Persia.  
 822 32 **Abroma** Jacq. G. I. 224 et 983. — Sp. 2 v. 3? Afr. et Austral.  
     trop.  
 823 33 **Theobroma** L. G. I. 225. (*Cacao* Gärtn.). — Sp. ad 15. Amer.  
     calid.  
 824 34 **Herrania** Goud. G. I. 225. — Sp. 3 v. 4. Amer. calid.  
 825 35 **Guazuma** Plum. G. I. 225. (*Bubroma* Schreb., *Diuroglossum*  
     Turcz.). — Sp. 4 v. 6. Utriusque orbis reg. trop.  
 826 36 **Scaphopetalum** Mast. G. I. 983. — Sp. 3. Afr. trop. occ.  
 827 37 **Leptonychia** Turcz. G. I. 237 et 983. — Sp. 3 v. 4. Arch. Ind.,  
     Afr. trop. occ.  
     *Binnendykia* Kurz.  
 828 38 **Ayenia** L. G. I. 225. (*Cybiostigma* Turcz.). — Sp. 15. Amer.  
     calid.  
 829 39 **Buettneria** L. G. I. 225. — Sp. ad 55. Asia Afr. et Amer. trop.  
     *Pentaceros* G. F. W. Mey.  
 830 40 **Rulingia** R. Br. G. I. 226 et 983. — Sp. 15. Madagasc., Austral.  
     *Achilleopsis* Turcz.  
 831 41 **Commersonia** Forst. G. I. 226 et 984. — Sp. ad 12. Asia trop.,  
     Austral.

TRIBUS VIII. **Lasiopetaleæ.**

- 832 42 **Seringia** J. Gay. G. I. 226 et 984. (*Gaya* Spreng.). — Sp. 1.  
     Austral.  
     ? *Actinostigma* Turcz.  
 833 43 **Keraudrenia** J. Gay. G. I. 226 et 984. — Sp. 7. Austral., Ma-  
     dagasc.  
 834 44 **Thomasia** J. Gay. G. I. 227 et 984. — Sp. 21 v. 25? Austral.  
     *Leucothamnus* Lindl., *Rhynchostemon* Steetz, *Asterochiton*  
     Turcz.

- 835 45 *Hannafordia* F. Müll. G. I. 227. — Sp. 3. Austral.  
 836 46 *Guichenotia* J. Gay. G. I. 227 et 984. — Sp. 5. Austral. extra-  
 trop.  
       *Sarotes* Lindl., *Ditomostrophe* Turcz.  
 837 47 *Lasiopetalum* Sm. G. I. 228 et 984. — Sp. 30. Austr. extratrop.  
       *Corethrostyles* Endl.  
 838 48 *Pimia* Seem. G. I. 984. — Sp. 1. Ins. Viti.  
 839 49 *Lysiosepalum* F. Müll. G. I. 228 et 984. — Sp. 2. Austral.  
       austro-occ.

ORDO XXXV. **TILIACEÆ** <sup>(1)</sup>TRIBUS I. **Brownlowiæ.**

- 840 1 *Brownlowia* Roxb. G. I. 231. (*Humea* Roxb.). — Sp. 3. Asia trop.  
 841 2 *Pentace* Hassk. G. I. 231. — Sp. 3. Malacca, Java.  
 842 3 *Diplodiscus* Turcz. G. I. 232. — Sp. 1. Ins. Philippin.  
 843 4 *Pityranthe* Thw. G. I. 232. — Sp. 1. Zeylan.  
 844 5 *Christiania* DC. G. I. 232. — Sp. 1. Afr. et Amer. trop.  
 845 6 *Chartacalyx* Maingay in *Fl. B. Ind.* I. 382. — Sp. 1. Malacca.  
 846 7 *Berrya* Roxb. G. I. 232 et 985. (*Espera* Willd., *Hexagonotheca*  
       Turcz.). — Sp. 1. Asia et Austral. trop.  
 847 8 *Carpodiptera* Griseb. G. I. 232 et 985. — Sp. 2. Cuba, Afr.  
       trop. or.

TRIBUS II. **Grewiæ.**

- 848 9 *Grewia* L. G. I. 233 et 985. — Sp. ad 80. Orbis vet. reg. calid.  
       1. *Omphacarpus* Korth.  
       2. *Microcos* L. (*Arsis* Lour.).  
       3. *Vincentia* Bojer (*Vinticena* Steud.)  
 849 10 *Desplatzia* Bocquill. G. I. 985. — Sp. 1. Afr. trop. occ.  
 850 11 *Duboscia* Bocquill. G. I. 985. — Sp. 1. Afr. trop.  
 851 12 *Columbia* Pers. G. I. 233. (*Colona* Cav.). — Sp. ad 5. Asia trop.  
 852 13 *Pentadiplandra* H. Bn in *Bull. Soc. Linn. Paris.* 609 (1886). —  
       Sp. 1. Congo.  
 853 14 *Bixagrewia* Kurz in *Journ. Bot.* 325 (1875). — Sp. 1. Ins.  
       Nicobar.  
 854 15 *Diplophractum* Desf. G. I. 233. — Sp. 1. Asia trop.  
 855 16 *Belotia* A. Rich. G. I. 233. (*Adenodiscus* Turcz.). — Sp. 1 v. 2.  
       Mexic., Cuba, Panama.  
 856 17 *Erinocarpus* Nimmo. G. I. 234. — Sp. 1. Ind. or.

(1) Sp. ad 470, per orbem terrarum dispersæ.

- 857 18 *Vasivæa* H. Bn in *Adans.* X. 191. — Sp. 1. Amer. trop.  
 858 19 *Triumfetta* L. G. I. 234 et 986. — Sp. ad 50. Utriusque orbis  
 reg. calid.  
*Bartramia* Gärtn., ? *Porpa* Bl.  
 859 20 *Heliocarpus* L. G. I. 234. — Sp. 4 v. 1. Amer. trop.

TRIBUS III. **Tilieæ.**

- 860 21 *Entelea* R. Br. G. I. 234. — Sp. 1. N. Zel.  
 861 22 *Sparmannia* L. f. G. I. 235. — Sp. 3. Afr. trop. et austr.  
 862 23 *Nettoa* H. Bn. G. I. 986. — Sp. 1. Austral. bor.  
 863 24 *Honckenia* Willd. G. I. 235. (*Clappertonia* Meisn.). — Sp. 1.  
 Afr. trop.  
 864 25 *Corchorus* L. G. I. 235 et 986. (*Mærlensia* Vell.). — Sp. 30 v.  
 45. Utriusque orbis reg. calid.  
*Antichorus* L.  
 865 26 *Corchoropsis* S. et Z. G. I. 235 et 986. — Sp. 1. Japon.  
 866 27 *Luhia* Willd. G. I. 236. (*Alegria* Moç. et Sessé, *Brotera* Vell.).  
 — Sp. 13-15. Amer. calid.  
 867 28 *Mollia* Mart. G. I. 236. (*Schlechtendalia* Spreng.). — Sp. 6.  
 Amer. æquinoct.  
 868 29 *Trichospermum* Bl. G. I. 236. (*Diclidocarpus* A. Gray.). — Sp.  
 2. Java., Ins. Viti.  
 869 30 *Græffea* Seem. G. I. 986. — Sp. 2. Ins. Viti.  
 870 31 *Solmsia* H. Bn in *Adans.* X. 34. — Sp. 2 v. 3. N. Caled.  
 871 32 *Muntingia* L. G. I. 236 et 986. — Sp. 1. Amer. trop.  
 872 33 *Tilia* L. G. I. 236 et 986. — Sp. ad 12. Eur., Asia temp.,  
 Amer. bor.  
 873 34 *Schoutenia* Korth. G. I. 237. (*Actinophora* Wall.). — Sp. 1.  
 Archip. Ind.

TRIBUS IV. **Apeibeæ.**

- 874 35 *Glyphæa* H. f. G. I. 237. — Sp. 2. Afr. trop.  
 875 36 *Apeiba* Aubl. G. I. 237. (*Aubletia* Schreb.). — Sp. 5 v. 6.  
 Amer. trop.  
 876 37 *Ancistrocarpus* Oliv. G. I. 986. — Sp. 2. Afr. trop. occ.

TRIBUS V. **Prockieæ.**

- 877 38 *Prockia* L. G. I. 237 et 986. (*Trilix* L., *Tinea* Spreng.,  
*Kellettia* Seem.). — Sp. 2 v. 3. Amer. trop.  
 878 39 *Hasseltia* H. B. et K. G. I. 238. — Sp. 34. Amer. trop.  
 879 40 *Plagiopteron* Griff. G. I. 238. — Sp. 1. Ind. or.  
 880 41 ? *Ropalocarpus* Bojer. G. I. 238 et 986. — Sp. 1. Madagasc.

TRIBUS VI. **Sloaneæ.**

- 881 42 **Vallea** Mutis. G. I. 238. — Sp. 2 v. 3. Amer. austr.  
 882 43 **Sloanea** L. G. I. 238 et 987. — Sp. ad 45. Amer. trop.  
     **Ablania** Aubl. (**Trichocarpus** Schreb.). **Dasynema** Schott.,  
     **Adenobasium** Presl, **Dasycarpus** Oerst, **Foveolaria** Meisn.,  
     **Blondea** L. C. Rich., **Forgetina** Bocquill.  
 883 44 **Echinocarpus** Bl. G. I. 239 et 987. — Sp. ad 10. Austral., Java,  
     Ind. or.  
 884 45 **Phœnicospermum** Miq. G. I. 987. — Sp. 1. Java.  
 885 46 **Antholoma** Labill. G. I. 239 et 987. — Sp. 1. N. Caled.

TRIBUS VII. **Elæocarpeæ.**

- 886 47 **Aristotelia** L'Hér. G. I. 239 et 987. (*Friesia* DC.). — Sp. 7.  
     Chili, Austral., N. Zel.  
 887 48 **Elæocarpus** L. G. I. 239 et 987. — Sp. ultra 65. Asia trop.,  
     Austral.  
     **Monocera** Jack., **Ganitrus** Gärtn., **Aceratium** DC., **Adenodus**  
     **Lour.**, **Beythia** Endl., **Dicera** Forst., **Craspedum** Lour.,  
     **Acronodia** Bl. (**Acrozus** Spreng.).  
 888 49 **Dubouzetia** Pancher. G. I. 240 et 987. — Sp. 3. N. Caled.  
 889 50 **Tricuspidaria** R. et P. G. I. 240. (*Tricuspis* Pers.). — Sp. 2.  
     Chili.  
     **Crinodendron** Molina.

Genus incertæ sedis.

- 890 51 **Brazzeia** H. Bn in *Bull. Soc. bot. Fr.* 609 (1886). — Sp. 1.  
     Afr. trop. (Congo).

ORDO XXXVI. **LINEÆ** <sup>(1)</sup>TRIBUS I. **Eulineæ.**

- 891 1 **Radiola** Gmel. G. I. 242 et 987. — Sp. 1. Eur., Asia temp., Afr.  
     bor. et trop. mont.  
 892 2 **Linum** L. G. I. 242. — Sp. ad 100. Orbis uterque.  
     **Cathartolinum**, **Adenolinum**, **Linopsis** et **Xantholinum** Rehb.,  
     **Cliococca** Babington.  
 893 3 **Reinwardtia** Dmrt. G. I. 243. (*Macrolinum* Rehb.). — Sp. 2  
     Ind. or. mont.  
 894 4 **Anisadenia** Wall. G. I. 243. — Sp. 2. Himal.

(1) Sp. ad 235, per orbem terrarum late dispersæ.

TRIBUS II. **Hugoniæ.**

- 895 5 **Hugonia** L. G. I. 243 et 987. — Sp. 12. Asia, Afr. trop., Austral., N. Caled.  
 Penicillanthemum Vieill.
- 896 6 **Roucheria** Planch. G. I. 243 et 987. — Sp. 3 v. 4. Amer. et Asia trop.

TRIBUS III. **Erythroxyleæ.**

- 897 7 **Erythroxylon** L. G. I. 244 et 987. (*Steudelia* Spreng.). — Sp. ad 100. Orbis uterque inter trop.  
 Sethia Kth.
- 898 8 **Aneulophus** Benth. G. I. 244 et 987. — Sp. 1. Afr. trop. occ.
- 899 9 **Hebepetalum** Benth. G. I. 244. — Sp. 2. Guiana, Brasil. bor.

TRIBUS IV. **Ixonanthææ.**

- 900 10 **Durandea** Planch. G. I. 245. — Sp. 1. Austro Caledonia.
- 901 11 **Sarcotheca** Bl. G. I. 245. — Sp. 1. Archip. Ind.
- 902 12 **Ochthocosmus** Benth. G. I. 245. — Sp. 1. Guiana, Brasil. bor.
- 903 13 **Phyllocosmus** Kl. G. I. 245 et 988. (*Pentacocca* Turcz.). — Sp. 2.  
 Afr. trop. occ.
- 904 14 **Ixonanthes** Jack. G. I. 245. (*Emmenanthus* Hook.). — Sp. 6-8.  
 Asia trop. or.  
 Pierotia Bl., Brewstera Röm.  
 ? Macarisia Thou.
- 905 15 ? **Rhodoclada** Bak. in *Journ. Linn. Soc.* XXI. 328 (1885). —  
 Sp. 1. Madagasc.

ORDO XXXVII. **HUMIRIACÆ** <sup>(1)</sup>

- 906 1 **Vantanea** Aubl. G. I. 246. (*Lemniscia* Schreb., *Helleria* Nees).  
 — Sp. 5. Guiana, Brasil.
- 907 2 **Humiria** Aubl. G. I. 247. (*Myrodendron* Schreb.). — Sp. 17.  
 Guiana, Brasil. trop.
- 908 3 **Aubrya** H. Bn. G. I. 988. — Sp. 1. Afr. trop. occ.
- 909 4 **Sacoglottis** Mart. G. I. 247. — Sp. 9. Guiana, Brasil. trop.

ORDO XXXVIII. **MALPIGHIACÆ** <sup>(2)</sup>TRIBUS I. **Malpighiææ.**

- 910 1 **Byrsonima** Rich. et Juss. G. I. 251. — Sp. ad 90. Amer. trop.

(1) Sp. 32, una Africana, ceteræ omnes Brasilianæ vel Guianenses.

(2) Sp. ad 600, per reg. trop. numerosæ, perpaucæ in reg. calid. extratrop. Americæ et Afr. austr. crescentes.

- 911 2 **Malpighia** L. G. I. 251. — Sp. ad 20. Amer. trop.  
 912 3 **Bunchosia** Rich. et Juss. G. I. 252. — Sp. ad 22. Amer. trop.  
     **Malacmæa** Griseb.  
 913 4 **Burdachia** A. Juss. G. I. 252. — Sp. 2. Brasil. bor.  
 914 5 **Glandonia** Griseb. G. I. 252. — Sp. 1. Brasil. bor.  
 915 6 **Dicella** Griseb. G. I. 252. — Sp. 1. Brasil. bor.  
 916 7 **Diacidia** Griseb. G. I. 252. — Sp. 2. Columbia, Guiana.  
 917 8 **Acmanthera** Griseb. G. I. 253. — Sp. 2. Brasil. trop.  
 918 9 **Pterandra** A. Juss. G. I. 253. — Sp. 1. Brasil.  
 919 10 **Coleostachys** A. Juss. G. I. 253. — Sp. 1. Guiana.  
 920 11 **Clonodia** Griseb. G. I. 253. — Sp. 2. Brasil. bor.  
 921 12 **Heladena** A. Juss. G. I. 253. — Sp. ad 4. Brasil. mer.  
 922 13 **Mionandra** Griseb. in *Pl. Lorentzianæ*. 1874. — Sp. 1. Argentina.  
 923 14 **Thryallis** Mart. G. I. 254. — Sp. 3. Brasil.  
 924 15 **Galphimia** Cav. G. I. 254 et 988. — Sp. ad 12. Amer. trop. et  
     subtrop.  
     **Thryallis** L.  
 925 16 **Blepharandra** Griseb. G. I. 254. — Sp. 1. Guiana.  
 926 17 **Echinopterys** A. Juss. G. I. 254. — Sp. 1. Mexic.  
 927 18 **Lasiocarpus** Liebm. G. I. 253. — Sp. 1. Mexic.  
 928 19 **Spachea** A. Juss. G. I. 255. — Sp. 6. Brasil., Guiana. Ind. occ.  
     **Meckelia** Mart.  
 929 20 **Lophanthera** A. Juss. G. I. 255. — Sp. 2. Guiana, Brasil. bor.  
 930 21 **Verrucularia** A. Juss. G. I. 255. — Sp. 1. Brasil.

TRIBUS II. **Banisterieæ.**

- 931 22 **Lophopterys** A. Juss. G. I. 255. — Sp. 1. Guiana.  
 932 23 **Heteropterys** Kth. G. I. 256. — Sp. ad 80. Amer. trop. (Afr.  
     trop. sp. 1.)  
 933 24 **Henleophytum** Karst. G. I. 256. (*Henlea* Griseb.). — Sp. 1.  
     Cuba.  
 934 25 **Acridocarpus** Guill. et Perr. G. I. 256. (*Anomaloptyrys* G. Don).  
     — Sp. ad 14. Afr. trop. et austr., Arabia, Madagasc.  
 935 26 **Sphedamnocarpus** Planch. G. I. 256 et 988. — Sp. ad 3. Angola,  
     Natal.  
 936 27 **Brachypterys** A. Juss. G. I. 256. — Sp. 2. v. 3. Amer. trop.,  
     Ind. occ.  
 937 28 **Stigmaphyllon** A. Juss. G. I. 257. — Sp. ad 50. Amer. trop.  
 938 29 **Ryssopterys** Bl. G. I. 257 et 988. — Sp. ad 6. Archip. Ind.,  
     Austral.  
 939 30 **Brachytophora** Oliv. in Hook. *Icon. Plant.* tab. 1566. — Sp. 1.  
     Asia trop.

- 940 31 **Banisteria** L. G. I. 257. — Sp. ad 60. Amer. trop.  
 941 32 **Peixotoa** A. Juss. G. I. 257. — Sp. ad 11. Brasil.  
 942 33 **Tricomaria** H. et A. G. I. 258. — Sp. 1. Mendoza.  
 943 34 **Ptilochaeta** Turcz. G. I. 258. — Sp. 1. Brasil.

TRIBUS III. **Hiræeæ.**

- 944 35 **Tristellateia** Thou. G. I. 258. (*Platynema* W. et A.) — Sp. ad 8.  
 Madagasc., Archip. Ind., Austral.  
 945 36 **Hiptage** Gärtn. G. I. 258. (*Gärtnera* Schreb., *Molina* Cav.). —  
 Sp. ad 5. Asia trop.  
 946 37 **Triaspis** Burch. G. I. 259. — Sp. ad 7. Afr. trop.  
 947 38 **Flabellaria** Cav. G. I. 259. — Sp. 1. Afr. trop. occ.  
 948 39 **Microsteira** Bak. in *Journ. Linn. Soc.* XX. 111 (1883). — Sp. 1.  
 Madagasc.  
 949 40 **Aspidopterys** A. Juss. G. I. 259. — Sp. ad 15. Asia trop.  
 950 41 **Triopterys** L. G. I. 259. — Sp. 3. Ind. occ., Mexic.  
 951 42 **Tetrapteryx** Cav. G. I. 260. — Sp. ad 52. Amer. trop.  
 952 43 **Hiræa** Jacq. G. I. 260. — Sp. ad 50. Amer. trop., Mexic.  
 Mascagnia Bert.  
 953 44 **Diplopteryx** A. Juss. G. I. 260. — Sp. 1. Guiana.  
 954 45 **Jubelina** A. Juss. G. I. 260. — Sp. 3. Guiana, Nicaragua.  
 955 46 **Dinemandra** A. Juss. G. I. 261. — Sp. 2. Peruv., Chili.  
 956 47 **Dinemagonum** A. Juss. G. I. 261. — Sp. 2. Chili.

TRIBUS IV. **Gaudichaudieæ.**

- 957 48 **Gaudichaudia** H. B. et K. G. I. 261. — Sp. ad 12. Mexic.,  
 N. Granada, Venezuela.  
 958 49 **Aspicarpa** Lag. G. I. 261. — Sp. ad 6. N. Hispan., Mexic., Texas.  
 959 50 **Camarea** S<sup>t</sup>-Hil. G. I. 261. — Sp. ad 8. Brasil. austr.  
 960 51 **Janusia** A. Juss. G. I. 262. — Sp. ad 4. Brasil. extratrop.,  
 Californ., Texas.  
 961 52 **Schwannia** Endl. G. I. 262. (*Fimbriaria* A. Juss.). — Sp. 5.  
 Brasil. trop.

ORDO XXXIX. **ZYGOPHYLLÆ** <sup>(1)</sup>

- 962 1 **Tribulus** L. G. I. 264 et 988. — Sp. descript. 35, sed ad 15  
 reduc. Orbis uterque.  
 1. *Kallstroemia* Scop. (*Ehrenbergia* Mart., *Heterozygia* Bge).  
 2. *Tribulopsis* R. Br.  
 963 2 **Sisyndite** E. Mey. G. I. 265 et 988. — Sp. 1. — Afr. austr.

[1] Sp. ad 110, per reg. trop. et calid. imprimis hemisphærii bor. utriusque sparsæ.



- 964 3 **Augea** Thunb. G. I. 265. — Sp. 1. Afr. austr.  
 965 4 **Sericodes** A. Gray. G. I. 265. — Sp. 1. Mexic. bor.  
 966 5 **Nitraria** L. G. 265. — Sp. 2 v. 5-6. Eur. austro-or., Afr. bor.  
     et trop. occ., Asia occ. et centr., Austral.  
 967 6 **Seetzenia** R. Br., G. I. 266. — Sp. 1. Afr. et Asia or.  
 968 7 **Miltianthus** Bge. G. I. 266. — Sp. 1. Turkest.  
 969 8 **Zygophyllum** L. G. I. 266 et 988. — Sp. ad 60. Orbis vetus,  
     Austral.  
     *Ræpera* A. Juss., *Agrophyllum* Neck., *Fabago* Tourn.  
 970 9 **Sarcozygium** Bge. G. I. 266. — Sp. 1. Mongolia.  
 971 10 **Fagonia** L. G. I. 267. — Sp. enum. 30, sed vix ultro 5 dist.  
     Orbis uterque.  
 972 11 **Larrea** Cav. G. I. 267. — Sp. 4. Amer. calid.  
 973 12 **Dematophyllum** Griseb. *Symb. Argent.* 74 (1879). — Sp. 1. Ar-  
     gentina.  
 974 13 **Guaiaacum** L. G. I. 267. — Sp. 8. Amer. trop. et subtrop.  
 975 14 **Porlieria** R. et P. G. I. 268. — Sp. 3. Amer. calid.  
 976 15 **Chitonia** Moc. et Sessé. G. I. 268. — Sp. 1. Mexic.  
 977 16 **Plectrocarpa** Gillies. G. I. 268. — Sp. 1. Chili.  
 978 17 **Bulnesia** C. Gay. G. I. 268. (*Gonoptera* Turcz.). — Sp. 1. Chili.  
 979 18 **Pintoa** C. Gay. G. I. 269. — Sp. 1. Chili.

## ORDO XL. GERANIACEÆ <sup>(1)</sup>

### TRIBUS I. Geranieæ.

- 980 1 **Biebersteinia** Steph. G. I. 271. — Sp. 3 v. 7. Græcia, Asia  
     centr. et occ.  
 981 2 **Monsonia** L. G. I. 271. — Sp. ad 12. Afr., bor. or. et austr.,  
     Asia trop. occ.  
     *Olopetalum* Kl.  
 982 3 **Sarcocaulon** DC. G. I. 272. — Sp. 3. Afr. austr.  
 983 4 **Geranium** L. G. I. 272. — Sp. ad 110. Orb. tot. reg. temp. et  
     trop. mont.  
 984 5 **Erodium** L'Hérit. G. I. 272. — Sp. fere 160. Orbis vetus et sp.  
     1 v. 2 ubique dispersæ.  
     *Scolopacium* E. et Z., ?*Isopetalum* Sweet.

### TRIBUS II. Pelargonieæ.

- 985 6 **Pelargonium** L'Hér. G. I. 273 et 988. — Sp. enum. ultra 400, ad  
     175. reduc. Austral., Afr. austr.

[2] Sp. ad 965, per reg. temp. et subtrop. utriusque orbis dispersæ.

1. Hoarea, Dimacria et Grenvillea Sweet.
2. Seymouria Sweet.
3. Polyactium E. et Z., Polyschisma Turcz.
4. Otidia Sweet. — 5. Ligularia E. et Z.
6. Jenkinsonia Sweet. — 7. Myrrhidium E. et Z.
8. Peristera E. et Z. — 9. Campylia et Phymatanthus Sweet.
10. Dibrachya E. et Z. — 11. Eumorpha E. et Z.
12. Ciconium Sweet. — 13. Cortusina E. et Z.
- 986 7 **Tropæolum** L. G. I. 274 et 988. — Sp. ad 40. Amer. austr. et centr., Mexic.  
Chymocarpus Don, Magallana Cav., Anisocentra Turcz.

TRIBUS III. **Limnanthesæ.**

- 987 8 **Limnanthes** R. Br. G. I. 274. — Sp. 3. Californ.
- 988 9 **Flœrkea** Willd. G. I. 274. — Sp. 1. Amer. bor.

TRIBUS IV. **Vivianesæ.**

- 989 10 **Viviania** Cav. G. I. 275. (*Macræa* Lindl.). — Sp. 5. Chili.
- 990 11 **Cæsarea** Camb. in *Mém. Mus.* XXIII, 373. (*Cissarobryon* Philippi). — Sp. 6. Brasil., Montevideo.
- 991 12 **Linostigma** Kl. in *Linnæa*. X. 438. — Sp. 1. Brasil.

TRIBUS V. **Wendtiesæ.**

- 992 13 **Rhynchotheca** R. et P. G. I. 275. (*Aulacostigma* Turcz.). — Sp. 2. Amer. austr. andina.
- 993 14 **Wendtia** Meyen. G. I. 275. (*Martiniera* Guillem., *Hyperum* Presl). — Sp. 1. Chili, Peruv. austr.
- 994 15 **Balbisia** Cav. G. I. 275 et 988. (*Ledocarpum* Desv., *Cruikshanksia* Hook.). — Sp. 1 v. 3? Peruv., Chili.

TRIBUS VI. **Oxalidesæ.**

- 995 16 **Hypseocharis** Remy. G. I. 276. — Sp. 1. Bolivia.
- 996 17 **Oxalis** L. G. I. 276 et 989. — Sp. ad 205. Orbis uterque.
- 997 18 **Biophytum** DC. *Prodr.* I. 190. — Sp. ad 20? Asia, Afr. et Amer. trop.
- 998 19 **Eichleria** Prog. in *Fl. Brasil.* XII, pars II. col. 518. — Sp. 2. Brasil.
- 999 20 **Averrhoa** L. G. I. 277. — Sp. 2 v. 3. Amer. trop. indig.? (in Asia inquil.).
- 1000 21 **Connaropsis** Planch. G. I. 277. — Sp. 3. Asia trop. or.
- 1001 22 ? **Dapania** Korth. G. I. 277. — Sp. 1. Sumatra.

TRIBUS VII. **Balsamineæ.**

- 1002 23 **Impatiens** L. G. I. 277 et 989. (*Balsamina* Gärtn.). — Sp. ad 225. Eur., Asia, Afr., Amer. bor.  
 1003 24 **Trimorphopetalum** Bak. in *Journ. Linn. Soc.* XXII. 454 (1887). — Sp. 1. Madagasc.  
 1004 25 **Hydrocera** Bl. G. I. 278. (*Tytonia* G. Don): — Sp. 1. Asia trop.

ORDO XLI. **RUTACEÆ** <sup>(1)</sup>TRIBUS I. **Cuspariææ.**

- 1005 1 **Spiranthera** S'-Hil. G. I. 283. (*Terpnanthus* Nees et Mart.). — Sp. 1. Brasil.  
 1006 2 **Almeidea** S'-Hil. G. I. 284. — Sp. 4. Brasil.  
 1007 3 **Leptothyrsa** H. f. G. I. 284. — Sp. 1. Brasil. bor.  
 1008 4 **Erythrochiton** Nees et Mart. G. I. 284. — Sp. 5. Brasil., Guiana, N. Granada, Mexic.  
     *Pentamorpha* Scheidw.  
 1009 5 **Naudinia** Planch. et Lind. G. I. 285. — Sp. 1. N. Granada.  
 1010 6 **Toxosiphon** H. Bn in *Adans.* X. 311. — Sp. 1. Mexic.  
 1011 7 **Galipea** Aubl. G. I. 285. (*Ticorea* S'-Hil., *Sciuris* Nees et Mart., *Costa Vell.*). — Sp. 6. Brasil.  
 1012 8 **Raputia** Aubl. *Pl. Guian.* II. 670. — Sp. 5. Amer. trop.  
     *Pholidandra* Neck., *Sciuris* Schreb., *Aruba* Nees et Mart., *Galipea* DC., B. et H. pr. p.  
 1013 9 **Decagonocarpus** Eichl. in *Fl. Brasil.* XII, pars. II. col. 105. — Sp. 1. Brasil.  
 1014 10 **Cusparia** Humb. in DC. *Mém. Mus.* IX. 142. — Sp. 22. Amer. trop. et austro-or.  
     *Bonplandia* Willd., *Conchocarpus* Mik., *Galipea* et *Ticorea* B. et H. pr. p., *Diglottis* et *Lasiostema* Nees et Mart., *Orentonia*, *Dangervilla* et *Rossenia* Vell.  
 1015 11 **Ravia** Nees et Mart. in *N. Act. Cur. Nat.* XI. 167. — Sp. 1. Brasil.  
 1016 12 **Ticorea** Aubl. G. I. 285. (*Oxophyllum* Schreb.). — Sp. 3. Guiana.  
 1017 13 **Ravenia** Vell. G. I. 286. — Sp. 2. Cuba, Brasil.  
     *Lemonia* Lindl.  
 1018 14 **Monnieria** L. G. I. 286. (*Aubletia* Rich.). — Sp. 2. Brasil., Guiana.

(1) Sp. ad 780, per reg. calid. et temp. totius orbis sparsæ, numerosissimæ in Austral. et Afr. austr.

TRIBUS II. **Ruteæ.**

- 1019 15 **Ruta** L. G. I. 286. — Sp. ad 50. Reg. Medit., Asia occ. et centr.  
(alibi inquil.).  
1. *Ruta* DC., *Desmophyllum* et *Rutaria* Webb.  
2. *Haplophyllum* (seu *Aplophyllum* Juss.)
- 1020 16 **Bœnninghausenia** Rehb. G. I. 287. — Sp. 1. Ind. bor. mont.,  
Japon.  
*Podostaurus* Junghuhn.
- 1021 17 **Psilopeganum** Hemsl. in *Journ. Linn. Soc.* XXIII. 103 (1886).  
— Sp. 1. China.
- 1022 18 **Peganum** L. G. I. 287. — Sp. 4. Eur. austr., Asia bor., Oriens,  
Mexic.  
*Malacocarpus* F. et M.
- 1023 19 **Dictamnus** L. G. I. 287. — Sp. 1. Eur. austr., Asia.
- 1024 20 **Tetradiclis** Stev. G. I. 288. (*Anatropa* Ehrenb.). — Sp. 1. Asia  
med. et occ., Ægypt.
- 1025 21 **Thamnosma** Torr. et Frem. G. I. 288. — Sp. 2. Californ.,  
Texas, Mexic.

TRIBUS III. **Diosmeæ.**

- 1026 22 **Calodendron** Thunb. G. I. 288. (*Pallasia* Houtt.). — Sp. 1.  
Afr. austr.
- 1027 23 **Euchaëtis** Bartl. et Wendl. G. I. 289. — Sp. 4. Afr. austr. occ.
- 1028 24 **Macrostylis** Bartl. et Wendl. G. I. 289. — Sp. 8. Afr. austr.
- 1029 25 **Diosma** L. G. I. 289. — Sp. 11. Afr. austr. occ.
- 1030 26 **Coleonema** Bartl. et Wendl. G. I. 289. — Sp. 4. Afr. austr. occ.
- 1031 27 **Acmadenia** Bartl. et Wendl. G. I. 289. — Sp. 14. Afr. austr.  
occ.
- 1032 28 **Adenandra** Willd. G. I. 290. (*Glandulifolia* Wendl.). — Sp. 21.  
Afr. austr.
- 1033 29 **Barosma** Willd. G. I. 290. (*Parapetalifera* Wendl.). — Sp. ad  
15. Afr. austr.
- 1034 30 **Agathosma** Willd. G. I. 290. (*Bucco* Wendl.). — Sp. ad 100.  
Afr. austr.  
*Gymnonychium* Bartl.
- 1035 31 **Empleurum** Soland. G. I. 291. — Sp. 1. Afr. austr.
- 1036 32 **Empleuridium** Sond. G. I. 291. — Sp. 1. Afr. austro-occ.

TRIBUS IV. **Boroniæ.**

- 1037 33 **Zieria** Sm. G. I. 291 et 989. — Sp. 7 v. 10. Austral.
- 1038 34 **Zieridium** H. Bn in *Adans.* X. 303. — Sp. 1. N. Caled.
- 1039 35 **Boronia** Sm. G. I. 291 et 989. — Sp. 58. Austral.  
*Cyanothamnus* Lindl.

- 1040 36 *Boronella* H. Bn in *Adans.* X. 302. — Sp. 1. N. Caled.  
 1041 37 *Acradenia* Kippist. G. I. 292 et 990. — Sp. 1. Tasmania.  
 1042 38 *Eriostemon* Sm. G. I. 292 et 990. — Sp. ad 16. Austral. temp.,  
     N. Caled.  
 1043 39 *Phebalium* Vent. G. I. 292 et 990. — Sp. ad 29. Austral., N. Zel.  
 1044 40 *Microcybe* Turcz. G. I. 293 et 990. — Sp. 3. Austral.  
 1045 41 *Geleznovia* Turcz. G. I. 293 et 990. (*Sanfordia* J. Drumm.). —  
     Sp. 3. Austral.  
 1046 42 *Crowea* Sm. G. I. 293 et 990. — Sp. 3. Austral. extratrop.  
 1047 43 *Philotheca* Rudge. G. I. 293 et 990. (*Drummondita* Harv.). —  
     Sp. 3. Austral.  
 1048 44 *Asterolasia* F. Müll. G. 294 et 990. (*Urocarpus* J. Drumm.). —  
     Sp. 10. Austral.  
 1049 45 *Pleurandropsis* H. Bn in *Adans.* X. 305. — Sp. 1. N. Caled.  
 1050 46 *Correa* Sm. G. I. 294 et 990. (*Mazeutoxeron* Labill.). — Sp. 5  
     Austral. extratrop.  
     *Didymeria* Lindl.  
 1051 47 *Nematolepis* Turcz. G. I. 295. (*Symphyopetalum* J. Drumm.).  
     — Sp. 2. Austral.  
 1052 48 *Chorilæna* Endl. G. I. 295 et 990. — Sp. 2. Austral.  
 1053 49 *Diplolæna* R. Br. G. I. 295 et 990. — Sp. 1 v. 2. Austral.  
     austr. occ.

TRIBUS V. **Zanthoxyleæ.**

- 1054 50 *Bosistoa* F. Müll. G. I. 990. — Sp. 2. Austral. or.  
 1055 51 *Melicope* Forst. G. I. 295 et 990. — Sp. ad 15. N. Zel. et ins.  
     Pacif.  
     1. *Entoganum* Banks. — 2. *Pelea* A. Gray.  
     3. *Astorganthus* Endl.  
 1056 52 *Tetractomia* H. f. in *Fl. B. Ind.* I. 490. (*Tetramerista* Kurz).  
     — Sp. 3. Malacca, Borneo.  
 1057 53 *Brombya* F. Müll. G. I. 991. — Sp. 1. Austral. or.  
 1058 54 *Evodia* Forst. G. I. 296 et 991. — Sp. ad 30. Asia trop., Ins.  
     Mascar. et Maurit., Austral.  
     *Boymia* A. Juss., *Philagonia* Bl., *Megabotrya* Hance, *Lepta*  
     et *Tetradium* Lour., *Aubertia* Bory.  
 1059 55 *Dutailleya* H. Bn in *Adans.* VII. 327 (1873). — Sp. 1. N.  
     Caled.  
 1060 56 *Bouchardatia* H. Bn in *Adans.* VII. 347. — Sp. 1. Austral.  
     hor. occ.  
 1061 57 *Astrophyllum* Torr. et Gray. G. I. 296. — Sp. 1. N. Mexic.  
 1062 58 *Medicosma* H. f. G. I. 296 et 991. — Sp. 1. Austral. or.  
 1063 59 *Pitavia* Molini. G. I. 297. (*Galvezia* R. et P.). — Sp. 1. Chili.

- 1064 60 **Choisya** Kth. G. I. 297. (*Juliana* Llav. et Lex.). — Sp. 1. Mexic.
- 1065 61 **Platydesma** H. Mann. G. I. 991. — Sp. 1. Ins. Viti.
- 1066 62 **Pagetia** F. Müll. G. I. 991. — Sp. 1. Austral. or. subtrop.
- 1067 63 **Zanthoxylum** L. G. I. 297 et 991. (*Pterota* P. Browne). — Sp. ad 110. Utriusque orbis. reg. trop.  
Rhetsa W. et A., Fagara L., Tobinia Desv., Tenoria Raf., Ochroxylum et Curtisia Schreb., Pohlana Nees et Mart., Langsdorfia Leandro, Blackburnia Forst.
- 1068 64 **Melanococca** Bl. G. I. 298. — Sp. 1. N. Guinea.
- 1069 65 **Geigera** Schott. G. I. 298 et 991. — Sp. 3. Austral. trop. et calid.  
Coatesia F. Müll.
- 1070 66 **Pentaceras** H. f. G. I. 298 et 991. — Sp. 1. Austral. or.
- 1071 67 **Decatropis** H. f. G. I. 298. — Sp. 1. Mexic.
- 1072 68 **Polyaster** H. f. G. I. 299. — Sp. 1. Mexic.
- 1073 69 **Megastigma** H. f. G. I. 299. — Sp. 2. Mexic., Guatemala.
- 1074 70 **Lunasia** Blanco. (*Rabelaisia* Planch. G. I. 299 et 991, *Mytiliococcus* Zoll.). — Sp. 2. Archip. Ind.
- 1075 71 **Pilocarpus** Vahl G. I. 299. — Sp. ad 12. Amer. trop., Ind. occ.
- 1076 72 **Esenbeckia** Kth. G. I. 299. (*Polembryon*. A. Juss.). — Sp. ad 20. Amer. calid., Ind. occ.  
Colythrum Schott, Kuala Tr. et Karst.
- 1077 73 **Metrodorea** S'-Hil. *Fl. Brasil. mer.* I. 81. (*Esenbeckia* B. et H. pr. p. G. I. 299). — Sp. 2. Brasil.
- 1078 74 **Peltostigma** Walp. G. I. 300. (*Pachystigma* Hook.). — Sp. 1. Jamaica.

TRIBUS VI. **Toddalieæ.**

- 1079 75 **Toddalia** Juss. G. I. 300 et 991. — Sp. ad 8. Asia et Afr. trop., Ins. Mascar.  
Sect. 1. *Eutoddalia* B. et H., Toddalia Kth.  
Sect. 2. *Vepris* B. et H., Vepris Comm. (*Cranzia* Schreb., *Scopolia* Sm., *Aspidostigma* Hochst., *Teclea* Delile, *Dipetalum* Dalz.), *Boscia* Thunb. (*Asaphes* DC., *Duncania* Rehb.).
- 1080 76 **Balfourodendron** Mello in Hook. *Icon. Plant.* tab. 1003 et 1204. — Sp. 1. Brasil.
- 1081 77 **Phellodendron** Rupr. G. I. 301. — Sp. 3. Mandshuria, Japon.
- 1082 78 ? **Hortia** Vandell. G. I. 301. — Sp. 4. Brasil.
- 1083 79 **Ptelea** L. G. I. 301. — Sp. 7. Amer. bor. temp., Mexic. austr.
- 1084 80 **Helietta** Tul. G. I. 301. — Sp. 3. N. Granada, Brasil.
- 1085 81 **Pleiococca** F. Müll. *Fragm.* IX. 117. — Sp. 1. Austral.

- 1086 82 **Acronychia** Forst. G. I. 302 et 992. (*Jambolifera* L., *Cyminosma* Gärtn.). — Sp. ad 16. Asia trop., Ins. Pacif., Austral.  
 1087 83 **Halfordia** F. Müll. G. I. 992. — Sp. 2. Austral.  
 1088 84 **Skimmia** Thunb. G. I. 302 et 992. — Sp. ad 4. Himal, Japon.  
     *Anquetilia* Dene (*Laureola* Röm.).  
 1089 85 **Casimiroa** Llav. et Lex. G. I. 302. — Sp. 2. Mexic., Nicaragua.  
 1090 86 ? **Phelline** Labill. G. I. 302. — Sp. 1. N. Caled.

TRIBUS VII. **Aurantieæ.**

- 1091 87 **Glycosmis** Corr. G. I. 303. — Sp. ad 6. Ind. or., Afr. trop., Austral.  
     *Myxospermum* et *Dioxippe* Röm., *Chionotria* Jack.  
 1092 88 **Amyris** L. G. I. 317 et 998. — Sp. ad 12. Ind. occ., Amer. trop.  
 1093 89 ? **Stauranthus** Liebm. G. I. 303. — Sp. 1 Mexic.  
 1094 90 **Micromelum** Bl. G. I. 303. — Sp. 3-4. Asia trop., Austral., Ins. Pacif.  
 1095 91 **Triphasia** Lour. G. I. 303. — Sp. 1. China.  
 1096 92 **Limonia** L. G. I. 303. — Sp. 2-3. Asia trop.  
     *Hesperethusa* Röm.  
 1097 93 **Murraya** L. G. I. 303 et 992. — Sp. ad 4. Asia trop., Austral.  
     *Bergera* Kön., *Chalcas* L.  
     ? *Sicklera* Röm.  
 1098 94 **Clausena** Burm. G. I. 304. — Sp. ad 15. Ind. trop., Afr. et Austral. trop., alibi. cult.  
     *Cookia* Sonnerat, *Quinaria* Lour., *Myaris* Presl, *Piptostylis* Dalz., *Fagarastrum* Don, *Gallesioa* Röm.  
     ? *Aulacia* Lour.  
 1099 95 **Luvunga** Ham. G. I. 304. (*Lavanga* Meisn.). — Sp. ad 4. Asia trop.  
 1100 96 **Paramignya** Wight. G. I. 305. — Sp. ad 4. Ind. or. trop.  
     *Arthromischus* Thw.  
 1101 97 **Atalantia** Corr. G. I. 305 et 992. — Sp. 12. Asia trop., China, Austral.  
     *Sclerostylis* Bl., *Rissoa* Arn., *Lampetia*, *Helia* et *Merope* Röm., *Severinia* Ten.  
 1102 98 **Citrus** L. G. I. 305 et 992. — Sp. enum. ultra 30, ad 5 reduc.  
     Ind. or., Austral. ; per reg. calid. totius orbis cult.  
     *Papeda* Hassk., *Sarcodactylis* Gärtn., *Pseudægle* Miq.  
     ? *Oxanthera* Montrous.  
 1103 99 **Gonocitrus** Kurz in *Journ. Asiat. Soc. Beng.* XLII, pars II (1873). — Sp. 1. Ind. or.  
 1104 100 **Feronia** Corr. G. I. 305. — Sp. 1. Ind. or. trop., Java.  
 1105 101 **Ægle** Corr. G. I. 306. — Sp. 2 v. 3. Ind. or. trop., Java, Afr. trop. occ.

ORDO XLII. **SIMARUBACEÆ** <sup>(1)</sup>TRIBUS I. **Simarubeæ.**

- 1106 1 **Quassia** L. G. I. 308 et 992. — Sp. 2. Afr. et Amer. trop.  
 1107 2 **Simaba** Aubl. G. I. 308. (*Aruba* Aubl., *Zwingera* Schreb.).  
 — Sp. ad 14. Amer. austr. trop.  
*Homalolepis* Turcz.  
 1108 3 **Hannoa** Planch. G. I. 308. — Sp. 2. Afr. trop. occ.  
 1109 4 **Mannia** H. f. G. I. 309 et 992. — Sp. 1. Afr. trop. occ.  
 1110 5 **Simaruba** Aubl. G. I. 309. — Sp. 3 v. 4. Amer. trop. or.  
 1111 6 **Ailanthus** Desf. G. I. 309. — Sp. 4. Ind. or., China, Austral.  
 (sp. 1. per. reg. trop. et temp. totius orbis).  
 1112 7 **Rigiostachys** Planch. G. I. 309. (*Recchia* Moq. et Sessé). —  
 Sp. 1. Mexic.  
 1113 8 **Samandura** L. (*Samadera* Gärtn. G. I. 310, *Manungala* Blanco).  
 — Sp. 2. Asia trop., Madagasc.  
*Niota* Lam. (*Biporeia* Thou., *Vitmannia* Vahl), *Locandi*  
*Adans.*, *Mauduyta* Comm.  
 1114 9 **Hyptiandra** H. f. G. I. 293 et 992. — Sp. 1. Austral. or. trop.  
 1115 10 **Castela** Turpin. G. I. 310. — Sp. ad 6. Amer. trop. et subtrop.  
 1116 11 **Holacantha** A. Gray. G. I. 310. — Sp. 1. N. Mexic.  
 1117 12 **Cneorum** L. G. I. 311. — Sp. 2. Reg. Medit., Ins. Canar.  
 1118 13 **Picrasma** Bl. G. I. 311. — Sp. ad 7. Asia trop. et or.  
 1119 14 **Brucea** Mill. G. I. 311 et 992. (*Nima* Ham.). — Sp. 5 v. 6.  
 Asia et Afr. trop., Ind. bor., Austral. trop.  
 1120 15 **Picraena** Lindl. G. I. 311. (*Muenteria* Walp., *Eschryon*  
*Vell.*). — Sp. 3. Amer. trop.  
 1121 16 **Picrolemma** H. f. G. I. 312. — Sp. 1. Amer. trop. or.  
 1122 17 **Eurycoma** Jack. G. I. 312. — Sp. 2. Archip. Malay.  
 1123 18 **Dictyoloma** DC. G. I. 312. (*Benjaminia* Vell.). — Sp. 2. Brasil.  
 1124 19 **Cneoridium** H. f. G. I. 312. — Sp. 1. Californ.  
*Pitavia* Nutt.  
 1125 20 **Cadellia** F. Müll. G. I. 313 et 992. (*Guilfoylia* F. Müll.). — Sp.  
 2. Austral. or.  
 1126 21 **Suriana** L. G. I. 313. — Sp. 1. Littora tropica.  
 1127 22 **Brunellia** R. et P. G. I. 313. — Sp. ad 10. Amer. trop.

TRIBUS II. **Picramnieæ.**

- 1128 23 **Soulamea** Lam. G. I. 313. (*Cardiocarpus* Reinw., *Cardiophora*  
*Benth.*). — Sp. 2. Ins. Molucc. et Viti.

(1) Sp. ad 110, pleræque in reg. trop. et calid incolæ.



- 1129 24 *Amaroria* A. Gray. G. I. 314. — Sp. 1. Ins. Viti.  
 1130 25 *Irvingia* H. f. G. I. 314 et 993. — Sp. 3 v. 4. Afr. trop. occ.  
 1131 26 *Kirkia* Oliv. *Fl. trop. Afr.* I. 310. — Sp. 1. Afr. trop. or.  
 1132 27 *Harrisonia* R. Br. G. I. 314 et 993. (*Ebelingia* Rchb.). — Sp.  
     3. Archip. Malay., Austral., Afr. trop. or.  
     *Lasiolepsis* Benn.  
 1133 28 *Balanites* Delile. G. I. 314. — Sp. 1 v. 2. Afr. bor. et trop.,  
     Asia trop. et occ.  
 1134 29 *Spathelia* L. G. I. 315. — Sp. 3. Ind. occ., Mexic.?  
 1135 30 *Picrella* H. Bn in *Adans.* X. 150. — Sp. 1. Mexic. austr.  
 1136 31 *Picramnia* Sw. G. I. 315. — Sp. ad 20. Amer. trop.  
 1137 32 ? *Picrodendron* Planch. G. I. 315. — Sp. 1. Ind. occ.  
 1138 33 *Kœberlinia* Zucc. G. I. 315. — Sp. 1. Texas, Mexic.

ORDO XLIII. **OCHNACEÆ** <sup>(1)</sup>TRIBUS I. **Ochneæ.**

- 1139 1 *Ochna* Schreb. G. I. 317. — Sp. ad 30. Asia trop., Afr. trop.  
     et austr.  
     *Diporidium* Wendl.  
 1140 2 *Ouratea* Aubl. *Pl. Guian.* I. 397. (*Gomphia* Schreb. G. I. 318  
     et 993.). — Sp. ad 100. Amer. Afr. et Asia trop.  
     *Philomeda* Nor., *Sophisteques* Comm., *Wolkensteinia*  
     Rgl., ? *Correia* Vell.  
 1141 3 *Brackenridgea* A. Gray. G. I. 318 et 993. — Sp. 3. Ins. Malay.  
     et Viti.  
 1142 4 *Elvasia* DC. G. I. 318. (*Hostmannia* Planch.). — Sp. 4. Guiana,  
     Brasil.  
 1143 5 *Tetramerista* Miq. G. I. 318. — Sp. 1 v. 2. Sumatra, Malacca.

TRIBUS II. **Euthemideæ.**

- 1144 6 *Euthemis* Jack. G. I. 319. — Sp. 4. Archip. Malay.

TRIBUS III. **Luxemburgiæ.**

- 1145 7 *Luxemburgia* S'-Hil. G. I. 319. (*Plectranthera* Mart.). — Sp.  
     7. Brasil.  
 1146 8 *Godoya* R. et P. G. I. 319. — Sp. 3. Peruv., N. Granada,  
     Panama.  
 1147 9 *Blastemanthus* Planch. G. I. 320. — Sp. 2. Brasil., Guiana.  
 1148 10 *Pœcilandra* Tul. G. I. 320. — Sp. 1. Guiana.

(1) Sp. ad 160, per reg. trop. totius orbis sparsæ.

- 1149 11 *Cespedesia* Goudot. G. I. 320. — Sp. 4. Peruv., N. Granada, Panama.  
 1150 12 *Wallacea* Spruce. G. I. 320. — Sp. 1. Brasil. bor.

ORDO XLIV. **BURSERACEÆ**<sup>(1)</sup>

- 1151 1 *Garuga* Roxb. G. I. 323. (*Kunthia* Dennst.). — Sp. 3 v. 4. Ind. or., Archip. Ind.  
 1152 2 *Commiphora* Jacq. (*Balsamodendron* Kth. G. I. 323 et 993.). — Sp. ad 45. Ind. or., Afr. trop.  
     *Balsamea* Gleditsch, *Protium* W. et A., *Hemprichia* Ehrenb., *Heudelotia* A. Rich.  
     *Protionopsis* Bl., *Hitzeria* Kl., *Balsamophlœos* Berg.  
 1153 3 *Triomma* H. f. G. I. 323. (*Boswellia* L. March. pr. p., *Arytera* Miq.). — Sp. 1. Asia trop.  
 1154 4 *Boswellia* Roxb. G. I. 322. (*Libanus* Colebr., *Plæsslea* Endl.). — Sp. 13. Afr. trop., Ind. or.  
 1155 5 *Bursera* L. G. I. 324. (*Elaphrium* Jacq.). — Sp. ad 45. Amer. centr. et mer.  
 1156 6 *Protium* Burm. (*Bursera* B. et H. pr. p. G. I. 324.). — Sp. ad 50. Utriusque orbis reg. intertrop.  
     Sect. 1. *Icica* Engl., *Icica* Aubl., *Amyris* Willd., *Icicopsis* Engl.  
     Sect. 2. *Marignia* Engl., *Marignia* Comm., *Dammara* Gärtn.  
 1157 7 ?*Paivæusa* Welw. G. I. 993. — Sp. 1. Angola.  
 1158 8 *Crepidospermum* H. f. G. I. 325. — Sp. 2. Amer. trop.  
 1159 9 *Hedwigia* Sw. G. I. 326. (*Tetragastris* Gärtn., *Caproxylon* Tussac). — Sp. 3. Ind. occ., Amer. centr.  
 1160 10 *Trattinickia* Willd. G. I. 326. (*Hedwigia* H. Bn). — Sp. 2. Brasil., Guiana.  
 1161 11 *Canarium* L. G. I. 324. (*Colophonia* Comm.). — Sp. ad 80. Asia et Afr. trop.  
     Sect. 1. *Scutinanthe* Engl., *Scutinanthe* Thw.  
     Sect. 2. *Eucanarium* Engl., *Pimela* Lour., *Canariopsis* Bl., *Nanari* Rumph., *Sonraya* L. March.  
     Sect. 3. *Africana* Engl., *Pachylobus* Don.  
     Sect. 4. *Triandra* Engl.  
 1162 12 *Dacryodes* Vahl. G. I. 327. — Sp. 1. Antill.  
 1163 13 *Santiria* Bl. G. I. 325 et 993. — Sp. ad 27. Malacca, Archip. Ind.

(1) Sp. ad 275, tropicis utriusque orbis incolæ.

Divisio et arca geographica sec. Monographiam cl. Engleri in *Syllabus Prodrômus*. IV. 1-169.

Sect. 1. *Icicopsis* A. W. Benn., *Icicopsis* Planch.

Sect. 2. *Trigonochlamis* Engl., *Trigonochlamis* H. f.

Sect. 3. *Eusantiria* A. W. Benn.

## ORDO XLV. **MELIACEÆ** <sup>(1)</sup>

### TRIBUS I. **Meliææ.**

1164 1 **Cipadessa** Bl. (*Mallea* A. Juss. G. I. 332). — Sp. 6. Madagasc., Ind. or., Java, Borneo.

1165 2 **Quivisia** Comm. G. I. 330. — Sp. 10. Ins. Madagasc. et Mascar.

Sect. 1. *Euquivisia* C. DC., *Gilibertia* Gmel., *Ginania* Röm.

Sect. 2. *Calodryum* C. DC., *Calodryum* Desv.

1166 3 **Turræanthus** H. Bn in *Adans.* XI. 261. — Sp. 2. Afr. trop.

1167 4 **Turræa** L. G. I. 331 et 994. — Sp. 24. Asia et Afr. trop., Afr. austr., Austral.

Sect. 1. *Quivisiopsis* C. DC.

Sect. 2. *Euturræa* C. DC., *Scyphostigma* et *Rutæa* Röm.

1168 5 **Naregamia** W. et A. G. I. 331. — Sp. 1. Ind. or., Afr. trop.

1169 6 **Philastrea** L. Pierre in *Bull. Soc. Linn. Paris.* 474. — Sp. 1. Cambodia.

1170 7 **Munronia** Wight. G. I. 331. — Sp. 4. Ind. or., Zeylan., Java, Ins. Timor.

1171 8 **Melia** L. G. I. 332. — Sp. 12. Afr. trop., Ind. or., Austral., Pacif.

1172 9 **Azadirachta** A. Juss. (*Melia* B. et H. pr. p. G. I. 332). — Sp. 1. Ind. or., Zeylan., Java.

### TRIBUS II. **Trichiliææ.**

1173 10 **Sandoricum** Rumph. G. I. 333. — Sp. 5. Ind. or., Oceania.

1174 11 **Cabralea** A. Juss. G. I. 333. — Sp. 30. Brasil., Peruv. occ.

1175 12 **Disoxylum** Bl. G. I. 332 et 994. — Sp. 85. Ind. or., Austral., Oceania.

Sect. 1. *Eudisoxylum* C. DC., *Goniocheton* Bl., *Hartighsea* A. Juss., *Prasoxylon* et *Cambania* Röm.

Sect. 2. *Didymocheton* C. DC., *Didymocheton* Bl.

1176 13 **Chisocheton** Bl. G. I. 333. (*Schizochiton* Spreng.). — Sp. 19. Ind. or., Sumatra, Java, Oceania.

1177 14 **Dasycoleum** Turcz. G. I. 333. — Sp. 4. Ins. Philippin.

1178 15 **Guarea** L. G. I. 335. — Sp. 70. Ind. occ., Amer. et Afr. trop.

(1) Sp. ad 550, per reg. calid. totius orbis frequentes, in temperatis multo rariores.

Divisio et area geographica sec. Monographiam cl. C. Candollei in *Suites au Prodromus*. IV. 170.

Sect. 1. *Euguarea* C. DC., *Carapa* Pöpp.

Sect. 2. *Ruagea* C. DC., *Ruagea* Karst.

- 1179 16 *Pseudocarapa* Hemsl. in Hook. *Icon. Plant.* tab. 1458. — Sp.  
1. Zeylan.

- 1180 17 *Amoora* Roxb. G. I. 334 et 994. — Sp. 10. Asia trop., Austral.

Sect. 1. *Aphanamixis* C. DC., *Aphanamixis* Bl.

Sect. 2. *Pseudo-Aglaia* C. DC., *Andersonia* Roxb., *Nimmonia* Wight, *Sphærosacme* Wall., *Oraoma* Turcz.,  
*Monosoma* Griff.

Sect. 3. *Pseudo-Guarea* C. DC.

- 1181 18 *Synoum* A. Juss. G. I. 335 et 994. (*Schoutensia* Endl.). — Sp.  
2. Austral.

- 1182 19 *Owenia* F. Müll. G. I. 337. — Sp. 5. Austral. or.

- 1183 20 *Lansium* Rumph. G. I. 334. — Sp. 4 v. 2. Ind. or., Java.

- 1184 21 *Beddomea* H. f. G. I. 336. — Sp. 2. Ind. or.

- 1185 22 *Aglaia* Lour. G. I. 334. — Sp. 60. Ind. or., China, Archip.  
Ind., Oceania.

*Camunium* Rumph., *Cambania* Comm., *Milnea* Roxb., *Sel-  
bya* Röm., *Nemedra* A. Juss.

- 1186 23 *Hearnia* F. Müll. G. I. 994. (*Aglaiaopsis* Miq.). — Sp. 9.  
Borneo, Amboina, Austral.

- 1187 24 *Walsura* Roxb. G. I. 336. — Sp. 12. Asia trop.

*Surwala* Röm., *Trichilia* Wall. pr. p., *Heynea* A. Juss.  
pr. p.

- 1188 25 *Ekebergia* Sparm. G. I. 335. (*Trichilia* Harv. et Sond. pr. p.)  
— Sp. 8. Afr. trop. et austr.

- 1189 26 *Vavæa* Benth. G. I. 331. — Sp. 2. Ins. Viti et Tonga Tabu.

- 1190 27 *Trichilia* L. G. I. 337. — Sp. ad 112. Afr. et Amer. trop.

Sect. 1. *Eutrichilia* C. DC., *Trichilia* A. Juss., *Portesia*  
Cav. (*Torpesia* Röm.), *Elkaja* Röm., *Mafureira* Bertol.,  
*Pholacilia* et *Acrilla* Griseb., *Barbilus* P. Browne.

Sect. 2. *Moschoxylum* C. DC., *Moschoxylum* A. Juss.,  
*Odontosiphon* Röm., *Odontandra* Kth, *Elutheria* P.  
Browne.

Sect. 3. *Apotrichilia* C. DC.

- 1191 28 *Heynea* Roxb. G. I. 336. — Sp. 3. Ind. or., Cochinch.,  
Sumatra.

### TRIBUS III. *Swietenieæ*.

- 1192 29 *Carapa* Aubl. G. I. 338. — Sp. 6. Utriusque orbis reg. trop.

*Persoonia* Willd., *Touloucuma* et *Racapa* Röm., *Xylocar-  
pus* Schreb.

?*Zurloa* Ten.

- 1193 30 **Khaya** A. Juss. G. I. 338. (*Garretia* Welw.). — Sp. 2. Afr. trop.  
 1194 31 **Soyimida** A. Juss. G. I. 338. — Sp. 1. Ind. or., Zeylan.  
 1195 32 **Swietenia** L. G. I. 338. — Sp. 3. Antill., Mexic.  
 1196 33 **Elutheria** Röm. G. I. 339. (*Schmardæa* Karst.). — Sp. 1. Peruv., Venezuela.  
 1197 34 **Chukrasia** A. Juss. G. I. 339. (*Chickrassia* W. et A. *Plagiotaxis* Wall.). — Sp. 2. Ind. or.

TRIBUS IV. **Cedreleæ.**

- 1198 35 **Cedrela** L. G. I. 339 et 994. — Sp. ad 21 v. 23? Asia et Amer. trop., Austral.  
     *Cedrus* Mill., *Toona* Röm., *Cuveracea* Jones, *Jonsonia* Adans., *Pterosiphon* Turcz.  
 1199 36 **Chloroxylon** DC. G. I. 340. — Sp. 1. Ind. or.  
 1200 37 **Flindersia** R. Br. G. I. 340 et 995. — Sp. 12. Austral., Ins. Molucc., N. Caled.  
     *Oxleya* A. Cunn., *Strzeleckia* F. Müll.

ORDO XLVI. **DICHAPETALEÆ**

- 1201 1 **Dichapetalum** Thou. (*Chailletia* DC. G. I. 341.). — Sp. ad 42. Orbis totius reg. trop.  
     *Symphyllanthus* Vahl, *Leucosia* Thou., *Moacurra* Roxb. (*Wahlenbergia* R. Br.), *Quilesia* Blanco.  
 1202 2 **Stephanopodium** Pöpp. et Endl. G. I. 341. — Sp. 4. Peruv., Brasil.  
 1203 3 **Tapura** Aubl. G. I. 341 et 995. (*Rohria* Schreb.). — Sp. 8. Afr. et Amer. trop.

ORDO XLVII. **OLACINEÆ** <sup>(1)</sup>

TRIBUS I. **Olacææ.**

- 1204 1 **Aptandra** Miers. G. I. 345. — Sp. 3. Brasil.  
 1205 2 **Rhaptopetalum** Oliv. G. I. 995. — Sp. 1. Afr. trop. occ.  
 1206 3 **Coula** H. Bn. G. I. 995. — Sp. 1. Afr. trop. occ.  
 1207 4 **Heisteria** L. G. I. 346. (*Hesioda* Vell.). — Sp. 20 v. 23. Afr. et Amer. trop.  
     *Acrolobus* Kl., *Rhaptostylum* H. et B.  
 1208 5 **Ximenia** L. G. I. 346. (*Heymassoli* Aubl., *Tetanosia* Rich.). — Sp. 5. Orbis uterque inter trop.  
 1209 6 **Ochanostachys** Mast. in *Fl. B. Ind.* I. 576. (*Petalinia* Becc.). — Sp. 2. Malaisia.

(1) Sp. ad 275, per reg. trop. et subtrop. utriusque orbis sparsæ.

- 1210 7 **Ptychopetalum** Benth. G. I. 346. (*Athesiandra* Miers). — Sp. 3 v. 4. Guiana gall., Afr. trop. occ.
- 1211 8 **Olax** L. G. I. 347 et 996. — Sp. ad 30. Asia et Afr. trop., Austral.  
Pseudaleia et Pseudaleioides Thou., Spermaxyrum Labill., Fissilia Comm., Lopadocalyx Kl.
- 1212 9 **Liriosma** Pöpp. et Endl. G. I. 347. (*Hypocarpus* A. DC., *Dulacia* Vell.). — Sp. ad 14. Amer. trop.
- 1213 10 **Ctenolophon** Oliv. in *Trans. Linn. Soc.* XXVIII. 516. — Sp. 2. Malacca.
- 1214 11 **Erythropalum** Bl. G. I. 347. (*Mackaya* Arn., *Modecopsis* Griff.). — Sp. 3. Asia trop.  
Erythropalla Hassk., Decastrophis Griff., ?Balingayum Blanco.
- 1215 12 **Strombosia** Bl. G. I. 348 et 996. — Sp. ad 6. Asia et Afr. trop.  
Lavallea H. Bn, Sphærocarya Dalz.
- 1216 13 **Scorodocarpus** Becc. in *N. Giorn. bot. Ital.* 273 (1877). — Sp. 1. Borneo.
- 1217 14 ?**Stolidia** H. Bn. G. I. 996. — Sp. 1. Ins. Maurit.
- 1218 15 **Chaunochiton** Benth. G. I. 996. — Sp. 1. Brasil. bor.
- 1219 16 **Cathedra** Miers. G. I. 348. (*Diplocrater* Benth.). — Sp. 4. Amer. trop.
- 1220 17 **Anacolosa** Bl. G. I. 348 et 996. — Sp. 8. Asia trop.
- 1221 18 **Schœpfia** Schreb. G. I. 348. (*Codonium* Vahl). — Sp. ad 16. Asia et Amer. trop.  
Hænkea R. et P., Diplocalyx Rich.
- 1222 19 **Tetrastylidium** Engl. in *Fl. Brasil.* XII. col. 33. — Sp. 1. Brasil.

#### TRIBUS II. **Opilieæ.**

- 1223 20 **Cansjera** Juss. G. I. 349. — Sp. 7. Asia et Austral. trop.
- 1224 21 **Agonandra** Miers. G. I. 349. — Sp. 1. Brasil. trop.
- 1225 22 **Chlænandra** Miq. in *Ann. Mus. Lugd. Bat.* IV. 83. — Sp. 1. N. Granada.
- 1226 23 **Lepionurus** Bl. G. I. 349. (*Leptonium* Griff.). — Sp. 2. Asia trop. or.
- 1227 24 **Opilia** Roxb. G. I. 350. (*Groutia* Guill. et Perr.). — Sp. 5 v. 2? Asia, Afr. et Austral. trop.

#### TRIBUS III. **Icacineæ.**

- 1228 25 **Lasianthera** P. B. G. I. 350. — Sp. 2. Asia trop., Archip. Ind.  
Medusanthera Seem., Urandra Thw.
- 1229 26 **Stemonurus** Bl. pr. p. in *Bijdrag.* 678. — Sp. 10. Asia trop.

- 1230 27 **Gomphandra** Wall. G. I. 350. — Sp. descript. ultra 25, ad 15  
reduc. Asia trop.  
Stemonurus Bl. pr. p.
- 1231 28 **Desmostachys** Planch. G. I. 350. — Sp. 2. Afr. trop., Mada-  
gasc.
- 1232 29 **Leptaulus** Benth. G. I. 351 et 996. — Sp. 2. Afr. trop. occ.
- 1233 30 **Apodytes** E. Mey. G. I. 251. — Sp. 8 v. 11. Asia et Afr. trop.  
Nothapodytes Bl., Raphiostyles Planch.
- 1234 31 **Anisomallon** H. Bn in *Adans.* XI. 195. — Sp. 1. N. Caled.
- 1235 32 **Pennantia** Forst. G. I. 351. — Sp. 5. Austral., N. Zel., Ins.  
Norfolk.
- 1236 33 **Mappia** Jacq. G. I. 351. — Sp. 6. Asia trop., Antill.
- 1237 34 **Leretia** Vell. *Fl. Flumin.* III. 2. — Sp. 3. Brasil.
- 1238 35 **Discophora** Miers. G. I. 352. (*Kummeria* Mart.). — Sp. 1.  
Brasil., Guiana.
- 1239 36 **Gonocaryum** Miq. G. I. 345. — Sp. 7. Asia trop. ins.
- 1240 37 **Poraqueiba** Aubl. G. I. 352. (*Barreria* Willd., *Meisteria* Scop.).  
— Sp. 2 v. 3. Guiana, Brasil.
- 1241 38 **Emmotum** Desv. G. I. 352. (*Pogopetalum* Benth.). — Sp. 5.  
Guiana, Brasil.
- 1242 39 **Icacina** A. Juss. G. I. 352. — Sp. 5. Afr. trop. occ.
- 1243 40 **Phlebocalymna** Griff. G. I. 353. — Sp. 2 v. 3. Asia trop.
- 1244 41 **Pteleocarpa** Oliv. in *Trans. Linn. Soc.* XXVIII. 515 (1873). —  
Sp. 2. Malacca.
- 1245 42 **Rhyticaryum** Becc. *Malesia*. I. 120 et 256. (*Ryticarium* Becc.).  
— Sp. 5. Asia trop. or.
- 1246 43 **Alsodeiopsis** Oliv. G. I. 996. — Sp. 1. Afr. trop. occ.
- 1247 44 **Platea** Bl. G. I. 353. — Sp. 5 v. 6. Archip. Ind.
- 1248 45 **Villarezia** R. et P. G. I. 353. (*Citronella* Don). — Sp. 14.  
Amer. austr., Archip. Ind., Austral.  
*Pleuropetalum* Bl. (*Chariessa* Miq.).
- 1249 46 **Sarcanthidion** H. Bn in *Adans.* XI. 199. — Sp. 1. N. Caled.
- 1250 47 **Cassinopsis** Sond. G. I. 354. — Sp. 2. Afr. austr., Madagasc.
- 1251 48 **Grisollea** H. Bn. G. I. 997. — Sp. 1. Ins. Mascar.
- 1252 49 **Pleurisanthes** H. Bn in *Adans.* XI. 201. — Sp. 1. Guiana gall.
- 1253 50 **Valetonia** Nob. (*Martia* T. Valetton (non Benth.) *Critisch Overz.*  
*der Olac.* 259, 1886). — Sp. 1. Brasil.

TRIBUS IV. **Phytocreneæ.**

- 1254 51 **Phytocrene** Wall. G. I. 354. (*Gynocephala* Bl.). — Sp. 8. Asia  
et Afr. trop.
- 1255 52 **Miquelia** Meisn. G. I. 354 et 997. (*Jenkinsia* Griff.). — Sp. 5.  
Asia trop.

- 1256 53 **Sarcostigma** W. et A. G. I. 354. — Sp. 3 v. 4. Asia trop., Afr. trop. ?
- 1257 54 **Natsiatum** Ham. G. I. 355. — Sp. 1 v. 2. Ind. bor. or.
- 1258 55 **Natsiatopsis** Kurz in *Journ. Asiat. Soc. Bengal.* XLIV. pars. II. 201. — Sp. 1. Ind. or.
- 1259 56 **Polyporandra** Becc. *Malesia.* I. 121. — Sp. 1. N. Guinea.
- 1260 57 **Chlamidocarya** H. Bn in *Adans.* X. 276. — Sp. 2. Afr. trop. occ.
- 1261 58 **Pyrenacantha** Hook. G. I. 345 et III. 220. (*Adelanthus* Endl., *Moldenhauera* Spreng.). — Sp. 6. Asia et Afr. trop.
- 1262 59 **Iodes** Bl. G. I. 355 et 997. — Sp. 6. Asia et Afr. trop.
- 1263 60 **Cardiopteris** Wall. G. I. 355. (*Peripterygium* Hassk.). — Sp. 1. Ind. or., Achip. Ind.
- 1264 61 **Trematosperma** Urban in *Bericht Deutsch. bot. Gesellschaft.* 182 (1883). — Sp. 1. Afr. trop.

ORDO XLVIII. **ILICINEÆ**

- 1265 1 **Ilex** L. G. I. 356 et 997. (*Prinos* L.). — Sp. ad 175. Orbis fere totus.  
Paltoria R. et P., Macoucoua Aubl., Chomelia Vell.,  
Pileostegia et Pseudehretia Turcz., Leucodermis Planch.
- 1266 2 **Byronia** Endl. G. I. 357. (*Polystigma* Meisn.). — Sp. 3. Austral. trop. Ins. Sandvic. et Tahiti.
- 1267 3 **Nemopanthes** Raf. G. I. 357. (*Nuttallia* DC.). — Sp. 1. Amer. bor. or.
- 1268 4 **Sphenostemon** H. Bn in *Bull. Soc. Linn. Paris* (1875). — Sp. 2. N. Caled.

ORDO XLIX. **CYRILLEÆ**

- 1269 1 **Cyrilla** Garden. G. II. 1226. — Sp. 2 v. 3. Amer. bor. et austr., Ind. occ.
- 1270 2 **Cliftonia** Banks. G. II. 1226. (*Mylocarium* Willd.). — Sp. 1. Georgia, Florida.
- 1271 3 **Costæa** A. Rich. G. II. 1226. (*Purdiæa* Planch.). — Sp. 3. N. Granada, Cuba.

ORDO L. **CELASTRINEÆ** (1)

- 1272 1 **Evonymus** L. G. I. 360 et 997. — Sp. ad 45. Eur., Asia, Amer. bor., Austral.  
*Vyenomus* Presl, *Melanocarya* Turcz.

.1 Sp. ad 300, per totum fere orbem terrarum sparsæ.



- 1273 2 **Hypsophila** F. Müll. in *Victorian Naturalist* (1887). — Sp. 1. Austral.
- 1274 3 **Glyptopetalum** Thw. G. I. 361. — Sp. 3. Zeylan., Ind. or., Malacca.
- 1275 4 **Microtropis** Wall. G. I. 361. — Sp. 10. Ind. or. Paracelastrus Miq.
- 1276 5 **Catha** Forsk. G. I. 361. (*Methyscophyllum* E. et Z.). — Sp. 1. Afr. trop., Arabia.
- 1277 6 **Pachystima** Raf. G. I. 361. (*Oreophila* Nutt.). — Sp. 2. Amer. bor. occ.
- 1278 7 **Lophopetalum** Wight. G. I. 362. — Sp. 10. Ind. or.
- 1279 8 ?**Cathastrum** Turcz. G. I. 362. — Sp. 1. Afr. austr.
- 1280 9 **Kokoona** Thw. G. I. 362. (*Trigonocarpus* Wall.). — Sp. 2. Asia trop. ins.
- 1281 10 **Alzatea** R. et P. G. I. 362. — Sp. 1. Peruv.
- 1282 11 **Hartogia** Thunb. G. I. 363. (*Schrebera* Thunb.). — Sp. 1. Afr. austr.
- 1283 12 **Ptelidium** Thou. G. I. 363. (*Seringia* Spreng.). — Sp. 1. Madagasc.
- 1284 13 **Cassine** L. G. I. 363. (*Maurocenia* L.). — Sp. 1. Afr. austr.
- 1285 14 **Lauridia** E. et Z. G. I. 363. — Sp. 1. Afr. austr.
- 1286 15 **Pleurostyliia** W. et A. G. I. 363. — Sp. 3. Asia trop., Ins. Maurit., Madagasc.
- 1287 16 **Zinowiewia** Turcz. G. I. 364. — Sp. 1. Mexic.
- 1288 17 **Celastrus** L. G. I. 364 et 997. — Sp. ad 75. Hispan., Asia, Afr., Madagasc., Amer. bor., Austral.  
Gymnosporia W. et A. G. I. 365 et 997 (*Catha* Endl.),  
Encentrus et Polyacanthus Presl, Scytophyllum E. et Z.,  
Orixa Thunb.
- 1289 18 **Moya** Griseb. in *Plantæ Lorentzianæ*. 63 (1874). — Sp. 1. Argentina.
- 1290 19 **Maytenus** Feuillée. G. I. 364 et 998. (*Hænkea* R. et P.). — Sp. ad 50. Amer. trop. et austr.  
Tricerma Liebm., Monteverdia A. Rich.
- 1291 20 **Polycardia** Juss. G. I. 365. (*Florinda* Nor.). — Sp. 2. Madagasc.
- 1292 21 **Kurrimia** Wall. G. I. 365 et 998. (*Bhesa* Ham. pr. p.). — Sp. 5. Asia trop.  
Pyropermum Miq.
- 1293 22 **Reinia** Franch. et Savat. *Enum. pl. Japon*. II. 314. — Sp. 1. Japon.
- 1294 23 **Pterocelastrus** Meisn. G. I. 365. (*Asterocarpus* E. et Z.). — Sp. 6. Afr. austr.
- 1295 24 **Putterlickia** Endl. G. I. 366. — Sp. 2. Afr. austr.

- 1296 25 **Denhamia** Meisn. G. I. 366 et 998. (*Leucocarpon* A. Rich.). — Sp. 5. Austral.  
Hedraianthera F. Müll.
- 1297 26 **Myginda** L. G. I. 366. (*Rhacoma* L.). — Sp. ad 8. Amer. trop. (Brasil. except.) et Chili.
- 1298 27 **Fraunhoferia** Mart. G. I. 366. — Sp. 1. Brasil.
- 1299 28 **Schæfferia** Jacq. G. I. 367. — Sp. 3. Ind. occ., Texas, Mexic.
- 1300 29 **Caryospermum** Bl. G. I. 367. — Sp. 2. Java, Amboina.
- 1301 30 **Elæodendron** Jacq. G. I. 367. — Sp. ad 32. Asia, Austral., Afr. austr. Amer. trop.  
Cassine Auct., Crocoxylon et Mystroxylon E. et Z., Portenschlagia Tratt., Neerija Roxb., Schrebera Retz.
- 1302 31 **Perrottetia** H. B. et K. G. I. 367 et 998. — Sp. 4 v. 5. N. Granada, Mexic., Ins. Sandvic.
- 1303 32 **Mortonia** A. Gray. G. I. 368. — Sp. 4. Mexic. bor., Texas occ.
- 1304 33 **Plagiospermum** Oliv. in Hook. *Icon. Plant.* tab. 1526. — Sp. 1. China bor.
- 1305 34 **Glossopetalum** A. Gray. G. I. 368. — Sp. 1. Texas, N. Mexic.
- 1306 35 **Tripterygium** H. f. G. I. 368. — Sp. 1. Ins. Formosa.
- 1307 36 **Plenckia** Reissek. G. I. 368. — Sp. 1. Brasil.
- 1308 37 **Wimmeria** Schlecht. G. I. 369. — Sp. 5. Mexic.
- 1309 38 **Goupia** Aubl. G. I. 369. — Sp. 1. Guiana.
- 1310 39 ? **Phoea** Seem. in *Journ. Bot.* 68 (1870). — Sp. 1. N. Caled.

ORDO LI. **HIPPOCRATEACEÆ** <sup>(1)</sup>

- 1311 1 **Campylostemon** Welw. G. I. 998. — Sp. 1. Angola.
- 1312 2 **Hippocratea** L. G. I. 369 et 998. (*Cou Plum.*, *Diplesthes* Harv.). — Sp. ad 70. Orbis fere totius reg. trop.  
1. Hippocratea Miers, Bejuco Löfl. ? Pereskia Vell.  
2. Pristimera et Hylenæa Miers. — 3. Prionostemma Miers.  
4. Cuervea Triana, Romualdea Tr. et Pl.  
5. ? Anthodon R. et P. pr. p. — 6. Johnia Roxb.  
7. Calypso Thou.
- 1313 3 **Salacia** L. G. I. 370. (*Tontelea* Aubl., *Tonsella* Schreb.). — Sp. ad 80. Orbis fere totius reg. trop.  
1. Kippistia et Cheiloclinium Miers.  
2. Amphizoma Miers. — 3. Tontelea Miers.  
4. Peritassa et Sarcocampsa Miers.  
5. Thermophila Miers.  
6. Raddisia Leandro, Raddia Miers, Clercia Vell., Anthodus Mart., Anthodon R. et P. et auct. pr. p.  
7. Sicyomorpha et Tyloclerina Miers.

1. Sp. ad 155. per reg. trop. et subtrop. orbis fere totius dispersæ.

- 1314 4 **Siphonodon** Griff. G. I. 370 et 998. — Sp. 2. Asia trop. or.,  
Java, Austral.  
1315 5 **Llavea** Liebm. G. I. 370. — Sp. 2. Mexic.

ORDO LII. **STACKHOUSIÆ**

- 1316 1 **Stackhousia** Sm. G. I. 371 et 998. — Sp. ad 20. Austral., N.  
Zel., Ins. Philippin.  
Tripterococcus Endl., Plockiostigma Schuchardt.  
1317 2 **Macgregoria** F. Müll. in *Giorn. bot. Ital.* 128 (1873). — Sp. 1.  
Austral.

ORDO LIII. **RHAMNEÆ** <sup>(1)</sup>TRIBUS I. **Ventilagineæ.**

- 1318 1 **Ventilago** Gärtn. G. I. 375. — Sp. ad 10. Asia, Afr. et Amer.  
trop., Austral.  
1319 2 **Smythea** Seem. G. I. 375 et 998. — Sp. 1. Ins. Viti, Ma-  
dagasc.

TRIBUS II. **Zizypheæ.**

- 1320 3 **Paliurus** Juss. G. I. 375. (*Aubletia* Lour.). — Sp. 2. Eur.  
austr., Asia, occ., China.  
1321 4 **Zizyphus** Juss. G. I. 375 et 998. — Sp. ad 65. Orbis totius  
reg. trop.  
1322 5 **Condalia** Cav. G. I. 376. — Sp. ad 6. Amer. temp. et trop.  
1323 6 **Microrhamnus** A. Gray. G. I. 376 et 998. — Sp. 1. N. Mexic.,  
Texas.  
1324 7 **Rhamnella** Miq. *Prol. Fl. Japon.* 218. — Sp. 1. Japon.  
1325 8 **Dallachya** F. Müll. *Fragm.* IX. 140 (1875). — Sp. 1. Austral.  
1326 9 **Sarcomphalus** P. Browne. G. I. 376. — Sp. 3. Ind. occ.  
1327 10 **Berchemia** Neck. G. I. 377. (*Ænoplea* Hedw. f.). — Sp. ad 12.  
Asia et Afr. trop., Amer. bor., Austral.  
1328 11 **Karwinskia** Zucc. G. I. 377. — Sp. 6. Mexic., Texas, Californ.

TRIBUS III. **Rhamneæ.**

- 1329 12 **Rhamnus** L. G. I. 377 et 998. — Sp. ad 66. Eur., Asia, Amer.  
temp. et calid., Afr. trop.  
1. *Rhamnus* Brongn. — 2. *Frangula* Brongn.  
2. *Sciadophila* Philippi.  
1330 13 **Rhamnidium** Reissek. G. I. 378. — Sp. 4. Brasil.

(1) Sp. ad 475, reg. temp. calid. et trop. utriusque orbis incolentes.

- 1331 14 **Hovenia** Thunb. G. I. 378. — Sp. 1. Japon., China, Himal.  
 1332 15 **Ceanothus** L. G. I. 378. — Sp. ad 40. Amer. bor.  
 1333 16 **Scutia** Comm. G. I. 379. — Sp. ad 8. Asia, Afr. et Amer. trop.  
 1334 17 **Sageretia** Brongn. G. I. 379. — Sp. ad 12. Asia centr. et austr., Java, Amer. bor. calid.  
 1335 18 **Cormonema** Reissek. G. I. 379. — Sp. 1. Brasil.  
 1336 19 **Colubrina** C. Rich. G. I. 379. — Sp. ad 10. Amer. trop. et bor. calid. (sp. 1. per reg. trop. orbis veteris).  
 1337 20 **Phylica** L. G. I. 380. — Sp. ad 65. Afr. extratrop. austr., Ins. Tristan d'Acunha. et Madagasc.  
     1. *Trichocephalus* Brongn., *Walpersia* Reissek.  
     2. *Petalopogon* Reissek. — 3. *Tylanthus* Reissek.  
     4. *Soulangia* Brongn. — 5. *Calophylica* Presl.  
 1338 21 **Nesiota** H. f. G. I. 380. — Sp. 1. Ins. S. Helena.  
 1339 22 **Lasiodiscus** H. f. G. I. 381. — Sp. 1. Afr. occ. trop. (Ins. Principis).  
 1340 23 **Noltia** Reich. G. I. 381. (*Willemetia* Brongn., *Vittmannia* W. et A.). — Sp. 1. Afr. austr.  
 1341 24 **Emmenospermum** F. Müll. G. I. 999. — Sp. 2. Austral.  
 1342 25 **Alphitonia** Reissek. G. I. 381 et 999. — Sp. 3 v. 1? Austral., Ins. Pacif.  
 1343 26 **Pomaderris** Labill. G. I. 381 et 999. — Sp. 22. Austral., N. Zel.  
 1344 27 **Trymalium** Fenzl. G. I. 382 et 999. — Sp. 6. Austral. austro-occ.  
 1345 28 **Spyridium** Fenzl. G. I. 382 et 999. — Sp. 26. Austral. extratrop.  
     *Stenodiscus* Reissek.  
 1346 29 **Stenanthemum** Reissek. G. I. 382 et 999. — Sp. 3. Austral. extratrop.  
 1347 30 **Cryptandra** Sm. G. I. 383 et 999. — Sp. 21. Austral. extratrop.  
     *Wichurea* Nees.

TRIBUS IV. **Colletieæ.**

- 1348 31 **Colletia** Comm. G. I. 383. — Sp. ad 13. Amer. mer.  
     *Scypharia* Miers.  
 1349 32 **Discaria** Hook. G. I. 383. (*Tetrapasma* Don). — Sp. ad 12.  
     Amer. austr. extratrop., Andes, Austral., N. Zel.  
     *Notophæna* et *Discaria* Miers, *Ochetophila* Pöpp.  
 1350 33 **Adolphia** Meisn. G. I. 384. — Sp. 1. Mexic., Californ., Texas.  
 1351 34 **Retanilla** Brongn. G. I. (*Retamilia* Miers). — Sp. ad 3?  
     Chili, Peruv.

- 1352 35 *Trevoa* Miers. G. I. 384. — Sp. ad 2 v. 3. Chili, Peruv.  
 1353 36 *Talguenea* Miers. G. I. 385. — Sp. 2. Chili.

TRIBUS V. **Gouaniææ.**

- 1354 37 *Crumenaria* Mart. G. I. 385 et 999. — Sp. 4. Brasil. trop.  
 1355 38 *Gouania* L. G. I. 385. (*Retinaria* Gärtn.). — Sp. ad 30. Orbis  
 uterque inter trop.  
*Nægelia* Zoll. et Morr.  
 1356 39 *Helinus* E. Mey. G. I. 385. — Sp. 3. Abyss., Afr. trop. et  
 austr., Ind. or.  
 1357 40 *Reissekia* Endl. G. I. 386. Sp. 1. Brasil.

ORDO LIV. **AMPELIDACEÆ** (1)

TRIBUS I. **Ampelideæ.**

- 1358 1 *Vitis* L. et Auct. pr. p. Planchon *Monogr. des Ampelidées vraies* 321. — Sp. ad 30. Utriusque orbis hemisph.  
 bor. reg. temp. et calid.  
 Sect. 1. *Euvtis* Planch. — Sect. 2. *Muscadinia* Planch.  
 1359 2 *Ampelocissus* Planch. l. c. 368. (*Vitis* Auct. pr. p.). — Sp. 62  
 Asia, Afr., Amer. et Austral. reg. intertrop.  
 Sect. 1. *Euampelocissus* Planch.  
 Sect. 2. *Nothocissus* Planch.  
 Sect. 3. *Kalocissus* Planch.  
 Sect. 4. *Eremocissus* Planch.  
 1360 3 *Pterisanthes* Bl. in *Bijdrag.* 192. (*Embamma* Griff.). — Sp. 11.  
 Asia trop.  
 1361 4 *Clematicissus* Planch. l. c. 422. — Sp. 1. Austral. occ.  
 1362 5 *Tetrastigma* Planch. l. c. 423. (*Vitis* sect. *Tetrastigma* Miq.).  
 — Sp. 38. Asia temp. et calid.  
 1363 6 *Landukia* Planch. l. c. 446. — Sp. 1. Asia extratrop.  
 1364 7 *Parthenocissus* Planch. l. c. 446. (*Ampelopsis* Mchx pr. p.  
*Quinaria* Raf., non Lour.). — Sp. 10. Asia temp., Amer.  
 bor. or.  
 1365 8 *Ampelopsis* Mchx. *Fl. Bor.-Amer.* I. 159. — Sp. 13. Asia  
 temp. et calid., Amer. bor.  
 1366 9 *Rhoicissus* Planch. l. c. 463. — Sp. 9. Afr. trop. et austr.

(1) Sp. ad 435. per plagas totius orbis temp. v. calid. late extensæ.

Conf. G. E. Planchon, *Ampelideæ*, in A. et C. de Candolle, *Suites au Prodromus*. V. pars II (1887).

C. B. Clarke, *Revision of the Indian species of Vitis*, in *Journal of Botany* (1881).

- 1367 10 *Cissus* L. *Fl. Zeylan.* 60. (*Vitis* pr. p. Auct. et B. et H. G. I. 387). — Sp. ad 220. Utriusque orbis reg. trop. et subtrop.

Sect. 1. *Eucissus* Planch., *Irsiola* P. Browne, *Sælanthus* Forst. pr. p., *Thouinia* Comm., *Botria* Lour.

Sect. 2. *Cagratia* Planch., *Cagratia* Juss., *Columella* Lour.

Sect. 3. *Cyphostomma* Planch., *Sælanthus* Forst. pr. p., *Aimenia* Comm.

TRIBUS II. **Leeæ.**

- 1368 11 *Leea* L. G. I. 388. (*Aquilicia* L., *Ottilis* Gärtn.). — Sp. 44. Asia et Afr. trop., ins Mascar., Austral.

ORDO LV. **SAPINDACEÆ** (1)

Sensu strictiore sic dictæ (excl. Hippocastanaceis, Aceraceis, Melianthaceis et Staphyleaceis, in Benth. et Hook. Gen. I. inter Sapindaceas receptis) a cl. L. Radlkofer methodo nova interim dispositæ, m. Octob. 1887, secundum auctoris, de Sapindaceis scripta varia, quæ hic annorum tantum citationibus indicantur, quæque sunt: *Sur la fleur des Sapindacées*, Actes du Congrès tenu à Paris 1867, p. 22-26; *On the structural peculiarities of certain Sapindaceous plants*, Report Brit. Assoc. 1868, p. 109-111; *Conspectus sectionum specierumque generis Serjaniæ*, Monachii 1874, 17 pp.; *Sopra i varii tipi delle anomalie dei tronchi nelle Sapindacee*, Atti del Congresso tenuto a Palermo 1875 (— impr. 1877, p. 23-25, reimpr. in Nuovo Giornale Bot. Ital. 1878, p. 105-109); *Ueber die Sapindaceen Holländisch-Indiens*, Actes du Congrès tenu à Amsterdam 1877 (— Nachträge 1878; seors. impr. p. 1-103); *Ueber die Entstehung der secundären Holzkörper im Stamme gewisser Sapindaceen*, Bericht d. 50. Versamml. deutscher Naturforscher 1877, p. 194-197; *Ueber den system. Werth symmetrischer Blütenbildung bei den Sapindaceen*, ibid. p. 208-209; *Ueber Sapindus*, etc., Sitzungsber. d. K. bayer. Acad. 1878, p. 221-408; *Ueber Cupania*, etc., ibid. 1879, p. 457-678; *Monographie Serjaniæ Supplementum*, Abhandl. d. K. bayer. Acad. 1886, p. 1-195, c. tab. IX. Genera primum hic distincta (n. 8, 23, 32, 43, 68, 113) et brevissime definita mox fusius tractabuntur.

TRIBUS I. **Paulliniæ** Kth.

SUBTRIBUS I. **Eupaulliniæ** Radlk. mss.

- 1369 1 *Serjania* Schum. G. I. 393. — Sp. descript. 155. Amer. trop. et subtrop.

*Serjania* Plum., *Paullinia* L. et Auct. pr. p., *Seriania* Schum. et Auct. plur., *Corindum* Adans. pr. p.

(1) Species circiter 250 bene distinctæ per orbis totius regiones tropicas et extratropicas calidiores dispersæ.

Sect. 1. *Platycoccus* Radlk. 1874.

Sect. 2. *Ceratococcus* id.

Sect. 3. *Eurycoccus* id.

Sect. 4. *Eucoccus* id.

Sect. 5. *Pachycoccus* id.

Sect. 6. *Holcococcus* id.

Sect. 7. *Dictyococcus* id.

Sect. 8. *Simococcus* id.

Sect. 9. *Oococcus* id.

Sect. 10. *Phacococcus* id.

Sect. 11. *Physococcus* id.

Sect. 12. *Syncoccus* id.

1370 2 **Paullinia** L. emend. Schum. G. I. 394. — Sp. 125. Amer. trop. et subtrop. (1 sp. etiam in Afr. et Madagasc.).

Cururu Plum., Corindum Adans. pr. p., Geeria Neck., Tondin Gmel., Semarillaria R. et P., Hayecka Pohl pr. p., Kærnickea Kl., Enourea Aubl. G. I. 394, Castanella Spruce G. I. 394, Serjania, Cupania etc. Auct. pr. p.

Sect. 1. *Neurotæchus* Radlk. mss.

Sect. 2. *Diphtherotæchus* id.

Sect. 3. *Pleurotæchus* id.

Sect. 4. *Pachytæchus* id.

Sect. 5. *Enourea* id. (*Enourea* Aubl.).

Sect. 6. *Castanella* id. (*Castanella* Spruce.).

Sect. 7. *Xyloptilon* id.

Sect. 8. *Neuroptilon* id.

Sect. 9. *Cryptoptilon* id.

Sect. 10. *Anisoptilon* id.

Sect. 11. *Isoptilon* id.

Sect. 12. *Calloptilon* id.

Sect. 13. *Phygoptilon* id.

1371 3 **Urvillea** H. B. et K. G. I. 392. — Sp. 10. Amer. trop. et subtrop.

*Paullinia* Löfl. pr. p., Hayecka Pohl pr. p.

Sect. 1. *Physelytron* Radlk. 1878, p. 263.

Sect. 2. *Stenelytron* id.

1372 4 **Cardiospermum** L. G. I. 393. — Sp. 10. Orbis totius reg. trop. et extratrop. calidior.

*Corindum* Tourn., *Cardiospermum* Gleditsch.

Sect. 1. *Ceratadenia* Radlk. 1878, p. 260.

Sect. 2. *Brachyadenia* id.

Sect. 3. *Carphospermum* id.

SUBTRIBUS II. **Thinouieæ**.

- 1373 5 **Thinouia** Tr. et Pl. G. I. 1000. — Sp. 10. Amer. mer. trop.  
 Thouinia Auct. pr. p. G. I. 1000, Carpidopteris Karst., Car-  
 pidopterix Walp., Carpodipterix H. Bn, Handschia  
 Pohl. (Cf. Radlk. 1875, p. 15.).  
 Sect. 1. *Petalodine* Radlk. 1878, p. 282.  
 Sect. 2. *Lepidodine* id.

TRIBUS II. **Thouinieæ** Bl. emend. Radlk.

- 1374 6 **Valenzuela** Bert. G. I. 394. (*Guindilia* Gillies). — Sp. 1. Chili.  
 1375 7 **Bridgesia** Bert. G. I. 393. (*Tripterocarpus* Meisn.). — Sp. 1.  
 Chili.  
 1376 8 **Athyana** Radlk. mss. <sup>(1)</sup> — Sp. 1 (*A. weinmannifolia* Radlk.)  
 Paraguay, Argentina.  
 Thouiniæ sect. *Athyana* Griseb.  
 1377 9 **Diatenopteryx** Radlk. 1878. — Sp. 1. Brasil., Paraguay, Argen-  
 tina.  
 Thouinia sect. *Thyanopsis* Griseb. 1879.  
 1378 10 **Thouinia** Poit. G. I. 400. (*Thyana* Hamilt., *Vargasia* Bert.). —  
 Sp. 13. Ind. occ., Mexic.  
 1379 11 **Allophylus** L. G. I. 396 et 999. — Sp. 94. Orbis totius reg.  
 trop. et subtrop.  
*Schmidelia* L. G. I. 396 et 999, *Usubis* Burm., *Aporetica*  
*Forst.*, *Toxicodendron* Gärtn., *Ornitrophe* Comm., *Ge-*  
*mella* Lour., *Nassavia* Vell., *Azamaza* Hochst., *Sapindus*,  
*Pometia*, *Thouinia* et *Tarrietia* Auct. pr. p.

TRIBUS III. **Sapindeæ** DC. emend. Radlk.

- 1380 12 **Atalaya** Bl. G. I. 401 et 1000. — Sp. 5. Ins. Timor., Austral.  
 bor. et or.  
 Sect. 1. *Pseudatalaya* Radlk. 1878. (*Pseudatalaya* H. Bn.)  
 Sect. 2. *Euatalaya* id.  
 1381 13 **Thouinidium** Radlk. 1878. — Sp. 4. Mexic., Antill., Amer. centr.  
 Thouinia Auct. pr. p.  
 Sect. 1. *Euthouinidium* Radlk. 1878, p. 283.  
 Sect. 2. *Loxothouinidium* id.  
 1382 14 **Toulicia** Aubl. G. I. 393. — Sp. 10. Brasil., Guiana, Venezuela.  
*Ponæa* Schreb., *Dicranopetalum* Presl, *Tulicia* Casar.,  
*Serjania*, *Paullinia*, *Cupania* et *Sapindus* Auct. pr. p.

(1) A maximo affini *Diatenopteryge* differt sepalis 5 valvatis.



- Sect. 1. *Eutoulicia* Radlk. 1878, p. 371.  
 Sect. 2. *Dicranopetalum* id.  
 Sect. 3. *Krengrolepis* id.  
 Sect. 4. *Aphanolepis* id.  
~~1372~~ 13 *Perocystis* Radlk. 1878. — Sp. 1. Brasil., Guiana angl.  
~~1373~~ 16 *Sapindus* L. G. I. 404. — Sp. 10. Amer. et Asiæ reg. trop. et  
 extratrop. calidior.  
 Electra Nor., Dittelasma H. f. G. I. 395, Celastrinea  
 Wawra, Zanthoxylon Mandon, pr. p. Cupania, Pancovia,  
 et Quassia Auct. pr. p.  
 Sect. 1. *Eusapindus* Radlk. 1878, p. 265.  
 Sect. 2. *Dusysapindus* id.  
 Sect. 3. *Sapindastrum* id.  
 Sect. 4. *Dittelasma* id.  
~~1374~~ 17. *Detinbollia* Schum. et Thonn. G. I. 403. — Sp. 10. Afr. trop.  
 et austr., Ins. Madagasc. et Mascar.  
 Prostea Camb., Hemigyrosa Bl. pr. p., Sapindus, Hippobro-  
 mus, Ornitrophe, Simaba, Rhus Auct. pr. p.  
~~1375~~ 18 *Hornea* Bak. *Fl. Maurit.* 59 (1877). — Sp. 1. Ins. Maurit.  
 Thouinia pr. p. Bojer.

TRIBUS IV. **Aphanieæ** Radlk. mss.

- ~~1377~~ 19 *Erioglossum* Bl. G. I. 396. — Sp. 2. Ind. or., Archip. Ind.  
 Vitenia Nor., Moulinsia Camb., Sapindus et Pancovia  
 Auct. pr. p.  
~~1378~~ 20 *Aphania* Bl. G. I. 404. — Sp. 10. Afr. trop., Ind. or., Siam,  
 Archip. Ind., N. Guinea.  
 Sapindus Auct. pr. p., Seytalia Roxb. pr. p. (non Gärtn.),  
 Didymococcus Bl.  
 Sect. 1. *Pycnaphania* Radlk. 1877-78, p. 69.  
 Sect. 2. *Euaphania* id.  
 Sect. 3. *Didymococcus* id. (Didymococcus Bl.)  
~~1379~~ 21 *Thraulococcus* Radlk. 1877-78, p. 22. — Sp. 2. Ind. or.  
 Sapindus et Nephelium Auct. pr. p.  
~~1380~~ 22 *Hebecoccus* Radlk. 1877-78, p. 22 et 56. (*Sapindus* Auct. pr. p.).  
 — Sp. 1. Java.  
~~1381~~ 23 *Aphanococcus* Radlk. mss. <sup>(1)</sup>. — Sp. 1 (*A. celebicus* Radlk.).  
 Ins. Celebes.

TRIBUS V. **Lepisanthesæ** Radlk. 1878, p. 269.

- ~~1382~~ 24 *Zollingera* Kurz in *Journ. Asiat. Soc. Bengal.* XLI. pars II.  
 303 (1872). — Sp. 2. Birma, Cochinch.

<sup>(1)</sup> A maximo affini *Hebecocco* differt fructus coccis crustaceis altius connexis.

- 1393 25 **Lepisanthes** Bl. G. I. 403. — Sp. 16. Ind. or., Archip. Ind.  
*Hemigyrosa* Bl. pr. p. G. I. 395, *Anomosanthes* Bl. G. I.  
 402, *Scorododendron* Bl. G. I. 403 (sphalmate *Scoro-*  
*dendron*), *Sapindus*, *Cupania*, *Molinæa* Auct. pr. p.  
 Sect. 1. *Eulepisanthes* Radlk. 1877-78, p. 34.  
 Sect. 2. *Scorododendron* id., p. 36.  
 Sect. 3. *Anomosanthes* id., p. 34.
- 1394 26 **Otophora** Bl. (*Capura* L. apud Blanco, ex errore, G. I. 405,) *Otolepis* Turcz. — Sp. 9. Ind. or., Malacca, Siam, Ins.  
 Malay., Molucc. et Philippin.  
*Sapindus* Auct. pr. p.  
 Sect. 1. *Anomotophora* Radlk. 1877-78, p. 85.  
 Sect. 2. *Pseudotophora* id.  
 Sect. 3. *Euotophora* id.
- 1395 27 **Chytranthus** H. f. G. I. 403. — Sp. 2. Afr. trop.
- 1396 28 **Pancovia** Willd. *Sp. Plant.* II. 285. — Sp. 2. Afr. trop.  
*Afzelia*, *Erioglossum* et *Moulinsia* Auct. pr. p.
- 1397 29 **Smelophyllum** Radlk. 1878. — Sp. 1. Pr. B. Spei.  
*Sapindus* Sond. pr. p.
- 1398 30 **Lychnodiscus** Radlk. 1878. — Sp. 3. Afr. trop. occ.  
*Eriocœlum* Auct. pr. p. Cf. Radlk. 1879, p. 605.
- 1399 31 **Placodiscus** Radlk. 1878. — Sp. 3. Afr. trop. occ.  
*Eriocœlum* Auct. pr. p. Cf. Radlk. 1879, p. 605.
- 1400 32 **Melanodiscus** Radlk. mss. <sup>(1)</sup>. — Sp. 1 (*M. africanus* Radlk.).  
 Afr. trop.
- 1401 33 **Crossonephelis** H. Bn in *Adans.* XI. 245 (1874). — Sp. 1. Afr.  
 trop. (Nossibé).
- 1402 34 ? **Plagioscyphus** Radlk. 1878. — Sp. 1. Madagasc.
- 1403 35 ? **Cotylodiscus** Radlk. 1878. (« Langhare » Flacourt). — Sp. 1.  
 Madagasc.

TRIBUS VI. **Melicocceæ** Bl. emend.

- 1404 36 **Melicocca** L. G. I. 401. (*Casimira* Scop.). — Sp. 2. Ind. occ.,  
 Amer. centr. et austr. trop. et subtrop.
- 1405 37 **Talisia** Aubl. G. I. 401. — Sp. 32. Amer. austr. trop.  
*Racaria* Aubl., *Acladodea* R. et P., *Comatoglossum* Karst. et  
 Tr., *Lasianthemum* Kl., *Cupania* et *Sapindus* Auct. pr. p.  
 Sect. 1. *Racaria* Radlk. 1878. (*Racaria* Aubl.).  
 Sect. 2. *Cotopais* id.  
 Sect. 3. *Eutalisia* id.  
 Subsect. 1. *Pitombaria* Radlk. 1878.  
 Subsect. 2. *Acladodea* id. (*Acladodea* R. et P.,  
*Comatoglossum* Karst. et Tr.).

(1) A maxime affini *Crossonepheli* differt staminibus 7-8.

- 1406 38 *Glennica* H. f. G. I. 404. — Sp. 1. Zeylan.  
Sapindus Thw. pr. p.
- 1407 39 *Castanospora* F. Müll. *Fragm.* IX. 92 (1875). — Sp. 1. Austral.  
Cupania et Ratonia Auct. pr. p. (Cf. Radlk. 1879, p. 511, 549).
- 1408 40 *Lecaniodiscus* Planch. G. I. 402. — Sp. 2. Afr. trop.
- 1409 41 *Eriandrostachys* H. Bn in *Adans.* XI. 239 (1874). — Sp. 1.  
Madagasc.
- 1410 42 *Macphersonia* Bl. G. I. 402. — Sp. 5. Afr. trop. or. (Madagasc.,  
Nossibé, Nossicomba, Zanzibar.)
- 1411 43 *Tristiropsis* Radlk. mss. <sup>(1)</sup> — Sp. 2 (*T. obtusangula* et *acutun-*  
*gula* Radlk.). Ins. Marian. et Salomon.
- 1412 44 *Tristira* Radlk. 1877-78, p. 63. — Sp. 2. Ins. Philippin. et Molucc.  
Melicocca et Zollingeria Auct. pr. p.

TRIBUS VII. **Schleicheræ** Radlk. mss.

- 1413 45 *Schleichera* Willd. G. I. 404. — Sp. 1. Asia trop.  
Cusambium Rumph., Cassumbium Auct., Koon Gärtn.,  
Bima Nor. pr. p.
- 1414 46 *Haplocoelum* Radlk. 1878. — Sp. 2. Afr. trop. or.
- 1415 47 *Pseudopteris* H. Bn in *Adans.* XI. 243 (1874). — Sp. 1.  
Madagasc.

TRIBUS VIII. **Nepheliæ** Radlk. 1877-78, p. 71.

- 1416 48 *Euphoria* Comm. G. I. 406. — Sp. 6. Asia trop. et subtrop.  
Dimocarpus Lour., Bima Nor. pr. p., Nephelium, Scytalia  
et Sapindus Auct. pr. p.
- 1417 49 *Otonephelium* Radlk. 1877-78, p. 71. — Sp. 1. Malabaria.  
Nephelium Auct. pr. p.
- 1418 50 *Pseudonephelium* Radlk. 1877-78, p. 71. — Sp. 1. Borneo.  
Nephelium Auct. pr. p.
- 1419 51 *Litchi* Sonnerat. (*Scytalia* Gärtn. G. I. 406). — Sp. 1. China,  
Ind. or., Ins. Philippin.; in trop. cult.  
Nephelium, Euphoria, Dimocarpus et Sapindus Auct. pr. p.  
? Cubilia Bl.
- 1420 52 *Xerospermum* Bl. G. I. 405. — Sp. 6. Asia trop. et subtrop.  
Nephelium, Euphoria, Cupania et Sapindus Auct. pr. p.  
Sect. 1. *Tetrasepalum* Radlk. mss.  
Sect. 2. *Pentasepalum* id.
- 1421 53 *Nephelium* L. G. I. 405. — Sp. 1. Ind. or., Archip. Ind.  
Euphoria, Dimocarpus et Scytalia Auct. pr. p.  
Sect. 1. *Macronephelium* Radlk. 1877-78, p. 79

(1) A maxime affini *Tristira* differt fructu exalato, foliis bipinnatis.

- Subsect. 1. *Eudictyonophelium* Radlk. 1877-78, p. 79.  
 Subsect. 2. *Euclathronephelium* id.  
 Sect. 2. *Micronephelium* Radlk. 1877-78, p. 79.  
 Subsect. 1. *Dictyonophelium* Radlk. 1877-78, p. 79.  
 Subsect. 2. *Clathronephelium* id.
- 1422 54 **Pometia** Forst. G. I. 407. (*Irina* Bl., *Eccremanthus* Thw.). —  
 Sp. 5. Zeylan., Malacca, Archip. Ind., N. Guinea.  
 Euphoria, Sapindus, Aporetica et Nephelium Auct. pr. p.
- 1423 55 **Alectryon** Gärtn. G. I. 410. — Sp. 16. Austral., Ins. Malay.,  
 Papuanæ et Pacif.  
 Spanoghea Bl. G. I. 406, Nephelium, Cupania et Sapindus  
 Auct. pr. p.  
 Sect. 1. *Eualectryon* Radlk. 1877-78, p. 93.  
 Sect. 2. *Spanoghea* id.  
 Sect. 3. *Platyalectryon* id.  
 Sect. 4. *Plagialectryon* id.  
 Sect. 5. *Synalectryon* id.
- 1424 56 **Heterodendron** Desf. G. I. 407 et 1000. — Sp. 4. Austral.
- 1425 57 **Podonephelium** H. Bn in *Adans.* XI. 245 (1874). — Sp. 2. N.  
 Caled. (Ins. Lifu).  
 Ratonia Auct. pr. p. (Cf. Radlk. 1877-78, p. 80).
- 1426 58 **Pappea** E. et Z. G. I. 407. (*Acrophyllum* E. Mey., non Benth.).  
 — Sp. 1. Pr. B. Spei.  
 Kiggelaria, Sapindus et Baccaurea Auct. pr. p.
- 1427 59 **Stadmannia** Lam. G. I. 406. — Sp. 1. Ins. Maurit.  
 Cupania Auct. pr. p.

TRIBUS IX. **Cupaniæ** Bl. emend. Radlk. 1877, p. 459 <sup>(1)</sup>.

SUBTRIBUS I. **Cupaniæ** lomatorrhizæ Radlk. 1879, p. 494.

- 1428 60 **Cupania** L. G. I. 399. — Sp. 32. Amer. trop. et subtrop.  
 Trigonis Jacq., Digonocarpus Vell., Ratonia, Stadmannia,  
 Sapindus, Robinia, etc. Auct. pr. p.  
 Sect. 1. *Trigonis* Radlk. 1879, p. 556. (*Trigonis* Jacq.).  
 Sect. 2. *Trilobis* id.  
 Sect. 3. *Tricoccocarpus* id.  
 Sect. 4. *Trigonocarpus* id. (*Trigonocarpus* et *Digonocar-*  
*pus* Vell.).
- 1429 61 **Vouarana** Aubl. G. I. 399. — Sp. 1. Guiana, Brasil. bor.  
 Crudya, Touchiroa, Cupania, Matayba et Ephielis Auct.  
 pr. p.

(1) *Cupania*, *Ratonia*, *Eriocolum*, *Paranephelium*, *Diploglottis* et *Jagera* B. et H.

- 1430 62 **Scyphonychium** Radlk. 1879. — Sp. 1. Brasil.  
Cupania Auct. pr. p.
- 1431 63 **Dilodendron** Radlk. 1878. — Sp. 2. Brasil.
- 1432 64 **Pentascyphus** Radlk. 1879. — Sp. 1. Guiana.
- 1433 65 **Matayba** Aubl. emend. G. I. 400. — Sp. 30. Amer. trop. et subtrop.  
Ernstingia Scop., Ephielis Schreb., Ratonia DC., Monopteris et Lamprospermum Kl., Cupania, Thouinia, Talisia et Sapindus Auct. pr. p., Terminalia Spreng. pr. p.  
Sect. 1. *Ratonia* Radlk. 1879. p. 624.  
Sect. 2. *Macaca* id.  
Sect. 3. *Apiomatayba* id.  
Sect. 4. *Eumatayba* id.

SUBTRIBUS II. **Cupaniæ** notorrhizæ Radlk. 1879, p. 495.

- 1434 66 **Pseudima** Radlk. 1875-77, 1879. — Sp. 1. Guiana, Brasil. bor.  
Cupania et Sapindus Auct. pr. p. (*S. frutescens* Aubl.).
- 1435 67 **Tina** R. et S. emend. Radlk. 1879. G. I. 400. — Sp. 8.  
Madagasc.  
Gelonium Thou. pr. p. (non Gärtn., nec Roxb.), Cupania, Jagera et Garuga Auct. pr. p.
- 1436 68 **Tinopsis** Radlk. mss. <sup>(1)</sup> — Sp. 1 (*T. apiculata* Radlk.). Madagasc.  
Gelonium Thou. pr. p., non alior.
- 1437 69 **Molinæa** Comm. G. I. 399. — Sp. 8. Ins. Madagasc., Maurit. et Borbon.  
Gelonium Gärtn., Callidrynos Neraud, Calydrinos Meisn., Cupania, Tina et Matayba Auct. pr. p.
- 1438 70 **Laccodiscus** Radlk. 1879. — Sp. 1. Afr. trop. occ. (Ins. Fernando-Po).  
Cupania Auct. pr. p. (*C. ferruginea* Bak.).
- 1439 71 **Aporhiza** Radlk. 1878. — Sp. 1. Afr. centr.
- 1440 72 **Blighea** Kön. G. I. 399. — Sp. 1. Afr. trop. (Ind. or. cult.).  
Akeesia Tussac. Bonannia Raf., Cupania et Sapindus Auct. pr. p.
- 1441 73 **Eriocœlum** H. f. G. I. 400. — Sp. 1. Afr. trop. occ.
- 1442 74 **Phialodiscus** Radlk. 1879. — Sp. 2. Afr. trop.  
Blighea Bak. pr. p.
- 1443 75 **Guioa** Cav. G. I. 399. — Sp. 31. Birma, Malacca, Cochinch., Archip. Ind., Austral., Ins. Pacif.  
Guaiacum Forst., non L., Dimereza Labill., Diplopetalon Spreng., Hemigyrosa Bl. pr. p., Cupania, Sapindus, Euphoria et Nephelium Auct. pr. p.

(1) A maxime affini *Tina* differt staminibus 5.

- Sect. 1. *Euguioa* Radlk. 1879, p. 607.  
 Sect. 2. *Hemigyrosa* id. (*Hemigyrosa* Bl. pr. p.).  
 Sect. 3. *Dysguioa* id.
- 1444 76 **Cupaniopsis** Radlk. 1879. — Sp. 26. Austral., Ins. Pacif.  
 Cupania, Ratonia, Atalaya et Harpullia Auct. pr. p.  
 Sect. 1. *Elattopetalum* Radlk. 1879, p. 584.  
 Sect. 2. *Mizopetalum* id.
- 1445 77 **Rhysotœchia** Radlk 1879. — Sp. 6. Archip. Ind., Austral.  
 Cupania Auct. pr. p.  
 Sect. 1. *Eurhysotœchia* Radlk 1879, p. 656.  
 Sect. 2. *Leptostigma* id.  
 Sect. 3. *Clitostigma* id.
- 1446 78 **Lepiderema** Radlk. 1877-78 p. 99. — Sp. 1. Ins. Papuanæ.
- 1447 79 **Dictyoneura** Bl. G. I. 399. — Sp. 2. Borneo, N. Guinea.  
 Cupania Auct. pr. p.
- 1448 80 **Diplogottis** H. f. G. I. 395. — Sp. 1. Austral.  
 Cupania, Ratonia et Stadmannia, etc. Auct. pr. p.
- 1449 81 **Euphorianthus** Radlk. 1879. — Sp. 7. Ins. Celebes et Molucc.,  
 N. Guinea.  
 Euphoriopsis Radlk. (non Massalongo) 1877-78, p. 58 et  
 98, Sapindus Auct. pr. p. (*S. longifolius* Roxb.).
- 1450 82 **Storthocalyx** Radlk. 1879. — Sp. 4. N. Caled.  
 Cupania Auct. pr. p.
- 1451 83 **Sarcopteryx** Radlk. 1877-78 p. 57, 97. — Sp. 5. Austral., N.  
 Guinea. Austral.  
 Cupania, Ratonia et Sapindus Auct. pr. p. (*S. squamosus*  
 Roxb.).
- 1452 84 **Jagera** Bl. G. I. 403. — Sp. 2. Ins. Molucc., Austral., N.  
 Guinea.  
 Cupania, Sapindus et Garuga Auct. pr. p.
- 1453 85 **Trigonachras** Radlk. 1877-78, p. 46. — Sp. 2. Ins. Molucc. et  
 Philippin.  
 Cupania et Sapindus Auct. pr. p.
- 1454 86 **Tœchima** Radlk. 1877-78, p. 59. — Sp. 4. Austral., N. Guinea.  
 Cupania et Ratonia Auct. pr. p.
- 1455 87 **Synima** Radlk. 1879. — Sp. 1. Austral.  
 Cupania et Ratonia Auct. pr. p.
- 1456 80 **Sarcotœchia** Radlk. 1879. — Sp. 2. Austral.  
 Cupania Auct. pr. p.
- 1457 89 **Elattostachys** Radlk. 1877-78, p. 42 et 91. — Sp. 11. Archip.  
 Ind., Austral., Ins. Pacif.  
 Cupaniæ sect. *Elattostachys* Bl., Ratonia, Jagera et Schlei-  
 chera Auct. pr. p.

- 1458 90 **Arytera** Bl. G. I. 399. — Sp. 20. Birma, Malacca, Archip. Ind., Ins. Pacif., Austral.  
Cupania, Ratonia, Euphoria, Nephelium et Sapindus Auct. pr. p., Zygolepis Turcz.  
Sect. 1. *Euarytera* Radlk. 1879, p. 551.  
Sect. 2. *Xylarytera* id.  
Sect. 3. *Azarytera* id.
- 1459 91 **Mischocarpus** Bl. G. I. 400. — Sp. 9. Ind. or., Cochinch., Archip. Ind., N. Guinea, Austral.  
Cupania, Ratonia, Nephelium, Schleichera et Schmidelia Auct. pr. p., ?Pedicellia Lour., Tripha Nor.
- 1460 92 **Gongrodiscus** Radlk. 1879. — Sp. 2. N. Caled.
- 1461 93 **Lepidopetalum** Bl. G. I. 399. — Sp. 3. Archip. Ind., N. Guinea.  
Cupania, Arytera, Sapindus et Connarus Auct. pr. p., Lachnopetalum Turcz.
- 1462 94 **Paranephelium** Miq. G. I. 400. — Sp. 2. Birma, Sumatra.  
Cupania et Nephelium Auct. pr. p., Mildea Miq., Scyphopetalum Hiern.

TRIBUS X. **Kœlreuteriæ** Radlk. mss.

- 1463 95 **Kœlreuteria** Laxm. G. I. 396. — Sp. 2. China.  
Sapindus Auct. pr. p. (*S. chinensis* L.), Paullinia (*aurea*) Hort.
- 1464 96 **Stocksia** Benth. G. I. 397. — Sp. 1. Belutchist.
- 1465 97 **Erythrophysa** E. Mey. G. I. 397. — Sp. 2. Pr. B. Spei, Madagasc.

TRIBUS XI. **Cossignieæ** Bl. emend.

- 1466 98 **Cossignia** Comm. G. I. 397. — Sp. 3. Ins. Mascar., N. Caled.  
Ruizia (*aurea*) Hort., Melicopsidium H. Bn.
- 1467 99 ?**Delavaya** Franch. in *Bull. Soc. bot. Fr.* XXXIII. 462 (1886).  
— Sp. 1. Yun-Nan.
- 1468 100 **Llagunoa** R. et P. G. I. 409. — Sp. 2. Peruv., Chili, N. Granada.  
Amircea Pers., Orbignya Bert.

TRIBUS XII. **Dodonææ** Kth. emend.

- 1469 101 **Loxodiscus** H. f. G. I. 397. — Sp. 1. N. Caled.
- 1470 102 **Diplopeltis** Endl. G. I. 397 et 999. — Sp. 2. Austral. occ.  
Diplotaxis Lindl. (sphalmate).
- 1471 103 **Dodonæa** L. G. I. 410 et 1000. — Sp. 42. Austral. (sp. 39), Madagasc. (sp. 1, *D. madagascariensis* Radlk. in *Abh. Brem. Ver.* VIII. 470. 1883), Ins. Sandvic. (sp. 1, *D. stenoptera* Hillebrand collect.), sp. 1 in orbis totius reg. trop. et extratrop. calidior. (*D. viscosa* L.).  
Empleurosina Bartl., Ptelea, Triopterys, Palavia, Serjania et Thouinia Auct. pr. p.

- 1472 104 **Distichostemon** F. Müll. G. I. 410. — Sp. 1. Austral. trop.  
*Dodonæa* Auct. pr. p. (*D. hispidula* Endl.).

TRIBUS XIII. **Doratoxyleæ** Radlk. mss.

- 1473 103 **Hypelate** P. Browne. G. I. 408. — Sp. 1. Ind. occ., Florida.  
*Amyris* Auct. pr. p. (*A. Hypelate* Robins.).
- 1474 106 **Exothea** Macfad. G. I. 408. — Sp. 2 (*E. paniculata* et *Copallillo* Radlk.). Ind. occ., Mexic., Florida.  
*Melicocca*, *Ephielis*, *Sapindus* (*S. lucidus* Desv.), *Hypelate*  
et *Stadmannia* Auct. pr. p.
- 1475 107 **Averrhoidium** H. Bn in *Adans.* XI. 244 (1874). — Sp. 1. Brasil.  
*Melicocca* Auct. pr. p.
- 1476 108 **Hippobromus** E. et Z. G. I. 402. — Sp. 1. Pr. B. Spei.  
*Rhus*, *Melicocca*, *Weinmannia*, *Hypelate* et *Stadmannia*  
Auct. pr. p.
- 1477 109 **Doratoxylon** Thou. G. I. 408. — Sp. 1 (*D. apetalum* Radlk.).  
Ins. Maurit.  
*Melicocca*, *Stadmannia* et *Hypelate* Auct. pr. p.
- 1478 110 **Ganophyllum** Bl. G. I. 326 (Burseraceæ). — Sp. 1. Ins. Philip-  
pin., N. Guinea, Austral. (Conf. Radlk. 1879, p. 591).
- 1479 111 **Filicium** Thw. G. I. 323 (Burseraceæ). — Sp. 1. Penins. Ind.  
or., Zeylan.  
*Pteridophyllum* Thw., *Rhus* Auct. pr. p. (*R. decipiens* W.  
et A.). (Conf. Radlk. 1878, p. 289, p. 591).

TRIBUS XIV. **Harpullieæ** Radlk. mss.

- 1480 112 **Harpullia** Roxb. G. I. 407 et 1000. — Sp. 18. Asia trop.,  
Austral., Ins. Pacif.  
*Danatophorus* Zippel (rectius *Thanatophorus*), *Otonychium*  
Bl., *Blancoa* Bl. (*Rumphia* III, nec II, p. 128 obs.),  
*Streptostigma* Thw., *Majidea* Kirk, *Tina*, *Cupania*, *Ptelea*,  
*Seringia* et *Cossignia* Auct. pr. p.
- Subg. 1. *Euharpullia* Radlk. 1877-78, p. 52.  
Sect. 1. *Thanatophorus* Radlk. id. (*Danatophorus*  
Zippel).
- Sect. 2. *Harpulliastrum* H. Bn emend.
- Subg. 2. *Otonychium* Radlk. 1877-78, p. 52.  
Sect. 1. *Euotonychium* id.  
Sect. 2. *Otonychidium* id.
- Subg. 3. *Majidea* Radlk. 1877-78, p. 52. (*Majidea* Kirk,  
*Cossignia* sect. *Harpulliopsis* H. Bn).
- 1481 113 **Conchopetalum** Radlk. mss. <sup>(1)</sup>. — Sp. 1 (*C. madagascariense*  
Radlk. coll. Humblot n. 91 et 92). Madagasc.

(1) A maxime affini *Harpullia* differt disco dilatato pentagono, petalis rubris.



- 1482 114 **Magonia** S<sup>t</sup>-Hil. G. I. 398. (*Phæocarpus* Mart.). — Sp. 2. Brasil.  
 1483 115 **Xanthoceras** Bge. G. I. 408. — Sp. 1. China bor.  
 1484 116 **Ungnadia** Endl. G. I. 398. — Sp. 1. Texas.

**Genera vix vel ne vix in ordine retinenda.**

- 1485 117 **Apiocarpus** Montrous. G. I. 1000 sub *Akania*. — Sp. 1. N. Caled. (ins. Art).  
*Genus dubium*, ob discum « perigynum » vix vera Sapindacea nec (ob « stylum nullum » et « foliola integra ») ad *Akaniam* recensendum.  
 1486 118 **Eustathes** Lour. G. I. 392. — Sp. 1. Cochinch.  
*Valentinia* Auct. pr. p.  
*Genus omnino dubium*, perperam, ut videtur, a DC. « *Dodoneæ* forsan affinis » dictum.  
 1487 119 **Akania** H. f. G. I. 409 et 1000. — Sp. 1. Austral. or.  
*Cupania* Auct. pr. p. (*C. lucens* F. Müll.).  
*Staphyleacearum* genus teste F. Müller.  
 1488 120 **Alvaradoa** Liebm. G. I. 411. — Sp. 3. Mexic., Nicaragua, Ind. occ,  
*Picramnia* Auct. pr. p. (*P. filipetala* Turcz.).  
*Simarubacearum* genus videtur.  
 1489 121 **Aitonia** L. G. I. 411. — Sp. 1. Pr. B. Spei.  
Ad *Meliaceas* vix dubie revocanda.  
 1490 122 **Ptæroxylon** E. et Z. G. I. 411. — Sp. 1. Pr. B. Spei.  
*Rhus* Auct. pr. p. (*R. obliqua* E. Mey.).  
*Cedrelearum* genus habendum.

#### ORDO LVI. HIPPOCASTANACEÆ

- 1491 1 **Æsculus** L. G. I. 398. — Sp. 14. Amer. bor. calidior, Persia, Ind. or. bor., China.  
*Pavia* Poir., *Hippocastanum* Gärtn., *Macrothyrsus* et *Calothyrsus* Spach.  
 1492 2 **Billia** Peyritsch. G. I. 398. — Sp. 2. Mexic., Guatemala, N. Granada, Venezuela.  
*Putzeysia* Planch. et Lind.

#### ORDO LVII. ACERACEÆ

- 1493 1 **Acer** L. G. I. 409. — Sp. 84. Eur., Amer. et Asia bor., Himal., Java.  
 1494 2 **Negundo** Mönch. G. I. 409. — Sp. 3. Amer. bor. temp., Japonia.  
 1495 3 **Dobinea** Ham. G. I. 410. — Sp. 1. Himal.

ORDO LVIII. **MELIANTHACEÆ**

- 1496 1 **Melianthus** L. G. I. 411. — Sp. 5. Pr. B. Spei (1 sp. in Himal. introducta).  
Diplerisma Planch.
- 1497 2 **Greyia** Hook. et Harv. G. I. 1000. — Sp. 1. Afr. austr.
- 1498 3 **Bersama** Fresen. G. I. 412. — Sp. 4. Afr. trop. et austr.  
Natalia Hochst. (Rhaganus E. Mey.).

ORDO LIX. **STAPHYLEACEÆ**

- 1499 1 **Staphylea** L. G. I. 412. — Sp. 4. Eur., Himal., Japon., Amer. bor.
- 1500 2 **Euscaphis** S. et Z. G. I. 412. — Sp. 2. Japon.
- 1501 3 **Turpinia** Vent. G. I. 413. — Sp. 8. Ind. or., Archip. Ind., China, Ind. occ., Amer. centr. et austr. bor.  
Triceraia Willd. (vix Triceris Lour. G. I. 418 obs.),  
Dalrymplea Roxb., Lacepedea H. B. et K., Ochranthe Lindl., Eyrea Champ., Zanthoxylum Auct. pr. p. (*Z. montanum* et *serrulatum* Bl. Conf. Radlk. in *Sitzungsber. K. bayer. Acad.* 306 (1886).
- 1502 4 **Huertea** R. et P. <sup>(1)</sup> G. I. 428. — Sp. 2. Peruv., Ind. occ.

ORDO LX. **SABIACEÆ** <sup>(2)</sup>

- 1503 1 **Sabia** Colebr. G. I. 414. (*Meniscosta* Bl., *Enantia* Falc., *Androylossa* Benth.). — Sp. ad 12. Asia trop. et temp.
- 1504 2 **Meliosma** Bl. G. I. 414. (*Millingtonia* Roxb.). — Sp. ad 26.  
Asia trop., Mexic., N. Granada.  
Oligostemon Turcz., Lorenzeana et Kingsboroughia Liebm.,  
Wellingtonia Meisn.
- 1505 3 **Phoxanthus** Benth. G. I. 414. — Sp. 1. Brasil. bor.
- 1506 4 **Ophiocaryon** Schomb. G. I. 415. — Sp. 1. Guiana.

ORDO LXI. **ANACARDIACEÆ** <sup>(3)</sup>TRIBUS I. **Mangifereæ**.

- 1507 1 **Buchanania** Roxb. G. I. 421. (*Coniogeton* Bl., *Cambessedea* Kth). — Sp. 20 v. 23? Asia trop., Austral. bor.

(1) Huc recensenda videtur ex cl. Radlkofer in litt., excl. Spruce *Pl. Peruv.* n. 4193 (*Crepidosperrum Goudotianum* Tr. et Pl. fide Engler *Burseracearum Monogr.*) a Griseb. in *Cat. Pl. Cub* p. 67 « Huertea? congener » dicta.

(2) Sp. ad 40, reg. trop. et subtrop. præcipue hemisph. bor. incolentes.

(3) Sp. ad 430, inter reg. calid. et trop. utriusque hemisph. sparsæ, in temper. raræ.

Divisio et area geographica sec. Monographiam cl. Engleri in *Suites au Prodromus*. IV. 171-500.

- 1508 2 **Mangifera** L. G. I. 420. — Sp. ad 30. Asia trop.  
 1509 3 **Anacardium** Rottb. G. I. 420. (*Acajuba* Gärtn., *Cassuvium* Lam.,  
*Rhinocarpus* Bertero, *Monodynamus* Pohl). — Sp. ad 8.  
 Amer. (et Asia ?) trop.  
 1510 4 **Gluta** L. G. I. 421. (*Syndesmis* Wall., *Stagmaria* Jack.). — Sp.  
 5. Asia trop., Madagasc.  
 1511 5 **Swintonia** Griff. G. I. 421 et 1001. (*Astropetalum* Griff.,  
*Anauxanopetalum* Teijsm. et Binn.). — Sp. 88. Asia  
 trop., Archip. Ind.  
 1512 6 **Melanorrhœa** Wall. G. I. 421. — Sp. 6. Ind. or., Borneo.  
 1513 7 **Bouea** Meisn. G. I. 420. (*Cambessedea* W. et A.). — Sp. 4.  
 Ind. or., Asia trop. ins.

TRIBUS II. **Spondiææ**.

- 1514 8 **Spondias** L. G. I. 427 pr. p. (*Cytheræa* W. et A., *Evia* Comm.,  
*Wirtgenia* Jung., *Warmingia* Engl.). — Sp. 5. Utrius-  
 que orbis reg. trop.  
 1515 9 **Solenocarpus** W. et A. G. I. 422. — Sp. 1. Ind. or.  
 1516 10 **Dracontomelum** Bl. G. I. 427. (*Comeurya* H. Bn). — Sp. 5.  
 Asia trop. or. ins.  
 1517 11 **Pleiogynium** Engl. in *Suites au Prodromus*. IV. 255. (*Spondias*  
 F. Müll.). — Sp. 1. Austral.  
 1518 12 **Sclerocarya** Hochst. G. I. 427. (*Spondias* Rich. pr. p.). — Sp. 2.  
 Afr. trop.  
 1519 13 **Pseudospondias** Engl. in *Suites au Prodromus*. IV. 258. (*Spon-*  
*dias* Rich. pr. p.). — Sp. 1. Afr. trop.  
 1520 14 **Poupartia** Comm. (*Spondias* B. et H. pr. p. G. I. 427, *Shakua*  
 Bojer, *Sclerocarya* Balf. f.). — Sp. 3 v. 4? Ins. Mascar.,  
 Madagasc. ?  
 1521 15 **Phlebochiton** Wall. (*Robergia* Roxb., *Pegia* Colebr., *Tapiria*  
 Hook. f. G. I. 423.). — Sp. 1. Ind. or.  
 1522 16 **Odina** Roxb. G. I. 423. — Sp. 15? Asia et Afr. trop.  
 Sect. 1. *Lanneoma* Engl., *Lanneoma* Delile.  
 Sect. 2. *Euodina* Engl., *Lannea* Rich., *Tapiria* L., *Tapi-*  
*riria* H. Bn pr. p., *Wirtgenia* Jung. pr. p.  
 1523 17 **Cyrtocarpa** H. B. et K. (*Tapiria* B. et H. pr. p. G. I. 423.  
*Tapirira* H. Bn pr. p.). — Sp. 1. Mexic.  
 1524 18 **Hæmatostaphis** H. f. G. I. 422. — Sp. 1. Guiana.  
 1525 19 **Tapirira** Aubl. G. I. 423. — Sp. 4. Mexic., Amer. austr.  
 1526 20 ? **Harpephyllum** Bernh. G. I. 427. — Sp. 1. Afr. trop.  
 1527 21 **Haplorhus** Engl. in *Bot. Jahrb.* 1. 419. — Sp. 1. Peruv.  
 1528 22 **Pistacia** L. G. I. 419. (*Terebinthus* et *Lentiscus* Tourn.). —  
 Sp. 8. Reg. Medit., Ins. Canar., Asia occ., China,  
 Mexic.

- 1529 23 **Pentaspadon** H. f. G. I. 419. (*Nothoprotium* Miq. G. I. 326). — Sp. 1. Archip. Ind.
- 1530 24 **Microstemon** Engl. in *Suites au Prodromus*. IV. 295. (*Pentaspadon* H. f. in *Fl. B. Ind.* II. 28.). — Sp. 1. Malacca.
- 1531 25 **Thyrsodium** Benth. (*Garuga* B. et H. pr. p. G. I. 323). — Sp. 4. Brasil., Guiana.
- 1532 26 **Faguetia** L. March. in *Révis. Anacard.* 174. — Sp. 1. Madagasc.
- 1533 27 **Sorindeia** Thou. G. I. 419. (*Trichoscypha*, *Mauria* et *Euroschinus* Oliv., *Dupuisia* Rich.). — Sp. ad 6. Afr. trop., Madagasc., Java.
- 1534 28 **Trichoscypha** H. f. G. I. 423. — Sp. 9. Afr. trop. occ.
- 1535 29 **Parishia** H. f. G. I. 424. (*Astronium* L. March. pr. p.). — Sp. 4. Malacca.
- 1536 30 **Protorhus** Engl. in *Bot. Jahrb.* I. 429. — Sp. 9. Afr. trop. or.
- 1537 31 **Campnosperma** Thw. G. I. 425. (*Buchanania* Bl., *Cyrtospermum* et *Drepanospermum* Benth. G. I. 425). — Sp. 8. Madagasc., Zeylan., Archip. Ind., Amer. trop.
- 1538 32 **Euroschinus** H. f. G. I. 422. (*Sorindeia* L. March.). — Sp. 5. Austral., N. Caled.
- 1539 33 **Rhodosphæra** Engl. in *Bot. Jahrb.* I. 423. — Sp. 1. Austral.
- 1540 34 **Mauria** Kth. G. I. 426. — Sp. 7. Amer. mer. andina.
- 1541 35 **Schinus** L. G. I. 422. — Sp. 13. Amer. mer., Austral., S. Helena?  
Sect. 1. *Euschinus* L. March.  
Sect. 2. *Duvaua* L. March., *Duvaua* Kth. G. I. 426, *Sarcotheca* Turcz.
- 1542 36 **Lithræa** Miers. (*Rhus* B. et H. G. I. 418 pr. p.). — Sp. 3. Chili, Brasil. extratrop.
- 1543 37 **Cotinus** Tourn. *Institut.* 380. (*Rhus* L. sect. 1. DC.). — Sp. 1. Eur. austr., Asia occ. et or. extratrop.
- 1544 38 **Loxostylis** Spreng. G. I. 421. (*Anasillis* E. Mey.). — Sp. 1. Afr. extratrop.
- 1545 39 **Botryceras** Willd. G. I. 426. (*Laurophyllum* Thunb., *Daphnitis* Spreng.). — Sp. 1. Afr. extratrop.
- 1546 40 **Smodingium** E. Mey. G. I. 423. — Sp. 1. Pr. B. Spei.
- 1547 41 **Anaphrenium** E. Mey. mss. in Endl. *Gen. Plant*, suppl. II. 92. (*Ræmeria* Thunb., *Heeria* Meisn., *Ozoroa* Delile, *Rhus* Sonder). — Sp. 6. Afr. trop. et extratrop.
- 1548 42 **Comoclada** P. Browne. G. I. 419. (*Dodonæa* Plum.). — Sp. 9. Amer. centr., Ind. occ.
- 1549 43 **Metopium** P. Browne *Hist. Jam.* 177. (*Rhus* DC. et auct. pr. p.). — Sp. 2. Antill.
- 1550 44 **Pseudosmodingium** Engl. in *Bot. Jahrb.* I. 149. (*Smodingium* H. Bn). — Sp. 3. Mexic.

- 1351 45 **Rhus** L. B. et H. G. I. 419. pr. p. (*Turpinia* Raf., *Schmalzia* Desv., *Melanococca* Bl.). — Sp. ad 118. Orbis tot. reg. subtrop. et calid.  
 Sect. 1. *Trichocarpæ* Engl.  
 Sect. 2. *Venenatæ* Engl.  
 Sect. 3. *Gerontogææ* Engl.  
 Sect. 4. *Melanocarpeæ* Engl.
- 1352 46 **Astronium** Jacq. G. I. 423. — Sp. ad 9. Amer. mer.  
 Sect. 1. *Euastronium* Engl.  
 Sect. 2. *Myracodruon* Engl., *Myracodruon* Fr. Allem. G. III. 1000.
- 1353 47 **Loxopterygium** H. f. G. I. 419. — Sp. 4. Amer. mer.
- 1354 48 **Schinopsis** Engl. in *Bot. Jahrb.* I. 46. (*Quebrachia* Griseb.). — Sp. 4. Amer. trop.
- 1355 49 **Micronychia** Oliv. in Hook. *Icon. Plant.* IV. tab. 1337. — Sp. 1. Madagasc.
- 1356 50 **Baronia** Bak. in *Journ. Bot.* 67 (1882). — Sp. 1. Madagasc.
- 1357 51 **Nothopegia** Bl. G. I. 425. (*Glycicarpus* Dalz.). — Sp. 3. Ind. or.
- 1358 52 **Melanochyla** H. f. in *Fl. B. Ind.* II. 38. — Sp. 4. Malacca.
- 1359 53 **Drimycarpus** H. f. G. I. 424. — Sp. 1. Ind. or.
- 1360 54 **Semecarpus** L. f. G. I. 424. (*Anacardium* Lam., *Oncocarpus* A. Gray. G. I. 424.). — Sp. ad 40. Archip. Ind., Ind. or.
- 1361 55 **Holigarna** Ham. G. I. 425. (*Hadestaphyllum* Dennst.). — Sp. 5. Ind. or.
- Genus incertæ sedis.
- 1362 56 ? **Juliania** Schlecht. G. I. 428. (*Hypopterygium* Schlecht.). — Sp. 2. Mexic., Peruv.

## ORDO LXII. CORIARIEÆ

- 1363 1 **Coriaria** L. G. I. 429. — Sp. 3 v. 5. Reg. Medit., Himal., Japon., N. Zel., Austral.  
 Heterocladus et Heterophylleia Turcz.

## ORDO LXIII. MORINGEÆ

- 1364 1 **Moringa** Juss. G. I. 430. (*Hyperanthera* Forsk., *Anoma* Lour.). — Sp. 3. Afr. bor., Asia calid. occ., Ind. or.

## ORDO LXIV. CONNARACEÆ <sup>(1)</sup>

### TRIBUS I. Connareæ.

- 1365 1 **Byrsocarpus** Schum. et Thonn. G. I. 431. — Sp. 1. Afr. trop.

(1) Sp. ad 170, per reg. trop. utriusque orbis dispersæ.

- 1566 2 **Bernardinia** Planch. G. I. 431. — Sp. 1. Brasil.  
 1567 3 **Agelæa** Soland. G. I. 432. — Sp. ad 12. Afr. trop., Madagasc.,  
 Archip. Ind.  
 Hemiandrina H. f.  
 1568 4 **Rourea** Aubl. G. I. 432. (*Robergia* Schreb., *Canicidia* Vell.). —  
 Sp. ad 55. Asia, Afr. et Amer. trop., Austral.  
 1569 5 **Roureopsis** Planch. in *Linnæa*. XXIII. 424. — Sp. 2. Ind. or.,  
 Java.  
 1570 6 **Pseudoconnarus** Radlk. in *Sitzungsber. K. bayr. Acad.*  
*Wiss.* 356 (1886). — Sp. 1. Brasil.  
 1571 7 **Connarus** L. G. I. 432 et 1001. (*Omphalobium* Gärtn.). — Sp.  
 ad 58. Asia, Afr. et Amer. trop., Ins. Pacif.  
*Erythrostigma* Hassk., *Anisostemon* Turcz.

TRIBUS II. **Cnestideæ.**

- 1572 8 **Manotes** Soland. G. I. 433. — Sp. 5. Afr. trop. occ.  
 1573 9 **Cnestidium** Planch. G. I. 433. — Sp. 1. Panama, Mexic.  
 1574 10 **Cnestis** Juss. G. I. 433. — Sp. ad 12. Afr. trop. et austr., Ma-  
 dagasc., Archip. Ind.  
 1575 11 **Tricholobus** Bl. G. I. 433. — Sp. ad 12. Archip. Ind., Austral.  
 1576 12 **Tæniochlæna** H. f. G. I. 433. — Sp. 1. Penins. Malay.  
 1577 13 **Ellipanthus** H. f. G. I. 434. — Sp. 5. Penins. Malay.  
 1578 14 **Troostwyckia** Miq. G. I. 434. — Sp. 1. Sumatra.

ORDO LXV. **LEGUMINOSÆ** <sup>(1)</sup>

SUBORDO I. **Papilionaceæ.**

TRIBUS I. **Podalyrieæ.**

- 1579 1 **Anagyris** L. G. I. 465. — Sp. 2 v. 3. Reg. Medit. usque ad Ins.  
 Canar. et Arabiam.  
 1580 2 **Piptanthus** D. Don. G. I. 465. — Sp. 1. Himal.  
 1581 3 **Thermopsis** R. Br. G. I. 465. — Sp. ad 13. Amer. bor., Asia  
 bor., med. et or.  
 1582 4 **Baptisia** Vent. G. I. 466. — Sp. ad 14. Amer. bor.  
 1583 5 **Pickeringia** Nutt. G. I. 466 et 1001. — Sp. 1. Californ.  
 1584 6 **Cyclopia** Vent. G. I. 466. (*Ibbetsonia* Sims). — Sp. 9. Afr.  
 austr.  
 1585 7 **Podalyria** Lam. G. I. 466. — Sp. 17. Afr. austr.  
 1586 8 **Jansonia** Kipp. G. I. 467. (*Cryptosema* Meisn.). — Sp. 1.  
 Austral.

(1) Sp. ad 7000, per omnem fere orbem terrarum dispersæ a regionibus æquinoctialibus usque ad  
 terras arcticas v. summos montes, in insulis frigidis antarcticis desunt.

- 1587 9 **Brachysema** R. Br. G. I. 467. — Sp. 14. Austral. occ. et trop.  
Leptosema Benth., Kaleniczenkia Turcz., Burgesia F. Müll.
- 1588 10 **Oxylobium** Andr. G. I. 467. — Sp. ad 26. Austral.  
Callistachys Vent., Podolobium R. Br.
- 1589 11 **Chorizema** Labill. G. I. 467. (*Orthotropis* Benth.). — Sp. 15.  
Austral.
- 1590 12 **Mirbelia** Sm. G. I. 468. — Sp. 16. Austral.  
Dichosema Benth., Oxycladium F. Müll.
- 1591 13 **Isotropis** Benth. G. I. 468. — Sp. 8. Austral.
- 1592 14 **Gompholobium** Sm. G. I. 468. — Sp. 24. Austral.
- 1593 15 **Burtonia** R. Br. G. I. 468. — Sp. 8. Austral.
- 1594 16 **Jacksonia** R. Br. G. I. 469. (*Piptomeris* Turcz.). — Sp. 35.  
Austral.
- 1595 17 **Sphærolobium** Sm. G. I. 469. — Sp. 12. Austral.  
Rcea Hüg.
- 1596 18 **Viminaria** Sm. G. I. 469. — Sp. 1. Austral.
- 1597 19 **Daviesia** Sm. G. I. 469. — Sp. 57. Austral.
- 1598 20 **Aotus** Sm. G. I. 470. — Sp. 19 (11 sec. F. Müll.). Austral.
- 1599 21 **Phyllota** DC. G. I. 470. — Sp. 6. Austral.
- 1600 22 **Gastrolobium** R. Br. G. I. 470. — Sp. 34. Austral.
- 1601 23 **Pultenæa** Sm. G. I. 470. — Sp. 75. Austral.  
Euchilus R. Br., Spadostyles Benth., Urodon Turcz.,  
Bartlingia A. Brongn.
- 1602 24 **Latrobea** Meisn. G. I. 471. — Sp. 6. Austral.  
Leptocytisus Meisn.
- 1603 25 **Eutaxia** R. Br. G. I. 471. — Sp. 8. Austral.  
Sclerothamnus R. Br.
- 1604 26 **Dillwynia** Sm. G. I. 471. — Sp. 10. Austral.

TRIBUS II. **Genisteeæ.**

- 1605 27 **Liparia** L. G. I. 472. — Sp. 4. Afr. austr.
- 1606 28 **Priestleya** DC. G. I. 472. — Sp. 15. Afr. austr.  
Xiphotheca E. et Z., Achyronia Wendl.
- 1607 29 **Amphithalea** E. et Z. G. I. 472. — Sp. 9. Afr. austr.  
Cryphiantha E. et Z., Epistemum Walp.
- 1608 30 **Lathriogyne** E. et Z. G. I. 472. (*Heudusa* E. Mey.). — Sp. 1.  
Afr. austr.
- 1609 31 **Cœlidium** Vogel. G. I. 473. — Sp. 3. Afr. austr.
- 1610 32 **Walpersia** Harv. et Sond. G. I. 473. — Sp. 1. Afr. austr.
- 1611 33 **Euchilopsis** F. Müll. in *Melb. Chemist.* n. 6 (1882). — Sp. 1.  
Austral.
- 1612 34 **Platylobium** Sm. G. I. 473. — Sp. 3. Austral.  
Cheilococca Salisb.

- 1613 35 *Bossia* Vent. G. I. 473. — Sp. 3 v. 4. Austral.  
*Scottea* R. Br., *Lalage* Endl.
- 1614 36 *Templetonia* R. Br. G. I. 474. — Sp. 7. Austral.  
*Nematophyllum* F. Müll.
- 1615 37 *Hovea* R. Br. G. I. 474. (*Poiretia* Sm.). — Sp. 11. Austral.  
*Plagiolobium* Sweet, *Platychilum* Delaunay.
- 1616 38 *Goodia* Salisb. G. I. 474. — Sp. 2. Austral.
- 1617 39 *Borbonia* L. G. I. 475. — Sp. 13. Afr. austr.
- 1618 40 *Rafnia* Thunb. G. I. 475. — Sp. 22. Afr. austr.  
*Vascoa* DC., *OEdmannia* Thunb., *Pelecynthis* E. Mey.
- 1619 41 *Euchlora* E. et Z. G. I. 475. — Sp. 1. Afr. austr.
- 1620 42 *Pleiospora* Harv. G. I. 475. — Sp. 1. Afr. austr.
- 1621 43 *Leptononis* DC. I. 476. — Sp. ad 66. Afr. austr. et trop., Reg.  
Medit.  
1. *Aulacanthus* E. Mey.  
2. *Krebsia* E. et Z., *Telina* E. Mey. pr. p.  
3. *Lotononis* E. et Z., *Telina* E. Mey. pr. p.  
4. *Polylobium* E. et Z. pr. p., *Lipozygis* E. Mey. pr. pr.  
5. *Oxydium* Benth., *Polylobium* E. et Z. pr. p.  
6. *Lipozygis* E. Mey. pr. p.  
7. *Leobordea* Delile, *Capnitis* E. Mey., *Leptis* E. et Z. pr. p.  
8. *Leptis* E. et Z. pr. p.  
? *Amphinomia* DC.
- 1622 44 *Listia* E. Mey. G. I. 476. — Sp. 1. Afr. austr.
- 1623 45 *Rothia* Pers. G. I. 477. (*Westonia* Spreng.). — Sp. 2. Ind. or.,  
Austral. et Afr. trop.  
*Xerocarpus* Guill. et Perr.
- 1624 46 *Lebeckia* Thunb. G. I. 477. — Sp. 24. Afr. austr.  
*Stiza* et *Sarcophyllum* E. Mey., *Calobota* et *Acanthobotrya*  
E. et Z.
- 1625 47 *Viborgia* Thunb. G. I. 477. (*Wiborgia*). — Sp. 7. Afr. austr.
- 1626 48 *Aspalathus* L. G. I. 478. — Sp. ad 150. Afr. austr.  
*Pachyraphea*, *Cyphocalyx*, *Plagiostigma*, *Streptosema*, *Psilolepus*,  
*Paraspalathus*, *Trineuria* et *Heterolathus* Presl,  
*Sarcophyllum* Thunb. (*Sarcocalyx* Walp.). *Acropodium*  
Desv.
- 1627 49 *Buchenroedera* E. et Z. G. I. 478. (*Colobotus* E. Mey.). — Sp. 8.  
Afr. austr.
- 1628 50 *Anarthrophyllum* Benth. G. I. 478. — Sp. 5. Amer. austr.
- 1629 51 *Melolobium* E. et Z. G. I. 478. (*Sphingium* E. Mey.). — Sp. 11.  
Afr. austr.
- 1630 52 *Dichilus* DC. G. I. 479. (*Calycotome* E. Mey., *Melinospermum*  
Walp.). — Sp. 3. Afr. austr.



- 1631 53 **Heylandia** DC. G. I. 479. (*Goniogyne* DC.). — Sp. 1. Ind. or.  
 1632 54 **Crotalaria** L. G. I. 479. — Sp. enum. ultra 280, sed vix 180  
 dist. Reg. calid. utriusque orbis.  
 Clavulium Desv., Chrysocalyx Guill. et Perr., Maria-Antonia  
 Parlat., Phyllocalyx Hochst.
- 1633 55 **Priotropis** W. et A. G. I. 480. — Sp. 2. Ind. or.  
 1634 56 ? **Pentadynamis** R. Br. G. I. 480. — Sp. 1. Austral. mer.  
 1635 57 **Lupinus** L. G. I. 480. — Sp. descr. ultra 95, sed plures reduc.  
 Amer. bor. et austr., Reg. Medit., Afr. trop.
- 1636 58 **Argyrolobium** E. et Z. G. I. 480 et 1002. (*Chasmone* E. Mey.).  
 — Sp. ad 50. Eur. austr., Afr. bor. trop. et austr., Asia  
 occ., Ind. or.  
 Gamochilum et Trichasma Walp., Chamæcytismus Vis.,  
 Diotolotus Tausch.
- 1637 59 **Adenocarpus** DC. G. I. 481. — Sp. ad 9. Eur. austro-occ.,  
 Reg. Medit., Afr. occ. trop. et bor.
- 1638 60 **Laburnum** Griseb. G. I. 481. — Sp. 3. Eur. austr., Asia minor.  
 Podocytisus Boiss.
- 1639 61 **Calycotome** Link. G. I. 481. — Sp. 3 v. 4. Reg. Medit.  
 1640 62 **Petteria** Presl. G. I. 482. — Sp. 1. Dalmatia.  
 1641 63 **Genista** L. G. I. 482 et 1002. — Sp. ad 70. Eur., Afr. bor.,  
 Asia occ.  
 Sect. 1. *Bælia* Benth., *Bælia* Webb.  
 Sect. 2. *Retama* Benth., *Retama* Boiss., *Spartium* Spach.  
 Sect. 3. *Drymospartum* Benth., *Drymospartum* Presl,  
*Dendrospartum* et *Gonocytisus* Spach.  
 Sect. 4. *Spartocarpus* Spach, *Voglera* et *Salzwedelia* Fl.  
 Wett.  
 Sect. 5. *Camptolobium* Spach.  
 Sect. 6. *Stenocarpus* Benth., *Corniola* et *Coroethamnus*  
 Presl, *Stepone* Griseb., *Spartidium* Pomel.  
 Sect. 7. *Asterocytisus* Koch, *Asterocytisus* Schur.
- 1642 64 **Spartium** L. G. I. 483. (*Spartianthus* Link). — Sp. 1. Reg.  
 Medit., Ins. Canar.
- 1643 65 **Erinacea** Boiss. G. I. 483. — Sp. 1. Hispania.  
 1644 66 **Ulex** L. G. I. 483. — Sp. ad 10-12 reduc. Eur. occ., Afr. bor.  
 occ.  
*Stauracanthus* Link, *Nipa* Webb.
- 1645 67 **Cytisus** L. G. I. 484. — Sp. ad 40. Eur., Asia occ., Afr. bor.,  
 Ins. Canar.  
 Sect. 1. *Sarothamnus* Benth., *Sarothamnus* Wimm.  
 Sect. 2. *Spartocytisus* Benth., *Spartocytisus* et *Sparto-*  
*thamnus* Webb pr. p.

- Sect. 3. *Lembotropis* Benth., *Lembotropis* Griseb.  
 Sect. 4. *Eucytisus* Benth., *Spartothamnus* Webb pr. p.  
 Sect. 5. *Tubocytisus* Benth., *Cytisus* Webb.  
 Sect. 6. *Teline* Benth., *Teline* Webb, *Telinaria* Presl.  
 Sect. 7. *Pterospartum* Spach.  
 Sect. 8. *Chronanthus* DC.

- 1646 68 **Hypocalyptus** Thunb. G. I. 484. — Sp. 1. Afr. austr.  
 1647 69 **Loddigesia** Sims. G. I. 485. — Sp. 1. Afr. austr.

TRIBUS III. **Trifolieæ.**

- 1648 70 **Ononis** L. G. I. 485. — Sp. ad 60. Eur., Asia occ., Afr. bor.  
     *Bugranopsis* Pomel.  
 1649 71 **Parochetus** Ham. G. I. 485. — Sp. 1. Asia trop., Afr. trop. or.  
 1650 72 **Trigonella** L. G. I. 486 et 1002. — Sp. ad 60. Eur. Asia, Afr.  
     Austral.  
     Sect. 1. *Fœnum-græcum* Ser.  
     Sect. 2. *Grammocarpus* Ser. pr. p., *Folliculigera* Pasq.  
     Sect. 3. *Uncinella* Benth.  
     Sect. 4. *Buceras* Ser., *Falcatula* Brot., *Aporanthus*  
     *Bromfield*.  
     Sect. 5. *Falcatula* Ser., *Pocockia* Boiss., *Botryolotus* Jaub.  
     et Spach.  
     Sect. 6. *Pocockia* Benth., *Pocockia* Ser.  
 1651 73 **Medicago** L. G. I. 487. — Sp. ad 40. Eur., Asia, Afr., alibi  
     inquit.  
     *Diploprion* Viv.  
 1652 74 **Melilotus** Juss. G. I. 487. — Sp. ad 10. Eur., Asia, Afr., Amer.  
 1653 75 **Trifolium** L. G. I. 487 et 1002. — Sp. descr. fere 300, sed  
     vix ultra 170 dist. Eur., Asia, Afr., Amer.  
     1. *Pentaphyllon* Pers., *Paramesus*, *Amareneus*, *Lupinaster*,  
     *Amoria* et *Micrantheum* Presl, *Loxospermum* Hochst.  
     2. *Trifolium*, *Myrtyllus*, *Galearia* et *Calycomorpha* Presl.

TRIBUS IV. **Loteæ.**

- 1654 76 **Anthyllis** L. G. I. 488. — Sp. ad 20. Eur., Asia occ., Afr. bor.  
     Sect. 1. *Vulneraria* DC., *Acanthyllis* Pomel.  
     Sect. 2. *Physanthyllis* Benth., *Physanthyllis* Boiss.  
     Sect. 3. *Aspalathoides* DC.  
     Sect. 4. *Cornicina* DC., *Cornicina* Boiss.  
     Sect. 5. *Dorycnopsis* Benth., *Dorycnopsis* Boiss.  
 1655 77 **Helminthocarpum** A. Rich. G. I. 489. — Sp. 1. Abyss.  
 1656 78 **Hymenocarpus** Savi. G. I. 489. — Sp. 1. Reg. Medit.  
 1657 79 **Securigera** DC. G. I. 489. (*Securidaca* Gärtn.). — Sp. 1.  
     Eur. austr., Afr. bor., Asia occ.

- 1658 80 *Cytisopsis* Jaub. et Spach. G. I. 489. — Sp. 1. Syria.  
 1659 81 *Dorycnium* Vill. G. I. 490. — Sp. ad 6. Eur., Asia occ., Afr. bor.  
     *Bonjeania* Richb.  
 1660 82 *Lotus* L. G. I. 490. — Sp. descr. ultra 100, ad 55 reduc. Eur., Asia., Afr., Amer., Austral.  
     Sect. 1. *Krokeria* Ser.  
     Sect. 2. *Lotea* Ser., *Lotea* Webb.  
     Sect. 3. *Microlotus* Benth., *Anisolotus* Bernh.  
     Sect. 4. *Eulotus* Ser. *Pedrosia* Lowe, *Heinekenia* Webb.  
     Sect. 5. *Tetragonolobus* Benth., *Tetragonolobus* Scop.  
 1661 83 *Hosackia* Dougl. G. I. 491. — Sp. ad 38 Amer. bor., Mexic.  
     Sect. 1. *Euhosackia* Torr. et Gray.  
     Sect. 2. *Drepanolobus* Nutt., *Syrmatium* Vogel.

TRIBUS V. **Galegeæ.**

- 1662 84 *Psoralea* L. G. I. 491. — Sp. ad 105. Reg. trop. et temp. utriusque orbis.  
     *Rhynchodium* Presl, *Meladenia* Turcz., *Munbya* Pomel.  
 1663 85 *Apoplinesia* Presl. G. I. 492. (*Microlobium* Liebm.). — Sp. 1. Mexic.  
 1664 86 *Marina* Liebm. G. I. 492. — Sp. 1. Mexic.  
 1665 87 *Eysenhardtia* H. B. et K. G. I. 492. (*Viborquia* Ort., *Varennea* DC.). — Sp. 4 v. 5. Texas, Mexic.  
 1666 88 *Amorpha* L. G. I. 492. — Sp. ad 8. Amer. bor.  
 1667 89 *Dalea* L. G. I. 493. (*Trichopodium* Presl). — Sp. ad 110. Amer. bor. et austr.  
 1668 90 *Parryella* Torr. et Gray in *Proc. Amer. Acad.* VII. 397. — Sp. 1. Amer. bor.  
 1669 91 *Asagræa* H. Bn in *Adans.* IX. 232 (1870). — Sp. 1. Amer. bor.  
 1670 92 *Petalostemon* Mchx. G. I. 493 et 1002. — Sp. ad 23. Amer. bor., N. Mexic.  
     *Kuhnistera* Lam., *Gatesia* Bertol.  
 1671 93 *Cyamopsis* DC. G. I. 493. — Sp. 2. Ind. or., Afr. trop.  
 1672 94 *Indigofera* L. G. I. 494. — Sp. ad 270. Utriusque orbis reg. calid.  
     Sect. 1. *Acanthonotus* Benth., *Acanthonotus* Benth.  
     Sect. 2. *Sphæridiophora* Benth., *Sphæridiophora* Desv.  
     Sect. 3. *Euindigofera* Benth., *Indigastrium* Jaub. et Spach, *Oustropis* G. Don, *Eilemanthus* Hochst., *Hemispadon* Endl.  
     Sect. 4. *Amecarpus* Benth., *Brissonia* Desv., *Amecarpus* Benth.

- 1673 95 *Harpalyce* Moç. et Sessé. G. I. 494. — Sp. ad 6. Mexic., Cuba, Brasil.
- 1674 96 *Brongniartia* H. B. et K. G. I. 495. — Sp. ad 15. Amer. centr. et austr., Mexic.  
*Peraltea* H. B. et K., *Megastegia* G. Don.
- 1675 97 *Lamprolobium* Benth. G. I. 495. — Sp. 2. Austral.
- 1676 98 *Peteria* A. Gray. G. I. 495. — Sp. 2. N. Mexic.
- 1677 99 *Barbieria* DC. G. I. 495. — Sp. 1. Amer. austr. trop.
- 1678 100 *Errazurisia* Philippi in *Ann. Universidad de Chile*. 689 (1879). — Sp. 1. Chili.
- 1679 101 *Galega* L. G. I. 496. — Sp. 3. Eur. mer., Asia occ.  
*Callotropis* G. Don (*Accorombona* Endl.).
- 1680 102 *Ptychosema* Benth. G. I. 496. — Sp. 3. Austral.
- 1681 103 *Sylitra* E. Mey. G. I. 496. — Sp. 1. Afr. austr. et trop. occ.
- 1682 104 *Tephrosia* Pers. G. I. 496. — Sp. ad 125. Utriusque orbis reg. trop. et subtrop.  
 Sect. 1. *Brissonia* DC., *Kiesera* Reinw., *Xiphocarpus* Presl, *Balloa* Liebm.  
 Sect. 2. *Reineria* DC., *Macronyx* Dalz., *Apodynomene* E. Mey., *Pogonostigma* Boiss., *Catacline* Edgew.  
 Sect. 3. *Requienia* DC., *Requienia* DC.
- 1683 105 *Hœpferia* Vatke in *Æster. bot. Zeitschr.* 222 (1879). — Sp. 1. Afr. trop.
- 1684 106 *Chadsia* Bojer (err. typ. *Chaldia*). G. I. 497. — Sp. 2. Madagasc.
- 1685 107 *Mundulea* DC. G. G. I. 497. — Sp. ad 3. Asia et Afr. trop.
- 1686 108 *Sarcodum* Lour. G. I. 498. — Sp. 1. Cochinch.
- 1687 109 *Milletia* W. et A. G. I. 498. (*Berrebera* Hochst.). — Sp. ad 50. Asia calid., Afr. et Austral. trop.  
*Fornasinia* Bertol., *Otosema* Benth., *Padbruggea* Miq., *Marquartia* Vogel (*Callerya* Endl.).
- 1688 110 *Platysepalum* Welw. in *Fl. trop. Afr.* II. 131. — Sp. 1. Afr. trop. occ.
- 1689 111 *Wistaria* Nutt. G. I. 499. (*Wisteria* Auct., *Thyrsanthus* Ell., *Diplonyx* Raf.). — Sp. 2 v. 3. Amer. bor., Japon., China.
- 1690 112 *Fordia* Hemsl. in *Journ. Linn. Soc.* XXXII. 160 (1886). — Sp. 1. China.
- 1691 113 *Robinia* L. G. I. 499. — Sp. 5 v. 6. Amer. bor., Mexic.
- 1692 114 *Gliricidia* H. B. et K. G. I. 499. — Sp. 3. v. 4. Amer. trop.
- 1693 115 *Vilmorinia* DC. G. I. 499. — Sp. 1. Ind. occ.
- 1694 116 *Poitæa* Vent. G. I. 500. — Sp. 2. Ind. occ.
- 1695 117 *Lennea* Kl. G. I. 500. — Sp. 2. Mexic. Amer. centr.
- 1696 118 *Olneya* A. Gray. G. I. 500. (*Tesota* C. Müll.). — Sp. 1. Californ., N. Mexic., Arizona.

- 1697 119 *Corynella* DC. G. I. 500. (*Corynitis* Spreng.). — Sp. 2. Ind. occ.  
*Toxotropis* Turcz.
- 1698 120 *Poissonia* H. Bn in *Adans.* IX. 295. — Sp. 1. Persia.
- 1699 121 *Diphysa* Jacq. G. I. 500. — Sp. 6 v. 8. Amer. centr.
- 1700 122 *Sabinea* DC. G. I. 501. — Sp. 2 v. 3? Ind. occ., Mexic., Panama.
- 1701 123 *Coursetia* DC. G. I. 501. — Sp. ad 10. Amer. trop. et subtrop.
- 1702 124 *Cracca* Benth. G. I. 501. — Sp. ad 6. Amer. trop.
- 1703 125 *Microcharis* Benth. G. I. 501 et 1002. — Sp. 3. Afr. trop.
- 1704 126 *Sesbania* Pers. G. I. 502. — Sp. ad 30. Utriusque orbis reg.  
trop. et subtrop.  
Sect. 1. *Eusesbania* Benth., *Darwinia* et *Monoplectrum*  
Raf., *Agati* Desv.  
Sect. 2. *Daubentonia* Benth., *Daubentonia* DC.  
Sect. 3. *Glottidium* Benth., *Glottidium* Desv.
- 1705 127 *Carmichælia* R. Br. G. I. 502. — Sp. 9 v. 10. Austral., N. Zel.
- 1706 128 *Notospartium* H. f. G. I. 502. — Sp. 1. N. Zel.
- 1707 129 *Stæblorhiza* Endl. G. I. 503. — Sp. 1. Ins. Norfolk.
- 1708 130 *Clianthus* Soland. G. I. 503. (*Donia* G. Don). — Sp. 2. Austral.,  
N. Zel.  
*Eremocharis* R. Br.
- 1709 131 *Sutherlandia* R. Br. G. I. 503. — Sp. 1. Afr. austr.
- 1710 132 *Lessertia* DC. G. I. 503. — Sp. ad 30. Afr. austr.
- 1711 133 *Eremosparton* F. et M. G. I. 504. — Sp. 1. Asia caspica.
- 1712 134 *Swainsona* Salisb. G. I. 504. — Sp. ad 28. Austral., N. Zel.  
*Cyclogyne* Benth., *Diplolobium* F. Müll.
- 1713 135 *Sphærophysa* DC. G. I. 504. — Sp. 3. Asia rossica, Oriens,  
China?  
? *Phyllolobium* Fisch.
- 1714 136 *Colutea* L. G. I. 505. — Sp. descr. 8, verisim. ad 3 reduc.  
Eur., Asia temp. et subtrop.
- 1715 137 *Halimodendron* Fisch. G. I. 505. — Sp. 1. Asia rossica.
- 1716 138 *Caragana* Lam. G. I. 505. — Sp. ad 15. Asia rossica, Himal.
- 1717 139 *Calophaca* Fisch. G. I. 505. — Sp. ad 7. Asia rossica, Oriens,  
Ind. or.  
Sect. 1. *Calophaca* Benth.  
Sect. 2. *Chesneya* Benth., *Chesneya* Lindl.
- 1718 140 *Gueldenstædtia* Fisch. G. I. 506. — Sp. ad 7. Asia rossica, Himal.
- 1719 141 *Smirnowia* Bge in *Act. Hort. Petrop.* 338 (1878). — Sp. 1.  
Turkest.
- 1720 142 *Astragalus* L. G. I. 506. — Sp. descr. ultra 1300 et verisim.  
900 dist. Orbis uterque in hemisph. bor., Amer. austr.,  
extratrop. et mont., Afr. trop. et austro-or.  
*Phaca* L. (*Erophaca* Boiss.) *Homalobus* et *Kentrophyta* Nutt.,  
*Diplothea* Hochst., *Aulosema* Walp., *Podolotus* Royle.

- 1721 143 *Didymopelta* Rgl. et Schwalh. (err. typ. *Dipelta*) in *Act. Hort. Petrop.* 578 (1878). — Sp. 1. Turkest.
- 1722 144 *Oxytropis* DC. G. I. 507. — Sp. ad 200. Eur., Asia, Amer. bor.
- 1723 145 *Biserrula* L. G. I. 507. — Sp. 1. Eur. austr., Afr. bor., Oriens.
- 1724 146 *Sewerzonia* Rgl. et Scgmalk. in *Descript. pl. nov.* VI. 5 (1878). — Sp. 1. Turkest.
- 1725 147 *Glycyrrhiza* L. G. I. 508. — Sp. ad 12. Asia temp. et subtrop., Reg. Medit., Amer. bor. occ. et austr. extratrop., Austral. *Liquiritia* Pers., *Meristotropis* F. et M., *Glycyrrhizopsis* Boiss. et Bal.
- 1726 148 *Cascaronia* Griseb. *Symb. Argent.* 100 (1879.) — Sp. 1. Argentina.

TRIBUS VI. **Hedysarææ.**

- 1727 149 *Scorpiurus* L. G. I. 508. — Sp. ad 6. Eur. austr., Afr. bor., Asia occ.
- 1728 150 *Hammatolobium* Fenzl. G. I. 509. — Sp. 2. Afr. bor., Oriens.
- 1729 151 *Ornithopus* L. G. I. 509. — Sp. ad 7. Eur., Afr. bor., Asia præsert. occ., Amer. austr.  
*Arthrolobium* Desv. (*Astrolobium* DC.), *Antopetitia* Rich.
- 1730 152 *Coronilla* L. G. I. 509. — Sp. ad 20. Eur., Asia, occ., Afr. bor.  
Sect. 1. *Emerus* Desv.  
Sect. 2. *Eucoronilla* Benth.  
Sect. 2. *Scorpioides* Benth., *Ornithopodium* Cav., *Astrolobium* DC. pr. p.
- 1731 153 *Hippocrepis* L. G. 510. — Sp. ad 12. Eur., Asia bor., Afr. bor.
- 1732 154 *Stracheya* Benth. G. I. 510. — Sp. 1. Himal., Tibet.
- 1733 155 *Eversmannia* Bge. G. I. 510. — Sp. 1. Reg. Caspica, Songaria.
- 1734 156 *Hedysarum* L. G. I. 510. — Sp. ad 60. Eur., Afr. bor., Asia temp. et mont., Amer. bor.  
*Echinolobium* Desv.
- 1735 157 *Taverniera* DC. G. I. 511. — Sp. ad 8. Oriens, Ind. or.
- 1736 158 *Onobrychis* Gärtn. G. I. 511. — Sp. descr. ultra 90, sed verisim. ad 70 reduc. Eur., Afr. bor., et trop. or.  
Asia occ.  
Sect. 1. *Eubrychis* DC.  
Sect. 2. *Dendrobrychis* DC.  
Sect. 3. *Sartoria* Benth., *Sartoria* Boiss.  
Sect. 4. *Hymenobrychis* DC., *Eriocarpæa* Bertol.
- 1737 159 *Ebenus* L. G. I. 512. — Sp. ad 8. Reg. Medit., Asia occ.  
*Ebenidium* Jaub. et Spach.
- 1738 160 *Corethroedendron* Basiner. G. I. 512. — Sp. 1. Songaria.
- 1739 161 *Alhagi* Desv. G. I. 512. — Sp. descr. 6, an unius var.?  
Græcia, Oriens, Asia med.

- 1740 162 *Chaetocalyx* DC. G. I. 513. — Sp. ad 8. Amer. trop. et subtrop.  
Planarium Desv.
- 1741 163 *Nissolia* Jacq. G. I. 513. — Sp. 2 v. 3. Amer. trop.
- 1742 164 *Poiretia* Vent. G. I. 513. (*Turpinia* Pers.). — Sp. 5. Amer.  
trop. et subtrop.
- 1743 165 *Amicia* H. B. et K. G. I. 514. — Sp. 4. Amer. trop. a Bolivia  
usque ad Mexic.
- 1744 166 *Pictetia* DC. G. I. 514. — Sp. 6. Amer. trop.
- 1745 167 *Brya* P. Browne. G. I. 514. — Sp. 3. Amer. centr., Ind. occ.
- 1746 168 *Isodesmia* Gardn. G. I. 514. — Sp. 2. Brasil.
- 1747 169 *Ormocarpum* P. B. G. I. 514. (*Diphaca* Lour., *Rathkea* Schum.  
et Thonn.). — Sp. ad 9. Orbis veteris reg. trop. (Mexic.?).  
Acrotaphros Hochst.
- 1748 170 *Arthrocarpum* Balf. f. *Diagn. pl. Socotra*. 15 (1882). — Sp. 1.  
Ins. Socotra.
- 1749 171 *Herminiera* Guill. et Perr. G. I. 515. (*Ædemone* Kotschy). —  
Sp. 1. Afr. trop.
- 1750 172 *Æschynomene* L. G. I. 515. — Sp. fere 43. Orbis utriusque reg.  
calid.  
Sect. 1. *Euæschynomene* Benth., *Macromiscus* Turcz.  
Sect. 2. *Ochopodium* Vogel, *Patagonium* E. Mey., *Ruepelia* A. Rich.
- 1751 173 *Scemmeringia* Mart. G. I. 516. — Sp. 1. Brasil.
- 1752 174 *Smithia* Ait. G. I. 516. — Sp. ad 25. Asia trop., Afr. trop. or.  
Sect. 1. *Eusmithia* Benth.  
Sect. 2. *Kotschya* Benth., *Kotschya* Endl.
- 1753 175 *Geissaspis* W. et A. G. I. 516. — Sp. 3. Ind. or., Afr. trop. occ.
- 1754 176 *Discolobium* Benth. G. I. 516. — Sp. ad 5. Brasil.
- 1755 177 *Adesmia* DC. G. I. 517. — Sp. descr. ad 110, sed vix ultra  
80 dist. Amer. austr. extratrop. et subtrop.  
*Streptodesmia* A. Gray.
- 1756 178 *Chapmannia* Torr. et Gray. G. I. 517. — Sp. 1. Florida.
- 1757 179 *Stylosanthes* Sw. G. I. 517. — Sp. ad 21. Utriusque orbis reg.  
trop. et subtrop.
- 1758 180 *Arachis* L. G. I. 518. — Sp. 7. Brasil, et in reg. trop. utrius-  
que orbis cult.
- 1759 181 *Zornia* Gmel. G. I. 518. — Sp. 6 v. 10? Utriusque orbis reg.  
calid.  
*Myriadenus* Desv.
- 1760 182 *Ougeinia* Benth. G. I. 518. — Sp. 1. Ind. or.
- 1761 183 *Desmodium* Desv. G. I. 519 et 1002. — Sp. ad 155. Amer. bor.  
et austr., Afr. et Asia calid., Austral.  
Sect. 1. *Dendrolobium* W. et A., *Dendrolobium* Benth.

Sect. 2. *Phyllodium* Benth., *Phyllodium* Desv., *Dicerma* DC. pr. p.

Sect. 3. *Dicerma* Benth., *Dicerma* DC. pr. p.

Sect. 4. *Pteroloma* Desv., *Pteroloma* Benth.

Sect. 5. *Catenaria* Benth., *Catenaria* Benth.

Sect. 6. *Scorpiurus* Benth.

Sect. 7. *Dollinera* Benth., *Ototropis* Nees, *Dollinera* Endl.

Sect. 8. *Heteroloma* Benth., *Pleurolobus* Jaume S<sup>t</sup>-Hil.

Sect. 9. *Chalarium* Benth., *Cyclomorium* Walp.

Sect. 10. *Nicolsonia* Benth., *Nicolsonia* DC., *Perrotetia* DC.

Sect. 11. *Sagotia* Benth., *Sagotia* Walp., *Oxydium* Benn.

Sect. 12. *Pleurolobium* DC., *Codariocalyx* Hassk.

1762 184 *Arthroclianthus* H. Bn in *Adans.* IX. 296. — Sp. 1. N. Caled.

1763 185 *Mecopus* Benn. G. I. 521. — Sp. 1. Asia trop.

1764 186 *Pseudarthria* W. et A. G. I. 521. (*Anarthrosyne* E. Mey.). — Sp. 6. Asia trop., Afr. or.

1765 187 *Pycnospora* R. Br. G. I. 521. — Sp. 1. Asia et Austral. inter trop.

1766 188 *Uraria* Desv. G. I. 521. (*Doodia* Roxb.). — Sp. ad 8. Asia, Afr. et Austral. trop.

1767 189 *Lourea* Neck. G. I. 522. — Sp. 3 v. 4. Asia et Austral. trop.

1768 190 *Alysicarpus* Neck. G. I. 522. — Sp. ad 18. Asia, Afr. et Austral. trop., in Amer. inquil.

*Hegetschweilera* Rgl.

1769 191 *Leptodesmia* Benth. G. I. 522. — Sp. 22. Ind. or., Madagasc.

1770 192 *Eleiotis* DC. G. I. 523. — Sp. 1. Ind. or.

1771 193 *Phylacium* Benn. G. I. 523. — Sp. 1. Archip. Ind.

1772 194 *Hallia* Thunb. G. I. 523. — Sp. 6. Afr. austr.

1773 195 *Granocarpus* Benth. G. I. 523 — Sp. 1. Brasil.

1774 196 *Lespedeza* Mchx. G. I. 524. — Sp. ad 35. Amer. bor., Asia temp. et trop. mont., Austral.

*Campylotropis* Bge (*Oxyramphis* Wall.), *Phlebosporium* Jungh.

#### TRIBUS VII. *Viciœ*.

1775 197 *Cicer* L. G. I. 524. — Sp. ad 7. Reg. Medit., Asia occ.

1776 198 *Vicia* L. G. I. 524 et 1002. — Sp. descr. ad 200, verisim. non ultra 100 dist. Orbis uterque in hemisph. bor., Amer. austr.

Sect. 1. *Viciœ* Alef., *Orobella* Presl, *Cracca* Grenier et Godron, *Vicilla* Schur.





- 1786 208 **Dumasia** DC. G. I. 529. — Sp. 2 v. 3. Asia et Afr. trop.
- 1787 209 **Shutteria** W. et A. G. I. 529. — Sp. 5. Ind. or.
- 1788 210 **Glycine** L. I. 530. — Sp. ad 16. Asia et Afr. trop., Austral.  
*Johnia* W. et A. (*Notonia* W. et A.), *Soja* Savi, *Leptolobium* Benth. (*Leptocyamum* Benth.), *Bujacia* E. Mey.
- 1789 211 **Teramnus** Sw. G. I. 530. (*Glycine* W. et A.). — Sp. 4. Asia, Afr. et Amer. trop.
- 1790 212 **Hardenbergia** Benth. G. I. 530. — Sp. 3. Austral.
- 1791 213 **Kennedya** Vent. G. I. 531. — Sp. 17. Austral.  
*Physolobium* et *Zichya* Hüg., *Amphodus* Lindl., *Caulinia* Mönch.
- 1792 214 **Platycyamus** Benth. G. I. 531. — Sp. 1. Brasil.
- 1793 215 **Erythrina** L. G. I. 531. — Sp. ad 45. Utriusque orbis reg. calidior.  
 1. *Micropteryx* Walp. — 2. *Duchassaingia* Walp.  
 3. *Stenotropis* Hassk. — 4. *Chirocalyx* Meisn.  
 5. *Hypaphorus* Hassk. — 6. *Macrocybium* Walp.  
 ? *Xyphanthus* Raf.
- 1794 216 **Rudolphia** Willd. G. I. 532. — Sp. 2. v. 3. S. Doming.
- 1795 217 **Strongylodon** Vogel. G. I. 532. — Sp. 2 v. 3. Zeylan., Ins. Pacif.
- 1796 218 **Apios** Mönch. G. I. 532. — Sp. 3. Amer. bor., China, Himal.  
*Cyrtotropis* Wall.
- 1797 219 **Mucuna** Adans. G. I. 533. (*Stizolobium* Pers., *Negretia* R. et P., *Carpopogon* Roxb., *Macroceratides* Raddi). — Sp. ad 26. Utriusque orbis reg. calidior.  
 Sect. 1. *Citta* Benth., *Citta* Lour.  
 Sect. 2. *Stizolobium* Benth., *Macranthus* (err. typ. *Marcanthus*) Lour.  
 Sect. 3. *Carpopogon* Benth., *Pillera* Endl.
- 1798 220 **Cochlianthus** Benth. G. I. 533. — Sp. 1. Nepal.
- 1799 221 **Butea** Roxb. G. I. 533. — Sp. 3. Asia trop.
- 1800 222 **Spatholobus** Hassk. G. I. 534. (*Drebbelia* Zoll.). — Sp. ad 10 v. 11? Asia et Afr. trop.
- 1801 223 **Calopogonium** Desv. G. I. 534. (*Stenolobium* Benth.). — Sp. 4. Amer. austr. et centr.
- 1802 224 **Cymbosema** Benth. G. I. 534. — Sp. 1. Amer. trop.
- 1803 225 **Grona** Lour. G. I. 535. — Sp. 2 v. 3. Asia trop.
- 1804 226 **Galactia** P. Browne. G. I. 235. — Sp. ad 150. Utriusque orbis reg. calidior.  
*Swertia* DC., *Leucodictyon* Dalz., *Heterocarpæa* Scheele, *Collæa* DC., *Betencourtia* S'-Hil., *Odina* Bert.
- 1805 227 **Mastersia** Benth. G. I. 535 et 1002. — Sp. 1. Assam.
- 1806 228 **Camptosema** H. et A. G. I. 536. (*Bionia* Mart.). — Sp. 10 Amer. austr.

- 1807 229 *Cratylia* Mart. G. I. 536. — Sp. 3. Amer. austr.
- 1808 230 *Dioclea* H. B. et K. G. I. 536. (*Hymenospron* Spreng.). — Sp. ad 16. Utriusque orbis reg. trop.  
 Sect. 1. *Pachylobium* Benth.  
 Sect. 2. *Platylobium* Benth.  
 Sect. 3. *Eudioclea* Benth., *Crepidotropis* Walp.
- 1809 231 *Cleobulia* Mart. G. I. 537. — Sp. 1. Brasil.
- 1810 232 *Pueraria* DC. G. I. 537. (*Neustanthus* Benth.). — Sp. ad 10. Asia trop., Japon.
- 1811 233 *Canavalia* Adans. (*Canavali*). G. I. 537. — Sp. ad 12. Utriusque orbis reg. calidior.  
*Malocchia* Savi, *Wenderothia* Schlcht., *Clementea* Cav.
- 1812 234 *Physostigma* Balf. G. I. 538. — Sp. 1. Afr. trop.
- 1813 235 *Phaseolus* L. G. I. 538. — Sp. descript. ultra 150, ad 60 reduc. Utriusque orbis reg. calid.  
 Sect. 1. *Drepanospron* Benth.  
 Sect. 2. *Euphaseolus* Benth.  
 Sect. 3. *Leptospron* Benth.  
 Sect. 4. *Strophostyles* Benth., *Strophostyles* Ell.  
 Sect. 5. *Macroptitium* Benth.  
 Sect. 6. ? *Dysolobium* Benth.
- 1814 236 *Minkeliersia* Martens et Gal. G. I. 539. — Sp. 2. Mexic.
- 1815 237 *Vigna* Savi. G. I. 539. (*Callicysthus* Endl., *Scytalis* E. Mey.). — Sp. ad 45. Utriusque orbis reg. calidior.  
*Otoptera* DC., *Sphenostylis* E. Mey., *Strophostyles* E. Mey., *Plectrotropis* Schum.
- 1816 238 *Voandzeia* Thou. G. I. 539. (*Cryptolobus* Spreng. pr. p.). — Sp. 1. Afr. trop. indig.? in utraque orbe cult.
- 1817 239 *Pachyrhizus* Rich. G. I. 540. (*Cacara* Thou., *Tæniocarpum* Desv.). — Sp. 2. Asia, Afr. et Amer. trop.  
*Robynsia* Martens et Gal.
- 1818 240 *Psophocarpus* Neck. G. I. 540. — Sp. 4. Asia et Afr. trop.; in Amer. trop. inquil.  
*Diesingia* Endl.
- 1819 241 *Dolichos* L. G. I. 540. — Sp. descr. numerosæ, quarum vix 30 dist. Asia, Afr. et Austral. trop., Amer. austr.  
*Lablab* Savi (*Lablavia* G. Don), *Chloryllis* E. Mey., *Dipogon* Liebm.
- 1820 242 *Cajanus* DC. G. I. 541. — Sp. 1. Reg. calid. utriusque orbis cult. (Asiæ indig.?).
- 1821 243 *Fagelia* Neck. G. I. 541. — Sp. 1. Afr. austr.
- 1822 244 *Dunbaria* W. et A. G. I. 541. — Sp. ad 12. Asia trop., Austral.
- 1823 245 *Atylosia* W. et A. G. I. 542. — Sp. ad 20. Asia trop., Austral.  
*Cantharospermum* W. et A.

1824 246 *Cylista* Ait. G. I. 542. — Sp. 1. Ind. or.

1825 247 *Rhynchosia* Lour. G. I. 542. — Sp. ad 82. Utriusque orbis.  
reg. calid.

Sect. 1. *Nomismia* Benth., *Nomismia* W. et A.

Sect. 2. *Phyllomatia* W. et A.

Sect. 3. *Ptychocentrum* W. et A.

Sect. 4. *Orthodanum* Benth., *Orthodanum* et *Hidrosia*  
E. Mey., *Pitcheria* Nutt.

Sect. 5. *Chrysoscias* Benth., *Chrysoscias* E. Mey.

Sect. 6. *Arcyphyllum* Benth., *Arcyphyllum* Ell.

Sect. 7. *Phaseoloides* Benth., *Eusterium* Poit.

Sect. 8. *Cyanospermum* Benth., *Cyanospermum* W. et A.

Sect. 9. *Pseudocajan* Benth.

Sect. 10. *Copisma* Benth., *Copisma* E. Mey., *Sigmodo-*  
*styles* Meisn.

Sect. 11. *Polytropia* Benth., *Polytropia* Presl.

1826 248 *Eriosema* (err. typ. *Euriosma*) DC. G. I. 543. — Sp. ad 50.  
Utriusque orbis reg. calid.

*Pyrrotrichia* W. et A.

1827 249 *Flemingia* Roxb. G. I. 544. — Sp. ad 56. Asia, Afr. et Austral.  
trop.

Sect. 1. *Ostryodium* DC., *Ostryodium* Desv., *Moghania*  
Jaume St-Hil.

Sect. 2. *Chalaria* W. et A.

Sect. 3. *Flemingiastrum* DC., *Lepidocoma* Jungh.

#### TRIBUS IX. *Dalbergiæ*.

1828 250 *Dalbergia* L. f. G. I. 544. — Sp. ad 74. Amer. austr., Asia,  
Afr. et Austral. trop.

Sect. 1. *Triptolemæa* Benth., *Triptolemæa* Mart., *Se-*  
*meionotis* Schott.

Sect. 2. *Sissoa* Benth., *Amerimnum* P. Browne, *Misco-*  
*lobium* Vogel, *Endespermum* Bl., *Podiopetalum* Hochst.

Sect. 3. *Dalbergaria* Benth.

Sect. 4. *Selenolobium* Benth.

1829 251 ? *Xanthocercis* H. Bn in *Adans.* IX. 293 (1870). — Sp. 1. Ma-  
dagasc.

1830 252 *Ecastaphyllum* Rich. G. I. 545. (*Acouroa* Aubl., *Hecastophyllum*  
H. B. et K.). — Sp. 5. Amer. et Afr. trop.

1831 253 *Cyclolobium* Benth. G. I. 545. — Sp. 4. Brasil., Guian.

1832 254 *Machærium* Pers. G. I. 545. — Sp. ad 60. Amer. trop.

1833 255 *Drepanocarpus* G. F. W. Mey. G. I. 546. (*Sommerfeldtia* Schum.  
et Thonn.). — Sp. 8. Amer. et Afr. trop.

- 1834 256 *Tipuana* Benth. G. I. 546. — Sp. 1. Amer. austr.
- 1835 257 *Platypodium* Vogel. G. I. 546. (*Callisemæa* Benth.). — Sp. 2.  
Brasil., Panama.
- 1836 258 *Centrolobium* Mart. G. I. 546. — Sp. 3. Amer. trop.
- 1837 259 *Pterocarpus* L. G. I. 547. — Sp. ad 18. Asia, Afr. et Amer. trop.  
*Moutouchi* et *Moutouchia* Aubl., *Echinodiscus* DC. (*Weinreichia* Rchb.), *Amphymenium* H. B. et K. (*Phellocarpus* Benth.), *Ancylocalyx* Tul., *Vatairea* Aubl.
- 1838 260 ?*Pœcilanthe* Benth. G. I. 547. — Sp. 3. Amer. austr.
- 1839 261 *Platymiscium* Vogel. G. I. 548. — Sp. ad 13. Amer. trop.
- 1840 262 *Behaimia* Griseb. G. I. 1002. — Sp. 1. Cuba.
- 1841 263 *Hymenolobium* Benth. G. I. 548. — Sp. 1. Amer. trop.
- 1842 264 *Ostryocarpus* H. f. G. I. 548. — Sp. 2. Afr. trop. occ.
- 1843 265 *Lonchocarpus* H. B. et K. G. I. 548. — Sp. fere 55. Amer., Afr.  
et Austral. trop.  
*Neuroscapha* Tul., *Sphinctolobium* Vogel, *Philenoptera* Fenzl (*Capassa* Kl.), *Clompanus* Aubl.
- 1844 266 *Bergeronia* M. Micheli. *Legumin. Parag.* 38 (1883). — Sp. 1.  
Paraguay.
- 1845 267 ?*Neobaronia* Bak. in *Journ. Linn. Soc.* XXI. 337. — Sp. 2.  
Madagasc.
- 1846 268 *Derris* Lour. G. I. 549. — Sp. ad 40. Utriusque orbis reg. trop.  
Sect. 1. *Brachypterum* W. et A., *Brachypterum* Benth.,  
*Dalbergia* Roxb. pr. p.  
Sect. 2. *Euderris* Benth.  
Sect. 3. *Dipteroderris* Benth.  
Sect. 4. *Paraderris* Miq.  
Sect. 5. *Aganope* Benth., *Aganope* Miq.  
? *Deguelia* Aubl.
- 1847 269 *Pongamia* Vent. G. I. 549. (*Galedupa* Lam.). — Sp. 1. Asia et  
Austral. trop.
- 1848 270 *Piscidia* L. G. I. 550. — Sp. 1. Ind. occ.
- 1849 271 *Muelleria* L. f. G. I. 550. (*Coublandia* Aubl.). — Sp. 2. Amer.  
trop. austr., Mexic.  
*Cyanobotrys* Zucc.
- 1850 272 *Euchresta* Benn. G. I. 550. — Sp. 2. Archip. Ind., Himal., Ins.  
Formosa, Japon.
- 1851 273 *Andira* Lam. G. I. 550. — Sp. ad 18. Amer. et Afr. trop.  
*Lumbricidia* Vell., *Vouacapoua* Aubl., *Poltolobium* Presl.
- 1852 274 *Geoffræa* L. G. I. 551. (*Geoffroya* Auct.). — Sp. 4. Amer. trop.
- 1853 275 *Dipteryx* Schreb. G. I. 551. (*Baryosma* Gärtn.). — Sp. 8.  
Amer. trop.  
1. *Coumarouna* Aubl. — 2. *Taralea* Aubl.

- 1854 276 **Pterodon** Vogel. G. I. 551. (*Commilobium* Benth.). — Sp. 4. Brasil., Boliv.  
 1855 277 **Fissicalyx** Benth. G. I. 552. — Sp. 1. Venezuela.  
 1856 278 **Inocarpus** Forst. G. I. 552. — Sp. 3. Asia et Amer. trop.  
*Etaballia* Benth., *Bocoa* Aubl., *Inodaphnis* Miq.

TRIBUS X. **Sophoreæ.**

- 1857 279 **Monopteryx** Spruce. G. I. 552. — Sp. 2. Brasil. bor.  
 1858 280 **Dalhousiea** Wall. G. I. 552. — Sp. 1. Ind. or., Afr. trop.  
 1859 281 **Baphia** Afzel. G. I. 553. — Sp. ad 12. Afr. trop., Madagasc.  
     Sect. 1. *Bracteolaria* Benth., *Bracteolaria* Hochst., *Carpolobia* G. Don pr. p.  
     Sect. 2. *Delaria* Benth., *Delaria* Desv.  
 1860 282 **Leucomphalus** Benth. G. I. 553. — Sp. 1. Afr. trop. occ.  
 1861 283 **Bowringia** Champ. G. I. 553. — Sp. 1. Ins. Hongkong.  
 1862 284 **Panurea** Spruce. G. I. 553 et 1002. — Sp. 1. Brasil. bor.  
 1863 285 **Buergeria** Miq. in *Ann. bot. Lugd.-Batav.* III. 53 (1867). — Sp. 1. Japon.  
 1864 286 **Virgilia** Lam. G. I. 554. — Sp. 1. Afr. austr.  
 1865 287 **Calpurnia** E. Mey. G. I. 554. — Sp. 6. Afr. austr.  
 1866 288 **Cladrastis** Raf. G. I. 554. — Sp. 2. Amer. bor., Mandshuria.  
 1867 289 ?**Stahlia** Bello *Apunt. para la flora de Puerto-Rico*. (1881). — Sp. 1. Ins. Porto-Rico.  
 1868 290 **Ammodendron** Fisch. G. I. 554. — Sp. 5. Asia rossica.  
 1869 291 **Ammothamnus** Bge. G. I. 555. — Sp. 2. Asia rossica.  
 1870 292 **Gourliea** Gill. G. I. 555. — Sp. 1. Amer. austr.  
 1871 293 **Sophora** L. G. I. 555 et 1002. — Sp. ad 30. Utriusque orbis reg. calid.  
     *Edwardsia* Salisb., *Keyserlingia* et *Gœbelia* Bge, *Styphnolobium* Schott, *Broussonetia* Ortega (*Dermatophyllum* Scheele), *Baduisia* Richb.  
 1872 294 **Arillaria** Kurz. *Forest Fl. Burma*. 334 (1878). — Sp. 1. Ind. or.  
 1873 295 **Podopetalum** F. Müll. in *Melbourn. Chemist.* n. 6 (1882). — Sp. 1. Austral.  
 1874 296 **Castanospermum** A. Cunn. G. I. 556. — Sp. 1 v. 2.? Austral. subtrop., N. Caled.?  
     *Vieillardia* Montrouz.  
 1875 297 **Alexa** Moq. G. I. 556. (*Alexandra* Schomb.). — Sp. 1. Guiana.  
 1876 298 **Ormosia** Jack. G. I. 556. — Sp. ad 21. Amer. et Asia trop.  
     *Macrotropis* DC., *Layia* H. et A.  
 1877 299 **Baphiopsis** Benth. in *Fl. trop. Afr.* II. 256. — Sp. 1. Afr. trop. occ.  
 1878 300 **Pericopsis** Thw. G. I. 556. — Sp. 1. Zeylan.

- 1879 301 *Diploctropis* Benth. G. I. 557. — Sp. 7. Amer. trop.  
 Sect. 1. *Dibrachion* Benth., *Diploctropis* Benth., *Dibrachyon* Tul.  
 Sect. 2. *Clathroctropis* Benth., *Diploctropis* Tul.
- 1880 302 *Bowdichia* H. B. et K. G. I. 557. (*Sebipira* Mart.). — Sp. 2.  
 Amer. trop.
- 1881 303 *Spiroctropis* Tul. G. I. 557. — Sp. 1. Guiana gall.
- 1882 304 *Camoensia* Welw. G. I. 557 et 1002. — Sp. 2. Afr. trop. occ.
- 1883 305 *Belairia* A. Rich. G. I. 558. — Sp. 2 v. 1. Cuba.
- 1884 306 *Ateleia* Moç. et Sessé. G. I. 558. — Sp. 2 v. 3. Amer. centr.,  
 Antill.
- 1885 307 *Ferreirea* Allem. G. I. 558. — Sp. 1. Brasil.
- 1886 308 *Myrospermum* Jacq. G. I. 558. — Sp. 1. Amer. trop.
- 1887 309 *Myroxylon* L. f. G. I. 558. (*Toluisera* L.). — Sp. ad 6. Amer.  
 austr.
- 1888 310 ?*Myrocarpus* Allem. G. I. 559. — Sp. 2. Brasil.
- 1889 311 *Sweetia* Spreng. G. I. 559. (*Acosmium* Schott). — Sp. 10.  
 Amer. austr.  
*Leptolobium* Vogel.
- 1890 312 *Barklya* F. Müll. G. I. 559. — Sp. 1. Austral. trop.
- 1891 313 *Cadia* Forsk. G. I. 560. (*Panciatica* Picciv., *Spændoncea* Desf.).  
 — Sp. 2 v. 3. Afr. trop. or., Madagasc.

TRIBUS XI. *Swartzieæ*.

- 1892 314 *Zollernia* Mart. G. I. 560. (*Coquebertia* Brongn.). — Sp. 3.  
 Brasil.
- 1893 315 ?*Exostylis* Schott. G. I. 560. — Sp. 2. Brasil.
- 1894 316 *Aldina* Endl. G. I. 560. (*Allania* Benth.). — Sp. 4. Brasil.  
 bor., Guiana.
- 1895 317 *Holocalyx* M. Micheli. *Legumin. Parag.* 40 (1883). — Sp. 1.  
 Paraguay.
- 1896 318 *Swartzia* Schreb. G. I. 561. — Sp. fere 60. Amer. trop. (Afr.  
 trop. sp. 1).  
 Sect. 1. *Cyathostegia* Benth.  
 Sec. 2. *Dithyria* Benth., *Trischidium* Tul.  
 Sect. 3. *Tounatea* DC., *Tounatea* Aubl.  
 Sect. 4. *Possira* DC., *Possira* Aubl., *Rittera* Schreb.,  
*Riveria* H. B. et K.  
 Sect. 5. *Fistuloides* Benth.
- 1897 319 *Cordyla* Lour. G. I. 562. (*Calycandra* Leprieur). — Sp. 1.  
 Afr. trop.

SUBORDO II. *Cæsalpinieæ*.TRIBUS XII. *Sclerolobieæ*.

- 1898 320 *Sclerolobium* Vogel. G. I. 562. — Sp. ad 10. Brasil., Guiana.  
Cosymbe Tul.
- 1899 321 *Diptychandra* Tul. G. I. 562. — Sp. 2 v. 3. Brasil., Bolivia.
- 1900 322 *Pœppigia* Presl. G. I. 562. (*Ramirezia* A. Rich.). — Sp. 3.  
Amer. trop.
- 1901 323 *Campsandra* Benth. G. I. 563. — Sp. 3 v. 4. Amer. trop.
- 1902 324 *Batesia* Spruce. G. I. 563 et 1002. — Sp. 1. Brasil. bor.
- 1903 325 *Melanoxylon* Schott. G. I. 563. (*Perittium* Vogel). — Sp. 1.  
Brasil.
- 1904 326 *Cenostigma* Tul. G. I. 564. — Sp. 2 v. 3. Brasil.
- 1905 327 *Thylacanthus* Tul. G. I. 564. — Sp. 1. Brasil. bor.
- 1906 328 *Dicymbe* Spruce. G. I. 564 et 1002. — Sp. 1. Venezuela.
- 1907 329 *Phyllocarpus* Ried. G. I. 564. — Sp. 1. Brasil. trop.

TRIBUS XIII. *Eucæsalpinieæ*.

- 1908 330 *Peltophorum* Vogel. G. I. 565. (*Brasilettia* DC.). — Sp. ad 6.  
Utriusque orbis reg. trop.
- 1909 331 *Mezoneurum* Desf. G. I. 565. — Sp. ad 12. Asia, Afr. et Austral. trop.
- 1910 332 *Cæsalpinia* L. G. I. 565. — Sp. ad 40. Reg. calid. utriusque orbis.  
Sect. 1. *Nugaria* DC.  
Sect. 2. *Guilandina* Benth., *Guilandina* L.  
Sect. 3. *Sappania* DC. pr. p., *Biancæa* Tod.  
Sect. 4. *Cæsalpinaria* Benth.  
Sect. 5. *Erythrostemon* Benth., *Erythrostemon* Kl., *Poinciana* Hook. pr. p.  
Sect. 6. *Pomaria* Benth., *Pomaria* Cav., *Cladotrichium* Vogel.  
Sect. 7. *Balsamocarpon* Benth., *Balsamocarpon* Clos.  
Sect. 8. *Coulteria* Benth., *Coulteria* H. B. et K.  
Sect. 9. *Libidibia* Benth., *Libidibia* Cham.  
Sect. 10. *Cinclidocarpus* Benth., *Cinclidocarpus* Zoll.
- 1911 333 *Hoffmanseggia* Cav. G. I. 567. — Sp. ad 19. Amer. imprim.  
occ., Afr. austr. et trop.  
*Melanosticta* DC.
- 1912 334 *Hæmatoxylon* L. G. I. 567. — Sp. 1. Amer. centr., Columbia,  
Ind. occ.
- 1913 335 *Pterolobium* R. Br. G. I. 567. (*Reichardia* Roth pr. p., *Quartinia* A. Rich.). — Sp. 3 v. 4. Asia, Afr. et Austral trop.
- 1914 336 *Gymnocladus* Lam. pr. p. G. I. 568. — Sp. 1. Amer. bor.



- 1915 337 **Gleditschia** L. G. I. 568 et 1002. — Sp. 4 v. 5. Amer. bor.,  
Asia temp. et subtrop., Afr. trop. mont.
- 1916 338 **Acrocarpus** W. et A. G. I. 568. — Sp. 1. Ind. or.
- 1917 339 **Wagatea** Dalz. G. I. 568. — Sp. 1. Ind. or.
- 1918 340 **Colvillea** Bojer. G. I. 569. — Sp. 1. Madagasc.
- 1919 341 **Poinciana** L. G. I. 569. — Sp. 3. Afr. calid., Ins. Mascar.,  
Ind. or. (prov. occ.).
- 1920 342 **Schizolobium** Vogel. G. I. 569. — Sp. 2. Brasil., Panama.
- 1921 343 **Moldenhauera** Schrad. G. I. 569. (*Dolichonema* Nees). — Sp.  
2 v. 3. Brasil., Columbia?
- 1922 344 **Cercidium** Tul. G. I. 570 et 1002. (*Retinophloeum* Karst.). —  
Sp. 3 v. 4. Mexic., Amer. trop.  
? *Hoopesia* Buckl.
- 1923 345 **Parkinsonia** L. G. I. 570. — Sp. 3. Amer. calid., Afr. austr.; in  
aliis reg. calid. sæpe cult.

TRIBUS XIV. **Cassieæ.**

- 1924 346 **Oligostemon** Benth. G. I. 570 et 1002. (*Duparquetia* H. Bn).  
— Sp. 1. Afr. trop.
- 1925 347 **Martia** Benth. G. I. 571. (*Murtiusia* Benth.). — Sp. 2. Guiana,  
Brasil., bor.
- 1926 348 **Abauria** Becc. *Malesia*. I. 171. — Sp. 1. Borneo.
- 1927 349 **Dicorynia** Benth. G. I. 571. — Sp. 4. Guiana, Brasil. bor.
- 1928 350 **Storckiella** Seem. G. I. 571 et 1003. — Sp. 2. Ins. Viti,  
N. Caled.
- 1929 351 **Cassia** L. G. I. 571 et 100 . — Sp. descr. fere 460. non ultra  
260 dist. Utriusque orbis reg. calid.  
Sect. 1. *Fistula* DC., *Bactryrilobium* Willd., *Cathartocarpus* Pers.  
Sect. 2. *Senna* Benth., *Senna* Gärtn.  
Sect. 3. *Psilorhegma* Vogel, *Macleaya* Moutrouz.  
Sect. 4. *Absus* Vogel.  
Sect. 5. *Chamæcrista* DC, *Chamæcrista* E. Mey., *Grimaldia* Schrank.
- 1930 352 **Beaudoinia** H. Bn. G. I. 1003. — Sp. 1. Madagasc.
- 1931 353 **Petalostyles** R. Br. G. I. 573. — Sp. 1. Austral.
- 1932 354 **Labichea** Gaud. G. I. 573. — Sp. 6. Austral.
- 1933 355 **Distemonanthus** Benth. G. I. 573. — Sp. 1. Afr. trop.
- 1934 356 **Apuleia** Mart. G. I. 574. (*Zenkeria* Arn.). — Sp. 2. Brasil.,  
Peruv. or.
- 1935 357 **Dialium** L. G. I. 574. — Sp. 9. Utriusque orbis reg. trop.  
Arouna Aubl., *Codarium* Soland.
- 1936 358 **Ceratonia** L. G. I. 574. — Sp. 1. Reg. Medit.

TRIBUS XV. **Bauhinieæ.**

- 1937 359 **Bauhinia** L. G. I. 575. — Sp. ad 142. Utriusque orbis reg. trop.  
 Sect. 1. *Pauletia* Benth., *Pauletia* Cav., *Perleria* Mart.,  
*Amaria* Mutis.  
 Sect. 2. *Casparia* DC., *Casparia* Kth.  
 Sect. 3. *Pileostigma* Benth., *Pileostigma* Hochst.  
 Sect. 4. *Phanera* Benth., *Phanera* Lour.  
 Sect. 5. *Lysiphyllum* Benth.  
 Sect. 6. *Loxocalyx* Benth.  
 Sect. 7. *Lasiobema* Korth., *Lasiobema* Miq.  
 Sect. 8. *Adenolobus* Harv.  
 Sect. 9. *Schnella* Benth., *Schnella* Raddi, *Caulotretus* Rich.,  
*Lacara* Spreng.

1938 360 **Cercis** L. G. I. 577. — Sp. 3 v. 4. Eur., Asia et Amer. temp.

1939 361 **Bandeiræa** Welw. G. I. 577 et 1003. — Sp. 3. Afr. trop. occ.

TRIBUS XVI. **Amherstieæ.**

- 1940 362 **Brownea** Jacq. G. I. 577. — Sp. ad 8. Amer. trop.  
 1941 363 **Elizabetha** Schomb. G. I. 577. — Sp. 2. Guiana.  
 1942 364 **Heterostemon** Desf. G. I. 578. — Sp. 5 v. 6. Amer. trop.  
 1943 365 **Palovea** Aubl. (*Paloue*) G. I. 578. (*Ginannia* Scop.). — Sp. 1.  
 Guiana.  
 1944 366 **Amherstia** Wall. G. I. 578. — Sp. 1. Martabania.  
 1945 367 **Humboldtia** Vahl. G. I. 579. (*Batschia* Vahl). — Sp. 3 v. 4.  
 Afr. trop., Zeylan., Ind. or.  
 1946 368 **Macrolobium** Schreb. G. I. 579 et 1003. — Sp. ad 21. Amer.,  
 Afr. et Asia trop.  
*Anthonota* P. B., *Vouapa* et *Outea* Aubl.  
 1947 369 **Berlinia** Soland. G. I. 579 et 1003. — Sp. 4. Afr. trop.  
 1948 370 **Eperua** Aubl. G. I. 580. (*Dimorpha* Schreb., *Panzera* Willd ).  
 — Sp. ad 6. Amer. trop.  
*Parivoa* Aubl. pr. p.  
 1949 371 **Daniella** J. J. Benn. G. I. 580. — Sp. 2. Afr. trop. occ.  
 1950 372 **Pahudia** Miq. G. I. 580. — Sp. 1. Archip. Ind.  
 1951 373 **Afzelia** Sm. G. I. 580. — Sp. ad 10. Afr. et Asia trop.  
 Sect. 1. *Euafzelia* Benth.  
 Sect. 2. *Intsia* Benth., *Intsia* Thou.  
 1952 374 **Tamarindus** L. G. I. 581. — Sp. 1. Afr. et Austral. trop.; Asia  
 et Amer. trop. inquil.  
 1953 375 **Baikia** Benth. G. I. 581 et 1003. — Sp. 2. Afr. trop. occ.  
 1954 376 **Schotia** Jacq. G. I. 581. — Sp. 5. Afr. austr. et trop.  
*Theodora* Medik.  
 1955 377 **Brachystegia** Benth. G. I. 582 et 1003. — Sp. 3. Afr. trop.

- 1956 378 *Didelotia* H. Bn. G. I. 1003. — Sp. 1. Afr. trop. occ.  
 1957 379 *Tachigalia* Aubl. G. I. 582. (*Cubæa* Schreb., *Tachia* Pers.). —  
     Sp. 4 v. 5. Amer. trop.  
 1958 380 *Peltogyne* Vogel. G. I. 582. — Sp. 3 v. 4. Amer. trop.  
 1959 381 *Hymenæa* L. G. I. 583. — Sp. ad 8. Amer. trop.  
 1960 382 *Trachylobium* Hayne. G. I. 583. — Sp. 2 v. 3. Afr. or., Ins.  
     Mascar.; Asia trop. inquil.?  
 1961 383 *Westia* Vahl. G. I. 583. — Sp. 2. Afr. trop.  
 1962 384 *Saraca* L. G. I. 583. (*Jonesia* Roxb.). — Sp. 4 v. 5. Asia trop.  
 1963 385 *Crudia* Schreb. G. I. 584 et 1003. (*Crudya* DC.). — Sp. ad 10.  
     Amer., Afr. et Asia trop.  
     *Pryona* Miq., *Apalatoa* (*Opalatoa err.*) Aubl., *Touchiroa*  
     Aubl., *Cyclas* Schreb.

TRIBUS XVII. **Cynometreæ.**

- 1964 386 *Sindora* Miq. G. I. 1003. (*Echinocalyx* Benth. G. I. 584 et 1003).  
     — Sp. 2. Malacca.  
 1965 387 *Cryptosepalum* Benth. G. I. 584 et 1003. — Sp. 3. Afr. trop.  
 1966 388 *Detarium* Juss. G. I. 585. — Sp. 1 v. 2. Afr. trop.  
 1967 389 *Copaifera* L. G. I. 585 et 1003. — Sp. 12 v. 14. Afr. et Amer.  
     trop.  
     *Gorskia* Bolle, *Guibourtia* J. J. Benn.  
 1968 390 *Prioria* Griseb. G. I. 585. — Sp. 1. Amer. centr., Ins. Jamaic.  
 1969 391 *Hardwickia* Roxb. G. I. 586. — Sp. 4. Asia et Afr. trop.  
 1970 392 *Pterogyne* Tul. G. I. 586. — Sp. 1. Brasil. trop.  
 1971 393 *Cynometra* L. G. I. 586 et 1003. — Sp. fere 26. Utriusque  
     orbis reg. trop.  
     *Metrocynia* Thou.  
 1972 394 *Aphanocalyx* Oliv in Hook. *Icon. Plant.* XI. 56. — Sp. 1.  
     Afr. trop. occ.  
 1973 395 *Zuccagnia* Cav. G. I. 587. — Sp. 1. Chili.

TRIBUS XVIII. **Dimorphandreæ.**

- 1974 396 *Burkea* H. f. G. I. 587. — Sp. 2. Afr. trop. et austr.  
 1975 397 *Dimorphandra* Schott. G. I. 587. — Sp. ad 9. Amer. trop.  
     Sect. 1. *Eudimorphandra* Tul., *Mora* Schomb.  
     Sect. 2. *Pocillum* Tul.  
 1976 398 *Erythrophloeum* Afzel. G. I. 588. — Sp. 2. Afr. et Austral. trop.  
     *Fillæa* Guill. et Perr., *Mavia* Bertol., *Laboucheria* F. Müll.  
 1977 399 ? *Brandzeia* H. Bn in *Adans.* IX. 215 (1870). — Sp. 1. Afr,  
     trop. or. ins.

SUBORDO III. **Mimoseæ** <sup>(1)</sup>.TRIBUS XIX. **Parkieæ**.

- 1978 400 **Pentaclethra** Benth. G. I. 588 et 1004. — Sp. 2 v. 3? Amer. et Afr. trop.  
 1979 401 **Parkia** R. Br. G. I. 588. (*Paryphosphæra* Karst.). — Sp. ad 25. Asia, Afr. et Amer. trop.

TRIBUS XX. **Piptadeniææ**.

- 1980 402 **Entada** Adans. G. I. 589. (*Adenopodia* Presl). — Sp. ad 11. Utriusque orbis reg. trop.  
 1981 403 **Plathymenia** Benth. G. I. 589. (*Chrysoxylon* Casar.). — Sp. 2. Brasil.  
 1982 404 **Piptadenia** Benth. G. I. 589. — Sp. ad 10. Afr. et Amer. trop.

TRIBUS XXI. **Adenanthereæ**.

- 1983 405 **Xylia** Benth. G. I. 594. — Sp. 1. Asia et Afr. trop.  
 1984 406 **Stryphnodendron** Mart. G. I. 590. — Sp. 5 v. 6. Amer. trop.  
 1985 407 **Adenanthera** L. G. I. 590. (*Stachychrsum* Bojer). — Sp. 4. Asia, Afr. et Austral. trop.  
 1986 408 **Elephantorrhiza** Benth. G. I. 590. — Sp. 2. Afr. austr.  
 1987 409 **Tetrapleura** Benth. G. I. 590. — Sp. 3 v. 4. Afr. trop. occ.  
 1988 410 **Gagnebina** DC. G. I. 591. — Sp. 1. Ins. Maurit.  
 1989 411 **Prosopis** L. G. I. 591. — Sp. ad 16. Utriusque orbis reg. trop. et subtrop.  
     Sect. 1. *Adenopis* DC., *Lagonychium* M. B.  
     Sect. 2. *Anonychium* Benth.  
     Sect. 3. *Algarobia* Benth., *Algarobia* Benth.  
     Sect. 4. *Strombocarpa* Benth., *Strombocarpus* A. Gray.  
 1990 412 **Xerocladia** Harv. G. I. 591. — Sp. 1. Afr. austr.  
 1991 413 **Dichrostachys** DC. G. I. 592. (*Cailliea* Guill. et Perr.). — Sp. 7. Asia, Afr. et Austral. trop.  
 1992 414 **Neptunia** Lour. G. I. 592. — Sp. 10. Amer. bor. et utriusque orbis reg. trop.

TRIBUS XXII. **Eumimoseæ**.

- 1993 415 **Desmanthus** Willd. pr. p. G. I. 592. — Sp. ad 10. Amer. bor. et austr., et sp. 1. per. reg. trop. utriusque orbis.  
 1994 416 **Mimosa** L. pr. p. G. I. 593. — Sp. ad 280. Amer. et Afr. calid., Asia trop., Ins. Mascar.

(1) G. Bentham, *Revision of the suborder Mimoseæ* in *Trans. Linn. Soc.* XXX.

Sect. 1. *Eumimosa* DC. — 2. *Habbasia* DC.

Sect. 3. *Ameria* Benth.

1995 417 *Schrankia* Willd. G. I. 593. — Sp. 6. Amer. bor. et austr.  
(Afr. trop. sp. 1).

*Leptoglottis* DC.

1996 418 *Leucæna* Benth. G. I. 594. — Sp. ad 9. Utriusque orbis reg.  
calid.

#### TRIBUS XXIII. *Acaciæ*.

1997 419 *Acacia* Willd. G. I. 594. — Sp. ad 500. Amer., Afr. et Asia  
calid., Austral.

Sect. 1. *Phyllodineæ* Benth., *Tetracheilos* et *Chithonanthus*  
Lehm.

Sect. 2. *Botrycephalæ* Benth.

Sect. 3. *Pulchellæ* Benth.

Sect. 4. *Gummiferæ* Benth., *Vachellia* W. et A. (*Farnesia*  
Gaspar.).

Sect. 5. *Vulgares* Benth., *Besenna* A. Rich., *Arthrosprion*  
Hassk.

Sect. 6. *Filicinæ* Benth.

#### TRIBUS XXIV. *Ingeæ*.

1998 420 *Lysiloma* Benth. G. I. 595. — Sp. ad 10. Amer. trop., Antill.

1999 421 *Calliandra* Benth. G. I. 596. (*Anneslea* Salisb.). — Sp. ad 100.  
Amer. calid., Asia trop., Ins. Mascar.

*Clelia* Casar., *Codonandra* Karst.

2000 422 *Albizzia* Durazzini. G. I. 596. — Sp. ad 70. Asia et Afr. trop.  
et subtrop., Austral. trop. et occ.

*Zygia* Benth.

2001 423 *Pithecolobium* Mart. G. I. 597. — Sp. ad 110. Utriusque  
orbis. reg. calid.

Sect. 1. *Unguis-Cati* Benth. — 2. *Abaremotemon* Benth.

Sect. 3. *Clypearia* Benth. — 4. *Samanea* Benth.

Sect. 5. *Ortholobium* Benth.

Sect. 6. *Caulanthon* Benth., *Zygia* P. Browne.

Sect. 7. *Chloroleucon* Benth., *Cathormium* Hassk.

2002 424 *Enterolobium* Mart. G. I. 598. — Sp. ad 5. Amer. trop.

2003 425 *Serianthes* Benth. G. I. 599 et 1004. — Sp. 5. Asia trop.,  
Ins. Pacif.

2004 426 *Archidendron* F. Müll. G. I. 1004. — Sp. 2. Austral. or. subtrop.

2005 427 *Inga* Willd. G. I. 599. — Sp. ad 140. Amer. trop. et austr.  
subtrop.

Sect. 1. *Leptinga* Benth. — 2. *Diadema* Benth.

Sect. 3. *Burgonia* Benth. — 4. *Pseudinga* Benth.

Sect. 5. *Euinga* Benth.

2006 428 *Affonsea* S'-Hil. G. I. 599. — Sp. 4. Brasil.

## ORDO LXVI. ROSACEÆ <sup>(1)</sup>

### TRIBUS I. Chrysobalanæ.

- 2007 1 *Chrysobalanus* L. G. I. 606. — Sp. 2 v. 5. Amer. calid. et trop., Afr. trop.
- 2008 2 *Licania* Aubl. G. I. 606. (*Hedycrea* Schreb.). — Sp. ad 35. Brasil., Guiana, Ind. occ., Columbia, Venezuela.
- 2009 3 *Moquilea* Aubl. G. I. 606. (*Licania* Benth. pr. p. G. I. 406). — Sp. ad 15. Brasil., Guiana, Ind. occ., Venezuela.
- 2010 4 *Grangeria* Comm. G. I. 607. — Sp. 1. Ins. Mascar., Malacassia.
- 2011 5 *Parinarium* Juss. G. I. 607 et 1004. (*Parinari* Aubl., *Maranthes* et *Exitelia* Bl.). — Sp. ad 40. Amer. et Afr. trop., Archip. Ind., Ins. Pacif., Austral.  
*Lepidocarya* Korth., *Balantium* Desv., *Petrocarya* Schreb., *Grymania* Presl, *Thelira* Thou., *Entosiphon* Bedd., *Dugortia* Scop.
- 2012 6 *Trichocarya* Miq. G. I. 607. — Sp. 2. Borneo, Sumatra.  
*Angelesia* et *Diemenia* Korth.
- 2013 7 *Parastemon* A. DC. G. I. 607. — Sp. 1. Archip. Malay., Ind. or., Borneo.
- 2014 8 *Hirtella* L. G. I. 608. (*Cosmibuena* R. et P., *Causea* Scop.). — Sp. ad 40. Brasil. trop., Guiana, Ind. occ.
- 2015 9 *Conepia* Aubl. G. I. 608. (*Acia* Willd., *Acioa* Aubl.). — Sp. ad 30. Amer. trop.
- 2016 10 *Griffonia* H. f. G. I. 608. — Sp. 3 v. 6. Afr. trop. occ.
- 2017 11 *Lecostemon* Moç. et Sessé. G. I. 609. — Sp. 6. Guiana, Mexic., Brasil. trop.
- 2018 12 *Stylobasium* Desf. G. I. 609. (*Macrostigma* Hook.). — Sp. 3. Austral. austro-occ.

### TRIBUS II. Prunæ.

- 2019 13 *Prunus* L. G. I. 609. — Sp. ad 96. Eur., Asia temp. et sub-trop., Amer. temp. et trop.
1. *Amygdalus* L. (*Persica* Tourn.).
2. *Armeniaca* Juss.
3. *Prunus* Juss., *Amygdalopsis* Carrière, *Prunopsis* André.

(1) Sp. enum. ultra 2000, sed circiter 1000 bene dist., per totum fere orbem terrarum dispersæ.

4. *Cerasus* Juss., *Ceriseidos* S. et Z., *Tubopadus* Pomel.  
 5. *Laurocerasus* Tourn.  
 6. *Emplectrocladus* Torr. et Frem. G. I. 614.  
 2020 14 *Maddenia* H. f. et T. G. I. 610. — Sp. 2. Himal. or., Tibet.  
 2021 15 *Pygeum* Gärtner. G. I. 610. (*Polydontia* et *Polystorthia* Bl.). —  
 Sp. ad 20. Asia trop., Ins. Malay., Afr. trop. or.  
*Germaria* Presl, *Digaster* Miq.  
 2022 16 *Prinsepia* Royle. G. I. 611. — Sp. 1. Ind. or. bor.  
 2023 17 *Nuttallia* Torr. et Gray. G. I. 611. — Sp. 1. Amer. bor. occ.

TRIBUS III. *Spiræeæ* <sup>(1)</sup>.

- 2024 18 *Eriogynia* Hook. (*Spiræa* B. et H. pr. p. G. I. 611). — Sp. 1.  
 Amer. bor.  
 2025 19 *Spiræa* L. G. I. 611. — Sp. ad 50. Eur., Asia, Amer.  
 1. *Spiræa* Camb. — 2. *Filipendula* L.  
 3. *Aruncus* L. — 4. *Spiræanthus* F. et M.  
 5. *Sibiræa* Maxim. — 6. *Sorbaria* A. Braun.  
 7. *Chamæbatiaria* Porter. — 8. *Holodiscus* Maxim.  
 2026 20 *Neillia* Don. G. I. 612. — Sp. 5. Ind. or., Amer. bor.  
*Physocarpus* Camb.  
 2027 21 *Stephanandra* S. et Z. G. I. 612. — Sp. 3. Japon., China.  
 2028 22 *Exochorda* Lindl. G. I. 612. — Sp. 2 v. 3. China bor.  
 2029 23 *Gillenia* Mönch. G. I. 613. — Sp. 2. Amer. bor.  
 2030 24 *Kerria* DC. G. I. 613. — Sp. 1 v. 2. Japon., China bor.  
 2031 25 *Rhodotypus* S. et Z. G. I. 613. — Sp. 1. Japon.  
 2032 26 *Neviusa* A. Gray. G. I. 613. — Sp. 1. Alabama.  
 2033 27 *Adenostoma* H. et A. G. I. 614. — Sp. 2. Californ.

TRIBUS IV. *Quillajææ*.

- 2034 28 *Quillaja* Molina G. I. 614. (*Smegmadermos* R. et P.). — Sp. 3  
 v. 4. Brasil. austr., Chili, Peruv.  
*Fontenellea* S<sup>t</sup>-Hil. et Tul.  
 2035 29 *Kageneckia* R. et P. G. I. 614. — Sp. 3 v. 4. Chili, Peruv.  
 2036 30 *Vauquelinia* Corr. G. I. 615. — Sp. 3. Mexic., Californ.  
 2037 31 *Pterostemon* Schau. G. I. 615. — Sp. 1. Mexic.  
 2038 32 *Lindleya* H. B. et K. G. I. 615. — Sp. 1. Mexic.  
 2039 33 *Encryphia* Cav. G. I. 615. (*Carpodontos* Labill.). — Sp. 3.  
 Austral., Tasmania, Chili.  
 2040 34 *Euphronia* Mart. G. I. 616. — Sp. 1. Brasil. bor.  
 2041 35 *Canotia* Torr. G. I. 616. — Sp. 1. N. Mexic.

(1) Cf. Maximowicz, *Annotations de Spiræaceis* in *Act. Hort. Petrop.* VI (1879).

TRIBUS V. **Rubeeæ.**

- 2042 36 **Rubus** L. G. I. 616. — Sp. descr. fere 800, ad 100 reduc.  
Orbis totius reg. temp. et trop.
- 2043 37 **Dalibarda** L. *Sp. Plant.* ed. 1. 431. — Sp. 3 v. 4. Amer. bor.,  
Himal., Mauritania?

TRIBUS VI. **Potentilleæ.**

- 2044 38 **Purshia** DC. G. I. 617. (*Tigarea* Pursh, *Kunzia* Spreng.). —  
Sp. 1. Amer. bor.
- 2045 39 **Coleogyne** Torr. G. I. 617. — Sp. 1. Californ.
- 2046 40 **Chamaebatia** Benth. G. I. 617. — Sp. 1. Californ.
- 2047 41 **Cercocarpus** H. B. et K. G. I. 618. — Sp. 5. Californ., Mexic.
- 2048 42 **Cowania** Don. G. I. 618. — Sp. 3. Californ., Mexic.  
*Greggia* Engelm.
- 2049 43 **Dryas** L. G. I. 618. — Sp. 2. Eur., Asia et Amer. temp. et arct.
- 2050 44 **Fallugia** Endl. G. I. 618. — Sp. 1. Mexic.
- 2051 45 **Geum** L. G. I. 619. — Sp. ad 30. Reg. temp. et frigid. totius  
orbis, (Afr. austr. sp. 1).  
*Sieversia* Willd., *Stylipus* Raf., *Bernoullia* Neck.
- 2052 46 **Waldsteinia** Willd. G. I. 619. — Sp. 4. Eur. centr. et or.,  
Asia bor., Amer. temp. or.  
*Comaropsis* L. C. Rich.
- 2053 47 **Coluria** R. Br. G. I. 619. (*Laxmannia* Fisch.). — Sp. 1. Sibiria.
- 2054 48 **Fragaria** L. G. I. 620. — Sp. vix plus quam 6 dist. Hemisph.  
bor. reg. temp. Chili, Brasil., Ind. or.  
*Duchesnea* Sm.
- 2055 49 **Potentilla** L. G. I. 620 et 1004. -- Sp. enum. ultra 260, ad 160  
reduc. Hemisph. bor. reg. temp. et arct.  
1. *Fragariastrum* Schur.  
2. *Comarum* L.  
3. *Tormentilla* L.  
4. *Trichothalamus* Lehm. (*Lehmannia* Tratt.).  
5. *Boottia* Bigelow.  
6. *Sibbaldia* L., *Dactylophyllum* Spenn., *Dryadanthe* Endl.  
7. *Horkelia* Cham. et Schlcht. — 8. *Ivesia* Torr.
- 2056 50 **Potania** Maxim. in *Mél. biolog.* XI. 214 (1881). — Sp. 1.  
Mongolia.
- 2057 51 **Chamaerhodos** Bge. G. I. 621. — Sp. 4 v. 5. Asia bor. et med.,  
Amer. bor.

TRIBUS VII. **Poterieæ.**

- 2058 52 **Alchemilla** L. G. I. 621. — Sp. ad 40. Utriusque orbis reg.  
temp., Afr. austr.  
*Aphanes* L.



- 2059 53 **Brayera** Kth. G. I. 622. (*Bankesia* Bruce, *Hagenia* Willd.).  
— Sp. 1. Abyss.
- 2060 54 **Leucosidea** E. et Z. G. I. 622. — Sp. 1. Pr. B. Spei.
- 2061 55 **Spencaria** Trimen in *Journ. Bot.* 97 (1879). — Sp. 1. China.
- 2062 56 **Agrimonia** L. G. I. 622. — Sp. dist. ad 10. Reg. temp. et  
mont. trop. hemisph. bor., Amer. austr.  
*Aremonia* Neck. (*Amonia* Nestl., *Spallanzania* Poll.).
- 2063 57 **Margyricarpus** R. et P. G. I. 623 (*Tetraglochin* Pöpp.). — Sp.  
4. Amer. mer.
- 2064 58 **Polylepis** R. et P. G. I. 623. — Sp. ad 10. Andes, Californ.,  
Ins. Sandvic.
- 2065 59 **Acæna** L. G. I. 623. (*Ancistrum* Forst.). — Sp. ad 30. Reg.  
extratrop. austr., Californ., Ins. Sandvic.
- 2066 60 **Poterium** L. G. I. 624. — Sp. ad 15 v. 20. Hemisph. bor.  
reg. temp. et calid.  
1. *Sanguisorba* L. — 2. *Poterium* DC.  
3. *Poteridium* Spach. — 4. *Sarcopoterium* Spach.
- 2067 61 **Bencomia** Webb. G. I. 624. — Sp. 2. Ins. Canar. et Mader.
- 2068 62 **Cliffortia** L. G. I. 624. — Sp. ad 10. Afr. austr.  
*Monographidium* Presl, *Menax* Gärtn., *Morilandia* Neck.

TRIBUS VIII. **Roseæ.**

- 2069 63 **Rosa** L. G. I. 625. — Sp. ultra 600 enum., ad 50 v. 55 reduc.  
Reg. temp. subalp. et subtrop. hemisph. bor.  
*Hulthemia* Dmrt. (*Lowea* Lindl.).

TRIBUS IX. **Neuradeæ.**

- 2070 64 **Neurada** L. G. I. 625. — Sp. 1. Afr. bor., Persia, Seindia,  
Arabia.
- 2071 65 **Grielum** L. G. I. 626. — Sp. 3. Afr. austr.

TRIBUS X. **Pomeæ.**

- 2072 66 **Cydonia** Tourn. G. I. 626. (*Chænomeles* Lindl.). — Sp. 4. Eur.  
austr., Asia calid.  
*Pseudochænomeles* Carrière.
- 2073 67 **Docynia** Dcne. *Mém. fam. Pomacées* (1875). — Sp. 3 v. 2.  
Himal., Khasia.
- 2074 68 **Pyrus** L. G. I. 626 et 1004. — Sp. ad 50. Hemisph. bor. reg.  
temp., Ind. bor. mont. cistrop.  
Sect. 1. *Malus* H. f., *Malus* Tourn.  
Sect. 2. *Eupyrus* H. f.  
Sect. 3. *Aria* H. f., *Aria* Pers.

Sect. 4. *Sorbus* H. f., *Sorbus* L., *Cormus* Spach, *Torminaria* Schur.

Sect. 5. *Micromeles* H. f., *Micromeles* Dene.

2075 69 *Mespilus* L. G. I. 626. (*Mespilophora* Neck.). — Sp. 1 v. 2.  
Eur. occ., med. et austr., Asia occ.

2076 70 *Crataegus* L. G. I. 627. — Sp. descr. ad 65, sed valde multipl.  
Reg. temp. hemisph. bor.

*Phalacros* Wenz., *Timbalia* Clos, *Sportella* Hance.

2077 71 *Cotoneaster* Medik. G. I. 627 et 1004. — Sp. ad 18. Hemisph.  
bor. reg. temp., Ind. or., Mexic.

*Nagelia* Lindl.

2078 72 *Photinia* Lindl. G. I. 627. (*Heteromeles* Röm.). — Sp. ad 30.  
Ind. or., China, Californ.

*Eriobotrya* Lindl.

2079 73 *Pourthiæa* Dene. *Mém. fam. Pomacées* (1875). — Sp. enum. 10  
sed plures reduc. Himal., China, Corea, Japon.

2080 74 *Raphiolepis* Lindl. G. I. 627. — Sp. 5. China, Japon., Ins.  
Sandvic.

2081 75 *Stranvæsia* Lindl. G. I. 627. — Sp. 6. Himal., Khasia.

2082 76 *Chamaemeles* Lindl. G. I. 628. — Sp. 1. Ins. Mader.

2083 77 *Amelanchier* Lindl. G. I. 628. (*Aronia* Pers.). — Sp. ad 4. Eur.,  
Asia minor, Japon., Amer. bor.

*Peraphyllum* Nutt.

2084 78 *Osteomeles* Lindl. G. I. 628. — Sp. ad 8 v. 12. Andes, Ins.  
Sandvic.

*Hesperomeles* Lindl., *Eleutherocarpum* Schlecht.

Genus incertæ sedis.

2085 79 ?*Thollonia* H. Bn in *Bull. Soc. Linn. Paris*. 610 (1886).  
(*Tolonia* err. Brazza). — Sp. 1. Congo.

## ORDO LXVII. SAXIFRAGACEÆ <sup>(1)</sup>

### TRIBUS I. Saxifrageæ.

2086 1 *Donatia* Forst. G. I. 634. — Sp. 2. N. Zel., Tasmania, Chili,  
Amer. austr. antaret.

2087 2 *Eremosyne* Endl. G. I. 634. — Sp. 1. Austral. austro-occ.

2088 3 *Leptarrhena* R. Br. G. I. 634. — Sp. 1. Kamtchatka, Amer.  
bor. occ.

2089 4 *Astilbe* Ham. G. I. 634. (*Hoteia* Morr. et Dene). — Sp. ad 6.  
Himal., Java, Japon., Amer. bor.-or.

(1) Sp. ad 650, reg. temp. et frigid. totius orbis incolæ, in trop. raræ, in Afr. austr. et Austral.  
paucæ.

- 2090 5 **Tanakaea** Franch. et Savat. *Enum. pl. Japon.* II. 352. — Sp. 1. Japon.
- 2091 6 **Rodgersia** A. Gray. G. I. 635. — Sp. 1. Japon., China.
- 2092 7 **Saxifraga** L. G. I. 635. — Sp. ad 180. Reg. temp. et arct. —  
hemisph. bor., Andes.  
Sect. 1. *Bergenia* B. et H., *Megasea* Haw., *Bergenia* Mönch.  
Sect. 2. *Porphyreon* Sternb., *Antiphylla* Haw.  
Sect. 3. *Aizoonia* Sternb., *Chondrosea* Haw.  
Sect. 4. *Dactyloides* Sternb., *Saxifraga* et *Muscaria* Haw. pr. p.  
Sect. 5. *Nephrophyllum* Sternb., *Lobaria* Haw. pr. p.  
Sect. 6. *Isomeria* Hook.  
Sect. 7. *Arabidia* Sternb., *Spathularia* Haw.  
Sect. 8. *Micranthes* Sternb., *Dermasea* Haw.  
Sect. 9. *Hydatia* Sternb., *Aulaxis* et *Robertsonia* Haw., *Ligularia* Duval.  
Sect. 10. *Micropetalum* Sternb., *Miscopetalum* et *Lobaria* Haw. pr. p.  
Sect. 11. *Hirculus* Sternb., *Leptasea*, *Hirculus* et *Ciliaria* Haw., *Kingstonia* Gray.
- 2093 8 **Zahlbrucknera** Rehb. G. I. 636. — Sp. 1. Styria, Carinthia.
- 2094 9 ?**Bolandra** A. Gray in *Proc. Amer. Acad.* VII. 341 (1867). —  
Sp. 1. Californ.
- 2095 10 **Boykinia** Nutt. G. I. 636. — Sp. 5. Carolina, Californ.
- 2096 11 **Suksdorfia** A. Gray in *Proc. Amer. Acad.* XV. 41. — Sp. 1. Amer. bor.
- 2097 12 **Sullivantia** Torr. et Gray. G. I. 626. — Sp. 1. Amer. bor. (Ohio).
- 2098 13 **Vahlia** Thunb. G. I. 637. (*Russelia* L. f.). — Sp. 4. Afr. trop. et austr., Asia trop. et subtrop.  
*Bistella* Delile.
- 2099 14 **Tiarella** L. G. I. 637. — Sp. 5. Himal., Amer. bor.
- 2100 15 **Tellima** R. Br. G. I. 637. — Sp. 7. Amer. bor.-occ.  
*Lithophragma* Torr. et Gray.
- 2101 16 **Mitella** L. G. I. 638. — Sp. 5. Amer. bor. temp., Sibir. or.  
*Drummondia* DC., *Mitellopsis* Meisn.
- 2102 17 **Heuchera** L. G. I. 638. — Sp. ad 15 v. 20. Amer. bor.
- 2103 18 **Tolmiea** Torr. et Gray. G. I. 638. — Sp. 1. Amer. bor.-occ.
- 2104 19 **Chrysosplenium** L. G. I. 638. — Sp. ad 45. Eur., Asia et Amer. temp.
- 2105 20 **Oresitrophe** Bge. G. I. 639. — Sp. 1. China bor.
- 2106 21 **Fauria** Franch. in *Bull. Soc. philom. Paris.* 102 (1886). —  
Sp. 1. Japon.

- 2107 22 *Lepuropetalon* DC. G. I. 639. (*Cryptopetalum* H. et A.). — Sp. 1. Amer. bor. temp., Chili.  
 2108 23 *Parnassia* L. G. I. 639 et 1004. — Sp. ad 14. Eur. Asia et Amer. bor. reg. temp. et arct., Ind. or.

TRIBUS II. **Francoeæ.**

- 2109 24 *Francoa* Cav. G. I. 640. — Sp. 1 v. 2. Chili.  
 2110 25 *Tetilla* DC. G. I. 640. (*Dimorphopetalum* Bert., *Tetraplasium* Kunze). — Sp. 1. Chili.

TRIBUS III. **Hydrangeæ.**

- 2111 26 *Hydrangea* L. G. I. 640. (*Hortensia* Comm.). — Sp. ad 33. Himal., Ins. Malay., China, Japon., Amer. bor. et mer. Cornidia R. et P. (*Sarcostyles* Presl), *Beautia* Comm., *Primula* Lour., non Auct.  
 2112 27 *Schizophragma* S. et Z. G. I. 641. — Sp. 1. Japon.  
 2113 28 *Deinanthè* Maxim. *Revis. Hydrang.* 3. — Sp. 1. Japon.  
 2114 29 *Pileostegia* H. f. et T. G. I. 641. — Sp. 2. Ind. or., Japon.  
 2115 30 *Dichroa* Lour. G. I. 641. (*Cyanitis* Reinw., *Adamia* Wall.). — Sp. 1. Java, China austr., Ins. Philippin., Ind. or.  
 2116 31 *Broussaisia* Gaud. G. I. 641. — Sp. 1 v. 2. Ins. Sandvic.  
 2117 32 *Deutzia* Thunb. G. I. 642. — Sp. ad 7. China, Himal., Japon.  
 2118 33 *Decumaria* L. G. I. 642. (*Forsythia* Walt.). — Sp. 1. Amer. bor.  
 2119 34 *Philadelphus* L. G. I. 642. — Sp. ad 12. Eur. med., Amer. bor., Japon., Himal.  
 2120 35 *Platycrater* S. et Z. G. I. 643. — Sp. 1. Japon.  
 2121 36 *Cardiandra* S. et Z. G. I. 643. — Sp. 1. Japon., China.  
 2122 37 *Jamesia* Torr. et Gray. G. I. 643. — Sp. 1. Amer. bor. austr.  
 2123 38 *Lyonothamnus* A. Gray in *Proc. Amer. Acad.* XV. 291 (1885). — Sp. 1. Californ.  
 2124 39 *Fendlera* Engelm. et Gray. G. I. 643. — Sp. 1. Texas, N. Mexic.  
 2125 40 *Carpenteria* Torr. G. I. 643. — Sp. 1. Californ.  
 2126 41 *Whipplea* Torr. G. I. 644. — Sp. 2. Californ.

TRIBUS IV. **Escalloniæ.**

- 2127 42 *Escallonia* L. f. G. I. 644. (*Stereoxylon* R. et P., *Vigiera* Vell., *Mollia* Gmel.). — Sp. ad 45. Amer. mer.  
 2128 43 *Valdivia* Remy. G. I. 644. — Sp. 1. Chili (Valdivia).  
 2129 44 *Quintinia* A. DC. G. I. 645. — Sp. 4. Austral., N. Zel.  
 2130 45 *Ixerba* A. Cunn. G. I. 645. — Sp. 1. N. Zel.  
 2131 46 *Brexia* Thou. G. I. 645. (*Venana* Lam.). — Sp. 1 v. 2. Madagasc.  
 2132 47 *Roussea* Sm. G. I. 645. — Sp. 1. Ins. Maurit.

- 2133 48 **Berenice** Tul. G. I. 646. — Sp. 1. Ins. Borbon.  
 2134 49 **Argophyllum** Forst. G. I. 646. — Sp. ad 5. Austral., N. Caled.  
 2135 50 **Carpodetus** Forst. G. I. 646. — Sp. 1. N. Zel.  
 2136 51 **Abrophyllum** H. f. G. I. 647. (*Brachynema* F. Müll.). — Sp. 1. Austral.  
 2137 52 **Cuttsia** F. Müll. G. I. 1004. — Sp. 1. Austral. or.  
 2138 53 **Choristylis** Harv. G. I. 647. — Sp. 1. Afr. austr.  
 2139 54 **Itea** L. G. I. 647. — Sp. 5. Amer. bor. or., Japon., China, Java, Himal.  
 2140 55 **Colmeiroa** F. Müll. *Fragm.* VII. 149 (1871). — Sp. 1. Austral.  
 2141 56 **Polyosma** Bl. G. I. 647. — Sp. ad 8. Ind. or., Ins. Malay., Austral. temp.  
 2142 57 **Dedea** H. Bn in *Comptes-rendus Assoc. franç.* VII. 964 (1878). — Sp. 3. N. Caled.  
 2143 58 **Phyllonoma** Willd. G. I. 648. (*Dulongia* H. B. et K.). — Sp. 1 v. 2. Mexic., N. Granada.  
 2144 59 **Forgesia** Comm. G. I. 648. (*Defforgia* Lam.). — Sp. 1. Ins. Borbon.  
 2145 60 **Anopterus** Labill. G. I. 648. — Sp. 2. Tasmania, Austral. or.  
 2146 61 **Tetracarpæa** H. f. G. I. 648. — Sp. 1. Tasmania.

TRIBUS V. **Cunoniæ.**

- 2147 62 **Codia** Forst. G. I. 649. — Sp. 5. N. Caled.  
 2148 63 **Pancheria** Brongn. et Gris. G. I. 649. — Sp. 5 v. 7. N. Caled.  
 2149 64 **Franchetia** H. Bn in *Bull. Soc. Linn. Paris.* 471 (1885). — Sp. 1. Madagasc.  
 2150 65 **Callicoma** Andr. G. I. 649. (*Calycomis* R. Br.). — Sp. 1. Austral. or.  
 2151 66 **Geissois** Labill. G. I. 650. — Sp. 4. N. Caled., Ins. Viti, Austral.  
 2152 67 **Belangera** Camb. G. I. 650. (*Polystemon* Don, *Lamanonia* Vell.). — Sp. 5. Brasil. mer.  
 2153 68 **Spiræanthemum** A. Gray. G. I. 650. — Sp. 5. N. Caled., Ins. Viti et Samoa.  
 2154 69 **Aphanopetalum** Endl. G. I. 651. — Sp. 2. Austral. *Platyptelea* J. Drumm.  
 2155 70 ? **Gumillea** R. et P. G. I. 651. — Sp. 1. Peruv.  
 2156 71 **Ceratopetalum** Sm. G. I. 651. — Sp. 2. Austral. or.  
 2157 72 **Schizomeria** D. Don. G. I. 651. — Sp. 1. N. Gallia austr.  
 2158 73 **Acrophyllum** Benth. G. I. 652. (*Calycomis* Don). — Sp. 1. N. Gallia.  
 2159 74 **Anodopetalum** A. Cunn. G. I. 652. — Sp. 1. Tasmania.  
 2160 75 **Platylophus** Don. G. I. 652. (*Trimerisma* Presl). — Sp. 1. Afr. austr.

- 2161 76 *Gillbeea* F. Müll. G. I. 1004. — Sp. 1. Austral. or. trop.  
 2162 77 *Caldcluvia* Don. G. I. 652. (*Dieterica* Ser.). — Sp. 1. Chili austr.  
 2163 78 *Ackama* A. Cunn. G. I. 653. — Sp. 2. N. Zel., N. Gallia austr.  
 2164 79 *Davidsonia* F. Müll. *Fragm.* VI. 249 (1867). — Sp. 1. Austral. bor. or.  
 2165 80 *Spiræopsis* Miq. G. I. 653. (*Dirhynchosia* Bl.). — Sp. 1. Ins. Celebes.  
 2166 81 *Weinmannia* L. G. I. 653. (*Leiospermum* Don). — Sp. ad 60. Ins. Mascar., Malay. et Pacif., Austral., N. Zel., Amer. mer.  
     *Arnoldia* Bl., *Pterophylla* Don.  
 2167 82 *Cunonia* L. G. I. 654. — Sp. 6. Afr. austr., N. Caled. austr.

TRIBUS VI. **Ribesieæ.**

- 2168 83 *Ribes* L. G. I. 654. — Sp. ad 75. Eur., Asia et Amer. temp., Amer. austr. andina.  
     1. *Robsonia* Spach. — 2. *Grossularia* A. Rich.  
     3. *Cerophyllum* et *Coreosma* Spach, *Botryocarpium* A. Rich., *Calobotrya* et *Rebis* Spach.  
     4. *Chrysobotrya* Spach.

## Genera anomala.

- 2169 84 *Bauera* Banks. G. I. 655. — Sp. 3. Austral.  
 2170 85 *Cephalotus* Labill. G. I. 655. — Sp. 1. Austral. austro-occ.  
 2171 86 ? *Penthorum* L. G. I. 661. — Sp. 2. Amer. bor. or., China.

## Genus incertæ sedis.

- 2172 87 ? *Grevea* H. Bn in *Bull. Soc. Linn. Paris*. 460. — Sp. 1. Madagasc.

ORDO LXVIII. **CRASSULACEÆ** (1)

- 2173 1 *Tillæa* L. G. I. 657. — Sp. ad 26. Reg. temp. et trop. totius orbis.  
     1. *Bulliarda* DC. — 2. *Helophytum* E. et Z.  
     3. *Combesia* A. Rich. — 4. *Disporocarpa* C. A. Mey.  
 2174 2 *Macrosepalum* Rgl et Schmalh. *Descr. pl. Fedtsch.* 25. — Sp. 1. Turkest.  
 2175 3 *Dinacria* Haw. G. I. 657. — Sp. 1. Pr. B. Spei.  
 2176 4 *Crassula* L. G. I. 657. — Sp. ad 130. Afr. austr., Abyss. (Himal. sp. 1).

(1) Sp. ad 485, per reg. trop. et imprimis reg. temp. et subcalid. Eur. Asiæ occ., Afr. austr. et Amer. bor. vigentes, in Australia terrisque polaribus raræ.

Sect. 1. *Eucrassula* B. et H., *Septas* L., *Rochea* DC. pr. p.,  
*Larochea* Pers., *Kalosanthes*, *Turgosea* et *Curtogyne*  
Haw., *Sarcolipes*, *Petrogeton*, *Tetraphyle*, *Pyrgosea* et  
*Thisantha* E. et Z., *Dasystemon* DC.

Sect. 2. *Pyramidella* B. et H., *Tetraphyle* E. et Z. pr. p.

Sect. 3. *Sphæritis* B. et H., *Sphæritis* E. et Z. pr. p.

Sect. 4. *Margarella* B. et H., *Sphæritis* E. et Z. pr. p.

Sect. 5. *Pachyacris* B. et H., *Sphæritis* E. et Z. pr. p.

Sect. 6. *Globulea* B. et H., *Globulea* Haw.

- 2177 5 **Grammanthes** DC. G. I. 658. (*Vauanthes* Haw.). — Sp. 1. Pr.  
B. Spei.
- 2178 6 **Rochea** DC. G. I. 658. (*Kalosanthes* Haw.). — Sp. ad 4. Afr.  
austr.
- 2179 7 **Kitchingia** Bak. in *Journ. Linn. Soc.* XVIII. 268 (1881). —  
Sp. 15. Madagasc.
- 2180 8 **Bryophyllum** Salisb. G. I. 658. (*Physocalycium* Vest.). — Sp.  
4. Reg. trop. totius orbis.
- 2181 9 **Kalanchoe** Adans. G. I. 659. (*Calanchoe* Pers., *Vereia* Andr.).  
— Sp. ad 36. Asia et Afr. trop. (Brasil. sp. 1).
- 2182 10 **Cotyledon** L. G. I. 659. — Sp. ad 75. Eur. occ. et austr., Afr.,  
Asia or., Himal., Mexic.  
1. *Cotyledon* DC., *Adromischus* et *Courantia* Lemaire,  
*Diotostemon* Salm-Dyck.  
2. *Umbilicus* DC. — 3. *Pistorinia* DC.  
4. *Echeveria* DC. (*Pachyphytum* Kl.).
- 2183 11 **Sedum** L. G. I. 659. — Sp. ad 150. Reg. temp. et frigid.  
hemisph. bor.  
1. *Rhodiola* L. — 2. *Anacampseros* Haw.  
3. *Procrassula* Griseb. (*Telmissa* Fenzl, *Aithales* Webb).
- 2184 12 **Sempervivum** L. G. I. 660. (*Dipogon* Jord. et Four.). — Sp. ad  
50 ? Eur., Asia bor. et or., Afr. bor. et trop.  
1. *Aichryson* Webb. — 2. *Æonium* Webb.  
3. *Greenovia* Webb.
- 2185 13 **Monanthes** Haw. G. I. 660. (*Petrophytes* Webb et Berth.). —  
Sp. 4. Ins. Canar.
- 2186 14 **Diamorpha** Nutt. G. I. 661. — Sp. 1. Carolina.
- 2187 15 **Triactina** H. f. et T. G. I. 661. — Sp. 1. Himal. temp.

#### ORDO LXIX. DROSERACEÆ

- 2188 1 **Drosera** L. G. I. 662. — Sp. ad 100. Orbis totus.  
Sect. 1. *Rorella* DC. — 2. *Ergaleium* DC., *Sondera* Lehm.
- 2189 2 **Drosophyllum** Link. G. I. 663. — Sp. 1. Lusit., Hispan., Mau-  
ritania.

- 2190 3 *Aldrovanda* L. G. I. 663. — Sp. 1. Eur. med. et austr., Bengal., Austral.  
 2191 4 *Dionæa* Ellis. G. I. 663. — Sp. 1. Florida, Carolina.  
 2192 5 *Roridula* L. G. I. 664. (*Ireon* Burm.). — Sp. 2. Afr. austr.  
 2193 6 *Byblis* Salisb. G. I. 664. — Sp. 2 v. 4? Austral.

ORDO LXX. **HAMAMELIDEÆ** <sup>(1)</sup>

- 2194 1 *Parrotia* C. A. Mey. G. I. 666. — Sp. 2. Persia, Kashmir.  
 2195 2 *Fothergilla* L. f. G. I. 666. — Sp. 1. Amer. bor.-or.  
 2196 3 *Distylium* S. et Z. G. I. 666. — Sp. 2 v. 3. China, Japon., Khasia.  
 2197 4 *Sycopsis* Oliv. G. I. 666. — Sp. 1. Khasia.  
 2198 5 *Corylopsis* S. et Z. G. I. 667. — Sp. 4. Japon., China, Khasia, Himal.  
 2199 6 *Dicoryphe* Thou. G. I. 667. — Sp. ad 10. Madagasc.  
 2200 7 *Hamamelis* L. G. I. 667. — Sp. 2. Amer. bor.-or., Japon.  
 2201 8 *Trichocladus* Pers. G. I. 667. (*Dahlia* Thunb.). — Sp. 2. Afr. austr.  
 2202 9 *Loropetalum* R. Br. G. I. 668. — Sp. 1. China, Khasia.  
 2203 10 *Maingaya* Oliv. in *Trans. Linn. Soc.* XXVIII. 517 (1873). — Sp. 1. Ind. or. (Penang).  
 2204 11 *Tetrathyrium* Benth. G. I. 668. — Sp. 1. Ins. Hongkong.  
 2205 12 *Eustigma* Gardn. et Champ. G. I. 668. — Sp. 1. Ins. Hongkong.  
 2206 13 *Rhodoleia* Hook. G. I. 668. — Sp. 2. Sumatra, China.  
 2207 14 *Disanthus* Maxim. G. I. 1004. — Sp. 1. Japon.  
 2208 15 *Bucklandia* R. Br. G. I. 668. — Sp. 2. Himal., Khasia, Sumatra.  
 2209 16 *Altingia* Nor. G. I. 669. (*Sedgwickia* Griff.). — Sp. 2. Ind. or., Ins. Malay.  
 2210 17 *Liquidambar* L. G. I. 669. — Sp. 2. Amer. bor. trop. et calid., Asia minor.  
 2211 18 *Myrothamnus* Welw. G. I. 1005. (*Myosurandra* H. Bn). — Sp. 1. Afr. trop. et austr.  
 2212 19 ?*Ostrearia* H. Bn in *Adans.* X. 131 (1868). — Sp. 1. Austral.

ORDO LXXI. **BRUNIACEÆ** <sup>(2)</sup>

- 2213 1 *Berzelia* Brongn. G. I. 671. (*Heterodon* Meisn.). — Sp. ad 7. Afr. austr.

(1) Sp. ad 40, reg. subcalid. et trop. Asia, Afr. austr. et Amer. bor. incolæ.

(2) Sp. ad 45, Afr. australis, præcipue Capensis, incolæ.



- 2214 2 **Thamnea** Soland. G. I. 671 et 1006. — Sp. 4. Pr. B. Spei.  
 2215 3 **Tittmannia** Brongn. G. I. 671. (*Mæsslera* Rchb.). — Sp. 1.  
 Pr. B. Spei.  
 2216 4 **Brunia** L. G. I. 671. — Sp. ad 10. Afr. austr.  
*Bæckeia* Burm.  
 2217 5 **Raspalia** Brongn. G. I. 672. — Sp. 7 v. 8. Afr. austr.  
*Berardia* Harv. et Sond. pr. p.  
 2218 6 **Berardia** Brongn. G. I. 672. (*Diberara* H. Bn). — Sp. 3 v. 4.  
 Pr. B. Spei.  
 2219 7 **Staavia** Thunb. G. I. 672 et 1006. (*Levisanus* Schreb.). — Sp.  
 ad 6. Pr. B. Spei.  
 2220 8 **Linconia** L. G. I. 673. — Sp. 3. Afr. austr.  
 2221 9 **Audouinia** Brongn. G. I. 673. — Sp. 1. Pr. B. Spei.  
 2222 10 **Lonchostoma** Wickstr. G. I. 673. (*Gravenhorstia* Nees). — Sp.  
 ad 3. Pr. B. Spei.

### ORDO LXXII. HALORAGÆÆ <sup>(1)</sup>

- 2223 1 **Loudonia** Lindl. G. I. 674. (*Glichrocarson* Endl.). — Sp. 3.  
 Austral.  
 2224 2 **Haloragis** Forst. G. I. 674. (*Cercodia* Murr., *Gonocarpus*  
*Thunb.*, *Gonatocarpus* Willd.). — Sp. ad 46. Asia or.,  
 Austral., N. Zel., Ins. Pacif.  
 2225 3 **Meionectes** R. Br. G. I. 675. — Sp. 1. Tasmania, Austral.  
 2226 4 **Serpicula** L. G. I. 675. (*Laurembergia* Berg.). — Sp. 2 v. 4.  
 Asia, Afr. et Amer. calid.  
*Epilithes* Bl.  
 2227 5 **Proserpinaca** L. G. I. 675. (*Trixis* Gärtn.). — Sp. 2. Amer.  
 bor., Ind. occ.  
 2228 6 **Hippuris** L. G. I. 675. — Sp. 1 v. 2. Eur., Asia bor., Amer.  
 bor., Chili.  
 2229 7 **Gunnera** L. G. I. 676. — Sp. ad 14. Amer. mer., Java, Austral.,  
 N. Zel., Ins. Pacif.  
*Misandra* Comm., *Milligania* H. f., *Gunneropsis*, *Misan-*  
*dropsis*, *Pankeia* et *Pseudogunnera* OErst.  
 2230 8 **Myriophyllum** L. G. I. 676. — Sp. ad 18. Reg. trop. et temp.  
 totius orbis.  
*Purshia* Raf., *Pelonastes* H. f.  
 2231 9 **Callitriche** L. G. I. 676. — Sp. 1 v. 2. valde variabiles v.  
 plures. Reg. temp. et frigid. totius orbis.

(1) Sp. ad 85, per orbem terrarum sparsæ, pleræque aquaticæ.

ORDO LXXIII. RHIZOPHORACEÆ <sup>(1)</sup>

## TRIBUS I. Rhizophoreæ.

- 2232 1 **Rhizophora** L. G. I. 678. — Sp. 2 v. 3. Littora tropica.  
 2233 2 **Cerrops** Arn. G. I. 679. — Sp. 2 v. 3. Orbis veteris littora tropica.  
 2234 3 **Kandelia** W. et A. G. I. 679. — Sp. 1. Littora Ind. or.  
 2235 4 **Bruguiera** Lam. G. I. 679. — Sp. 6 v. 8. Orbis veteris littora  
 tropica.  
 Kanilia Bl.

## TRIBUS II. Legnotideæ.

- 2236 5 **Carallia** Roxb. G. I. 680. (*Barraldeia* Thou., *Symmetria* Bl.,  
*Diatoma* Lour., *Petalotoma* DC.). — Sp. ad 7. Mada-  
 gasc., Asia trop., Austral.  
 2237 6 **Pellacalyx** Korth. G. I. 680. — Sp. 1. Malacca.  
 2238 7 **Haplopetalum** A. Gray. G. I. 680. — Sp. 2. Ins. Viti.  
 2239 8 **Plæsiantha** H. f. G. I. 681. — Sp. 1. Borneo.  
 2240 9 **Gynotroches** Bl. G. I. 681. (*Dryptopetalum* Arn.). — Sp. 2.  
 Malaisia.  
 2241 10 **Crossostyles** Forst. G. I. 681 et 1006. — Sp. 4. Ins. N. Caled.,  
 Viti et Samoa.  
 Tomostyles Montrouz.  
 2242 11 **Weihea** Spreng. G. I. 681. (*Anstrutheria* Gardn., *Richia*  
 Thou.). — Sp. 3. Afr. austr. et trop. occ., Madagasc.,  
 Zeylan.  
 2243 12 **Macarisia** Thou. G. I. 682. — Sp. 2. Madagasc.  
 2244 13 **Blepharistemma** Wall. G. I. 682. — Sp. 1. Penins. Ind. or.  
 2245 14 **Dactylopetalum** Benth. G. I. 682. — Sp. 3. Afr. trop., Mada-  
 gasc.  
 2246 15 **Cassipourea** Aubl. G. I. 682. (*Legnotis* Sw.). — Sp. ad 3. Amer.  
 austr. trop., Ind. occ.

## TRIBUS III. Anisophylleæ.

- 2247 16 **Anisophyllea** R. Br. G. I. 683. (*Anisophyllum* Don, *Tetracrypta*  
 Gardn. et Champ.). — Sp. ad 3. Asia trop. ins., Mada-  
 gasc., Afr. trop.  
 2248 17 **Combretocarpus** H. f. G. I. 683. — Sp. 1. Borneo.

(1) Sp. ad 50, omnes intertropicæ, multæ littora limosa ad æstuaria fluviorum incolentes.

ORDO LXXIV. COMBRETACEÆ <sup>(1)</sup>

## SUBORDO I. Combreteæ.

- 2249 1 **Terminalia** L. G. I. 685 et 1006. — Sp. ad 90. Totius orbis reg. trop.  
 1. Tanibouca Aubl., Catappa Gärtn.,? Chicharronia A. Rich.  
 2. Pamea Aubl., Fatræa Juss., Myrobalanus et Badamia Gärtn.  
 3. Pentaptera Roxb.  
 4. Chuncoa Pav., Gimbernatea R. et P.  
 5. Vicentia Fr. Allem.
- 2250 2 **Bucida** L. Gen. 541. (*Buceros* P. Browne, *Terminalia* sect. *Bucida* B. et H. G. I. 686.). — Sp. 1. Amer. trop.
- 2251 3 **Buchenavia** Eichl. in *Regensb. Flora*, n. 11 (1866). (*Terminalia* Auct. pr. p.). — Sp. 8. Amer. mer. trop., Antill.
- 2252 4 **Calycopteris** Lam. G. I. 686. (*Getonia* Roxb.). — Sp. 1 v. 2. Ind. or.
- 2253 5 **Conocarpus** Gärtn. G. I. 686. (*Rudbeckia* Adans.). — Sp. 1. Afr. et Amer. littora tropica.
- 2254 6 **Ramatouella** H. B. et K. G. I. 686. — Sp. 2. Venezuela.
- 2255 7 **Anogeissus** Wall. G. I. 687. — Sp. 4 v. 5. Afr. trop., Ind. bor. occ. et trop.
- 2256 8 **Guiera** Adans. G. I. 687. — Sp. 1. Asia et Afr. bor. trop. a Seneg. ad Borneo.
- 2257 9 **Lumnitzera** Willd. G. I. 687. (*Pyrrhanthus* Jack., *Petalonia* Roxb. *Bruguiera* Thou.). — Sp. ad 5 v. 2.? Orbis veteris littora tropica.
- 2258 10 **Macropteranthes** F. Müll. G. I. 687. — Sp. 4. Austral. trop.
- 2259 11 **Laguncularia** Gärtn. G. I. 688. (*Sphenocarpus* Rich.). — Sp. 1. Afr. et Amer. littora tropica.
- 2260 12 **Combretum** L. G. I. 688 et 1006. (*Forsgardia* Vell., *Chrysostachys* Pohl, *Bureava* H. Bn, *Calopyxis* Tul.). — Sp. ad 140. Orbis fere totius reg. trop., Afr. austr.  
 1. Embryogonia Bl.  
 2. Poivræa Comm. (Pevræa Comm., Gonocarpus Ham.).  
 3. Sheadendron Bertol.
- 2261 13 **Thiloa** Eichl. in *Regensb. Flora*, n. 10 (1866). (*Combretum* Auct. pr. p.). — Sp. 5. Brasil.
- 2262 14 **Cacoucia** Aubl. G. I. 688. (*Schousbæa* Willd.). — Sp. 5. Amer. et Afr. trop.

(1) Sp. ad 280, reg. trop. totius orbis obvis, rarius in temper. calidior. Indiæ et Afr. austr. repertæ.

- 2263 15 *Quisqualis* L. G. I. 688. — Sp. 3 v. 4. Asia et Afr. trop.  
*Sphalanthus* Jack.

SUBORDO II. **Gyrocarpeæ.**

- 2264 16 *Illigera* Bl. G. I. 689. (*Henschelia* Presl, *Gronovia* Blanco).  
 — Sp. ad 7. Ind. or. trop. transganget., Ins. Malay., Afr.  
 trop. or.
- 2265 17 *Gyrocarpus* Jacq. G. I. 689. — Sp. 1. Totius orbis reg. trop.
- 2266 18 *Sparattanthelium* Mart. G. I. 690. — Sp. 3 v. 4. Amer. trop.  
 or. a Mexic. ad Brasil.

ORDO LXVV. **MYRTACEÆ** <sup>(1)</sup>

TRIBUS I. **Chamælaucieæ.**

- 2267 1 *Actinodium* Schau. G. I. 696 et 1006. (*Triphelia* R. Br.). —  
 Sp. 1. Austral.
- 2268 2 *Darwinia* Rudge. G. I. 697. (*Hedaroma* Lindl., *Polyzone* Endl.).  
 — Sp. 23. Austral.  
 Sect. 1. *Genetyllis* Benth., *Genetyllis* DC., *Cryptostemon*  
 F. Müll. (*Francisia* Endl.).  
 Sect. 2. *Schuermannia* F. Müll., *Schuermannia* et *Cha-*  
*mælaucium* F. Müll. pr. p.
- 2269 3 *Homoranthus* A. Cunn. G. I. 697. — Sp. 1. Austral. or.
- 2270 4 *Verticordia* DC. G. I. 697. — Sp. ad 38. Austral.  
*Chrysorrhœ* Lindl.
- 2271 5 *Pileanthus* Labill. G. I. 698. — Sp. 3. Austral. austro-occ.
- 2272 6 *Chamælaucium* Desf. G. I. 698. — Sp. 10. Austral. austro-occ.  
*Decalophium* Turcz.
- 2273 7 *Calythrix* Labill. (*Calytrix*) G. I. 699. (*Calycothrix* Meisn.). —  
 Sp. 38. Austral.
- 2274 8 *Lhotzkya* Schau. G. I. 699. — Sp. 9. Austral.
- 2275 9 *Homalocalyx* G. Müll. G. I. 699. — Sp. 2. Austral. trop. et  
 subtrop.
- 2276 10 *Thryptomene* Endl. G. I. 700. — Sp. ad 26. Austral.  
*Paryphantha* et *Astræa* Schau. (*Eremopyxis* H. Bn).
- 2277 11 *Micromyrtus* Benth. G. I. 700. — Sp. 6. Austral.

TRIBUS II. **Leptospermeæ.**

- 2278 12 *Wehlia* F. Müll. *Fragm.* X. 23 (1876). — Sp. 2. Austral. occ.
- 2279 13 *Scholtzia* Schau. G. I. 700. — Sp. 13. Austral.

(1) Sp. enum. ad 2800, sed ad 2100 reduc., plerumque reg. trop. utriusque orbis et Austral. incolæ, in temper. hemisph. bor. et in Afr. extratrop. perpaucae.

- 2280 14 **Bæckea** L. G. I. 701. — Sp. ad 60. Archip. Ind., N. Caled., Austral.  
 Sect. 1. *Rinzia* Benth., *Rinzia* Schau.  
 Sect. 2. *Euromyrtus* Hook., *Euromyrtus* Schau. pr. p.  
 Sect. 3. *Schidiomyrtus* Benth., *Jungia* Gärtn., *Mollia* Gmel., *Imbricaria* Sm., *Schidiomyrtus* Schau.  
 Sect. 4. *Harmogia* Benth., *Harmogia* Schau., *Camphoromyrtus* Schau.  
 Sect. 5. *Oxymirrhine* Benth., *Oxymirrhine* Schau.  
 Sect. 6. *Babingtonia* Benth., *Babingtonia* Lindl., *Tetrapora* Schau., *Ericomyrtus* Turcz.
- 2281 15 **Anticoryne** Turcz. in *Bull. Acad. Pétersb.* 332 (1852). (*Cyathostemon* Turcz., *Myrtella* F. Müll.). — Sp. 2 ? N. Guinea.
- 2282 16 **Astartea** DC. G. I. 702. — Sp. 3. Austral.
- 2283 17 **Hypocalymna** Endl. G. I. 702. — Sp. 12. Austral. occ.
- 2284 18 **Balaustion** Hook. G. I. 702. (*Cheynia* J. Drumm., *Punicella* Turcz.). — Sp. 1. Austral. occ.
- 2285 19 **Agonis** DC. G. I. 703 (*Billiottia* R. Br., *Leptospermum* Labill. pr. p.). — Sp. 12. Austral. occ.
- 2286 20 **Leptospermum** Forst. G. I. 703. — Sp. ad 25. Austral., N. Zel., N. Caled., Archip. Ind.  
 Sect. 1. *Fabricia* Benth., *Fabricia* Gärtn., *Homalospermum* Schau.  
 Sect. 2. *Euleptospermum* Benth., *Macklottia* Korth., *Glaiphyria* Jack.  
 Sect. 3. *Pericalymna* Benth., *Pericalymna* Endl.
- 2287 21 **Kunzea** Rehb. G. I. 703. — Sp. 17. Austral. extratrop.  
*Salisia* Lindl., *Pentagonaster* Kl.
- 2288 22 **Callistemon** R. Br. G. I. 704. — Sp. 11. Austral., N. Caled.
- 2289 23 **Lamarchea** Gaud. G. I. 704. — Sp. 1. Austral. occ.
- 2290 24 **Melaleuca** L. G. I. 705. — Sp. 100. Austral. (sp. 1 per Asiam trop. dispersa).  
*Gymnagathis* et *Asteromyrtus* Schau.
- 2291 25 **Conothamnus** Lindl. G. I. 705. (*Tuchobasis* Turcz.). — Sp. 2. Austral. occ.
- 2292 26 **Beaufortia** R. Br. G. I. 705. (*Schizopleura* Lindl.). — Sp. 13. Austral. occ.
- 2293 27 **Regelia** Schau. G. I. 706. — Sp. 3. Austral. occ.
- 2294 28 **Phymatocarpus** F. Müll. G. I. 706. — Sp. 2. Austral. occ.
- 2295 29 **Calothamnus** Labill. G. I. 706. (*Billottia* Colla). — Sp. 23. Austral. occ.
- 2296 30 **Eremæa** Lindl. G. I. 707. — Sp. 6. Austral. occ.

- 2297 31 **Angophora** Cav. G. I. 707. — Sp. 4. Austral. or.  
 2298 32 **Eucalyptus** L'Hér. G. I. 707. — Sp. descr. fere 200, ad 140  
 reduc. Austral., Archip. Ind.  
 Symphyomyrtus Schau., Eudesmia R. Br., Aromadendrum  
 Andr.  
 2299 33 **Acicalyptus** A. Gray. G. I. 708. — Sp. 3. Ins. Viti., N. Gall.  
 austr.  
 2300 34 **Tristania** R. Br. G. I. 708. — Sp. ad 10. Austral., N. Caled.,  
 Archip. Ind.  
 Sect. 1. *Neriophyllum* Benth.  
 Sect. 2. *Lophostemon* Benth., *Lophostemon* Schott.  
 Sect. 3. *Eutristania* Benth., *Tristaniopsis* Brongn. et Gris.  
 2301 35 **Syncarpia** Ten. G. I. 709. (*Kamptzia* Nees). — Sp. 2. Austral. or.  
 2302 36 **Lysicarpus** F. Müll. G. I. 709. — Sp. 1. Austral. or.  
 2303 37 **Cloezia** Brongn. et Gris. G. I. 709. — Sp. 6. N. Caled.  
 Ballardia et Moorina Montrouz.  
 2304 38 **Tepualia** Griseb. G. I. 710. — Sp. 1. Chili.  
 2305 39 **Spermolepis** Brongn. et Gris. G. I. 710. — Sp. 2. N. Caled.  
 2306 40 **Metrosideros** Banks. G. I. 710. — Sp. ad 20. Austral., Archip.  
 Ind., N. Zel., Ins. Pacif., Afr. austr.  
 Nania Miq.  
 2307 41 **Xanthostemon** F. Müll. pr. p. G. I. 711. (*Fremya* Brongn. et  
 Gris). — Sp. ad 12. Austral., N. Caled.  
 Drapanaurdia Montrouz.  
 2308 42 **Pleurocalyptus** Brongn. et Gris in *Nouv. Archiv. Muséum*. IV.  
 tab. 8 (1868). — Sp. 1. N. Caled.  
 2309 43 **Backhousia** Hook. et Harv. G. I. 711. — Sp. 4. Austral. trop.  
 2310 44 **Osbornia** F. Müll. G. I. 711. — Sp. 1. Austral. trop.

TRIBUS III. **Myrteæ**.

- 2311 45 **Feijoa** Berg. G. I. 712. (*Orthostemon* Berg.). — Sp. 1. Brasil.  
 austr.  
 2312 46 **Campomanesia** R. et P. G. I. 712. — Sp. enum. fere 100,  
 verisim. ad 50 reduc. Amer. trop.  
 1. *Abbevillea* Berg. — 2. *Acrandra* Berg.  
 3. *Britoa* Berg. — *Lacerdæa* Berg.  
 2313 47 **Paivæa** Berg. G. I. 712. — Sp. 1. Brasil.  
 2314 48 **Psidium** L. G. I. 713. — Sp. enum. ultra 100, sed plures reduc.  
 Amer. trop. (Asia trop. or.?).  
*Acca* Berg., *Calyptropsidium* Berg.  
 2315 49 **Psidiopsis** Berg. G. I. 713. — Sp. 1. Columbia.  
 2316 50 **Calycolpus** Berg. G. I. 713. — Sp. enum. 8, sed plur. reduc.  
 Amer. trop.

- 2317 51 **Rhodomyrtus** DC. G. I. 713. — Sp. 5. Asia trop. ins., Oceania.
- 2318 52 **Myrtus** L. G. I. 714 et 1006. — Sp. enum. ultra 100, verisim. ad 50 reduc. Eur. austr., Asia occ., Amer., Afr. et Austral. inter trop. (Asia trop. ?), N. Caled.
- Sect. 1. *Ugni* Benth., *Ugni* Turcz.
- Sect. 2. *Eumyrtus* Benth., ?*Pseudocaryophyllus* et *Myrtus* Berg.
- Sect. 3. *Leantria* A. Gray., *Myrteola* Berg.
- Sect. 4. *Luma* Benth., *Luma* A. Gray, *Anamomis* Griseb., *Myrceugenia*, *Temu*, *Blepharocalyx* et *Myrcianthes* Berg. ?*Macropsidium* Bl., ?*Temus* Molina.
- 2319 53 **Rhodamnia** Jack. G. I. 715. (*Monoxora* Wight). — Sp. 13. Austral. or. et subtrop., Asia trop.
- 2320 54 **Fenzlia** Endl. G. I. 715. — Sp. 2. Austral. trop.
- 2321 55 **Decaspermum** Forst. (*Nelitris* Gärtner. G. I. 716). — Sp. enum. 20, ad 4 v. 5. reduc. Asia et Austral. trop.
- 2322 56 **Myrcia** DC. G. I. 716. — Sp. ultra 500 enum., verisim. plusquam 300 dist. Amer. trop.
1. *Aulomyrcia* Berg. — 2. *Calyptromyrcia* Berg.
3. *Gomidezia* Berg. — 4. *Cerquiera* Berg.
5. *Calycampe* Berg.
- 2323 57 **Marlieria** Camb. G. I. 716. — Sp. enum. ultra 50, plurimæ tamen reduc. Amer. trop.
- Rubachia* et *Eugeniopsis* Berg.
- 2324 58 **Calyptranthes** Sw. G. I. 717. — Sp. enum. 73. Amer. trop.
- Mitranthes* Berg.
- 2325 59 **Pimenta** Lindl. G. I. 717. — Sp. 5. Amer. trop., (Asia trop. cult.).
- 2326 60 **Myrrhinium** Schott. G. I. 717. (*Feliciania* Camb., *Tetrastemon* Hook.). — Sp. 1. Amer. trop. a Montevideo usque ad Columbianam.
- 2327 61 **Eugenia** L. G. I. 718. — Sp. descr. ultra 760, quarum ad 560 dist. Amer. et Asia trop., Austral., Afr., N. Caled.
- Sect. 1. *Jambosa* Benth., *Jambosa* DC., *Cerocarpus* Hassk., *Strongylocalyx*, *Gelpkea*, *Cleistocalyx* et *Clavimyrthus* Bl., *Macromyrthus* Miq.
- Sect. 2. *Syzygium* Benth., *Syzygium* Gärtner., *Acmena* DC., *Microjambosa* Bl., *Caryophyllus* L.
- Sect. 3. *Eueugenia* Wight, *Eugenia* sect. *Eugeniastrum* Griseb., *Myrtus* sect. *Olynthia* Lindl., *Greggia* Gärtner., *Guapurium* Juss., *Syllisium* Mey. et Schau., *Jossinia* Comm., *Plinia* L., *Stenocalyx*, *Phyllocalyx*, *Hexachlamys*, *Myrciaria* et *Siphoneugenia* Berg., *Pseudoeugenia* Scortech., *Catinga* Aubl.

- 2328 62 *Calycorectes* Berg. G. I. 720. — Sp. 8. Amer. trop.  
Schizocalyx Berg.  
2329 63 *Aulacocarpus* Berg. G. I. 720. — Sp. 2? Amer. trop.

TRIBUS IV. **Lecythideæ** <sup>(1)</sup>

- 2330 64 *Gustavia* L. G. I. 721. (*Jeniparandiba* Marcg., *Pirigara* Aubl. pr. p.). — Sp. ad 20. Amer. trop.  
2331 65 *Couroupita* Aubl. G. I. 722. — Sp. 9. Amer. trop.  
2332 66 *Bertholletia* H. et B. G. I. 723. — Sp. 2. Amer. trop.  
2333 67 *Lecythis* L. G. I. 723. — Sp. ad 65. Amer. trop., Antill.  
1. *Jacapucaya* Marcg., *Eschweilera* Mart.  
2. *Chytroma* Miers in *Trans. Linn. Soc.* XXX. 275.  
3. *Ibiriba* Marcg.  
2334 68 *Jugastrum* Miers in *Trans. Linn. Soc.* XXX. 275. (*Lecythis* Auct. pr. p.). — Sp. enum. 6. Amer. intertrop.  
2335 69 *Couratari* Aubl. G. I. 722. (*Lecythopsis* Schrank). — Sp. enum. 15. Amer. trop., Antill.  
*Cariniana* Casar.  
2336 70 *Allantoma* Miers in *Trans. Linn. Soc.* XXX. 291. (*Couratari* Berg. pr. p.). — Sp. enum. 12. Amer. intertrop.  
2337 71 *Grias* L. G. I. 722. — Sp. 4. Amer. trop., Antill.  
2338 72 *Strailia* Nob. (*Cercophora* Miers (non Fresenius) in *Trans. Linn. Soc.* XXX. 172 et 301). — Sp. 1. Brasil.  
2339 73 ? *Myrtopsis* O. Hoffm. in *Linnæa*. XV. 133. — Sp. 1. Angola.

TRIBUS V. **Barringtoniææ**. <sup>(2)</sup>

- 2340 74 *Barringtonia* Forst. G. I. 720 et 1006. — Sp. enum. 55. Asia et Oceania trop.  
1. *Butonica* Juss., *Barringtonia* DC., *Commersona* et *Menichea* Sonner., *Mitraria* Gmel., *Huttum* Adans.  
2. *Stravadium* Juss., *Meteorus* Lour., *Botryoropis* Presl.  
3. *Agasta* Miers. — 4. *Doxomma* Miers.  
5. *Megadendron* Miers. — 6. *Chydenanthus* Miers.  
2341 75 *Suringaria* L. Pierre in *Bull. Soc. Linn. Paris*. 635 (1886). — Sp. 1. Cambodia.  
2342 76 *Planchonia* Bl. G. I. 721. (*Gustavia* Bl., *Butonicoides* R. Br.). — Sp. 7. Ins. Molucc., Austral.  
2343 77 *Careya* Roxb. G. I. 721. — Sp. 4. Ind. or., Austral. trop.  
2344 78 *Petersia* Welw. G. I. 721. — Sp. 1. Angola.

(1) Cf. J. Miers, *On the Lecythidaceæ* in *Trans. Linn. Soc.* XXX (1874).

(2) Cf. J. Miers, *On the Barringtoniaceæ* in *Trans. Linn. Soc.* ser. II. v. I (1875).



TRIBUS VI. **Belvisiæ.**

2343 79 **Napoleona** P. B. G. I. 723. (*Belvisia* Desv.). — Sp. 2. Afr. trop.

2346 80 **Asteranthos** Desf. G. I. 724. — Sp. 1. Brasil. bor., Guiana.

## Genera anomala.

2347 81 **Fœtidia** Comm. G. I. 724. — Sp. 3 v. 1? Ins. Mascar.

2348 82 **Cupheanthus** Seem. G. I. 724. — Sp. 1. N. Caled.

2349 83 **Catostemma** Benth. G. I. 724. — Sp. 1. Guiana angl.

2350 84 **Fropiera** H. f. G. I. 725 et 1006. (? *Psiloxylon* Thou.). G. I. 725 et 1006. — Sp. 1. Ins. Maurit.

2351 85 **Gaslondia** Vieill. G. I. 1006. — Sp. 1 N. Caled.

2352 86 **Piliocalyx** Brongn. et Gris. G. I. 1006. — Sp. 4. N. Caled.

2353 87 ? **Oxydiastrum** Bello in *Anal. Soc. Esp. Hist. nat.* X et XII. — Sp. 1. Porto-Rico.

ORDO LXXVI. **MELASTOMACEÆ** <sup>(1)</sup>

Index confectus secundum monographiam meam ineditam quam in A. et C. de Candolle *Suites au Prodromus*, brevi prolaturus sum (A. Cogniaux).

TRIBUS I. **Microliciæ.**

2354 1 **Lithobium** Bong. G. I. 736. — Sp. 1. Brasil. austr.

2355 2 **Eriocnema** Naud. G. I. 736. — Sp. 2. Brasil. austr.

2356 3 **Castratella** Naud. G. I. 736. — Sp. 1. N. Granada.

2357 4 **Bucquetia** DC. G. I. 736. — Sp. 2. N. Granada, Ecuador.

2358 5 **Cambessedesia** DC. G. I. 737. (*Acipetalum* Turcz. pr. p.) — Sp. 15. Brasil. austr.

2359 6 **Pyramia** Cham. G. I. 737. (*Acipetalum* Turcz. pr. p.) — Sp. 3. Brasil. austr.

2360 7 **Stenodon** Naud. G. I. 737. — Sp. 2. Brasil. austr.

2361 8 **Chætostoma** DC. G. I. 737. — Sp. 13. Brasil. med. et austr.

Sect. 1. *Euchætostoma* Triana. — 2. *Microliciales* Triana.

2362 9 **Microlicia** Don. G. I. 737. (*Jararæa* Scop.). — Sp. 98. Brasil., Guiana, Peruv.

Sect. 1. *Chætostomcideæ* Naud.

Sect. 2. *Pseudomicrolicia* Cogn.

Sect. 3. *Eumicrolicia* Cogn.

2363 10 **Trembleya** DC. G. I. 738. — Sp. 14. Brasil. austr.

Sect. 1. *Eutrembleya* Cogn. — 2. *Erioleuca* DC.

Sect. 3. *Heterogena* Naud.

(1) Sp. ad 2500 per reg. fere omnes trop. sparsæ, in subtrop. rarissimæ, maxima copia in Amer. vigentes, in Afr. et Polynesia raræ.

- 2364 11 *Lavoisiera* DC. G. I. 738. — Sp. 43. Brasil. med. et austr.  
 Sect. 1. *Gentianoideæ* DC. — 2. *Mucorosæ* DC.  
 Sect. 3. *Cataphractæ* DC. — 4. *Carinataæ* DC.
- 2365 12 *Rhynchanthera* DC. G. I. 738. (*Proboscidea* L. C. Rich.,  
*Thenardia* Moç. et Sessé). — Sp. 34. Amer. mer.  
 præcipue Brasil. et Mexic.  
 Sect. 1. *Anisostemonas* Naud. — 2. *Isostemonas* Naud.
- 2366 13 *Siphanthera* Pobl. *Pl. Brasil. Icon.* 102. (*Meissneria* DC. G. I.  
 738). — Sp. 12. Brasil., Guiana.  
 Sect. 1. *Meissneria* B. et H. — 2. *Eusiphanthera* Cogn.
- 2367 14 *Centradenia* G. Don. G. I. 739. (*Plagiophyllum* Schlcht.). —  
 Sp. 4. Mexic., Amer. centr.  
 Sect. 1. *Encentradenia* Cogn. — 2. *Centradeniopsis* Cogn.
- 2368 15 *Poteranthera* Bong. G. I. 739. (*Tulasnea* Naud., *Onoctionia*  
 Naud.). — Sp. 6. Brasil., Guiana.  
 Sect. 1. *Eupoteranthera* Triana. — 2. *Onoctionia* Triana.  
 Sect. 3. *Tulasnea* Cogn.

TRIBUS II. **Tibouchinæ.**

- 2369 16 *Acisanthera* P. Browne. G. I. 739. (*Noterophila* Mart., *Dicra-*  
*nanthera* Presl, *Miocarpus* Naud., *Uranthera* Naud.,  
*Dichætandra* Naud., *Anisocentrum* Turcz.). — Sp. 21.  
 Amer. trop.  
 Sect. 1. *Dicrananthera* Triana. — 2. *Noterophila* Triana.  
 Sect. 3. *Euacisanthera* Triana. — 4. *Dichætandra* Cogn.
- 2370 17 *Heeria* Schlcht. G. I. 740. (*Heterocentron* H. et A., *Schizocen-*  
*tron* Meissn.). — Sp. 6. Mexic., Amer. centr.  
 Sect. 1. *Euheeria* Triana. — 2. *Heterocentrum* Triana.
- 2371 18 *Arthrostemma* R. et P. G. I. 740. (*Heteronoma* DC.). — Sp. 7.  
 Amer. trop. occ., Cuba, Guiana.
- 2372 19 *Ernestia* DC. G. I. 740. — Sp. 4. Brasil., Peruv., N. Granada.
- 2373 20 *Appendicularia* DC. G. I. 741. — Sp. 1. Guiana gall.
- 2374 21 *Nepsera* Naud. G. I. 741. (*Homonoma* Bello). — Sp. 1. Amer.  
 trop. austr., Antill.
- 2375 22 *Desmoscelis* Naud. G. I. 740. — Sp. 2. Amer. austr.
- 2376 23 *Microlepis* Miq. G. I. 741. (*Ancistrodesmus* Naud.). — Sp. 4.  
 Brasil. austr.
- 2377 24 *Brachyotum* Triana. G. I. 743. — Sp. 32. N. Granada, Peruv.,  
 Bolivia.  
 Sect. 1. *Dicentræ* Cogn. — 2. *Adesmiæ* Cogn.
- 2378 25 *Svitramia* Cham. G. I. 736. — Sp. 1. Brasil. austr.
- 2379 26 *Macairea* DC. G. I. 742. — Sp. 17. Brasil., Guiana.
- 2380 27 *Pterogastra* Naud. G. I. 742. — Sp. 3. Amer. æquator.

- 2381 28 **Schwackea** <sup>(1)</sup> Cogn. ined. — Sp. 1 (*S. cupheoides* Cogn.).  
Amer. centr.  
Pterogastra Naud. pr. p. (*P. cupheoides* Seem.).
- 2382 29 **Pterolepis** Miq. G. I. 742. (*Osbeckia* sect. *Pterolepis* DC.,  
*Brachyandra* Naud., *Arthrostemma* Naud. non R. et P.).  
— Sp. 28. Amer. mer., Mexic.
- 2383 30 **Tibouchina** Aubl. *Guian.* I. 445 (1775). (*Savastania* Scop.,  
*Meriana* Vent. non Sw., *Pleroma* et *Diplostegium* D.  
Don, *Lasiandra* et *Chætogastra* DC., *Rhexia* Raddi  
non L., *Hephestionia*, *Oreocosmus*, *Purpurella*, *Mi-*  
*cranthella* et *Tetrameris* Naud., *Pterolepis* sect. B.  
Triana). — Sp. 174. Amer. trop. præcipue Brasil.  
Sect. 1. *Diplostegia* Triana. — 2. *Involucrales* Triana.  
Sect. 3. *Pleroma* Cogn. — 4. *Lepidotæ* Cogn.  
Sect. 5. *Eutibouchina* Cogn. — 6. *Barbigeræ* Naud.  
Sect. 7. *Simplicicaules* Naud. — 8. *Diotanthera* Triana.  
Sect. 9. *Hephestionia* Cogn. — 10. *Pseudopterolepis* Cogn.  
Sect. 11. *Purpurella* Cogn.
- 2384 31 **Chætolepis** Miq. G. I. 744 (*Osbeckia* sect. *Chætolepis* DC.,  
*Haplodesmium* Naud., *Trimeranthus* Karst.). — Sp. 12.  
Amer. trop. præcipue N. Granada.  
Sect. 1. *Euchætolepis* Triana.  
Sect. 2. *Haplodesmium* Triana.
- 2385 32 **Comolia** DC. G. I. 741. (*Tricentrum* DC., *Leiostegia* Benth.,  
*Hostmannia* Steud., *Tetrameris* Naud. pr. p.). — Sp. 20.  
Amer. austr.  
Sect. 1. *Eucomolia* Triana.  
Sect. 2. *Tricentrum* Triana.
- 2386 33 **Frittschia** Cham. G. I. 743. — Sp. 3. Brasil. med. et austr.
- 2387 34 **Marcetia** DC. G. I. 744. — Sp. 22. Amer. mer. præcipue  
Brasil.  
Sect. 1. *Eumarcetia* Cogn.  
Sect. 2. *Pseudomarcetia* Cogn.  
Sect. 3. *Pseudochætostoma* Cogn.
- 2388 35 **Aciotis** D. Don. G. I. 744. (*Spennera* Mart.). — Sp. 29. Amer.  
trop., Antill.

### TRIBUS III. **Osbeckiæ.**

- 2389 36 **Osbeckia** L. G. I. 744. (*Asterostoma*, *Amblyanthera*, *Cerami-*  
*calyx* Bl.). — Sp. ad 40. Afr. trop., Asia trop. et or.,  
Malaisia, Austral.

(1) Hoc genus dedico amico meo Dr W. Schwacke, docto et indefesso Brasilis exploratori.

Sect. 1. *Amblyanthera* Triana. — 2. *Genuinæ* Triana.

Sect. 3. *Ceramicalex* Triana. — 4. *Asterostoma* Triana.

- 2390 37 *Nerophila* Naud. G. I. 744. — Sp. 1. Senegambia.  
 2391 38 *Guyonia* Naud. G. I. 745. — Sp. 1. Senegambia.  
 2392 39 *Otanthera* Bl. G. I. 746. (*Lachnopodium* Bl.). — Sp. ad 8. Ins. Molucc. et Philippin., Austral.  
 2393 40 *Tristemma* Juss. G. I. 746. — Sp. ad 13. Afr. trop., Ins. Mascar.  
 2394 41 *Dinophora* Benth. G. I. 745. — Sp. 1. Afr. trop.  
 2395 42 *Antherotoma* H. f. G. I. 745. — Sp. ad 4. Afr. trop., Madagasc.  
 2396 43 *Dissotis* Benth. G. I. 746. (*Heterotis* Benth., *Melastomastrum*, *Argyrella* et *Osbeckiastrum* Naud., *Lepidanthemum* Kl.). — Sp. ad 28. Afr. trop. et austr.  
 Sect. 1. *Eudissotis* Triana.  
 Sect. 2. *Heterotis* Triana.  
 Sect. 3. *Argyrella* Triana.  
 2397 44 *Melastoma* Burm. *Fl. Zeyl.* 72. G. I. 746. — Sp. ad 44. Asia trop. et or., Oceania, Ins. Seychell.  
 2398 45 *Dichætanthera* Endl. G. I. 747. — Sp. ad 14. Madagasc.  
 2399 46 *Dionycha* Naud. G. I. 745. — Sp. 2. Madagasc.  
 2400 47 *Rhodosepala* Bak. in *Journ. Linn. Soc.* XXI. 475. — Sp. 1. Madagasc.

#### TRIBUS IV. *Rhexiæ*.

- 2401 48 *Rhexia* L. G. I. 747. — Sp. 7. Amer. bor. extratrop. or.  
 2402 49 *Monochætum* Naud. G. I. 747. (*Arthrostemma* sect. *Monochætum* DC., *Grischowia* Karst., *Lævigia* Karst. et Tr. *Ræzlia* Regel). — Sp. 28. Amer. trop. occ.  
 Sect. 1. *Eumonochætum* Triana.  
 Sect. 2. *Grischowia* Triana.  
 2403 50 *Pachyloma* DC. *Prodr.* III. 122. (*Heteronoma* Endl., *Urodesmium* Naud. B. et H. G. I. 748). — Sp. 2. Brasil. bor.

#### TRIBUS V. *Merianieæ*.

- 2404 51 *Acanthella* H. f. G. I. 748. — Sp. 1. Reg. Orinoc.  
 2405 52 *Huberia* DC. G. I. 748. — Sp. 4. Brasil., Peruv.  
 2406 53 *Benevidesia* Saldanha et Cogn. in *Fl. Bras.* Melast. II. 604. tab. 129. fig. II. — Sp. 1. Brasil. austr.  
 2407 54 *Behuria* Cham. G. I. 748. — Sp. 5. Brasil. austr.  
 Sect. 1. *Eubehuria* Cogn.  
 Sect. 2. *Behuriopsis* Cogn.  
 2408 55 *Opisthocentra* H. f. G. I. 749. — Sp. 1. Brasil. bor.

- 2409 56 *Adelobotrys* DC. G. I. 750. (*Davya* sect. *Adelobotrys* Naud., *Sarmentaria* Naud., *Sphanellolepis* Steud.). — Sp. 10. Amer. trop.
- 2410 57 *Meriania* Sw. G. I. 749. (*Davya* DC. pr. p., *Wrightia* Soland., *Adelbertia* Meissn., *Pachymeria* Benth., *Schwerinia* Karst., *Notocentrum* Naud.). — Sp. 37. Amer. trop., Ind. occ.  
Sect. 1. *Eumeriania* Triana. — 2. *Pachymeria* Triana.  
Sect. 3. *Davya* Triana. — 4. *Adelbertia* Triana.
- 2411 58 *Graffenrieda* DC. G. I. 750. (*Cycnopus* Naud., *Miconia* sect. *Arrhenura* Griseb.). — Sp. 17. Amer. austr. trop., Antill.
- 2412 59 *Axinæa* R. et P. G. I. 749. (*Chastenæa* DC.). — Sp. 15. Amer. trop. a Venezuela ad Peruv.
- 2413 60 *Calyptrella* Naud. G. I. 751. — Sp. 4. Peruv., N. Granada, Mexic.
- 2414 61 *Centronia* D. Don. G. I. 750. (non Bl.) (*Conostegia* sect. *Eriostegia* DC., *Brachycentrum* Meisn., *Calyptraria* Naud., *Davya* sect. *Sclerosarcus* Naud., *Stephanogastra* Karst. et Triana). — Sp. 12. Amer. trop. a Mexic. ad Peruv. et Guianam.

TRIBUS VI. **Oxysporeæ.**

- 2415 62 *Barthea* H. f. G. I. 751. — Sp. 1. Ins. Hongkong.
- 2416 63 *Oxyspora* DC. G. I. 751. (*Homocentria* et *Allozygia* Naud., *Hyllocharis* Miq.). — Sp. 4. Ind. or., Sumatra.
- 2417 64 *Bredia* Bl. G. I. 753. — Sp. 1. Japon., Ins. Formosa.
- 2418 65 *Driessenia* Korth. G. I. 753. — Sp. 1. Borneo.
- 2419 66 *Blastus* Lour. G. I. 752. — Sp. 1. Bengal. or., China, Cochinch.
- 2420 67 *Allomorpha* Bl. G. I. 752. — Sp. 6. Ind. or., China, Ins. Viti.
- 2421 68 *Ochthocharis* Bl. G. I. 752. — Sp. 3. Penins. et Ins. Malay.
- 2422 69 *Veprecella* Naud. G. I. 752. — Sp. ad 10. Madagasc.
- 2423 70 *Rousseauxia* DC. G. I. 753. — Sp. 1. Madagasc.
- 2424 71 *Kendrickia* H. f. G. I. 751. — Sp. 1. Zeylan.
- 2425 72 *Anerincleistus* Korth. G. I. 753. — Sp. 3. Sumatra, Penins. Malay.
- 2426 73 *Phornothamnus* Bak. in *Journ. Linn. Soc.* XXI. 342. — Sp. 1. Madagasc.
- 2427 74 *Amphorocalyx* Bak. l. c. XXII. 476. — Sp. 1. Madagasc.

TRIBUS VII. **Sonerileæ.**

- 2428 75 *Sonerila* Roxb. G. I. 753. — Sp. ad 70. Ind. or., Ins. Malay.
- 2429 76 *Phyllagathis* Bl. G. I. 754. — Sp. 2. Penins. et Ins. Malay.

- 2430 77 *Sarcopyramis* Wall. G. I. 754. — Sp. 2. Ind. or., Java.  
 2431 78 *Gravesia* Naud. G. I. 755. — Sp. ad 10. Madagasc.  
 2432 79 *Calvoa* H. f. G. I. 755. — Sp. 3. Afr. trop. occ.  
 2433 80 *Amphiblemma* Naud. G. I. 754. — Sp. 3. Afr. trop. occ.

TRIBUS VIII. *Bertolonieæ*.

- 2434 81 *Bertolonia* Raddi. G. I. 755. (*Triblemma* R. Br.). — Sp. 9. Brasil. austr.  
 2435 82 *Macrocentrum* H. f. G. I. 756. (*Aulacidium* Rich., *Salpinga* Naud., non Mart.). — Sp. 3. Guiana, Brasil. bor.  
 2436 83 *Salpinga* Mart. G. I. 755. — Sp. 3. Brasil. austr.  
 2437 84 *Diplarpea* Triana. G. I. 756. — Sp. 1. N. Granada.  
 2438 85 *Monolena* Triana. G. I. 756. — Sp. 4. N. Granada, Peruv.  
 2439 86 *Diolena* Naud. G. I. 756. — Sp. 6. N. Granada, Venezuela, Ecuador.  
 2440 87 *Triolena* Naud. G. I. 757. — Sp. 3. Mexic., N. Granada, Ecuador.

TRIBUS IX. *Dissochæteæ*

- 2441 88 *Dicellandra* H. f. G. I. 757. — Sp. 2. Afr. trop. occ.  
 2442 89 *Sakersia* H. f. G. I. 757. — Sp. 2. Afr. trop. occ.  
 2443 90 *Dalenia* Korth. G. I. 758. — Sp. 1. Borneo.  
 2444 91 *Marumia* Bl. G. I. 757. (*Macrolenes* Naud.). — Sp. 11. Penins. et Ins. Malay., Ins. Philippin.  
 2445 92 *Dissochæta* Bl. G. I. 758. — Sp. 19. Ind. or., Ins. Malay. et Philippin.  
 2446 93 *Anplectrum* A. Gray. G. I. 758 (*Aplectrum* Bl. non Nutt., *Dissochæta* sect. *Diplectria* Bl.). — Sp. 17. Penins. et Ins. Malay.  
 2447 94 *Creochiton* Bl. G. I. 758. — Sp. 2. Java.  
 2448 95 *Omphalopus* Naud. G. I. 759. — Sp. 2. Java, Sumatra.  
 2449 96 *Carionia* Naud. G. I. 759. — Sp. 2. Manilla.  
 2450 97 *Medinilla* Gaud. G. I. 759. (*Diplogeneu* Lindl., *Triplectrum* Don, *Erpetina* Naud., *Hypenanthæ* et *Dactyliota* Bl.). — Sp. ad 75. Ind. or., Ins. Malay. et maris Pacif., Ins. Afr. occ. et Mascar.  
 2451 98 *Pachycentria* Bl. G. I. 760. — Sp. 9. Archip. Malay.  
 2452 99 *Pogonanthera* Bl. G. I. 760. — Sp. 2. Archip. Malay.

TRIBUS X. *Miconieæ*.

- 2453 100 *Platycentrum* Naud. G. I. 760. — Sp. 1. Brasil., Guiana, Ins. Trinitatis.

- 2454 101 **Leandra** Raddi. G. I. 760. (*Tschudya* et *Oxymeris* DC., B. et H. G. I. 761, *Clidemiastrum* Naud.). — Sp. 170. Amer. trop. a Mexico ad Paraguay.  
 Sect. 1. *Leandraria* DC. — 2. *Niangæ* Cogn.  
 Sect. 3. *Carassanæ* Cogn. — 4. *Oxymeris* Cogn.  
 Sect. 5. *Chætodon* Cogn. — 6. *Secundifloræ* Cogn.  
 Sect. 7. *Tschudya* Cogn.
- 2455 102 **Calycogonium** DC. G. I. 761. — Sp. 18. Antill.  
 Sect. 1. *Eucalycogonium* Cogn.  
 Sect. 2. *Calycogoniopsis* Cogn.  
 Sect. 3. *Krugiophytum* Cogn.
- 2456 103 **Pachyanthus** A. Rich. G. I. 762 (*Sarcomeris* et *Chalybea* Naud.). — Sp. 5. Cuba, N. Granada.
- 2457 104 **Pterocladon** H. f. G. I. 763. — Sp. 1. Peruv.
- 2458 105 **Anæctocalyx** Triana. G. I. 765. — Sp. 2. Venezuela.
- 2459 106 **Conostegia** D. Don. G. I. 763. — Sp. 30. Amer. trop., Antill.
- 2460 107 **Charianthus** D. Don. G. I. 762. (*Chænanthera* L. C. Rich.). — Sp. 8. Antill., Guiana.  
 Sect. 1. *Eucharianthus* Griseb.  
 Sect. 2. *Eccharianthus* Griseb.
- 2461 108 **Tetrazygia** L. C. Rich. G. I. 762. (*Naudinia* A. Rich. non Dene, *Chitonia* Naud., *Miconiastrum* Naud., *Harrera* Macfad.). — Sp. 13. Antill.
- 2462 109 **Miconia** R. et P. G. I. 763. — Sp. ad 490. Amer. trop.  
*Tamonea* Aubl., *Fothergilla* Aubl. non L., *Leonicenia* Scop., ?*Zulatia* Neck., *Cremanium* et *Chitonia* D. Don, *Diplochita* et *Truncaria* DC., *Hypoxanthus* L. C. Rich., *Gallasia* Mart., *Pomereula* Domb., *Chænopleura* L. C. Rich., *Graffenrieda* Mart. non DC., *Melastonia* Raddi non L., *Diplochiton* Spreng., *Cyathanthera* Pohl, *Jucunda* Cham., *Cyanopleura* Spach, *Decarhappe* Miq., *Hartigia* Miq., *Augustinea* S<sup>t</sup>-Hil. et Naud., *Octomeris* Naud. pr. p., *Chiloporus* Naud., *Pogonorhynchus* et *Glossocentrum* Crüg., *Soltmannia* Kl., *Cyanophyllum* Naud., *Catachænia* Griseb., *Schizanthera* Turcz., *Tschudya* Griseb. non DC., *Eurychænia* et *Pleurochænia* Griseb.  
 Sect. 1. *Jucunda* Naud. — 2. *Tamonea* Cogn.  
 Sect. 3. *Adenodesma* Naud. — 4. *Octomeris* B. et H.  
 Sect. 5. *Laceraria* Naud. — 6. *Eumiconia* Naud.  
 Sect. 7. *Glossocentrum* B. et H. — 8. *Chænanthera* Naud.  
 Sect. 9. *Amblyarrhena* Naud. — 10. *Cremanium* B. et H.  
 Sect. 11. *Chænopleura* B. et H.
- 2463 110 **Pleiochiton** Naud. G. I. 764. — Sp. 4. Brasil. austr.

- 2464 111 *Catocoryne* H. f. G. I. 765. — Sp. 1. Peruv.
- 2465 112 *Heterotrichum* DC. G. I. 765. (*Octomeris* Naud. pr. p., *Stephanotrichum* Naud., *Diplodonta* Karst.). — Sp. 11. Amer. trop.
- 2466 113 *Tococa* Aubl. G. I. 764. (*Happia* Neck., *Sphærogyne* Naud.). — Sp. 35. Amer. mer. trop.
- 2467 114 *Microphysca* Naud. G. I. 767. (*Microphysa* Naud., non Schrenk). — Sp. 2. Brasil. bor., Peruv. or.
- 2468 115 *Maieta* Aubl. G. I. 767. (*Mayeta* Juss., *Hosangia* Neck., *Majeta* Mart., *Calophysa* DC. pr. p.). — Sp. 8. Amer. trop.
- 2469 116 *Myrmidone* Mart. G. I. 767. — Sp. 2. Brasil. bor., Venezuela.
- 2470 117 *Clidemia* D. Don G. I. 766. (*Sagræa* DC. G. I. 766, *Staphidium*, *Staphidiastrum* et *Capitellaria* Naud.). — Sp. ad 90. Amer. æquator.
- Sect. 1. *Staphidium* Cogn. non Griseb.
- Sect. 2. *Miconiopsis* Cogn. — 3. *Calophysoides* Cogn.
- Sect. 4. *Capitellaria* Cogn. — 5. *Sagræa* Cogn.
- 2471 118 *Mecranium* H. f. G. I. 767. — Sp. 8. Antill.
- 2472 119 *Bellucia* Neck. G. I. 768. (*Blakea* Aubl., *Webera* Gmel. non Hedw., *Apatitia* Desv., *Ischyranthera* Steud., *Axinanthera* Karst.). — Sp. 10. Amer. trop.
- Sect. 1. *Eubellucia* Triana.
- Sect. 2. *Axinanthera* Triana.
- 2473 120 *Loreya* DC. G. I. 768. (*Heteroneuron* H. f. G. I. 768.). — Sp. 7. Brasil. bor., Guiana.
- Sect. 1. *Euloreya* Cogn.
- Sect. 2. *Heteroneuron* Cogn.
- 2474 121 *Henriettea* DC. G. I. 768. (*Phyllopus* Mart.). — Sp. 12. Amer. trop.
- 2475 122 *Henriettella* Naud. G. I. 769. — Sp. 20. Amer. trop., Ind. occ.
- Sect. 1. *Aphanodon* Triana.
- Sect. 2. *Euhenriettella* Triana.
- 2476 123 *Ossæa* DC. G. I. 770. (*Clidemia* DC. pr. p., *Sagræa* Naud. non DC., *Diclemia* Naud., *Octopleura* Griseb.). — Sp. 48. Amer. trop., Ind. occ.
- Sect. 1. *Euossæa* Cogn.
- Sect. 2. *Octopleura* Cogn.
- 2477 124 *Myriasporea* DC. G. I. 769. — Sp. 2. Brasil. bor., Guiana, N. Granada.

TRIBUS XI. *Blakeæ*.

- 2478 125 *Blakea* L. G. I. 770. (*Valdesia* R. et P., *Pyxidanthus* Naud., *Amaraboya* J. Linden). — Sp. 25. Amer. mer., Antill.



Sect. 1. *Eublakea* Triana.

Sect. 2. *Pyxidanthus* Triana.

- 2479 126 *Topobea* Aubl. G. I. 770. (*Drepanandrum* Neck., *Elakea* Don, pr. p.). — Sp. 20. Amer. calid.

TRIBUS XII. *Astroniæ*.

- 2480 127 *Astronia* Bl. G. I. 771. (*Astronidium* A. Gray, *Naudinia* Dene non Pl. et Lind.). — Sp. ad 24. Ins. Malay. et Pacif.

Sect. 1. *Euastronia* Triana.

Sect. 2. *Naudinia* Triana.

- 2481 128 *Kibesia* DC. G. I. 771 *Rectomitra* et *Macroplacis* Bl., *Euryckia* Korth.). — Sp. ad 13. Archip. Malay. et Ins. Philippin.

- 2482 129 *Pternandra* Jacq. G. I. 771 (*Euryckia* Bl.). — Sp. ad 10. Archip. Malay.

- 2483 130 *Plothiandra* H. f. G. I. 772. — Sp. 1. Borneo.

TRIBUS XIII. *Memecyleæ*.

- 2484 131 *Mouriria* Aubl. G. I. 772. (*Bockia* Scop., *Petaloma* Sw., *Olisbea* DC., *Guildingia* Hook.). — Sp. 40. Amer. trop., Antill.

Sect. 1. *Emouriria* Cogn. — 2. *Olisbea* Cogn.

- 2485 132 *Axinandra* Thw. G. I. 784. — Sp. 3. Zeylan., Malacca, Borneo.

Sect. 1. *Euaxinandra* H. Bn. — 2. *Naxinandra* H. Bn.

- 2486 133 *Memecylon* L. G. I. 773 *Scutula* Lour., *Spathandra* Guill. et Perr., *Lijadenia* Zoll. et Moritz.). — Sp. ad 110. Asia, Afr. et Austral. trop. Ins. Pacif. trop.

ORDO LXXVII. *LYTHRARIÆ* :

TRIBUS I. *Ammanieæ*.

- 2487 1 *Botala* L. Mant. 173. — Sp. ad 30. Orbis totius reg. trop et calid.

*Ammannia* B. et H. G. I. 776 et Auct. pr. p., *Ameletia* DC., *Nannaria* Wight, *Suffrenia* Recl., *Sedowia* Roth, *Winteria* Spreng., *Dithera* Miq., *Euteia* R. Br., *Ortegoides* Seem., *Tritheia* Miq., *Boysiana* Raf.

- 2488 2 *Ammannia* Houston ex L. Genera n. 133. G. I. 776 pr. p. — Sp. ad 17. Orbis totius reg. trop.

*Ammannia* Miq., *Carelia* Ard., *Cryptotheca* Bl., *Diplo-  
sperma*, *Haploxyperum* et *Suffrenia* Miq.

1 Sp. ad 30, presque reg. trop. surtout dans les Amériques tropicales, moins par-  
tout dans les régions tempérées.

2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23. 24. 25. 26. 27. 28. 29. 30.

- 2489 3 *Peplis* L. G. I. 776. — Sp. 2. Eur., Afr. bor., Asia temp.  
Chabræa Adans.
- 2490 4 *Didiplis* Raf. G. I. 777. (*Hypobrichia* M. O. Curtis). — Sp. 1.  
Amer. bor.
- 2491 5 *Hydrolythrum* H. f. G. I. 777. — Sp. 1. Ind. or. (Tavoy).
- 2492 6 *Quartinia* Endl. G. I. 777. (*Rhyacophila* Hochst.). — Sp. 1.  
Abyss.

TRIBUS II. **Lythreæ.**

- 2493 7 *Adenaria* H. B. et K. G. I. 777. — Sp. 4 v. 2. Amer. trop.
- 2494 8 *Grislea* Löfl. G. I. 778. — Sp. 2. Venezuela, Columbia.
- 2495 9 *Woodfordia* Salisb. G. I. 778. — Sp. 1. Asia trop., China, Afr.  
or. trop., Madagasc.
- 2496 10 *Cuphea* P. Browne. G. I. 778. — Sp. ad 150. Amer. trop. et  
subtrop. (Ins. Sandvic. sp. 1).  
Balsamona Vand., Melvilla Anders., Apanxaloea Her-  
nandez, Banksia Domb., Duvernaya Desp., Melanium et  
Parsonsia P. Browne, Herpestes Pöpp. Maja Kl.
- 2497 11 *Lythrum* L. G. I. 779 et 1007. — Sp. ad 23, ab auct. inordi-  
nate multiplic. Orbis fere totus.  
Anisotes Lindl., Pentaglossum Forsk., Mozula et Pythagorea  
Raf., Bergenia Neck., Middendorfia Trautv.
- 2498 12 *Pleurophora* Don. G. I. 779. — Sp. 5. Chili, Brasil.  
Anisotes Lindl., Xirænanthus Mart.
- 2499 13 *Nesæa* Comm. G. I. 779. — Sp. ad 27. Amer., Asia, Afr., Austral.
- 2500 14 *Heimia* Link. et Otto *Icon. pl. rar. Hort. Berol.* I. 63. (*Nesæa*  
B. et H. G. I. 779 pr. p.). — Sp. 3. Mexic., Amer. trop.  
Decodon Gmel., Chrysoliga Hb. Willd., Ginorea Fl. Mexic.
- 2501 15 *Dodecas* L. f. G. I. 780. (*Crenea* Aubl.). — Sp. 2. N. Granada,  
Guiana, Brasil., Antill.
- 2502 16 *Ginora* L. G. I. 780. (*Ginoria* Jacq., *Genoria* Pers.). — Sp. 5.  
Cuba.
- 2503 17 *Pemphis* Forst. G. I. 780. (*Macclellandia* Wight). — Sp. 1.  
Littora trop. Asiæ, Afr. et Austral.
- 2504 18 *Diplusodon* Pohl. G. I. 781. (*Diplodon* Spreng.). — Sp. 42.  
Brasil.  
Friedlandia Cham. et Schlecht., Dubyæa DC.
- 2505 19 *Lafoensia* Vand. G. I. 781. (*Calypsectus* R. et P., *Ptychodon* Kl.).  
— Sp. 10. Peruv., Brasil., Columbia.
- 2506 20 *Physocalymma* Pohl. G. I. 781. (*Diplodon* Pöpp. et Endl.). —  
Sp. 1. Brasil. bor.
- 2507 21 *Lawsonia* L. G. I. 782. (*Alcanna* Gärtn.). — Sp. 1. Afr. bor.,  
Arabia, Persia, Ind. or., in terris trop. ubique culta.

# ONAGRARIEÆ

1. *Antichrysum* Roër et Vahl. G. I. 782. — Sp. 2. Antill.,  
Mexic.
2. *Strophomena* H. f. G. I. 782. — Sp. 2. Afr. trop. occ.
3. *Syngonium* B. G. I. 782. (*Henslowia* Wall., *Quilamum* Blanco).  
— Sp. 4 v. 5. Ind. or., Malaisia, Ins. Philippin.
4. *Tetrastix* H. f. G. I. 783. (*Tetradia* Thou.). — Sp. 1. Ins.  
Maurit.
5. *Lagerstromia* L. G. I. 783. — Sp. ad 21. Asia or. trop. et  
subtrop. Austral., Madagasc.  
*Marcgansia* L., *Velaga* Gärtn., *Banava* Camelli, *Arjuna*  
*Jones*, *Adambea* Lam., *Fatioa* Bl., *Pterocalymma* Turcz.
6. *Dichromanthes* Kurz in *Journ. Bot.* 194 (1873). — Sp. 1.  
Yuc-Nan.
7. *Bambusa* Ham. G. I. 783. — Sp. 2. Asia et Oceania trop.
8. *Samolabia* L. f. G. I. 784. (*Aubletia* Gärtn.). G. I. 784. — Sp.  
5 v. 6. Littora trop. orbis veteris.  
*Chiratia* Montrouz.

## Genera anomala

9. *Punica* L. G. I. 784. — Sp. 1. Oriens, India bor.-occ.
10. *Ulmia* Thunb. G. I. 785. (*Crematostemon* Jacq.). — Sp. 4. Afr.  
austr.
11. *Heteropyxis* Harv. G. I. 785. — Sp. 1. Natal.
12. *Thorelia* Hance in *Journ. Bot.* 268 (1877). — Sp. 1. Siam.

## ORDO LXXVIII. ONAGRARIEÆ (1)

1. *Epilobium* L. G. I. 787. — Sp. ad 60. Orbis totius reg. temp.  
et frigid.  
*Chamaenerium* et *Crossostigma* Spach.
2. *Eranthis* Presl. G. I. 788. — Sp. 1. Californ., Mexic.
3. *Jussiaea* L. G. I. 788 et 1007. (*Jussiaea* Auct.). — Sp. ad 40.  
Reg. trop. utriusque orbis.  
*Cubospermum* Lour., *Vigiera* Vell., *Corynostigma* Presl.
4. *Oocarpon* M. Micheli in *Flora*. 303 (1874). — Sp. 1. Brasil.,  
Guiana, Cuba.
5. *Ludwigia* L. G. I. 788. (*Isnardia* L., *Dantia* Thou.). — Sp. ad  
20. Eur., Asia, Afr., Amer. bor.  
*Prieuria* DC., *Nematopyxis* Miq.
6. *Clarkia* Pursh. G. I. 789. — Sp. 5. Amer. bor.-occ.  
*Phæostoma* Spach (*Gauropsis* Presl, *Opsianthes* Lilja).

et per. reg. temp. totius orbis ubique dispersæ; in tropicis rariores.

- 2526 7 *Gayophytum* A. Juss. G. I. 789. — Sp. 6. Utraque Amer. calid. occ.
- 2527 8 *Eulobus* Nutt. G. I. 789. — Sp. 1. Californ.
- 2528 9 *Oenothera* L. G. I. 789 et 1007. — Sp. ad 100. Amer. temp. et calid., Tasmania (paucæ sp. per reg. calid. orbis veteris late inquil.).
- Sect. 1. *Euænothera* Torr. et Gray, *Onagra*, *Baumannia*, *Xylopleurum*, *Kneiffia*, *Lavauxia*, *Pachylophus*, *Megapterium* et *Anogra* Spach.
- Sect. 2. *Calylophus* B. et H., *Calylophus* Spach, *Meriolix* Raf.
- Sect. 3. *Godetia* B. et H., *Godetia* Spach.
- Sect. 4. *Boisduvalia* B. et H., *Boisduvalia* Spach.
- Sect. 5. *Sphærostigma* Torr. et Gray, *Sphærostigma* Endl., *Chamissonia* Link, *Holostigma* et *Agassizia* Spach.
- Sect. 6. *Hartmannia* B. et H., *Hartmannia* Spach.
- Sect. 7. *Cratericarpium* B. et H., *Cratericarpium* Spach.
- Sect. 8. *Blennoderma* B. et H., *Blennoderma* Spach.
- Sect. 9. *Chylisma* Nutt., *Chylisma* Spach, *Taraxia* Nutt.
- 2529 10 *Eucharidium* F. et M. G. I. 790. — Sp. 2. Californ.
- 2530 11 *Fuchsia* L. G. I. 790 et 1007. — Sp. ad 50. Mexic., Amer. austr. (N. Zel. sp. 4).
- Sect. 1. *Encliandra* Zucc., *Encliandra* Zucc. (*Myrinia* Lilja), *Brebissonia* et *Lyciopsis* Spach.
- Sect. 2. *Fuchsia* Endl., *Fuchsia*, *Kirschlegeria* et *Schufia* Spach, *Ellobium* et *Spachia* Lilja, *Quelusia* Vand., *Nahusia* Schneev., *Dorvalia* Comm., *Thilia* Feuillée.
- Sect. 3. *Skinnera* Endl., *Skinnera* Forst.
- 2531 12 *Hanya* Moç. et Sessé. G. I. 791. — Sp. 3. Mexic.
- 2532 13 *Semeiandra* H. et A. G. I. 791. — Sp. 1. Mexic.
- 2533 14 *Lopezia* Cav. G. I. 791. (*Pisaura* Bonat., *Zehlia* Hort.). — Sp. 15. Mexic., Guatemala.
- 2534 15 *Riesenbachia* Presl. G. I. 792. — Sp. 1. Mexic.
- 2535 16 *Diplandra* H. et A. G. I. 792. — Sp. 1. Mexic.
- 2536 17 *Gaura* L. G. I. 792. — Sp. ad 20. Amer. bor. calid.
- Schizocaria* et *Gauridium* Spach.
- 2537 18 *Stenosiphon* Spach. G. I. 792. — Sp. 1. Texas.
- 2538 19 *Heterogaura* Rothrock. G. I. 792. — Sp. 1. Californ.
- 2539 20 *Gongylocarpus* Cham. et Schlcht. G. I. 793. — Sp. 1. Mexic.
- 2540 21 *Circæa* L. G. I. 793. — Sp. 6. Eur., Asia, Amer. bor. temp. et frigid.
- 2541 22 *Trapa* L. G. I. 793. (*Shringata* Jones). — Sp. 2 v. 3. Eur. med. et austr., Asia et Afr. trop. et subtrop.

## Genus anomalum

2542 23 *Montinia* L. f. G. I. 794. — Sp. 1. Pr. B. Spei.

ORDO LXXIX. **SAMYDACEÆ** <sup>(1)</sup>TRIBUS I. **Casearieæ.**

- 2543 1 *Casearia* Jacq. G. I. 796 et 1007. — Sp. ad 86. Reg. trop. utriusque orbis.  
 Sect. 1. *Valentinia* Benth., *Valentinia* Sw.  
 Sect. 2. *Iroucana* Benth., *Iroucana* Aubl., *Vareca* Gärtn., *Guidonia* Griseb.  
 Sect. 3. *Pitumba* Benth., *Pitumba* Aubl., *Anavinga* Lam., *Melistaureum* Forst., *Lindleya* H. B. et K., *Antigona* Vell.  
 Sect. 4. *Crateria* Benth., *Chætocrater* R. et P., *Crateria* Pers., *Lindleya* Kth.  
 Sect. 5. *Piparea* Benth., *Piparea* Aubl.  
 Sect. 6. *Zuelania* Benth., *Zuelania* A. Rich., *Thiodia* Griseb.
- 2544 2 *Osmelia* Thw. G. I. 797. — Sp. 3. Zeylan., Ins. Philippin. *Stachycrater* Turcz.
- 2545 3 *Euceraea* Mart. G. I. 797. — Sp. 1. Brasil.
- 2546 4 *Lunania* Hook. G. I. 797. — Sp. 5. Ind. occ., Peruv.
- 2547 5 *Samyda* L. G. I. 797. — Sp. 2. Ind. occ. *Sadymia* Griseb.

TRIBUS II. **Banareæ.**

- 2548 6 *Banara* Aubl. G. I. 798 et 1007. (*Askra* Schott, *Xyladenius* Desv., *Boca* Vell.). — Sp. ad 12. Amer. trop. *Pineda* R. et P., *Christannia* Presl.
- 2549 7 *Kuhlia* H. B. et K. G. I. 798. — Sp. ad 3. N. Granada.
- 2550 8 *Pyramidocarpus* Oliv. G. I. 798 et 1007. — Sp. 1. Afr. occ. trop.

TRIBUS III. **Abatieæ.**

- 2551 9 *Abatia* R. et P. G. I. 799 et 1007. (*Myriotriche* Turcz.). — Sp. 4 v. 5. Boliv., Peruv., N. Granada. *Graniera* Mandon et Wedd.
- 2552 10 *Raleighia* Gardn. G. I. 799. — Sp. 1. Brasil.
- 2553 11 *Aphærema* Miers. G. I. 799. — Sp. 1. Brasil. austr.

TRIBUS IV. **Homalieæ.**

- 2554 12 *Calantica* Tul. G. I. 799. — Sp. 2. Ins. Mascar.

(1) Sp. ad 160, per reg. trop. utriusque orbis sparsæ, in subtropicis raræ.

- 2555 13 *Gerrardina* Oliv. in Hook. *Icon. Plant.* tab. 1075. — Sp. 1. Natal.
- 2556 14 *Bivinia* Tul. G. I. 800. — Sp. 1. Afr. trop. or., Madagasc.
- 2557 15 *Dissomeria* Benth. G. I. 800. — Sp. 1. Afr. trop. occ.
- 2558 16 *Pierrea* Hance in *Journ. Bot.* 339 (1887). — Sp. 1. Cambodia.
- 2559 17 *Homalium* Jacq. G. I. 800. — Sp. ad 35. Reg. trop. utriusque orbis.  
Sect. 1. *Blackwellia* Benth., *Blackwellia* Juss. (*Astranthus* Lour.).  
Sect. 2. *Racoubea* Benth., *Racoubea* et *Napimoga* Aubl., *Cordylanthus* Bl., *Myriantheia* Thou.  
? *Pythagorea* Lour.
- 2560 18 *Byrsanthus* Guillem. G. I. 800. — Sp. 2. Afr. trop. occ.
- 2561 19 *Bembicia* Oliv. in Hook. *Icon. Plant.* tab. 1404 (1883). — Sp. 1. Madagasc.  
Genus anomalum.
- 2562 20 *Asteropeia* Thou. G. I. 801. — Sp. 2. Madagasc.

ORDO LXXX. LOASEÆ <sup>(1)</sup>

- 2563 1 *Gronovia* L. G. I. 802. — Sp. 1. Amer. a Texas usque ad Venezuelam.
- 2564 2 *Cevallia* Lag. G. I. 803 (*Petalanthera* Torr.). — Sp. 1. N. Mexic., Texas.
- 2565 3 *Petalonyx* A. Gray. G. I. 803. — Sp. 2. N. Mexic.
- 2566 4 *Sympetaleia* A. Gray. in *Proc. Amer. Acad.* XII. 161 (1877). Sp. 1. Californ.
- 2567 5 *Loasella* H. Bn in *Bull. Soc. Linn. Paris.* 650 (1886). — Sp. 1. Mexic.
- 2568 6 *Kissenia* R. Br. (sphalmate *Fissenia*). G. I. 803. (*Cnidone* E. Mey.). — Sp. 1. Afr. trop. et subtrop. austr., Arabia.
- 2569 7 *Sclerothrix* Presl. G. I. 803. (*Ancyrostemma* Pöpp. et Endl.). — Sp. 2 v. 3? Mexic., Peruv., Venezuela.
- 2570 8 *Klaprothia* H. B. et K. G. I. 804. — Sp. 1. N. Granada, Venezuela.
- 2571 9 *Mentzelia* L. G. I. 804. — Sp. ad 40. Amer. trop. et calid.  
Sect. 1. *Trachyphytum* Torr. et Gray, *Chrysostoma* Lilja.  
Sect. 2. *Bartonia* Torr. et Gray, *Bartonia* Sims pr. p.  
Sect. 3. *Eumentzelia* Torr. et Gray, *Mentzelia* DC. pr. p.  
Sect. 4. *Acrolasia* Benth., *Acrolasia* Presl.

(1) Sp. ad 115 omnes, *Kissenia* excepta, Amer. trop. et calidior. incolæ.

Sect. 5. *Eucnide* Benth., *Eucnide* Zucc., *Microsperma* Hook.

2572 10 *Loasa* Juss. G. I. 804. — Sp. ad 50. Amer. trop. (Brasil. bor. et Guiana except.).

*Huidobria* C. Gay.

2573 11 *Mairea* Lenne et Koch in *Flore des Serres*. IX. 145. — Sp. 1. Amer. centr.

2574 12 *Blumenbachia* Schrad. G. I. 803. — Sp. ad 12. Amer. austr. trop. et subtrop.

1. *Blumenbachia* Schrad.

2. *Caiophora* Presl.

3. *Raphisanthe* Lilja, *Gripidea* Miers.

2575 13 *Grammatocarpus* Presl. G. I. 806. (*Scyphanthus* Don). — Sp. 1. Chili.

#### ORDO LXXXI. TURNERACEÆ <sup>(1)</sup>

2576 1 *Wormskioldia* Schum. et Thonn. G. I. 807. — Sp. 7. Afr. trop. *Tricliceras* DC., *Schumacheria* Spreng.

2577 2 *Streptopetalum* Hochst. in *Flora Ratisb.* XXIV. II. 665. — Sp. 2. Afr. trop. or.

*Wormskioldia* B. et H. G. I. 807 pr. p.

2578 3 *Piriqueta* Aubl. *Guian.* I. 298. — Sp. 19. Amer. a Mexic. et Carolina usque ad Bonariam, Pr. B. Spei (sp. 1), Madagasc. (sp. 2).

*Turnera* L. G. I. 806 et Auct. pr. p., *Burcardia* et *Burkhardia* Scop., *Burghartia* Neck., *Emblichia* Seem. G. I. 807.

2579 4 *Mathurina* Balf. f. in *Journ. Linn. Soc.* XV. 159 (1876). — Sp. 1. Ins. Rodriguez.

2580 5 *Hyalocalyx* Rolfe in *Journ. Linn. Soc.* XXI. 258 (1884). — Sp. 1. Madagasc.

2581 6 *Turnera* L. emend. G. I. 806. — Sp. 54. Amer. a Mexic. et ab Antill. usque ad Argentinam (sp. 1. in Ins. Maurit. et Seychelles et Asia austr. inquil.).

*Bohadschia* Presl, *Tribolacis* et *Triacis* Griseb.

(1) Sp. 85, perplurimæ Americanæ a Carolina et Mexico usque ad Argentinam divulgatæ, nonnullæ Africanæ, una in insulis Africanis et Asia australi inquilina.

Cf. Ign. Urban, *Monographie der Familie der Turneraceen* in *Jarhb. Konigl. bot. Gart. Berl.* II (1883).

ORDO LXXXII. PASSIFLORACEÆ <sup>(1)</sup>

## TRIBUS I. Malesherbieæ.

- 2582 1 *Malesherbia* R. et P. G. I. 809. — Sp. 2 v. 3. Peruv.  
 2583 2 *Gynopleura* Cav. pr. p. G. I. 810. — Sp. 6 v. 7. Chili.

## TRIBUS II. Passifloreæ.

- 2584 3 *Passiflora* L. G. I. 810 et 1007. — Sp. ad 175. Amer., Asia et Austral. trop.  
     Sect. 1. *Tetraphæa* DC., *Tetraphæa* Raoul.  
     Sect. 2. *Astrophea* DC.  
     Sect. 3. *Dysosmia* DC.  
     Sect. 4. *Cicea* DC., *Astephananthes* et *Monactineirma* Bory., *Ceratosepalum* OErst.  
     Sect. 5. *Decaloba* DC.  
     Sect. 6. *Polyanthea* DC.  
     Sect. 7. *Granadilla* DC., *Anthactinia* Bory.  
     Sect. 8. *Murucuja* DC., *Murucuja* Pers.  
     Sect. 9. *Disemma* DC., *Disemma* Labill.  
     Sect. 10. *Tacsonioides* DC.  
 2585 4 ?*Tetrastylis* Barb. Rodrig. in *Revista de Engenharia*, n. 21 (1882). — Sp. 1. Brasil.  
 2586 5 *Tacsonia* Juss. G. I. 811. — Sp. ad 25. Amer. trop. (Brasil. except.).  
     *Poggendorffia* Karst.  
 2587 6 *Mitostemma* Mast. in *Journ. Bot.* 33 (1883). — Sp. 4. Brasil., Guiana angl.  
 2588 7 *Deidamia* Thou. G. I. 811. — Sp. 5. Madagasc.  
     *Thompsonia* R. Br.  
 2589 8 *Tryphostemma* Harv. G. I. 811. — Sp. 2. Natal, Zanzibar.  
 2590 9 *Basananthe* Peyr. G. I. 812. — Sp. 2. Afr. trop. austro-occ.  
 2591 10 *Paropsia* Nor. G. I. 812. — Sp. 4 v. 5. Afr. trop., Madagasc., Malaisia.  
     *Trichodia* Griff.  
 2592 11 *Dilkea* Mast. in *Trans. Linn. Soc.* XXVII. 627 (1871). — Sp. 2. Brasil.  
 2593 12 *Hounea* H. Bn in *Bull. Soc. Linn. Paris.* 300 (1881). — Sp. 1. Madagasc.  
 2594 13 *Smeathmannia* Soland. G. I. 812. (*Bulowia* Schum. et Thonn.), — Sp. 2. Afr. trop. occ.  
 2595 14 *Barteria* H. f. G. I. 812. — Sp. 2. Afr. trop. occ.

(1) Sp. ad 235, omnes tropicæ vel subtropicæ.



- 2596 15 *Crossostemma* Planch. G. I. 813. — Sp. 1. Sierra Leone.

TRIBUS III. **Modeceæ.**

- 2597 16 *Modecca* Lam. G. I. 813 et 1007. — Sp. ad 20. Asia, Afr. et Austral. trop.  
*Blepharanthus* Sm., *Clemanthus* Kl., *Paschanthus* Burch.,  
*Kolbia* P. B.
- 2598 17 *Keramanthus* H. f. in *Bot. Magaz.* tab. 6271. — Sp. 1. Zanzib.
- 2599 18 *Atheranthera* Mast. in *Trans. Linn. Soc.* XXVII. 649 (1871).  
 — Sp. 1. Angola.
- 2600 19 *Ophiocaulon* H. f. G. I. 813. — Sp. 3 v. 4. Afr. trop., Natal, Madagasc.
- 2601 20 *Machadoa* Welw. G. I. 814. — Sp. 1. Angola.

TRIBUS IV. **Achariæ.**

- 2602 21 *Acharia* Thunb. G. I. 814. — Sp. 1. Afr. austr.
- 2603 22 *Guthriea* Bolus in Hook. *Icon. Plant.* XII. tab. 1161. — Sp. 1.  
 Pr. B. Spei.
- 2604 23 *Ceratiosicyos* Nees. G. I. 814. — Sp. 1. Afr. austr.

TRIBUS V. **Papayacæ.**

- 2605 24 *Carica* L. G. I. 815. — Sp. ad 20. Amer. trop.  
 Sect. 1. *Papaya* Benth., *Papaya* Juss.  
 Sect. 2. *Vasconcellia* Benth., *Vasconcellea* S<sup>t</sup>-Hil.
- 2606 25 *Jacaratia* DC. G. I. 815. — Sp. 3 v. 4? Brasil., Mexic., Guiana.  
 Genus anomalum
- 2607 26 *Physena* Nor. G. I. 815. — Sp. ad 2. Madagasc.  
 Genus incertæ sedis.
- 2608 27 *Soyauxia* in Hook. *Icon. Plant.* tab. 1393. — Sp. 1. Gabon.

ORDO LXXXIII. **CUCURBITACEÆ** <sup>(1)</sup>

*Index compositus secundum monographiam meam in A. et C. de Candolle, Suites au Prodromus (v. III) insertam et nova materie auctus (A. Cogniaux).*

SERIES I. **Plagiospermeæ** B. et H.

TRIBUS I. **Cucumerinæ** Naud.

- 2609 1 *Hodgsonia* H. f. et T. G. I. 820. — Sp. 1. Bengal, Ins. Malay.
- 2610 2 *Telfairea* Hook. G. I. 821. (*Joliffia* Bojer). — Sp. 2. Afr. trop.

(1) Sp. 633, reg. calid. et præcipue trop. utriusque orbis incolæ, paucissimæ per reg. temp. dispersæ.

- 2611 3 **Trichosanthes** L. G. I. 821. (*Anguina* Micheli, *Poppya* Rumph., *Cucumeroides* Gärtn., *Involucraria* Ser., *Eopepon* et *Platygonia* Naud.). — Sp. 42. Asia trop., Ins. Malay., Austral.  
 Sect. 1. *Eutrichosanthes* Kurz.  
 Sect. 2. *Pseudotrichosanthes* Kurz.
- 2612 4 **Delognæa** Cogn. in *Bull. Soc. Linn. Paris*. 425. — Sp. 1. Madagascar.
- 2613 5 **Gymnopetalum** Arn. G. I. 822. (*Tripodanthera* Röm., *Scotanthus* Naud.). — Sp. 6. Asia trop., Java.  
 Sect. 1. *Eugymnopetalum* Kurz.  
 Sect. 2. *Tripodanthera* Cogn.
- 2614 6 **Trochomeria** H. f. G. I. 822 (*Heterosicyos* Welw. G. I. 822). — Sp. 11. Afr. trop. et austr.  
 Sect. 1. *Eutrochomeria* Cogn.  
 Sect. 2. *Heterosicyos* Cogn.
- 2615 7 **Biswarea** Cogn. in *Bull. Soc. bot. Belg.* XXI. 15 (*Warea* C. B. Clarke non Nutt.). — Sp. 1. Himal.
- 2616 8 **Heterospermum** Wall. G. I. 834 (*Rampinia* C. B. Clarke). — Sp. 1. Himal.
- 2617 9 **Peponia** Naud. G. I. 823. — Sp. 7. Afr. trop. et austr.
- 2618 10 **Adenopus** Benth. G. I. 823. — Sp. 4. Afr. trop.
- 2619 11 **Eureiandra** H. f. G. I. 825. — Sp. 3. Afr. trop.
- 2620 12 **Cogniauxia** H. Bn in *Bull. Soc. Linn. Paris*. 423. — Sp. 3. Gabon.
- 2621 13 **Lagenaria** Ser. G. I. 823. — Sp. 1. Afr. trop., Asia mer.
- 2622 14 **Acanthosicyos** Welw. G. I. 824. — Sp. 1. Afr. trop.
- 2623 15 **Edmondia** Cogn. in DC. *Suites au Prodrômus*. III. 420. — Sp. 1. Venezuela.
- 2624 16 **Thladiantha** Bge. G. I. 825. — Sp. 5. Asia trop., Java.
- 2625 17 **Raphanocarpus** H. f. in *Icon. Plant.* tab. 1084. — Sp. 2. Afr. trop.
- 2626 18 **Raphanistrocarpus** H. Bn in *Bull. Soc. Linn. Paris*. 309. — Sp. 1. Mombaza.
- 2627 19 **Momordica** Tourn. G. I. 825. (*Zucca* Comm., *Muricia* Lour., *Neurosperma* Raf.). — Sp. 25. Afr., Asia et Austral. trop.
- 2628 20 **Luffa** Tourn. G. I. 823. (*Turia* Forsk., *Trevouxia* Scop., *Petola* Rumph., *Amordica* Neck., *Poppya* Röm.). — Sp. 7. Utriusque orbis reg. trop.
- 2629 21 **Sphærosicyos** H. f. G. I. 824. — Sp. 1. Afr. subtrop., Ins. Mascar.
- 2630 22 **Ecballium** A. Rich. G. I. 826. (*Elaterium* Riv. non L.). — Sp. 1. Reg. Medit.

- 2631 23 **Bryonia** Tourn. G. I. 829. — Sp. 8. Eur., Reg. Medit., Ins. Canar.
- 2632 24 **Bryonopsis** Arn. (*Bryonia* sect. *Bryonopsis* B. et H. G. I. 829). — Sp. 2. Asia mer., Ins. Pacif.
- 2633 25 **Cucumis** L. G. I. 826 (*Cucumis* et *Melo* Tourn., *Rigocarpus* Neck.). — Sp. 26. Utriusque orbis reg. calid.
- 2634 26 **Citrullus** Neck. G. I. 826 (*Colocynthis* Tourn.). — Sp. 3. Afr. et Asia trop.
- 2635 27 **Benincasa** Savi. G. I. 824. — Sp. 2. Asia trop., Ins. Malay., Austral.
- 2636 28 **Dimorphochlamys** H. f. G. I. 827. — Sp. 1. Afr. trop. occ.
- 2637 29 **Cionosicyos** Griseb. G. I. 826. — Sp. 1. Jamaica.
- 2638 30 **Cucumeropsis** Naud. (*Zehneria* B. et H. G. I. 830. pr. p. *Cla-*  
*dosicyos* H. f.). — Sp. 2. Afr. trop.
- 2639 31 **Diudonnæa** Cogn. in *Bull. Soc. bot. Belg.* XIV. 239. — Sp. 1. Peruv.
- 2640 32 **Calycophysum** Karst. et Triana. G. I. 828. — Sp. 2. N. Granada.
- 2641 33 **Sicana** Naud. G. I. 829. — Sp. 1. Amer. trop.
- 2642 34 **Physedra** H. f. G. I. 827. (*Staphylosyce* H. f. G. I. 828). — Sp. 3. Afr. trop.
- 2643 35 **Raphidiocystis** H. f. G. I. 828. — Sp. 3. Afr. trop., Madagasc.
- 2644 36 **Coccinia** W. et A. (*Cephalandra* Schrad. G. I. 827). — Sp. 14. Afr. trop. et austr., Asia trop.
- 2645 37 **Peponopsis** Naud. G. I. 829. — Sp. 1. Amer. trop.
- 2646 38 **Cucurbita** L. G. I. 828 (*Pepo* et *Melopepo* Tourn., *Sphenantha* Schrad., *Pileocalyx* Gasparr., *Tristemom* Scheele). — Sp. 10. Utriusque orbis reg. trop.
- 2647 39 **Schizocarpum** Schrad. *Ind. Sem. Hort. Gotting.* 1830. — Sp. 2. Mexic.
- 2648 40 **Apodanthera** Arn. G. I. 834. — Sp. 14. Amer. calid.  
Sect. 1. *Euapodanthera* Cogn.  
Sect. 2. *Cucurbitopsis* Cogn.
- 2649 41 **Oreosyce** H. f. in Oliv. *Fl. trop. Afr.* II. 548. — Sp. 1. Afr. trop.
- 2650 42 **Wilbrandia** Manso. G. I. 831. — Sp. 7. Brasil.  
Sect. 1. *Euwilbrandia* Cogn.  
Sect. 2. *Melothriopsis* Cogn.
- 2651 43 **Melothria** L. G. I. 830 (*Solena* Lour., *Zehneria* Endl. G. I. 830, *Pilogyne* Schrad., *Karivia* Arn., *Mukia* Arn. G. I. 829, *Didlidostigma* Kunze, *Juchia* Röm., *Harlandia* Hance, *Landersia* Mac Fad.). — Sp. 58. Utriusque orbis reg. calid.  
Sect. 1. *Eumelothria* Cogn.

Sect. 2. *Solena* Cogn.Sect. 3. *Mukia* Cogn.

- 2652 44 *Dactyliandra* H. f. in Oliv. *Fl. trop. Afr.* II. 557. — Sp. 1. Afr. trop.
- 2653 45 *Blastania* Kotschy et Peyr. *Pl. Tin.* 15 (*Ctenopsis* H. f. non De Not., *Ctenolepis* H. f. G. I. 832). — Sp. 2. Afr. et Asia trop.
- 2654 46 *Muellerargia* Cogn. in DC. *Suites au Prodromus.* III. 630. — Sp. 1. Ins. Timor.
- 2655 47 *Pisosperma* Sond. G. I. 831. — Sp. 1. Afr. austr.
- 2656 48 *Toxanthera* H. f. in *Icon. Plant.* tab. 1421. — Sp. 1. Natal.
- 2657 49 *Kedrostis* Medic. *Phil. Bot.* II. 69. (*Coniandra* Schrad., *Cyrtanema* Schrad., *Rhynchocarpa* Schrad. G. I. 831.). — Sp. 12. Afr., Ind. or.
- 2658 50 *Corallocarpus* Welw. G. I. 831. (*Doyerea* De Grosourdy). — Sp. 15. Utriusque orbis reg. trop.
- 2659 51 *Melancium* Naud. G. I. 833. — Sp. 1. Brasil. austr.
- 2660 52 *Trochomeriopsis* Cogn. in DC. *Suites au Prodromus.* III. 661. — Sp. 1. Madagasc.
- 2661 53 *Edgaria* C. B. Clarke in *Journ. Linn. Soc.* XV. 113. — Sp. 1. Himal.
- 2662 54 *Anguria* Plum. G. I. 833. (*Psiguria* Neck.). — Sp. 17. Amer. trop.
- 2663 55 *Gurania* Cogn. in *Bull. Soc. bot. Belg.* XIV. 239. — Sp. 49. Amer. trop.
- 2664 56 *Helmontia* Cogn. in *Bull. Soc. bot. Belg.* XIV. 239. — Sp. 2. Guiana, Brasil.
- 2665 57 *Ceratosanthes* Burm. G. I. 833. — Sp. 8. Amer. trop., Antill.
- 2666 58 *Maximowiczia* Cogn. in DC. *Suites au Prodromus.* III. 726 (*Sicydium* A. Gray non Schlecht. G. I. 833). — Sp. 2. Texas, Mexic.
- 2667 59 *Dendrosicyos* Balf. f. *Diagn. pl. Socotr.* I. 17. — Sp. 2. Ins. Socotra.
- 2668 60 *Cerasiocarpum* H. f. G. I. 832. — Sp. 1. Zeylan., Java.
- 2669 61 *Cucurbitella* Walp. G. I. 834. (*Schizostigma* Arn. in Hook. *Journ.* 1844. non in *Ann. Nat. Hist.* 1839, *Prasopon* Naud. G. I. 832). — Sp. 4. Amer. austr. extratrop.

SERIES II. *Orthospermeæ* B. et H.TRIBUS II. *Abobreæ* Naud.

- 2670 62 *Dicælospermum* C. B. Clarke in *Fl. B. Ind.* II. 630. — Sp. 1. Ind. or.

- 2671 63 **Selysia** Cogn. in DC. *Suites au Prodrômus*. III. 735 (*Melothria* Pöpp. et Endl. non L.). — Sp. 2. Peruv., N. Granada.
- 2672 64 **Abobra** Naud. G. I. 834. — Sp. 1. Amer. austr. extratrop.
- 2673 65 **Cayaponia** Manso. *Enum. subst. Brazil*. 31. — Sp. 64. Amer. calid. (Afr. trop. sp. 1).  
*Perianthopodus* Manso, ?*Dermophylla* Manso, ?*Druparia* Manso, ?*Alternasemina* Manso, *Trianosperma* Mart. G. I. 835, *Sechium* Pöpp. et Endl., *Cionandra* Griseb., *Antagonia* Griseb., *Arkezostis* Raf.  
 Sect. 1. *Eucayaponia* Cogn.  
 Sect. 2. *Trianosperma* Cogn.  
 Sect. 3. *Perianthopodus* Cogn.

TRIBUS III. **Cyclanthereæ**.

- 2674 66 **Echinocystis** Torr. et Gray. G. I. 835. (*Hexameria* Torr. et Gray, *Megarhiza* Torr., *Marah* Kellogg, *Echinopepon* Naud.). — Sp. 24. Amer. bor. calid. et temp. et austr. trop.  
 Sect. 1. *Echinopepon* Cogn.  
 Sect. 2. *Euechinocystis* Cogn.  
 Sect. 3. *Marah* Cogn.
- 2675 67 **Hanburia** Seem. G. I. 836 (*Nietoa* Schaffner). — Sp. 1. Mexic.
- 2676 68 **Cyclanthera** Schrad. G. I. 836. (*Momordica* Pöpp. et Endl. non L., *Discanthera* Torr. et Gray, *Elateriopsis* Ernst). — Sp. 39. Amer. calid.  
 Sect. 1. *Eucyclanthera* Cogn.  
 Sect. 2. *Elateriopsis* Cogn.
- 2677 69 **Elaterium** Jacq. G. I. 835. (*Rytidostylis* H. et A.). — Sp. 12. Amer. trop.

SERIES III. **Cremospermeæ** B. et H.

TRIBUS IV. **Sicyoideæ** Endl.

- 2678 70 **Sicyos** L. G. I. 837. (*Sicyoides* Tourn., *Badaroa* Bert., *Micrampelis* Raf.). — Sp. 34. Amer., ins. Pacif., Austral.  
 Sect. 1. *Eusicyos* Cogn.  
 Sect. 2. *Atractocarpus* Cogn.  
 Sect. 3. *Sicyocarpa* A. Gray.
- 2679 71 **Sicyosperma** A. Gray. G. I. 837. — Sp. 1. Texas.
- 2680 72 **Sechium** P. Browne. G. I. 837. (*Chocho* Adans., *Chayota* Jacq.). — Sp. 1. Amer. calid.
- 2681 73 **Sicydium** Schlecht. in *Linnaea*. VII. 388, non A. Gray. (*Triceratia* A. Rich. G. I. 838). — Sp. 6. Amer. trop.  
 Sect. 1. *Eusicydium* Cogn.  
 Sect. 2. *Pteropepon* Cogn.

- 2682 74 *Sechiopsis* Naud. G. I. 838. — Sp. 1. Mexic.  
 2683 75 *Microsechium* Naud. G. I. 838. (*Pseudosechium* Naud.). — Sp.  
 2. Mexic., Amer. centr.

TRIBUS V. **Gynostemmeæ** B. et H.

- 2684 76 *Gynostemma* Bl. G. I. 839 (*Pestalozzia* Zoll. non De Not., *Enkylia* Griff.). — Sp. 5. Asia trop. et or., Ins. Malay.  
 2685 77 *Schizopepon* Maxim. G. I. 839. — Sp. 1. Asia or., Japon.

TRIBUS VI. **Gomphogyneæ** B. et H.

- 2686 78 *Actinostemma* Griff. G. I. 838. (*Mitrosicyos* Maxim., *Pomasterium* Miq.). — Sp. 4. Asia or.  
 2687 79 *Gomphogyne* Griff. G. I. 838. (*Triceros* Griff. non Lour.). — Sp. 1. Ind. or.

TRIBUS VII. **Zanonieæ** Bl.

- 2688 80 *Zanonia* L. G. I. 839. — Sp. 2. Ind. or., Ins. Malay.  
     Sect. 1. *Euzanonia* Cogn.  
     Sect. 2. *Macrozanonia* Cogn.  
 2689 81 *Alsomitra* Röm. G. I. 840. (*Siolmatra* H. Bn in *Bull. Soc. Linn. Paris*. 457). — Sp. 11. Asia trop., Austral., Amer. trop.  
 2690 82 *Gerrardanthus* Harv. G. I. 840. — Sp. 4. Afr. trop.

TRIBUS VIII. **Feuilleæ** B. et H.

- 2691 83 *Feuillea* L. G. I. 840. (*Fevillea* L., *Nhandiroba* Plum., *Hypanthera* Manso). — Sp. 6. Amer. trop.  
 2692 84 *Anisosperma* Manso. *Enum. subst. Braz.* 38. — Sp. 1. Brasil. austr.  
     Genus non satis notum.  
 2693 85 *Ampelosicyos* Thou. *Hist. Veg. Isl. Afr. austr.* 68. — Sp. 1. Madagasc.

Genus valde dubium.

- 2694 86 *Polyclathra* Bertol. *Fl. Guatem.* 38. (*Pentacclathra* Auct.). — Sp. 1. Guatemala.

ORDO LXXXIV. **BEGONIACEÆ**

- 2695 1 *Begonia* L. G. I. 841. — Sp. ad 420. Amer. trop., Asia præcipue transgaget., Afr. trop. et subtrop. austr., Ins. Pacif.  
     Series 1. G. I. 842.  
     a. *Casparya*, *Stibadotheca*, *Inopteryx* et *Sassea* Kl., *Casparya* A. DC. pr. p.  
     b. *Eupetalum* Lindl., *Huszia* Kl.

Series 2. *Diploclinium* Wight pr. p., *Putzeysia* Kl., *Begonia* A. DC. pr. p.

Series 3. *Barya* et *Petermannia* Kl.

Series 4. G. I. 842.

*a.* *Platycentrum*, *Knesebeckia* et *Lauchea* Kl., *Begonia* A. DC. pr. p.

*b.* *Lepsia*, *Steineria* (*Riessia*), *Doratometra*, *Trachelanthus* (*Trachelocarpus* K. Müll.) et *Mitscherlichia* Kl.

Series 5. G. I. 843.

*a.* *Diploclinium* Wight pr. p., *Mezierea* Gaud., *Begonia*, *Saueria*, *Moschkowitzia*, *Donaldia*, *Gærdtia*, *Rachia*, *Cyathocnemis*, *Rossmannia*, *Magnusia*, *Gireoudia* et *Weilbachia* Kl., *Begonia* et *Mezierea* A. DC. pr. p.

*b.* *Tittelbachia* Kl., *Begonia* A. DC. pr. p.

*c.* *Reichenheimia*, *Haagea*, *Augustia*, *Scheidweilera*, *Gurltia*, *Ewaldia*, *Nephromischus*, *Trendelenburgia*, *Pilderia*, *Pritzelia* et *Wageneria* Kl., *Platyclinium* Henfr., *Begonia* A. DC. pr. p.

2696 2 *Hillebrandia* Oliv. G. I. 843. — Sp. 1. Ins. Sandvic.

Genus anomalum.

2697 3 *Begoniella* Oliv. in *Trans. Linn. Soc.* XXVIII. 513. — Sp. 1 N. Granada.

#### ORDO LXXXV. DATISCEÆ

2698 1 *Datisca* L. G. I. 844. — Sp. 2. Asia occ., Himal., Californ., Mexic.

*Tricerastes* Presl.

2699 2 *Tetrameles* R. Br. G. I. 845. (*Anictoclea* Nimmo). — Sp. 1. Ind. or., Zeylan., Java.

2700 3 *Octomeles* Miq. G. I. 845. — Sp. 1. Archip. Ind.

#### ORDO LXXXVI. CACTEÆ

##### TRIBUS I. Echinocactææ.

2701 1 *Melocactus* Link et Otto. G. I. 847. — Sp. ad 30. Mexic., Brasil., Ind. occ., N. Granada.

2702 2 *Mamillaria* Haw. G. I. 847. — Sp. ad 360. Mexic. Amer. bor. calid., (in Brasil., Ind. occ. et Bolivia sp. paucæ).

Sect. 1. *Eumamillaria* Engelm.

Sect. 2. *Coryphanta* Engelm.

Sect. 3. *Anhalonium* Engelm., *Anhalonium* Lemaire, *Ariocarpus* Scheidw.

- 2703 3 *Pelecypora* Ehrenb. G. I. 848. — Sp. 1. Mexic.  
 2704 4 *Leuchtenbergia* Hook. G. I. 848. — Sp. 1. Mexic.  
 2705 5 *Echinocactus* Link et Otto. G. I. 848. — Sp. ad 260, sed verisim.  
     inordinate multipl. Mexic.  
     *Malacocarpus* Salm-Dyck, *Gymnocalycium* Pfeiff., *Astro-*  
     *phytum* Lemaire.  
 2706 6 *Eriosyce* Philippi *Descr. de nuevas plantas*. 63 (1872). — Sp.  
     1. Chili.  
 2707 7 *Discocactus* Pfeiff. G. I. 848. — Sp. 2 v. 3. Ind. occ., Brasil.  
 2708 8 *Cereus* Haw. G. I. 849. — Sp. ad 220. Amer. trop. et calid.,  
     Ind. occ., Ins. Galapag.  
     Sect. 1. *Echinocereus* Engelm.  
     Sect. 2. *Eucereus* Engelm., *Aporocactus* et *Cleistocactus*  
     Lemaire.  
     Sect. 3. *Lepidocereus* Engelm.  
     Sect. 4. *Pilocereus* Engelm., *Pilocereus* Lemaire.  
     Sect. 5. *Echinopsis* B. et H., *Echinopsis* Zucc., *Echino-*  
     *nyctanthus* Lemaire.  
 2709 9 *Eulychnia* Philippi. G. I. 1008. — Sp. 1. Peruv., Chili.  
 2710 10 *Phyllocactus* Link. G. I. 849. (*Epiphyllum* Haw., *Phyllocereus*  
     Miq.). — Sp. ad 13. Amer. trop. a Mexic. ad Brasil.  
     *Disocactus* Lindl. (*Disisocactus* Salm-Dyck).  
 2711 11 *Epiphyllum* Pfeiff. G. I. 850. (*Schlumbergera* Lemaire). — Sp.  
     ad 3. Brasil.

TRIBUS II. *Opuntieæ*.

- 2712 12 *Rhipsalis* Gärtner. G. I. 850. — Sp. ad 30. Amer. trop. (1 sp. in  
     Afr. austr., Ins. Maurit. et Zeylan reperta).  
     Sect. 1. *Eurhipsalis* B. et H.  
     Sect. 2. *Lepismium* Endl., *Lepismium* Pfeiff.  
     Sect. 3. *Hariota* Endl., *Hariota* DC.  
     Sect. 4. *Pfeiffera* B. et H., *Pfeiffera* Salm-Dyck.  
 2713 13 *Nopalea* Salm-Dyck. G. I. 850. — Sp. 3. Ind. occ., Mexic.,  
     Amer. austr. trop.  
 2714 14 *Opuntia* Mill. G. I. 851. — Sp. descr. ad 200, verisim. inordi-  
     nate multipl. Amer. trop. et calid. (sp. 1. latissime per  
     orbem veterem sparsa).  
     *Cactus* L. pr. p., *Consolea* Lemaire.  
 2715 15 *Pereeskia* Mill. G. I. 851. (*Peireskia* Zucc.). — Sp. ad 13. Amer.  
     trop., Ind. occ.



## ORDO LXXXVII. FICOIDEÆ

## TRIBUS I. Mesembryanthemæ.

- 2716 1 *Mesembryanthemum* L. G. I. 853. — Sp. ad 300. Afr. austr.,  
Reg. Medit., Arabia, Austral. N. Zel., Brasil.
- 2717 2 *Tetragonia* L. G. I. 854. (*Demidovia* Pall.) — Sp. ad 20. Afr.  
austr., Asia or., Austral. et Amer. austr. temp.  
*Tetragonella* Miq.

## TRIBUS II. Aizoideæ.

- 2718 3 *Aizoon* L. G. I. 854. — Sp. ad 8. Eur. austr., Arabia, Ins.  
Canar., Pr. B. Spei, Austral.
- 2719 4 *Galenia* L. G. I. 855. — Sp. ad 17. Afr. austr.  
*Kolleria* Presl, *Sialodes* E. et Z.
- 2720 5 *Phinthus* Fenzl. G. I. 855. — Sp. 1. Pr. B. Spei.
- 2721 6 *Acroanthos* E. et Z. G. I. 855. — Sp. 4. Afr. austr.
- 2722 7 *Gunnia* F. Müll. G. I. 855. — Sp. 2. Austral. austro-occ.
- 2723 8 *Sesuvium* L. G. I. 855. — Sp. ad 4. Littora trop. totius orbis.  
*Pyxicoma* Fenzl, *Aizoon* Andr., *Psammanthe* Hance.
- 2724 9 *Trianthema* L. G. I. 855. — Sp. ad 12. Asiæ, Afr., Austral. et  
Ind. occ. reg. calidior.  
*Papularia* et *Rocama* Forsk., *Ancistrostigma* et *Diplocho-*  
*nium* Fenzl, *Zaleya* Burm.
- 2725 10 *Cypselos* Turp. G. I. 856. — Sp. 1. S. Doming., Cuba.

## TRIBUS III. Mollugineæ.

- 2726 11 *Orygia* Forsk. G. I. 856. (*Axonotichium* Fenzl.) — Sp. 1. Afr.  
calid., Arabia, Ind. or.
- 2727 12 *Macarthuria* Endl. G. I. 856. — Sp. 3. Austral. austro-occ.
- 2728 13 *Pomatotheca* F. Müll. *Fragm.* X. 72 (1876). — Sp. 1. Austral.
- 2729 14 *Telephium* L. G. I. 857. — Sp. 1 v. 3. Eur. med. calid., Reg.  
Medit.
- 2730 15 *Mollugo* L. G. I. 857. — Sp. ad 13. Utriusque orbis reg.  
calidior.  
*Trigastrotheca* F. Müll., *Cerviana* Minuart.
- 2731 16 *Glinus* Löffl. *It. Hisp.* 143. (*Mollugo* B. et H. G. I. 857 pr. p.).  
— Sp. ad 6. Totius fere orbis reg. trop. et subtrop.  
*Plenckia* Raf., *Physa* Thou.
- 2732 17 *Pharnaceum* L. G. I. 857. (*Ginginsia* DC.) — Sp. ad 16. Afr. austr.  
*Hypertelis* E. Mey.
- 2733 18 *Calanthe* E. Mey. G. I. 857. — Sp. 2. Pr. B. Spei.
- 2734 19 *Pennanetropa* E. et Z. G. I. 858. (*Mallogonum* Fenzl.) — Sp.  
ad 3. Afr. austr.

- 2735 20 *Polpoda* Presl. G. I. 858. (*Blepharolepis* Nees). — Sp. 1. Pr. B. Spei.  
 2736 21 *Adenogramma* Rchb. G. I. 858. (*Steudelia* Presl). — Sp. ad 7. Afr. austr.  
 2737 22 *Gisekia* L. G. I. 859. (*Giesekia* Endl., *Miltus* Lour.). — Sp. ad 5. Afr., Arabia, Ind. or.  
 2738 23 *Semonvillea* Gay. G. I. 859 et 1008. (*Ditroche* E. Mey.) — Sp. 2. Afr. austr., Senegalia.  
 2739 24 *Limeum* L. G. I. 859. (*Gaudinia* Gay). — Sp. 10. Afr. trop. et austr., Arabia, Ind. or. (pars maxime occ.).  
*Acanthocarpea* Kl.

ORDO LXXXVIII. **UMBELLIFERÆ** <sup>(1)</sup>TRIBUS I. **Hydrocotyleæ.**

- 2740 1 *Hydrocotyle* L. G. I. 872. — Sp. bene dist. ad 60. Totius orbis reg. calid. et temp.  
 2741 2 *Centella* L. *Genera*. n. 1051. (*Hydrocotyle* sect. *Centella* B. et H. G. I. 872). — Sp. ad 4. Utriusque orbis reg. calidior. *Trisanthus* Lour., *Glyceria* Nutt. (*Chondrocarpus* Nutt.).  
 2742 3 *Micropleura* Lag. G. I. 873. — Sp. 1. Mexic., Ins. Chiloë.  
 2743 4 *Trachymene* Rudge. G. I. 873. (*Didiscus* DC., *Huegelia* Rchb.). — Sp. 14. Austral., N. Caled., Borneo. *Dimetopia* DC., *Pritzelia* Walp., *Hemicarpus* F. Müll., *Cesatia* Endl.  
 2744 5 *Siebera* Rchb. G. I. 874. (*Trachymene* DC., *Fischera* Spreng. pr. p.) — Sp. 14. Austral. *Platysace* Bge, *Platycarpidium* F. Müll.  
 2745 6 *Xanthosia* Rudge. G. I. 874. (*Leucolæna* R. Br.). — Sp. 17. Austral. *Schoenolæna* et *Pentapeltis* Bge.  
 2746 7 *Azorella* Lam. G. I. 874. (*Chamitis* Banks, *Fragosa* R. et P., *Bolax* Comm.). — Sp. 35. Amer. andina et antarct., N. Zel., Austral. Sect. 1. *Fragosa* Benth., *Pectophytum* H. B. et K. Sect. 2. *Pozoa* Benth., *Pozoa* Lag. Sect. 3. *Microsciadium* Benth., *Microsciadium* Hook., *Oschatzia* Walp., *Dichopetalum* F. Müll. Sect. 4. *Schizeileima* H. f.  
 2747 8 *Apleura* Philippi. G. I. 875. — Sp. 1. In planitie Patagoniæ.

(1. Sp. ad 1400), per totum fere orbem sparsæ, sed imprimis in reg. temp. hemisph. bor. numerosæ.



- 2766 27 *Lagoecia* L. G. I. 880. — Sp. 1. Reg. Medit. austr.  
 2767 28 *Petagnia* Guss. G. I. 881. — Sp. 1. Sicilia.

TRIBUS IV. **Echinophoreæ.**

- 2768 29 *Echinophora* L. G. I. 881. — Sp. ad 8. Eur., Afr. bor., Asia  
 occ.  
*Anisosciadium* DC.  
 2769 30 *Pycnocycla* Lindl. G. I. 881. — Sp. 7. Afr. bor. or., Asia occ.  
 et centr.  
*Dicyclophora* Boiss.

TRIBUS V. **Ammineæ.**

- 2770 31 *Physospermum* Cusson. G. I. 882. (*Danaa* All., *Hænselera* Lag.).  
 — Sp. 2. ad 5. Eur. et Asia caucasica.  
*Alschingera* Vis.  
 2771 32 *Eleutherospermum* K. Koch in *Linnæa*. XVI. 365. — Sp. 2.  
 Asia minor.  
 2772 33 *Molopospermum* Koch. G. I. 882. — Sp. 1. Eur. med. et austr.  
 2773 34 *Tauschia* Schlecht. G. I. 882. — Sp. 2. Mexic., Ecuador.  
 2774 35 *Lecokia* DC. G. I. 882. — Sp. 1. Reg. Medit. or.  
 2775 36 *Hippomarathrum* Link. G. I. 883. (*Ægomarathrum* Koch). —  
 Sp. ad 7. Reg. Medit. austr. et or., Asia occ.  
*Trachymarathrum* Tausch (*Lophocachrys* Bertol.), *Schren-*  
*kia* F. et M.  
 2776 37 *Conium* L. G. I. 883. — Sp. 2. Hemisph. bor. orbis veteris,  
 Afr. austr., Abyss.  
 2777 38 *Vicatia* DC. G. I. 883. — Sp. 1. Himal.  
 2778 39 *Musenium* Nutt. G. I. 884. — Sp. 2 v. 3. Amer. bor.  
 2779 40 *Trachydium* Lindl. G. I. 884. — Sp. ad 12. Asia centr., Himal.,  
 Abyss.  
*Haplosciadium* Hochst.  
 2780 41 *Albertia* Rgl et Schmalh. *Descr. pl. nov. fasc. VI.* 29. — Sp. 1.  
 Turkest.  
 2781 42 *Eremodaucus* Bge *Ind. sem. Dorp.* 1843 (*Trachydium* B. et H.  
 pr. p. G. I. 884). — Sp. 1. Turkest.  
 2782 43 *Arracacia* Bancroft. G. I. 884. (*Arracacha* DC.). — Sp. ad 12.  
 Amer. bor.-occ., Mexic., Amer. trop. andina.  
*Pentacrypta* Lehm., *Velæa* DC.  
 2783 44 *Deweya* Torr. et Gray. in *Fl. N. Amer.* I. 641. — Sp. 3. Californ.  
 2784 45 ? *Nothosmyrnum* Miq. in *Ann. Mus. Lugd. Batav.* III. 58. —  
 Sp. 1. Japon.  
 2785 46 *Smyrnum* L. G. I. 885. — Sp. ad 1. Eur., Afr. bor., Asia occ.  
*Anosmia* Bernh., *Smyrniopsis* Boiss.

- 2786 47 **Eulophus** Nutt. G. I. 885 (*Perideridia* Rchb.). — Sp. 3.  
Arkansas, Texas, Mexic., Amer. trop. andina.
- 2787 48 **Astoma** DC. G. I. 884. — Sp. 1. Syria.
- 2788 49 **Nirarothamnus** Balf. f. *Diagn. pl. Socotra*. 18 (1882). — Sp. 1.  
Socotra.
- 2789 50 **Orogenia** S. Watson in *U. S. geolog. Explor.* 120 (1871). —  
Sp. 1. Amer. bor.-occ. (Utah).
- 2790 51 **Erigenia** Nutt. G. I. 886. — Sp. 1. Amer. bor.
- 2791 52 **Hohenackeria** F. et M. — Sp. 2. Hispania, Algeria, Reg. Caucasica.
- 2792 53 **Bupleurum** L. G. I. 885 et 1008. — Sp. descr. ad 10, sed vix  
ultra 60 dist. Eur., Asia, Afr., Amer. bor. occ. subarct.  
Agostana S. F. Gray, Diaphyllum et Isophyllum Hoffm.,  
Tenoria (Buprestis) et Odontites Spreng., Diatropa Dmrt.  
Trachypleurum Rchb.
- 2793 54 **Heteromorpha** Cham. et Schlcht G. I. 887. — Sp. 1. Afr. trop.  
et austr.
- 2794 55 **Rhyticarpus** Sond. G. I. 887. — Sp. 3. Afr. austr.
- 2795 56 **Lichtensteinia** Cham. et Schlcht. G. I. 887 et 1008. — Sp. 7 v.  
8? Afr. austr., Ins. Canar. et S. Helena.  
Ruthea Rolle.
- 2796 57 **Trinia** Hoffm. G. I. 887. — Sp. 7 v. 8. Reg. Medit., Asia temp.  
Rumia Hoffm.
- 2797 58 **Buniotrinia** Stapf et Wettstein in *Denksch. K. K. Acad. Wiss.*  
516 (1886). — Sp. 1. Persia.
- 2798 59 **Aphanopleura** Boiss. *Fl. Orient.* II. 855 (1872). — Sp. 1.  
Armenia rossica.
- 2799 60 **Apium** L. G. I. 888. — Sp. ad 15. Orbis fere totus.  
Sect. 1. *Mauchartia* DC., Mauchartia Neck., Helosciadium  
Koch, Critamus Hoffm.  
Sect. 2. *Euapium* DC., Cyclospermum Lag., Apium DC.  
Sect. 3. *Leptocaulis* Benth., Leptocaulis Nutt.
- 2800 61 **Apiastrum** Nutt. G. I. 888. — Sp. 2. Amer. bor.-occ.
- 2801 62 **Oreosciadium** Wedd. G. I. 889. (*Niphogeton* Schlcht.). — Sp.  
3 v. 4. Amer. austr. andina.
- 2802 63 **Cicuta** L. G. I. 889. — Sp. 6. Utriusque orbis hemisph. bor.
- 2803 64 **Ammi** L. G. I. 889 et 1008. — Sp. 6 v. 7. Eur., Reg. Medit.,  
Ins. Canar. et Azor.  
Visnaga Gärtn.
- 2804 65 **Pituranthos** Viv. G. I. 890. (*Deverra* DC.). — Sp. 6. Afr. bor.  
et austr., Ind. or.  
Eriocycla Lindl.
- 2805 66 **Oliveria** Vent. G. I. 800. (*Callistroma* Fenzl). — Sp. 1. Asia occ.

- 2806 67 **Carum** L. G. I. 890. — Sp. ad 60. Utriusque orbis reg. temp. et subtrop.  
 Sect. 1. *Petroselinum* Benth., *Petroselinum* Koch, *Ridolfia* Moris, *Wydleria* DC.  
 Sect. 2. *Zizia* Benth., *Zizia* Koch.  
 Sect. 3. *Trachyspermum* B. et H., *Trachyspermum* Link, *Ptychotis* DC., *Trachysciadium* E. et Z.  
 Sect. 4. *Bunium* Benth., *Bunium* L., *Bulbocastanum* Schur, *Elwendia* et *Huetia* Boiss., *Geocaryum* Coss. et Durieu.  
 Sect. 5. *Edosmia* Benth., *Atænia* H. et A., *Edosmia* Nutt.  
 Sect. 6. *Carvi* B. et H., *Selinopsis* Coss. et Durieu, *Hladnikia* Rechb., *Chamarea* E. et Z., *Lomatocarum* F. et M. ?*Sympodium* K. Koch.
- 2807 68 **Caropodium** Stapf et Wettstein in *Denksch. K. K. Acad. Wiss.* 317 (1886). — Sp. 1. Persia.
- 2808 69 ?**Froriepia** C. Koch in *Linnæa*. XVI. 362. — Sp. 1. Armenia.
- 2809 70 **Sison** L. G. I. 892. — Sp. 1. Europa.
- 2810 71 **Microsciadium** Boiss. G. I. 892. — Sp. 1. Asia occ.
- 2811 72 **Falcaria** Host. G. I. 892. (*Prionitis* Delarb., *Drepanophyllum* Hoffm. pr. p.). — Sp. 1. Eur. med. et austr., Asia rossica.
- 2812 73 **Sium** L. G. I. 893. — Sp. 6. Utriusque orbis hemisph. bor., Afr. austr.  
*Berula* Koch.
- 2813 74 **Ægopodium** L. G. I. 893. — Sp. 1 v. 2? Eur. et Asia temp.
- 2814 75 **Pimpinella** L. G. I. 893 et 1008. — Sp. ad 75. Orbis fere totus (Australia excepta).  
 Sect. 1. *Bunioides* Benth., *Bunium* Koch non L.  
 Sect. 2. *Tragoselinum* DC., *Tragoselinum* Pomel, *Acronema* DC., *Lereschia* Boiss.  
 Sect. 3. *Reutera* Benth., *Reutera* Boiss.  
 Sect. 4. *Zizioides* Benth.  
 Sect. 5. *Tragium* Benth., *Tragium* Spreng., *Ledeburia* Link, *Chesneya* Bertol. (*Gaytania* Münst.), *Gymnosciadium* Hochst., *Anisum* E. et Z., *Tragopsis* Pomel.  
 Sect. 6. *Petrosciadium* Benth., *Petrosciadium* Edgew., *Murrithia* et *Heterachæna* Zoll., *Anisometros* Hassk., *Platyraphe* Miq.  
 ?*Pancicia* Vis.
- 2815 76 **Podistera** S. Watson in *Proc. Amer. Acad.* XVII. 475 (1887) (*Cymopterus* A. Gray pr. p.). — Sp. 1. Californ.
- 2816 77 **Muretia** Boiss. G. I. 895. — Sp. 3. Asia occ. et temp.
- 2817 78 **Chamaesciadium** C. A. Mey. G. I. 395. — Sp. 2. Asia rossica.
- 2818 79 **Cryptotaenia** DC. G. I. 896. — Sp. 1. Amer. bor., Japon.

- 2819 80 *Conopodium* Koch pr. p. G. I. 896. (*Bunium* DC. pr. p., *Bulbocastanum* Lag., *Sphallerocarpus* Bess.). — Sp. ad 12. Eur., Afr. bor., Asia occ. et med.  
Heterotænia et Butinia Boiss., Elæosticta Fenzl, Scali-  
geria DC.
- 2820 81 *Pichleria* Stapf et Wettstein in *Denksch. K. K. Acad. Wiss.* 324 (1886). — Sp. 2. Persia.
- 2821 82 *Tinguarra* Parl. G. I. 896. — Sp. 3. Reg. Medit., Ins. Canar.
- 2822 83 *Osmorhiza* Raf. G. I. 897. (*Uraspermum* Nutt., *Spermatura* Rchb.). — Sp. ad 6. Himal., Asia bor.-or., Amer. bor.
- 2823 84 *Myrrhis* Scop. G. I. 897. — Sp. 4. Eur. mont., Reg. Caspica, Amer. bor., in Amer. austr. extratrop. inquil.  
*Glycosma* Nutt.
- 2824 85 *Oreomyrrhis* Endl. G. I. 897. (*Caldasia* Lag.). — Sp. 5. v. 7? Amer. andina. et antarct., N. Zel., Austral.
- 2825 86 *Chærophyllum* L. G. I. 898. — Sp. ad 36. Eur., Asia bor. occ. et centr., Afr. et Amer. bor.  
*Physocaulis* Tausch (*Biasolettia* Bertol.), *Rhynchostylis* Tausch, *Freyera* Rchb. (*Biasolettia* Koch, *Balansæa* Boiss.), *Grammosciadium* DC.
- 2826 87 ?*Ammoselinum* Torr. et Gray. G. I. 1009. — Sp. 1. Texas occ.
- 2827 88 *Rhabdosciadium* Boiss. G. I. 898. — Sp. 3. Persia, Græcia.
- 2828 89 *Scandix* L. pr. p. G. I. 899. — Sp. ad 12. Orbis veteris hemisph. bor.  
*Wylia* Hoffm., *Cyclotaxis* Boiss.
- 2829 90 *Anthriscus* Hoffm. G. I. 899. — Sp. ad 10. Orbis veteris hemisph. bor.
- 2830 91 *Ottoa* H. B. et K. G. I. 899. — Sp. 1. Columbia, Mexic.

TRIBUS VI. *Seselineæ*.

- 2831 92 *Diplolophium* Turcz. G. I. 900. — Sp. 2. Afr. trop.
- 2832 93 *Athamanta* L. pr. p. G. I. 900. (*Turbith* Tausch). — Sp. 2 v. 3. Eur., Asia occ.  
*Petrocarvi* Tausch.
- 2833 94 *Todaroa* Parl. G. I. 900. — Sp. 1. Ins. Canar.
- 2834 95 *Portenschlagia* Vis. G. I. 901. — Sp. 1. Dalmatia.
- 2835 96 *Seseli* L. G. I. 901. — Sp. enum. ultra 60, vix tamen 40 dist. Orbis veteris hemisph. bor. (Australia?).  
*Hippomarathrum* Fl. Wett., *Libanotis* Crantz, *Lomatopodium* F. et M., *Scaphespermum* Edgew., *Bubon* L. pr. p., *Stenocælium* Ledeb., *Wallrothia* Spreng. (*Dethawia* Endl.).
- 2836 97 *Physotrichia* Hiern in *Journ. Bot.* 161 (1873). — Sp. 2. Angola, Zambesia.

- 2837 98 ?*Hausknechtia* Boiss. *Fl. Orient.* II. 960 (1872). — Sp. 1.  
Persia.
- 2838 99 *Sclerochorton* Boiss. *Fl. Orient.* II. 968. — Sp. 1. Persia.
- 2839 100 *Phellolophium* Bak. in *Journ. Linn. Soc.* XXI. 349 (1884). —  
Sp. 1. Madagasc.
- 2840 101 *Foeniculum* Adans. G. I. 902. — Sp. 3 v. 4. Eur., Asia occ.,  
Afr. bor., Ins. Canar., alibi inquil.  
*Ozodia* W. et A., *Gasparrinia* Bertol.
- 2841 102 *Xatardia* Meisu. G. I. 902. (*Petitia* J. Gay). — Sp. 1. Pyren. or.
- 2842 103 *Kundmannia* Scop. G. I. 903. (*Brignolia* Bertol., *Campderia*  
Lag.). — Sp. 1 v. 2. Reg. Medit.
- 2843 104 *Thecocarpus* Boiss. G. I. 903. — Sp. 1. Asia occ.
- 2844 105 *Actinanthus* Ehrenb. G. I. 903. — Sp. 1. Syria.
- 2845 106 *Pyramidoptera* Boiss. G. I. 903. — Sp. 1. Cabul.
- 2846 107 *Magydaris* Koch. G. I. 904. — Sp. 2 v. 1? Hispania, Afr.  
bor.-occ.
- 2847 108 *Cachrys* L. G. I. 904. — Sp. 6 v. 8. Reg. Medit., Asia occ. et  
med.
- 2848 109 *Prangos* Lindl. G. I. 904. — Sp. descr. ad 40, sed non-  
nullæ forte reduc. Reg. Medit. austr., Asia occ. et med.  
*Colladonia* DC. (*Perlebia* DC.), *Meliocarpus* Boiss, *Hepta-*  
*ptera* Marg. et Reut., *Anisopleura* Fenzl.
- 2849 110 *Phellopterus* Benth. G. I. 905. (*Glehnia* F. Schmidt). — Sp. 1.  
Corea, Ins. Loo-Choo, Japon.
- 2850 111 *Lophosciadium* DC. G. I. 905. — Sp. 1. Eur. austro-or.,  
Asia occ.
- 2851 112 *Crithmum* L. G. I. 905. — Sp. 1. Eur. occ. marit. et circa  
mare Medit. et Nigrum, Ins. Canar.
- 2852 113 ? *Podosciadium* A. Gray in *Proc. Amer. Acad.* VII. 345 (1867).  
Sp. 2. Californ.
- 2853 114 *Oenanthe* L. G. I. 905. — Sp. enum. ad 40, sed vix ultra 20  
dist. Utriusque orbis hemisph. bor., Afr. austr., Austral.  
trop.  
Sect. 1. *Euœnanthe* Benth., *OEnoxiadium* Pomel.  
Sect. 2. *Dasyloma* Benth., *Dasyloma* DC., *Phellandrium* L.,  
*Cyssopetalum* Turcz.
- 2854 115 *Crantzia* Nutt. G. I. 906. — Sp. 1. Amer. extratrop. et trop.  
andina, Austral., N. Zel.
- 2855 116 *Cynosciadium* DC. G. I. 906. — Sp. 2. Amer. bor.
- 2856 117 *Discopleura* DC. G. I. 906. — Sp. 4. Amer. bor., Ind. or.  
*Daucosma* Engelm. et Gray.
- 2857 118 *Eurytænia* Torr. et Gray. G. I. 907. — Sp. 1. Texas.
- 2858 119 *Æthusa* L. G. I. 907. — Sp. 1. Eur., Asia rossica.



- 2839 120 *Cymbocarpum* DC. G. I. 907. — Sp. 4. Reg. Caucasica.
- 2860 121 *Choritænia* Benth. G. I. 907. (*Pappea* Harv. et Sond.). — Sp. 1. Afr. austr.
- 2861 122 *Capnophyllum* Gärtn. G. I. 908 et 1009. (*Actinocladus* E. Mey.). — Sp. 2. Reg. Medit., Ins. Canar., Afr. austr.  
*Kruberia* Hoffm. (*Ulospermum* Link.), *Sclerosciadium* Koch.
- 2862 123 *Siler* Scop. G. I. 908. — Sp. 2. Eur., Asia rossica.  
*Agasyllis* Spreng.
- 2863 124 ?*Astydamia* DC. G. I. 909. — Sp. 1. Ins. Canar.
- 2864 125 *Polemannia* E. et Z. G. I. 909. — Sp. 2. Afr. austr.
- 2865 126 *Schultzia* Spreng. G. I. 909. — Sp. 4. Altaï, Dahuria, Kurdist., Ind. or.
- 2866 127 *Silaus* Bess. G. I. 910. — Sp. 2. Eur., Asia rossica.
- 2867 128 *Polyzygus* Dalz. G. I. 910. — Sp. 1. Ind. or. (prov. Maluan).
- 2868 129 *Trochiscanthes* Koch. G. I. 910. — Sp. 1. Gallia austr. mont., Alpes occ.
- 2869 130 *Meum* Jacq. G. I. 911. — Sp. 1. Eur. med. et occ. mont.
- 2870 131 *Cymopterus* Raf. G. I. 911. — Sp. ad 15. Amer. bor.-occ.
- 2871 132 *Ligusticum* L. G. I. 911. — Sp. ad 25. Utriusque orbis hemisph. bor.  
 1. *Conioselinum* Fisch.  
 2. *Haloscias* Fries.  
 3. *Pachypleurum* Ledeb. (*Gaya* Gaudin, *Neogaya* Meisn.).  
 4. *Endressia* J. Gay. — 5. *Coristospermum* Bertol.  
 6. *Hansenia* Turcz., *Cynapium* Nutt. — 7. *Bonannia* Guss.
- 2872 133 *Cyathoselinum* Benth. G. I. 912. — Sp. 1. Dalmatia.
- 2873 134 *Aciphylla* Forst. G. I. 912. (*Gingidium* F. Müll. non Forst.). — Sp. ad 20. N. Zel., Austral.  
*Anisotome* H. f. (*Calosciadium* Endl.).
- 2874 135 *Anesorrhiza* Cham. et Schlecht. G. I. 913. — Sp. 9 v. 10. Afr. austr.  
*Glia* Sond. (*Stenosemis* E. Mey.).
- 2875 136 *Thaspium* Nutt. G. I. 913. — Sp. 2. Amer. bor.
- 2876 137 *Selinum* L. G. I. 914. (*Cnidium* Cusson, *Mylinum* Gaudin). — Sp. ad 25. Utriusque orbis hemisph. bor., Columbia? Afr. austr.  
 1. *Heteroptilis* E. Mey. — 2. *Lomatocarum* F. et M.  
 3. *Lithosciadium* Turcz. — 4. *Cenolophium* Koch.  
 5. *Oreocome* Edgew. (*Anthosciadium* Fenzl).  
 6. *Tilingia* Rgl. — 7. *Sphenosciadium* A. Gray.  
 8. *Hyalolæna* Bge.
- 2877 138 *Cortia* DC. G. I. 915. — Sp. 2. Ind. or.
- 2878 139 *Renarda* Rgl. *Descr. pl. nov.* VIII. 9 (1883). — Sp. 1. Turkest.

- 2879 140 **Pleurospermum** Hoffm. G. I. 915. (*Physospermum* Cusson, *Hymenolæna* DC., *Aulacospermum* Ledeb.). — Sp. ad 18. Eur., Asia rossica, Ind. or.  
*Malabaila* Tausch (*Hladnikia* Koch), *Hymenidium* Lindl., *Pterocyclus* Kl.
- 2880 141 **Levisticum** Koch. G. I. 916. — Sp. 1. Eur. centr.
- 2881 142 **Angelica** L. G. I. 916. (*Eustylis* H. f.). — Sp. ad 30. Utriusque orbis hemisph. bor., N. Zel.  
*Ostericum* Hoffm., *Gomphopetalum* Turcz., *Gingidium* Forst., *Callisace* Fisch., *Angelophyllum* Ruprecht., *Porphyroscias* Miq.
- 2882 143 **Archangelica** Hoffm. G. I. 917 et 1009. — Sp. 5. Eur. temp. et bor., Asia et Amer. bor. et arct.  
*Czernævia* Turcz., *Cœlopleurum* Ledeb.
- 2883 144 ?**Angelocarpa** Ruprecht in *Mém. Acad. Pétersb.* XIV. 48. — Sp. 1. Asia centr.

TRIBUS VII. **Peucedaneæ.**

- 2884 145 **Ferula** L. G. I. 917 et 1009. — Sp. ad 80. Eur. austr., Afr. bor., Asia occ.  
 Sect. 1. *Ferularia* DC., *Scorodosma* Bge, *Narthex* Falc.  
 Sect. 2. *Ferulago* DC., *Ferulago* Koch, *Uloptera* Fenzl, *Xanthogalum* Lallem., *Hammatocaulis* Tausch, *Eriosynaphe* DC., *Euryangium* Kauffm.
- 2885 146 **Dorema** Don. G. I. 918. (*Diserneston* Jaub. et Spach). — Sp. 4. Persia, Belutchist.
- 2886 147 **Peucedanum** L. G. I. 918. — Sp. ad 120. Utriusque orbis hemisph. bor., Afr. trop. et austr., Amer. trop. andina.  
 1. *Oreoselinum* M. B.  
 2. *Pteroselinum* Rchb.  
 3. *Palimbia* Bess. (*Caroselinum* Griseb., *Schlosseria* Vukit.).  
 4. *Thysselinum* Hoffm.  
 5. *Tæniopetalum* Vis.  
 6. *Tæniopetalum* Bge, (*Xanthoselinum* Schur).  
 7. *Anethum* L.  
 8. *Macroselinum* Schur.  
 9. *Imperatoria* L.  
 10. *Tommasinia* Bertol.  
 11. *Pastinaca* L.  
 12. *Ormosolenia* Tausch.  
 13. *Polycyrtus* Schlecht. (*Elæochytris* Fenzl)  
 14. *Diplotænia* Boiss. (*Pleurotænia* Hohen.), *Soranthus* Ledeb.  
 15. *Eulophus* Nutt.

ORDO LXXXIX. **ARALIACEÆ** <sup>(1)</sup>SERIES I. **Aralieæ.**

- 2919 1 **Myodocarpus** Brongn. et Gris. G. I. 935. — Sp. 4. N. Caled.  
 2920 2 **Delarbrea** Vieill. G. I. 935. — Sp. 2. N. Caled.  
 2921 3 ? **Pseudosciadium** H. Bn in *Adans.* XII. 131 (1879). — Sp. 1. N. Caled.  
 2922 4 **Stilbocarpa** Dcne et Pl. G. I. 935. (sphalmate *Stylbocarpa*). — Sp. 1. N. Zel. et Ins. Antarct.  
 2923 5 **Aralia** L. G. I. 936. — Sp. ad 33. Asia trop. et or. temp., Amer. bor., Mexic.  
     Sect. 1. *Ginseng* Dcne et Pl., Aureliana Lافit.  
     Sect. 2. *Euaralia* Dcne et Pl., Dimorphantus Miq.  
 2924 6 **Coudenbergia** E. March. in *Bull. Acad. Belg.* ser. 2. XLVII n. 5. (*Coemansia* E. March.). — Sp. 1. Brasil.  
 2925 7 **Sciadodendron** Griseb. G. I. 935. — Sp. 1. Panama, Nicaragua.  
 2926 8 **Pentapanax** Seem. G. I. 936. — Sp. 5. Ind. or.  
 2927 9 ? **Aralidium** Miq. G. I. 936. — Sp. 2. Archip. Ind., Penins. Malay.

SERIES II. **Mackinlayeæ.**

- 2928 10 **Mackinlaya** F. Müll. G. I. 937. — Sp. 1. Austral. or. trop.

SERIES III. **Panaceæ.**

- 2929 11 **Apiopetalum** H. Bn in *Adans.* XII. 133 (1879). — Sp. 2. N. Caled.  
 2930 12 **Horsfieldia** Bl. G. I. 937. (*Schubertia* Bl., *Echinopanax* Dcne et Pl.). — Sp. 2. Java.  
 2931 13 **Astrotricha** DC. G. I. 937. (*Bolax* Comm.). — Sp. 5. Austral.  
 2932 14 **Cuphocarpus** Dcne et Pl. G. I. 937. — Sp. 1. Madagasc.  
 2933 15 **Porospermum** F. Müll. *Fragm.* VII. 97 (1870). — Sp. 1. Austral. bor.-or.  
 2934 16 **Panax** L. G. I. 938. — Sp. ad 30. Asia trop. et or. temp., Afr. trop., Ins. Pacif., N. Zel., Austral.  
     Anisum Rumph., Aureliana Catesb., Nothopanax Miq.,  
     Raukana et Sciadopanax Seem., Cheirodendron Nutt.,  
     Oligoscias Seem. (*Maralia* Thou.).  
 2935 17 **Dipanax** Seem. *Revis. Heder.* 81 (1868). — Sp. 1. Ins. Sandvic. N. Caled.  
 2936 18 **Motherwellia** F. Müll. *Fragm.* VII. 107 (1871). — Sp. 1. Austral. or. bor.

(1) Sp. ad 375, per. reg. trop. et temp. utriusque hemisph. vigentes, sp. 2 in Ins. Antarct. obire.

- 2937 19 *Crepinella* E. March. in *Trans. Linn. Soc.* ser. 2. II. 275 (1886). — Sp. 1. Guiana angl.
- 2938 20 *Sphærodendron* Seem. G. I. 1009. — Sp. 1. Angola.
- 2939 21 *Acanthopanax* Dcne et Pl. G. I. 938. — Sp. 6 v. 8? Asia trop. et or.  
Kalopanax Miq., Plectronia Lour.
- 2940 22 *Fatsia* Dcne et Pl. G. I. 939. — Sp. 3. Japon., Amer. bor. occ.  
*Tetrapanax* K. Koch, *Echinopanax* Dcne et Pl., *Oplopanax* Miq.
- 2941 23 *Didymopanax* Dcne et Pl. G. I. 939. — Sp. 2. Japon., Himal.
- 2942 24 *Helwingia* Willd. G. I. 939. — Sp. 2. Japon., Himal.
- 2943 25 *Meryta* Forst. G. I. 940. (*Botryodendron* Endl.). — Sp. 6. Ins. Norfolk, N. Zel., Ins. Pacif. austr.
- 2944 26 *Sciadophyllum* P. Browne. G. I. 940. (*Actinophyllum* R. et P.).  
Sp. ad 25. Amer. trop.
- 2945 27 *Eremopanax* H. Bn in *Adans.* XII. 158 (1879). — Sp. 3. N. Caled.
- 2946 28 *Schefflera* Forst. G. I. 940. — Sp. 2. N. Zel., Ins. Viti.
- 2947 29 *Gastonia* Comm. G. I. 941. — Sp. 1. Ins. Maurit.
- 2948 30 *Polyscias* Forst. G. I. 941. — Sp. ad 8. Ind. or., Archip. Ind., Ins. Pacif. et Mascar.  
*Eupteron* et *Botryopanax* Miq. (*Gastonia* Röper), *Grotefendia* Seem.
- 2949 31 *Eschweilera* Zipp. <sup>(1)</sup> in *Herb. Lugd.-Bat.* — Sp. 10. Borneo, Ins. Celebes et Philippin., N. Guinea.  
*Trevesia* B. et H. G. I. 942 pr. p., *Parapanax* Miq., *Reynoldsia* A. Gray.
- 2950 32 *Pseudopanax* K. Koch. G. I. 941. — Sp. 4. N. Zel., Chili.
- 2951 33 *Eleutherococcus* Maxim. G. I. 941. Sp. 1. Mandshuria.
- 2952 34 *Heptapleurum* Gärtner. G. I. 942. (*Paratropia* DC., *Sciadophyllum* Bl.). — Sp. 50 v. 60? Asia et Afr. trop., Ins. Pacif, Austral.  
*Agalma* et *Actinomorpha* Miq., *Astropanax* Seem.
- 2953 35 *Trevesia* Vis. G. I. 942. — Sp. 4. Ind. or., Sumatra.
- 2954 36 *Brassaia* Endl. G. I. 943. — Sp. 2 v. 3. Austral., Archip. Ind.
- 2955 37 *Gilibertia* R. et P. G. I. 944. Sp. ad 30. Amer. trop., Asia trop. et or.  
*Textoria* Miq., *Wangenheimia* Dietr., *Dendropanax* Dcne et Pl.
- 2956 38 *Osmoxylon* Miq. G. I. 944. — Sp. 2. Amboina, N. Guinea.

[1] Cf. J. G. Boerlage, *Revis. Aral. Archip. Ind.* Leiden 1886.

SERIES IV. **Hedereæ.**

- 2957 39 **Arthrophyllum** Bl. G. I. 944. — Sp. 4. Archip. Ind., Penins. Malay.  
 2958 40 **Cussonia** Thunb. G. I. 944. — Sp. ad 16. Afr. trop. et austr., Ins. Mascar., Madagasc.  
 2959 41 **Heteropanax** Seem. G. I. 945. — Sp. 1 v. 2. Ind. or., China, Java.  
 2960 42 **Brassaiopsis** Dene et Pl. G. I. 945. — Sp. ad 10. Ind. or., Archip. Ind.  
 2961 43 **Macropanax** Miq. G. I. 945. — Sp. 5 v. 2. Ind. or., Archip. Ind.  
 2962 44 **Oreopanax** Dene et Pl. G. I. 946. (*Monopanax* Rgl). — Sp. enum. 80, plures tamen reduc. Amer. trop.  
 2963 45 **Hedera** L. G. I. 946. — Sp. 2. Hemisph. bor. reg. temp. et calid., Austral.  
     *Kissodendron* Seem. (*Irvingia* F. Müll.).  
 2964 46 **Hederopsis** C. B. Clarke in *Fl. B. Ind.* II. 739. — Sp. 1. Malacca.  
 2965 47 **Gamblea** C. B. Clarke in *Fl. B. Ind.* II. 739. — Sp. 1. Sikkim.

SERIES V. **Plerandreæ.**

- 2966 48 **Plerandra** A. Gray. G. I. 946. — Sp. 4. Ins. Viti.  
 2967 49 **Tetraplasandra** A. Gray. G. I. 946. — Sp. 2. Ins. Sandvic., Archip. Ind.  
 2968 50 **Triplasandra** Seem. *Revis. Heder.* 78 (1868). — Sp. 1. Ins. Sandvic.  
 2969 51 **Tupidanthus** H. f. et T. G. I. 947. — Sp. 1. Khasia.

ORDO XC. **CORNACEÆ** <sup>(1)</sup>

- 2970 1 **Alangium** Lam. G. I. 949. Sp. 8 v. 10. Asia et Afr. trop.  
 2971 2 **Stylidium** Lour. (*Marlea* Roxb. G. I. 949, *Stylis* Lam., *Rhytidandra* A. Gray, *Pseudalangium* F. Müll.). — Sp. 4 v. 5. Asia trop. et subtrop., Austral. calid., Ins. Pacif.  
 2972 3 **Curtisia** Ait. G. I. 949. — Sp. 1. Afr. austr.  
 2973 4 **Corokia** A. Cunn. G. I. 949. — Sp. 2. N. Zel.  
 2974 5 **Cornus** L. G. I. 950. — Sp. ad 25. Eur., Asia et Amer. temp., Mexic., Himal., Peruv.  
     *Benthamia* Lindl.  
 2975 6 **Mastixia** Bl. G. I. 950. (*Bursinopetalum* Wight). — Sp. ad 8. Ind. or., Zeylan., Ins. Malay.

(1) Sp. ad 80, per orbem terrarum sparsæ.

- 2976 7 **Aucuba** Thunb. G. I. 950. — Sp. 3 v. 5. Himal. or., China, Japon.  
 2977 8 ?**Aucubaphyllum** Ahlburg in *Bot. Zeitung*. 113 (1878). — Sp. 1.  
     Ins. Loo-Choo.  
 2978 9 **Garrya** Dougl. G. I. 951. — Sp. 8. Californ., Mexic., Antill.  
 2979 10 **Griselinia** Forst. G. I. 951. (*Scopolia* Forst., *Decostea* R. et P.,  
     *Pukateria* Raoul). — Sp. 8. N. Zel., Chili, Brasil.  
 2980 11 **Melanophylla** Bak. in *Journ. Linn. Soc.* XXI. 352 (1883). —  
     Sp. 2. Madagasc.  
 2981 12 **Kaliphora** H. f. G. I. 951. — Sp. 1. Madagasc.  
 2982 13 **Nyssa** L. G. I. 952. — Sp. 5 v. 6. Amer. bor., Himal., Ins. Malay.  
     *Agathisanthes* et *Ceratostachys* Bl., *Daphniphyllopsis* Kurz.  
 2983 14 ?**Camptotheca** Dene in *Bull. Soc. bot. Fr.* XX. 157 (1873). —  
     Sp. 1. Tibet.  
 2984 15 ?**Davidia** H. Bn in *Adans.* X. 114 (1872). — Sp. 1. Tibet.  
 2985 16 **Toricellia** DC. G. I. 952. — Sp. 1. Himal.

## ORDO XCI. CAPRIFOLIACEÆ

TRIBUS I. **Sambuceæ.**

- 2986 1 **Adoxa** L. G. II. 2. — Sp. 1. Hemisph. bor. reg. frigid. et temp.  
 2987 2 **Sambucus** L. G. II. 3. (*Tripetelus* Lindl.). — Sp. ad 12. Utrius-  
     que orbis reg. temp. (Afr. austr. except.) et trop. mont.  
 2988 3 **Viburnum** L. G. II. 3. — Sp. ad 80. Totius orbis reg. temp.  
     et trop.  
     Sect. 1. *Opulus* DC.  
     Sect. 2. *Euviburnum* OErst.  
     Sect. 3. *Tinus* B. et H., *Tinus* OErst.  
     Sect. 4. *Microtinus* B. et H., *Microtinus* OErst.  
     Sect. 5. *Oreinotinus* B. et H., *Oreinotinus* OErst.  
     Sect. 6. *Solenotinus* B. et H., *Solenotinus* OErst.

TRIBUS II. **Lonicereæ.**

- 2989 4 **Microsplenium** Hook. G. II. 4. — Sp. 1. Mexic.  
 2990 5 **Triosteum** L. G. II. 4 et 1227. — Sp. 3. Himal., Amer. bor.  
 2991 6 **Symphoricarpos** Juss. G. II. 4 et 1227. (*Symphoria* Pers.). —  
     Sp. ad 6. Amer. bor., Mexic.  
     *Anisanthus* Willd.  
 2992 7 **Dipelta** Maxim. in *Bull. Acad. Pétersb.* X. 78 (1877). — Sp. 1.  
     China occ.  
 2993 8 **Abelia** R. Br. G. II. 4. — Sp. ad 10. Himal. occ., China,  
     Japon., Mexic.  
     *Vesalea* Martens et Gal.

- 2994 9 *Linnæa* Gronov. G. II. 5. — Sp. 1. Eur., Asiæ et Amer. bor. reg. frigid.
- 2995 10 *Lonicera* L. G. II. 5. — Sp. ad 100. Reg. temp. et trop. hemisph. bor.  
Sect. 1. *Caprifolium* DC., *Caprifolium* Juss.  
Sect. 2. *Xylosteum* DC., *Xylosteum* Juss., *Nintooa* Sweet.
- 2996 11 *Leycesteria* Wall. G. II. 5. — Sp. 2. Himal., Khasia.
- 2997 12 *Diervilla* Tourn. G. II. 6. (*Weigela* Thunb., *Weigelia* Pers., *Calysphyrum* Bge, *Calyptrostigma* Trautv. et Mey., *Wagneria* Lemaire). — Sp. ad 7. Amer. bor.-or., China, Japon.
- 2998 13 *Pentaptyxis* H. f. G. II. 6. — Sp. 1. Himal. or.
- 2999 14 *Alseuosmia* A. Cunn. G. II. 6. — Sp. 4. N. Zel.

ORDO XCII. RUBIACEÆ <sup>(1)</sup>

## TRIBUS I. Naucleææ.

- 3000 1 *Sarcocephalus* Afzel. G. II. 29. (*Cephalina* Thonn.). — Sp. ad 8. Asia, Afr. et Austral. trop.  
*Platanocarpus* Korth.
- 3001 2 *Paracephaelis* H. Bn in *Adans.* XII. 315 (1879). — Sp. 1. Madagasc.
- 3002 3 *Anthocephalus* A. Rich. G. II. 29. — Sp. 3 v. 4. Asia trop., Archip. Ind., Madagasc?  
? *Cephalidium* A. Rich.
- 3003 4 *Cephalanthus* L. G. II. 30. — Sp. 6. Asia trop., Amer. trop. et temp., Afr. austr.
- 3004 5 *Adina* Salisb. G. II. 30. — Sp. 7. Amer. et Asia trop. et subtrop.
- 3005 6 *Stephegyne* Korth. G. II. 31. (*Mitragyne* Korth.). — Sp. ad 10. Asia et Afr. trop.
- 3006 7 *Nauclea* L. G. II. 31 et 1227. — Sp. ad 32. Asia trop., Oceania.
- 3007 8 *Uncaria* Schreb. G. II. 31. (*Ourouparia* Aubl., *Agylophora* Neck.). — Sp. ad 32. Asia, Afr. et Amer. trop.
- 3008 9 ? *Breonia* A. Rich. G. II. 32. — Sp. 1. Madagasc.

## TRIBUS II. Cinchonææ.

- 3009 10 *Cinchona* L. G. II. 32. (*Kinkina* Adans., *Chinchona* Markham). — Sp. ad 36. Amer. trop. andina.

(1) Sp. ad 4300, per totum fere orbem terrarum sparsæ.

- 3010 11 *Cascarilla* Wedd. G. II. 32. (*Ladenbergia* Kl. pr. p. *Buena* Wedd.). — Sp. ad 30. Amer. trop.
- 3011 12 *Remijia* DC. G. II. 33. (*Macrocnemum* Vand.). — Sp. ad 13. Amer. trop.
- 3012 13 *Pimentella* Wedd. G. II. 33. — Sp. 1. Peruv.
- 3013 14 ? *Stilpnophyllum* H. f. G. II. 33. — Sp. 2. Peruv.
- 3014 15 *Sickingia* Wedd. G. II. 34. — Sp. 2. N. Granada, Venezuela, Brasil.
- 3015 16 *Schismatoclada* Bak. in *Journ. Linn. Soc.* IX. 159. — Sp. 1. Madagasc.
- 3016 17 *Hymenopogon* Wall. G. II. 34. — Sp. 2. Himal., Assam., Khasia.
- 3017 18 *Ladenbergia* Kl. pr. p. G. II. 34. (*Joosia* Karst.). — Sp. 1 v. 2. Peruv., N. Granada.
- 3018 19 *Macrocnemum* P. Browne. G. II. 35. (*Lasionema* Don). — Sp. ad 9. Amer. trop., Ind. occ.
- 3019 20 *Coptosapelta* Korth. G. II. 35. — Sp. 4. Archip. Ind.
- 3020 21 *Hymenodictyon* Wall. G. II. 35. (*Kurria* Hochst.). — Sp. 6. Asia et Afr. trop.
- 3021 22 *Corynanthe* Welw. G. II. 36. — Sp. 1. Angola.
- 3022 23 *Danais* Comm. G. II. 36. — Sp. ad 20. Ins. Maurit., Borbon. et Madagasc.
- 3023 24 *Bouvardia* Salisb. G. II. 36. (*Æginetia* Cav.). — Sp. ad 17. Mexic., Guatemala, N. Granada, Costa-Rica.
- 3024 25 ? *Heterophyllæa* H. f. G. II. 37. — Sp. 1. Amer. austr.
- 3025 26 *Manettia* Mutis. G. II. 37. (*Nacibea* Aubl., *Lygistum* P. Browne, *Conotrichia* A. Rich., *Guagnebina* Vell., *Bellardia* Schreb.). — Sp. ad 30. Amer. et Austral. trop. et subtrop.  
? *Endolasia* Turcz.
- 3026 27 *Hindsia* Benth. G. II. 37. (*Macrosiphon* Miq.). — Sp. 3. Brasil.
- 3027 28 *Alseis* Schott. G. II. 38. — Sp. 2 v. 3. Brasil., Panama.
- 3028 29 *Calycophyllum* DC. G. II. 38. — Sp. 2 v. 3. Amer. trop. a Panama ad fl. Amazonum.  
*Enkylista* Benth.
- 3029 30 *Creaghia* Scortech. in *Journ. Bot.* 369 (1884). — Sp. 1. Penins. Malay.
- 3030 31 *Monadelphanthus* Karst. G. II. 38. — Sp. 1. N. Granada.
- 3031 32 ? *Pleurocoffea* H. Bn in *Bull. Soc. Linn. Paris*, 270 (1880). — Sp. 1. Madagasc.
- 3032 33 *Capirona* Spruce. G. II. 39. — Sp. 1. Peruv.
- 3033 34 ? *Schizocalyx* Wedd. G. II. 39. — Sp. 1. N. Granada.
- 3034 35 *Hillia* Jacq. G. II. 39. (*Fereiria* Vand., *Saldanha* Vell.). — Sp. 5. Amer. trop., Ind. occ.



- 3035 36 ?*Ravnia* OErsted. G. II. 40. — Sp. 1. Costa-Rica.  
 3036 37 *Cosmibuena* R. et P. G. II. 40. (*Buena* Pohl pr. p.). — Sp. ad  
 6. Amer. trop.  
 3037 38 *Ferdinandusa* Pohl. G. II. 40. (*Ferdinandea* Pohl, *Gomphosia*  
 Wedd., *Aspidanthera* Benth.). — Sp. ad 14. Amer. trop.  
 or., Ind. occ.  
 3038 39 *Dolicholobium* A. Gray. G. II. 41. — Sp. 3. Ins. Viti.  
 3039 40 *Mussændopsis* H. Bn in *Adans.* XII. 282 (1879). — Sp. 1.  
 Borneo.  
 3040 41 *Crossopteryx* Fenzl. G. II. 41. — Sp. 2. Afr. trop.  
 3041 42 ?*Placopoda* Balf. f. in *Proc. roy. Soc. Edin.* XI. (1886). —  
 Sp. 1. Socotra.  
 3042 43 *Molopanthera* Turcz. G. II. 41. — Sp. 2. Brasil.  
 3043 44 *Contarea* Aubl. G. II. 42. — Sp. ad 5. Amer. trop.  
 3044 45 *Exostemma* Rich. G. II. 42. — Sp. ad 20. Amer. trop., Ind. occ.  
 3045 46 *Badusa* A. Gray. G. II. 42. — Sp. 1. Ins. Tonga et Viti.  
 3046 47 ?*Solenandra* H. f. G. II. 43. — Sp. 1. Cuba.  
 3047 48 *Luculia* Sweet. G. II. 43. — Sp. 2. Himal., Khasia.  
 3048 49 *Thysanospermum* Champ. G. II. 43. — Sp. 1. Ins. Hongkong.  
 3049 50 *Sprucea* Benth. G. II. 43. — Sp. 1. Amer. trop. (ad fl. Ama-  
 zonum).

TRIBUS III. *Henriqueziæ*.

- 3050 51 *Henriquezia* Spruce. G. II. 44 et 1228. — Sp. 4. Brasil. bor.,  
 Venezuela.  
 3051 52 *Platycarpum* H. et B. G. II. 44. — Sp. 1. Brasil.

TRIBUS IV. *Condamineæ*.

- 3052 53 *Condaminea* DC. G. II. 44. — Sp. 5 v. 6. Bolivia, Peruvia,  
 N. Granada.  
 3053 54 *Chimarrhis* Jacq. G. II. 45. — Sp. 4. Ind. occ., Guiana gall.,  
 Peruvia.  
 3054 55 *Rustia* Kl. G. II. 45. (*Tresanthera* et *Henlea* Karst.). — Sp.  
 6 v. 7. Amer. trop. a Panama usque ad Brasiliam.  
 3055 56 *Portlandia* P. Browne. G. II. 45. — Sp. ad 8. Ind. occ., Mexic.  
 3056 57 *Isidorea* A. Rich. G. II. 46. — Sp. 1. Ins. S. Doming.  
 3057 58 *Bikkia* Reinw. G. II. 46. — Sp. ad 12. Ins. Molucc. et Pacif.  
*Bikkiopsis* Brongn. et Gris, *Grisia* Brongn., *Tatea* Seem.  
 3058 59 *Morierina* Vieill. G. II. 47. — Sp. 2. N. Caled.  
 3059 60 *Pinckneya* Rich. G. II. 47 et 1228. (*Pinknea* Pers.). — Sp. 1.  
 Amer. bor.  
 3060 61 *Pogonopus* Kl. G. II. 47. (*Howardia* et *Chrysoxylon* Wedd.). —  
 Sp. ad 5. Amer. trop.

TRIBUS V. **Rondeletieæ.**

- 3061 62 **Warscewiczia** Kl. G. II. 48. — Sp. 2 v. 3. Amer. trop.  
 3062 63 **Pallasia** Kl. G. II. 48. — Sp. 1. Guiana angl.  
 3063 64 **Rondeletia** L. G. II. 48 et 1228. (*Lightfootia* Schreb., *Willdenovia* Gmel., *Arachnimorpha* Desv.). — Sp. ad 60. Ind. occ., Amer. trop.  
     *Stevensia* Poit., *Arachnothryx* et *Rogiera* Planch., *Petesia* P. Browne.  
 3064 65 **Rachicallis** DC. G. II. 49. — Sp. 1. Ind. occ.  
 3065 66 **Bathysa** Presl. G. II. 49. — Sp. ad 7. Brasil.  
     *Voigtia* et *Schoenleinia* Kl.  
 3066 67 **Elæagia** Wedd. G. II. 50. — Sp. 2. Peruv., N. Granada.  
 3067 68 **Wendlandia** Bartl. G. II. 50 et 1228. — Sp. ad 18. Asia trop. et subtrop.  
 3068 69 **Chalepophyllum** H. f. G. II. 50. — Sp. 2. Guiana angl.  
 3069 70 **Lindenia** Benth. G. II. 51. — Sp. 3. Mexic., N. Caled., Ins. Viti.  
 3070 71 **Augusta** Pohl. G. II. 51. (*Schreibersia* Pohl). — Sp. ad 5. Brasil.  
 3071 72 **Greenia** W. et A. G. II. 51. (*Rhombospora* Korth.). — Sp. 5 v. 6. Birma, Archip. Ind., Ins. Philippin.  
 3072 73 **Deppea** Cham. et Schlecht. G. II. 52. (*Choristes* Benth.). — Sp. ad 8. Mexic., Costa-Rica.  
 3073 74 **Carphalea** Juss. G. II. 52. — Sp. 1. Madagasc.  
 3074 75 **Sipanea** Aubl. G. II. 52. (*Virecta* L. f.). — Sp. ad 9. Amer. trop.  
 3075 76 **Limnosipania** H. f. G. II. 53. — Sp. 4. N. Granada, Guiana, Brasil.

TRIBUS VI. **Hedyotideæ.**

- 3076 77 **Lerchea** L. G. II. 53. — Sp. 2. Archip. Malay.  
 3077 78 **Xanthophytum** Reinw. G. II. 53. — Sp. 3. Java, Borneo, Ins. Viti.  
 3078 79 **Dentella** Forst. G. II. 54. (*Lippaya* Endl.). — Sp. 1. Asia et Austral. trop., Ins. Pacif.  
 3079 80 **Clarkella** H. f. *Fl. B. Ind.* III. 46 (1882). — Sp. 1. Himal. temp.  
 3080 81 **Argostemma** Wall. G. II. 54. — Sp. ad 45. Ind. or., Archip. Ind. (Afr. trop. occ. sp. 1.)  
 3081 82 **Neurocalyx** Hook. G. II. 54. — Sp. 6 v. 8. Ind. or., Zeylan., Borneo.

- 3082 83 **Pentas** B. et H. G. II. 54. (*Orthostemma* Wall., *Vignaldia* A. Rich.). — Sp. ad 13. Afr. trop. et subtrop., Madagasc.  
     *Neurocarpæa*, R. Br.
- 3083 84 **Virecta** Sm., G. II. 55. — Sp. ad 7. Afr. trop. occ.
- 3084 85 **Otomeria** Benth. G. II. 55. — Sp. ad 10. Afr. trop., Madagasc.
- 3085 86 **Dirichletia** Kl. G. II. 56. — Sp. 5. Afr. trop. or., Madagasc.
- 3086 87 **Hedyotis** L. G. II. 56 et 1228. (*Metabolos* Bl.). — Sp. ad 95.  
     Reg. calid. orbis veteris, in Amer. rarissim.  
     Sect. 1. *Diplophragma* H. f., *Agathisanthemum* Kl., *Peltospermum* Benth.  
     Sect. 2. *Dictyospora* H. f., *Dictyospora* Reinw.  
     Sect. 3. *Dimetia* H. f.  
     Sect. 4. *Leptopetalum* H. f., *Leptopetalum* H. et A.  
     Sect. 5. *Nesohedyotis* H. f.  
     Sect. 6. *Euhedyotis* H. f., *Hedyotis* A. Gray, *Scleromitron* W. et A., *Hedyotis* Cham. et Schlecht.  
     Sect. 7. *Tetragyneia* Miq.  
     Sect. 8. *Involucrella* H. f.  
     Sect. 9. *Anotidopsis* H. f.
- 3087 88 **Pentodon** Hochst. G. II. 58. — Sp. 1. Afr. trop. et subtrop. austr.
- 3088 89 **Alcytophyllum** Willd. emend. ex Schlecht. in *Linnæa*. 491 (1856). — Sp. 3. Amer. mer.
- 3089 90 **Oldenlandia** L. G. II. 58 et 1228. — Sp. ad 80. Utriusque orbis reg. trop. et subtrop.  
     1. *Oldenlandia* Roxb., *Gerontogea* Cham. et Schlecht.  
     2. *Kohautia* Cham. et Schlecht.  
     3. *Gonothea* Bl.
- 3090 91 **Karamischewia** F. et M. in *Bull. Soc. Mosc.* 266 (1838). (*Theyodis* A. Rich.). — Sp. 1. Abyss.
- 3091 92 **Leptoscela** H. f. G. II. 59. — Sp. 2. Brasil.
- 3092 93 **Anotis** DC. G. II. 59. — Sp. ad 25. Asia et Austral. trop. et subtrop. (sp. 1 in Amer.).
- 3093 94 **Houstonia** L. G. II. 60. — Sp. ad 20. Amer. temp. et calid.
- 3094 95 **Mallostoma** Karst. G. II. 60. — Sp. ad 18. Mexic., Amer. trop. mont.
- 3095 96 **Teinosolen** H. f. G. II. 61. — Sp. 3 v. 4. Bolivia.
- 3096 97 **Synaptantha** H. f. G. II. 61. — Sp. 1. Austral. subtrop.
- 3097 98 **Lucya** DC. G. II. 61. (*Dunalia* Spreng.). — Sp. 1. Ind. occ.
- 3098 99 **Kadua** Cham. et Schlecht. G. II. 61. — Sp. ad 12. Ins. Sandvic.  
     *Wiegmannia* Meyen.
- 3099 100 **Hekistocarpa** H. f. G. II. 62. — Sp. 6. Afr. trop.

- 3100 101 **Spiradiclis** Bl. G. II. 62 et 1228. (*Pleotheca* Wall.). — Sp. 2.  
 Java, Ind. or.  
 Selenocera Zipp.
- 3101 102 **Polyura** H. f. G. II. 62. — Sp. 1. Khasia, Assam.
- 3102 103 **Ophiorhiza** L. G. II. 63. — Sp. ad 50. Asia trop., Austral.,  
 Ins. Viti.
- 3103 104 **Parophiorhiza** C. B. Clarke in *Fl. B. Ind.* III. 85 (1882). —  
 Sp. 1. Khasia.
- 3104 105 ?**Abbotia** F. Müll. *Fragm.* IX. 181 (1875). — Sp. 1. Austral.
- 3105 106 **Carlemannia** Benth. G. II. 63. — Sp. 3. Himal. or., Khasia.
- 3106 107 **Silvianthus** H. f. G. II. 63. — Sp. 1. Bengal. or.

TRIBUS VII. **Mussæendææ.**

- 3107 108 **Mussænda** L. G. II. 64. — Sp. ad 42. Asia et Afr. calid., Ins.  
 Pacif.  
 Spallanzania DC.
- 3108 109 **Acranthera** Arn. G. II. 64. (*Androtropis* R. Br.). — Sp. 8. Bengal.,  
 Borneo, Zeylan.
- 3109 110 **Cassupa** H. et B. G. II. 65. — Sp. 1. Brasil.
- 3110 111 **Isertia** Schreb. G. II. 65. (*Brignolia* DC., *Bruinsmania* Miq.).  
 — Sp. ad 15. Brasil., Guiana, N. Granada.
- 3111 112 **Gonzalea** Pers. G. II. 65. (*Gonzalagunia* R. et P., *Buena Cav.*,  
*Lygistum* Lam. pr. p.). — Sp. ad 12. Amer. trop.
- 3112 113 ?**Olostyla** DC. G. II. 66. (*Holostyla* Endl.). — Sp. 1. N. Caled.
- 3113 114 **Schradera** Vahl. G. II. 66. (*Fuchsia* Sw., *Urceolaria* Coth.).  
 — Sp. ad 5. Brasil., Guiana, Ind. occ., Ins. Gorgona.
- 3114 115 **Didymochlamys** H. f. G. II. 67. — Sp. 1. N. Granada.
- 3115 116 **Uncariopsis** Karst. G. II. 67. — Sp. 1. Venezuela.
- 3116 117 **Lucinæa** DC. G. II. 67. — Sp. 6. Archip. Ind.
- 3117 118 **Leucocodon** Gardn. G. II. 67. — Sp. 1. Zeylan.
- 3118 119 **Polysolenia** H. f. G. II. 68. — Sp. 1. Bengal. or.
- 3119 120 **Coptophyllum** Korth. G. II. 68. — Sp. 1. Sumatra.
- 3120 121 **Trisciadia** H. f. G. II. 68. — Sp. 1. Ind. or. (Ins. Penang).
- 3121 122 **Adenosacme** Wall. G. II. 69 (*Lawia* Wight, *Bertiera* DC. pr. p.).  
 — Sp. 4 v. 5. Himal., Khasia, Archip. Ind.
- 3122 123 **Myrioneuron** R. Br. G. II. 69. — Sp. 6 v. 8. Bengal. or.,  
 Assam, Borneo.
- 3123 124 ?**Payera** H. Bn in *Bull. Soc. Linn. Paris.* 170. — Sp. 1.  
 Madagasc.
- 3124 125 **Pauridiantha** H. f. G. II. 69. — Sp. 1. Ins. Fernando Po.
- 3125 126 **Hippotis** R. et P. G. II. 70. — Sp. 3 v. 4. Peruv., N. Granada.
- 3126 127 **Xerococcus** OErst. G. II. 70. — Sp. 1. Costa-Rica.
- 3127 128 **Ophryococcus** OErst. G. II. 70. — Sp. 1. Nicaragua.

- 3128 129 **Euosmia** H. et B. G. II. 71. — Sp. 1. Venezuela.  
 3129 130 **Aulacodiscus** H. f. G. II. 71. — Sp. 1. Malacca, Penins. Malay.  
 3130 131 **Urophyllum** Wall. G. II. 71. (*Axanthes* Bl., *Wallichia* Reinw.).  
     — Sp. ad 40. Asia et Afr. trop., Japon., Madagasc.  
     *Axanthopsis* Korth.  
 3131 132 **Sabicea** Aubl. G. II. 72. (*Schwenkfelda* Schreb., *Schwenkfeldia*  
     Willd.). — Sp. ad 30. Amer. et Afr. trop., Madagasc.  
 3132 133 **Schizostigma** Arn. G. II. 72. — Sp. 1. Zeylan.  
 3133 134 **Temnopteryx** H. f. G. II. 72. — Sp. 1. Afr. trop. occ.  
 3134 135 **Pentaloncha** H. f. G. II. 73. — Sp. 1. Afr. trop. occ.  
 3135 136 ?**Patima** Aubl. G. II. 73. — Sp. 1. Guiana gall.  
 3136 137 **Coccocypselum** P. Browne. G. II. 73. (*Condalia* R. et P., *Ton-*  
     *tanea* Aubl., *Lipostoma* Don, *Sicelium* P. Browne). —  
     Sp. ad 16. Amer. trop.  
 3137 138 **Lecananthus** Jack. G. II. 73. — Sp. 2 v. 3. Archip. Ind.  
 3138 139 **Keenania** H. f. in *Fl. B. Ind.* III. 101 (1882). — Sp. 1. Ind. or.  
 3139 140 **Stipularia** P. B. G. II. 74. — Sp. 4. Afr. trop. occ.  
 3140 141 ?**Canephora** Juss. G. II. 74. — Sp. 1. Madagasc.  
 3141 142 ?**Lasiostoma** Benth. G. II. 74. — Sp. 2. N. Hibernia,  
     N. Guinea.  
 3142 143 **Gonyanera** Korth. G. II. 75. — Sp. 1. Sumatra.  
 3143 144 ?**Psilobium** Jack. G. II. 75. — Sp. 2. Sumatra.  
 3144 145 **Praravinia** Korth. G. II. 75. — Sp. 1. Borneo.

TRIBUS VIII. **Hamelieæ.**

- 3145 146 **Hamelia** Jacq. G. II. 76. (*Duhamelia* Pers.). — Sp. 6 v. 8. Amer.  
     trop. et subtrop.  
     *Tepesia* Gärtn.  
 3146 147 **Hoffmannia** Sw. G. II. 76. (*Ohigginsia* R. et P., *Higginsia* Pers.).  
     — Sp. ad 20. Amer. trop.  
     *Campylobotrys* Lemaire.  
 3147 148 **Bothriospora** H. f. G. II. 76. — Sp. 1. Guiana, Brasil. bor.  
 3148 149 **Heinsia** DC. G. II. 77. — Sp. ad 6. Afr. trop.  
 3149 150 **Bertiera** Aubl. G. II. 77. (*Pomatium* Gärtn.). — Sp. ad 25. Afr.  
     trop., Ins. Mascar. et Trinitatis, Guiana, Brasil. bor.,  
     N. Granada.  
 3150 151 **Gouldia** A. Gray. G. II. 77. — Sp. 4 v. 5. Ins. Sandvic.

TRIBUS IX. **Catesbææ.**

- 3151 152 **Catesbæa** L. G. II. 78. — Sp. ad 6. Antill.  
 3152 153 **Phyllacantha** H. f. G. II. 78. — Sp. 1. Cuba.  
 3153 154 **Pentagonia** Benth. G. II. 78. — Sp. ad 8. Amer. trop.  
 3154 155 **Sommeria** Schlecht. G. II. 79. — Sp. 4. Mexic., Amer. austr. trop.

3155 156 **Tammsia** Karst. G. II. 79. — Sp. 1. Venezuela.

TRIBUS X. **Gardenieæ.**

3156 157 **Billiottia** DC. G. II. 80. (*Viviania* Colla). — Sp. 1. Brasil.

3157 158 **Stachyarrhena** H. f. G. II. 80. — Sp. 2 v. 3. Brasil. (ad fl. Amazonum).

3158 159 **Schachtia** Karst. G. II. 80. — Sp. 1. N. Granada.

3159 160 **Alibertia** A. Rich. G. II. 80 et 1228. (*Cordia* A. Rich.). — Sp. ad 20. Amer. trop.

Gardeniola, Scepseothamnus et Thieleodoxa Cham., Garapatica Karst.

3160 161 **Rhyssocarpus** Endl. G. II. 81. (*Pleurocarpus* Kl.). — Sp. 1. Amer. trop.

3161 162 **Amaioua** Aubl. G. II. 81. (*Hexactina* Willd.). — Sp. ad 8. Amer. austr. trop.

Ehrenbergia Spreng.

3162 163 **Duroia** L. f. G. II. 82 et 1228. — Sp. ad 14. Amer. austr. trop.

3163 164 **Basanacantha** H. f. G. II. 82. — Sp. ad 20. Amer. trop.

3164 165 **Byrsophyllum** H. f. G. II. 83 et 1228. — Sp. 2. Zeylan., Travancor.

3165 166 **Posoqueria** Aubl. G. II. 83. (*Solena* Willd., *Cyrtanthus* Schreb., *Kyrtanthus* Gmel., *Stannia* Karst.). — Sp. ad 12. Amer. trop.

3166 167 **Tocoyena** Aubl. G. II. 83. (*Ucriana* Willd.). — Sp. ad 8. Brasil., Guiana.

3167 168 **Sphinctanthus** Benth. G. II. 84. (*Conosiphon* Pöpp.). — Sp. 3. Brasil., N. Granada.

3168 169 **Casasia** A. Rich. G. II. 84. — Sp. 1. Cuba.

3169 170 **Phitopis** H. f. G. II. 84. — Sp. 1 v. 2. Peruvia or.

3170 171 **Burchellia** R. Br. G. II. 85. — Sp. 1. Afr. austr.

3171 172 **Dictyandra** Welw. G. II. 85. — Sp. 2. Afr. trop. occ.

3172 173 ?**Flagenium** H. Bn in *Bull. Soc. Linn. Paris*. 216 (1879). — Sp. 1. Madagasc.

3173 174 **Leptactinia** H. f. G. II. 85. (*Leptactina*). — Sp. 5. Afr. trop.

3174 175 **Macrosphyra** H. f. G. II. 86. — Sp. 1. Afr. trop. occ.

3175 176 **Tarennia** Gärtn. (*Webera* Schreb. G. II. 86, *Stylocoryne* W. et A., *Ceriscus* Nees, *Wahlenbergia* Bl., *Chomelia* L.). — Sp. ad 50. Asia, Afr. et Polynesia trop., Austral.

3176 177 **Coptosperma** H. f. G. II. 86. — Sp. 1. Afr. trop., Madagasc., Ins. Seychell.

3177 178 **Anomanthodia** H. f. G. II. 87. — Sp. 1. Ind. or.

3178 179 **Enterospermum** Hiern in Oliv. *Fl. trop. Afr.* III. 92. — Sp. 1. Afr. trop.

- 3179 180 **Randia** L. G. II. 88. (*Oxyceros* Lour., *Stylocoryne* Cav., *Cupia* DC. pr. p.). — Sp. ad 100. Orbis totius reg. trop.  
 Sect. 1. *Eurandia* H. f., *Canthiopsis* Seem., *Thiolliera* Montrouz.  
 Sect. 2. *Ceriscus* H. f., *Ceriscus* Gärtn., *Lachnosiphonium* Hochst.  
 Sect. 3. *Oxyceros* H. f., *Griffithia* W. et A., *Pseudixora* Miq.  
 Sect. 4. *Gynopachys* H. f., *Gynopachys* Bl.  
 Sect. 5. *Anisophyllea* H. f.  
 Sect. 6. *Euclinia* H. f.  
 Sect. 7. *Genipella* H. Bn, *Paragenipa* H. Bn.
- 3180 181 **Morelia** A. Rich. in DC. *Prodr.* IV. 617 (1830). (*Randia* B. et H. G. II. 88 pr. p.). — Sp. 1. Afr. trop.
- 3181 182 **Gardenia** L. G. II. 89 et 1228. — Sp. ad 70. Orbis veteris reg. trop. et subtrop.  
 Sect. 1. *Eugardenia* H. f., *Piringa* Juss., *Caquepiria* Gmel. (Berghias Sonner.).  
 Sect. 2. *Ceriscoides* H. f.  
 Sect. 3. *Rothmannia* H. f., *Rothmannia* Thunb.
- 3182 183 **Villaria** Rolfe in *Journ. Linn. Soc.* XXI. 310 (1884). — Sp. 1. Ins. Philippin.
- 3183 184 **Genipa** L. G. II. 90. — Sp. ad 8. Amer. trop., Ins. Carib.
- 3184 185 **Mitriostigma** Hochst. G. II. 90. — Sp. 4. Pr. B. Spei, Ins. Fernando Po.
- 3185 186 **Amaralia** Welw. G. II. 90. — Sp. 1. Afr. trop. occ.
- 3186 187 **Oxyanthus** DC. G. II. 91. (*Megacarpa* Hochst.). — Sp. ad 20. Afr. trop. et subtrop.
- 3187 188 **Zygoon** Hiern in Oliv. *Fl. trop. Afr.* III. 13 (1877). — Sp. 1. Afr. trop. or.
- 3188 189 **Galiniera** Delile. G. II. 91. (*Ptychostigma* Hochst.). — Sp. 1. Abyss.
- 3189 190 **Tamatavia** H. f. G. II. 92. — Sp. 1. Madagasc.
- 3190 191 **Pelagodendron** Seem. G. II. 92. — Sp. 1. Ins. Viti.
- 3191 192 **Ponchetia** A. Rich. G. II. 92. — Sp. 2. Afr. trop. occ.
- 3192 193 **Fernelia** Comm. G. II. 92. — Sp. 4. Ins. Mascar.
- 3193 194 **Hypobathrum** Bl. G. II. 93. — Sp. 2 v. 3. Ava, Archip. Ind.
- 3194 195 **Petunga** DC. G. II. 93. (*Higginsia* Bl., *Spicillaria* A. Rich.). — Sp. 4 v. 5. Bengal. or., Penins. Malay., Archip. Ind.
- 3195 196 **Morindopsis** H. f. G. II. 93. — Sp. 3 v. 4. Penins. Malay.
- 3196 197 **Hyptianthera** W. et A. G. II. 94. — Sp. 1. Bengal. or.
- 3197 198 **Nargedia** Bedd. G. II. 1228. — Sp. 1. Zeylan.
- 3198 199 **Scyphostachys** Thw. G. II. 94. — Sp. 2. Zeylan.

- 3199 200 *Empogona* H. f. G. II. 94. — Sp. 1. Afr. trop. or. (ad lacum Nyassa).  
 3200 201 *Feretia* Delile. G. II. 95. — Sp. 1 v. 2. Abyss., Afr. trop.  
 3201 202 *Kraussia* Harv. G. II. 95. (*Carpothalis* E. Mey.). — Sp. 8. Afr. or. trop.  
 3202 203 *Tricalysia* A. Rich. G. II. 95. (*Bunburya* Meisn., *Natalanthe* Sond., *Rosea* Kl.). — Sp. ad 10. Afr. trop. et austro-occ.  
 3203 204 *Diplospora* DC. G. II. 96. — Sp. ad 10. Asia trop.  
     *Discospermum* Dalz.  
 3204 205 *Diplocrater* H. f. G. II. 96. — Sp. ad 12. Afr. trop. occ., Madagasc.  
 3205 206 *Chapelieria* A. Rich. G. II. 96. — Sp. 1. Madagasc.  
 3206 207 *Zuccarinia* Bl. G. II. 97. — Sp. 1. Java.

TRIBUS XI. **Cruckshanksiæ.**

- 3207 208 *Cruckshanksia* H. et A. G. II. 97. (*Rotheria* Meyen). — Sp. 4. Chili.  
 3208 209 *Oreopolus* Schlcht. G. II. 97. — Sp. 1. Chili mont.

TRIBUS XII. **Retiniphyllæ.**

- 3209 210 *Retiniphyllum* H. et B. G. II. 98. (*Commianthus* Benth.). — Sp. 10. Guiana, Brasil. bor.  
     *Ammianthus* Spruce.  
 3210 211 *Kotchubæa* Fisch. G. II. 98. (*Kutchubæa*). — Sp. 1. Guiana.  
 3211 212 *Scyphiphora* Gärtn. G. II. 99. (*Epithinia* Jack.). — Sp. 1. Zeylan., Austral., Archip. Ind., N. Caled.  
 3212 213 *Jackia* Wall. G. II. 99. (*Zuccarinia* Spreng.). — Sp. 1. Penins. Malay., Borneo.

TRIBUS XIII. **Guettardæ.**

- 3213 214 *Guettarda* L. G. II. 99. — Sp. ad 50. Amer. trop. (sp. 1 per littora tropica totius orbis).  
     Sect. 1. *Cadamba* DC., *Cadamba* Sonner., ?*Donckelaaria* Lemaire.  
     Sect. 2. *Guettardaria* DC., *Matthiola* L., *Halesia* P. Browne, *Dicrobotryum* Willd., *Laugieria* Jacq.  
     Sect. 3. *Ulobolus* DC., *Ulobolus* Müll. Arg.  
 3214 215 *Antirrhœa* Comm. G. II. 100. — Sp. ad 20. Ind. occ., China, Ins. Maurit., Austral. trop.  
     *Stenostomum* Gärtn., (*Sturmia* Gärtn., *Stenostemum* Juss.), *Guettardella* Champ., *Pittoniotis* Griseb.  
 3215 216 *Laugeria* Vahl. G. II. 101. — Sp. 2. Ind. occ.  
 3216 217 *Rhytidotus* H. f. G. II. 101. (*Rytidotus*). — Sp. 1. Ins. Sandvic.



3217 218 **Bobea** Gaud. G. II. 101. (*Bobæa* A. Rich.). — Sp. 3 v. 4. Ins. Sandvic.

Burneya Cham. et Schlecht. pr. p.

3218 219 **Obbea** H. f. G. II. 102. — Sp. 1. Ins. Sandvic.

3219 220 **Machaonia** H. et B. G. II. 102. — Sp. ad 7. Amer. trop.

3220 221 **Timonius** Rumph. G. II. 102. (*Erithalis* Forst.). — Sp. ad 20. Asia et Oceania trop.

Porocarpus Gärtn., Helospora Jack., Polyphragmon Desf., Burneya Cham. et Schlecht. pr. p., Pyrostria Roxb., Eupyrena W. et A., Nelitris Gärtn. non Auct. recent.

3221 222 **Dichilanthe** Thw. G. II. 103. — Sp. 2. Zeylan., Borneo.

3222 223 **Chomelia** Jacq. G. II. 103. (*Anisomeris* Presl). — Sp. ad 30. Amer. trop.

3223 224 **Malanea** Aubl. G. II. 103. (*Cunninghamia* Schreb.). — Sp. ad 17. Amer. austr. trop., Antill.

#### TRIBUS XIV. **Knoxieæ.**

3224 225 **Knoxia** L. G. II. 104. (*Cuncea* Ham.). — Sp. 8 v. 9. Ind. or., Java, China, Ins. Philippin., Austral. trop.

3225 226 ?**Synisoön** H. Bn in *Bull. Soc. Linn. Paris*. 208. — Sp. 1. Guiana angl.

3226 227 **Pentania** Harv. G. II. 104. (*Diotocarpus* Hochst.). — Sp. 3. Afr. austr. et trop. or.

#### TRIBUS XV. **Chiococceæ.**

3227 228 **Erithalis** L. G. II. 105. (*Herrera* Adans.). — Sp. ad 5. Florida, Ind. occ.

3228 229 **Ceratopyxis** H. f. G. II. 105. — Sp. 1. Cuba.

3229 230 **Chiococca** L. G. II. 105. (*Siphonandra* Turcz.). — Sp. 6 v. 8. Amer. trop.

Margaris DC. (*Descliaea* Fl. Mex.).

3230 231 **Phialanthus** Griseb. G. II. 106. — Sp. 4. Bahama, Cuba.

3231 232 **Salzmanna** DC. G. II. 106. — Sp. 1. Brasil.

3232 233 **Hodgkinsonia** F. Müll. G. II. 106. — Sp. 1. Austral. temp. or.

3233 234 **Asemnantha** H. f. G. II. 106. — Sp. 2. Amer. centr.

3234 235 **Chione** DC. G. II. 107. (*Sacconia* Endl., *Crusea* A. Rich.). — Sp. 4. Ind. occ.

3235 236 **Scolosanthus** Vahl. G. II. 107. — Sp. 4. Ind. occ.

Echinodendrum A. Rich.

3236 237 **Placocarpa** H. f. G. II. 107. — Sp. 1. Mexic.

3237 238 ?**Tertrea** DC. G. II. 108. (*Schiedea* A. Rich.). — Sp. 1. Martinica.

TRIBUS XVI. **Alberteæ.**

- 3238 239 *Cremaspora* Benth. G. II. 108. — Sp. 3. Afr. trop., Madagasc.  
 3239 240 *Polysphæria* H. f. G. II. 108. — Sp. 8. Afr. trop. or., Ins. Comores.  
 3240 241 *Belonophora* H. f. G. II. 109. — Sp. 2. Ins. S. Thomas, Afr. trop.  
 3241 242 *Anlacocalyx* H. f. G. II. 109. — Sp. 2. Afr. trop.  
 3242 243 *Lamprothamnus* Hiern in Oliv. *Fl. trop. Afr.* III. 130 (1877). — Sp. 1. Zanzibar.  
 3243 244 *Rhabdostigma* H. f. G. II. 109. — Sp. 1. Zanguebar (Quiloa).  
 3244 245 *Octotropis* Bedd. G. II. 1229. — Sp. 1. Ind. or. (Travancor).  
 3245 246 *Alberta* E. Mey. G. II. 109. — Sp. 3. Madagasc., Natal.  
 3246 247 *Nematostylis* H. f. G. II. 110. — Sp. 1. Madagasc.

TRIBUS XVII. **Vanguerieæ.**

- 3247 248 *Plectronia* L. G. II. 110. (*Canthium* Lam., *Psydrax* Gärtn., *Dondisia* DC., *Mitrastigma* Harv., *Psilostoma* Kl., *Phallaria* Schum. et Thonn.). — Sp. ad 95. Asia, Afr. et Austral. trop., Asia austr., Ins. Pacif.  
 3248 249 *Vangueria* Juss. G. II. 111. (*Vanguiera* Pers., *Vavanga* Rohr, *Meynia* Link, *Rytiqynia* Bl.). — Sp. ad 40. Reg. trop. et subtrop. orbis veteris (Austral. except.).  
 3249 250 *Fadogia* Schweinf. G. II. 111. (*Pachystigma* Hochst. pr. p.). — Sp. ad 12. Afr. trop. et austr.  
 3250 251 *Scyphochlamys* Balf. f. in *Journ. Linn. Soc.* XVI. 14 (1877). — Sp. 1. Ins. Rodriguez.  
 3251 252 *Pyrostria* Comm. G. II. 111. — Sp. 8. Ins. Mascar.  
 3252 253 *Cuviera* DC. G. II. 112. (*Lagynias* E. Mey.). — Sp. 3. Afr. occ. trop.  
 3253 254 *Ancylanthus* Desf. G. II. 112. — Sp. 6 v. 8. Afr. trop. occ. et med.  
 3254 255 *Graterispermum* Benth. G. II. 112. — Sp. 7. Afr. trop. occ., Ins. Seychell.  
 3255 256 *Canthopsis* Miq. G. II. 113. — Sp. 1. Ins. Timor.  
 3256 257 *Cyclophyllum* H. f. G. II. 1229. — Sp. 1. N. Caled.

TRIBUS XVIII. **Ixoreæ.**

- 3257 258 *Ixora* L. G. II. 113. (*Siderodendron* Schreb., *Sideroxyloides* Jacq.). — Sp. verisim. ad 135. Orbis totius reg. trop. *Panchezia* Montrouz., *Eumachia* DC.  
 3258 259 *Solenixora* H. Bn in *Bull. Soc. Linn. Paris.* 242 (1880). — Sp. 1. Madagasc.

- 3259 260 *Pavetta* L. G. II. 114 et 1229. (*Crinita* Houtt., *Baconia* DC., *Verulamia* DC., *Charpentiera* Vieill.). — Sp. ad 75. Orbis veteris reg. trop., Afr. trop.
- 3260 261 ?*Nostolachma* Nob. (*Lachnostoma* Miq., G. II. 114 et 1229, non H. B. et K.). — Sp. 1. Sumatra.
- 3261 262 *Coffea* L. G. II. 114. — Sp. ad 30. Asia et Afr. trop., Ins. Mascar.
- 3262 263 *Psilanthus* H. f. G. II. 115. — Sp. 3. Ins. Fernando Po.
- 3263 264 *Myonima* Comm. G. II. 115. — Sp. ad 7. Ins. Mascar.  
*Nescidia* A. Rich.
- 3264 265 *Leiochilus* H. f. G. II. 116. — Sp. 1. Madagasc.
- 3265 266 *Rutidea* DC. G. II. 116. (*Rytidea* Spreng.). — Sp. ad 20. Afr. trop. occ., Madagasc.
- 3266 267 ?*Gardeniopsis* Miq. G. II. 116. — Sp. 1. Sumatra, Borneo.
- 3267 268 ?*Phyllomelia* Griseb. G. II. 116. — Sp. 1. Cuba.
- 3268 269 *Strumpfia* Jacq. G. II. 117. — Sp. 1. Antill.

TRIBUS XIX. **Morindeæ.**

- 3269 270 *Morinda* L. G. II. 117. (*Sphærophora* Bl.). — Sp. ad 40. Utriusque orbis reg. trop.
- 3270 271 *Rennellia* Korth. G. II. 118. — Sp. 2. Penins. Malay., Sumatra.
- 3271 272 *Tribrachya* Korth. G. II. 118. — Sp. 1. Sumatra.
- 3272 273 *Damnacanthus* Gärtn. G. II. 118. (*Baumannia* DC.). — Sp. 1 v. 2. Japon., China bor., Bengal.
- 3273 274 *Prismatomeris* Thw. G. II. 118. — Sp. 2 v. 3. Zeylan., Bengal. or., Archip. Ind.
- 3274 275 *Cœlospermum* Bl. G. II. 119. — Sp. 4 v. 5. Archip. Ind., Austral. trop., N. Guinea.  
*Pogonolobus* F. Müll.
- 3275 276 *Gynochthodes* Bl. G. II. 119. — Sp. 3. Archip. Ind.
- 3276 277 *Tetralopha* H. f. G. II. 120. — Sp. 1. Borneo.
- 3277 278 *Appunia* H. f. G. II. 120 et 1229. (*Bellynkxya* Müll. Arg.). — Sp. 3 v. 1? Guiana, Brasil. (ad fl. Orinocum).
- 3278 279 *Imantina* H. f. G. II. 120. — Sp. 1. N. Caled.

TRIBUS XX. **Coussareæ.**

- 3279 280 *Coussarea* Aubl. G. II. 120 et 1229. (*Frælichia* et *Billardiera* Vahl, *Pecheya* Scop.). — Sp. ad 40. Amer. trop.
- 3280 281 *Faramea* Aubl. G. II. 121 et 1229. (*Anabata* Willd., *Antoniana* Tuss., *Sulzeria* R. et S.). — Sp. ad 90. Amer. trop.  
Sect. 1. *Homaloclados* Müll. Arg., *Omaloclados* H. f., *Homaloclados* H. f. G. II. 122.  
Sect. 2. *Hypochasma* Müll. Arg.  
Sect. 3. *Tetramerium* DC., *Tetramerium* Juss., *Encopea* Presl.

TRIBUS XXI. **Psychotrieæ.**

- 3281 282 **Calycosia** A. Gray. G. II. 122. — Sp. 4. Ins. Pacif.  
 3282 283 **Straussia** A. Gray. G. II. 122. — Sp. 2 v. 1? Ins. Sandvic.  
 3283 284 **Proscaphalium** Korth. G. II. 122. — Sp. 1. Java.  
 3284 285 **Cleisocratera** Korth. G. II. 123. — Sp. 1. Borneo.  
 3285 286 **Psychotria** L. G. II. 123. (*Myrstiphyllum* et *Psychotrophum* P. Browne). — Sp. ad 425. Totius orbis reg. trop.  
     *Strempelia* A. Rich., *Grumilea* Gärtn., *Polyozus* Bl., *Zwaardekronia* Korth.  
     ? *Hylacium* P. B., ? *Glonera* Lind. et André.  
 3286 287 **Mapouria** Aubl. *Guian.* 175 (1775). (*Psychotria* B. et H. G. II. 123 pr. p.). — Sp. ad 75. Amer. trop. et subtrop.  
     Sect. 1. *Eumapouria* Müll. Arg., *Simira*, *Patabea* et *Ronabea* Aubl., *Streblosa* Korth.  
     Sect. 2. *Campylosolen* Müll. Arg.  
     Sect. 3. *Nothocephaelis* Müll. Arg.  
     Sect. 4. *Tricephalium* Müll. Arg.  
 3287 288 **Geophila** Don. G. II. 127. — Sp. ad 15. Asia, Afr. et Amer. trop.  
 3288 289 **Palicourea** Aubl. G. II. 125. (*Galvania* Vand., *Stephanium* Schreb., *Colladonia* Spreng.). — Sp. ad 135. Amer. trop.  
     *Nonatelia* Aubl. (*Oribasia* Schreb.), *Rhodostoma* Scheidw.  
 3289 290 **Rudgea** Salisb. G. II. 125. — Sp. ad 92. Amer. trop.  
     *Pachysanthus* Presl.  
 3290 291 **Chasalia** Comm. G. II. 126. — Sp. ad 16. Asia et Afr. trop., Ins. Mascar.  
 3291 292 **Triainolepis** H. f. G. II. 126. — Sp. 2. Afr. trop., Madagasc.  
 3292 293 **Declieuxia** H. B. et K. G. II. 126. — Sp. ad 32. Amer. trop.  
 3293 294 **Congdonia** Müll. Arg. in *Flora*. 437 (1876). (*Declieuxia* B. et H. G. II. 126 pr. p.). — Sp. 1. Brasil.  
 3294 295 **Uragoga** L. (*Cephaelis* Sw. G. II. 127 et 1229, *Cephaleis* Vahl). — Sp. ad 120. Totius orbis reg. trop.  
     *Tapogomea*, *Carapichea* et *Evea* Aubl., *Eurhotia* Neck., *Callicocca* Schreb., *Ipecacuanha* Arrud., *Camptopus* H. f.  
 3295 296 **Trichostachys** H. f. G. II. 128. — Sp. 4. Afr. trop. occ.  
 3296 297 **Lasianthus** Jack. G. II. 129. (*Mephitidia* Reinw., *Santia* W. et A.). — Sp. ad 80. Asia, Afr. et Austral. trop., Japon., Cuba, Guiana.  
     *Octavia* DC.  
 3297 298 **Allæophania** Thw. G. II. 129. — Sp. 2. Zeylan.  
 3298 299 **Saldinia** A. Rich. G. II. 129. — Sp. 2. Madagasc.  
 3299 300 **Amaracarpus** Bl. G. II. 130. — Sp. 1. Java.  
 3300 301 **Suteria** DC. G. II. 130. — Sp. ad 15. Brasil. med. et austr.  
     *Codonocalyx* Miers.

- 3301 302 **Thiersia** H. Bn in *Adans.* XII. 335 (1879). — Sp. 1. Guiana.  
 3302 303 **Mesoptera** H. f. G. II. 130. — Sp. 1. Malacca.  
 3303 304 **Saprosma** Bl. G. II. 131. (*Dysosmia* Miq., *Dysodidendron* Gardn.). — Sp. ad 8. Asia trop., Ins. Malay.  
 3304 305 **Litosanthes** Bl. G. II. 131. (*Lithosantes* Bl.). — Sp. 1. Java.  
 3305 306 **Hydnophytum** Jack. G. II. 132. — Sp. ad 30. Archip. Ind., Austral. trop., Ins. Viti.  
 3306 307 **Myrmecodia** Jack. G. II. 132. — Sp. 16. Archip. Ind., Austral.  
 3307 308 **Myrmedoma** Becc. *Malesia.* II. 94 (1884). — Sp. 1. N. Guinea.  
 3308 309 **Myrmephytum** Becc. *Malesia.* II. 92 (1884). — Sp. 1. Ins. Celebes.  
 3309 310 **Squamellaria** Becc. *Malesia.* II. 228 (1886). — Sp. 2. Ins. Viti.  
 3310 311 **Psathura** Comm. G. II. 132. — Sp. 4. Ins. Mascar.  
 3311 312 **Fergusonia** H. f. G. II. 133. — Sp. 1. Ind. or., Zeylan.  
 3312 313 **Margaritopsis** Sauvalle. G. II. 133. (*Margaris* Griseb.). — Sp. 1. Cuba.

TRIBUS XXII. **Pæderieæ.**

- 3313 314 **Pæderia** L. G. II. 133. (*Hondbessen* Adans.). — Sp. 9 v. 10. Asia trop. (Brasil. sp. 1).  
 3314 315 **Lygodisodea** R. et P. G. II. 134. (*Disodea* Pers.). — Sp. 3. Amer. trop.  
 3315 316 **Syphomeris** Bojer. (*Lecontea* A. Rich. G. II. 134). — Sp. 5. Afr. trop. or., Madagasc.  
 3316 317 **Hamiltonia** Roxb. G. II. 135. (*Spermadictyon* Roxb.). — Sp. 3 v. 4. Ind. or. trop. et subtrop., China, Archip. Ind.  
 3317 318 **Leptodermis** Wall. G. II. 135. — Sp. 3. v. 4. Himal., Bengal. or., China bor.  
 3318 319 **Aitchisonia** Hemsl. in *Journ. Linn. Soc.* XIX. 166 (1883). — Sp. 1. Afghan.  
 3319 320 ?**Pseudopyxis** Miq. G. II. 135. — Sp. 2. Japon.

TRIBUS XXIII. **Anthospermeæ.**

- 3320 321 **Putoria** Pers. G. II. 136. — Sp. 2 v. 3. Reg. Medit.  
 3321 322 **Plocama** Ait. G. II. 136. (*Placodium* Pers., *Bartlingia* Rchb., *Placoma* Gmel.). — Sp. 1. Ins. Canar.  
 3322 323 **Crocyllis** E. Mey. G. II. 136. — Sp. 1. Afr. austr.  
 3323 324 **Otiophora** Zucc. G. II. 137. — Sp. 5. Madagasc.  
 3324 325 **Holocarya** Bak. in *Journ. Linn. Soc.* XXI. 414 (1885). — Sp. 1. Madagasc.  
 3325 326 **Mitchella** L. G. II. 137. — Sp. 2. Amer. bor., Japon.  
 3326 327 ?**Kelloggia** Torr. G. II. 137. — Sp. 1. Californ.

- 3327 328 **Serissa** Comm. G. II. 138. (*Dysoda* Lour., *Democritea* DC.).  
— Sp. 1. Ind. or., Japon., China, nullibi indig. hactenus  
reperta.
- 3328 329 **Corynula** H. f. G. II. 138. — Sp. 1. Andes N. Granadæ.
- 3329 330 **Nertera** Banks et Soland. G. II. 138. (*Nerteria* Sm., *Erythro-*  
*danum* Thou., *Leptostigma* Arn., *Cunina* Clos). — Sp.  
ad 6. Amer. mer. andina, Austral., N. Zel., Terræ antarct.
- 3330 331 ?**Gomosa** Mutis ex L. F. *Suppl.* 17. — Sp. 1. Amer. Austr.
- 3331 332 **Coprosma** Forst. G. II. 139. (*Marquisia* A. Rich.). — Sp. ad  
35. Austral., N. Zel., Ins. Sandvic. et Juan Fernandez.
- 3332 333 **Normandia** H. f. G. II. 139. — Sp. 1. N. Caled.
- 3333 334 **Galopina** Thunb. G. II. 139. (*Oxyspermum* E. et Z.). — Sp. 2.  
Afr. austr.
- 3334 335 **Cremocarpum** Boivin ex H. Bn in *Bull. Soc. Linn. Paris.* 192  
(1878). — Sp. 1. Ins. Comores.
- 3335 336 **Anthospermum** L. G. II. 140. — Sp. ad 30. Afr. trop. et austr.,  
Madagasc.
- 3336 337 **Phyllis** L. G. II. 140. — Sp. 1. Ins. Canar. et Madera.
- 3337 338 **Nenax** Gärtn. G. II. 140. (*Ambraria* Cruse). — Sp. ad 6. Afr.  
austr.
- 3338 339 **Carpacoe** Sond. G. II. 141. (*Lagotis* E. Mey.). — Sp. 3 v. 4.  
Afr. austr.
- 3339 340 **Opercularia** Gärtn. G. II. 141. — Sp. 14. Austral.
- 3340 341 **Pomax** Soland. G. II. 141. — Sp. 1. Austral. or.
- 3341 342 **Eleutheranthes** F. Müll. G. II. 142. — Sp. 1. Austral. austro-occ.

TRIBUS XXIV. **Spermacoceæ.**

- 3342 343 **Hydrophylax** L. f. G. II. 142. (*Sarissus* Gärtn.). — Sp. 3. Ind.  
or., Natal., Madagasc.
- 3343 344 **Ernodea** Sw. G. II. 142. — Sp. 1. Florida, Ind. occ.
- 3344 345 **Triodon** DC. G. II. 143. — Sp. 6. Amer. trop.
- 3345 346 **Diodia** L. G. II. 143. — Sp. ad 20. Amer. calid., Afr. trop.
- 3346 347 **Dasycephala** DC. G. II. 143. — Sp. 3 v. 4. Amer. trop.
- 3347 348 **Crusea** Cham. et Schlcht. G. II. 144. — Sp. ad 10. Mexic.,  
Amer. centr.
- 3348 349 **Gaillonia** A. Rich. G. II. 144 et 1229. — Sp. ad 10. Afr. bor.  
et or. trop., Asia occ. et med.  
Choullettia Pomel, Jaubertia Guill.
- 3349 350 **Hexasepalum** Bartl. G. II. 145. — Sp. 1. Mexic.
- 3350 351 **Spermacoe** L. G. II. 145. — Sp. ad 175. Totius orbis reg. trop.  
1. Borreria C. F. W. Mey. (*Bigelovia* Spreng.).  
2. Diphragmus Presl. — 3. Tessiera DC.  
4. Galianthe Griseb. — 5. Gamphocalyx Bak.

- 3351 352 *Hypodematium* A. Rich. *Fl. Abyss.* I. 348 (1847). (*Spermacoce* B. et H. G. II. 145 pr. p.). — Sp. 1. Abyss.  
 3352 353 *Nodocarpæa* A. Gray in *Proc. Amer. Acad.* XIX. 79 (1883). — Sp. 1. Cuba.  
 3353 354 ?*Schwendenera* Schum. in *Sitzungsb. Ges. naturf. Freund. Berl.* 157 (1886). — Sp. 1. Brasil.  
 3354 355 *Octodon* Thonn. G. II. 145. — Sp. 2. Afr. occ. trop.  
 3355 356 *Psyllocarpus* Mart. et Zucc. G. II. 146. (*Diodois* Pohl). — Sp. 5. Brasil.  
 3356 357 *Emmeorrhiza* Pohl. G. II. 146. (*Endlichera* Presl). — Sp. 2 v. 3. Amer. trop.  
 3357 358 *Mitracarpum* Zucc. G. II. 146. — Sp. ad 30. Amer. trop., Afr. trop. et austr.  
     *Staurospermum* Thonn.  
 3358 359 *Richardsonia* Kth. G. II. 147. (*Richardia* Houston). — Sp. 5. v. 6. Amer. calid., Afr. trop. or.  
 3359 360 *Perama* Aubl. G. II. 147. (*Mattuschkæa* Schreb.). — Sp. ad 7. Amer. austr. trop.  
     *Buchia* H. B. et K.  
 3360 361 *Stælia* Cham. et Schlcht. G. II. 148. — Sp. ad 8. Brasil., Uruguay, N. Granada.

TRIBUS XXV. *Galleæ*.

- 3361 362 *Callipeltis* Stev. G. II. 148. — Sp. 1. Reg. Medit., Asia occ., Arabia.  
 3362 363 *Vaillantia* DC. G. II. 148. (*Valantia* L.). — Sp. 2 v. 3. Reg. Medit., Eur. austr., Asia occ.  
 3363 364 *Rubia* L. G. II. 149. — Sp. ad 38. Eur., Asia, Afr. et Amer. temp. et calid.  
 3364 365 *Relbunium* Endl. G. II. 149. — Sp. ad 20. Amer. trop. et austr. temp.  
 3365 366 *Galium* L. G. II. 149. — Sp. enum. ad 300, sed vix 170 dist. Utriusque orbis reg. temp. et calid.  
     *Microphysa* Schrenk.  
 3366 367 *Mericaarpæa* Boiss. G. II. 149. — Sp. 1. Asia occ.  
 3367 368 *Didymæa* H. f. G. II. 150. — Sp. 1. Mexic.  
 3368 369 *Asperula* L. G. II. 150. — Sp. descr. ad 90, sed plures reduc. Eur., Reg. Medit., Asia, Austral.  
 3369 370 *Crucianella* L. G. II. 150. — Sp. ad 26. Reg. Medit., Asia occ.  
 3370 371 *Phuopsis* Griseb. G. II. 151. — Sp. 1. Caucasus.  
 3371 372 *Sherardia* L. G. II. 151. — Sp. 1. Eur. fere tota, Persia, Afr. bor., Ins. Atlant.

Genus incertæ sedis.

- 3372 373 ?*Leiopogon* Bertol. in *Mem. Acad. Bologn.* IV. 539 (1883).  
— Sp. 1. Afr. trop. or.

ORDO XCIII. **VALERIANEÆ** <sup>(1)</sup>

- 3373 1 *Patrinia* Juss. G. II. 153 et 1230 (*Fedia* Adans., *Mouffetta* Neck.). — Sp. 9 v. 10. Asia centr. et or. extratrop.  
3374 2 *Nardostachys* DC. G. II. 153. — Sp. 2. Himal.  
3375 3 *Astrephia* Dufr. pr. p. G. II. 153. — Sp. 3 v. 4. Amer. austr. (Andes, Chili).  
3376 4 *Phyllactis* Pers. G. II. 153. — Sp. ad 35. Amer. austr., Mexic., Californ.  
Sect. 1. *Euphyllactis* Wedd.  
Sect. 2. *Aretiastrum* DC.  
Sect. 3. *Porteria* B. et H., *Porteria* Karst., *Amblyorrhina* Turcz.  
Sect. 4. *Valerianopsis* Wedd., *Valerianopsis* C. Müll.  
Sect. 5. *Astrephiopsis* B. et H.  
3377 5 *Valeriana* L. pr. p. G. II. 154. — Sp. ad 150. Eur., Asia, Afr., Amer.  
3378 6 *Centranthus* DC. G. II. 155. (*Kentranthus* Neck.). — Sp. ad 8. Reg. Medit.  
3379 7 *Fedia* Mönch. G. II. 155, — Sp. 1. Reg. Medit.  
3380 8 *Plectritis* DC. G. II. 155. — Sp. 4. Californ., Chili, Reg. Caucasica.  
Betckea DC.  
3381 9 *Valerianella* Mönch pr. p. G. II. 156. (*Fedia* Gärtner. pr. p. *Polypremum* Adans., *Odontocarpa* Neck.). — Sp. ad 55. Eur., Afr. bor., Asia temp., Amer. bor.  
Sect. 1. *Brachysiphon* Krok, *Dufresnia* DC.  
Sect. 2. *Siphonella* Torr. et Gray.

ORDO XCIV. **DIPSACEÆ** <sup>(2)</sup>

- 3382 1 *Triplostegia* Wall. G. II. 158 et 1230. — Sp. 1. Himal.  
3383 2 *Morina* L. G. II. 158 et 1230. (*Asaphes* Spreng.). — Sp. ad 8. Asia med. et occ.  
3384 3 *Dipsacus* L. G. II. 158. — Sp. ad 13. Eur., Asia med. et occ., Ind. or., Afr., bor., Abyss.  
Galedragon S. F. Gray.

(1) Sp. ad 275, per totum fere orbem sparsæ (Austral. except.).

(2) Sp. 150, ad per totum fere orbem veterem sparsæ.



- 3385 4 **Cephalaria** Schrad. G. II. 159. (*Lepicephalus* Lag., *Succisa* Wallr.). — Sp. ad 26. Eur., Asia occ., Afr.
- 3386 5 **Scabiosa** L. G. II. 159. — Sp. dist. ad 110. Eur., Asia occ. et temp., Afr.
- Sect. 1. *Succisa* B. et H., *Succisa* Mönch pr. p. et Auct.
- Sect. 2. *Knautia* B. et H., *Knautia* L. et Auct. pr. p.
- Sect. 3. *Trichera* B. et H. *Trichera* Schrad.
- Sect. 4. *Pterocephalus* B. et H., *Pterocephalus* Mönch, *Knautia* Lag., *Callistemma* Boiss.
- Sect. 5. *Vidua* Coult.
- Sect. 6. *Asterocephalus* Coult. *Asterocephalus* Lag., *Columbaria* S. F. Gray.
- Sect. 7. *Pycnocomon* B. et H., *Pycnocomon* Link et Hoffm.

ORDO XCV. **CALYCEREÆ**

- 3387 1 **Boopis** Juss. G. II. 161. — Sp. 9 v. 10. Amer. austr. extratrop. *Acarpha* Griseb., *Gamocarpha* DC., *Nastanthus* Miers.
- 3388 2 **Calycera** Cav. G. II. 162. (*Calicera*). — Sp. 9 v. 10. Chili, Peruvia austr.
- Anomocarpus* Miers. *Discophytum* Miers (*Leucocera* Turcz.). *Gymnocaulus* Philippi.
- 3389 3 **Acicarpa** Juss. G. II. 162. (*Cryptocarpha* Cass., *Sommea* Bory, *Acanthosperma* Vell.). — Sp. 3. Amer. austr. extratrop.

ORDO XCVI. **COMPOSITÆ** <sup>(1)</sup>TRIBUS I. **Vernoniaceæ.**

- 3390 1 **Sparganophorus** Gärtner. G. II. 223. (*Struchium* P. Browne, *Athenæa* Adans.). — Sp. 1. Amer. trop. Afr. trop. forte inquil.
- 3391 2 **Pacourina** Aubl. G. II. 224. (*Haynea* Willd., *Pacourinopsis* Cass.). — Sp. 1 v. 2. Columbia, Guiana, Brasil.
- 3392 3 **Heterocoma** DC. G. II. 224. — Sp. 1. Brasil.
- 3393 4 **Ethulia** L. G. II. 224. (*Kahiria* Forsk., *Pirarda* Adans.). — Sp. 2. Afr. et Asia trop.
- 3394 5 **Gutenbergia** Sch. Bip. G. II. 224. — Sp. 5. Afr. trop.
- 3395 6 **Erlangea** Sch. Bip. G. II. 225. (*Jardinia* Sch. Bip. — Sp. 1. Afr. trop.
- 3396 7 **Oiospermum** Less. G. II. 225. — Sp. 1. Brasil.

(1) Sp. ad 10200, per totum orbem terrarum dispersæ.

- 3397 8 **Centratherum** Cass. G. II. 225 et 1231. — Sp. ad 13. Utriusque orbis reg. trop.  
 Ampherephis H. B. et K., Spixia et Amphibecis Schrank, Crantzia Vell., Decaneurum DC. pr. p., Phyllocephalum Bl., Rolfinkia Zeuk.
- 3398 9 **Lamprachænium** Benth. G. II. 225. — Sp. 1. Ind. or.
- 3399 10 **Bothriocline** Oliv. G. II. 226. — Sp. 1. Afr. trop.
- 3400 11 **Blanchetia** DC. G. II. 226. — Sp. 1. Brasil.
- 3401 12 **Vanillosmopsis** Sch. Bip. G. II. 226. (*Albertinia* DC. pr. p.). — Sp. 7. Brasil.
- 3402 13 **Adenoon** Dalz. G. II. 226. — Sp. 1. Ind. or.
- 3403 14 **Pleurocarpæa** Benth. G. II. 227. — Sp. 1. Austral. trop.
- 3404 15 **Albertinia** Spreng. G. II. 227. (*Symblomeria* Nutt.). — Sp. 1. Brasil.
- 3405 16 **Vernonia** Schreb. G. II. 227 et 1231. — Sp. ad 500. Amer. bor. et austr., Asia trop., Austral.
- Sect. 1. *Hololepis* DC., *Hololepis* DC. pr. p.
- Sect. 2. *Leiboldia* Benth., *Leiboldia* Schlecht.
- Sect. 3. *Stengelia* Sch. Bip., *Stengelia* Sch. Bip., *Candidia* Ten., *Trichostemma* R. Br., *Baccharoides* Mönch (*Ascaricida* Cass.).
- Sect. 4. *Distephanus* Benth., *Distephanus* Cass.
- Sect. 5. *Lepidaploa* DC., *Lepidaploa* Cass., *Acilepis* Don, *Suprago* Gärtn., *Achyrocoma* Cass.
- Sect. 6. *Gymnanthemum* Benth., *Decaneurum* DC. pr. p., *Gymnanthemum* Cass. pr. p., *Cheliusia* et *Linzia* Sch. Bip., *Ambassa* et *Lysistemma* Steetz, *Bracheilema* R. Br., *Bechium* DC.
- Sect. 7. *Xipholepis* Benth., *Xipholepis* Steetz, *Centrapalus* Cass.
- Sect. 8. *Cyanopis* Benth., *Cyanopis* et *Cyanthillium* Bl., *Isonema* Cass., *Claotrachelus* Zoll.
- Sect. 9. *Lepidella* Oliv. et Hiern, *Chrystallopollen* Steetz, *Polydora* Fenzl, *Vernonella* Sond.
- Sect. 10. *Tephrodes* DC., *Webbia* DC.
- Sect. 11. *Strobocalyx* Bl., *Strobocalyx* Sch. Bip., *Punduana* Steetz, *Monosis* DC. pr. p.
- Sect. 12. *Critoniopsis* Benth., *Critoniopsis* et *Tephrothamnus* Sch. Bip.
- Sect. 13. *Stenocephalum* Benth., *Stenocephalum* Sch. Bip.
- Sect. 14. *Trianthæa* DC., *Llerasia* Triana.
- Sect. 15. *Eremosis* Benth., *Monosis* DC. pr. p., *Turpinia* Llav. et Lex.

- 3406 17 *Lachnorhiza* A. Rich. G. II. 231. — Sp. 1. Cuba.  
 3407 18 *Hoplophyllum* DC. G. II. 231. — Sp. 2. Afr. austr.  
 3408 19 *Centauroopsis* Bojer. G. II. 231. — Sp. 2. Madagasc.  
 3409 20 *Piptocarpha* R. Br. G. II. 231. (*Carphoboblus* Schott). — Sp. 25.  
     Amer. trop.  
     *Monanthemum* Griseb.  
 3410 21 *Herderia* Cass. G. II. 232. — Sp. 2. Afr. trop.  
 3411 22 *Bolanosa* A Gray. G. II. 232. — Sp. 1. Mexic.  
 3412 23 *Stilpnopappus* Mart. G. II. 232. — Sp. ad 25. Brasil., Guiana.  
     *Strophopappus* DC., *Xiphochæta* Pöpp. et Endl.  
 3413 24 *Piptolepis* Sch. Bip. G. II. 233. — Sp. 8. Brasil.  
 3414 25 *Oliganthes* Cass. G. II. 233. — Sp. 7 v. 8. Amer. centr. et  
     austr. trop.  
     *Adenocyclus* Less., *Odontoloma*, *Dialesta* et *Pollalesta*  
     H. B. et K.  
 3415 26 *Piptocoma* Cass. G. II. 233. — Sp. 1. S. Doming.  
 3416 27 *Gorceixia* Bak. in *Journ. Bot.* 225 (1882). — Sp. 1. Brasil.  
 3417 28 *Proteopsis* Mart. G. II. 234. — Sp. 2. Brasil.  
 3418 29 *Stokesia* L'Hér. G. II. 234. (*Cartesia* Cass.). — Sp. 1. Amer.  
 3419 30 *Corymbium* L. G. II. 234. (*Contarena* Adans.). — Sp. 7. Afr.  
 3420 31 *Haplostephium* Mart. G. II. 234. — Sp. 2. Brasil.  
 3421 32 *Lychnophora* Mart. G. II. 235. — Sp. 17. Brasil.  
     *Piptocoma* Less., *Lychnocephalus* Mart.  
 3422 33 *Lychnophoriopsis* Sch. Bip. G. II. 235. — Sp. 1. Brasil.  
 3423 34 *Eremanthus* L. G. II. 235. (*Albertinia* DC. pr. p.). — Sp. 18.  
     Brasil.  
     *Chresta* Vell., *Pycnocephalum* et *Stachyanthus* DC., *Pres-*  
     *telia* et *Sphærophora* Sch. Bip.  
 3424 35 *Pithecoseris* Mart. G. II. 236. — Sp. 1. Brasil.  
 3425 36 *Soaresia* Sch. Bip. G. II. 236. — Sp. 1. Brasil.  
 3426 37 *Chronopappus* DC. G. II. 236. — Sp. 1. Brasil.  
 3427 38 *Telmatophila* Mart. G. II. 236. — Sp. 1. Brasil.  
 3428 39 *Elephantopus* L. G. II. 237. — Sp. 14. Amer. bor. (sp. 1. per  
     reg. trop. orbis totius).  
     *Matamoria* Llav. et Lex., *Elephantosis* Less., *Distreptus*  
     Cass. (*Pseudelephantopus* Rohr, *Spirochæta* Turcz.).  
 3429 40 *Rolandra* Roth. G. II. 237. — Sp. 1. Amer. trop.  
 3430 41 *Spiracantha* H. B. et K. G. II. 237. — Sp. 1. Amer. trop.

TRIBUS II. **Eupatoriaceæ.**

- 3431 42 *Piqueria* Cav. G. II. 238. — Sp. ad 14. Amer. calid. occ.  
     *Phalacræa* DC.  
 3432 43 *Phania* DC. G. II. 238. — Sp. 3 v. 4. Ind. occ., Mexic. ?

- 3433 44 *Podophania* H. Bn in *Bull. Soc. Linn. Paris*. 268 (1880). — Sp. 1. Mexic.
- 3434 45 *Decachæta* DC. G. II. 238. — Sp. 2. Mexic., Amer. centr.
- 3435 46 *Ophryosporus* Meyen. G. II. 239. — Sp. 7 v. 8. Amer. trop. et subtrop.
- 3436 47 *Helogyne* Nutt. G. II. 239. — Sp. 1. Peruvia.
- 3437 48 *Gymnocoronis* DC. G. II. 239. — Sp. 2. Mexic., Amer. trop.
- 3438 49 *Adenostemma* Forst. G. II. 239. (*Lavenia* Sw.). — Sp. enum. ultra 30, sed vix 6 dist. Utriusque orbis reg. calid.
- 3439 50 *Sclerolepis* Cass. G. II. 240. — Sp. 1. Amer. bor.
- 3440 51 ?*Piptothrix* A. Gray. in *Proc. Amer. Acad.* XXI. 383 (1886). — Sp. 1. Mexic.
- 3441 52 *Alomia* H. B. et K. G. II. 240. — Sp. ad 10. Brasil., Mexic., Ins. Pacif.  
*Lycapsus* Philippi, *Isocarpha* Gardn., *Orsinia* Bert.
- 3442 53 *Trichocoronis* A. Gray. G. II. 240. (*Margacola* Buckl.). — Sp. 2. Reg. Mexicana.
- 3443 54 *Tuberostyles* Steetz. G. II. 241. — Sp. 1. N. Granada.
- 3444 55 *Carelia* Less. G. II. 241. — Sp. 1. Brasil. mer.
- 3445 56 *Apodocephala* Bak. in *Journ. Linn. Soc.* XXI. 417 (1885). — Sp. 1. Madagasc.
- 3446 57 *Aschenbornia* S. Schau. G. II. 241. — Sp. 1. Mexic.
- 3447 58 *Lomatozoma* Bak. in *Fl. Brasil.* VI. pars 2. 198. (*Haberlea* Pohl pr. p.). — Sp. 1. Brasil.
- 3448 59 *Ageratum* L. G. II. 241. — Sp. ad 25. Amer. trop. et subtrop., 1 sp. in reg. trop. orbis veteris.  
*Cœlestina* Cass., *Carelia* Adans., *Melissopsis* Sch. Bip., *Decachæta* Gardn., *Oxylobus* Moç.
- 3449 60 *Schætzellia* Sch. Bip. G. II. 242. — Sp. 1. Mexic.
- 3450 61 *Stevia* Cav. G. II. 242. — Sp. enum. ultra 100, ad 80 reduc. Amer. calid.  
*Nothites* Cass. pr. p.
- 3451 62 *Dissothrix* A. Gray. G. II. 242. — Sp. 1. Brasil.
- 3452 63 *Fleischmannia* Sch. Bip. G. II. 243. — Sp. 3. Amer. centr., Mexic.
- 3453 64 *Hofmeisteria* Walp. G. II. 243. (*Helogyne* Benth.). — Sp. 2. Californ.
- 3454 65 *Carminatia* Moç. G. II. 243. — Sp. 1. Mexic.
- 3455 66 *Trichogonia* Gardn. G. II. 243. — Sp. 12. Brasil., Columbia.
- 3456 67 *Brachyandra* Philippi. G. II. 244. — Sp. 1. Chili.
- 3457 68 *Leptoclinium* Gardn. G. II. 244. — Sp. 1. Brasil. centr.
- 3458 69 *Agrianthus* Mart. G. II. 244. — Sp. 2. Brasil. centr.
- 3459 70 *Symphyopappus* Turcz. G. II. 244. — Sp. 5. Brasil.  
*Kalliphyllon* Pohl.

- 3460 71 **Eupatorium** L. G. II. 245. — Sp. ad 560 bene dist. Reg. trop. et temp. totius orbis (Austral. sp. 1.).  
Osmia et Heterolæna Sch. Bip., Kyrstenia Neck., Chromolæna DC., Praxelis Cass. (Ooclinium DC.), Campuloclinium, Conoclinium et Hebeclinium DC., Bulbostyles Gardn. pr. p., Critonia DC. (Wichstroemia Spreng.), Batschia Mönch (Ageratiopsis Sch. Bip.), Gyptis Sch. Bip., Disynaphia DC., Coleosanthus Cass. pr. p.
- 3461 72 ? **Mallotopus** Franch. et Savat. *Enum. pl. Japon.* II. 394 (1876). — Sp. 1. Japon.
- 3462 73 **Mikania** Willd. G. II. 246. (*Willughbæya* Neck.). — Sp. enum. ultra 140, ad 100? reduc. Amer. calid. (Asia et Afr. trop. sp. 1).  
Corynanthelium Kunze.
- 3463 74 **Kanimia** Gardn. G. II. 246. — Sp. ad 8. Amer. trop.
- 3464 75 **Adenostyles** Cass. G. II. 247. — Sp. 5. Eur. med. et austr., Californ.  
Adenostylium Rchb.
- 3465 76 **Brickellia** Ell. G. II. 247. — Sp. fere 40. Amer. bor., centr. et austr.  
Clavigera et Bulbostyles DC., Coleosanthus Cass. pr. p., Rosalesia Llav. et Lex.
- 3466 77 **Barroetia** A. Gray in *Proc. Amer. Acad.* XV. 29. — Sp. 2. Mexic.
- 3467 78 **Carpochæte** A. Gray. G. II. 247. — Sp. 3. Mexic.
- 3468 79 **Kuhnia** L. G. II. 248. — Sp. 1. Amer. bor.
- 3469 80 **Liatris** Schreb. G. II. 248. (*Psilosanthus* Neck.). — Sp. ad 16. Amer. bor.  
Calostelma Don.
- 3470 81 **Garberia** A. Gray in *Proc. Acad. Philad.* 379 (1879). — Sp. 1. Florida.
- 3471 82 **Trilisa** Cass. G. II. 248. — Sp. 2. Amer. bor.
- 3472 83 **Carphephorus** Cass. G. II. 249 et 1231. — Sp. 6. Amer. bor.
- 3473 84 **Bebbia** Greene in *Bull. Calif. Acad.* 179 (1886). — Sp. 2. Amer. bor.-occ.

TRIBUS III. **Asteroides**.

- 3474 85 **Gymnosperma** Less. G. II. 249. (*Selloa* Spreng.). — Sp. 4 v. 5? Mexic., Texas.
- 3475 86 **Greenella** A. Gray in *Proc. Amer. Acad.* XVI. 81 (1886). — Sp. 1. Arizona.
- 3476 87 **Xanthocephalum** Willd. G. II. 249. (*Xanthocoma* H. B. et K.). — Sp. 10. Mexic., Ecuador.  
Guenthera Rgl, Grindeliopsis Sch. Bip.

- 3477 88 *Gutierrezia* Lag. G. II. 250. (*Brachyris* Nutt., *Brachyachyris* Spreng.). — Sp. ad 20. Chili, Mexic., Californ., Texas. *Hemiachyris* et *Odontocarpa* DC., *Amphipappus* Torr. et Gray.
- 3478 89 *Amphiachyris* Torr. et Gray. *Fl. N. Amer.* II. 192 (1841). — Sp. 2. Californ.  
*Gutierrezia* Benth. G. II. 250 pr. p.
- 3479 90 *Grindelia* Willd. G. II. 250. (*Donia* R. Br., *Demetria* Lag.). — Sp. 25 v. 30. Amer. bor. calid. et austr. extratrop. *Aurelia* et *Astetilia* Cass., *Chrysophthalmum* Philippi.
- 3480 91 *Remya* Hillebr. G. II. 1231. — Sp. 1. Ins. Sandvic.
- 3481 92 *Pentachæta* Nutt. G. II. 251 et 1232. (*Aphantochæta* Gray). — Sp. 2. Californ.
- 3482 93 *Steriphe* Philippi. G. II. 251. — Sp. 1. Chili.
- 3483 94 *Bradburia* Torr. et Gray. G. II. 251. — Sp. 1. Texas.
- 3484 95 *Heterotheca* Cass. G. II. 251. (*Diplocoma* Don, *Calycium* Ell.). — Sp. 7 v. 5? Amer. bor., Mexic.
- 3485 96 *Chrysopsis* Nutt. G. II. 252. — Sp. ad 18. Amer. bor., Mexic.  
*Heyfeldera* Sch. Bip., *Hectorea* DC., *Ammodia*, *Pityopsis* et *Macronema* Nutt.
- 3486 97 *Hysterionica* Willd. G. II. 252. (*Neja* D. Don). — Sp. 5. Brasil.
- 3487 98 *Xanthisma* DC. G. II. 253. (*Centauridium* Torr. et Gray). — Sp. 1. Texas.
- 3488 99 *Haplopappus* Cass. (*Aplopappus*) G. II. 253 et 1232. — Sp. ultra 60. Amer. bor., Mexic., Amer. austr. extratrop.  
Sect. 1. *Prionopsis* A. Gray, *Prionopsis* Nutt., *Pyrrocoma* Hook.  
Sect. 2. *Belahuen* Benth.  
Sect. 3. *Haplodiscus* Benth.  
Sect. 4. *Homopappus* Benth., *Honiopappus* Nutt., *Pyrrocoma* A. Gray.  
Sect. 5. *Eriocarpæa* Benth., *Eriocarpum* Nutt.  
Sect. 6. *Euhaplopappus* Benth., *Hoorebekia* Cornelissen.  
Sect. 7. *Blepharodon* DC., *Sideranthus* Fraser.  
Sect. 8. *Arnicella* Torr. et Gray.  
Sect. 9. *Stenotus* Benth., *Stenotus* Nutt.  
Sect. 10. *Isopappus* Benth., *Isopappus* Torr. et Gray.  
? *Chroilema* Bernh.
- 3489 100 *Acamptopappus* A. Gray. G. II. 254 et 1232. — Sp. 1. Californ.
- 3490 101 *Leucopsis* Bak. in Mart. *Fl. Brasil.* VI. pars III. 5 (1882). — Sp. 9. Amer. trop.

- 3491 102 **Bigelovia** DC. G. II. 1232. (*Chrysothamnus* Nutt. G. II. 255, *Linosyris* Torr. et Gray). — Sp. 24. Amer. bor. et austr. andina.  
Isocoma Nutt.
- 3492 103 **Ericameria** Nutt. G. II. 255. — Sp. 4. Amer. bor.
- 3493 104 **Solidago** L. G. II. 256. (*Doria* Adans.). — Sp. ad 80. Amer. præcipue bor. (in orbe vetere sp. 2).  
Euthamia et Chrysoma Nutt., Amphiraphis DC. pr. p.
- 3494 105 **Psychrogeton** Boiss. *Fl. Orient.* III. 156 (1875). — Sp. 1. Cabul.
- 3495 106 **Gundlackia** A. Gray in *Proc. Amer. Acad.* XVI. 100 (1880). — Sp. 1. Antill.
- 3496 107 **Brachychæta** Torr. et Gray. G. II. 256. — Sp. 1. Amer. bor.
- 3497 108 **Lessingia** Cham. G. II. 257 et 1232. — Sp. 6. Mexic., Californ.
- 3498 109 **Nardophyllum** H. et A. G. II. 257. (*Dolichogyne* DC.). — Sp. 6 v. 5? Amer. austr.  
Anactinia Remy.
- 3499 110 **Lepidophyllum** Cass. G. II. 257. — Sp. 4 v. 5. Amer. austr.  
Polyclados Philippi.
- 3500 111 **Chiliophyllum** Philippi. G. II. 258. — Sp. 1. Chili (Mendoza).
- 3501 112 **Homochroma** DC. G. II. 258. — Sp. 1. Afr. austr.
- 3502 113 **Fresenia** DC. G. II. 258. — Sp. 2 v. 3. Afr. austr.
- 3503 114 **Pteronia** L. G. II. 259. — Sp. 51. Afr. austr.  
Sect. 1. *Scepinia* DC., *Scepinia* Neck., *Henanthus* Less.  
Sect. 2. *Pachyderis* DC., *Pachyderis* Cass.  
Sect. 3. *Pterophorus* DC., *Pterophora* Neck.
- 3504 115 **Rochonia** DC. G. II. 259. — Sp. 2. Madagasc.
- 3505 116 **Glycideras** Cass. G. II. 259 (*Glyphia* Cass.). — Sp. 1. Madagasc.
- 3506 117 **Læstadia** Kth. G. II. 260. — Sp. 4. Amer. austr. andina.
- 3507 118 **Microtrichia** DC. G. II. 260. — Sp. 1 v. 2? Afr. trop.
- 3508 119 **Dichrocephala** DC. G. II. 260. — Sp. 5. Asia calid., Afr. austr.
- 3509 120 **Cyathocline** Cass. II. 261. — Sp. 2. Ind. or.
- 3510 121 **Grangea** Adans. G. II. 261. — Sp. 3 v. 4. Afr. et Asia calidior.  
Pyrarda Cass.
- 3511 122 **Ceruana** Forsk. G. II. 261. — Sp. 1 v. 2. Afr. trop., Ægypt., Arabia.
- 3512 123 **Egletes** Cass. G. II. 261. (*Eyselia* Rchb., *Xerobius* Cass., *Platystephium* Gardn.). — Sp. ad 6. Amer. trop.
- 3513 124 **Aphanostephus** DC. G. II. 262. (*Keerlia* DC. pr. p., *Leucopsidium* DC.). — Sp. 4 v. 5. Reg. Mexicana.
- 3514 125 **Keerlia** A. Gray. G. II. 262. — Sp. 2. Reg. Mexicana.
- 3515 126 **Achætogeron** A. Gray. G. II. 1232. — Sp. 3. Mexic.

- 3516 127 **Myriactis** Less. G. II. 262. (*Botryadenia* F. et M.). — Sp. 5.  
Asia et Afr. calidior.
- 3517 128 **Rhynchospermum** Reinw. G. II. 263. (*Leptocoma* Less., *Zollingeria* Sch. Bip.). — Sp. 1. Himal., Japon., Java.
- 3518 129 **Lagenophora** Cass. G. II. 263. (*Ixauchenus* Cass., *Microcalia* A. Rich.). — Sp. 11 v. 12. Austral., N. Zel., Ins. Sandvic., Asia trop., Amer. antarct.
- 3519 130 **Garuleum** Cass. G. II. 263. — Sp. 3. Afr. austr.
- 3520 131 **Steirodiscus** Less. G. II. 264. — Sp. 2. Afr. austr.
- 3521 132 **Brachycome** Cass. G. II. 264. — Sp. 45. Austral., N. Zel.,  
(Afr. trop. sp. 1).  
1. *Brachystephium* Less. — 2. *Paquerina* Cass.  
3. *Steiroglossa* DC.
- 3522 133 ? **Silphiosperma** Steetz in *Pl. Preiss.* I. 433. Sp. 1. Austral.
- 3523 134 **Erodiophyllum** F. Müll. *Fragm.* IX. 119 (1875). — Sp. 1.  
Austral. centr.
- 3524 135 **Achnophora** F. Müll. in *Trans. Roy. Soc. S. Austral.* (1883).  
— Sp. 1. Austral.
- 3525 136 **Bellis** L. G. II. 265. — Sp. 8 v. 9. Hemisph. bor. utriusque  
orbis.  
*Kyberia* Neck., *Seubertia* H. Wats., *Astranthium* Nutt.
- 3526 137 **Bellium** L. G. II. 265. — Sp. 3. Reg. Medit.  
*Belliopsis* Pomel.
- 3527 138 **Amellus** L. G. II. 265. — Sp. 8. Afr. austr.  
*Kraussia* Sch. Bip. (*Hænelia* Walp.).
- 3528 139 **Gymnostephium** Less. G. II. 266. — Sp. 6. Afr. austr.  
*Heteractis* DC.
- 3529 140 **Chariels** Cass. G. II. 266. (*Kaulfussia* Nees). — Sp. 1. Afr. austr.
- 3530 141 **Mairia** Nees. G. II. 266. — Sp. 10. Afr. austr.  
*Zyrphelis* Cass.
- 3531 142 **Minuria** DC. G. II. 267. — Sp. 4. Austral.  
*Therogeron* et *Elachothamnus* DC., *Kippistia* F. Müll.
- 3532 143 **Calotis** R. Br. G. II. 267. — Sp. 16. Austral.  
*Huenefeldia* Walp., *Goniopogon* Turcz., *Cheiroloma* F. Müll.
- 3533 144 **Monoptilon** Torr. et Gray. G. II. 267. — Sp. 1. Californ., Utah.
- 3534 145 **Townsendia** Hook. G. II. 268. — Sp. ad 8. Amer. bor.
- 3535 146 **Distasis** DC. G. II. 268. (*Diplostelma* A. Gray). — Sp. 2.  
Mexic., Texas.
- 3536 147 **Chætopappa** DC. G. II. 268. (*Chætanthera* Nutt., *Diplostelma* Raf.). — Sp. 1. Amer. bor.
- 3537 148 **Psilactis** A. Gray. G. II. 269. — Sp. 3. Mexic.
- 3538 149 **Heteropappus** Less. G. II. 269. — Sp. 5. China, Asia or. ins.,  
Mandshuria.



- 3339 150 *Boltonia* L'Hér. G. II. 269. — Sp. ad. 12. Asia bor. et subtrop., Amer. bor.  
*Asteromæa* Bl., *Hisutsua* DC., *Dichætophora* A. Gray.
- 3540 151 *Corethrogyne* DC. G. II. 270. — Sp. enum. 6, ad 3 reduc. Californ.
- 3541 152 *Eremiastrum* A. Gray. G. II. 270. — Sp. 1. Californ., Utah.
- 3542 153 *Callistephus* Cass. G. II. 270. — Sp. 1. Asia.
- 3543 154 *Sericocarpus* Nutt. G. II. 270. — Sp. 4. Amer. bor.
- 3544 155 *Aster* L. G. II. 271. — Sp. enum. ultra 350, sed vix 250 dist. Eur., Asia, Afr., Amer.
- Sect. 1. *Biotia* Torr. et Gray, *Biotia* DC.  
 Sect. 2. *Calliastrum* Torr. et Gray, *Heleastrum* DC.  
 Sect. 3. *Euaster* A. Gray, *Symphyotrichum* Nees, *Dieteria* Nutt.  
 Sect. 4. *Machærantheræ* Benth., *Machæranthera* Nees.  
 Sect. 5. *Alpigenia* Benth., *Bellidiastrum* Micheli (*Margarita* Gaudin), *Heterochæta* DC., *Diplopappus* Cass.  
 Sect. 6. *Orthomeris* A. Gray, *Xylorhiza* Nutt., *Rhinactina* Less., *Arctogeron* et *Turczaninowia* DC., *Encephalus* Nutt., *Dœllingeria* Nees.  
 Sect. 7. *Noticastrum* Benth., *Noticastrum* et *Aplopappus* DC. pr. p.  
 Sect. 8. *Heterastrum* Benth.  
 Sect. 9. *Tripolium* Benth., *Tripolium* Nees.  
 Sect. 10. *Oxytripolium* Torr. et Gray.  
 Sect. 11. *Galatella* Benth., *Galatea* Cass. (*Galatella* DC.), *Homostylium* Nees, *Linosyris* Cass. (*Chrysocoma* L. pr. p.), *Crinitaria* Cass., *Crinita* Mönch.  
 Sect. 12. *Calimeris* Benth., *Calimeris* et *Kalimeris* Cass., *Hersilea* Kl.
- 3545 156 *Detris* Adans. (*Felicia* Cass. G. II. 274). — Sp. ad 50. Abyss., Afr. austr.  
*Polyarrhena*, *Agathæa* et *Munychia* Cass., *Detridium* Nees, *Elphegea* et *Asterosperma* Less.
- 3546 157 *Sommerfeltia* Less. G. II. 275. — Sp. 1. Brasil. mer. extratrop.
- 3547 158 *Hinterhubera* Sch. Bip. G. II. 275. (*Schætzelia* Sch. Bip.). — Sp. 3. Amer. austr.
- 3548 159 *Diplostephium* H. B. et K. G. II. 275. (*Linochilus* Benth.). — Sp. ad 18. Amer. austr. andina.  
*Simblocline* DC., *Tetramolopium* Nees pr. p.
- 3549 160 *Hazardia* Greene in *Pittonia*. 28 (1887). — Sp. 3. Amer. bor.
- 3550 161 *Chiliotrichium* Cass. G. II. 276. (*Tropidolepis* Tausch). — Sp. 3. Amer. antarct., Chili.

- 3551 162 *Olearia* Mönch. G. II. 276. (*Eurybia* Cass.). — Sp. descr. 85.  
Austral., N. Zel.  
Steetzia Sond., Haxtonia Caley, Steiractis DC., Spongotrichium Nees, Shawia Forst.
- 3552 163 *Henricia* Cass. G. II. 277. — Sp. 1. Madagasc.
- 3553 164 *Commidendron* DC. G. II. 277. — Sp. 3. S. Helena.
- 3554 165 *Melanodendron* DC. G. II. 278. — Sp. 1. S. Helena.
- 3555 166 *Pleurophyllum* H. f. G. II. 278. (*Albinea* Homb. et Jacquem.).  
— Sp. 2. Ins. Auckland et Campbell.
- 3556 167 *Celmisia* Cass. G. II. 278. — Sp. ad 25. N. Zel., Austral., Ins.  
Campbell et Auckland.
- 3557 168 *Podocoma* Cass. G. II. 278. — Sp. 7. Brasil., Columbia,  
Austral.  
Podopappus H. et A., Moritzia Sch. Bip., Ixiochlamys  
F. Müll.
- 3558 169 *Asteropsis* Less. (*Podocoma* Benth. G. II. 278 pr. p.). — Sp.  
1. Brasil.
- 3559 170 *Lachnophyllum* Bge. G. II. 279. — Sp. 2. Asia med. et occ.
- 3560 171 *Brachyactis* Ledeb. G. II. 279. — Sp. 6. Asia med., Himal.,  
Siberia, Amer. bor.
- 3561 172 *Erigeron* L. G. II. 279 et 1233. — Sp. ad 110. Orbis fere totus.  
Sect. 1. *Oritrophium* Benth.  
Sect. 2. *Euerigeron* Torr. et Gray, Trimorphœa Cass.  
Sect. 3. *Leptostelma* Benth., *Leptostelma* D. Don.  
Sect. 4. *Phænactis* Mutt., *Stenactis* Nees, *Woodvillea* DC.  
Sect. 5. *Phalacroloma* Torr. et Gray, *Phalacroloma* Cass.,  
*Phalocroloma* DC., *Stenactis* Cass., *Polyactis* et *Polyacti-*  
*dium* Less.  
Sect. 6. *Cænotus* Nutt., *Conyzella* Ruprecht, *Heterochæta*  
DC., *Gusmania* Remy, *Astradelphus* Remy, *Terranea*  
Colla.
- 3562 173 *Vittadinia* A. Rich. G. II. 281 et 1233. (*Microgyne* Less., *Eurybiopsis* DC.). — Sp. 7. Brasil. mer., Austral., N. Ca-  
led., Ins. Sandvic.
- 3563 174 *Tetramolopium* Nees. G. II. 282. — Sp. ad 6. Ins. Sandvic.
- 3564 175 *Microglossa* DC. G. II. 282. (*Frivaldia* Endl.). — Sp. 8. Asia  
et Afr. calid.  
Amphiraphis DC. pr. p.
- 3565 176 *Nidorella* Cass. G. II. 282. — Sp. ad 15. Afr. trop. et austr.
- 3566 177 *Conyza* Less. G. II. 283. (*Eschenbachia* Mönch). — Sp. ad 60.  
Reg. calid. utriusque orbis.  
*Dimorphanthes*, *Fimbrillaria* et *Lænnecia* Cass., *Webbia*  
Sch. Bip.

3567 178 *Haastia* H. f. G. II. 284. — Sp. 4. N. Zel.

3568 179 *Psiadia* Jacq. G. II. 284. (*Elphegea* Cass.). — Sp. ad 30. Afr. trop., Ins. Mascar.

*Sarcanthemum* Cass., *Frappieria* Cordemoy.

3569 180 *Adelostigma* Steetz. G. II. 285. — Sp. 2. Afr. trop.

3570 181 *Thespis* DC. G. II. 285. — Sp. 1. Ind. or.

3571 182 *Nolletia* Cass. G. II. 285. — Sp. 3 v. 4. Afr. bor. extratrop. et austr.

*Leptothamnus* DC.

3572 183 *Chrysocoma* L. pr. p. G. II. 286. — Sp. 8. Afr. austr.

3573 184 *Heterotomma* Benth. G. II. 286. — Sp. 1. Afr. austr.

3574 185 *Parastrephia* Nutt. G. II. 286. — Sp. 1. Peruv.

3575 186 *Baccharis* L. G. II. 286. (*Molina* R. et P.). — Sp. bene dist. ad 300. Amer. bor. et austr.

*Sergilus* Gärtner., *Pingræa* et *Tursenia* Cass., *Achyrobacharis* Sch. Bip., *Arrhenachne* Cass., *Stephananthus* Lehm.), *Polypappus* Less.

3576 187 *Heterothalamus* Less. G. II. 287. — Sp. 5 v. 6. Amer. austr.

#### TRIBUS IV. *Inuloideæ*.

3577 188 *Synchodendron* Bojer. G. II. 288. — Sp. 1. Madagasc.

3578 189 *Brachylæna* R. Br. G. II. 288. (*Oligocarpa* Cass.). — Sp. 6. Afr. austr.

3579 190 *Tarchonanthus* L. G. II. 288. — Sp. 3. Afr. austr.

3580 191 *Stenachæmium* Benth. G. II. 289. — Sp. 3. Brasil.

3581 192 *Blumea* DC. G. II. 289. (*Conysa* Sch. Bip. pr. p.). — Sp. enum. ultra 115, ad 60? reduc. Afr., Asia et Austral. trop. et subtrop.

*Placus* Lour., *Doellia* Sch. Bip.

3582 193 *Laggera* Sch. Bip. G. II. 290. — Sp. 15. Afr. trop., Ind. or.

3583 194 *Pluchea* Cass. G. II. 260 et 1233. (*Leptogyne* Ell., *Gymnema* et *Stylimnus* Raf., *Conyza* Sch. Bip. pr. p.). — Sp. fere 35. Utriusque orbis reg. calidior. (Eur. except.).

*Berthelotia* DC., *Karelinia* Less., *Spiropodium* et *Eyrea* F. Müll., ?*Tecmarsia* DC.

3584 195 *Sachsia* Griseb. G. II. 291. — Sp. 3. Cuba.

3585 196 *Rhodogeron* Griseb. G. II. 291. — Sp. 1. Cuba.

3586 197 *Tessaria* R. et P. G. II. 291. (*Gynheteria* Willd., *Gyneteria* Spreng., *Phulacromesus* Cass., *Polypappus* Nutt.). — Sp. 5. Amer. a Chili usque ad Californ.

3587 198 *Pterigeron* DC. G. II. 292. (*Streptoglossa* Steetz). — Sp. 7. Austral.

3588 199 *Thespidium* F. Müll. G. II. 292. — Sp. 1. Austral. trop.

- 3589 200 *Coleocoma* F. Müll. G. II. 293. — Sp. 1. Austral. trop.
- 3590 201 *Nanothamnus* T. Thoms. G. II. 293. — Sp. 1. Ind. or. (reg. Bombay).
- 3591 202 *Denekia* Thunb. G. II. 293. — Sp. 3. Afr. austr. et trop.
- 3592 203 *Epaltes* Cass. G. II. 293. — Sp. ad 9. Amer. trop. et subtrop., Afr. trop. et austr., Asia trop., Austral.  
*Pachythelia* Steetz, *Litogyne* Harv., *Ethuliopsis* F. Müll. (*Gynaphanus* Steetz).
- 3593 204 *Sphæranthus* L. G. II. 294. — Sp. ad 10. Asia, Afr. et Austral. trop.  
*Oligolepis* Cass. (*Polycephalos* Forsk).
- 3594 205 *Pterocaulon* Ell. G. II. 294. (*Chlænabolus* Cass., *Monenteles* Labill.). — Sp. ad 9. Amer. austr. et bor., Asia et Austral. trop., N. Caled., Ins. Mascar.
- 3595 206 *Monarrhenus* Cass. G. II. 295. — Sp. 3. Ins. Mascar.
- 3596 207 *Cylindrocline* Cass. G. II. 295. (*Lepidopogon* Tausch). — Sp. 1. Ins. Maurit.
- 3597 208 *Blepharispermum* Wight. G. II. 295. — Sp. 3. Ind. or., Afr. trop.  
*Leucoblepharis* Arn.
- 3598 209 *Athroisma* DC. G. II. 296. — Sp. 1. Ind. or., Java.
- 3599 210 ?*Symphyllocarpus* Maxim. G. II. 296. — Sp. 1. Reg. Amurensis.
- 3600 211 *Evax* Gärtn. G. II. 296 et 1233. (*Filago* Cass.). — Sp. ad 10. Eur. austr., Afr. bor., Asia occ., Californ.  
*Evacopsis* Pomel.
- 3601 212 *Psilocarphus* Nutt. G. II. 297. (*Bezanilla* Remy). — Sp. 3 v. 4. Amer. bor., Chili.
- 3602 213 *Micropus* L. G. II. 297 et 1233. (*Gnaphalodes* Adans.). — Sp. 3. Eur., Asia.
- 3603 214 *Stylocline* Nutt. G. II. 297. (*Micropus* sect. *Stylocline* Benth.). Sp. 4. Amer. bor. occ., Afghan.  
*Ancistrocarpha* Gray.
- 3604 215 *Diaperia* Nutt. G. II. 298. — Sp. 4. Amer. bor.  
*Calymmandra* et *Filaginopsis* Torr. et Gray.
- 3605 216 *Micropsis* DC. G. II. 298. (*Lasiophyton* H. et A.). — Sp. 1. Chili.
- 3606 217 *Filago* L. G. II. 299. — Sp. ad 10. Eur., Asia, Afr. bor., Californ., Chili.  
1. *Gifola* Cass. (*Impia* Bluff et Fing.).  
2. *Logfia* Cass. (*Xerotium* Bluff et Fing.).  
3. *Oglifa* Cass. (*Achariterium* Bluff et Fing.).
- 3607 218 *Illoga* Cass. G. II. 299. (*Trichogyne* DC.). — Sp. 8. Ind. or., Afr. bor., Ins. Canar.

- 3608 219 **Stuartina** Sond. G. II. 300. — Sp. 1. Austral. mer.  
 3609 220 **Demidium** DC. G. II. 300. — Sp. 1. Madagasc.  
 3610 221 **Amphidoxa** DC. G. II. 300. — Sp. Afr. austr.  
 3611 222 **Chiliocephalum** Benth. G. II. 300. (*Kralikia* Sch. Bip.). — Sp. 1. Abyss.  
 3612 223 **Tafalla** Don. G. II. 300. (*Loricaria* et *Thyopsis* Wedd.). — Sp. 4. Amer. austr.  
 3613 224 **Mniodes** A. Gray. G. II. 301. — Sp. 2. Amer. austr. andina.  
 3614 225 **Antennaria** Gärtn. pr. p. G. II. 301. — Sp. ad 10. Eur., Asia, Amer. bor. et austr., Austral.  
 3615 226 **Luciliopsis** Wedd. G. II. 301. — Sp. 2. Amer. austr. andina.  
 3616 227 **Oligandra** Less. G. II. 302. (*Hymenopholis* Gardn.). — Sp. 2. Columbia, Brasil.  
 3617 228 **Chionolæna** R. Br. G. II. 302. — Sp. 3 v. 4? Mexic., Brasil., Columbia.  
 3618 229 **Leontopodium** R. Br. G. II. 302. — Sp. 5. Eur., Asia et Amer. mont.  
 3619 230 **Anaphalis** DC. G. II. 303. — Sp. ad 30. Eur., Asia, Amer. bor.  
 3620 231 **Pterygopappus** H. f. G. II. 303. (*Maja* Wedd.). — Sp. 1. Tasmania.  
 3621 232 **Chevreulia** Cass. G. II. 303. (*Leucopodium* Gardn.). — Sp. 5. Amer. austr.  
 3622 233 **Facelis** Cass. G. II. 304. (*Pteropogon* Nees). — Sp. 5 v. 6. Amer. austr. andina.  
 3623 234 **Lasiopogon** Cass. G. II. 304. — Sp. 2. Afr. extratrop., Oriens.  
 3624 235 **Phagnalon** Cass. G. II. 304. (*Gnaphalon* Lour.). — Sp. ad 16. Reg. Medit., Asia occ.  
 3625 236 **Achyrocline** Less. G. II. 305. — Sp. 10 v. 16? Amer. austr., Afr. trop., Madagasc.  
 3626 237 **Gnaphalium** L. G. II. 305. — Sp. ad 100. Orbis fere totus. Gamochæta et Merope Wedd., Omalotheca Cass., Belloa Remy.  
 3627 238 **Lucilia** Cass. (*Gynaphalium* sect. *Lucilia* Benth. G. II. 305). — Sp. 8. Amer. austr.  
 3628 239 **Raoulia** H. f. G. II. 307. — Sp. 14. N. Zel., Austral.  
 3629 240 **Leptorhynchos** Less. G. II. 307. (*Rhytidanthe* Benth.). — Sp. 8. Austral.  
 3630 241 **Waitzia** Wendl. G. II. 307. (*Viraya* Gaud., *Morna* Lindl.). — Sp. 6. Austral. Pterochæta Steetz.  
 3631 242 **Helipterum** DC. G. II. 308. — Sp. 50. Afr. austr., Austral. Sect. 1. *Euhelipterum* Benth., *Argyrocome* et *Anaxeton* Schrank, *Rhodanthe* Lindl., *Acroclinium* A. Gray, *Astelma* R. Br. (*Damironia* Cass.), *Hyalospermum* Steetz.

Sect. 2. *Syncarpha* DC., *Syncarpha* DC., *Roccardia* Neck.

Sect. 3. *Pteropogon* Benth., *Pteropogon* DC., *Xyridanthe* Lindl.

Sect. 4. *Monencyanthes* Benth., *Monencyanthes* A. Gray, *Dimorpholepis* A. Gray (*Triptilodiscus* Turcz., *Duttonia* F. Müll.), ? *Argyranthes* Neck.

3632 243 **Helichrysum** Gärtn. (*Elichrysum*). G. II. 309. — Sp. ad 270. Eur., Asia, Afr., Austral., N. Zel.

Subg. 1. *Euhelichrysum* Benth.

Sect. 1. *Laurencella* Benth., *Laurencella* Lindl., *Xanthochrysum* Turcz.

Sect. 2. *Xerochlæna* Benth., *Trichandrum* Neck., *Argyrophanes* Schlcht., *Aphelexis* Bojer.

Sect. 3. *Oxylepis* DC.

Sect. 4. *Chrysocephalum* Benth., *Chrysocephalum* Walp.

Sect. 5. *Stæchas* Benth.

Sect. 6. *Cladochæta* Benth., *Cladochæta* DC., *Acanthocladium* F. Müll.

Sect. 7. *Argyroglottis* Benth., *Argyroglottis* Turcz., *Conanthodium* A. Gray.

Sect. 8. *Ozothamnus* Less., *Ozothamnus* R. Br., *Faustula* et *Petalolepis* Cass., *Swammerdamia* DC.

Sect. 9. *Leontopodioides* Benth.

Subg. 2. *Lepicline* Benth., *Lepicline* (*Lepiscline*) Cass., *Euchloris* et *Pentataxis* Don, *Manopappus* Sch. Bip., *Leucostemma* Don, *Edmondia* Cass., *Aphelexis* Don.

3633 244 **Stenocline** DC. G. II. 312. — Sp. 6. Madagasc., Brasil.

3634 245 **Leucopholis** Gardn. G. II. 312. — Sp. 9. Brasil. or.

3635 246 **Leontonyx** Cass. G. II. 312. (*Spiralepis* Don). — Sp. 5. Afr. austr.

3636 247 **Pachyrhynchus** DC. G. II. 313. — Sp. 1. Afr. austr.

3637 248 **Cassinia** R. Br. G. II. 313. — Sp. 18. Afr. austr., Austral., N. Zel.

Sect. 1. *Anachlæna* DC., *Chromochiton* et *Achromolæna* et *Apalochlamys* Cass.

Sect. 2. *Rhynea* Benth., *Rhynea* DC.

3638 249 **Phænocoma** Don. G. II. 313. — Sp. 1. Afr. austr.

3639 250 **Schoenia** Steetz. G. II. 314. — Sp. 1. Austral.

3640 251 **Anaxeton** Cass. G. II. 314. — Sp. 7. Afr. austr.

3641 252 **Petalacte** Don. G. II. 314. (*Petalolepis* Less.). — Sp. 1. Afr. austr.

3642 253 **Ixiolæna** Benth. G. II. 315. — Sp. 5. Austral.

3643 254 **Podotheca** Cass. G. II. 315. (*Phænopodu* Cass., *Podosperma* Labill., *Lophoclinium* Endl.). — Sp. 5. Austral.

3644 255 *Millotia* Cass. G. II. 315. — Sp. 2. Austral.

3645 256 *Quinetia* Cass. G. II. 316. — Sp. 1. Austral.

3646 257 *Rutidosia* DC. G. II. 316. — Sp. 7. Austral.

*Pumilo* Schlecht., *Actinopappus* H. f.

3647 258 *Phacelothrix* F. Müll. *Fragm.* XI. 49 (1878). — Sp. 1. Austral.

3648 259 *Ammobium* R. Br. G. II. 316. — Sp. 2. Austral.

3649 260 *Symphocoronis* A. Gray. G. II. 316. — Sp. 1. Austral.

3650 261 *Toxanthus* Turcz. G. II. 317. (*Anthocerastes* A. Gray). — Sp. 2. Austral.

2651 262 *Eriochlamys* Sond. et F. Müll. G. II. 317. — Sp. 1. Austral.

3652 263 *Humea* Sm. G. II. 317. (*Calomeria* Vent., *Agathomeris* Delaunay). — Sp. 1. Austral.

*Hæckeria* F. Müll.

3653 264 *Acomis* F. Müll. G. II. 317. — Sp. 2. Austral.

3654 265 *Pithocarpa* Lindl. G. II. 318. — Sp. 1. Austral.

3655 266 *Ixodia* R. Br. G. II. 318. — Sp. 1. Austral.

3656 267 *Cæsulia* Roxb. G. II. 318. — Sp. 1. Ind. or.

3657 268 *Myriocephalus* Benth. G. II. 318. — Sp. 8. Austral.

*Hyalolepis* DC., *Lamprochlæna*, *Elachopappus* et *Polycalymma* F. Müll., *Antheidosorus* A. Gray (*Gilbertia* Turcz.), *Hirnellia* Cass.

3658 269 *Dimerezia* A. Gray in *Proc. Amer. Acad.* XXI. 411 (1886). — Sp. 1. Oregon.

3659 270 *Angianthus* Wendl. G. II. 319. — Sp. 22. Austral.

1. *Cylindrosorus* Benth.

2. *Pleuropappus* F. Müll.

3. *Siloxerus* Labill. (*Stylancerus* Spreng., *Ogcerostylus* Cass.).

4. *Chrysocoryne* Endl. (*Crossolepis* Benth.).

5. *Skirrophorus* DC. (*Eriocladium* Lindl.).

6. *Cephalosorus* A. Gray (*Piptostemma* Turcz.).

7. *Phyllocalymma* Benth.

8. *Hyalochlamis* A. Gray.

9. *Epitriche* Turcz. (*Skirrophorus* A. Gray).

10. *Dithyrostegia* A. Gray (*Gamozygis* Turcz.).

3660 271 *Gnephosis* Cass. G. II. 320. — Sp. 12. Austral.

1. *Trichanthodium* Sond. et F. Müll.

2. *Cyathopappus* F. Müll.

3. *Nematopus* A. Gray.

4. *Crossolepis* A. Gray (*Leptotriche* Turcz.).

5. *Crossolepis* Less.

3661 272 *Calocephalus* R. Br. G. II. 320. — Sp. 10. Austral.

1. *Leucophyta* R. Br.

2. *Blennospora* A. Gray.

3. *Pachysurus* Steetz (*Achrysum* A. Gray).

- 3662 273 *Decazesia* F. Müll. *Fragm.* XI. 71 (1879). — Sp. 1. Austral.  
 3663 274 *Cephalipterum* A. Gray. G. II. 321. — Sp. 1. Austral.  
 3664 275 *Gnaphalodes* A. Gray. G. II. 321. — Sp. 3 v. 4. Austral.  
     ? *Actinobole* Fenzl.  
 3665 276 *Eriosphæra* Less. G. II. 321. — Sp. 1. Afr. austr.  
 3666 277 *Craspedia* Forst. G. II. 322. (*Richea* Labill.). — Sp. 5. Austral., N. Zel.  
     *Pycnosurus* Benth.  
 3667 278 *Chthonocephalus* Steetz. G. II. 322. — Sp. 3. Austral.  
     *Lachnothalamus* F. Müll., *Chamæsphæron* A. Gray (*Gyrostephium* Turcz.).  
 3668 279 *Perotriche* Cass. G. II. 322. (*Gymnachæna* Rchb.). — Sp. 1. Afr. austr.  
 3669 280 *Stœbe* L. G. II. 323 et 1233. — Sp. ad 20. Afr. austr., Ins., Borbon.  
     *Seriphium* L.  
 3670 281 *Disparago* Gärtn. G. II. 323. — Sp. 5. Afr. austr.  
     *Wigandia* Neck.  
 3671 282 *Elytropappus* Cass. G. II. 323. (*Cyathopappus* Sch. Bip.). — Sp. 6. Afr. austr.  
     *Achyrocome* Schrank.  
 3672 283 *Pterothrix* DC. p. p. G. II. 324. — Sp. 3. Afr. austr.  
 3673 284 *Amphiglossa* DC. pr. p. G. II. 324. — Sp. 3. Afr. austr.  
 3674 285 *Bryomorpha* Harv. G. II. 324. — Sp. 1. Afr. austr.  
 3675 286 *Metalasia* R. Br. G. II. 325. — Sp. 20. Afr. austr.  
     *Erythropogon* DC., *Endoleuca* Cass.  
 3676 287 *Lachnospermum* Willd. G. II. 325. (*Carpholoma* Don). — Sp. 1. Afr. austr.  
 3677 288 *Nestlera* Spreng. G. II. 325. (*Columellea* Jacq., *Stephanopappus* Less.). — Sp. 10. Afr. austr.  
     *Polychætia* Less.  
 3678 289 *Anaglypha* DC. G. II. 326. (*Oxylæna* Benth.). — Sp. 1 v. 2. Afr. austr.  
 3679 290 *Syncephalum* DC. G. II. 326. — Sp. 1. Madagasc.  
 3680 291 *Relhania* L'Hér. G. II. 326. (*Michauxia* Neck.). Sp. ad 18. Afr. austr.  
     *Eclopes* Gärtn., *Rhynchocarpus* Less. (*Rhynchopsidium* DC.).  
 3681 292 *Rosenia* Thunb. G. II. 327 et 1233. — Sp. 1. Afr. austr.  
 3682 293 *Leyssera* L. G. II. 327. (*Callicornia* Burm., *Asteropterus* Gärtn.). — Sp. 4. Hispan. austr., Afr. bor. et austr., Oriens.  
     *Longchampia* Willd. (*Leptophytus* Cass.).  
 3683 294 *Macowania* Oliv. G. II. 327. — Sp. 1. Afr. austr.



- 3684 295 **Podolepis** Labill. G. II. 328. (*Scalia* Sims). — Sp. 12. Austral.  
Rutidochlamys Sond., Scaliopsis Walp. (Stylolepis Lehm.,  
Siemssenia Steetz), Panætia Cass.
- 3685 296 **Heterolepis** Cass. G. II. 328. (*Heteromorpha* Cass.). — Sp. 3.  
Afr. austr.
- 3686 297 **Athrixia** Ker. G. II. 328 et 1033. (*Asteridia* Lindl.). — Sp. 15.  
Afr. austr. et trop., Austral.  
Trichostegia Turcz., Chrysodiscus Steetz, Klenzea Sch. Bip.
- 3687 298 **Antithrixia** DC. G. II. 329. — Sp. 3. Abyss., Afr. austr.
- 3688 299 **Arrowsmithia** DC. G. II. 329. — Sp. 1. Afr. austr.
- 3689 300 **Codonocephalum** Fenzl. G. II. 330. (*Sprunera* Sch. Bip.). —  
Sp. 1. Kurdist.
- 3690 301 **Inula** L. G. II. 330. — Sp. ad 60. Eur., Asia, Afr.  
Sect. 1. *Corvisartia* Benth., Helenium Adans., Enula  
Neck., Corvisartia Mérat.  
Sect. 2. *Bubonium* Benth.  
Sect. 3. *Ægophthalmus* Schott et Kotschy.  
Sect. 4. *Cuppa* Benth., Duhaldea DC. (Amphiraphis DC.  
pr. p.), Schizogyne Cass.  
Sect. 5. *Inulaster* Benth., Inulaster Sch. Bip.  
Sect. 6. *Limbarda* Benth., Limbarda Adans., Eritheis  
S. F. Gray.  
Sect. 7. *Cupularia* Benth., Cupularia Grenier et Godron.
- 3691 302 **Homochæte** Benth. G. II. 331. — Sp. 1. Afr. austr.
- 3692 303 **Bojeria** DC. G. II. 331. — Sp. 2. Madagasc., Afr. austr.
- 3693 304 **Minurothamnus** DC. G. II. 331. — Sp. 1. Afr. austr.
- 3694 305 **Cypselodontia** DC. G. II. 332. — Sp. 1. Afr. austr.
- 3695 306 **Grantia** Boiss. G. II. 332. — Sp. 4. Asia occ., Afr. medit.  
Perralderia Cosson.
- 3696 307 **Jasonia** Cass. G. II. 332. — Sp. 2. Reg. Medit.  
Myriadenus et Chiliadenum Cass., Orsinia Bertol.
- 3697 308 **Printzia** Cass. G. II. 333 et 1233. — Sp. 5. Afr. austr.  
?Lloydia Neck.
- 3698 309 **Iphiona** Cass. G. II. 333. — Sp. ad 14. Reg. Medit. or., Arabia,  
Asia centr., Afr. trop. et austr.  
Carphopappus Sch. Bip., Vartheimia DC.
- 3699 310 **Allagopappus** Cass. G. II. 333. — Sp. 1. Ins. Canar.
- 3700 311 **Vieræa** Webb. G. II. 334. — Sp. 1. Ins. Canar.
- 3701 312 **Pegolletia** Cass. G. II. 334. — Sp. 3. Afr. trop. et austr.
- 3702 313 **Vicoa** Cass. G. II. 334. — Sp. 6. Asia trop. et occ., Afr. trop.  
Pentanema Cass., Kiliania Sch. Bip.
- 3703 314 **Mannoglottis** Maxim. in *Mél. Biol. Pétersb.* XI. 235 (1881).  
— Sp. 1. China.

- 3704 315 **Calostephane** Benth. G. II. 335. — Sp. 1. Afr. trop. or.  
 3705 316 **Pulicaria** Gärtn. G. II. 335. — Sp. ad 30. Eur., Asia, Afr.  
     Tubilium Cass., Strabonia et Poloa DC., Francoeuria et  
     Duchesnea Cass., Pterochæta et Platychæta Boiss.  
 3706 317 **Porphyrostemma** Grant. G. II. 336. — Sp. 1. Afr. trop.  
 3707 318 **Amblyocarpum** F. et M. G. II. 336. — Sp. 1. Reg. Caspica.  
 3708 319 **Carpesium** L. G. II. 336 et 1233. — Sp. 4 v. 5. Eur. austr.,  
     Asia temp.  
 3709 320 **Geigeria** Griessel. G. II. 337. (*Dizonium* Willd., *Zeyhera*  
     Spreng.). — Sp. 10. Afr. austr., Arabia, Nubia.  
     Araschoolia Sch. Bip., Diplostemma Steud. et Hochst.  
 3710 321 ?**Gymnarrhena** Desf. G. II. 337. (*Cryptadia* Lindl., *Franckia*  
     Steud.). — Sp. 1. Afr. medit., Asia occ.  
 3711 322 **Rhanterium** Desf. G. II. 338. — Sp. 2. Afr. bor.  
 3712 323 **Postia** Boiss. G. II. 1233. — Sp. 4. Oriens.  
 3713 324 **Anvillea** DC. G. II. 338 et 1234. (*Sycodium* Pomel). — Sp. 2.  
     Oriens, Algeria.  
 3714 325 **Ondetia** Benth. G. II. 338. — Sp. 1. Afr. austro-or.  
 3715 326 **Bupthalmum** L. pr. p. G. II. 338. — Sp. 4. Eur. med. et  
     austr. mont.  
 3716 327 **Telekia** Baumg. *Fl. Transsylv.* III. 149. — Sp. 2. Eur. med.  
     et or.  
     Molpadia Cass.  
 3717 328 **Callilepis** DC. G. II. 339. — Sp. 2. Afr. austr.  
 3718 329 **Astephania** Oliv. in Hook. *Icon. Plant.* tab. 1506. — Sp. 1.  
     Afr. trop. (Kilimanjaro).  
 3719 330 **Sphacophyllum** Benth. G. II. 339 et 1234. — Sp. 1. Madagasc.  
 3720 331 ?**Astephanocarpa** Bak. in *Journ. Linn. Soc.* XXII. 493. — Sp.  
     1. Madagasc.  
 3721 332 **Anisopappus** H. et A. G. II. 339. — Sp. 2. Asia et Afr. trop.,  
     China.  
 3722 333 **Odontospermum** Neck. G. II. 340. (*Asteriscus* Mönch, *Nauplius*  
     Cass.). — Sp. 9. Reg. Medit. tota.  
 3723 334 **Pallenis** Cass. G. II. 340. (*Athalmus* Neck., *Asteriscus* Sch.  
     Bip.). — Sp. 1. Reg. Medit. tota.  
 3724 335 **Chrysophthalmum** Sch. Bip. G. II. 341. — Sp. 2 v. 3. Oriens.  
 3725 336 **Osmites** L. G. II. 341. — Sp. 6. Afr. austr.  
     Spanotrichum E. Mey.  
 3726 337 **Osmitopsis** Cass. G. II. 341. — Sp. 1. Afr. aust.  
 3727 338 **Nablonium** Cass. G. II. 341. — Sp. 1. Tasmania.  
 3728 339 ?**Oligodora** DC. G. II. 342 et 417. — Sp. 1. Afr. austr.

TRIBUS V. **Helianthoides**.

- 3729 340 **Lagascea** Cav. G. II. 342. (*Noccæa* Jacq., *Nocca* Cav.). — Sp. 8. Amer. calidior., in orbe vetere inquil.
- 3730 341 **Heptanthus** Griseb. G. II. 342. — Sp. 3 v. 2? Cuba.
- 3731 342 **Pinillosia** Ossa. G. II. 342. — Sp. 3? Cuba.
- 3732 343 **Tetranthus** Sw. G. II. 343. — Sp. 2. S. Doming.
- 3733 344 **Elvira** Cass. G. II. 343. (*Meratia* Cass., *Delilia* Spreng.). — Sp. 3. Amer. trop., Chili.  
Desmocephalus H. f., Microcœia H. f.
- 3734 345 **Lantanopsis** C. Wright. G. II. 344. — Sp. 1. Cuba.
- 3735 346 **Stachycephalum** Sch. Bip. G. II. 344. — Sp. 1. Mexic.
- 3736 347 **Milleria** L. pr. p. G. II. 344. — Sp. 1. Amer. trop. ab Ecuador. usque ad Mexicum.
- 3737 348 **Adenocaulon** Hook. G. II. 344. — Sp. 5. Chili, Amer. bor., Asia centr. et or.
- 3738 349 **Sheareria** S. L. Moore. G. II. 1234. — Sp. 2. China.
- 3739 350 **Riencourtia** Cass. G. II. 445. — Sp. 5 v. 6. Guiana, Brasil.  
Pontesia Vell.
- 3740 351 **Desmanthodium** Benth. G. II. 345. — Sp. 3. Mexic.
- 3741 352 **Clibadium** L. G. II. 345. (*Baillieria* Aubl., *Oswalda* Cass., *Trixis* Sw.). — Sp. 10 v. 12. Amer. calidior.  
Orsinia DC.
- 3742 353 **Ichthyothere** Mart. G. II. 346. (*Latreillea* DC., *Torrentia* Vell., *Ananthodium* Less.). — Sp. 14. Amer. trop.
- 3743 354 **Trigonospermum** Less. G. II. 346. — Sp. 2. Mexic.
- 3744 355 **Polymnia** L. G. II. 346. — Sp. ad 12. Amer. a Bonaria usque ad Canadam.  
Alymnia Neck., Polymniastrum Lam.
- 3745 356 **Espeletia** H. et B. G. II. 347. — Sp. 11. Amer. austr. andina.  
Libanothamnus Ernst.
- 3746 357 **Philoglossa** DC. G. II. 347. — Sp. 1 v. 2. Peruv., Ecuador.
- 3747 358 **Dicranocarpus** A. Gray. G. II. 347. — Sp. 1. Mexic., Texas.
- 3748 359 **Guardiola** H. et B. G. II. 347. (*Tulocarpus* H. et A.). — Sp. 4. Mexic.
- 3749 360 **Baltimora** L. G. II. 348. (*Fougeria* Mönch, *Fougerouxia* DC.). — Sp. 2. Amer. trop.  
Scolospermum Less.
- 3750 361 **Lecocarpus** Dcne. G. II. 348. — Sp. 1. Ins. Galapagos.
- 3751 362 **Melampodium** L. G. II. 348. — Sp. ad 20. Amer. calid. (1 sp. in orbe vetere inquil.).  
Dysodium A. Rich., Zarabellia Cass., Alcina Cav., Camutia Bonat., Unxia L. f. (Pronacron Cass.).

- 3752 363 **Acanthospermum** Schrank. G. II. 349. (*Centrospermum* H. B. et K., *Orcya* Vell.). — Sp. 3. Amer. trop.
- 3753 364 **Schizoptera** Turcz. G. II. 249. — Sp. 1. Ecuador.
- 3754 365 **Silphium** L. G. II. 350. — Sp. 11. Amer. bor.
- 3755 366 **Chrysogonum** L. G. II. 350. — Sp. 6. Amer. bor., Ind. or., Austral.
- Diotostephus Cass., Moonia Arn., Pentalepis F. Müll.
- 3756 367 **Berlandiera** DC. G. II. 350. — Sp. 5. Mexic., Texas.
- 3757 368 **Lindheimera** A. Gray. G. II. 351. — Sp. 1. Texas.
- 3758 369 **Dugesia** A. Gray in *Proc. Amer. Acad.* XVII. 214 (1882). — Sp. 1. Mexic.
- 3759 370 **Engelmannia** Torr. et Gray. G. II. 351. (*Angelandra* Endl.). — Sp. 1. Texas.
- 3760 371 **Parthenium** L. G. II. 351. (*Villanova* Ort., *Argyrochæta* Cav.). — Sp. 6. Amer. bor. et centr., Ind. occ.
- Bolophyta Nutt., Hysterophorus Vaill.
- 3761 372 **Aiolothea** DC. G. II. 352. — Sp. 1. Reg. Mexicana.
- 3762 373 **Parthenice** Torr. et Gray. G. II. 352. — Sp. 1. Reg. Mexicana.
- 3763 374 **Iva** L. G. II. 352. (*Denira* Adans.). — Sp. 7 v. 8. Amer. bor. et austr., Ind. occ.
- 3764 375 **Oxytenia** Nutt. G. II. 351. — Sp. 1. Californ.
- 3765 376 **Dicoria** Torr. et Gray. G. II. 353. — Sp. 1. Mexic.
- 3766 377 **Cyclachæna** Fresen. G. II. 353. — Sp. 2. Amer. bor.
- 3767 378 **Euphrosyne** DC. G. II. 353. — Sp. 1. Mexic.
- 3768 379 **Hymenoclea** Torr. et Gray. G. II. 354. — Sp. 2. N. Mexic., Californ.
- 3769 380 **Ambrosia** L. G. II. 354. — Sp. 12 v. 20? Reg. calid. et temp. utriusque orbis.
- 3770 381 **Franseria** Cav. G. II. 354. — Sp. ad 12. Amer. bor., Peruvia, Chili.
- Hemiambrosia, Hemixanthidium et Xanthidium Delpino.
- 3771 382 **Xanthium** L. G. II. 355. — Sp. enum. ultra 20, ad 4? reduc. Reg. calid. et temp. utriusque orbis.
- 3772 383 **Petrobium** R. Br. G. II. 355. (*Laxmannia* Forst.). — Sp. 1. S. Helena.
- 3773 384 **Podanthus** Lag. G. II. 356. (*Euxenia* Cham., *Ogiera* Spreng.). Sp. 2. Chili.
- 3774 385 **Astemma** Less. G. II. 356. — Sp. 1. Andes Quitenses.
- 3775 386 **Tragoceros** H. B. et K. G. II. 356. — Sp. 4. Mexic.
- 3776 387 **Philactis** Schrad. G. II. 356. — Sp. 1. Mexic.
- 3777 388 **Zinnia** L. G. II. 357. (*Crassina* Scop., *Lejica* Hill.). — Sp. ad 12. Mexic, Texas.
- Sect. 1. *Euzinnia* A. Gray.

Sect. 2. *Diplothrix* A. Gray, *Diplothrix* DC.

Sect. 3. *Heterogyne* A. Gray, *Sanvitaliopsis* Sch. Bip.

3778 389 *Sanvitalia* Lam. G. II. 357. (*Lorentea* Ort.). — Sp. ad 9. Mexic., Texas.

*Anaitis* DC.

3779 390 *Heliopsis* Pers. G. II. 358. — Sp. ad 7. Amer. bor. centr. et austr.

*Kallias* v. *Callias* Cass. (*Andrieuxia* DC.).

3780 391 *Aganippea* DC. G. II. 358. (*Heliogenes* Benth.). — Sp. 2. Mexic.

3781 392 *Monactis* H. B. et K. G. II. 358. — Sp. 2. Amer. austr.

3782 393 *Rumfordia* DC. G. II. 359. — Sp. 1. Mexic.

3783 394 *Siegesbeckia* L. G. II. 359. — Sp. 3. Utriusque orbis reg. trop. et subtrop.

*Limnogenetum* Sch. Bip., *Minyranthes* Turcz., *Trimeranthes* Cass., *Schkuhria* Mönch.

3784 395 *Stemmatella* Wedd. G. II. 359. — Sp. 1. Bolivia.

3785 396 *Jægeria* H. B. et K. G. II. 360. (*Macella* K. Koch.). — Sp. 5 v. 6. Amer. calidior.

3786 397 *Enhydra* Lour. G. II. 360. (*Meyera* Schreb., *Sobreyra* R. et P., *Sobrya* Pers., *Tetraotis* Reinw., *Hingtshu* Roxb.). — Sp. descr. 14, sed vix 6 dist. Reg. trop. utriusque orbis.

*Cryphiospermum* P. B. (*Wahlenbergia* Schum. et Thonn.).

3787 398 *Aphanactis* Wedd. G. II. 360. — Sp. 2. Amer. austr. andina.

3788 399 *Eclipta* L. G. II. 361. (*Micrelium* Forsk.). — Sp. 4. Reg. calidior. utriusque orbis.

3789 400 *Leptocarpa* DC. G. II. 361. — Sp. 1. Chili.

3790 401 *Selloa* H. B. et K. G. II. 361. (*Fœæa* Spreng.). — Sp. 1. Mexic.

3791 402 *Axiniphyllum* Benth. G. II. 362. — Sp. 2. Mexic.

3792 403 *Abasoloa* Llav. et Lex. G. II. 362. — Sp. 1. Mexic.

3793 404 *Zaluzania* Pers. G. II. 362. — Sp. 7. Mexic., Texas.

*Chiliophyllum* DC., *Hybridella* Cass., *Ferdinanda* Lag., *Chrysophania* Kth.

3794 405 *Sabazia* Cass. G. II. 362. (*Baziasa* Steud.). — Sp. ad 8. Mexic., Columbia.

3795 406 *Micractis* DC. G. II. 363. — Sp. 1. Madagasc.

3796 407 *Varilla* A. Gray. G. II. 363. — Sp. 2. Mexic., Texas.

3797 408 *Gymnolomia* H. B. et K. G. II. 363. (*Gymnopsis* DC. pr. p., *Helimeris* Nutt.). — Sp. ad 20. Texas, Mexic., Amer. centr. et austr. trop.

3798 409 *Sclerocarpus* Jacq. G. II. 364. — Sp. ad 11. Texas, Mexic., Amer., Afr. et Asia trop.

*Aldama* Llav. et Lex., *Gymnopsis* DC. pr. p., *Dichotoma* Sch. Bip.

- 3799 410 **Montanoa** Llav. et Lex. G. II. 364. (*Eriocoma* H. B. et K., *Eriocarpa* Cass., *Montagnæa* DC.). — Sp. ad 14. Amer. calidior. a Mexico usque ad Columbiam.  
Uhdea Kth.
- 3800 411 **Isocarpa** R. Br. G. II. 365. (*Dunantia* DC.). — Sp. 5. Amer. centr., Ind. occ., Peruv., Columbia.
- 3801 412 **Rudbeckia** L. G. II. 365. — Sp. ad 25. Amer. bor.  
1. *Echinacea* Mönch (*Brauneria* Neck., *Helichroa* Raf.).  
2. *Obeliscaria* Cass. (*Lepachys* et *Ratibida* Raf.).  
3. *Rudbeckia* Auct., *Centrocarcha* Don, ? *Heliophthalmum* Raf.  
4. *Dracopis* Cass.
- 3802 413 **Chromolepis** Benth. G. II. 366. — Sp. 1. Mexic.
- 3803 414 **Balzamorhiza** Hook. G. II. 366. (*Espeletia* Nutt.). — Sp. 6 v. 10? Amer. bor.
- 3804 415 **Tetragonotheca** L. G. II. 367. — Sp. 3. Amer. bor.  
*Tetragonosperma* Scheele.
- 3805 416 **Wulffia** Neck. G. II. 367. (*Chylodia* et *Chakiatella* Cass., *Tilesia* G. F. W. Mey.). — Sp. 8. ad 2? reduc. Amer. trop.
- 3806 417 **Scalesia** Arn. G. II. 367. — Sp. 10. Ins. Galapagos.
- 3807 418 **Mirasolia** Sch. Bip. G. II. 367. — Sp. 2. Mexic., Amer. centr.
- 3808 419 **Iostephane** Benth. G. II. 368. — Sp. 2. Mexic.
- 3809 420 **Borrichia** Adans. G. II. 368. (*Diomedea* Cass., *Adelmannia* Rchb.). — Sp. enum. 5, verisim. ad 2 v. 3 reduc. Amer. bor., Ind. occ.  
*Trimetra* Moç., *Helicta* Cass.
- 3810 421 **Pascalina** Ort. G. II. 369. — Sp. 1. Amer. austr. extratrop.
- 3811 422 **Temnolepis** Bak. in *Journ. Linn. Soc.* XXII. 495 (1887). — Sp. 1. Madagasc.
- 3812 423 **Epallage** DC. G. II. 369. (*Helicta* Less.). — Sp. 2. Madagasc.
- 3813 424 **Blainvillea** Cass. G. II. 369. (*Ucacea* Cass.). — Sp. 8 v. 10? Utriusque orbis reg. trop.  
*Oligogyne* DC., *Eisenmannia* Sch. Bip., *Calypocarpus* Less., *Galophthalmum* Nees et Mart.
- 3814 425 **Wedelia** Jacq. G. II. 370. — Sp. ad 30. Utriusque orbis reg. calidior.  
Sect. 1. *Stemmodon* Griseb., *Wedelia* Cass.  
Sect. 2. *Cyatophora* DC., *Trichostemma*, *Trichostephus* et *Stemmodontia* Cass., *Menotriche* Steetz.  
Sect. 3. *Wollastonia* Benth., *Wollastonia* DC., ? *Niebuhrina* Neck.
- 3815 426 **Eleutheranthera** Poit. G. II. 371 et 1234. (*Ogiera* Cass., *Kegelia* Sch. Bip., *Fingalia* Schrank). — Sp. 1. Amer. trop.

- 3816 427 **Lorentzia** Griseb. G. II. 1234. — Sp. 1. Amer. austr. extratrop  
 3817 428 **Aspilia** Thou. G. II. 371. (*Coronocarpus* Schum. et Thonn.,  
*Dipterotheca* et *Wirtgenia* Sch. Bip.). — Sp. ad 70  
 Amer. et Afr. trop., Madagasc.  
*Anomostephium* DC., ?*Harpephora* Endl.
- 3818 429 **Lipochæta** DC. pr. p. G. II. 372. (*Microchæta* Nutt.). — Sp. 11.  
 Ins. Galapagos et Sandvic.  
*Schizophyllum* Nutt. (*Aphanopappus* Endl.), *Macræa* Hook.  
 (*Trigonopterum* Steetz).
- 3819 430 **Zexmenia** Llav. et Lex. G. II. 373. — Sp. ad 30. Amer. calidior.  
 Sect. 1. *Wedelioides* A. Gray.  
 Sect. 2. *Lipochæta* A. Gray, *Lipochæta* DC. pr. p.  
 Sect. 3. *Lasianthæa* A. Gray, *Lasianthæa* DC.
- 3820 431 **Oyedæa** DC. G. II. 374. — Sp. ad 25. Amer. calid.  
*Serpæa* Gardn.
- 3821 432 **Wyethia** Nutt. G. II. 374 et 1234. (*Alarçonía* DC., *Melarhiza*  
 Kell.). — Sp. 7. Amer. bor.
- 3822 433 **Tithonia** Desf. G. II. 374. — Sp. 4 v. 5. Mexic., Amer. centr.,  
 Cuba.
- 3823 434 **Viguiera** H. B. et K. G. II. 375. — Sp. fere 70. Amer. calid. a  
 Bonaria usque ad Mexicum.  
*Leighia* Cass., *Harpalium* DC. (*Helianthus* H. B. et K. pr.  
 p.), *Bahiopsis* Kell.
- 3824 435 **Helianthus** L. G. II. 376. — Sp. ad 50. Amer. bor., Peruvia,  
 Chili.  
*Harpalium* Cass., *Echinomeria* Nutt., *Discomela* Raf.,  
*Flourensia* DC. (*Diomedea* Bertol.), *Linsecomia* Buckl.
- 3825 436 ?**Dimerostemma** Cass. G. II. 376. — Sp. 1. Brasil.
- 3826 437 **Perymenium** Schrad. G. II. 377. — Sp. ad 10. Mexic., Peruvia.
- 3827 438 **Melanthera** Rohr. G. II. 377. — Sp. ad 8. Amer. et Afr. trop.  
*Lipotriche* R. Br. (*Trigonotheca* Sch. Bip., *Psathurochæta*  
 DC.), *Wuerschmittia* Sch. Bip.
- 3828 439 **Echinocephalum** Gardn. in Hook. *Lond. Journ.* VII. 297. —  
 Sp. 3. Brasil.  
*Melanthera* Benth. G. II. 377 pr. p.
- 3829 440 **Encelia** Adans. G. II. 378 et 1234. (*Pallasia* L'Hér.). — Sp. ad  
 20. Amer. a Chili ad Californ. et Texas.  
 Sect. 1. *Euenceliæ* Benth.  
 Sect. 2. *Geræa* Benth., *Geræa* Torr., *Armania* Bert.  
 Sect. 3. *Barattia* Benth., *Barattia* Gray et Engelm.  
 Sect. 4. *Simsia* Benth., *Simsia* Pers.
- 3830 441 **Helianthella** Torr. et Gray. G. II. 378. — Sp. 6. Amer. bor.
- 3831 442 **Actinomeris** Nutt. G. II. 379. (*Ridan* Adans., *Pterophyton* Cass.).  
 — Sp. ad 9. Amer. bor.

- 3832 443 *Verbesina* L. pr. p. G. II. 379. — Sp. ad 55. Amer. calidior., in orbe vetere inquil.
1. *Hamulium* Cass. (*Ancistrophora* A. Gray), *Abesina* Neck.
  2. *Platypteris* H. B. et K.
  3. *Phæthus* Gärtn., *Locheria* Neck.
  4. *Ximenesia* Cav.
  5. *Saubinetia* Remy.
  6. *Ditrichum* Cass. (*Dithricum* DC.).
  7. *Verbesina* Cass.
- 3833 444 *Otopappus* Benth. G. II. 380 et 1234. — Sp. 1. Amer. centr.
- 3834 445 *Podachænum* Benth. G. II. 380. (*Dicalymma* Lemaire, *Cosmophyllum* K. Koch). — Sp. 1. Amer. centr., Mexic.
- 3835 446 *Spilanthus* L. G. II. 381. (*Spilanthus*). — Sp. enum. ultra 40, sed vix 20 dist. Reg. calidior. utriusque orbis.
- Acmella* Rich., *Athronia* Neck., *Mendezia* DC.
- 3836 447 *Salmea* DC. G. II. 381. (*Hopkirkia* Spreng.). — Sp. ad 12. Mexic., Ind. occ.
- 3837 448 *Salmeopsis* Benth. G. II. 381 et 1234. — Sp. 1. Brasil.
- 3838 449 *Hymenostephium* Benth. G. II. 381 et 1234. — Sp. 2. N. Granada, Mexic.
- 3839 450 *Chænocephalus* Griseb. G. II. 382. — Sp. 1. Ind. occ.
- 3840 451 *Garcilassa* Pöpp. et Endl. G. II. 382. — Sp. 1. Peruvia.
- 3841 452 *Guizotia* Cass. G. II. 382. (*Ramtilla* DC., *Veslingia* Vis.). — Sp. 3. Afr. trop. (Ind. or. cult.).
- 3842 453 *Synedrella* Gärtn. G. II. 383. — Sp. 2. Amer., Afr. et Asia trop. ? *Ucacou* Adans.
- 3843 454 *Trichospira* H. B. et K. G. II. 383. — Sp. 4 v. 1 ? Amer. trop.
- 3844 455 *Heterospermum* Cav. G. II. 383. — Sp. 5. Amer. calidior.
- Microdonta* Nutt.
- 3845 456 *Glossocardia* Cass. G. II. 384. — Sp. 1. Ind. or.
- 3846 457 *Microlecane* Sch. Bip. G. II. 384. — Sp. 1. Abyss.
- 3847 458 *Pharetranthus* F. W. Klatt in *Flora* n. 10 (1885). — Sp. 1. Ins. Philippin.
- 3848 459 *Coreocarpus* Benth. G. II. 384. — Sp. 2. Californ.
- Acoma* Benth.
- 3849 460 *Coreopsis* L. G. II. 385 et 1235. — Sp. ad 55. Amer. bor. et austr., Afr. trop., Ins. Sandvic.
1. *Coreopsis* Adans.
  2. *Chrysostemma* Less.
  3. *Diodonta* et *Heterodonta* Nutt.
  4. *Acispermum* Neck.
  5. *Electra* DC., *Tuckermannia* Nutt.



6. *Leachia* Cass. (*Chrysomelea* Tausch, *Coreopsides* Mönch, *Anacis* Schrank).
  7. *Calliopsis* Richb. (*Diplosastera* Tausch).
  8. *Prestinaria* Sch. Bip.
  9. *Epilepis* Benth.
  10. *Campylotheca* et *Dolicotheca* Cass.  
? *Peramibus* Raf.
- 3850 461 *Pugiopappus* Gray. (*Coreopsis* Benth. G. II. 385 pr. p., *Agarista* DC.). — Sp. 3. Californ.
- 3851 462 *Leptosyne* DC. (*Coreopsis* Benth. G. II. 385 pr. p.). — Sp. 5. Californ.
- 3852 463 *Dahlia* Cav. G. II. 386. (*Georgina* Willd.). — Sp. 4 v. 5. Mexic., Amer. centr.
- 3853 464 *Hidalgoa* Llav. et Lex. G. II. 386. — Sp. 2. Mexic., Guyaquil.
- 3854 465 *Thelesperma* Less. G. II. 387. (*Cosmidium* Nutt.). — Sp. 4 v. 5. Mexic., Texas, Amer. austr. extratrop.
- 3855 466 *Cosmos* Cav. G. II. 387. (*Cosmea* Willd.). — Sp. ad 10. Amer. trop.
- 3856 467 *Bidens* L. G. II. 387. — Sp. descr. fere 100, ad 50 reduc. Reg. calid. et temp. utriusque orbis.  
*Pluridens* et *Edwarsia* Neck., *Kerneria* Mönch, *Ceratocephalus* Vaill., *Delucia* DC.
- 3857 468 *Narvalina* Cass. G. II. 388. (*Needhamia* Cass.). — Sp. 1. S. Doming.
- 3858 469 *Glossogyne* Cass. G. II. 388. (*Gynactis* Cass.). — Sp. 5. Asia trop., Austral.  
*Diodontium* F. Müll.
- 3859 470 *Isostigma* Less. G. II. 389. — Sp. 5. Brasil.
- 3860 471 *Chrysanthellum* Rich. G. II. 389. (*Collæa* Spreng., *Sebastiana* Bertol., *Chrysanthellina* Cass., *Hinterhubera* Sch. Bip., *Adenospermum* H. et A.). — Sp. 3. Utriusque orbis reg. trop.  
*Neuractis* Cass.
- 3861 472 *Galinsoga* R. et P. G. II. 390. (*Wiborgia* Roth). — Sp. 5. Amer. calidior.  
*Vargasia* DC.
- 3862 473 *Calea* L. pr. p. G. II. 390. — Sp. fere 70. Amer. calidior.
1. *Lemmatium* DC. (*Amphicalca* Gardn.).
  2. *Calea* Auct., *Caleacte* R. Br. (*Moçinna* Lag.), *Oteiza* Llav., *Tetrachyron* Schlcht.
  3. *Allocarpus* H. B. et K. (*Alloispermum* Willd.).
  4. *Calebrachys* Cass.
  5. *Calydermos* Lag.

6. *Meyeria* DC., *Stenophyllum* Sch. Bip.

7. *Leontophthalmum* Willd.

3863 474 *Balduina* Nutt. G. II. 391. — Sp. 2. Amer. bor.

3864 475 *Marshallia* Schreb. G. II. 392. (*Persoonia* Mchx, *Trattenikia* Pers., *Therolepta* Raf.). — Sp. 3. Amer. bor.

3865 476 *Blepharipappus* Hook. pr. p. G. II. 392. (*Ptilonella* Nutt.). — Sp. 1. Amer. bor.

3866 477 *Tridax* L. G. II. 392. (*Balbisia* Willd., *Bartolina* Adans.). — Sp. 7. Amer. trop. (sp. 1. in Ind. or. et Ins. Maurit. inquil.).

*Sogalgina* Cass. (*Galinsogea* H. B. et K., *Galinsoga* Cav. pr. p.), *Ptilostephium* H. B. et K. (*Carphostephium* Cass.), *Mandonia* Wedd.

3867 478 *Dubautia* Gaud. G. II. 393. — Sp. 3. Ins. Sandvic.

3868 479 *Wilkesia* A. Gray. G. II. 393. — Sp. 1. Ins. Sandvic.

3869 480 *Argyroxiphium* DC. G. II. 393. (*Argyrophyton* Hook.). — Sp. 2. Ins. Sandvic.

3870 481 *Madia* Molina. G. II. 393. (*Biotia* Cass.). — Sp. ad 8. Amer. bor. occ., Chili.

*Madariopsis*, *Madorella*, *Harpæcarpus*, *Anisocarpus* et *Amida* Nutt., *Madaria* DC.

3871 482 *Blepharizonia* Greene in *Bull. Calif. Acad.* 279 (1886). — Sp. 2. Californ.

3872 483 *Hemizonia* DC. G. II. 394. — Sp. ad 25. Amer. bor.

*Hartmannia* et *Galycadenia* DC., *Osmadenia* Nutt.

3873 484 *Hemizonella* A. Gray in *Proc. Amer. Acad.* IX. 189. — Sp. 3. Californ.

3874 485 *Lagophylla* Nutt. G. II. 395. — Sp. 3. Californ., Utah.

3875 486 *Holozonia* Greene in *Torrey Bot. Club.* 122 (1882). — Sp. 1. Amer. bor.

3876 487 *Layia* H. et A. G. II. 395. (*Madaroglossa* DC., *Eriopappus* Arn.). — Sp. ad 12. Amer. bor. imprim. occ.

*Callichroa* F. et M., *Calliglossa* H. et A. (*Oxyura* Lindl.), *Calliachyris* Torr. et Gray, *Oxyura* DC. (*Tollatia* Endl.).

3877 488 *Achyrachæna* Schau. G. II. 396. (*Lepidostephanus* Bartl.). — Sp. 1. Californ.

#### TRIBUS VI. *Helenioides*.

3878 489 *Cacosmia* H. B. et K. G. II. 396. (*Xantholepis* Willd., *Clairvillea* DC.). — Sp. 2 v. 3. Amer. austr.

3879 490 *Geissopappus* Benth. G. II. 396. (*Schomburgkia* DC., *Trinchi-nettia* Endl.). — Sp. 3. Guiana, Brasil., Venezuela.

- 3880 491 **Jaumea** Pers. G. II. 397 et 1235. (*Kleinia* Juss.). — Sp. 6.  
 Mexic., Californ., Bonaria, Afr. trop. or.  
 Coinogyne Less., Espejoa DC., Chæthymentia H. et A., Hypericophyllum Steetz.
- 3881 492 **Venegasia** DC. G. II. 397 et 1235. (*Parthenopsis* Kell.). — Sp. 1. Californ.
- 3882 493 **Olivæa** Sch. Bip. G. II. 397. — Sp. 1. Mexic.
- 3883 494 **Eutetras** A. Gray in *Proc. Amer. Acad.* XVI. 39 (1880). — Sp. 1. Mexic.
- 3884 495 **Laphamia** A. Gray. G. II. 398. — Sp. 12. Mexic., Texas.  
 Monothrix Torr.
- 3885 496 **Perityle** Benth. G. II. 398. — Sp. 8. Californ.
- 3886 497 **Oxypappus** Benth. G. II. 398. — Sp. 2. Mexic.
- 3887 498 **Burrielia** DC. pr. p. G. II. 398. — Sp. 2. Californ.
- 3888 499 **Eatonella** A. Gray in *Proc. Amer. Acad.* XIX. 19 (1883). — Sp. 2. Amer. bor.
- 3889 500 **Bæria** F. et M. G. II. 399. — Sp. 8. Californ.  
 Dichæta Nutt.
- 3890 501 **Actinolepis** DC. G. II. 399. (*Ptilomeris* Nutt., *Hymenoxis* Torr. et Gray). — Sp. 6. Californ.
- 3891 502 **Whitneya** A. Gray. G. II. 400. — Sp. 1. Californ.
- 3892 503 **Lasthenia** Cass. G. II. 400. (*Rancagua* Pöpp. et Endl.). — Sp. 3. Californ., Chili.  
 Hologymne Bartl. (Xantho Remy).
- 3893 504 **Monolopia** DC. G. II. 400. — Sp. 3. Californ.  
 Spiridanthus Fenzl.
- 3894 505 **Hecubæa** DC. G. II. 400. — Sp. 1. Mexic.
- 3895 506 **Baileya** A. Gray. G. II. 423. — Sp. 3. Californ., Texas, Mexic.
- 3896 507 **Riddellia** Nutt. G. II. 401. (*Psilostrophe* DC.). — Sp. 2 v. 3. Mexic., Californ., Texas.
- 3897 508 **Hulsea** Torr. et Gray. G. II. 401. — Sp. 6. Californ.
- 3898 509 **Chænactis** DC. G. II. 401 et 1235. — Sp. 13. Amer. bor. imprim. occ.  
 Acarphæa A. Gray (Acicarphæa Walp.), Macrocarphus Nutt.
- 3899 510 **Hymenopappus** L'Hér. G. II. 402. (*Rothia* Lam.). — Sp. 7. Amer. bor.
- 3900 511 **Syntrichopappus** Torr. G. II. 402. — Sp. 1. Californ.
- 3901 512 **Bahia** Lag. G. II. 402. (*Trichophyllum* Nutt., *Phialis* Spreng.). — Sp. ad 20. Amer. bor. occ. et austr. extratrop.  
 Stylesia Nutt., Eriophyllum Lag., Virletia Sch. Bip.
- 3902 513 **Schkuhria** Roth. G. II. 403. (*Tetracarpum* Mönch, *Mieria* Llav. et Lex.). — Sp. 8. Amer. austr. et centr., Mexic.

Achyropappus H. B. et K. (*Chamæstephanum* Willd.),  
Hopkirkia DC.

3903 514 *Hymenothrix* A. Gray. G. II. 403. — Sp. 2. Mexic., Texas.

3904 515 *Amauria* Benth. G. II. 404. — Sp. 1. Californ.

3905 516 *Closia* Remy. G. II. 404. — Sp. 1. Chili.

3906 517 *Blennosperma* Less. G. II. 404. (*Apalus* DC., *Unxia* Colla,  
*Coniothele* DC.). — Sp. 2. Chili, Californ.

3907 518 *Villanova* Lag. — Sp. enum 7, ad 3 v. 4 reduc. Mexic., Peru-  
via, Columbia.

*Vasquezia* Philippi, *Unxia* H. B. et K. (*Chlamysperma* Less.).

3908 519 *Florestina* Cass. G. II. 405. — Sp. 2. Mexic., Texas.

3909 520 *Palafoxia* Lag. G. II. 405. (*Paleolaria* Cass.). — Sp. 6. Mexic.,  
Florida, Texas.

*Polypteris* Nutt.

3910 521 *Rigiopappus* A. Gray. G. II. 406. — Sp. 1. Amer. bor. occ.

3911 522 *Pericome* A. Gray. G. II. 406. — Sp. 2. Mexic., Texas.

*Galinsogeopsis* Sch. Bip.

3912 523 *Galeana* Llav. et Lex. G. II. 406. — Sp. 1. Mexic.

3913 524 *Amblyopappus* H. et A. G. II. 406. (*Aromia* Nutt., *Infantea*  
Remy). — Sp. 1. Chili (Californ. indig.?)

3914 525 *Thymopsis* Benth. G. II. 407. — Sp. 1. Cuba.

3915 526 *Microspermum* Lag. G. II. 407. (*Miradoria* Sch. Bip.). — Sp.  
1 v. 2. Mexic.

3916 527 *Sartwellia* A. Gray. G. II. 407. — Sp. 1. Mexic., Texas.

3917 528 *Flaveria* Juss. G. II. 407. (*Vermifuga* R. et P.). — Sp. 8.  
Amer. calid. a Chili ad Floridam, Austral.

*Brotera* Spreng. (*Broteroa* DC., *Nauenburgia* Willd.).

3918 529 *Cadiscus* E. Mey. G. II. 408. — Sp. 1. Afr. austr.

3919 530 *Porophyllum* Vaill. G. II. 408. (*Kleinia* Jacq.). — Sp. 24,  
verisim. ad 15 reduc. Amer. calidior. a Bonaria usque  
ad Mexicum.

3920 531 *Lescaillea* Griseb. G. II. 408. — Sp. 1. Cuba.

3921 532 *Adenophyllum* Pers. G. II. 408. (*Willdenowa* Cav., *Schlech-  
tendahlia* Willd., *Bæbera* Less.). — Sp. 3. Mexic., Texas.

*Lebetina* Cass.

3922 533 *Nicolletia* A. Gray. G. II. 409 et 1235. — Sp. 2. Californ.,  
Mexic., Texas.

3923 534 *Dysodia* Cav. G. II. 409. (*Bæbera* Willd.). — Sp. ad 10.  
Mexic., Amer. centr.

*Clomenocoma* Cass., *Comaclinium* Scheidw. et Planch.,  
*Rosilla* Less. G. II. 397 et 1235.

3924 535 *Syncephalanthus* Bartl. G. II. 409. — Sp. 1. Mexic., Amer.  
austr.

- 3925 536 *Schizotrichia* Benth. G. II. 410. — Sp. 1. Peruvia.
- 3926 537 *Hymenatherum* Cass. G. II. 410. — Sp. 14. Californ., Mexic., Texas, Amer. austr.  
*Aciphyllæa* A. Gray, *Gnaphalopsis* DC.
- 3927 538 *Thymophyllum* Lag. G. II. 410. — Sp. 3. Mexic., Texas.  
*Lowellia* A. Gray.
- 3928 539 *Adenopappus* Benth. G. II. 411. — Sp. 1. Amer. centr.
- 3929 540 *Tagetes* L. G. II. 411. — Sp. ad 20. Amer. calidior., in orbe vetere inquil.  
*Solenotheca* Nutt., *Diglossus* et *Enalcida* Cass.
- 3930 541 *Chrysactinia* A. Gray. G. II. 412. — Sp. 1. Mexic. Texas.
- 3931 542 *Pectis* L. G. II. 412. — Sp. ad 42. Amer. trop., Mexic.  
 Sect. 1. *Pectidium* A. Gray, *Pectidium* Less.  
 Sect. 2. *Pectidopsis* A. Gray, *Pectidopsis* DC.  
 Sect. 3. *Heteropectis* A. Gray.  
 Sect. 4. *Eupectis* A. Gray, *Chthonia* Cass., *Theilodiscus* Triana.  
 Sect. 5. *Pectothrix* A. Gray, *Cryptopetalon* Cass.  
 Sect. 6. *Lorentea* A. Gray, *Lorentea* Lag.
- 3932 543 *Clappia* A. Gray. G. II. 413. — Sp. 2. Mexic., Texas.
- 3933 544 *Cephalophora* Cav. G. II. 413. — Sp. 5 v. 6. Amer. austr. extratrop.  
*Græmia* Hook., *Actinæa* Juss. (*Actinella* Pers.).
- 3934 545 *Helenium* L. G. II. 413. — Sp. ad 18. Amer. bor. et centr.  
*Tetrodus* Cass. (*Mesodetra* Raf.), *Leptopoda* Nutt., *Dugaldia* Cass. (*Oxylepis* Benth.), *Amblyolepis* DC., *Espeletiopsis* Sch. Bip.
- 3935 546 *Gaillardia* Foug. G. II. 414. (*Galardia* Lam., *Calonnea* Buchoz, *Virgilia* L'Hér.). — Sp. ad 8. Amer. bor. et austr. extratrop.  
*Agassizia* Gray et Engelm., *Guntheria* Spreng. (*Cercostylos* et *Polypteris* Less.).
- 3936 547 *Actinella* Nutt. G. II. 414. (*Picradenia* Hook.). — Sp. 10. Amer. bor.  
*Phileozero* Buckl.
- 3937 548 *Plummera* A. Gray. in *Proc. Amer. Acad.* XVII. 215 (1882). — Sp. 1. Arizona.
- 3938 549 *Hymenoxys* Cass. G. II. 415. — Sp. 5. Amer. austr. extratrop., Mexic., Texas.
- 3939 550 *Trichoptilium* A. Gray. G. II. 415. — Sp. 1. Californ.
- 3940 551 *Psathyrotes* A. Gray. G. II. 415. (*Bulbostylis* sect. *Psathyrotus* Nutt.). — Sp. 3. Californ., Mexic., Texas.

TRIBUS VII. **Anthemideæ.**

- 3941 552 **Eriocephalus** L. G. II. 416. — Sp. 17. Afr. austr.  
Cryptogyne et Monochlæna Cass.
- 3942 553 **Lasiospermum** Lag. G. II. 416. (*Lanipila* Burch., *Mataxa* Spreng.). — Sp. 4. Afr. austr.
- 3943 554 **Athanasia** L. G. II. 416. — Sp. 40. Afr. austr.  
1. Hymenolepis Cass. (Metagnathus Endl. pr. p.).  
2. Morysia Cass. (Saintmorysia Endl.).  
3. Holophyllum Less. (Pristocarpa E. Mey.).  
4. Bembycodium Kunze.  
5. Athanasia Cass.
- 3944 555 **Gonospermum** Less. G. II. 417. — Sp. 3 v. 4. Ins. Canar.  
Hymenolepis Sch. Bip.
- 3945 556 **Lonas** Adans. G. II. 417. — Sp. 1. Reg. Medit. austr.
- 3946 557 **Ædera** L. G. II. 418. — Sp. 4. Afr. austr.
- 3947 558 **Eumorphia** DC. G. II. 418. — Sp. 1. Afr. austr.
- 3948 559 **Mecomischus** Coss. pr. p. G. II. 418 et 1235. — Sp. 1. Algeria.
- 3949 560 **Anacyclus** L. G. II. 419. — Sp. ad 10. Eur. austr., Afr. bor., Oriens.  
Hiorthia Neck., Cyrtolepis Less., Leucocyclus et Arthrolepis Boiss.
- 3950 561 **Achillea** L. G. II. 419. — Sp. descr. ultra 100, sed plurimæ reduc. Eur., Asia, Amer. bor.  
Ptarmica Neck.
- 3951 562 **Santolina** L. G. II. 420. — Sp. ad 8. Reg. Medit.
- 3952 563 **Diotis** Desf. G. II. 420 (*Otanthus* Link). — Sp. 1. Secus Oceani Atlantici oras Eur. et Afr. et circa mare Medit.
- 3953 564 **Anthemis** L. G. II. 420. — Sp. descr. ultra 80, ad 70 reduc. Eur., Asia, Afr. bor.  
1. Anthemis Cass. — 2. Maruta Cass.  
3. Perideræa Webb. — 4. Ormenis Cass.  
5. Chamæmelum Cass. — 6. Marcelia Cass.  
7. Chamomilla Godron. — 8. Cota J. Gay.  
9. Lepidophorum Neck. — 10. Lyonnetia Cass.  
11. Rhetinolepis Cass.
- 3954 565 **Trichanthemis** Rgl. et Schmalh. *Descr. pl. nov.* VI. 43 (1878). — Sp. 1. Turkest.
- 3955 566 **Cladanthus** Cass. G. II. 421. — Sp. 1. Hispan. austr., Afr. bor.
- 3956 567 **Leucampyx** A. Gray. G. II. 422. — Sp. 1. N. Mexic., Colorado.
- 3957 568 ?**Echtrosis** Philippi. *Descr. pl. nuev.* 28 (1873). — Sp. 1. Chili.
- 3958 569 **Lepidostephium** Oliv. G. II. 422. — Sp. 1. Afr. austr.

- 3959 570 **Phymaspermum** Less. G. II. 422. (*Adenachæna* DC., *Oligoglossa* DC., *Jacosta* et *Iocaste* E. Mey.). — Sp. 3 v. 4. Afr. austr.
- 3960 571 **Lidbeckia** Berg. G. II. 423. (*Lancisia* Lam.). — Sp. 2. Afr. austr.
- 3961 572 **Thaminophyllum** Harv. G. II. 423. — Sp. 2. Afr. austr.
- 3962 573 **Cancrinia** Kar. et Kir. G. II. 424. — Sp. 1. Montes Alatau (Asia med.).
- 3963 574 **Allardia** Dcne. G. II. 424. — Sp. 5. Himal., Asia med.
- 3964 575 **Chrysanthemum** L. G. II. 424 et 1235. — Sp. descr. ultra 130, sed vix 90 dist. Orbis veteris reg. temp. et bor., Amer. bor., Afr. bor. et austr.
- Ser. A. *Pinardiae* Benth., *Chrysanthemum* Sch. Bip., *Glebionis* Cass., *Ismelia* Cass., *Pinardia* Cass. (*Centrospermum* Spreng., *Heteranthemis* et *Centrachæna* Schott), *Heteroniera* Pomel.
- Ser. B. *Coleostephi* Benth. G. II. 425, *Xanthophthalmum* Sch. Bip., *Colcostephus* Cass. (*Myconia* Neck.), *Otospermum* Willk., *Prolongoa* Boiss., *Hymenostemma* Kunze (*Kremeria* Durieu), *Ammanthus* Boiss.
- Ser. C. *Argyranthema* Benth. G. II. 426., *Argyranthemum* Webb (*Monoptera* Sch. Bip.), *Preauxia* Sch. Bip., *Brachanthemum* DC., *Ismelia* Sch. Bip., *Stigmatotheca* Sch. Bip.
- Ser. D. *Pyrethra* Benth. G. II. 426 et 1235, *Pyrethrum* Gärtn., *Eudopappus* Sch. Bip., *Leucanthemum* DC., *Phalacrocarpum* Willk., *Phalacrodiscus* Less., *Decaneurum* et *Tridactylina* Sch. Bip., *Richteria* Kar. et Kir., *Plagiis* L'Hér. (*Balsamita* Desf.).
- Ser. E. *Gymnoclinia* Benth. G. II. 427, *Gymnocline* Cass.
- 3965 576 **Matricaria** L. G. II. 427 et 1235. — Sp. ad 23. Eur., Asia bor., Amer. bor., Afr. bor. et austr.
1. *Matricaria* Cass.
  2. *Chamomilla* K. Koch (*Courbantia* Sch. Bip.).
  3. *Tripleurospermum* Sch. Bip. (*Rhytidospermum* Sch. Bip.).
  4. *Gastrostylum* Sch. Bip. (*Gastrosulum* Sch. Bip.).
  5. *Sphæroclinium* Sch. Bip.
  6. *Chamomilla* Sch. Bip., *Trallesia* Zumag. *Fl. Ped.* 361.
  7. *Chamæmelum* Vis.
  8. *Cotulina* Pomel.
  9. *Lepidanthus* Nutt. (*Lepidotheca* Nutt., *Akylopsis* Lehm.).
- 3966 577 **Nananthea** DC. G. II. 428. — Sp. 1. Corsica.
- 3967 578 **Otochlamys** DC. G. II. 428. — Sp. 1. Afr. austr.

- 3968 579 **Cotula** L. G. II. 428 et 1235. — Sp. ad 40. Orbis veteris reg. temp. et subtrop., Amer. austr. extratrop., Afr. austr., Austral.
1. *Cotula* Cass.
  2. *Chlamydophora* Ehrenb., *Otoglyphis* Pomel.
  3. *Strongylosperma* Less. (*Pleiogyne* K. Koch), *Gymnogyne* Steetz, *Ctenosperma* Hook.
  4. *Leptinella* Cass.
  5. *Machlis* DC.
  6. *Symphyomera* H. f. (*Leptinella* H. f.).
  7. *Cenocline* K. Koch.
  8. *Machlis* DC. — 9. *Brocchia* Vis.
- 3969 580 **Cenia** Juss. G. II. 429. (*Lancisia* Gärtn.). — Sp. ad 8. Afr. austr.
- 3970 581 **Centipeda** Lour. G. II. 430. (*Myriogyne* Less.). — Sp. 3. Ind. or., China, Polynesia, Austral., Amer. austr. extratrop.
- 3971 582 **Sphaeromorphæa** DC. *Prodr.* VI. 140. — Sp. 1. Ind. or., Siam.
- 3972 583 **Plagiocheilus** Arn. G. II. 430 (*Hippia* H. B. et K.). — Sp. 6. Amer. austr.
- Polygyne Philippi.
- 3973 584 **Soliva** R. et P. G. II. 430. (*Solivæa* Cass., *Gymnostyles* Juss.). — Sp. enum. 15, ad 5 v. 6 reduc. Amer. austr., Austral., Lusitania, Carolina.
- 3974 585 **Abrotanella** Cass. G. II. 431. — Sp. 10. Amer. antarct., N. Zel., Austral. mer., Ins. Mascar.
- Trineuron, *Ceratella* et *Scleroleima* H. f.
- 3975 586 **Ceratogyne** Turcz. G. II. 431. (*Diotosperma* A. Gray). — Sp. 1. Austral.
- 3976 587 **Elachanthus** F. Müll. G. II. 431. — Sp. 1. Austral. extratrop.
- 3977 588 **Dimorphocoma** F. Müll. et Tate. *Diagn. pl. S. Austral.* 14 (1883). — Sp. 1. Austral.
- 3978 589 **Isoetopsis** Turcz. G. II. 432. — Sp. 1. Austral. extratrop.
- 3979 590 **Peyrousea** DC. G. II. 432. (*Lapeyrousia* Thunb.). — Sp. 1. Afr. austr.
- 3980 591 **Schistostephium** Less. G. II. 432. — Sp. 6. Afr. calidior.
- 3981 592 **Marasmodes** DC. G. II. 432. — Sp. 3. Afr. austr.
- Adenosolen* et *Brachymeris* DC., *Oligodorella* Turcz.
- 3982 593 **Stilpnophytum** Less. pr. p. G. II. 433. — Sp. 2. Afr. austr.
- 3983 594 **Asæmia** Harv. G. II. 433. — Sp. 1. Afr. austr.
- 3984 595 **Gymnopentzia** Benth. G. II. 1235. — Sp. 1. Afr. austr.
- 3985 596 **Pentzia** Thunb. G. II. 433. — Sp. 11. Afr. austr.
- 3986 597 **Tanacetum** L. G. II. 434. — Sp. ad 30. Eur., Afr. bor., Asia centr. et bor., Amer. bor.



1. *Tanacetum* Neck.
2. *Psanacetum* Neck., *Hemipappus* K. Koch.
3. *Omalanthus* Less. (*Omalotes* DC., *Homalotes* Endl.).
4. *Sphæromeria* Nutt.

3987 598 *Hippia* L. G. II. 434. — Sp. 4. Afr. austr.

3988 599 *Grossostephium* Less. G. II. 434 et 1235. — Sp. 1. Insulæ Chinenses.

3989 600 *Artemisia* L. G. II. 435. — Sp. enum. ultra 200, forte ad 150 reduc. Eur., Asia bor. et centr., Amer. bor., Amer. austr. extratrop., Ins. Sandvic., Abyss.  
*Absinthium* Gärtn., *Oligosporus* Cass., *Picrothamnus* Nutt.

#### TRIBUS VIII. *Senecionideæ*.

3990 601 *Liabum* Adans. G. II. 435. — Sp. ad 40. Amer. trop. et subtrop.

Sect. 1. *Chrysactinium* H. B. et K., *Chrysactinium* Wedd.

Sect. 2. *Starkea* DC., *Starkea* Willd., *Starckia* Juss.

Sect. 3. *Andromachia* Benth., *Andromachia* H. et B.

Sect. 4. *Oligactis* Benth., *Oligactis* Cass.

Sect. 5. *Sinclairia* Benth., *Sinclairia* H. et A.

Sect. 6. *Munnozia* Benth., *Munnozia* R. et P., *Prionolepis* Pöpp. et Endl., *Alibum* Less.

Sect. 7. *Erato* Benth., *Erato* DC.

Sect. 8. *Kastnera* Benth., *Kastnera* Sch. Bip.

Sect. 9. *Paranephelium* Benth., *Paranephelium* Pöpp. et Endl.

3991 602 *Allendea* Llav. et Lex. G. II. 437. — Sp. 1. Mexic.

3992 603 *Schistocarpa* Less. G. II. 437. — Sp. 5. Mexic., Peruv., Columbia.

*Neilreichia* Fenzl.

3993 604 *Neurolæna* R. Br. G. II. 437. (*Calea* Gärtn.). — Sp. 2. Ind. occ., Mexic., Columbia.

3994 605 *Gongrothamnus* Steetz. G. II. 437. — Sp. 3. Afr. trop.

3995 606 ?*Pucephyllum* A. Gray. G. II. 438. — Sp. 1. Mexic.

3996 607 *Luina* Benth. G. II. 438. — Sp. 1. In montibus *Cascade* (Amer. bor.).

3997 608 *Tussilago* L. G. II. 438. — Sp. 1. Eur. et Asiæ reg. temp.

3998 609 *Petasites* Gärtn. G. II. 438. — Sp. ad 13. Eur., Asia et Amer. bor.

*Nardosmia* Cass.

3999 610 *Homogyne* Cass. G. II. 439. — Sp. 3. Eur. mont.

4000 611 *Cremanthodium* Benth. G. II. 439. — Sp. 7. Himal.

- 4001 612 **Alciope** DC. G. II. 439. (*Celmisia* Cass. pr. p.). — Sp. 2. Afr. austr.
- 4002 613 **Arnica** L. G. II. 440. — Sp. ad 10. Eur., Asia et Amer. bor.
- 4003 614 **Doronicum** L. G. II. 440. — Sp. ad 15. Eur. et Asia temp.  
Aronicum Neck. (Grammarthron Cass.), Fullartonia DC.
- 4004 615 **Crocidium** Hook. G. II. 440. — Sp. 1. Amer. bor.-occ.
- 4005 616 **Bartlettia** A. Gray. G. II. 441. — Sp. 1. Mexic., Texas.
- 4006 617 **Crockeria** Greene in *Syn. Fl. N. Amer.* VI. 445 (1884). — Sp. 1. Californ.
- 4007 618 **Haploesthes** A. Gray. G. II. 441. — Sp. 1. Mexic., Texas.
- 4008 619 **Lopholæna** DC. G. II. 442. — Sp. 2. Afr. austr.
- 4009 620 **Robinsonia** DC. G. II. 442. — Sp. 4. Ins. Juan Fernandez.
- 4010 621 **Rhetinodendron** Meisn. *Gen. Plant.* 216 (1839). (*Balbisia* DC., *Vendredia* H. Bn). — Sp. 1. Ins. Juan Fernandez.
- 4011 622 **Raillardia** Gaud. G. II. 442. — Sp. 9. Ins. Sandvic.
- 4012 623 **Raillardella** A. Gray. G. II. 442. — Sp. 2. Californ.
- 4013 624 **Eriothrix** Cass. G. II. 443. — Sp. 1. Ins. Borbon.
- 4014 625 **Melalema** H. f. G. II. 443. — Sp. 1. Terra Magellanica.
- 4015 626 **Faujasia** Cass. G. II. 443. — Sp. 3. Ins. Mascar.
- 4016 627 **Erechthites** Raf. G. II. 443. (*Neoceis* Cass.). — Sp. ad 12. Amer. trop. et subtrop. et bor. calid., Austral., N. Zel., in Asia trop. inquil.
- 4017 628 **Stilpnogyne** DC. G. II. 444. — Sp. 1. Afr. austr.
- 4018 629 **Brachyglottis** Forst. G. II. 444. — Sp. 1. N. Zel.
- 4019 630 **Calcitium** H. et B. G. II. 444. (*Lasiocephalus* Schlcht., ? *Oresigonia* Less.). — Sp. ad 14. Amer. austr. andina, Terra Magellanica.
- 4020 631 **Mesoneuris** A. Gray. G. II. 1235. — Sp. 1. Mexic.
- 4021 632 **Crassocephalum** Mönch. (*Gynura* Cass. G. II. 445.). — Sp. ad 20. Afr., Asia et Austral. trop. et subtrop.  
*Cremocephalum* DC.
- 4022 633 **Cineraria** L. pr. p. G. II. 445. (*Xenocarpus* Cass.). — Sp. ad 25. Afr. trop. et austr.
- 4023 634 **Emilia** Cass. G. II. 445. — Sp. enum. 15, ad 4 v. 5. reduc. Asia et Afr. trop., in Amer. calidior. inquil.
- 4024 635 **Notonia** DC. G. II. 446. — Sp. 9 v. 10? Ind. or., Zeylan., Afr. trop.
- 4025 636 **Senecio** L. G. II. 446 et 1236. — Sp. bene dist. ad 960. Orbis fere totus.  
1. *Senecio* Cass.  
2. *Cineraria* L. pr. p., *Tephroseris* Schur.  
3. *Jacobæa* Thunb., *Oræjæa* Cass., *Anecio* Neck., *Herbichia* Zawadski, *Farobæa* Schrank, *Eudorus*, *Aspelina* et *Sclerobasis* Cass.

4. *Acleia* DC.
5. *Hubertia* Bory, *Synarthron* Cass.
6. *Cissampelopsis* Miq.
7. *Bethencourtia* Choisy (*Cineraria* Nees).
8. *Pericallis* Webb.
9. *Mesogramma* DC.
10. *Madaractis* DC., *Doronicum* et *Madacarpus* Wight.
11. *Brachyrhynchos* Less.
12. *Lachanodes* DC., *Pladaroxylon* H. f.
13. *Traversia* H. f.
14. *Centropappus* H. f.
15. *Carderina* Cass.
16. *Delairia* Lemaire.
17. *Dorobæa* Cass., *Roldana* Llav. et Lex.
18. *Haplosticha* Philippi, *Adenotrichia* Lindl., *Danaa* Colla.
19. *Brachypappus* Sch. Bip., *Metazanthus* Meyen.
20. *Ligularia* Cass., *Hoppea* Rehb., *Erythrochæte* S. et Z.,  
*Farfugium* Lindl., *Senecillis* Gärtn.
21. *Cacalia* L. G. II. 449 et 1236, *Pericalia* Cass., *Pentanthus* H. et A., *Psacalium*, *Pentacalia* et *Ætheolæna* Cass., *Odontotrichum* Zucc., *Sciadioseris* Kunze, *Rugelia* Shuttl., *Syneilesis* Maxim.
22. *Pithosillum* Cass.
23. *Kleinia* Haw.
24. *Microchæte* Benth. (*Gynoxis* DC.), *Pteroseneio* Sch Bip.
25. *Cladopogon* Sch. Bip.  
? *Willkommia* Schultz.
- 4026 637 *Cacaliopsis* A. Gray in *Proc. Amer. Acad.* XIX. 50. — Sp. 1. Californ.
- 4027 638 *Gynoxis* Cass. G. II. 450. — Sp. 12. Amer. austr. andina  
*Scrobicaria* Cass.
- 4028 639 *Bedfordia* DC. G. II. 450. — Sp. 2. Austral.
- 4029 640 *Lopidosparton* A. Gray in *Syn. Fl. N. Amer.* VI. 2. 378 (1884).  
— Sp. 1. Amer. bor.
- 4030 641 *Tetradymia* DC. G. II. 450 et 1236. — Sp. 3 v. 4. Amer. bor.  
occ.  
*Lagothamnus* Nutt.
- 4031 642 *Othonnopsis* Jaub. et Spach. G. II. 451. — Sp. 8. Afr. austr. et  
bor., Persia, Scindia.  
*Hertia* Less.
- 4032 643 *Werneria* H. B. et K. G. II. 451. — Sp. ad 20. Amer. austr.  
andina, Ind. or., Abyss.

- 4033 644 **Oligothrix** DC. G. II. 452. — Sp. 1. Afr. austr.  
 4034 645 **Euryops** Cass. G. II. 452. — Sp. ad 28. Afr. austr., Abyss.,  
 Arabia.  
*Enantiotrichum* E. Mey.  
 4035 646 **Gamolepis** Less. G. II. 452. — Sp. 12. Afr. austr.  
*Psilothonna* E. Mey., *Psilothamnus* DC. (*Jacquemontia*  
*Belang.*).  
 4036 647 **Gymnodiscus** Less. G. II. 452. — Sp. 2. Afr. austr.  
 4037 648 **Othonna** L. G. II. 453. (*Aristotela* Adans.). — Sp. ad 80. Afr.  
 austr. (Afr. trop. centr. sp. 1).  
*Doria* Less. (*Ceradia* Lindl.).  
 4038 649 ?**Eremothamnus** O. Hoffm. in Engl. *Bot. Jahrb.* IX. 3. (1887).  
 — Sp. 1. Afr. trop.  
 4039 650 ?**Engleria** O. Hoffm. in Engl. *Bot. Jahrb.* IX. 3. (1887). — Sp. 1.  
 Afr. trop.

TRIBUS IX. **Calendulaceæ.**

- 4040 651 **Ruckeria** DC. G. II. 453. — Sp. 2 v. 3. Afr. austr.  
 4041 652 **Dimorphotheca** Mönch. G. II. 453. — Sp. 20. Afr. austr.  
*Meteorina* Cass. (*Gattenhoffia* Neck.), *Acanthotheca* DC.,  
*Lestibodea* Neck., *Castalis*, *Arnoldia* et *Blaxium* Cass.  
 4042 653 **Calendula** L. G. II. 454. (*Caltha* Mönch). — Sp. enum. ultra  
 20, ad 10 reduc. Eur., Afr. bor., Asia occ.  
 4043 654 **Dipterocome** F. et M. G. II. 454. (*Jaubertia* Spach). — Sp. 1.  
 Persia, Syria, Armenia.  
 4044 655 **Oligocarpus** Less. G. II. 455. — Sp. 3 v. 4. Afr. austr.,  
 S. Helena.  
*Xenismia* DC.  
 4045 656 **Tripteris** Less. G. II. 455. — Sp. 30. Afr. trop. et austr.,  
 Arabia, in Austral. inquil.  
 4046 657 **Osteospermum** L. G. II. 455. — Sp. 38. Afr. austr.  
*Lepisiphon* Turcz., *Eriocline* Cass., *Xerothamnus* DC.,  
*Gibbaria* Cass.  
 4047 658 **Eriachænium** Sch. Bip. G. II. 456. — Sp. 1. Terra Magellanica

TRIBUS X. **Arctotideæ.**

- 4048 659 **Ursinia** Gärtn. G. II. 456. — Sp. 54. Afr. austr., Abyss.  
*Sphenogyne* R. Br. (*Oligæron* Cass.), *Spermophylla* Neck.,  
*Thelythamnus* Spreng., *Chronobasis* DC.  
 4049 660 **Landtia** Less. G. II. 457. (*Schnittspahnia* Sch. Bip.). — Sp. 4.  
 Afr. austr., Abyss.  
*Ubiæa* J. Gay.  
 4050 661 **Haplocarpha** Less. G. II. 457. — Sp. 4. Afr. austr. et trop.  
*Damatrix* Cass.

- 4051 662 *Cymbonotus* Cass. G. II. 457. — Sp. 1. Austral. extratrop.  
 4052 663 *Arctotheca* Wendl. G. II. 458. — Sp. 1. Afr. austr.  
 4053 664 *Cryptostemma* R. Br. G. II. 458. (*Cynotis* Hoffm.). — Sp. 3.  
     Afr. austr. (sp. 1 in Lusit. et Austral. inquil.).  
     *Microstephium* Less., *Alloiozonium* Kunze.  
 4054 665 *Arctotis* L. G. II. 458. — Sp. 30. Afr. austr., Abyss.  
     *Odontoptera* et *Steganotus* Cass.  
 4055 666 *Venidium* Less. G. II. 459. (*Cleitria* Schrad.). — Sp. 18. Afr.  
     austr.  
     *Antrospermum* Sch. Bip.  
 4056 667 *Gorteria* L. pr. p. G. II. 459. (*Personaria* Lam.). — Sp. 4.  
     Afr. austr.  
     *Ictinus* Cass.  
 4057 668 *Gazania* Gärtn. G. II. 459. (*Mussinia* Willd., *Mæhnia* Neck.,  
     *Melanchrysum* Cass.). — Sp. ad 24. Afr. austr. (Afr.  
     trop. occ. sp. 1).  
 4058 669 *Hirpicium* Cass. G. II. 460. — Sp. 2. Afr. austr.  
 4059 670 *Cullumia* R. Br. G. II. 460. — Sp. 14. Afr. austr.  
 4060 671 *Berkheya* Ehrh. G. II. 460. (*Gorteria* Lam., *Agriphyllum* Juss.,  
     *Crocodiloides* Adans., *Zarabellia* Neck., *Rohria* Vahl,  
     *Basteria* Houtt.). — Sp. ad 70. Afr. austr. (sp. 1 in Afr.  
     trop.).  
     *Stobæa* Thunb., (*Apuleia* Gärtn., *Arelina* Neck.), *Cuspidia*  
     (*Aspidalis*) Gärtn., *Evopis* Cass., *Heterorachis* Sch. Bip.  
 4061 672 *Stephanocoma* Less. pr. p. G. II. 461. — Sp. 1. Afr. austr.  
 4062 673 *Didelta* L'Hér. G. II. 461. (*Choristea* Thunb., *Favonium*  
     Gärtn.). — Sp. 3. Afr. austr.  
 4063 674 *Gundelia* L. G. II. 461. (*Gundelsheimera* Cass.). — Sp. 1. Asia  
     occ.  
 4064 675 *Platycarpha* Less. G. II. 462. — Sp. 2. Afr. austr. et trop.  
     centr.

TRIBUS XI. **Cynaroideæ.**

- 4065 676 *Echinops* L. G. II. 462. (*Echinanthus* Neck.). — Sp. 75, plures  
     tamen reduc. Eur. austr., Afr., Asia temp. et subtrop.  
 4066 677 *Acantholepis* Less. G. II. 463. — Sp. 2 v. 1? Oriens.  
 4067 678 *Cardopatum* Juss. G. II. 463. (*Brotera* Willd.). — Sp. 2 v. 1?  
     Afr. bor.-occ., Oriens.  
 4068 679 *Xexanthemum* L. pr. p. G. II. 463. (*Harrisonia* Neck.). — Sp.  
     4 v. 5. Reg. Medit., Oriens.  
 4069 680 *Chardinia* Desf. G. II. 464. — Sp. 1. Oriens.  
 4070 681 *Siebera* J. Gay. G. II. 464. — Sp. 1. Oriens.  
 4071 682 *Amphoricarpus* Vis. G. II. 465. — Sp. 1. Dalmatia.

- 4072 683 **Carlina** L. G. II. 465. — Sp. ad 14. Eur., Afr. bor., Asia med. et occ.  
Mitina Adans., Carlowitzia Mönch (Athamus Neck.).
- 4073 684 **Atractylis** L. G. II. 465. (*Cirsellium* Gärtn.). — Sp. ad 5. Reg. Medit., Oriens, Ins. Canar., China, Japon.  
Atractylis et Acarna Willd., Spadactis, Anactis et Chamæleon Cass., Atractylodes DC.
- 4074 685 **Thevenotia** DC. G. II. 466. — Sp. 2. Persia.
- 4075 686 **Arctium** L. G. II. 466. (*Lappa* Juss.). — Sp. 6 v. 7. Eur., Asia temp., alibi inquil.
- 4076 687 **Cousinia** Cass. G. II. 467. — Sp. ad 140. Asia med. et occ.  
Auchera DC.
- 4077 688 **Carduus** L. G. II. 467. — Sp. descr. ultra 60, verisim. ad 30 reduc. Eur., Asia, Afr. et Ins. Canar.  
Alfredia Cass., Clavena DC.
- 4078 689 **Cnicus** L. G. II. 468 et 1236. (*Cirsium* DC.). — Sp. descr. ad 210, sed verisim. vix 160 dist. Eur., Asia, Afr., Amer. bor., centr. et austr. extratrop., alibi inquil.
1. *Cirsium* Cass.
  2. *Picnomon* Adans., *Breea* Less., *Ornitrophis* Cass.
  3. *Eriolepis* et *Lophiolepis* Cass., *Epitrachys* K. Koch.
  4. *Lamyra*, *Platyraphium* et *Ptilostemon* Cass., *Chamæpeuce* DC.
  5. *Xylanthema* et *Cephalanoplos* Neck.
  6. *Orthocentron* Cass. — 7. *Ancathia* DC.
  8. *Notobasis* Cass. — 9. *Spanioptilon*. Less.
  10. *Echenais* Cass. — 11. *Erythrolæna* Don.
- 4079 690 **Onopordon** L. G. II. 469. — Sp. ad 15. Eur., Afr. bor., Asia occ.
- 4080 691 **Cynara** L. G. II. 469. — Sp. ad 6. Reg. Medit. Ins. Canar., in Amer. austr. inquil.  
*Bourgæa* Cass.
- 4081 692 **Silybum** Gärtn. G. II. 470. — Sp. 1. Eur. austr., Afr. bor., Asia occ., Himal.
- 4082 693 **Galactites** Mönch. G. II. 470. (*Lupsia* Neck.). — Sp. 3. Reg. Medit.
- 4083 694 **Tyrimnus** Cass. G. II. 470. — Sp. 1. Reg. Medit.
- 4084 695 **Stæhelina** L. G. II. 471. — Sp. 6. Reg. Medit.  
*Hirtellina* et *Barbellina* Cass.
- 4085 696 **Kœchlea** Endl. G. II. 471. — Sp. 1. Mons Taurus.
- 4086 697 **Saussurea** DC. G. II. 471 et 1236. (*Heterotrichum* M. B., *Bennetia* S. F. Gray). — Sp. ad 70. Eur., Asia, Amer. bor.

1. *Saussurea* Cass.
  2. *Lagurostemon* Cass.
  3. *Theodorea* Cass.
  4. *Cyathidium* Lindl.
  5. *Aplotaxis* DC. (*Haplotaxis* Walp., *Eriostemon* Less., *Frolovia* Ledeb.), *Aucklandia* Falc.
- 4087 698 *Hemistepta* Bge. G. II. 1236. (*Hemisteptia* Bge. G. II. 472 et 1236.). — Sp. 1. Ind. prov. or., China, Japon.
- 4088 699 *Goniocaulon* Cass. G. II. 472. — Sp. 1. Ind. or.  
*Amberboa* DC. pr. p.
- 4089 700 *Jurinea* Cass. G. II. 473. — Sp. ad 40. Eur. austr., Asia med. et occ.
- Sect. 1. *Corymbosæ* Benth.  
 Sect. 2. *Stenocephalæ* Benth., *Stechmannia* DC., *Polytaxis* Bge.  
 Sect. 3. *Platycephalæ* Benth., *Derderia* et *Outreya* Jaub. et Spach, *Ægopordon* Boiss.  
 Sect. 4. *Subacaules* Benth., *Jurinella* Jaub. et Spach, *Dolomiæa* DC.
- 4090 701 *Berardia* Vill. G. II. 474. (*Arctio* et *Arctium* Lam., *Villaria* Guett.). — Sp. 1. Eur., Afr. occ.
- 4091 702 *Warionia* Coss. G. II. 474. — Sp. 1. Sahara.
- 4092 703 *Myopordon* Boiss. G. II. 474. — Sp. 2. Persia.
- 4093 704 *Serratula* L. pr. p. G. II. 475. — Sp. ad 35. Eur., Afr. bor., Asia, temp., mont. et occ.  
*Mastrucium* Cass. (*Pereuphora* Hoffm.), *Serratula*, *Klasea* et *Stemmacantha* Cass.
- 4094 705 *Tricholepis* DC. G. II. 475. — Sp. 10 v. 12. Ind. or., Afghan. *Stictophyllum* Edgew.
- 4095 706 *Crupina* Cass. G. II. 475. — Sp. descr. 5, verisim. ad 2 v. 1. reduc. Reg. Medit.
- 4096 707 *Plagiobasis* Schrenk. G. II. 1236. — Sp. 2. Asia occ.
- 4097 708 *Volutarella* Cass. G. II. 476 et 1237. (*Amberboa* Isnard). — Sp. 4 v. 5. Reg. Medit., Asia occ., Ind. or.  
*Amberboa* DC., pr. p., *Lacellia* Viv., *Cyanopsis* et *Cyanastrum* Cass., *Oligochæta* K. Koch, *Stephanochilus* Coss. et Durieu.
- 4098 709 *Zoegea* L. G. II. 477. — Sp. 4. Reg. Medit., Oriens.
- 4099 710 *Leuzea* DC. G. II. 477 et 1237. (*Rhacoma* Adans.). — Sp. 2 v. 3. Reg. Medit.
- 4100 711 *Centaurea* L. G. II. 477. — Sp. descr. ultra 400. sed vix 350 dist. Eur., Asia. Afr. bor., Amer. bor. et austr. extra-trop., Austral., alibi inquil.

## Series A. G. II. 478.

1. *Centaurium* DC., *Centaurium* Cass., *Bielzia* Schur, *Chryseis* Cass., *Amberboa* DC. pr. p.
2. *Acroptilon* Benth., *Acroptilon* Cass.
3. *Hyalea* DC.
4. *Phalolepis* DC., *Phalolepis* Cass., *Antaurea* Neck., *Callicephalus* C. A. Mey.
5. *Chartolepis* DC., *Chartolepis* Cass., *Cheirolepis* Boiss.
6. *Fornicium* Benth., *Fornicium* Cass., *Malacocephalus* Tausch, *Halocharis* M. B.
7. *Rhaponticum* Benth., *Hookia* Neck., *Rhaponticum* Lam., *Cestrinus* Cass.

## Series B. G. II. 479.

8. *Jacea* Benth., *Jacea* et *Platylophus* Cass., *Phrygia* S. F. Gray, *Pterolophus*, *Psephellus* et *Heterolophus* Cass., *Xanthopsis* K. Koch.
9. *Cyanus* Benth., *Cyanus* Mönch, *Lopholoma* et *Odon-  
tolophus* Cass., *Plectocephalus* Don.
10. *Lepteranthus* Benth., *Lepteranthus* Neck., *Stenolophus* et *Melanoloma* Cass.

## Series C. G. II. 480.

11. *Ætheopappus* Benth., *Ætheopappus* et *Stizolophus* Cass., *Amblyopogon* F. et M.
12. *Acrolophus* Benth., *Acrolophus* et *Spilacron* Cass., *Hymenoccephalus* Jaub. et Spach, *Phæopappus* Boiss., *Tornanthea* DC.
13. *Acrocentron* Benth., *Acrocentron* Cass., ? *Menomphalus* Pomel.
14. *Calcitrapa* Benth., *Calcitrapa* Juss., *Hippophæstum* et *Leucantha* S. F. Gray, *Triplocentron*, *Mesocentron* et *Verutina* Cass.
15. *Seridioides* Benth.
16. *Seridia* Benth., *Seridia* Juss., *Podia* Neck., *Polyacantha* S. F. Gray, *Hymenocentron*, *Cheirolophus*, *Pectinastrum* et *Philostizus* Cass., *Ptosimopappus* Boiss., *Chartolepis* Jaub. et Spach (*Cheirolepis* Boiss.).

## Series D. G. II. 481.

17. *Microlophus* Benth., *Microlophus* et *Piptoceras* Cass.
18. *Microlonchus* Benth., *Microlonchus* (*Mantisalea*) Cass.
19. *Crocodylium* Benth., *Crocodylium* Cass.
20. *Ægialophila* Benth., *Ægialophila* Boiss.
21. *Tetramorphæa* Benth., *Tetramorphæa* DC.
22. *Leucocentra* Benth.



23. *Hyalæa* DC., ?*Hyalæ* Jaub. et Spach.

4101 712 *Carbenia* Adans. G. II. 482. (*Cnicus* Gärtn.). — Sp. 1. Eur. austr., Afr. bor.-occ.

4102 713 *Carthamus* L. G. II. 483. — Sp. ad 20. Reg. Medit., Eur. et Asia med., Ins. Canar.

*Kentrophyllum* Neck. (*Heracantha* Link, *Hohenwartha* West), *Durandoa* Pomel, *Onobroma* DC.

4103 714 *Carduncellus* Adans. G. II. 483. (*Onobroma* Gärtn.). — Sp. ad 14. Reg. Medit., Ins. Canar., Cebeunæ.  
*Lamottea* Pomel.

#### TRIBUS XII. **Mutisiaceæ.**

4104 715 ?*Pseudoseris* H. Bn in *Bull. Soc. Linn. Paris*. 281 (1880). — Sp. 2. Madagasc.

4105 716 *Schlechtendahlia* Less. G. II. 484 et 1237. — Sp. 1. Argentina, Uruguay.

4106 717 *Barnadesia* Mutis. G. II. 484. (*Xenophonta* Vell.). — Sp. ad 10. Amer. austr.

*Rhodactinia* Gardn., *Bacazia* R. et P., *Diacantha* Less., *Fulcaldea* Poir. (*Turpinia* H. et B., *Voigtia* Spreng., *Dolichostylis* Cass.).

4107 718 *Icma* Philippi. G. II. 1237. — Sp. 1. Chili (Prov. Mendoza).

4108 719 *Chionopappus* Benth. G. II. 485. — Sp. 1. Peruvia bor.

4109 720 *Mutisia* L. f. G. II. 485. — Sp. ad 40. Amer. austr.

*Guariruma* et *Aplophyllum* Cass.

4110 721 *Hyalis* D. Don. G. II. 486. — Sp. 4. Amer. austr. extratrop., Bolivia.

*Aphyllocladon* Wedd., *Jobaphes* Philippi.

4111 722 *Plazia* R. et P. G. II. 486. (*Aglaodendron* Reiny). — Sp. 3. Amer. austr. andina.

4112 723 *Gypothamnium* Philippi. G. II. 486. — Sp. 1. Chili.

4113 724 *Onoseris* DC. G. II. 486. — Sp. ad 12. Amer. austr. extratrop. et andina, Brasil.

Sect. 1. *Euonoseris* Wedd.

Sect. 2. *Isotypus* Benth., *Isotypus* H. B. et K., *Seris* Willd., *Rhodoseris* Turcz., *Caloseris* Benth., *Schætzellia* Kl.

Sect. 3. *Hipposeris* Benth., *Hipposeris* Cass., *Centroclinium* et *Chætachlæna* Don, *Cursonia* Nutt.

4114 725 *Urmenetia* Philippi. G. II. 487. — Sp. 1. Chili.

4115 726 *Pleiotaxis* Steetz. G. II. 487. — Sp. 1. Afr. trop. or.

4116 727 *Erythrocephalum* Benth. G. II. 488. — Sp. 4. Afr. trop.

4117 728 *Phyllactinia* Benth. G. II. 488. — Sp. 1. Afr. trop.

- 4118 729 *Chuquiragua* Juss. G. II. 488. (*Johannia* Willd., *Joannesia* Pers., *Joannea* Spreng.). — Sp. ad 40. Amer. austr. andina et extratrop., Brasil.  
Flotovia Spreng., Piptocarpha H. et A., Dasyphyllum H. B. et K.
- 4119 730 *Doniophyton* Wedd. G. II. 489. — Sp. 1. Amer. austr. extratrop.
- 4120 731 *Hesperomannia* A. Gray. G. II. 489. — Sp. 2. Ins. Sandvic.
- 4121 732 *Wunderlichia* Riedel. G. II. 489. — Sp. 2. Brasil.
- 4122 733 *Leucomeris* Don. G. II. 490. — Sp. 2. Brasil.
- 4123 734 *Gochnatia* H. B. et K. G. II. 490. (*Pentaphorus* Don). — Sp. ad 10. Amer. austr.
- 4124 735 *Moquinia* DC. G. II. 490 et 1237. (*Spadonia* Less.). — Sp. 10 v. 12. Mexic., Brasil.
- 4125 736 *Cyclolepis* Gill. G. II. 491 (sphalmate *Cyclopis* Guill.). — Sp. 1. Amer. austr.
- 4126 737 *Seris* Less. pr. p. G. II. 491. — Sp. 3. Brasil.
- 4127 738 *Stiffia* Mikan. G. II. 491. (*Augusta* et *Sanhilaria* Leandro, *Aristomenia* Vell.). — Sp. 5. Brasil., Guiana.  
*Gongylolepis* Schomb.
- 4128 739 *Anastraphia* Don. G. II. 491. — Sp. 3. Cuba.
- 4129 740 *Dicoma* Cass. G. II. 492. (*Schæffnera* Sch. Bip., *Xeropappus* Wall.). — Sp. 13. Afr. trop. et austr., Ind. or.  
*Macledium* et *Nitelium* Cass., *Cryptostephane* Sch. Bip.
- 4130 741 *Hecastocleis* A. Gray in *Proc. Amer. Acad.* XVII. 220 (1882). — Sp. 1. Amer. bor.
- 4131 742 *Hochstetteria* DC. G. II. 492. — Sp. 1. Afr. trop., Arabia, Scindia.
- 4132 743 ? *Anisochaeta* DC. G. II. 493. — Sp. 1. Afr. austr.
- 4133 744 *Ainsliaea* DC. G. II. 493. — Sp. ad 12. Ind. or., China, Japon.  
*Diaspananthus* Miq.
- 4134 745 *Pertya* Sch. Bip. G. II. 493. — Sp. 2. Japon.
- 4135 746 *Macroclinidium* Maxim. G. II. 493. — Sp. 1. Japon.
- 4136 747 *Myripnois* Bge. G. II. 494. — Sp. 1. China bor.
- 4137 748 *Catamixis* Thoms. G. II. 494. — Sp. 1. Himal.
- 4138 749 *Oldenburgia* Less. G. II. 494. — Sp. 3. Afr. austr.  
*Scytala* E. Mey.
- 4139 750 *Pachylæna* Don. G. II. 495. (*Chionopectera* DC.). — Sp. 1. Chili.
- 4140 751 *Lycoseris* Cass. G. II. 495. (*Diazeuxis* Don). — Sp. ad 10. Amer. austr.
- 4141 752 *Cnicothamnus* Griseb. G. II. 1237. — Sp. 1. Amer. austr. (Tucuman).
- 4142 753 *Brachyclados* Don. G. II. 495. — Sp. 1. Amer. austr. extratrop.

- 4143 754 *Chætanthera* R. et P. G. II. 496. — Sp. ad 26. Amer. austr.  
 1. *Chætanthera* Cass., *Proselia* et *Euthrixia* Don.  
 2. *Cherina* Cass.  
 3. *Elachia* DC.  
 4. *Minythodes* Philippi.  
 5. *Tylloma* Don, *Carmelita* C. Gay.  
 6. *Egania* Remy, *Chondrochilus* Philippi.  
 7. *Oriastrum* Pöpp. et Endl. (*Aldunatea* Remy).
- 4144 755 *Dinoseris* Griseb. *Symb. Argentin.* 213 (1879). — Sp. 1. Argentina.
- 4145 756 *Trichocline* Cass. G. II. 496. — Sp. ad 20. Amer. austr., Brasil. austr., Austral.  
*Bichenia* Don, *Ingenhusia* (*Ingenhouzia*) Vell., *Amblysperma* Benth.
- 4146 757 *Gerbera* Gronov. G. II. 497. — Sp. ad 20. Afr. austr. et trop., Asia calid. et temp.  
 1. *Gerbera* Less.  
 2. *Oreoseris* DC. (*Chaptalia* Royle).  
 3. *Perdicum* L., *Idicium* Neck., *Pardisium* Burm.  
 4. *Anandria* Siegesb. (*Leibnitzia* Cass.), *Atasites* Neck.  
 5. *Berniera* DC.  
 6. *Lasiopus* Cass.  
 7. *Aphyllocaulon* Lag.  
 8. *Cleistanthium* Kunze.
- 4147 758 *Chaptalia* Vent. G. II. 498. — Sp. 15 v. 18. Amer. austr. et bor. calid.  
*Leria* DC., *Oxydon* Less., *Thyrsanthema* Neck., *Lieberkuhnia* et *Loxodon* Cass.
- 4148 759 *Macrachænum* H. f. G. II. 498. — Sp. 1. Terra Magellanica.
- 4149 760 *Leuceria* Lag. G. II. 499. (*Leucheria*). — Sp. ad 25. Amer. austr.  
*Eizaguirrea* Remy, *Bertolonia* DC., *Ptilurus* Don (*Lasiorrhiza* Lag., *Chabræa* DC., *Cassiopea* Don).
- 4150 761 *Oxyphyllum* Philippi. G. II. 499. — Sp. 1. Chili.
- 4151 762 *Polyachyrus* Lag. G. II. 499. (*Bridgesia* Hook., *Diaphoranthus* Meyen). — Sp. ad 7. Chili, Peruv.
- 4152 763 *Hyaloseris* Griseb. *Symb. Argentin.* 212 (1879). — Sp. 2. Argentina.
- 4153 764 *Proustia* Lag. G. II. 500. — Sp. 6 v. 7. Amer. austr. extra-trop. et andina, Mexic.
- 4154 765 *Perezia* Lag. G. II. 500. (*Clarionea* Lag.). — Sp. ad 16. Amer. austr., Mexic., Californ.  
*Clarionea* et *Drozia* Cass., *Homoianthus* DC. (*Homanthis* H. B. et K.), *Acourtia* Don, *Dumerilia* Less., ? *Pogonura* DC.

- 4155 766 *Leunisia* Philippi. G. II. 501. — Sp. 1. Chili (Coquimbo).  
 4156 767 *Trixis* P. Browne. G. II. 501. (*Perdicium* L. pr. p., *Castra* Vell.). — Sp. ad 30. Amer. austr., Ind. occ., Mexic.  
 1. *Trixis* Cass., *Tenorea Colla*, *Prionanthes* Schrank.  
 2. *Dolichlasium* Lag.  
 3. *Bowmania* Gardn.  
 4. *Cleanthes* Don (*Holocheilus* et *Platycheilus* Cass.).  
 4157 768 *Clybatis* Philippi. G. II. 1237. — Sp. 1. Araucania.  
 4158 769 *Yungia* L. f. G. II. 501. (*Trinacte* Gärtn., *Rhinactia* Willd., *Martrasia* et *Dumerilia* Lag.). — Sp. ad 12. Amer. austr.  
*Pleocarphus* Don.  
 4159 770 *Nassauvia* Juss. G. II. 502. (*Nassovia* Batsch). — Sp. ad 25. Amer. austr. extratrop.  
 1. *Nassauvia* Cass.  
 2. *Strongyloma* DC. (*Acanthophyllum* H. et A.).  
 3. *Mastigophorus* et *Triachne* Cass., *Trianthus* H. f.  
 4. *Calopappus* Meyen.  
 5. *Pentanthus* Less. (*Panargyrum* Don).  
 6. *Panargyrus* Lag.  
 7. *Caloptilium* Lag. (*Sphærocephalus* Lag., *Portalesia* Meyen).  
 4160 771 *Triptilion* R. et P. G. II. 503. — Sp. ad 6. Chili.  
 4161 772 *Moscharia* R. et P. G. II. 503. (*Mosigia* Spreng., *Gastrocarpha* Don). — Sp. 1. Chili.  
 4162 773 *Pamphalea* Lag. G. II. 503. — Sp. 5. Uruguay.  
 4163 774 *Cephalopappus* Nees et Mart. G. II. 504. — Sp. 1. Brasil.

TRIBUS XIII. *Cichoriaceæ*.

- 4164 775 *Scolymus* L. G. II. 504. — Sp. 3. Reg. Medit.  
*Myscolus* Cass.  
 4165 776 *Dendroseris* Don. G. II. 504. (*Rea* Dcne). — Sp. 1. Ins. Juan Fernandez.  
 4166 777 *Fitchia* H. f. G. II. 505. — Sp. 1. Ins. Tabuai et Otaheite (Oc. Pacif.).  
 4167 778 *Catananche* L. G. II. 505. — Sp. 4. Reg. Medit.  
*Piptocephalum* Sch. Bip.  
 4168 779 *Hymenonema* Cass. G. II. 505. — Sp. 1. Reg. Medit. or.  
 4169 780 *Hænseleria* Boiss. G. II. 505. — Sp. 1. Hispania.  
 4170 781 *Cichorium* L. G. II. 506. — Sp. 3. Orbis veteris hemisph. bor., alibi inquil.  
*Acanthophyton* Less.  
 4171 782 ?*Nothocalais* Greene in *Bull. Calif. Acad.* II. 54 (1886). — Sp. 2. Amer. bor. et centr.

- 4172 783 **Microseris** Don. G. II. 506. (*Bellardia* Colla, *Lepidonema* F. et M., *Calais* DC., *Uropappus* Nutt.). — Sp. 18. Amer., Austral., N. Zel.  
Ptilophora A. Gray, Fichtea Sch. Bip., Phyllopappus F. Müll.
- 4173 784 **Krigia** Schreb. G. II. 507. — Sp. 4 v. 5. Amer. bor.  
Cynthia Don (Luthera Sch. Bip.), Adopogon Neck.  
? Troximon Gärt. G. II. 744.
- 4174 785 **Phalacroseris** A. Gray. G. II. 507. — Sp. 2. Californ.
- 4175 786 **Atrichoseris** A. Gray. *Syn. Fl. N. Amer.* VI. 2. 410. — Sp. 1. Amer. bor.-occ.
- 4176 787 **Arnoseris** Gärt. G. II. 507. — Sp. 1. Eur. imprim. occ.
- 4177 788 **Hyoseris** L. pr. p. G. II. 507. — Sp. 4. Reg. Medit., Eur. med.  
Thlipsocarpus Kunze, Aposeris et Achyrastrum Neck.
- 4178 789 **Tolpis** Adans. G. II. 507. (*Drepania* Juss., *Chatelania* Neck.). — Sp. descr. 18. Reg. Medit., Ins. Canar.  
Schmidtia Mönch (*Æthonia* Don, *Polychætia* Tausch), Calodonta Nutt.
- 4179 790 **Hispidella** Barnad, G. II. 508. (*Soldevilla* Lag.). — Sp. 1. Hispania.
- 4180 791 **Lapsana** L. pr. p. G. II. 509. (*Lampsana* Juss.). — Sp. descr. 9, forte ad 3 v. 4 reduc. Orbis veteris hemisph. bor., alibi inquil.
- 4181 792 **Apogon** Ell. G. II. 509. — Sp. 1. Amer. bor.
- 4182 793 **Kœlpinia** Pall. G. II. 509. — Sp. 1. Asia med. et occ., Afr. bor., Eur. austro-or.
- 4183 794 **Rhagadiolus** Juss. G. II. 510. (*Hedypnois* Schreb.). — Sp. ad 5. Reg. Medit., Asia med. et occ.  
Garhadiolus Jaub. et Spach.
- 4184 795 **Heteracia** F. et M. G. II. 510. — Sp. 2. Persia, Afghan.
- 4185 796 **Acanthocephalus** Kar. et Kir. G. II. 510. (*Harpocarpus* Endl., *Harpachæna* Bge). — Sp. 2. Mont. Altai, Afghan.
- 4186 797 **Zacintha** Gärt. G. II. 511. — Sp. 1. Reg. Medit.
- 4187 798 **Rodigia** Spreng. G. II. 511. — Sp. 1. Reg. Medit. or.  
Sclerolepis Monn. (Pachylepis Less.).
- 4188 799 **Phalacroderis** DC. G. II. 511. — Sp. 1. Archip. Græc. (Ins. Coi).
- 4189 800 **Picris** L. G. II. 511 et 1238. — Sp. ad 25. Orbis fere totus, sed in pluribus locis inquil.
1. Picris Less.
  2. Microderis DC.
  3. Medicusia Mönch.
  4. Spitzelia Sch. Bip.
  5. Hagioseris Boiss.

6. *Deckera* Sch. Bip. pr. p. (*Ptilosia* Tausch).
  7. *Viræa* Vahl (*Deckera* Sch. Bip., *Helminthia* DC. pr. p.).
  8. *Helminthia* Juss., *Vigineixia* Pomel.
- 4190 801 **Crepis** L. G. II. 513 et 1238. — Sp. ad 150. Utriusque orbis hemisph. bor., alibi inquil.
- A. *Barkhausia* Mönch (*Barkhusenia* Hoppe). G. II. 513.
1. *Paleya* Cass.
  2. *Anthochytrum* Rchb. (*Billotia* Sch. Bip.).
  3. *Lagoseris* Link.
  4. *Psammoseris* Boiss.
  5. *Anisoderis* Cass. (*Hostia* Mönch, *Borkhausia* Link).
  6. *Nemauchenes* Cass.
  7. *Ceramiocephalum* Sch. Bip.
  8. *Heteroderis* Boiss.
- B. *Crepis* Mönch. G. II. 514.
9. *Gatyona* Cass.
  10. *Crepidium* Tausch (*Endoptera* DC.).
  11. *Eucrepis* Benth., *Psilochenia* et *Crepidium* Nutt.
  12. *Brachyderea* Cass. (*Berinia* Brignoli).
  13. *Youngia* Cass., *Catonia* Mönch (*Lepicaune* Lapeyr.).
  14. *Omalocline* Cass., *Derouetia* Boiss., *Calliopea* Don, *Ætheorhiza* Cass.
  15. *Soyeria* Monn. (*Hapalostephium* Don), *Closirospermum* Neck., *Aracium* Monn.
  16. *Intybellia* Monn., *Geracium* Rchb., *Intybus* Fries.
  17. *Anisoramphus* DC.
- 4191 802 **Phæcasium** Cass. G. II. 515. (*Sclerophyllum* Gaud., *Idianthes* Desv., *Cymboseris* Boiss.). — Sp. 2 v. 3. Eur., Asia occ.
- 4192 803 **Pterotheca** Cass. G. II. 516. — Sp. 4 v. 5. Reg. Medit., Asia med. et occ.
- Trichocrepis* Vis. (*Crepinia* Rchb.), *Lagoseris* M. B. (*Intybellia* Cass., *Myoseris* Link).
- 4193 804 **Hieracium** L. G. II. 516. — Sp. inordin. multiplic. et forte vix 200 dist. Eur., Afr. bor. et austr., Asia, Amer. bor. et austr. andina.
- Sect. 1. *Pilosella* Fries, *Pilosella* Sch. Bip.
- Sect. 2. *Archieracium* Fries, *Schlagintweitia* Griseb.
- Sect. 3. *Stenotheca* Fries, *Chlorocrepis* Griseb., *Stenotheca* Monn., *Mandonia* Sch. Bip., *Crepidosperrum* Fries (*Heteropleura* Sch. Bip.).
- ?*Apatanthus* Viv.
- 4194 805 **Andryala** L. G. II. 517. (*Forneum* Adans.). — Sp. ad 12, forte ad 6 reduc. Reg. Medit., Eur. occ. usque ad Galliam med., Ins. Canar.

- 4195 806 **Malacothrix** DC. G. II. 518 et 1238. — Sp. 11. Californ.  
Malacomeris, Leptoseriis et Leucoseris Nutt.
- 4196 807 **Anisocoma** Torr. et Gray. G. II. 518. — Sp. 1. Amer. bor.  
(Nevada).  
Pterostephanus Kell.
- 4197 808 **Hypochaeris** L. G. II. 519. — Sp. ad 30. Utriusque orbis reg.  
temp. et mont., alibi inquil.  
Sect. 1. *Achyrophorus* Benth., *Achyrophorus* Adans.  
Sect. 2. *Oreophila* Benth., *Oreophila* Don.  
Sect. 3. *Amblachænum* Benth., *Amblachænum* Turcz.  
Sect. 4. *Arachnites* Benth.  
Sect. 5. *Euchypochaeris* Benth., *Hypochaeris* Less., *Achyrophorus* Tausch.  
Sect. 6. *Porcellites* Benth., *Porcellites* Cass. pr. p., *Achyrophorus* Gärtn., *Cynoseris* Endl.  
Sect. 7. *Serioloides* Benth., *Porcellites* Less.  
Sect. 8. *Seriola* Benth., *Seriola* L., *Agenora* Don, *Fabera* Sch. Bip., *Piptogon* Cass.  
Sect. 9. *Metabasis* Benth., *Metabasis* DC., *Seriola* Don.  
Sect. 10. *Robertia* Benth., *Robertia* DC.
- 4198 809 **Leontodon** L. G. II. 520. (*Apargia* Scop.). — Sp. ad 40. Eur.,  
Asia med. et occ., Afr. bor. (sp. 2 v. 3 nunc in variis  
reg. inquil.).  
Sect. 1. *Oporinia* Benth., *Oporinia* Don.  
Sect. 2. *Apargia* J. Ball, *Plancia* Neck., *Antodon* Neck.  
Sect. 3. *Thrincia* Benth., *Thrincia* et *Colobium* Roth.  
Sect. 4. *Asterothrix* Benth., *Asterothrix* DC.  
Sect. 5. *Streckera* Benth., *Streckera* Sch. Bip.  
Sect. 6. *Deloderium* Benth., *Deloderium* Cass.  
Sect. 7. *Kalbfussia* Benth., *Kalbfussia* Sch. Bip., *Hemilepis* Kunze.  
Sect. 8. *Millina* Benth., *Millina* Cass.  
Sect. 9. *Millinoides* Benth., *Thrincia* DC. pr. p.
- 4199 810 **Troximon** Nutt. G. II. 522. (*Agoseris* Raf.). — Sp. ad 16. Amer.  
bor. occ. et austr. extratrop.  
*Ammogeton* Schrad., *Macrorhynchus* Less. (*Trochoseris*  
err. typ. *Trichoseris*, Endl.), *Kymapleura*, *Stylopappus*  
et *Cryptopleura* Nutt.
- 4200 811 **Apargidium** Torr. et Gray. *Fl. N. Amer.* G. II. 474 (1841). —  
Sp. 1. Amer. bor.-occ.
- 4201 812 **Taraxacum** Hall. G. II. 522. (*Leontodon* Adans.). — Sp. descr.  
fere 40. sed ad 10 reduc. Utriusque orbis hemisph. bor.,  
in hemisph. austr. rar. v. inquil.  
*Lasiopus* Don, *Caramanica* Tineo.

- 4202 813 *Pyrrhopappus* DC. pr. p. G. II. 523. — Sp. 4 v. 1? Amer. bor.
- 4203 814 *Calycoseris* A. Gray. G. II. 523. — Sp. 2. Mexic., Texas.
- 4204 815 *Glyptopleura* Eaton. G. II. 523. — Sp. 1. Amer. bor. (Utah).
- 4205 816 *Chondrilla* L. pr. p. G. II. 524. — Sp. ad 22. Eur., Asia occ. Willemetia Neck. (Wibelia Rochel, Calycocorsus Schmidt, Peltidium Zollik., Zollikoferia Nees).
- 4206 817 *Lactuca* L. G. II. 524 et 1238. — Sp. inord. multipl., sed vix 65 dist. Eur., Asia., Afr. et Amer. bor., in aliis reg. inquil.
- Sect. 1. *Brachyrhamphus* Benth., *Brachyramphus* DC.
- Sect. 2. *Phoenixopus* Benth., *Phænixopus* Cass., *Phænopus* DC., *Phoenixopus* Endl.
- Sect. 3. *Scariola* Benth., *Cyanoseris* Schur, *Pyrrhopappus* A. Rich.
- Sect. 4. *Cicerbita* Benth., *Cicerbita* Wallr. pr. p., *Mulgedium* Cass., *Galathenium* Nutt., *Agathyrsus* Don, *Melanoseris* Dcne, *Lactucopsis* Sch. Bip., *Cephalorhynchus* Boiss., *Dubyæa* DC., *Steptorhamphus* Bge.
- Sect. 5. *Ixeris* Benth., *Cicerbita* Wallr. pr. p., *Mycelis* et *Ixeris* Cass.
- Sect. 6. *Chorisma* Benth., *Chorisma* Don.
- 4207 818 *Heterachæna* Fresen. G. II. 526. — Sp. 1. Abyss., Arabia.
- 4208 819 *Prenanthes* L. pr. p. G. II. 527. — Sp. ad 20. Eur. med., Ins. Canar., Amer. bor., Ind. or., Japon.
- Nabalus* Cass. (*Harpalyce* Don, *Esopon* Raf.).
- 4209 820 *Picridium* Desf. G. II. 527. (*Reichardia* Roth). — Sp. 10, forte ad 5 v. 6 reduc. Eur. austr., Afr. bor., Asia occ.
- 4210 821 *Dianthoseris* Sch. Bip. G. II. 527. — Sp. 1. Abyss.
- 4211 822 *Sonchus* L. G. II. 528 et 1138. — Sp. ad 30. Eur., Asia, Afr., Austral. (sp. 2 v. 3. in toto fere orbe inquil.).
- Atalanthus* et *Trachodes* Don, *Sonchidium* Pomel.
- 4212 823 *Microhynchus* Less. G. II. 528. (*Ammoseris* Endl.). — Sp. ad 20. Reg. Medit., Ind. or., Afr. austr., Ins. Canar.
- Lomatolepis*, *Launæa* et *Rhabdotheca* Cass., *Zollikoferia* DC.
- 4213 824 *Pinaropappus* Less. G. II. 529. — Sp. 1. Mexic., Texas.
- 4214 825 *Lygodesmia* Don. G. II. 530. — Sp. 5 v. 6. Amer. bor. occ. et austr.
- Erythremia* Nutt.
- 4215 826 *Chætadelpha* A. Gray. G. II. 1238. — Sp. 1. Amer. bor. (Nevada).
- 4216 827 *Picrosia* Don. G. II. 530. (*Psilopogon* Philippi). — Sp. 1. Amer. austr.



- 4217 828 **Tragopogon** L. G. II. 530. — Sp. descr. ad 50, sed plurimæ reduc. Eur., Afr. bor., Asia temp. et subtrop.  
Geropogon L.
- 4218 829 **Urospermum** Scop. G. II. 531. (*Arnopogon* Willd.). — Sp. 2.  
Reg. Medit., in Afr. austr. indig.?
- 4219 830 **Scorzonera** L. G. II. 531. — Sp. descr. ad 130, verisim. infra 100 reduc. Eur., Afr. bor., Asia med. et occ.  
*Fleischeria* Hochst. et Steud., *Achyroseris* Sch. Bip., *Gelasia* Cass. (*Galasia* Less.), *Lasiospora* Cass. (*Lasiospermum* Fisch.), *Podospermum* DC.
- 4220 831 **Epilasia** Bge. G. II. 532. — Sp. 5. Asia med. et occ.
- 4221 832 **Tourneuxia** Coss. G. II. 532. — Sp. 1. Algeria
- 4222 833 **Scorzonella** Nutt. G. II. 533. — Sp. 2 v. 3. Californ.
- 4223 834 **Stephanomeria** Nutt. G. II. 533. (*Jamesia* Nees). — Sp. ad 4.  
Amer. bor.-occ.
- 4224 835 **Rafinesquia** Nutt. in *Trans. Amer. Phil. Soc.* ser. 2. VII. 429.  
— Sp. 2. Californ., N. Mexic.  
*Stephanomeria* Benth. G. II. 533 pr. p.

ORDO XCVII. **CANDOLLEACEÆ** <sup>(1)</sup>

- 4225 1 **Candollea** Labill. (*Stylidium* Sw. G. II. 534. *Ventenatia* Sm.).  
— Sp. 87. Austral. (Asia trop. sp. 3).  
Sect. 1. *Polypangium* Endl., *Forsteropsis* Sond.  
Sect. 2. *Nitrangium* Endl.  
Sect. 3. *Rhynchangium* Benth.
- 4226 2 **Oreostylidium** Berggren in *Meddel Fysiogr. Sälhok.* m. Nov. 1877. — Sp. 1. N. Zel.
- 4227 3 **Levenkookia** R. Br. G. II. 535. (*Leeuwenhœkia* DC.). — Sp. 7.  
Austral.  
*Colecostylis* Sond.
- 4228 4 **Forstera** L. f. G. II. 535. — Sp. 2 v. 4. Tasmania, N. Zel.
- 4229 5 **Phyllachne** Forst. G. II. 535. (*Helophyllum* H. f.). — Sp. 4.  
N. Zel., Terra Magellanica.

ORDO XCVIII. **GOODENIACEÆ** <sup>(2)</sup>

- 4230 1 **Leschenaultia** R. Br. G. II. 537. (*Lechenaultia* R. Br.). — Sp. 18. Austral.

(1) Sp. ad 105, fere omnes Australienses, paucæ in Asia trop., N. Zel. v. Amer. antarct. crescentes.

(2) Sp. ad 210, in Austral., N. Zel., Amer. antarct., Ins. Pacif. et Asia trop. crescentes, sed fere omnes Australienses

- Sect. 1. *Euleschenaultia* B. et H., *Leschenaultia* De Vriese.  
 Sect. 2. *Latouria* Endl., *Latouria* De Vriese.
- 4231 2 *Anthotium* R. Br. G. II. 537. — Sp. 2. Austral. austro-occ.  
 4232 3 *Velleia* Sm. G. II. 538. — Sp. 14. Austral.  
*Euthales* R. Br.
- 4233 4 *Goodenia* Sm. G. II. 538. — Sp. 76. Austral.  
 Sect. 1. *Monochila* B. et H., *Stekhovia* De Vriese  
 Sect. 2. *Eugoodenia* B. et H., *Tetraphylax* et *Aillya* De Vriese, *Picrophyta* F. Müll.  
 Sect. 3. *Amphichila* De Vriese.
- 4234 5 *Calogyne* R. Br. G. II. 539. (*Distylis* Gaud.). — Sp. 5. Austral., China austr.
- 4235 6 *Selliera* Cav. G. II. 539. — Sp. 2. Austral., N. Zel., Amer. austr.
- 4236 7 *Catosperma* Benth. G. II. 539. — Sp. 1. Austral. trop.
- 4237 8 *Scævola* L. G. II. 539. — Sp. ad 60. Austral., Asia et Afr. trop., Ind. occ., Florida, Ins. Pacif.  
 Sect. 1. *Sarcocarpæa* G. Don, *Temminckia* et *Camphusia* De Vriese pr. p., *Cerbera* Lour., *Rœmeria* Dennst.  
 Sect. 2. *Enantiophyllum* B. et H.  
 Sect. 3. *Crossotoma* G. Don, *Pogonetes* Lindl., *Crossotoma* et *Temminckia* De Vriese pr. p.  
 Sect. 4. *Poyonanthera* G. Don, *Molkenboeria* et *Merkusia* De Vriese pr. p.  
 Sect. 5. *Xerocarpæa* G. Don, *Merkusia* De Vriese pr. p.
- 4238 9 *Diaspasis* R. Br. G. II. 540. — Sp. 1. Austral. austro-occ.
- 4239 10 *Verreauxia* Benth. G. II. 540. — Sp. 2. Austral. austro-occ.
- 4240 11 *Dampiera* R. Br. G. II. 540. — Sp. 38. Austral.  
*Linschotinia* De Vriese.
- 4241 12 *Brunonia* Sm. G. II. 541. — Sp. 1. Austral.

ORDO XCIX. LOBELIACEÆ <sup>(1)</sup>

## TRIBUS I. Lobeliæ.

- 4242 1 *Brighamia* A. Gray. G. II. 545. — Sp. 1. Ins. Sandvic.
- 4243 2 *Rollandia* Gaud. G. II. 546. — Sp. 7. Ins. Sandvic.
- 4244 3 *Cyanea* Gaud. G. II. 546. (*Kittelina* Rchb.). — Sp. 3. Ins. Sandvic.  
*Macrochilus* Presl.
- 4245 4 *Delissea* Gaud. G. II. 546. — Sp. enum. 30. Ins. Sandvic.

(1) Sp. ad 540, per reg. temp., subtrop. et trop. totius fere orbis crescentes.

- 4246 5 *Apetahia* H. Bn in *Bull. Soc. Linn. Paris*. 310 (1881). — Sp. 1. Ins. Racaiea.
- 4247 6 *Clermontia* Gaud. G. II. 546. — Sp. 3 v. 4. Ins. Sandvic.
- 4248 7 *Burmeistera* Karst. G. II. 547. — Sp. ad 12. Columbia, Peruv., Amer. centr.
- 4249 8 *Centropogon* Presl. G. II. 547. — Sp. ad 90. Amer. calid. et trop.
- 4250 9 *Siphocampylus* Pohl. G. II. 547. (*Lobelia* Presl). — Sp. verisim. ultra 100. Amer. centr. et trop. andina, Antill.  
*Cremochilus* Turcz., *Byrsanthes* Presl (*Canonanthus* G. Don).
- 4251 10 *Sclerotheca* A. DC. G. II. 548. — Sp. 1. Ins. Societatis.
- 4252 11 *Isotoma* Lindl. G. II. 548. — Sp. ad 9. Ind. occ., Austral., Ins. Societatis.  
*Hippobroma* G. Don.
- 4253 12 *Laurentia* Neck. G. II. 549. (*Solenopsis* Presl). — Sp. ad 10. Reg. Medit., Afr. austr., Amer. bor.-occ.  
*Enchysia* Presl pr. p., *Porterella* Torr.
- 4254 13 *Palmerella* A. Gray. G. II. 1238. — Sp. 1. Californ.
- 4255 14 *Rhizocephalum* Wedd. G. II. 549. — Sp. 3 v. 4. Amer. andina.
- 4256 15 *Lysipoma* H. B. et K. G. II. 549. — Sp. 8 v. 10. Amer. andina.
- 4257 16 *Howellia* A. Gray in *Proc. Amer. Acad.* XV. 43. — Sp. 1. Oregon.
- 4258 17 *Hypsela* Presl. G. II. 550. (*Pratia* Wedd.). — Sp. 5. Amer. austr. andina.
- 4259 18 *Downingia* Torr. G. II. 550. (*Clintonia* Dougl.). — Sp. 3 v. 5. Californ., Chili.
- 4260 19 *Pratia* Gaud. G. II. 550. (*Piddingtonia* A. DC.). — Sp. ad 15. Asia trop., Austral., N. Zel., Amer. austr.  
*Speirema* H. f. et T.
- 4261 20 *Colensoa* H. f. G. II. 551. — Sp. 1. N. Zel.
- 4262 21 *Lobelia* L. G. II. 551. (*Rapuntium* Gärtn.). — Sp. ultra 200. Utriusque orbis reg. temp. et calid. (Eur. med. et or. et Asia occ. except.).  
Sect. 1. *Trimeris* B. et H., *Trimeris* Presl.  
Sect. 2. *Tupa* B. et H., *Tupa* G. Don.  
Sect. 3. *Tylomium* B. et H., *Tylomium* Presl.  
Sect. 4. *Rhynchoptalum* B. et H., *Rhynchoptalum* Fresen.  
Sect. 5. *Homochilus* DC.  
Sect. 6. *Eulobelia* B. et H., ? *Diastatea* Scheidw. in *Allg. Gartenz.* 396 (1841).

Sect. 7. *Hemipogon* B. et H., *Holostigma* G. Don.

Sect. 8. *Holopogon* B. et H., *Monopsis* Salisb., *Dobrowskia*,  
*Mezleria* et *Grammatotheca* Presl, *Parastranthus* G. Don,  
*Isolobus* A. DC.

? *Dortmanna*, *Stooria*, *Ymnostema* et *Juchia* Neck.

4263 22 *Haynaldia* Kanitz in *Magyar növ. Lapok*. I. 3 (1877). — Sp. 3.  
Brasil.

4264 23 *Heterotoma* Zucc. G. II. 553 et 1238. (*Myopsis* Presl). — Sp.  
5. Mexic.

4265 24 *Dialypetalum* Benth. G. II. 553 et 1238. — Sp. 1. Madagasc.

#### TRIBUS II. *Cyphieæ*.

4266 25 *Cyphocarpus* Miers. G. II. 554. — Sp. 1. Chili.

4267 26 *Parishella* A. Gray in *Bot. Gazette*. VII. 84 (1882). — Sp. 1.  
Californ.

4268 27 *Nemacladus* Nutt. G. II. 554. — Sp. 1. Californ., N. Mexic.

4269 28 *Cyphia* Berg. G. II. 554. — Sp. ad 20. Abyss., Afr. austr.

#### ORDO C. **CAMPANULACEÆ** <sup>(1)</sup>

4270 1 *Jasione* L. G. II. 554. (*Ovilla* Adans.). — Sp. descr. ad 12,  
plures tamen reduc. Eur. temp., Reg. Medit.

4271 2 *Cephalostigma* A. DC. G. II. 555. — Sp. ad 7. Afr. trop., Ind.  
or., Brasil.

4272 3 *Lightfootia* L'Hér. G. II. 555. — Sp. ad 40. Afr. imprim.  
austr.

4273 4 *Wahlenbergia* Schrad. G. II. 555. (*Schultesia* Roth). — Sp.  
ad 80. Totus fere orbis, in Afr. austr. copiosæ.  
*Edraianthus* A. DC., *Cervicina* Delile, *Streleskia* H. f.

4274 5 *Microcodon* A. DC. G. II. 556. — Sp. 4. Afr. austr.

4275 6 *Platycodon* A. DC. G. II. 556. — Sp. 1. China, Mandshuria,  
Japon.

4276 7 *Heterochaenia* A. DC. G. II. 556. — Sp. 1. Ins. Mascar.

4277 8 *Leptocodon* H. f. et T. G. II. 557. — Sp. 1. Himal.

4278 9 *Codonopsis* Wall. G. II. 557. (*Glossocomia* Don). — Sp. 12.  
Himal., Mandshuria, Yun-Nan, Japon.

4279 10 *Cyananthus* Wall. G. II. 557. — Sp. 7. Himal., China mont.

4280 11 *Campanumæa* Bl. G. II. 557. — Sp. 5 v. 6. Malaisia, Himal.,  
Asia or.  
*Cyclocodon* Griff.

(1) Sp. ad 550, per totum fere orbem terrarum dispersæ.

- 4281 12 *Canarina* L. G. II. 558. (sphalmate *Canaria* L., *Pernettya* Scop.). — Ins. Canar.
- 4282 13 *Peracarpa* H. f. et T. G. II. 558. — Sp. 1. Himal.
- 4283 14 *Pentaphragma* Wall. G. II. 558. — Sp. 3. Archip. Malay.
- 4284 15 *Roella* L. G. II. 558. — Sp. 11. Afr. austr.
- 4285 16 *Prismatocarpus* L'Hér. pr. p. G. II. 559. — Sp. 16 v. 17. Afr. austr.
- 4286 17 *Githopsis* Nutt. G. II. 559. — Sp. 1. Californ., Oregon.
- 4287 18 *Treichelia* Vatke. G. II. 559. (*Leptocodon* Sond.). — Sp. 1. Afr. austr.
- 4288 19 *Rhigiophyllum* Hochst. G. II. 559. — Sp. 1. Afr. austr.
- 4289 20 *Merciera* A. DC. G. II. 560. — Sp. 3 v. 4. Afr. austr.
- 4290 21 *Siphocodon* Turcz. G. II. 560. — Sp. 1. Afr. austr.
- 4291 22 *Sphenoclea* Gärtn. G. II. 560 et 1238. (*Pongatium* Juss., *Gærtnera* Retz., *Rapinia* Lour.). — Sp. 1. Utriusque orbis reg. calidior.
- 4292 23 *Musschia* Dmrt. G. II. 560. — Sp. 2. Ins. Madera.
- 4293 24 *Michauxia* L'Hér. G. II. 561 et 1239. (*Mindium* Juss.). — Sp. 4. Oriens.
- 4294 25 *Phyteuma* L. G. II. 561 et 1239. (*Rapunculus* Adans.). — Sp. descr. ad 50, sed plures reduc. Eur., Reg. Medit., Asia temp.  
 Sect. 1. *Synotoma* G. Don, *Physoplexis* Schur.  
 Sect. 2. *Hedraianthum* G. Don.  
 Sect. 3. *Podanthus* G. Don, *Podanthum* Boiss., *Tracanthellium* Schur, *Petromarula* A. DC.
- 4295 26 *Cylindrocarpa* Rgl in *Act. Hort. Petrop.* V. 258 (1877). — Sp. 1. Turkest.
- 4296 27 *Campanula* L. G. II. 561. — Sp. ad 250. Hemisph. bor. utriusque orbis.  
 Sect. 1. *Medium* A. DC., *Quinquelocularia* K. Koch, (*Marianthenum* Schrank).  
 Sect. 2. *Eucodon* A. DC., *Roucela* Dmrt. (*Erinia* Noulet), *Heterocodon* Nutt.
- 4297 28 *Ostrowskia* Rgl in *Act. Hort. Petrop.* 686 (1885). — Sp. 1. Asia centr.
- 4298 29 *Specularia* Heist. G. II. 562 et 1239. (*Legouzia* Durand, *Apenula* Neck., *Prismatocarpus* L'Hér. pr. p.). — Sp. ad 8. Amer. bor. et austr., Eur., Reg. Medit.  
*Dysmicodon* et *Campylocera* Nutt.
- 4299 30 *Adenophora* Fisch. G. II. 563. (*Flærkea* Spreng.). — Sp. enum. 18, ad 13 reduc. Asia temp., Eur. med. et or.
- 4300 31 *Symphyandra* A. DC. G. II. 563 et 1239. — Sp. 7. Oriens.

- 4301 32 *Trachelium* L. G. II. 563. — Sp. 4 v. 5. Reg. Medit.

# ORDO CI. VACCINIACEÆ

## TRIBUS I. Thibaudieæ.

- 4302 1 *Macleania* Hook. G. II. 566. — Sp. ad 12. Andes a Mexico ad Peruviam.  
Tyria Kl.
- 4303 2 *Psammisia* Kl. G. II. 566. — Sp. ad 28. Andes, Venezuela, Guiana.
- 4304 3 *Hornemannia* Vahl. G. II. 567. (*Symphysia* Presl, *Tauschia* Preissler, *Andreusia* Dunal). — Sp. 3? Guiana, Antill.
- 4305 4 *Notopora* H. f. G. II. 567. — Sp. 1. Guiana angl.
- 4306 5 *Satyria* Kl. G. II. 567. — Sp. ad 6. Amer. centr., Columbia, Brasil., Ins. Trinitatis.  
Riedelia Meisn.
- 4307 6 *Eurygania* Kl. G. II. 568. — Sp. ad 12. Andes Amer. mer.
- 4308 7 *Anthopterus* Hook. G. II. 568. — Sp. ad 6. Amer. austr. andina.
- 4309 8 *Orthæa* Kl. G. II. 568. — Sp. 3 v. 4. Peruvia, Bolivia.
- 4310 9 *Findlaya* H. f. G. II. 568. — Sp. 1. Ins. Trinitatis.
- 4311 10 *Oreanthes* Benth. G. II. 569. — Sp. 1. Ecuador. mont.
- 4312 11 *Semiramisia* Kl. G. II. 569. — Sp. 1. Columbia.
- 4313 12 *Ceratostemma* Juss. G. II. 570. — Sp. 22. Amer. austr. andina.  
Sect. 1. *Euceratostemma* B. et H.  
Sect. 2. *Siphonandra* B. et H., *Siphonandra* Kl., *Siphonostigma* Griseb.
- 4314 13 *Cavendishia* Lindl. G. II. 570. (*Polybæa* et *Proclesia* Kl.). — Sp. ad 30. Amer. trop.  
Socratesia Kl.
- 4315 14 *Thibaudia* Pav. G. II. 571. — Sp. 2. N. Granada, Peruvia.
- 4316 15 *Agapetes* G. Don. G. II. 571. — Sp. 31. Polynesia, Asia trop.  
Caligula Kl., *Paphia* Seem., *Acosta* Lour.
- 4317 16 *Pentapterygium* Kl. G. II. 572. — Sp. 5. Himal., Khasia.
- 4318 17 *Catanthera* F. Müll. in *Journ. Bot.* 289 (1886). — Sp. 1. N. Guinea.

## TRIBUS II. Euvaccinieæ.

- 4319 18 *Rigiolepis* H. f. G. II. 572. — Sp. 1. Borneo.
- 4320 19 *Gaylussacia* H. B. et K. G. II. 572. (*Lussacia* Spreng.). — Sp. ad 40. Amer. bor. temp., centr. et trop.  
*Decamerium* Nutt., *Decachæna* Torr. et Gray.

- 4321 20 *Vaccinium* L. G. II. 573. — Sp. ad 110. Reg. temp. et frigid. hemisph. bor. et mont. trop.  
Batodendron. Picrococcus et Metagonia Nutt., Cavinium Thou., Epigynium Kl., Agapetes Dunal pr. p.
- 4322 21 *Corallobotrys* H. f. G. II. 575. — Sp. 1. Himal. or., Khasia.
- 4323 22 *Oxycoccus* Pers. G. II. 575. (*Schollera* Roth). — Sp. 2. Eur., Asia et Amer. bor.
- 4324 23 *Sphyrospermum* Pöpp. et Endl. G. II. 576. — Sp. 4 v. 5. Andes Amer. mer., Guiana.
- 4325 24 *Sophoclesia* Kl. G. II. 576. — Sp. ad 10. Andes Amer. mer., Guiana, Ins. Trinitatis.
- 4326 25 *Themistoclesia* Kl. pr. p. G. II. 576. — Sp. 4. Peruvia, Bolivia, Venezuela.
- 4327 26 *Chiogenes* Salisb. G. II. 577. (*Phalerocarpus* G. Don, *Lasierpa* Torr.). — Sp. 2. Amer. bor. or., Japon.
- Genus incertæ sedis.
- 4328 27 ?*Gonocalyx* Pl. et Lind. in *Gard. Chron.* 152 (1856). — Sp. 1. N. Granada.

ORDO CII. **ERICACEÆ** <sup>(1)</sup>TRIBUS I. **Arbutesæ.**

- 4329 1 *Arbutus* L. G. II. 581. (*Unedo* Hoffm. et Link). — Sp. ad 10. Eur. occ. et mer., Amer. bor.-occ.
- 4330 2 *Arctostaphylos* Adans. G. II. 581 et 1239. — Sp. ad 15. Reg. frigid. hemisph. bor., Mexic., Californ.  
1. *Arctostaphylos* Kl. (*Mairania* Neck.).  
2. *Comarostaphylis* Zucc. — 3. *Xerobotrys* Nutt.  
4. *Daphnidostaphylis* Kl. — 5. *Xylococcus* Nutt.
- 4331 3 *Pernettya* Gand. G. II. 582. — Sp. ad 15. Amer. austr. extra-trop., N. Zel., Tasmania.

TRIBUS II. **Andromedeseæ.**

- 4332 4 *Gaultheria* Kalm. G. II. 582. (*Gualtheria* Scop.). — Sp. ad 95. Amer. bor. occ. et austr. mont., Asia trop., Japon., Austral., N. Zel.  
*Brossæa* L.
- 4333 5 ?*Wittsteinia* F. Müll. G. II. 577. — Sp. 1. Austral. austro-or.
- 4334 6 *Diplycosia* Bl. G. II. 583. (*Amphicalyx* Bl., *Diplecosia* G. Don). — Sp. 10. Malacca, Java, Borneo, Archip. Malay.

(1) Sp. ad 1080, per totum orbem terrarum sparse.

- 4333 7 *Cassandra* Don. G. II. 584. — Sp. 1. Eur. et Amer. bor.-or., Asia bor.
- 4336 8 *Cassiope* Don. G. II. 584. — Sp. 10. Reg. frigid. hemisph. bor., Himal., Japon.
- 4337 9 *Leucothoe* Don. G. II. 584 et 1239. — Sp. ad 9. Amer. bor.-or., Japon., Himal.  
Sect. 1. *Euleucothoe* A. Gray.  
Sect. 2. *Eubotrys* A. Gray, *Eubotrys* Nutt.
- 4338 10 *Oxydendron* DC. G. II. 585 et 1239. — Sp. 1. Amer. bor. austro-or.
- 4339 11 *Epigæa* L. G. II. 585. — Sp. 2. Amer. bor.-or., Japon.  
*Parapyrola* Miq.
- 4340 12 *Orphanidesia* Boiss. et Bal. G. II. 586. — Sp. 1. Asia minor.
- 4341 13 *Agauria* DC. G. II. 586. — Sp. 5. Afr. trop., Madagasc., Ins. Maurit.
- 4342 14 *Agarista* D. Don pr. p. G. II. 586. (*Amechania* DC.). — Sp. ad 22. Brasil., N. Granada, Peruv., Mexic.
- 4343 15 *Lyonia* Nutt. G. II. 587 et 1239. — Sp. ad 8. Amer. bor., Mexic., Jamaica, Cuba.
- 4344 16 *Zenobia* Don. G. II. 587. — Sp. 1. Amer. bor.-or.
- 4345 17 *Andromeda* L. pr. p. G. II. 587. — Sp. 1. Reg. temp. et subarct. hemisph. bor.
- 4346 18 *Pieris* Don G. II. 588. — Sp. ad 10. Asia trop. mont., Japon., Amer. bor.-or.  
*Portuna* Nutt., ?*Ægialea* Kl.
- 4347 19 *Enkianthus* Lour. G. II. 588. (*Melidora* Salisb. pr. p.). — Sp. 5. China, Japon., Himal. or.  
*Meisteria* S. et Z., *Tritomodon* Turcz.

TRIBUS III. **Ericææ.**

- 4348 20 *Macnabia* Benth. G. II. 589. (*Nabea* Lehm.). — Sp. 1. Pr. B. Spei.
- 4349 21 *Calluna* Salisb. G. II. 589. — Sp. 1. Eur., Asia bor.-occ., Amer. bor. or., Ins. Azores.
- 4350 22 *Pentapera* Kl. G. II. 589. — Sp. 1. Sicilia occ.
- 4351 23 *Erica* L. G. II. 590. — Sp. ad 400. Eur., Reg. Medit., Afr. austr.  
*Eurylepis*, *Eurystegia* et *Euryloma* Don.  
Subg. 1. *Ectasis* Benth., *Gypsocallis*, *Desmia*, *Ectasis* et *Eriodesmia* Don.  
Subg. 2. *Syringodea* Benth., *Syringodea*, *Dasyanthes*, *Chona* et *Callista* Don pr. p.  
Subg. 3. *Stellanthé* Benth., *Lamprotis* et *Callista* Don pr. p.



Subg. 4. *Euerica* Benth., *Erica*, *Pachysa*, *Ceramia*  
*Lophandra* et *Octopera* Don, *Gypsocallis* Don  
 pr. p., *Microtrema* Kl.

4352 24 *Bruckenthalia* Rehb. G. II. 591. — Sp. 1. Eur. med. et austr. or.

4353 25 *Philippia* Kl. G. II. 591. — Sp. ad 25. Ins. Mascar., Afr.  
 austr., Madagasc.

Sect. 1. *Euphilippia* Benth., *Philippia* Kl.

Sect. 2. *Eleutherostemon* Benth., *Eleutherostemon* Kl.

4354 26 *Ericinella* Kl. G. II. 591. — Sp. 5. Afr. austr. et trop., Mada-  
 gasc.

4355 27 *Blæria* L. G. II. 592. — Sp. ad 15. Afr. austr. et trop.

4356 28 *Eremia* Don. G. II. 592. — Sp. ad 10. Afr. austr.

Sect. 1. *Eremiastra* Benth., *Eremia* Kl.

Sect. 2. *Poderemia* Benth., *Euryloma* G. Don pr. p.

Sect. 3. *Micreremia* Benth.

Sect. 4. *Hexastemon* Benth., *Hexastemon* Kl.

4357 29 *Grisebachia* Kl. emend. G. II. 592. — Sp. ad 20. Afr. austr.  
 1. *Grisebachia* Kl. — 2. *Finckea* Kl.

3. *Acrostemon* et *Comacephalus* Kl.

4358 30 *Simocheilus* Kl. G. II. 593. — Sp. ad 34. Afr. austr.

Subg. 1. *Simocheilus* B. et H., *Simocheilus* Benth., *Pla-*  
*giostemon*, *Thamnus*, *Thoracosperma*, *Octo-*  
*gonia* et *Pachycalyx* Kl.

Subg. 2. *Syndesmanthus* B. et H., *Syndesmanthus*, *Codo-*  
*nanthemum*, *Macrolinum* et *Anomalanthus* Kl.

4359 31 *Sympieza* Lichtenst. G. II. 593. — Sp. 5. Afr. austr.

4360 32 *Scyphogyne* Brongn. G. II. 594. — Sp. ad 15. Afr. austr.

1. *Scyphogyne* Kl. — 2. *Coilostigma* Kl.

3. *Thamnium* Kl. — 4. *Codonostigma* Kl.

5. *Tristemmon* Kl. — 6. *Omphalocaryon* Kl.

7. *Blepharophyllum* Kl.

4361 33 *Salaxis* Salisb. G. II. 594. — Sp. ad 12. Afr. austr.

1. *Salaxis* Kl. — 2. *Coccosperma* Kl.

3. *Lagenocarpus* Kl.

#### TRIBUS IV. *Rhodoreæ*.

4362 34 *Loiseleuria* Desv. G. II. 595. (*Chamæledon* Link, *Chamæcistus*  
 S. F. Gray). — Sp. 1. Eur. alp., Amer. bor. et in terris  
 arcticis.

4363 35 *Bryanthus* Gmel. G. II. 595. — Sp. 3. Amer. bor.-occ.  
 mont.

4364 36 *Phyllodoce* Salisb. G. II. 595. — Sp. 3. Eur., Asiæ et Amer.  
 bor. reg. mont. et frigid.

- 4365 37 *Daboecia* Don. G. II. 596. (*Boretta* Neck.). — Sp. 1. Hibernia, Gallia occ., Hispania bor., Ins. Azores.
- 4366 38 *Kalmia* L. G. II. 596. — Sp. ad 6. Amer. bor. a Florida usque ad Californ., Cuba.
- 4367 39 *Rhodothamnus* Rehb. G. II. 596. — Sp. 1. Austria et Bavaria alp.
- 4368 40 *Diplarche* H. f. et T. G. II. 597. — Sp. 2. Himal. or.
- 4369 41 *Leiophyllum* Pers. G. II. 597. (*Ammyrsine* Pursh, *Fischera* Sw., *Dendrium* Desv.). — Sp. 2. Amer. bor. austro-or.
- 4370 42 *Ledothamnus* Meisn. G. II. 597. — Sp. 1. Guiana.
- 4371 43 *Cladothamnus* Bong. G. II. 598. (*Tolmiea* Hook.). — Sp. 1. Amer. bor.-occ.
- 4372 44 *Elliottia* Muhlb. G. II. 598. (*Tripetaleia* S. et Z.). — Sp. 3. Japon., Amer. bor. (Georgia, Carolina).
- 4373 45 *Ledum* L. G. II. 599. (*Dulia* Adans.). — Sp. 4 v. 5. Utriusque orbis reg. frigid. hemisph. bor.
- 4374 46 *Bejaria* Mutis. G. II. 599. (*Befaria* L. f., *Acunna* R. et P.). — Sp. 12 v. 15. Amer. trop. mont. a Peruv. ad Mexic., Cuba, Florida.
- Jurgensenia* Turcz.
- 4375 47 *Rhododendron* L. G. II. 599. (*Azalea* L.). — Sp. ad 170. Eur. et Asia mont., Malaisia, Amer. bor.
- Series 1. *Eurhododendron* Maxim., *Hymenanthe* et *Vireya* Bl.
- Series 2. *Graveolentes* B. et H.
- Series 3. *Osmothamnus* B. et H., *Osmothamnus* DC.
- Series 4. *Azalea* Maxim., *Azalea* DC. pr. p., *Anthodendron* Rehb., *Rhodora* L.
- Series 5. *Tsusia* Maxim., *Azalea* L. et auct. pr. p.
- Series 6. *Rhodorastrum* Maxim.
- Series 7. *Keysia* Maxim.
- Series 8. *Azaleastrum* Maxim.
- Series 9. *Therodendron* Maxim., *Rhodothamnus* Lindl.
- 4376 48 *Menziesia* Sm. G. II. 602. — Sp. 7. Amer. bor., Japon., Kamtchatka.
- 4377 49 *Tsusiophyllum* Maxim. G. II. 602. — Sp. 1. Japon. (Ins. Nippon).

TRIBUS V. **Pyroleæ.**

- 4378 50 *Pyrola* L. G. II. 602. — Sp. ad 16. Eur., Asia bor. et med., Amer. bor.
- Sect. 1. *Pyrola* B. et H., *Pyrola* Alef., *Actinocyclus* Kl.
- Sect. 2. *Amelia* B. et H., *Amelia* Alef.

Sect. 3. *Thelaia* B. et H., *Thelaia* Alef.

4379 51 *Moneses* Salisb. G. II. 603. — Sp. 1. Eur. med. et bor., Amer. subfrigid., Japon.

4380 52 *Chimaphila* Pursh. G. II. 603. — Sp. 4. Eur., Amer. bor., Mexic., Japon., Corca.

Genus anomalum.

4381 53 *Clethra* L. G. II. 603. — Sp. ad 26. Amer. bor. temp. et austr. trop., Ins. Madera, Japon., Malaisia.

*Cuellaria* R. et P., *Tinus* L. (*Volkameria* P. Browne), *Kowalewschia* Turcz.

ORDO CIII. **MONOTROPEÆ**

4382 1 *Pterospora* Nutt. G. II. 605. — Sp. 1. Amer. bor.

4383 2 *Sarcodes* Torr. G. II. 606. (*Pterosporopsis* Kell.). — Sp. 1. Californ.

4384 3 *Schweinitzia* Elliott. G. II. 606. (*Monotropsis* Schwein.). — Sp. 1. Amer. bor. calid.

4385 4 *Newberrya* Torr. G. II. 606 et 1239. (*Hemitomes* A. Gray). — Sp. 1. Californ.

4386 5 *Allotropa* Torr. et Gray. G. II. 607. — Sp. 1. Californ.

4387 6 *Monotropa* L. pr. p. G. II. 607. — Sp. 1 v. 2. Amer. bor., Himal., Japon.

4388 7 *Hypopithys* Scop. G. II. 607 et 1239. (*Monotropa* L. pr. p.). — Sp. 1 v. 2. Eur., Asia, Amer. bor.

4389 8 *Cheilotheca* H. f. G. II. 607. — Sp. 1. Khasia.

4390 9 *Pleuricospora* A. Gray. G. II. 608. — Sp. 1. v. 2. Californ., Mexic.

ORDO CIV. **EPACRIDEÆ** <sup>(1)</sup>TRIBUS I. **Stypheliæ.**

4391 1 *Styphelia* Sm. G. II. 610. — Sp. 11. Austral. temp.  
Sect. 1. *Eustyphelia* Benth.

Sect. 2. *Soleniscia* Benth., *Soleniscia* DC.

4392 2 *Coleanthera* Stschegl. G. II. 611. (*Michiea* F. Müll.). — Sp. 3. Austral. austro-occ.

4393 3 *Astroloma* R. Br. G. II. 611. — Sp. 18. Austral. temp.

Sect. 1. *Stomarrhena* Benth., *Vintenatia* Cav. pr. p., *Stomarrhena* DC.

(1) Sp. ad 325, in Australia copiosæ, in N. Zel. et N. Caled. sat frequentes, in Malaisia, Ins. Viti et Sandvic. raræ et in Amer. antarct. sp. unica.

Sect. 2. *Pentataphrus* Benth., *Pentataphrus* Schlcht.

Sect. 3. *Stenanthera* Benth., *Stenanthera* R. Br., *Mesotricha* Stschegl.

4394 4 *Conostephium* Benth. G. II. 611. (*Conostephiopsis* Stschegl.). — Sp. 3. Austral.

4395 5 *Melichrus* R. Br. G. II. 612. — Sp. 2. Austral. or. temp. *Vintenatia* Cav. pr. p.

4396 6 *Cyathodes* Labill. G. II. 612. — Sp. 13. N. Zel., Ins. Sandvic., Austral.

*Androstoma* H. f.

4397 7 *Pentachondra* R. Br. G. II. 612. — Sp. 3 v. 4. Tasmania, Austral., N. Zel.

4398 8 *Trochocarpa* R. Br. G. II. 612. (*Decaspora* R. Br.). — Sp. 6. Austral. temp.

4399 9 *Brachyloma* Sond. G. II. 613. — Sp. 6. Austral. mer. *Lobopogon* Schlcht.

4400 10 *Needhamia* R. Br. G. II. 613. — Sp. 1. Austral. austro-occ.

4401 11 *Lissanthe* R. Br. G. II. 613. — Sp. 3. Austral. or., Tasmania.

4402 12 *Leucopogon* R. Br. G. II. 614. — Sp. ad 130. Austral., N. Zel., Archip. Malay., Ins. Pacif.

Sect. 1. *Perojoa* Benth., *Perojoa* Cav. (*Peroa* Pers.)

Sect. 2. *Heteranthesis* Benth., *Pentaplelion* Turcz.

Sect. 3. *Pleuranthus* Benth., *Phanerandra* Stschegl.

4403 13 *Acrotriche* R. Br. G. II. 614. — Sp. ad 8. Austral. extratrop. *Freebelia* Rgl.

4404 14 *Monotoca* R. Br. G. II. 615. — Sp. ad 7. Austral.

4405 15 *Oligarrhena* R. Br. G. II. 615. — Sp. 1. Austral. austro-occ.

4406 16 *Cyathopsis* Brongn. et Gris. G. II. 615. — Sp. 1. N. Caled.

#### TRIBUS II. *Epacresæ*.

4407 17 *Epacris* L. G. II. 615. — Sp. ad 27. Austral., N. Zel., N. Caled.

4408 18 *Lysinema* R. Br. G. II. 615. — Sp. 3. Austral. *Woollisia* F. Müll.

4409 19 *Archeria* H. f. G. II. 616. — Sp. 5. Tasmania, N. Zel.

4410 20 *Prionotis* R. Br. G. II. 616. — Sp. 1. Tasmania.

4411 21 *Lebetanthus* Endl. G. II. (*Allodape* Endl., *Jaquinotia* Hombr. et Jacquinot). — Sp. 1. Patagonia occ., Fuegia.

4412 22 *Cosmelia* R. Br. G. II. 617. — Sp. 1. Austral. austro-occ.

4413 23 *Sprengelia* Sm. G. II. 617. (*Poiretia* Cav., *Ponceletia* R. Br.). — Sp. 3. Austral.

4414 24 *Andersonia* R. Br. G. II. 617. — Sp. 20. Austral. austro-occ.

Sect. 1. *Cephalanthesis* Benth., *Sphinctrostoma* et *Homalostoma* Stschegl., *Atherocephala* DC.

Sect. 1. *Schizopetalum* Boiss.

Sect. 2. *Goniolimon* B. et H., *Goniolimon* Boiss.

Sect. 3. *Limonium* B. et H.

Sect. 4. *Siphonantha* Boiss., *Eurychiton* Grah.

Sect. 5. *Psylliostachys* Jaub. et Spach.

Sect. 6. *Pterolimon* B. et H.

- 4429 4 *Armeria* Willd. G. II. 626. (*Statice* L. pr. p.). — Sp. enum. ultra 50, ad 6 v. 7? reduc. Eur., Afr. bor., Asia occ. et bor., Amer. bor. et austr.

- 4430 5 *Limoniastrum* Mönch. G. II. 627. (*Bubania* De Girard). — Sp. 2. Reg. Medit. occ.

TRIBUS II. **Plumbageæ.**

- 4431 6 *Plumbago* L. G. II. 627. (*Thela* Lour.). — Sp. ad 12. Utriusque orbis reg. calidior., Eur. austr., Asia med.

1. *Plumbagidium* Spach.

2. *Plumbago* Spach.

3. *Plumbagella* Spach.

- 4432 7 *Ceratostigma* Bge. G. II. 628. (*Valoradia* Hochst.). — Sp. 3 v. 4. China, Himal., Abyss.

- 4433 8 *Vogelia* Lam. G. II. 628. — Sp. 2. Afr. austr., Arabia, Ind. or.

ORDO CVIII. **PRIMULACEÆ** <sup>(1)</sup>

TRIBUS I. **Hottoniæ.**

- 4434 1 *Hottonia* L. G. II. 631. — Sp. 2. Eur., Sibiria or., Amer. bor.-or.

TRIBUS II. **Primulæ.**

- 4435 2 *Primula* L. G. II. 631. — Sp. ad 130. Reg. temp. et arct. hemisph. bor., Amer. austr. extratrop.

Sect. 1. *Primulastrum* Schott, *Auganthus* Link, *Oscaria* Lilja, *Cankrienia* De Vriese.

Sect. 2. *Auriculastrum* Schott, *Aretia* Link.

- 4436 3 *Kaufmannia* Rgl. G. II. 1239. — Sp. 1. Turkest.

- 4437 4 *Androsace* L. G. II. 632. (*Aretia* L.). — Sp. ad 46. Reg. temp. et alp. hemisph. bor.

- 4438 5 *Douglasia* Lindl. G. II. 632. — Sp. ad 4. Eur. alp., Amer. bor. *Aretia* Gaudin, *Gregoria* Duby pr. p.

(1) Sp. ad 315, in reg. temp. hemisph. bor. numerosæ, in hemisph. australi rariores, inter trop. rarissimæ.

Sect. 2. *Monanthesis* Benth.

- 4415 25
- Richea*
- R. Br. G. II. 617. — Sp. 18. Tasmania, Austral.

Sect. 1. *Cystanthe* B. et H., *Cystanthe* R. Br., *Pilitis* Lindl.Sect. 2. *Dracophylloides* Benth.

- 4416 26
- Dracophyllum*
- Labill. G. II. 618. — Sp. ad 25. N. Zel.,
- 
- N. Caled., Austral.

Sect. 1. *Eudracophyllum* B. et H.Sect. 2. *Sphenotoma* B. et H., *Sphenotoma* R. Br.ORDO CV. **DIAPENSIACEÆ** <sup>(1)</sup>TRIBUS I. **Diapensiææ**.

- 4417 1
- Pyxidanthera*
- Mchx. G. II. 619. — Sp. 1. Amer. bor. or.

- 4418 2
- Diapensia*
- L. G. II. 620. — Sp. 2. Eur. (Norvegia, Lapponia),
- 
- Amer. bor. et arct., Himal. or.

TRIBUS II. **Galacineæ**.

- 4419 3
- Shortia*
- Torr. et Gray. G. II. 620. — Sp. 2. Carolina Japon.

- 4420 4
- Schizocodon*
- S. et Z. G. II. 620. — Sp. 1 v. 2. Japon.

- 4421 5
- Galax*
- L. G. II. 620. (
- Solenandra*
- P. B.,
- Blandfordia*
- Andr.,
- 
- Erythrorhiza*
- Mchx). — Sp. 1. Carolina.

- 4422 6
- Berneuxia*
- Dcne. G. II. 621. — Sp. 1. Tibet. or.

ORDO CVI. **LENNOACEÆ**

- 4423 1
- Pholisma*
- Nutt. G. II. 622. — Sp. 1. Californ.

- 4424 2
- Ammobroma*
- Torr. G. II. 622. — Sp. 1. Amer. bor. or.

- 4425 3
- Lennoa*
- Llav. et Lex. G. II. 622. (
- Corallophyllum*
- H. B. et K.).
- 
- Sp. 2? Mexic.

ORDO CVII. **PLUMBAGINEÆ**TRIBUS I. **Staticeæ**.

- 4426 1
- Ægialitis*
- R. Br. G. II. 624. (
- Ægialinitis*
- Presl). — Sp. 1.
- 
- Asia et Austral. trop.

- 4427 2
- Acantholimon*
- Boiss. G. II. 625. (
- Armeriastrum*
- Jaub. et Spach).
- 
- Sp. enum. 85, sed nonnullæ reduc. Oriens a Græcia
- 
- et Syria usque ad Tibet. occ.

- 4428 3
- Statice*
- L. pr. p. G. II. 623. (
- Taxanthema*
- Neck.). — Sp.
- 
- descr. ad 120, plures tamen reduc. In marit. totius fere
- 
- orbis et in desertis Reg. Medit. et Orientis.

(1) Sp. 8 v. 9, Amer. bor. or., Japon. et terrarum frigid. Eur. et Amer. bor. incolæ

- Sect. 1. *Schizopetalum* Boiss.  
 Sect. 2. *Goniolimon* B. et H., *Goniolimon* Boiss.  
 Sect. 3. *Limonium* B. et H.  
 Sect. 4. *Siphonantha* Boiss., *Eurychiton* Grah.  
 Sect. 5. *Psylliostachys* Jaub. et Spach.  
 Sect. 6. *Pterolimon* B. et H.

- 4429 4 *Armeria* Willd. G. II. 626. (*Statice* L. pr. p.). — Sp. enum. ultra 50, ad 6 v. 7? reduc. Eur., Afr. bor., Asia occ. et bor., Amer. bor. et austr.  
 4430 5 *Limoniastrum* Mönch. G. II. 627. (*Bubania* De Girard). — Sp. 2. Reg. Medit. occ.

TRIBUS II. **Plumbageæ.**

- 4431 6 *Plumbago* L. G. II. 627. (*Thela* Lour.). — Sp. ad 12. Utriusque orbis reg. calidior., Eur. austr., Asia med.  
 1. *Plumbagidium* Spach.  
 2. *Plumbago* Spach.  
 3. *Plumbagella* Spach.  
 4432 7 *Ceratostigma* Bge. G. II. 628. (*Valoradia* Hochst.). — Sp. 3 v. 4. China, Himal., Abyss.  
 4433 8 *Vogelia* Lam. G. II. 628. — Sp. 2. Afr. austr., Arabia, Ind. or.

ORDO CVIII. **PRIMULACEÆ** <sup>(1)</sup>

TRIBUS I. **Hottoniæ.**

- 4434 1 *Hottonia* L. G. II. 631. — Sp. 2. Eur., Sibiria or., Amer. bor.-or.

TRIBUS II. **Primulæ.**

- 4435 2 *Primula* L. G. II. 631. — Sp. ad 130. Reg. temp. et arct. hemisph. bor., Amer. austr. extratrop.  
 Sect. 1. *Primulastrum* Schott, *Auganthus* Link, *Oscaria* Lilja, *Cankrienia* De Vriese.  
 Sect. 2. *Auriculastrum* Schott, *Aretia* Link.  
 4436 3 *Kaufmannia* Rgl. G. II. 1239. — Sp. 1. Turkest.  
 4437 4 *Androsace* L. G. II. 632. (*Aretia* L.). — Sp. ad 46. Reg. temp. et alp. hemisph. bor.  
 4438 5 *Douglasia* Lindl. G. II. 632. — Sp. ad 4. Eur. alp., Amer. bor. *Aretia* Gaudin, *Gregoria* Duby pr. p.

(1) Sp. ad 315, in reg. temp. hemisph. bor. numerosæ, in hemisph. australi rariores, inter trop. rarissimæ.

- 4468 10 *Labisia* Lindl. G. II. 645. — Sp. 2. Archip. Malay.  
 4469 11 *Parathesis* H. f. G. II. 645. — Sp. ad 6. Cuba, Amer. centr.,  
 Mexic., N. Granada, Peruvia.  
 4470 12 *Ardisia* Sw. G. II. 645. (*Bladhia* Thunb., *Pyrgus* Lour.). —  
 Sp. ad 220. Reg. trop. et subtrop. utriusque orbis.  
*Icacorea* Aubl., *Stylogyne* et *Monoporus* A. DC., *Climacandra* Miq., *Pickeringia* Nutt., *Badula* Juss.  
 ? *Purkinjia* Presl.  
 4471 13 *Pimelandra* A. DC. G. II. 646. — Sp. ad 10. Ind. or., Archip.  
 Malay., Ins. Philippin.  
 4472 14 *Tapeinosperma* H. f. G. II. 647. — Sp. 2. N. Caled.  
 4473 15 *Antistrophe* A. DC. G. II. 647. — Sp. 2. Ind. or.  
 4474 16 *Hymenandra* A. DC. G. II. 647. — Sp. 1. Bengal. or., Assam.  
 4475 17 *Amblyanthus* A. DC. G. II. 648. — Sp. 1. Khasia, Himal.  
 4476 18 *Oncostemon* A. DC. G. II. 648. — Sp. 10. Madagasc.  
 4477 19 *Ægiceras* Gärtn. G. II. 648. (*Mulaspinæa* Presl). — Sp. 1.  
 Asiæ et Austral. littora tropica.

### TRIBUS III. *Theophrasteæ*.

- 4478 20 *Reptonia* A. DC. G. II. 648. (*Edgeworthia* Falc., *Monothea*  
 A. DC.). — Sp. 1. Arabia, Bactria.  
 4479 21 *Theophrasta* Juss. G. II. 649. — Sp. 3. S. Doming.  
 4480 22 *Clavija* R. et P. G. II. 649. (*Theophrasta* L., *Horta* et *Zacintha*  
 Vell.). — Sp. ad 25. Amer. trop.  
 4481 23 *Deherainia* Dene in *Ann. Sc. Natur.* ser. 6. III. 138. — Sp. 1.  
 Mexic.  
 4482 24 *Jacquinia* L. G. II. 650. (*Bonellia* Bert.). — Sp. 5 v. 6. Amer.  
 trop.

## ORDO CX. *SAPOTACEÆ* <sup>(1)</sup>

Modo novo interim dispositæ a cl. L. Radlkofer, mense Decembri 1887.

Cf. auctoris de Sapotaceis variis scripta in *Sitzungsb. K. bayer.*

*Acad.* 1881, p. 263-344; 1881, p. 397-486.

### SUBORDO I. *Dyssapoteæ* Radlk.

#### TRIBUS I. *Oxytheceæ* Radlk.

- 4483 1 *Oxythece* Miq. in *Fl. Brasil.* VII. 103. G. II. 654 sub  
*Lucuma*. — Sp. 2 v. 3? Brasil.

(1) Sp. circiter 400, per orbis totius reg. trop. et extratrop. calidiores dispersæ.



- 4484 2 **Niemeyera** F. Müll. G. II. 654 sub *Lucuma*. — Sp. 1. Austral.  
Chrysophyllum (*C. pruniferum* F. Müll.) et *Lucuma* Auct.  
pr. p.

- 4485 3 **Amorphospermum** F. Müll. G. II. 654 sub *Lucuma*. — Sp. 1.  
Austral.  
*Sersalisia* (*S. sericea*) R. Br. apud Benth. pr. p.

TRIBUS II. **Chrysophylleæ** Raldk.

- 4486 4 ?**Ecclinusa** Mart. G. II. 654. — Sp. 3. Brasil.  
Passaveria Mart. et Eichl., Chrysophyllum A. DC. pr. p.
- 4487 5 ?**Leptostylis** Benth. G. II. 659. — Sp. 2. N. Caled.
- 4488 6 ?**Cryptogyne** H. f. G. II. 656. — Sp. 1. Madagasc.
- 4489 7 **Chrysophyllum** L. G. II. 653. — Sp. ad 60. Orbis totius reg. trop.  
Cainito Tuss., Nycterisition R. et P., Theophrasta (*T. imperialis*) Lind., Myrsine (*M. marginata*) Hook. Cf. Radlk.  
in *Sitzungsb. K. bayer Acad.* 322 (1886), ?*Sapota*  
(*S. mammosa*, excl. syn.) Gärtn., *Bumelia* (*B. cuneifolia*)  
Rudge.

Sect. 1. *Oxystemon* A. DC. *Prodr.* VIII. 156 (1884).

Sect. 2. *Cainito* A. DC. l. c. 157.

Sect. 3. *Villocuspis* A. DC. l. c. 162.

Obs. Sectiones a cl. Miq. et Eichl. in *Fl. Brasil.* VII (1863)  
modo sequente reformatæ.

Divis. I. Splendentia.

Sect. 1. *Villocuspis* A. DC.

Sect. 2. *Gymnanthera* (section. 1 et 2 A. DC. pars).

Divis. II. Modesta.

- 4490 8 **Labourdonnaisia** Bojer. G. II. 659. — Sp. 4. Ins. Mascar.  
*Mimusops* Wall. pr. p.

TRIBUS III. **Labramieæ** Raldk.

- 4491 9 **Labramia** A. DC. G. II. 660. — Sp. 1. Ins. Mascar.  
*Delastrea* A. DC. non Tul., *Mimusops* Bojer pr. p., *Mimusops*  
*sect. Labramia* Hartog in *Journ. Bot.* 358 (1879).
- 4492 10 **Northea** H. f. in Hook. *Icon. Plant.* tab. 1473 (1884). — Sp.  
1. Ins. Seychell.  
*Sideroxylon* Bak. pr. p., *Mimusops* (*M. Horneana*) Hartog.

SUBORDO II. **Sapoteæ** Radlk.

TRIBUS IV. **Pouterieæ** Radlk.

- 4493 11 ?**Sersalisia** R. Br. G. II. 654 sub *Lucuma*. — Sp. 1 v. 2?  
Austral.  
*Sideroxylon* Ait., Sm. pr. p. (an re vera cum *Lucuma* jun-  
genda?).

- 4494 12 **Lucuma** Molina 1782, emend. (Juss. 1789, exclus. excludend.).  
G. II. 654 pr. p. — Sp. 2. Chili (Cf. Radlk. l. c. 1881  
p. 314).  
Achras (*A. Lucuma*) R. et P.
- 4495 13 **Pouteria** Aubl. emend. (Cf. Radlk. l. c. 1881. p. 333 1884  
p. 452 etc.). G. II. 653 excl. syn. « *Chælocarpus*  
Schreb. » — Sp. 23. Ind. occ., Amer. continent.  
austr.  
Guapeba Gomez. G. II. 654. *Pometia* (*P. lactescens*) Vell.  
non Forst., *Chrysophyllum* Auct. pr. p. (*C. glycyphlæum*  
Casar., *C. Buranhem* Riedel, *C. dictyoneurum* Griseb.),  
*Lucuma* Auct. pr. p. (*L. glycyphlæa* Mart. et Eichl. etc.),  
*Pradosia* Liais in *Géogr. bot. Brésil.* 615. (*Lucuma*  
*glycyphlæa*), *Labatia* Auct. pr. p. (*L. pedunculata* Willd.,  
*L. Pouteria* Räuschel, *L. laevigata* etc. Mart., *L. dic-*  
*tyoneura* Griseb.), *Bumelia* (*B. nigra*) A. Rich. non Sw.  
Cf. Radlk. in *Serjan. Suppl.* 55 (1886), *Roussea* (*R. sali-*  
*cifolia*) Spreng., *Achras* Auct. pr. p. (*A. Caimito* R. et  
P., *A. Guapeba* Casar., etc. Cf. *Fl. Brasil.* VII. 1863).  
Obs. *Chælocarpus* Schreb. ad *Tiliacearum* genus *Sloaneam*  
recensendus.
- 4496 14 **Labatia** Sw. (non Vell. nec Scop. quæ ad *Ilicis* genus recensend.  
ex Radlk. in *Sitzungsb. K. bayer. Acad.* 406 annot.  
1884). G. II. 655 sub *Lucuma* cum auctorit. « Mart. »  
— Sp. 5 (Cf. Radlk. l. c. 1884, 398 etc., 445 etc.). Ind.  
occ., Brasil.  
*Pouteria* Poir. pr. p., *Labatia* et *Pouteria* Dietr., A. DC.  
pr. p., *Lucuma* Auct. pr. p.
- 4497 15 **Sarcosperma** H. f. G. II. 655. — Sp. 3. Asia calidior.  
*Sideroxylon* Auct. pr. p., *Reptonia* (*R. laurina*) Benth.
- 4498 16 **Butyrospermum** Kotschy. G. II. 661. — Sp. 1. Afr. trop.  
*Micadania* R. Br., *Bassia* (*B. Parkii*) G. Don.

TRIBUS V. **Sideroxyleæ** Radlk.

- 4499 17 ? **Sarcaulus** Radlk. in *Sitzungsb. K. bayer. Acad.* 293, annot.,  
310 (1881). — Sp. 1. Brasil. bor.  
*Chrysophyllum* Mart., A. DC. pr. p.
- 4500 18 **Vitellaria** Gärtn. f. reform. (Cf. Radlk. l. c. 325. 1881). G. II.  
654 sub *Lucuma*. — Sp. 19. Mexic., Ind. occ., Brasil.,  
Guiana.  
*Lucuma* Auct. pr. p., *Chrysophyllum* Lam. pr. p., *Achras*  
Auct. pr. p. (*A. mammosa* L., *A. vitellina* Tuss.,  
*A. Lucuma* Blanco), *Bumelia* (*B. nervosa*) Vahl.

Sect. 1. *Aneulucuma* Radlk. l. c. (*Lucumæ sect. Eulucuma* A. DC.).

Sect. 2. *Antholucuma* Radlk. l. c. (*Lucumæ sect. Antholucuma* A. DC.).

Sect. 3. *Rivicoa* Radlk. l. c. (*Lucuma sect. Rivicoa* A. DC.).

- 4501 19 *Achras* L. G. II. 657. — Sp. 1 v. 2? Ind. occ., Amer. centr. regionesque vicinæ.

Sapota Gärtn., Sapotæ *sect. Achras* A. DC.

- 4502 20 *Omphalocarpum* P. B. G. I. 185 (sub *Ternstroemiaceis*), II. 653. Huc revocandum ex Radlk. l. c. 265, etc. (1881). — Sp. 3. Afr. trop.

- 4503 21 *Sideroxylon* L. G. II. 655. — Sp. 60 v. 70. Orbis utriusque reg. trop. et extratrop. calidior.

*Robertsia* Scop., *Achradis* seu Sapotæ sp. gerontog. R. Br., A. DC. et Auct. plur., anne genera propria (e Sapotæ *sect. « Oligotheca »* A. DC. et e *sect. « Ecclisanthes »* Bl. mn. formanda) constituentes? *Chrysophyllum*, *Nycterisition*, *Sersalisia*, *Lucuma*, *Achras*, *Bumelia*, *Mimusops* Auct. pr. p., *Rœmeria* (*R. inermis*) Thunb. Herb. pr. p. Cf. Radlk. *Serjan. Suppl.* 59 (1886).

Sect. 1. *Eusideroxylon* A. DC. *Prodr.* VIII. 178 (1844).

Sect. 2. *Synsepalum* A. DC. l. c. 183. Huc? *Synsepalum* Daniell in *Pharm. Journ.* XI. 446 (1852).

- 4504 22 *Hormogyne* A. DC. G. II. 656. — Sp. 1. Austral.

*Mimusops* (*M. cotinifolia*) A. Cunn., *Sersalisia* et *Achras* F. Müll. pr. p.

- 4505 23 *Argania* R. et S. G. II. 656. — Sp. 1. Mauritania.

*Sideroxylon* et *Rhamnus* L. pr. p., *Elæodendron* Retz. pr. p., *Argan* Dryand.

#### TRIBUS VI. *Bumeliæ* Radlk.

- 4506 24 *Bumelia* Sw. emend. Cf. Radlk. in *Sitzungsb. K. bayer. Acad.* 335 (1881) et 465 (1884), *Serjan. Suppl.* 55 (1886). G. II. 660. — Sp. ad 20. Amer. trop. et bor.

*Sideroxylon* L., A. DC., Mchx et Auct. alior. pr. p., *Achras* Poir. pr. p., *Chrysophyllum* Jacq., Juss. pr. p.

- 4507 25 *Dipholis* A. DC. G. II. 660. — Sp. 3. Ind. occ., Mexic., Florida. *Bumelia* Sw., A. DC., Lam., Gärtn. etc. pr. p., *Sideroxylon* A. DC. pr. p. (*S. pentagonum* cum syn. *B. pentagona* Sw. quæ *Dipholis salicifolia* A. DC. Cf. Radlk. *Serjan. Suppl.* 55, 1886), *Achras* (*A. pentagona*) Poir.

- 4508 26 *Mimusops* L. G. II. 661. — Sp. ad 30. Orbis totius reg. trop. *Synarrhena* F. et M.,? *Phlebolithis* Gärtn., *Achras* Forst., Sieb., Aubl. pr. p., *Imbricaria* Poir. pr. p.

Sect. 1. *Quaternaria* A. DC. *Prodr.* VIII. 202 (1844).

Sect. 2. *Ternaria* A. DC. l. c. 203.

Sect. 3? *Labramiopsis* Hartog in *Journ. Bot.* 358 (1879).

- 4509 27 *Imbricaria* Comm. G. II. 661. — Sp. 4 v. 5. Afr. trop., Ins. Mascar.

*Binectaria* Forsk., *Mimusops* Willd., Sieb., Miq. et Eichl. pr. p., *Mimusopsis* sect. Hartog in *Journ. Bot.* 358 (1879), *Mimusopsis divisio* Miq. et Eichl. in *Fl. Brasil.* VII. 41 (1863).

SUBORDO III. **Eusapotææ** Radlk.

TRIBUS VII. **Palaguieæ** Radlk.

- 4510 28 *Paladium* Blanco. G. II. 658 sub *Dichopsi*. — Sp. ad 60. Ind. or., Archip. Ind., Samoa.

*Dichopsis* Thw. (incl. *Isonandræ* sect. 1). G. II. 658. *Isonandra* Auct. pr. p., *Bassia* Wall., Dalz., etc. pr. p., *Persea* (*P. sumatrana* Tijsm. et Binn. ex Burck, *Sapotac.* 1885).

- 4511 29 *Bassia* L. G. II. 658. (De nomine cf. Radlk. in *Sitzungsb. K. bayer. Acad.* 322. 1881). — Sp. ad 35. Ind. or., Archip. Ind.

*Dasyaulus* Thw., ? *Azaola* Blanco.

Sect. 1. *Eubassia* A. DC. *Prodr.* VIII. 197 (1844).

Sect. 2. *Apobassia* A. DC. l. c. 198.

- 4512 30 ? *Pycnandra* Benth. G. II. 658. — Sp. 1. N. Caled.

TRIBUS VIII. **Isonandreæ** Radlk.

- 4513 31 *Isonandra* Wight. G. II. 657. — Sp. 6 v. 8. Ind. or., Sumatra, Ins. Sandvic.

*Sideroxylon* Wall. pr. p.

- 4514 32 *Payena* A. DC. G. II. 659. — Sp. ad 20 (Cf. Burck, *Sapotac.* 1885). Penins. et Archip. Malay.

*Mimusops* (*M. lucida*) Wall., *Kakosmanthus* et *Keratophorus* Hassk., *Cacosmanthus* et *Ceratophorus* Miq., *Isonandra* Wight, Miq. pr. p., *Bassia* (*B. sericea*) Bl.

TRIBUS IX? **Murieæ** Radlk.

- 4515 33 ? *Muriea* Hartog in *Journ. Bot.* 143 (1878). — Sp. 2. Ind. occ., Afr. austr.

*Eichleria* Hartog. l. c. 71., *Mimusopsis* sect. Hartog. l. c. 358 (1879), *Bassia* (*B. albescens*) Griseb., *Labourdonnaisia* Auct. pr. p. (*L. discolor* Sond., *L. albescens* Benth.).

## Genera serius inserenda.

- 4516 34 *Diploknema* L. Pierre in *Nederl. Kruidk. Archief* (1884). —  
Sp. 1. Borneo.  
4517 35 *Illipe* F. Müll. in *Victorian Naturalist* I. 168. — Sp. 1. Ins.  
Papuanæ.

## Genera parum nota.

- 4518 36 *Rostellaria* Gärtn. f. G. II. 653. — Sp. 1. Patria ignota.  
Bumelia sp.? Endl.  
4519 37 *Calvaria* Comm. edid. Gärtn. f. *Suppl. Carpol.* 116. tab. 200,  
201 (sphalmate « 120 » in textu) (1805). — Sp. 3. Madagasc.  
Obs. Genus ab auctoribus præteritum, huc recensendum  
mihi videtur.  
4520 38 ?*Henoonia* Griseb. G. II. 662. (Vix Sapotacea.). — Sp. 1. Cuba.

ORDO CXI. **EBENACEÆ** <sup>(1)</sup>

- 4521 1 *Royena* L. G. II. 663. (*Athecia* et *Forstera* Gärtn.). — Sp. ad  
13. Afr. austr. extratrop. et trop.  
4522 2 *Euclea* L. G. II. 664. (*Diplonema* G. Don, *Rymia* Endl., *Kellaua*  
A. DC., *Brachycheila* Harv.). — Sp. 19. Afr. austr. et  
trop.  
4523 3 *Maba* Forst. G. II. 664. — Sp. 59. Utriusque orbis reg. calidior.  
Sect. 1. *Ferreola* Hiern, *Ferreola* Roxb.  
Sect. 2. *Macreightia* Hiern, *Macreightia* A. DC.  
Sect. 3. *Holochilus* Hiern, *Holochilus* Dalz.  
Sect. 4. *Rhipidostigma* Hiern, *Rhipidostigma* Hassk.  
Sect. 5. *Barberia* Hiern.  
Sect. 6. *Trichanthera* Hiern.  
4524 4 *Diospyros* L. G. II. 665. — Sp. 160. Utriusque orbis reg.  
calid., Asia temp., Amer. bor.  
Sect. 1. *Melonia* Hiern.  
Sect. 2. *Ebenus* Hiern.  
Sect. 3. *Noltia* Hiern, *Noltia* Schum. et Thonn.  
Sect. 4. *Gunisanthus* Hiern, *Gunisanthus* A. DC.  
Sect. 5. *Guaiacana* Hiern.  
Sect. 6. *Cunalonea* Hiern.  
Sect. 7. *Ermellinus* Hiern.  
Sect. 8. *Patonia* Hiern, *Patonia* Wight, *Cargillia* R.  
Br. pr. p.

(1) Sp. ad 250, pro maxima parte reg. calidior. utriusque orbis incolæ.

Sect. 9. *Leucoxylum* Hiern, *Leucoxylum* Bl.

Sect. 10. *Danzleria* Hiern, *Dactylus* Forsk., *Danzleria* Bert.

Sect. 11. *Paralea* Hiern, *Paralea* Aubl.

Sect. 12. *Cargillia* Hiern, *Cargillia* R. Br. pr. p.

Sect. 13. *Rospidios* Hiern, *Rospidios* A. DC.

Sect. 14. *Cavanillea* Hiern, *Cavanillea* Desv., *Embryopteris* Gärtn.

Sect. 15. *Amuxis* Hiern.

Obs. *Heisteria longifolia* Spruce, huc recensend. videtur.

Cf. cl. Radlk. in *Sitzungsb. K. bayer. Acad.* 308 (1886).

4525 5 *Tetractis* Hiern. G. II. 666. — Sp. 1. Madagasc.

4526 6 ?*Brachynema* Benth. G. II. 666. — Sp. 1. Brasil. bor.

## ORDO CXII. STYRACEÆ <sup>(1)</sup>

4527 1 *Symplocos* L. G. II. 668. — Sp. ad 165. Asia, Austral. et Amer. calidior.

Sect. 1. *Hopea* Benth., *Carlea* Presl, *Barberina* Vell. (*Sympleura* et *Syrtocharpa* Miers), *Hopea* L. (*Hopea* Gärtn. f., *Protohopea* Miers), *Lodhra* Guillem. (*Boba* Adans., *Bobua* DC.), *Lodhra* Dcne, *Dicalyx* Lour. (*Sariava* Bl.), *Decadia* et *Drupatris* Lour., *Palura* G. Don, *Eugenioides* L., *Chasseloupia* Vieill.

Sect. 2. *Cordyloblaste* Benth., *Cordyloblaste* Miq.

Sect. 3. *Ciponima* Benth., *Ciponima* Aubl., *Stemmatosiphon* Pohl, *Mongesia* Vell.

Sect. 4. *Alstonia* Benth., *Alstonia* L. f. (*Præalstonia* Miers), ?*Hypopogon* Turcz.

4528 2 *Halesia* L. G. II. 669. (*Pterostyrax* S. et Z.). — Sp. 5 v. 6. Amer. bor., China, Japon.

4529 3 *Styrax* L. G. II. 669. (*Strigilia* Cav., *Foveolaria* R. et P., *Tremanthus* Pers., *Cyrta* Lour.). — Sp. ad 60. Asia et Amer. trop. et bor. temp., Eur. austr.

*Epigenia* Vell., *Benzoin* Hayne, *Trichogamila* P. Browne.

4530 4 *Foveolaria* A. DC. G. II. 670. — Sp. 1. Peruvia.

4531 5 *Pamphilia* Mart. G. II. 670. — Sp. 2. Brasil.

4532 6 *Lissocarpa* Benth. G. II. 671. — Sp. 1. Brasil. bor., Venezuela.

4533 7 *Diclidanthera* Mart. G. II. 671. — Sp. 2. Brasil.

(1) Sp. ad 235, reg. calidior. Asia, Austral. et Amer. incolæ.

ORDO CXIII. **OLEACEÆ** <sup>(1)</sup>TRIBUS I. **Jasminææ.**

- 4534 1 **Jasminum** L. G. II. 674. — Sp. enum. ultra 130, sed vix 100  
dist. Orbis vetus, in Amer. inquil.  
Mogorium Juss.
- 4535 2 **Menodora** H. et B. G. II. 674. (*Bolivaria* Cham. et Schlcht.,  
*Calypotropium* Dietr.). — Sp. ad 14. Amer. extratrop.  
bor. et austr., Afr. austr.
- 4536 3 **Nyctanthes** L. pr. p. G. II. 675 et 1240. — Sp. 1. Ind. or.,  
alibi cult.

TRIBUS II. **Syringææ.**

- 4537 4 **Schrebera** Roxb. G. II. 675. (*Nathusia* A. Rich.). — Sp. 4.  
Ind. or., Afr. trop. et austr. subtrop.
- 4538 5 **Forsythia** Vahl. G. II. 675. — Sp. 2. China, Japon.
- 4539 6 **Syringa** L. G. II. 675. — Sp. enum. 11, ad 6 reduc. Eur. or.,  
Asia temp.  
Ligustrina Ruprecht.

TRIBUS III. **Fraxinææ.**

- 4540 7 **Fraxinus** L. G. II. 676. — Sp. enum. ultra 30, sed plurimæ  
reduc. Utriusque orbis reg. temp. et subtrop. hemisph.  
bor.  
Ornus Pers.
- 4541 8 **Fontanesia** Labill. G. II. 676. — Sp. 1. Oriens.

TRIBUS IV. **Oleinææ.**

- 4542 9 **Forestiera** Poir. G. II. 676. (*Adelia* Mchx, *Bigelowia* Sm.,  
*Piptolepis* Benth.). — Sp. 8 v. 9. Amer. bor., Ind. occ.,  
Brasil.
- 4543 10 **Phillyrea** L. G. II. 677. — Sp. 4. Reg. Medit., Oriens.
- 4544 11 **Osmanthus** Lour. G. II. 677. — Sp. ad 8. Amer. bor., Asia or.,  
Polynesia.
- 4545 12 **Hesperelæa** A. Gray. G. II. 1240. — Sp. 1. Californ.
- 4546 13 **Chionanthus** L. pr. p. G. II. 677 et 1240. — Sp. 2. Amer. bor.,  
China.
- 4547 14 **Linociera** Sw. G. II. 678. — Sp. ad 40. Totius orbis reg. trop.  
Sect. 1. *Eulinociera* B. et H., *Linociera* Gärtn. f.

(1) Sp. ad 300, reg. calidior. et temp. utriusque orbis incolæ.

Sect. 2. *Ceranthus* B. et H., *Ceranthus* Schreb., *Thouinia* L. f., *Chionanthus* Gärtn., *Hænianthus* Griseb., *Bonamica* et *Minutia* Vell., *Tessarandra* Miers, *Mayepea* Aubl. (*Freyeria* Scop.).

- 4548 15 *Notelæa* Vent. G. II. 678. (*Rhysospermum* Gärtn. f.). — Sp. 8. Austral.  
 4549 16 *Noronhia* Stadm. G. II. 679. — Sp. 1. Madagasc.  
 4550 17 *Olea* L. G. II. 679. — Sp. ad 36. Orbis veteris reg. calidior. *Tetrapilus* Lour., *Pachyderma* (*Stereoderma*) Bl.  
 4551 18 *Ligustrum* L. G. II. 679 et 1240. (*Visiania* DC.). — Sp. ad 25. Eur., Asia temp. et trop., Austral. *Phlyarodona* S. L. Moore.  
 4552 19 *Myxopyrum* Bl. G. II. 680. — Sp. 3. Archip. Malay.

#### ORDO CXIV. SALVADORACEÆ

- 4553 1 *Dobera* Juss. G. II. 680. (*Tomex* Forsk., *Schizocalyx* Hochst.). — Sp. 2. Ind. or., Afr. trop.  
 4554 2 *Salvadora* L. G. II. 681. — Sp. 2. Ind. or., Oriens, Arabia, Afr. bor. et trop.  
 4555 3 *Azima* Lam. G. II. 681. (*Monetia* L'Hér.). — Sp. 3 v. 4. Asia trop., Afr. trop. et austr., Madagasc. *Actegeton* Bl.

#### ORDO CXV. APOCYNACEÆ <sup>(1)</sup>

##### TRIBUS I. *Carisseæ*.

- 4556 1 *Allamanda* L. G. II. 690. (*Orelia* Aubl.). — Sp. ad 12. Amer. austr. et centr.  
 4557 2 *Leuconotis* Jack. G. II. 691. — Sp. 3. Archip. Malay.  
 4558 3 *Willoughbeia* Roxb., G. II. 691. (*Ancylocladus* Wall.). — Sp. 8 v. 10. Ind. or., Malacca, Zeylan.  
 4559 4 *Chilocarpus* Bl. G. II. 691. — Sp. 8. Ind. or., Archip. Malay., Austral.  
 4560 5 ? *Otopetalum* Miq. G. II. 692. — Sp. 1. Java.  
 4561 6 *Clitandra* Ben'h. G. II. 692. — Sp. 2. Afr. trop.  
 4562 7 *Landolphia* P. B. G. II. 692. (*Willoughbeia* Kl.). — Sp. ad 17. Afr. trop. et austr. subtrop., Madagasc., (Guiana?) ?*Pacouria* Aubl.

(1) Sp. ad 1035, plerumque trop. v. subtrop. in utroque orbe vigentes, paucæque extratrop. Amer. bor., Eur. et Asiæ incolæ, perpaucæ meridionales.

Cf. J. Miers, *On the Apocynaceæ of South America*. Edinb. 1878.



- 4563 8 *Vahea* Lam. G. II. 693 sub *Landolphia* (Genus restituendum. cf. Radlk. in *Abhandl. Brem. Ver.* VIII. 393 (1883). — Sp. 2? Madagasc., Afr. trop. or.?
- 4564 9 *Carpodinus* R. Br. G. II. 693. — Sp. 3 v. 4. Afr. trop. occ.
- 4565 10 *Hancornia* Gomez. G. II. 693. — Sp. 3. Brasil.
- 4566 11 *Couma* Aubl. G. II. 693. (*Collophora* Mart.). — Sp. 4 v. 5. Brasil., Guiana.
- 4567 12 *Ceratites* Soland. ex Miers. *On S. Amer. Apoc.* 19 (1878). — Sp. 1. Brasil.
- 4568 13 *Ambelania* Aubl. G. II. 694. (*Willughbeia* Scop.). — Sp. 5. Amer. trop.
- 4569 14 *Cupirana* Miers. *On S. Amer. Apoc.* 15 (1878). (*Coupoui* Aubl.). — Sp. 2. Guiana.
- 4570 15 *Lacmellia* Karst. G. II. 694. — Sp. 9. Amer. trop. *Zschokkia* Müll. Arg.
- 4571 16 ? *Macoubea* Aubl. G. II. 169. — Sp. 1. Guiana.
- 4572 17 *Melodinus* Forst. G. II. 694. — Sp. ad 17. Asia et Oceania trop. *Bicorona* A. DC., *Lycimnia* Hance, *Echaltium* Wight (*Oncinus* Lour.).
- 4573 18 *Winchia* A. DC. G. II. 695. — Sp. 1. Martabania.
- 4574 19 *Craspidospermum* Bojer. G. II. 695. — Sp. 1. Madagasc.
- 4575 20 *Manothrix* Miers. *On S. Amer. Apoc.* 28 (1878). — Sp. 2. Brasil.
- 4576 21 *Chaetosus* Benth. G. II. 695. — Sp. 1. N. Guinea.
- 4577 22 *Carissa* L. G. II. 695. — Sp. ad 22. Afr., Asia et Austral. trop. Sect. 1. *Eucarissa* A. DC., *Antura* Forsk. Sect. 2. *Arduina* A. DC., *Arduina* L.
- 4578 23 *Acokanthera* G. Don. G. II. 696. (*Toxicophlæa* G. Don). — Sp. 3. Afr. austr., Abyss.

TRIBUS II. **Plumeriæ.**

- 4579 24 *Vallesia* R. et P. G. II. 696. — Sp. 2. Amer. trop. et subtrop. a Chili usque ad Floridam.
- 4580 25 *Rauwolfia* L. G. II. 697. — Sp. fere 42. Amer., Afr. et Asia trop., Afr. austr. *Cyrtosiphonia* Miq., *Ophioxylon* L., *Heurckia* Müll. Arg.
- 4581 26 *Alyxia* R. Br. G. II. 697. (*Gynopogon* Forst.). — Sp. ad 31. Asia or. trop., Austral. trop., Ins. Pacif.
- 4582 27 *Hunteria* Roxb. G. II. 698. — Sp. 3 v. 1? Ind. or.
- 4583 28 *Amblyocalyx* Benth. G. II. 698 et 1241. — Sp. 2. Borneo.
- 4584 29 *Lepinia* Dcne. G. II. 698. — Sp. 1. Ins. Taiti.
- 4585 30 *Notonerium* Benth. G. II. 698 et 1241. — Sp. 1. Austral. centr.

- 4586 31 *Pleiocarpa* Benth. G. II. 699 et 1241. — Sp. 2. Afr. trop. or.  
 4587 32 *Pomphidea* Miers. *On S. Amer. Apoc.* 19 (1878). — Sp. 1.  
     Jamaica.  
 4588 33 *Thevetia* L. G. II. 699. — Sp. ad 4. Asia trop., Ins. Pacif.,  
     Madagasc.  
 4589 34 *Cerbera* L. pr. p. G. II. 699. — Sp. ad 4. Asia trop., Ins.  
     Pacif., Madagasc.  
     *Tanghinia* Thou.  
 4590 35 *Pseudochrosia* Bl. G. II. 700. — Sp. 1. N. Guinea.  
 4591 36 *Ochrosia* Juss. G. II. 700. (*Bleekeria* et *Lactaria* Hassk.). —  
     Sp. 12. Asia trop., Ins. Pacif. et Mascar.  
 4592 37 *Neuburgia* Bl. G. II. 700. — Sp. 2. N. Guinea, Ins. Molucc.  
 4593 38 *Kopsia* Bl. G. II. 701. (*Calpicarpum* G. Don). — Sp. 4.  
     Penins. et Archip. Malay.  
 4594 39 *Cameraria* L. G. II. 701. — Sp. 2. Ind. occ.  
 4595 40 *Condyllocarpon* Desf. G. II. 701. (*Maycockia* A. DC., *Horts-*  
     *mannia* Miq.). — Sp. ad 10. Amer. trop.  
 4596 41 *Aspidosperma* Mart. et Zucc. G. II. 702. (*Macaglia* Vahl,  
     *Peltospermum* DC.). — Sp. ad 35. Amer. centr. et trop.  
 4597 42 *Thyroma* Miers. *On S. Amer. Apoc.* 23 (1878). — Sp. 9.  
     Brasil., Antill.  
 4598 43 *Strempeliopsis* Benth. G. II. 702. — Sp. 1. Cuba.  
 4599 44 *Amsonia* Walt. G. II. 702. — Sp. ad 4. Amer. bor., Japon.  
 4600 45 *Rhazya* DChe. G. II. 703. — Sp. 2. Afghan., Belutchist., Asia  
     occ., Arabia.  
 4601 46 *Diplorhynchus* Welw. in Hook. *Icon. Plant.* tab. 1535. — Sp.  
     3. Afr. trop.  
 4602 47 *Gonioma* E. Mey. G. II. 703. — Sp. 1. Afr. austr.  
 4603 48 *Vinca* L. G. II. 703. — Sp. ad 12. Eur., Reg. Medit., Asia  
     occ. et orbis totius reg. trop.  
     *Lochnera* Richb., *Catharanthus* G. Don.  
 4604 49 *Plumeria* L. G. II. 704. (*Himatanthus* Willd.). — Sp. ad 45,  
     sed plures reduc. Amer. trop., alibi cult.  
 4605 50 ? *Anartia* Miers. *On S. Amer. Apoc.* 79 (1878). — Sp. 4 v. 7?  
     Amer. calid.  
 4606 51 *Skytanthus* Meyen. G. II. 704. (*Scytalanthus* Walp., *Habsburgia*  
     Mart., *Neriandra* A. DC.). — Sp. 4. Brasil., Chili, Antill.  
 4607 52 ? *Chariomma* Miers. *On S. Amer. Apoc.* 110 (1878). — Sp. 7.  
     Antill., Columbia.  
 4608 53 *Ellertonia* Wight. G. II. 705. — Sp. 1 v. 2? Ind. or., Mada-  
     gasc. ?  
 4609 54 *Alstonia* R. Br. G. II. 705. — Sp. ad 30. Asia et Austral.  
     trop., Ins. Pacif.  
     *Pala* Juss., *Blaberopus* A. DC.

- 4610 55 *Dyera* H. f. in *Journ. Linn. Soc.* XIX. 293. — Sp. 3. Archip. Malay.
- 4611 56 *Voacanga* Thou. (*Orchipeda* Bl. G. II. 705, *Pootia* Miq., *Annularia* et *Cyclostigma* Hochst., *Piptolæna* Harv.). — Sp. 13. Archip. Malay., Madagasc., Afr. trop.
- 4612 57 *Tabernæmontana* L. G. II. 706. (*Pandaca* Thou., *Reichardia* Dennst.). — Sp. ad 150. Utriusque orbis reg. trop., Madagasc.  
Bejoua Gaud., Bonafousia et Peschiera A. DC., Conopharyngia G. Don, Anacampta, Codonema, Merizadenia et Phrissocarpus Miers.
- 4613 58 *Taberna* Miers. *On S. Amer. Apoc.* 61 (1878). — Sp. 7. Brasil., Peruv., Antill.
- 4614 59 *Rhigospira* Miers. l. c. 67 (1878). — Sp. 7. Brasil.
- 4615 60 *Stemmadenia* Benth. G. II. 707. (*Odontostigma* A. Rich.). — Sp. 8. Amer. trop. occ., Cuba, Mexic.
- 4616 61 *Geissospermum* Allem. G. II. 707. — Sp. 6. Brasil., Guiana.
- 4617 62 *Anechites* Griseb. G. II. 707. — Sp. 6. Antill., Brasil.
- 4618 63 *Holarrhena* R. Br. G. II. 708. — Sp. 7 v. 8. Asia et Afr. trop. *Physetobasis* Hassk.
- 4619 64 *Plectaneia* Thou. G. II. 708. — Sp. 1. Madagasc.

TRIBUS III. **Echitideæ.**

- 4620 65 *Malouetia* A. DC. G. II. 708. — Sp. enum. ad 26. Afr. trop. occ., Amer. trop.  
*Robbia* A. DC.
- 4621 66 *Prestonia* R. Br. G. II. 709. (*Exothostemon* G. Don). — Sp. ad 35. Mexic., Amer. trop.  
*Hæmadictyon* Lindl., *Guachamaca* De Gross.
- 4622 67 *Thenardia* H. B. et K. G. II. 710. — Sp. 1 v. 2? Mexic.
- 4623 68 *Forsteronia* G. F. W. Mey. G. II. 710 et 1241. — Sp. ad 50. Amer. trop.  
*Syringosma* Mart., *Thyrsanthus* Benth. (*Thenardia* Benth.), *Aptotheca* Miers.
- 4624 69 ? *Grisebachiiella* Lorenz in Lor. et Niederl. *Enum. pl. Argent.* 251 (1880). — Sp. 1. Argentina.
- 4625 70 *Vallaris* Burm. G. II. 710. (*Emericia* R. et S., *Peltanthera* Roth). — Sp. 5 v. 6. Ind. or., Archip. Malay.
- 4626 71 *Lyonsia* R. Br. G. II. 711. — Sp. 14. N. Caled., Austral., Ins. Viti et Celebes.
- 4627 72 *Parsonsia* R. Br. G. II. 711. (*Helygia* et *Heligma* Bl., *Spirostemon* Griff.). — Sp. ad 12. Asia trop., Austral., N. Zel. *Gastranthus* F. Müll.

- 4628 73 *Pottsia* H. et A. G. II. 712. (*Teysmannia* Miq.). — Sp. 2 v. 3.  
Ind. or., Archip. Malay., China.  
Euthodon Griff., Parapottsia Miq.
- 4629 74 *Isonema* R. Br. G. II. 712. — Sp. 2. Afr. trop. occ.
- 4630 75 *Wrightia* R. Br. G. II. 712. (*Balfouria* R. Br.). — Sp. ad 12.  
Asia, Afr. et Austral. trop.
- 4631 76 *Nerium* L. G. II. 713. — Sp. 2 v. 3. Reg. Medit., Asia subtrop.,  
Japon.
- 4632 77 *Roupellia* Wall. G. II. 713. — Sp. 2 v. 3. Afr. trop.
- 4633 78 *Strophanthus* DC. G. II. 714. — Sp. ad 20. Asia et Afr. trop.,  
Afr. austr.  
Christya Harv., Cercocoma Wall.
- 4634 79 *Microchites* Miq. G. II. 714. — Sp. ad 4. Archip. Malay.
- 4635 80 *Ecdysanthera* H. et A. G. II. 714. (*Dendrocharis* Miq.). — Sp.  
4 v. 5. Ind. or., Archip. Malay., China austr.
- 4636 81 *Parameria* Benth. G. II. 715. — Sp. 3. Penins. Ind. or.,  
Archip. Malay.
- 4637 82 *Pycnobotrya* Benth. G. II. 715 et 1241. — Sp. 2. Afr. trop. occ.
- 4638 83 ? *Socotora* Balf. f. *Diagn. pl. nov.* pars III. 3 (1883). — Sp. 1.  
Socotra.
- 4639 84 *Motandra* A. DC. G. II. 715 et 1241. — Sp. 1. Afr. trop.
- 4640 85 *Zygodia* Benth. G. II. 716 et 1241. — Sp. 3. Afr. trop.
- 4641 86 *Urceola* Roxb. G. II. 716. (*Chavannesia* A. DC.). — Sp. 7 v. 8.  
Penins. et Archip. Malay.
- 4642 87 *Apocynum* L. G. II. 716. — Sp. 5. Eur. austr., Asia temp.,  
Amer. bor.
- 4643 88 *Ichnocarpus* R. Br. G. II. 716. (*Springia* Müll. Arg.). — Sp. 5  
v. 6. Ind. or., Archip. Malay., Asia or., Austral. trop.
- 4644 89 *Aganosma* G. Don. *Gen. Syst.* IV. 77. — Sp. 5 v. 6. Ind. or.,  
Penins. et Archip. Malay.
- 4645 90 *Epigynum* Wight. G. II. 717. (*Legouixia* Müll. Arg.). — Sp. 5  
v. 6. Penins. et Archip. Malay.
- 4646 91 *Alafia* Thou. G. II. 717. (*Blastotrophe* Didrichs). — Sp. 6.  
Madagasc., Afr. trop.
- 4647 92 *Ectinocladus* Benth. G. II. 718. — Sp. 1. Afr. trop.
- 4648 93 *Carruthersia* Seem. G. II. 718. — Sp. 2. Ins. Viti et Philippin.
- 4649 94 *Oncinotis* Benth. G. II. 718. — Sp. 1. Afr. trop.
- 4650 95 *Baissea* A. DC. G. II. 719. (*Cleghornia* Willd.). — Sp. 7.  
Zeylan., Afr. trop., Malacca.
- 4651 96 *Anodendron* A. DC. G. II. 719. — Sp. ad 7. Ind. or., Archip.  
Malay., Asia or.
- 4652 97 *Rhynchodia* Benth. G. II. 719. (*Rhynchospermum* A. DC.,  
*Cercocoma* Miq.). — Sp. 2. Ind. or., Archip. Malay.

- 4653 98 *Trachelospermum* Lemaire. G. II. 720. (*Rhynchospermum* Lindl., *Parechites* Miq.). — Sp. 6. Ind. or., Archip. Malay., Asia or.  
Triadenia Miq.
- 4654 99 *Chonemorpha* G. Don pr. p. G. II. 720. — Sp. 3. Ind. or., Archip. Malay.  
Epichysianthus Voigt.
- 4655 100 *Beaumontia* Wall. G. II. 721. — Sp. 4. Ind. or., Archip. Malay.
- 4656 101 *Mascarenhasia* A. DC. G. II. 721. — Sp. 4. Madagasc.
- 4657 102 *Kickxia* Bl. G. II. 721. (*Hasseltia* Bl., *Kibatalia* G. Don). — Sp. 2. Java, Afr. trop. occ.
- 4658 103 *Adenium* R. et S. G. II. 722. — Sp. 4. Arabia, Afr. calidior.
- 4659 104 *Pachypodium* Lindl. G. II. 722. (*Belonites* E. Mey.). — Sp. 5. Afr. austr., Madagasc.
- 4660 105 *Haplophyton* A. DC. G. II. 722. — Sp. 1. Amer. centr., Mexic., Cuba.
- 4661 106 *Secondatia* A. DC. G. II. 723. — Sp. 6. Amer. calidior.
- 4662 107 *Odontadenia* Benth. G. II. 723. (*Cylicadenia* Lemaire). — Sp. ad 18. Amer. trop.  
Anisolobus A. DC.
- 4663 108 *Laubertia* A. DC. G. II. 724. — Sp. 2. Peruvia.
- 4664 109 *Stipecoma* Müll. Arg. G. II. 724. — Sp. 9. Brasil.
- 4665 110 *Echites* L. G. II. 724. — Sp. ad 60. Amer. trop.  
Heterothrix et Mesechites Müll. Arg., Pentalinon Voigt, Rhaptocarpus Miers.
- 4666 111 *Temnadenia* Miers. *On S. Amer. Apoc.* 208 (1878). — Sp. enum. 22. Amer. mer.
- 4667 112 *Mitozus* Miers. l. c. 217 (1878). — Sp. enum. 20. Amer. mer.
- 4668 113 *Laseguea* A. DC. G. II. 725. — Sp. 17. Amer. centr. et austr. trop.
- 4669 114 *Rhodocalyx* Müll. Arg. G. II. 725. — Sp. 12. Brasil.
- 4670 115 *Macrosiphonia* Müll. Arg. G. II. 726. — Sp. 8. Brasil., Mexic., Texas.
- 4671 116 *Dipladenia* A. DC. G. II. 726. — Sp. ad 40. Amer. trop.  
Prestoniopsis Müll. Arg., Micradenia et Homalodenia Miers.
- 4672 117 *Angadenia* Miers. *On S. Amer. Apoc.* 173 (1878). — Sp. enum. 28. Mexic., Amer. mer.
- 4673 118 *Perictenia* Miers. l. c. 182 (1878). — Sp. 1. Peruvia.
- 4674 119 *Mandevilla* Lindl. G. II. 726. — Sp. ad 30? Mexic., Ind. occ., Amer. trop.  
Amblyanthera Müll. Arg.
- 4675 120 *Rhabdadenia* Müll. Arg. G. II. 727. — Sp. 11. Amer. trop.
- 4676 121 *Urechites* Müll. Arg. G. II. 727. — Sp. 3. Ind. occ., Mexic.

- 4677 122 *Cycladenia* Benth. G. II. 728. — Sp. 1. Californ.  
 4678 123 *Elytropus* Müll. Arg. G. II. 728. — Sp. 6. Chili, Brasil.  
 4679 124 ?*Eriadenia* Miers. *On S. Amer. Apoc.* 117 (1878). — Sp. 1.  
 Peruvia.

ORDO CVII. **ASCLEPIADEÆ** <sup>(1)</sup>

TRIBUS I. **Periploceæ.**

- 4680 1 *Phyllanthera* Bl. G. II. 739. — Sp. 1. Java.  
 4681 2 *Pentanura* Bl. G. II. 739. — Sp. 2. Sumatra, Yun-Nan.  
 4682 3 *Gymnolæma* Benth. G. II. 740 et 1241. — Sp. 1. Afr. trop.  
 (Kilimandjaro).  
 4683 4 *Hemidesmus* R. Br. G. II. 740. — Sp. 2. Ind. or.  
 4684 5 *Zygostelma* Benth. G. II. 740. — Sp. 1. Siam.  
 4685 6 *Cryptolepis* R. Br. G. II. 740. (*Leposma* et *Lepistoma* Bl.). —  
 Sp. ad 14. Asia et Afr. trop.  
 4686 7 *Cochlanthus* Balf. f. *Diagn. pl. nov.* pars 53 (1883). — Sp. 1.  
 Socotra.  
 4687 8 *Curroria* Planch. G. II. 741. — Sp. 2. Afr. austr. subtrop.  
 4688 9 *Æchmolepis* Dene. G. II. 741. — Sp. 1. Angola.  
 4689 10 *Ectadiopsis* Benth. G. II. 741 et 1241. — Sp. 3. Afr. calidior.  
 4690 11 *Mitolepis* Balf. f. *Diagn. pl. nov.* pars 4. 3 (1883). — Sp. 1.  
 Socotra.  
 4691 12 *Pentopetia* Dene. G. II. 741. — Sp. 3. Madagasc.  
 4692 13 *Ectadium* E. Mey. G. II. 742. — Sp. 1. Afr. austr.  
 4693 14 *Cryptostegia* R. Br. G. II. 742. — Sp. 2. Ind. or., Madagasc.  
 4694 15 *Gymnanthera* R. Br. G. II. 742. (*Dicerolepis* Bl.). — Sp. 4?  
 Austral. trop., Archip. Malay.  
 4695 16 *Brachylepis* W. et A. G. II. 742. — Sp. 1. Penins. Ind. or.  
 4696 17 *Utleria* Bedd. G. II. 743. — Sp. 1. Ind. or.  
 4697 18 *Finlaysonia* Wall. G. II. 743. (*Gurua* Ham.). — Sp. 1. Ind. or.  
 4698 19 *Harpanema* Dene. G. II. 743. — Sp. 1. Madagasc.  
 4699 20 *Atherandra* Dene. G. II. 743. — Sp. 3 v. 5. Archip. Malay.,  
 Burina.  
 4700 21 *Atherolepis* H. f. *Icon. Plant.* tab. 1433. — Sp. 1. Ind. or.  
 4701 22 *Atherostemon* Bl. *Mus. Bot.* II. 126 (1849). — Sp. 1. Ten-  
 nasserim, Java.  
 4702 23 *Streptocaulon* W. et A. G. II. 744. (*Triplolepis* Turcz.). — Sp.  
 6. Ind. or., Archip. Malay.  
 4703 24 *Myriopteron* Griff. G. II. 744. (*Vicarya* Wall.). — Sp. 1. Ind.  
 or., Java.

(1) Sp. ad 1700, per. reg. calidior. utriusque orbis dispersæ.

- 4704 25 *Decalepis* W. et A. G. II. 744. — Sp. 1. Ind. or.  
 4705 26 *Camptocarpus* Dcne. G. II. 744. — Sp. 4. Ins. Mascar.  
 4706 27 *Tacazzea* Dcne. G. II. 745. — Sp. 3 v. 4. Afr. trop.  
 4707 28 *Raphionacme* Harv. G. II. 745. (*Apoxyanthera* Hochst., *Zucchellia* Dcne). — Sp. ad 10. Afr. trop. et austr.  
 4708 29 *Chlorocodon* H. f. G. II. 745. — Sp. 1. Natal.  
 4709 30 *Periploca* L. pr. p. G. II. 746. (*Campelepis* Falc.). — Sp. 12. Eur. austr., Afr. trop., Asia temp. et subtrop.  
 4710 31 ?*Chlorocyathus* Oliv. in Hook. *Icon. Plant.* tab. 1357. — Sp. 1. Afr. trop. (Delagoa Bay).  
 4711 32 ?*Tanulepis* Balf. f. in *Journ. Linn. Soc.* XVI. 17 (1877). — Sp. 1. Ins. Rodriguez.

TRIBUS II. **Secamoneæ.**

- 4712 33 *Secamone* R. Br. G. II. 746. — Sp. ad 24. Afr. trop. et austr., Asia et Austral. trop., Ins. Mascar.  
 4713 34 *Toxocarpus* W. et A. G. II. 746. (*Schistocodon* Schau.). — Sp. ad 16. Afr., Ind. or., Archip. Malay., Asia or. *Goniostemma* Wight.  
 4714 35 ?*Genianthus* Hook. f. *Fl. B. Ind.* IV. 16 (1883). — Sp. 3 v. 4. Ind. or., Archip. Malay.

TRIBUS III. **Cynancheæ.**

- 4715 36 *Microlooma* R. Br. G. II. 747. — Sp. 5. Afr. austr.  
 4716 37 *Astephanus* R. Br. G. II. 747. — Sp. ad 13. Afr. austr., Madagascar., Amer. trop., subtrop. et austr. extratrop. *Hæmax* E. Mey., *Tylodontia* Griseb.  
 4717 38 *Nautonia* Dcne. G. II. 747. — Sp. 1. Brasil. austr.  
 4718 39 *Hemipogon* Dcne. G. II. 748. — Sp. 5. Brasil.  
 4719 40 *Mitostigma* Dcne. G. II. 748. — Sp. 1. Bolivia, Chili.  
 4720 41 *Amblystigma* Benth. G. II. 748. — Sp. 3. Bolivia.  
 4721 42 *Steinheilina* Dcne. G. II. 748. — Sp. 1. Arabia.  
 4722 43 *Glossonema* Dcne. G. II. 748. (*Mastostigma* Stocks). — Sp. 6. Afr. trop., Arabia, Belutsch., Persia, Scindia. ?*Conomitra* Fenzl.  
 4723 44 *Parapodium* E. Mey. G. II. 749. — Sp. 1. Afr. austr.  
 4724 45 *Solenostemma* Hayne. G. II. 749 et 1241. — Sp. 1. Afr., Arabia. *Argelia* Dcne.  
 4725 46 *Oxystelma* R. Br. G. II. 749. — Sp. 4. Asia et Afr. trop.  
 4726 47 *Philibertia* H. B. et K. G. II. 750. (*Sarcostemma* (sp. amer.) Dcne pr. p.). — Sp. ad 35. Amer. trop. et subtrop. *Pentagonia* Schau., *Ceramanthus* Kunze, *Zosima* Philippi.  
 4727 48 *Fischeria* DC. G. II. 750. — Sp. ad 17. Amer. trop. et subtrop.

- 4728 49 **Macroscepis** H. B. et K. G. II. 751. — Sp. 5. Peruv., Columbia, Amer. centr.
- 4729 50 **Araujia** Brot. G. II. 751. (*Physianthus* Mart., *Pentaphragma* Zucc.). — Sp. ad 14. Amer. trop. et subtrop.
- 4730 51 **Schubertia** Mart. et Zucc. *N. Genera* I. 55 (1824). — Sp. 5. Brasil.
- 4731 52 **Lagenia** E. Fourn. in *Fl. Brasil*. VI. pars 4. 293 (1885). — Sp. 2. Brasil.
- 4732 53 **Rhyssostelma** Dcne. G. II. 751. — Sp. 1. Montevideo.
- 4733 54 **Turrigera** Dcne. G. II. 751. — Sp. 2. Amer. austr. extratrop. (Brasil. except.).
- 4734 55 **Oxypetalum** R. Br. G. II. 752. (*Gothofreda* Vent., *Tweedia* H. et A., *Schizostemma* Dcne). — Sp. ad 50. Amer. austr.
- 4735 56 **Calostigma** Dcne. G. II. 752. — Sp. 3. Brasil.
- 4736 57 **Bustelma** E. Fourn. in *Fl. Brasil*. VI. pars 4. 257 (1885). — Sp. 1. Brasil.
- 4737 58 **Xysmalobium** R. Br. G. II. 752. — Sp. ad 8. Afr. trop. et austr.
- 4738 59 **Schizoglossum** E. Mey. G. II. 753. (*Aspidoglossum* et *Lagarinthus* E. Mey., *Rhinolobium* Arn.). — Sp. ad 20. Afr. trop. et austr.  
Mackenia Harv.
- 4739 60 **Gomphocarpus** R. Br. G. II. 753. — Sp. ad 80. Afr. trop. et austr., Arabia, Amer. bor. et centr., alibi inquil.  
*Pachycarpus* E. Mey. (*Acerates* Ell., *Anantherix* et *Polyotus* Nutt.), *Krebsia* Harv.
- 4740 61 **Schizonotus** A. Gray in *Proc. Amer. Acad.* XII. 66. — Sp. 1. Californ.
- 4741 62 **Calotropis** R. Br. G. II. 754. — Sp. 3. Asia calidior., Afr. trop.
- 4742 63 **Asclepias** L. G. II. 754. — Sp. ad 60. Amer. bor. et austr. (Afr. trop. et austr. sp. 2 et sp. 1 per reg. calidior. utriusque orbis).  
*Otaria* Kth.
- 4743 64 **Asclepiodora** A. Gray in *Proc. Amer. Acad.* XII. 66. — Sp. 2. Amer. bor.
- 4744 65 **Podostigma** Ell. G. II. 755. (*Stylandra* Nutt.). — Sp. 1. Amer. bor.
- 4745 66 **Metastelma** R. Br. G. II. 755. — Sp. ad 40. Amer. trop. et subtrop.  
*Irmischia* Schlcht., *Acrocoryne* Turcz., *Funastrum* E. Fourn. in *Ann. Sc. Nat.* ser. 6. XIV. 388 (1882).
- 4746 67 **Husnotia** E. Fourn. in *Fl. Brasil*. VI. pars 4. 211 (1885). — Sp. 1. Brasil.



- 4747 68 *Calathostelma* E. Fourn. l. c. 219. — Sp. 1. Brasil.  
 4748 69 *Cyathostelma* E. Fourn. l. c. 219. — Sp. 2. Brasil.  
 4749 70 *Lorostelma* E. Fourn. l. c. 220. — Sp. 1. Brasil.  
 4750 71 *Glaziostelma* E. Fourn. l. c. 231. — Sp. 1. Brasil.  
 4751 72 *Sattadia* E. Fourn. l. c. 231. — Sp. 1. Brasil.  
 4752 73 *Lagoa* Nob. (*Zygostelma* E. Fourn. l. c. 232, non Benth.). —  
     Sp. 1. Brasil.  
 4753 74 *Esmeraldia* E. Fourn. in *Ann. Sc. Nat.* ser. 6. XIV. 367  
     (1882). — Sp. 1. Venezuela.  
 4754 75 *Tassadia* Dcne. G. II. 756. — Sp. 9. Brasil., Guiana.  
 4755 76 *Gyrostelma* E. Fourn. in *Fl. Brasil.* VI. pars 4. 302 (1885). —  
     Sp. 1. Brasil.  
 4756 77 *Blepharodon* Dcne pr. p. G. II. 756. (*Blepharodus* et *Ptycholepis*  
     Griseb.). — Sp. ad 16. Amer. trop.  
 4757 78 *Madarosperma* Benth. G. II. 1241. — Sp. 3. Brasil.  
 4758 79 *Stenomeria* Turcz. G. II. 756. — Sp. 2. N. Granada.  
 4759 80 *Enslenia* Nutt. G. II. 757. — Sp. 3. Amer. bor., Columbia.  
     *Nematuris* Turcz.  
 4760 81 *Ditassa* R. Br. G. II. 757. — Sp. ad 40. Amer. trop.  
 4761 82 *Melinia* Dcne. G. II. 757. (*Brachylepis* H. et A.). — Sp. 2 v. 3.  
     Amer. austr. extratrop.  
 4762 83 *Kerbera* E. Fourn. in *Fl. Brasil.* VI. pars 4. 290 (1885). —  
     Sp. 2. Brasil., Uruguay.  
 4763 84 *Lugonia* Wedd. G. II. 758. — Sp. 2. Peruvia, Bolivia.  
 4764 85 *Schistogyne* H. et A. G. II. 758. — Sp. 4. Brasil., Bolivia,  
     Argentina.  
 4765 86 *Pentabothra* H. f. *Icon. Plant.* tab. 1426. — Sp. 1. Ind. or.  
 4766 87 *Raphistemma* Wall. G. II. 758. — Sp. 2. Ind. or., Archip.  
     Malay.  
 4767 88 *Pentarrhinum* E. Mey. G. II. 758. — Sp. 4 v. 5. Afr. trop. et  
     austr.  
 4768 89 *Pycnostelma* Brongn. G. II. 759. — Sp. 1. China, Japon.,  
     Siberia.  
 4769 90 *Glossostephanus* E. Mey. G. II. 759. — Sp. 1. Afr. austr.  
     *Oncinema* Arn.  
 4770 91 *Margaretta* Oliv. G. II. 759. — Sp. 1. Afr. trop.  
 4771 92 *Cordylogyne* E. Mey. G. II. 759. — Sp. 3 v. 4. Afr. austr.  
     *Periglossum* Dcne.  
 4772 93 *Panninia* Harv. G. II. 760. — Sp. 1. Afr. austr.  
 4773 94 *Kanahia* R. Br. G. II. 762. — Sp. 2 v. 3. Afr. trop. et subtrop.  
 4774 95 *Holostemma* R. Br. G. II. 762. — Sp. 2. Ind. or.  
 4775 96 *Adelostemma* H. f. *Fl. B. Ind.* IV. 20 (1883). — Sp. 1. Ind. or.  
 4776 97 *Graphistemma* Champ. G. II. 762. — Sp. 1. China.

- 4777 98 **Morrenia** Lindl. G. II. 763. — Sp. 1. Bonaria, Argentina, Paraguay, Brasil., Bolivia.
- 4778 99 **Pycnoneurum** Dcne. G. II. 763. — Sp. 2. Madagasc.
- 4779 100 **Cynanchum** L. G. II. 762. — Sp. ad 100. Utriusque orbis reg. calidior. et temp.
1. **Cynanchum** Dcne, **Endotropis** Endl., **Diploglossus** Meisn., **Symphioglossum** Turcz.
  2. **Vincetoxicum** Mönch. G. II. 761. (**Alexitoxicum** S<sup>t</sup>. Lager), **Seuteria** Rchb., **Cynoctonum** E. Mey. (**Cyathella** Dcne, **Bunburia** Harv., **Blyttia** Arn. (**Haplostemma** Endl.), **Schizostephanus** Hochst.
- 4780 101 **Orthosia** Dcne in DC. *Prodr.* VIII. 526. — Sp. ad 10. Amer. austr.
- 4781 102 **Amphistelma** Griseb. *Fl. B. W. Ind.* 417 (1885). — Sp. ad 10. Brasil., Paraguay.
- 4782 103 **Amphidetis** E. Fourn. in *Fl. Brasil.* VI. pars 4. 213 (1885). — Sp. 2. Brasil.
- 4783 104 **Pulvinaria** E. Fourn. l. c. 214. — Sp. 1. Brasil.
- 4784 105 **Telminostelma** E. Fourn. l. c. 218. — Sp. 1. Brasil.
- 4785 106 **Selmation** E. Fourn. l. c. 226. — Sp. 1. Brasil.
- 4786 107 **Roulinia** Dcne. G. II. 762. — Sp. ad 15. Amer. trop.
- 4787 108 **Mellichampia** A. Gray ex S. Wats. in *Proc. Amer. Acad.* XXII. 437 (1887). — Sp. 1. Amer. bor. (Guadalajara).
- 4788 109 **Diplolepis** R. Br. G. II. 763. (**Sonninia** Rchb.). — Sp. 1. Chili.
- 4789 110 **Peplonia** Dcne. G. II. 763. — Sp. 2. Brasil.
- 4790 111 **Sarcostemma** R. Br. G. II. 763. — Sp. 8 v. 5. Afr., Asia et Austral. trop. et subtrop.
- 4791 112 ?**Monostemma** Turcz. G. II. 763 sub *Sarcostemmata*. (**Sarcocyphula** Harv.). — Sp. 1. Afr. austr.
- 4792 113 **Pentatropis** R. Br. G. II. 764. (**Rhyncharrhena** F. Müll.). — Sp. ad 8. Asia, Afr. et Austral. trop., Madagasc. **Eutropis** Falc.
- 4793 114 **Metaplexis** R. Br. G. II. 764. (**Urostelma** Bge). — Sp. 2. China, Japon., Sibiria.
- 4794 115 **Dæmia** R. Br. G. II. 764. — Sp. 6. Afr. et Asia trop. et subtrop.
- 4795 116 **Decanema** Dcne. G. II. 765. — Sp. 1. Madagasc.
- 4796 117 **Eustegia** R. Br. G. II. 765. — Sp. 4. Afr. austr.
- 4797 118 ?**Rothrockia** A. Gray in *Proc. Amer. Acad.* 295 (1885). — Sp. 1. Arizona.
- 4798 119 ?**Astrostemma** Benth. in Hook. *Icon. Plant.* tab. 1311. — Sp. 1. Borneo.

TRIBUS IV. **Gonolobææ.**

- 4799 120 **Dictyanthus** Dcne. G. II. 765. (*Tympananthe* Hassk., *Rytidoloma* Turcz.). — Sp. 4. Mexic.
- 4800 121 **Trichosacme** Zucc. G. II. 765. — Sp. 1. Mexic.
- 4801 122 **Gonolobus** Mchx. G. II. 766. — Sp. ad 80 v. 90. Amer. trop. et bor.
- 4802 123 **Cœlostelma** E. Fourn. in *Fl. Brasil.* VI. pars 4. 320 (1885). — Sp. 1. Brasil.
- 4803 124 **Exolobus** E. Fourn. l. c. 318. — Sp. 5. Brasil.
- 4804 125 **Himantostemma** A. Gray in *Proc. Amer. Acad.* XX. 290 (1885) — Sp. 1. Sonora.
- 4805 126 **Metalepis** Griseb. G. II. 766. — Sp. 1. Cuba.
- 4806 127 **Matelea** Aubl. G. II. 766. (*Hostea* Willd.). — Sp. 5 v. 6. Amer. trop.
- 4807 128 **Peckoltia** E. Fourn. in *Fl. Brasil.* VI. pars 4. 310 (1885). — Sp. 1. Brasil.
- 4808 129 **Lachnostoma** H. B. et K. G. II. 767. pr. p. — Sp. 2. Columbia.
- 4809 130 **Pherotrichis** Dcne in *Ann. Sc. Nat.* ser. 2. IX. 322. G. II. 767 sub *Lachnostomate*. — Sp. 1. Mexic.
- 4810 131 **Hypolobus** E. Fourn. in *Fl. Brasil.* VI. pars 4. 311 (1885). — Sp. 1. Brasil.
- 4811 132 **Phæostemma** E. Fourn. l. c. 311. — Sp. 2. Brasil.
- 4812 133 **Malinvaudia** E. Fourn. l. c. 312. — Sp. 1. Brasil.
- 4813 134 **Chthamalia** Dcne in DC. *Prodr.* VIII. 605 (1844). — Sp. 4. Mexic., Brasil.
- 4814 135 **Ibatia** Dcne. l. c. 599. — Sp. 5. Brasil.
- 4815 136 **Omphalophthalmum** Karst. G. II. 767. — Sp. 1. Columbia.
- 4816 137 **Poicilla** Griseb. G. II. 768. — Sp. 1. Cuba.
- 4817 138 **Ptycanthera** Dcne. G. II. 768. — Sp. 1. S. Doming.
- 4818 139 **Polystemma** Dcne. G. II. 768. — Sp. 1. Mexic.
- 4819 140 **Fimbristemma** Turcz. G. II. 768. (*Callæolepium* Karst.). — Sp. 2. Columbia, Guatemala, Costa Rica.

TRIBUS V. **Marsdeniææ.**

- 4820 141 **Sarcolobus** R. Br. G. II. 769. — Sp. 2 v. 3. Ind. or., Archip. Malay.
- 4821 142 **Rhyssolobium** E. Mey. G. II. 769. — Sp. 1. Afr. austr.
- 4822 143 **Trichosandra** Dcne. G. II. 769. — Sp. 1. Ins. Mascar.
- 4823 144 **Pentasacme** Wall. G. II. 769. (err. *Pentaschme*). — Sp. 3 v. 4. Ind. or., China.
- 4824 145 **Gymnema** R. Br. G. II. 769. — Sp. ad 23. Asia, Afr. et Austral. trop. et subtrop.
- Bidaria** Dcne.

- 4825 146 *Gongronema* Dcne. G. II. 770. — Sp. ad 10. Asia, Afr. et Austral. trop.
- 4826 147 *Tylophora* R. Br. G. II. 770. — Sp. ad 40. Asia, Afr. et Austral. trop. et subtrop., N. Caled.  
*Belostemma* Wall., *Iphisia* Wight, *Hybanthera* Endl., *Amblyoglossum* Turcz.
- 4827 148 *Lygisma* H. f. *Icon. Plant.* tab. 1243 (1883). — Sp. 1. Ind. or. (Burma).
- 4828 149 *Treutlera* H. f. *Icon. Plant.* tab. 1245 (1883). — Sp. 1. Sikkim.
- 4829 150 *Jobinia* E. Fourn. in *Fl. Brasil.* VI. pars 4. 327 (1885). — Sp. 2. Brasil.
- 4830 151 *Petalostelma* E. Fourn. l. c. 328. — Sp. 1. Brasil.
- 4831 152 *Nephradenia* Dcne. G. II. 771. — Sp. ad 6. Brasil., Mexic.
- 4832 153 *Barjonia* Dcne. G. II. 771. — Sp. 6. Brasil.
- 4833 154 *Rhynchostigma* Benth. G. II. 771 et 1242. — Sp. 3. Afr. trop.
- 4834 155 *Sphærocodon* Benth. G. II. 772 et 1242. — Sp. 2. Afr. trop. or. et austr.
- 4835 156 *Marsdenia* R. Br. G. II. 772. (*Sicyocarpus* Bojer, *Leichardtia* R. Br.). — Sp. ad 55. Utriusque orbis reg. calidior.  
*Harrisonia* Hook. (*Baxtera* Rehb.), *Sphinctostoma* Benth., *Ruehssia* Karst., *Tetragonocarpus* Hassk., *Chlorochlamys* Miq., *Cionura* Griseb.
- 4836 157 *Verlotia* E. Fourn. in *Fl. Brasil.* VI. pars 4. 324 (1885). — Sp. 5. Brasil.
- 4837 158 *Stephanotis* Thou. G. II. 773. (*Jasminanthes* Bl.). — Sp. ad 14. Archip. Malay., China austr., Madagasc., Peruv., Cuba.
- 4838 159 *Stephanotella* E. Fourn. l. c. 326. — Sp. 1. Brasil.
- 4839 160 *Pergularia* L. G. II. 773. — Sp. ad 10. Asia et Afr. trop., Afr. austr.
- 4840 161 *Fockea* Endl. G. II. 773. (*Hockea* Lindl., *Chymocormus* Harv.). — Sp. 3 v. 4. Afr. austr.
- 4841 162 *Pervillæa* Dcne. G. II. 774. — Sp. 1. Madagasc.
- 4842 163 *Cosmostigma* R. Br. G. II. 774. — Sp. 1. Ind. or.
- 4843 164 *Dittoceras* H. f. *Fl. B. Ind.* IV. 48 (1883). — Sp. 2. Sikkim.
- 4844 165 *Heterostemma* W. et A. G. II. 774. (*Symphysicarpus* Hassk.). — Sp. ad 10. Ind. or., Archip. Malay.
- 4845 166 *Asterostemma* Dcne. G. II. 775. — Sp. 1. Java.
- 4846 167 *Oianthus* Benth. G. II. 775 et 1242. — Sp. 3. Penins. Ind. or.
- 4847 168 *Dregea* E. Mey. G. II. 775. (*Wattakaka* Hassk., *Pterygocarpus* Hochst.). — Sp. 6 v. 7. Afr. trop. et austr., Ind. or., Archip. Malay.

- 4848 169 *Tenaris* E. Mey. G. II. 775. — Sp. 1. Afr. austr.  
 4849 170 *Lasiostemma* Benth. G. II. 776. — Sp. 3? Natal.  
 4850 171 *Pycnorhachis* Benth. G. II. 776. — Sp. 1. Malacca.  
 4851 172 *Thonotia* F. Müll. G. II. 776. — Sp. 1. Austral. trop.  
 4852 173 *Hoya* R. Br. G. II. 776. *Sperlingia* Vahl, *Schokia* Jacq. f.  
 — Sp. ad 50. Asia or., Austral. trop. et subtrop.  
*Acanthostemma*, *Otostemma*, *Calhetostemma* et *Plocostemma*  
 Bl., *Cyrtoceras* Benn. *Centrostemma* Dcne, *Pterostemma*  
 Wight.  
 4853 174 *Physostemma* Wight. G. II. 777. *Cystidanthus* Hassk. — Sp.  
 2. Archip. Malay., Ind. or.  
 4854 175 *Dischidia* R. Br. G. II. 777. *Collyris* Vahl, *Leptostemma* Bl.  
 — Sp. 46, ad 25 reduc. Ind. or., Archip. Malay., Austral.  
 trop.  
 4855 176 *Conchophyllum* Bl. *Bijdrag.* 1060 1826. — Sp. 1. Archip. Malay.

TRIBUS VI. *Ceropegieæ*.

- 4856 177 *Leptadenia* R. Br. G. II. 778. — Sp. ad 12. Asia et Afr. trop.,  
 Madagasc.  
 4857 178 *Orthanthera* Wight. *Contrib.* 48 1834. — Sp. 1. Himal. bor.  
 4858 179 *Macropetalum* Burch. G. II. 778. — Sp. 2. Afr. austr.  
 4859 180 *Microstemma* R. Br. G. II. 778. — Sp. 2. Austral. trop.  
 4860 181 *Eriopetalum* Wight. G. II. 779. — Sp. 4? Ind. or.  
 4861 182 *Sisyranthus* E. Mey. G. II. 779. — Sp. 3. Afr. austr.  
 4862 183 *Barrowia* Dcne. G. II. 779. — Sp. 2. Angola, Afr. austr.  
 4863 184 *Ceropegia* L. G. II. 779. (*Systrephia* Burch.). — Sp. ad 56. Afr.  
 trop. et austr., Ind. or., Archip. Malay., Austral. trop.  
 4864 185 *Riocreuxia* Dcne. G. II. 780. — Sp. 4. Afr. austr.  
 4865 186 *Dichælia* Harv. G. II. 780. — Sp. 5. Afr. austr.  
 4866 187 *Brachystelma* R. Br. G. II. 781. — Sp. ad 20. Afr. austr. et  
 trop. or.  
*Micraster* Harv.  
 4867 188 *Anisotome* Fenzl. G. II. 781. (*Anisotomaria* Presl, *Lophoste-*  
*phus* Harv.). — Sp. 3? Afr. austr.

TRIBUS VII. *Stapelieæ*.

- 4868 189 *Echidnopsis* H. f. G. II. 781. — Sp. 1 v. 2. Abyss.  
 4869 190 *Caralluma* R. Br. G. II. 782. — Sp. 4. Ind. or. (prov. occ.),  
 Arabia.  
 4870 191 *Piранthus* R. Br. G. II. 782. — Sp. ad 6? Afr. austr.  
*Pectinaria* Haw.  
 4871 192 *Quaqua* N. E. Brown in *Gard. Chron.* pars 2 9 (1879). —  
 Sp. 1. Afr. austr.

- 4872 193 **Boucerosia** W. et A. G. II. 782. (*Hutchinia* W. et A., *Desmiodorchis* Ehrenb., *Apteranthes* Mikan). — Sp. ad 12. Ind. or., Afr. bor., Hispania, Sicilia.
- 4873 194 **Sarcocodon** N. E. Brown in *Journ. Linn. Soc.* XVII. 169 (1878). — Sp. 1. Afr. trop.
- 4874 195 **Frerea** Dalz. G. II. 783. — Sp. 1. Penins. Ind. or.
- 4875 196 **Hoodia** Sweet. G. II. 783. (*Monothylacium* G. Don, *Scytanthus* Hook.). — Sp. 4. Angola, Afr. austr.
- 4876 197 **Trichocaulon** N. E. Brown in *Journ. Linn. Soc.* XVII. 164 (1878). — Sp. 2. Afr. austr.
- 4877 198 **Podanthes** Haw. G. II. 783. (*Obesia* Haw.). — Sp. ad 8. Afr. austr.
- 4878 199 **Duvalia** Haw. G. II. 784. — Sp. ad 10. Afr. austr.
- 4879 200 **Decabelone** Dene. G. II. 784. — Sp. 3. Angola, Afr. austr.
- 4880 201 **Huernia** R. Br. G. II. 784. — Sp. 15. Afr. austr.
- 4881 202 **Huerniopsis** N. E. Brown in *Journ. Linn. Soc.* XVII. 171. — Sp. 1. Afr. austr.
- 4882 203 **Stapelia** L. G. II. 784. — Sp. ad 70. Afr. austr.  
1. *Gonostemon* Haw. — 2. *Tridentea* Haw.  
3. *Stapelia* Haw. — 4. *Tromotriche* Haw.  
5. *Orbea* Haw. — 6. *Caruncularia* Haw.
- 4883 204 **Diplocyatha** N. E. Brown in *Journ. Linn. Soc.* XVII. 167 (1878). — Sp. 1. Afr. austr.

## ORDO CXVII. LOGANIACEÆ <sup>(1)</sup>

### TRIBUS I. Gelsemieæ.

- 4884 1 **Gelsemium** Juss. G. II. 789 et 1242. (*Medicia* Gardn., *Leptopteris* Bl.). — Sp. 3. Amer. bor., Sumatra, China.
- 4885 2 **Mostuca** Didrichs. G. II. 789 et 1242. (*Leptocladus* Oliv.). — Sp. 3 v. 4. Afr. trop., Surinam.
- 4886 3 **Coinochlamys** T. Anders. G. II. 1091. — Sp. 1. Afr. trop. occ.
- 4887 4 **Plocosperma** Benth. G. II. 789 et 1242. — Sp. 1. Guatemala.

### TRIBUS II. Euloganieæ.

- 4888 5 **Spigelia** L. G. II. 790. (*Canala* Pohl, *Cælostylis* Torr. et Gray). — Sp. ad 30. Amer. trop. et bor.  
Montira Aubl. (*Heinzelmannia* Neck.).
- 4889 6 **Mitreola** L. G. II. 790. — Sp. 4. Amer. trop. et bor., Asia et Austral. trop.
- 4890 7 **Mitrasacme** Labill. G. II. 790. — Sp. 28. N. Zel., Austral., Asia trop.

(1) Sp. ad 360, per reg. trop. utriusque orbis late dispersæ.

- 4891 8 *Polypremum* L. G. II. 791. — Sp. 1. Amer. bor. et centr., Columbia, Ind. occ.
- 4892 9 *Logania* R. Br. G. II. 791. (*Euosma* Andr.). — Sp. 21. N. Zel., Austral.
- 4893 10 *Geniostoma* Forst. G. II. 791. (*Anasser* Juss., *Hæmospermum* Reinw.). — Sp. ad 20. Ins. Mascar., Archip. Malay., Ins. Pacif., Austral., N. Zel.
- 4894 11 *Labordia* Gaud. G. II. 792. — Sp. 5 v. 6. Ins. Sandvic.
- 4895 12 *Gomphostigma* Turcz. G. II. 792. — Sp. 1. Afr. austr.
- 4896 13 *Nuxia* Lam. G. II. 792. (*Lachnopylis* Hochst.). — Sp. ad 10. Afr. trop. et austr., Ins. Mascar.
- 4897 14 *Chilianthus* Burch. G. II. 793. — Sp. 4. Afr. austr.
- 4898 15 *Buddleia* L. G. II. 793. (*Romana* Vell. pr. p.). — Sp. ad 70. Amer. et Asia trop. et subtrop., Afr. austr.
- 4899 16 *Emorya* Torr. G. II. 794. — Sp. 2. Mexic., Texas.
- 4900 17 *Adenoplea* Radlk. in *Abhandl. Nat. Ver. Brem.* VIII. 406 (1883). — Sp. 1. Madagasc.
- 4901 18 *Adenoplusia* Radlk. *l. c.* 461 (1883). — Sp. 1. Madagasc.
- 4902 19 *Nicodemia* Ten. G. II. 794. — Sp. 2. Ins. Mascar.
- 4903 20 *Desfontainea* R. et P. G. II. 794. (*Linkia* Pers.). — Sp. 1. Amer. andina a Chili usque ad N. Granadam.
- 4904 21 *Fagraea* Thunb. G. II. 794. (*Kuhlia*, *Picrophlæum* et *Cyrtophyllum* Bl., *Kentia* Steud., *Utania* G. Don). — Sp. ad 30. Ind. or., Archip. Malay., Ins. Pacif., Austral.
- 4905 22 *Potalia* Aubl. G. II. 795. (*Nicandra* Schreb.). — Sp. 1. Guiana, Brasil. bor.
- 4906 23 *Anthocleista* Afzel. G. II. 795. — Sp. 4 v. 5. Afr. trop.
- 4907 24 *Usteria* Willd. G. II. 796. (*Monodynamis* Gmel.). — Sp. 1. Afr. trop.
- 4908 25 *Norrisia* Gardn. G. II. 796. — Sp. 1. Malacca.
- 4909 26 *Antonia* Pohl. G. II. 796 et 1242. — Sp. 1. Brasil., Guiana.
- 4910 27 *Bonyunia* Schomb. G. II. 796. — Sp. 2. Brasil., Guiana.
- 4911 28 *Peltanthera* Benth. G. II. 797. — Sp. 1. Peruvia.
- 4912 29 *Strychnos* L. G. II. 797. (*Rouhamon* Aubl., *Lasiostoma* Schreb., *Brehmia* Harv., *Unguacha* Hochst., *Narda* Vell.). — Sp. ad 65. Utriusque orbis reg. trop.  
? *Ignatia* L. f.
- 4913 30 *Couthovia* A. Gray. G. II. 797. — Sp. 3. Ins. Pacif. et Celebes.

TRIBUS III. *Gærtnerææ*.

- 4914 31 *Gærtnera* Lam. G. II. 798. (*Andersonia* Schlcht., *Frutesca* DC., *Sykesia* Arn.). — Sp. ad 30. Afr. trop., Ins. Mascar., Madagasc., Ind. or.

- 4915 32 *Pagamea* Aubl. G. II. 798. — Sp. 8. Brasil. bor., Guiana.  
 4916 33 *Gardneria* Wall. G. II. 798. — Sp. 2 v. 3. Ind. or., Japon.  
 4917 34 *Hymenocnemis* H. f. G. II. 132 (Rubiacea), — Sp. 1. Madagasc.

ORDO CXVIII. GENTIANEÆ <sup>(1)</sup>

## TRIBUS I. Exaceæ.

- 4918 1 *Cotylanthra* Bl. G. II. 803. (*Eophyton* A. Gray). — Sp. 3.  
 Himal., Java, Ins. Pacif.  
 4919 2 *Exacum* L. G. II. 803. — Sp. ad 30. Ind. or., Archip. Malay.,  
 Asia or., Madagasc.  
*Paracelsia* Zoll.  
 4920 3 *Sebæa* R. Br. G. II. 804. — Sp. ad 18. Afr. trop. et austr.,  
 N. Zel., Austral.  
*Lagenias* E. Mey.  
 4921 4 *Belmontia* E. Mey. G. II. 804. — Sp. 5 v. 6. Afr. trop. et austr.  
*Exochænum* Griseb.  
 4922 5 *Tachiadenus* Griseb. G. II. 804. — Sp. 5. Madagasc.

## TRIBUS II. Chironiææ.

- 4923 6 *Chironia* L. G. II. 805. — Sp. 16. Afr. austr.  
*Plocandra* E. Mey., *Roeslinia* Mönch.  
 4924 7 *Orphium* E. Mey. G. II. 805. — Sp. 1. Afr. austr.  
 ? *Valeranda* Neck.  
 4925 8 *Hoppea* Willd. G. II. 805. (*Hopea* Vahl, *Pladera* Griseb.). —  
 Sp. 2. Ind. or.  
 4926 9 *Faroea* Welw. G. II. 806. — Sp. 2 v. 3? Afr. trop.  
 4927 10 *Microcala* Link et Hoffm. G. II. 806 et 1242. (*Franquevillia*  
*Salisb.*). — Sp. 2. Eur. occ., Amer. austr.  
 4928 11 *Voyriella* Miq. G. II. 806. — Sp. 1. Guiana, Brasil. bor.  
 4929 12 *Voyria* Aubl. G. II. 806. (*Lita* Schreb., *Humboldtia* Neck.,  
*Vohiria* Lam., *Leiphaimos* Cham. et Schlcht.). — Sp.  
 ad 16. Afr. et Amer. trop.  
*Leianthostemon*, *Disadena* et *Pneumonanthopsis* Miq.,  
*Biglandularia* Karst.  
 4930 13 *Enicostema* Bl. G. II. 807. (*Henicostemma* Endl., *Hippion*  
*Spreng.*, *Slevogtia* Rchb., *Adenema* G. Don). — Sp. 1.  
 Asia et Afr. trop., Ind. occ.  
 4931 14 *Leianthus* Griseb. G. II. 807. — Sp. 13. Ind. occ., Mexic.,  
 Amer. centr.  
*Petasostylis* Griseb. (*Omphalostigma* Griseb.)

(1) Sp. ad 575, in utroque orbe late dispersæ.



- 4932 15 *Hockinia* Gardn. G. II. 808. — Sp. 1. Brasil.
- 4933 16 *Tapeinostemon* Benth. G. II. 808. — Sp. 3. Brasil. bor., Guiana.
- 4934 17 *Gœppertia* Griseb. G. II. 808. — Sp. 2. Cuba.
- 4935 18 *Curtia* Cham. et Schlecht. G. II. 808. (*Schuebleria* Mart., *Apo-phragma* Griseb.). — Sp. 9. Brasil., Guiana.
- 4936 19 *Chlora* L. G. II. 809. (*Blackstonia* Huas.). — Sp. 2. Eur., Afr. bor., Asia occ.
- 4937 20 *Erythræa* DC. G. II. 809. (*Hippocentaurea* J. A. Schultes, *Gyrandra* Griseb.). — Sp. ad 25. Reg. temp. et subtrop. hemisph. bor., Chili, Austral.  
Schenkia Griseb.
- 4938 21 *Geniostemon* Engelm. et Gray in *Proc. Amer. Acad.* 104 (1880). — Sp. 2. Mexic.
- 4939 22 *Sabbatia* Adans. G. II. 810 et 1242. — Sp. 15. Amer. bor., Cuba.  
Lapithea Griseb.
- 4940 23 *Zygostigma* Griseb. G. II. 810. — Sp. 2. Amer. austr. extratrop.
- 4941 24 *Ixanthus* Griseb. G. II. 810. — Sp. 1. Ins. Canar.
- 4942 25 *Dejanira* Cham. et Schlecht. G. II. 810. (*Callopisma* Mart.). — Sp. 3. Brasil.
- 4943 26 *Cicendia* Adans. G. II. 810. — Sp. 1. Eur. occ.
- 4944 27 *Canscora* Lam. G. II. 811. (*Pladera* Soland, *Cobamba* Blanco). — Sp. ad 15. Afr. trop., Ind. or., Archip. Malay., Austral. trop.  
Orthostemon R. Br., Phyllocyclus Kurz, Heterocanscora Clarke.
- 4945 28 *Schultesia* Mart. G. II. 811. (*Reichertia* Karst.). — Sp. descr. 15, sed nonnullæ reduc. Amer. trop.  
Xestæa Griseb.
- 4946 29 *Neurotheca* Salisb. G. II. 812. (*Octopleura* Benth.). — Sp. 1. Afr. trop., Brasil. bor., Guiana.
- 4947 30 *Coutonbea* Aubl. G. II. 812. (*Picria* Schreb., *Cutubea* Mart.). — Sp. 3. Amer. trop.
- 4948 31 *Eustoma* Salisb. G. II. 812. (*Urananthus* Benth., *Arenbergia* Martens et Gal.). — Sp. 2. Amer. bor. calid., Mexic., Ind. occ., Columbia.
- 4949 32 *Prepusa* Mart. G. II. 813. — Sp. 3. Brasil.
- 4950 33 *Tachia* Aubl. G. II. 813. (*Myrmecia* Schreb.). — Sp. 3. Guiana, Brasil.
- 4951 34 *Zonanthus* Griseb. G. II. 813. — Sp. 1. Cuba.
- 4952 35 *Lisianthus* Aubl. G. II. 813 et 1242. — Sp. enum. fere 60, sed vix 50 dist. Amer. trop.  
Symbolanthus Don, Helia et Irlbachia Mart., Schlimia et Wallisia Rgl., Leiiothamnus Griseb.

- 4953 36 *Pagæa* Griseb. G. II. 814. (*Brachycodon* Progel). — Sp. 4. Brasil., Guiana.

TRIBUS III. **Swertiae.**

- 4954 37 *Crawfordia* Wall. G. II. 815. (*Tripterospermum* Bl., *Pterygocalyx* et *Golowninia* Maxim.). — Sp. 9 v. 10? Asia trop. et or.
- 4955 38 *Gentiana* L. G. II. 815. — Sp. ad 180. Orbis fere totius reg. temp., frigid. et trop. mont.  
Pneumonanthe et Hippion Schmidt, Ciminalis Adans., Asterias, Coelantha, Dasystephana, Ericoila, Eurythalia et Gentianella Borkh., Ericala Don. Glyphospermum, Seltium, Ulostoma et Eudoxia G. Don, Varasia Philippi.
- 4956 39 *Jäschkea* Kurz. G. II. 816. — Sp. 3. Tibet., Himal.
- 4957 40 *Pleurogyne* Eschsch. G. II. 816. (*Lomatogonium* A. Braun). — Sp. 8. Eur. or. et arct., Asia et Amer. bor.
- 4958 41 *Swertia* L. G. II. 816. (*Agathotes* Don, *Henricea* Lem. Lis., *Monobothrium* Hochst.). — Sp. ad 55. Eur., Asia, Afr.  
Sect. 1. *Euswertia* Benth.  
Sect. 2. *Ophelia* Benth., *Ophelia* Don, *Sczukinia* et *Stellera* Turcz., *Anagallidium* Griseb.
- 4959 42 *Frasera* Wall. G. II. 817. — Sp. 7. Amer. bor.  
*Tessaranthium* Kell.
- 4960 43 *Halenia* Borkh. G. II. 817. — Sp. enum 25, ad 16 reduc. Asia et Amer. bor. et austr. mont.  
*Exadenus* Griseb.
- 4961 44 *Obolaria* L. G. II. 818. — Sp. 1. Amer. bor.
- 4962 45 *Bartonia* Mühlenb. G. II. 818. (*Centaurella* Mchx., *Centaureum* Pers., *Andrewsia* Spreng.). — Sp. 2. Amer. bor.

TRIBUS IV. **Menyantheæ.**

- 4963 46 *Menyanthes* L. pr. p. G. II. 819. — Sp. 2. Eur., Asia mont. et bor., Amer. bor.
- 4964 47 *Villarsia* Vent. pr. p. G. II. 819. (*Renealmia* Houtt.). — Sp. ad 12. Afr. austr., Austral.
- 4965 48 *Limnanthemum* S. P. Gmel. G. II. 819. (*Waldschmidia* Wigg., *Schweyckerta* C. C. Gmel.). — Sp. 26, verisim. ad 13 reduc. Orbis utriusque reg. temp. et trop.
- 4966 49 *Liparophyllum* H. f. G. II. 820. — Sp. 1. Tasmania.

ORDO CXIX. **POLEMONIACEÆ** <sup>(1)</sup>

- 4967 1 **Phlox** L. G. II. 821. — Sp. 30. Amer. bor., Asia rossica.
- 4968 2 **Collomia** Nutt. G. II. 822. — Sp. ad 11. Amer. bor.-occ., Andes Chilenses.  
 Sect. 1. *Eucollomia* A. Gray.  
 Sect. 2. *Phloganthea* A. Gray, *Courtoisia* Rehb.
- 4969 3 **Gilia** R. et P. G. II. 822. — Sp. ad 70. Amer. bor. et austr. extratrop.  
 Sect. 1. *Dactylophyllum* A. Gray, *Dactylophyllum* et *Fenzlia* Benth.  
 Sect. 2. *Linanthus* A. Gray, *Linanthus* Benth.  
 Sect. 3. *Leptosiphon* A. Gray, *Leptosiphon* Benth.  
 Sect. 4. *Siphonella* A. Gray.  
 Sect. 5. *Leptodactylon* A. Gray, *Leptodactylon* H. et A.  
 Sect. 6. *Navarretia* A. Gray, *Navarretia* R. et P., *Æglochloa* Benth.  
 Sect. 7. *Huegelia* A. Gray, *Huegelia* Benth., *Welwitschia* Rehb.  
 Sect. 8. *Elaphocera* A. Gray.  
 Sect. 9. *Ipomopsis* A. Gray, *Ipomopsis* Mchx, *Ipomeria* Nutt., *Brickellia* Raf.  
 Sect. 10. *Giliandra* A. Gray.  
 Sect. 11. *Microgilia* A. Gray.  
 Sect. 12. *Eugilia* A. Gray.
- 4970 4 **Polemonium** L. G. II. 823. — Sp. 8 v. 9. Eur., Asia et Amer. temp., Mexic., Chili.
- 4971 5 **Lœselia** L. G. II. 823 et 1242. (*Hoitzia* Juss.). — Sp. ad 10. Californ., Mexic., Amer. centr., N. Granada.
- 4972 6 **Bonplandia** Cav. G. II. 824. (*Caldasias* Willd.). — Sp. 1. Mexic.
- 4973 7 **Cantua** Juss. G. II. 824. (*Periphragmos* R. et P.). — Sp. 6 v. 7. Peruvia, Bolivia.
- 4974 8 **Cobæa** Cav. G. II. 824. — Sp. 5. Amer. trop. occ., Mexic. *Rosenbergia* OErst.

ORDO CXX. **HYDROPHYLLACEÆ** <sup>(2)</sup>TRIBUS I. **Hydrophyllææ.**

- 4975 1 **Hydrophyllum** L. G. II. 826. — Sp. 5 v. 6. Amer. bor. *Viticella* Mitch.

(1) Sp. ad 150, pro maxima parte Americanæ, paucæ in Eur. et Asia temp. vigentes.

(2) Sp. ad 180, pro maxima parte Americanæ, sp. 2 v. 3, per reg. calidior. orbis veteris late dispersæ.

- 4976 2 *Nemophila* Nutt. G. II. 827. — Sp. 7 v. 8. Amer. bor.  
? *Pholistoma* Lilja.
- 4977 3 *Ellisia* L. G. II. 827. (*Nyctelea* Scop.). — Sp. 3 v. 5? Amer. bor.  
*Euc. ypta* Nutt.

TRIBUS II. **Phaceliæ.**

- 4978 4 *Phacelia* Juss. G. II. 827. (*Aldea* R. et P.). — Sp. 33. Amer.  
bor., Mexic., Chili.  
*Eutoca* R. Br., *Cosmanthus* Nolte. *Microgenetes* A. DC.,  
*Whitlavia* Hook., *Helminthospermum* Torr.
- 4979 5 *Lemmonia* A. Gray in *Proc. Amer. Acad.* XII. 162 (1877). —  
Sp. 1. Californ.
- 4980 6 *Conanthus* Torr. G. II. 828 et 1242. — Sp. 1. Amer. bor. occ.
- 4981 7 *Hesperochiron* S. Wats. G. II. 829. — Sp. 1 v. 3? Amer.  
bor. occ.
- 4982 8 *Tricardia* Torr. G. II. 829 et 1242. — Sp. 1. Amer. bor. occ.
- 4983 9 *Ellisiophyllum* Maxim. G. II. 829. — Sp. 1. Japon.
- 4984 10 *Romanzoffia* Cham. et Schlecht. G. II. 830. — Sp. 2. Asia or.  
et Amer. occ. subarct.
- 4985 11 *Emmenanthe* Benth. G. II. 830. (*Miltitzia* A. DC.). — Sp. 6.  
Amer. bor. occ.
- 4986 12 *Draperia* Torr. G. II. 830. — Sp. 1. Californ.
- 4987 13 *Codon* L. G. II. 830. — Sp. 1. Afr. austr.

TRIBUS III. **Nameæ.**

- 4988 14 *Wigandia* H. B. et K. G. II. 831. — Sp. 3 v. 4. Amer. trop. mont.
- 4989 15 *Eriodictyon* Benth. G. II. 831. — Sp. 3. Amer. bor. occ.
- 4990 16 *Nama* L. G. II. 831 et 1242. — Sp. ad 22. Ins. Sandvic., Amer.  
bor.-occ., Mexic., Amer. austr. usque ad Boliviam.

TRIBUS IV. **Hydroleæ.**

- 4991 17 *Hydrolea* L. G. II. 831. (*Steris* L., *Sagonea* Aubl., *Reichelia*  
Schreb.). — Sp. ad 14. Amer. bor. et austr., Afr. trop.,  
Ind. or., Archip. Malay., Austral. trop.  
? *Hydrolia* Thou.

ORDO CXXI. **BORAGINEÆ** <sup>(1)</sup>

TRIBUS I. **Cordiæ.**

- 4992 1 *Cordia* L. G. II. 838. (*Varronia* L.). — Sp. descr. ultra 200,  
et forte 180 bene dist. Utriusque orbis reg. calidior.

(1) Sp. ad 1235 per totum orbem terrarum latissime dispersum.

*Gerascanthus* P. Browne (*Cerdana* R. et P.), *Hemigymnia* Griff., *Gynaion* A. DC., *Macria* Ten., *Plethostephia* et *Paradigma* Miers, *Borellia* et *Firensia* Neck.

? *Macielia* Vand.

- 4993 2 *Cienkowskia* Rgl. et Rach. *Ind. sem. Hort. Petrop.* 48 (1858).  
G. I. 997 in ann. — Sp. 1. Patria ignota.  
4994 3 *Patagonula* L. G. II. 839. — Sp. 2. Brasil.  
4995 4 ? *Saccellium* H. et B. G. II. 839. — Sp. 1. Peruvia.  
4996 5 *Auxemma* Miers. G. II. 840. — Sp. 1. Brasil.

#### TRIBUS II. *Ehretieæ*.

- 4997 6 *Bourreria* P. Browne. G. II. 840. (*Beurreria* Jacq., *Bourreria* et *Crematomia* Miers). — Sp. 16 v. 18. Ind. occ., Mexic., Amer. centr., Columbia.  
Morelosia Llav. et Lex., *Hymenesthes* Miers.  
4998 7 *Ehretia* L. G. II. 840. — Sp. ad 50. Utriusque orbis reg. calidior.  
Carmona Cav., *Hilsenbergia* Tausch.  
4999 8 *Cortesia* Cav. G. II. 841. — Sp. 1. Argentina.  
5000 9 *Rochefortia* Sw. G. II. 841. (*Lutrostylis* G. Don, *Diplostylis* Karst. et Tr.). — Sp. 3. Ind. occ., Columbia.  
5001 10 *Coldenia* L. G. II. 841. — Sp. 10. Reg. calidior. orbis veteris, Amer. occ. bor. et austr.  
Subg. 1. *Eucoldenia* A. Gray, *Lobophyllum* F. Müll., *Stegnocarpus* et *Ptilocalyx* Torr.  
Subg. 2. *Tiquilia* A. Gray, *Tiquilia* Pers., *Galapagoa* H. f., *Eddya* Torr.  
5002 11 *Rhabdia* Mart. G. II. 842. — Sp. 1. Utriusque orbis reg. calidior.  
? *Rotula* Lour.  
5003 12 *Poskea* Vatke in *Linnæa* XLIII. 321 (1882). — Sp. 1. Afr. trop.  
5004 13 *Halgania* Gaud. G. II. 842. — Sp. 8. Austral.

#### TRIBUS III. *Heliotropieæ*.

- 5005 14 *Tournefortia* L. G. II. 843. — Sp. ad 100. Utriusque orbis reg. calidior.  
*Messersmidia* L. (*Messerschmidia* Gärt. f., *Argusia* Stev.).  
5006 15 *Heliotropium* L. G. II. 843 et 1243. — Sp. descr. ultra 170, ad 120 reduc. Utriusque orbis reg. calidior. et temp.  
Sect. 1. *Catimas* DC.  
Sect. 2. *Euheliotropium* Benth., *Bucanion* Stev.  
Sect. 3. *Piptoclaina* Benth., *Piptoclaina* G. Don.

Sect. 4. *Heliophytum* Benth., *Tiaridium* Lehm., *Helio-*  
*phytum* DC., *Schobera* Scop., *Bourjotia* Pomel.

Sect. 5. *Orthostachys* A. DC., *Preslea* Mart., *Schleidenia*  
Endl., *Euploca* Nutt., *Sarcanthus* Anders., *Penta-*  
*carya* DC.

- 5007 16 *Cochranea* Miers. G. II. 845. — Sp. 11, ad 3 reduc.? Chili.

TRIBUS IV. **Boragææ.**

- 5008 17 *Suchtelenia* Kar. G. II. 845. — Sp. 2. Asia rossica.

- 5009 18 *Trichodesma* R. Br. G. II. 845. — Sp. 10. Afr., Asia trop. et  
med., Austral.

*Borraginoides* Mönch, *Pollichia* Medic., *Streblanthera* Steud.  
*Leiocarya* Hochst., *Friedrichsthalia* Fenzl, *Spiroconus*  
Stev.

- 5010 19 *Brachybotrys* Maxim. in Hook. *Icon. Plant.* tab. 1254. — Sp.  
1. Mandshuria, China bor.

- 5011 20 *Caccinia* Savi. G. II. 846. (*Anisanthera* Raf.). — Sp. 5. Oriens.

- 5012 21 *Heliocarya* Bge. G. II. 846. — Sp. 1. Persia.

- 5013 22 *Actinocarya* Benth. G. II. 846. — Sp. 1. Tibet.

- 5014 23 *Harpagonella* A. Gray. G. II. 846. — Sp. 1. Californ.

- 5015 24 *Pectocarya* DC. G. II. 847. (*Ktenospermum* Lehm.). — Sp. 3  
v. 4. Chili, Californ.

*Gruvelia* A. DC.

- 5016 25 *Omphalodes* Mönch. G. II. 847. (*Picotia* R. et S.). — Sp. ad 15.  
Eur. et Asia med. temp. et or., N. Mexic.

- 5017 26 *Selkirkia* Hemsl. in *Bot. Challeng. Exped.* III. 47 (1884). —  
Sp. 1. Ins. Juan Fernandez.

- 5018 27 *Thyrocarpus* Hance. G. II. 847. — Sp. 2. China.

- 5019 28 *Cynoglossum* L. G. II. 848. — Sp. ad 68. Utriusque orbis reg.  
temp. et mont.

- 5020 29 *Lindelofia* Lehm. G. II. 848. (*Anchusopsis* Bisch.). — Sp. 2.  
Ind. or.

- 5021 30 *Solenanthus* Ledeb. G. II. 848. — Sp. ad 10. Eur. austr.,  
Asia occ. et rossica.

*Trachelanthus* Kunze (*Cerinthopsis* Kotschy).

- 5022 31 *Kuschakewiczia* Rgl et Smirn. *Descr. pl. nov.* VI. 51 (1878).  
— Sp. 1. Turkest.

- 5023 32 *Myosotidium* Hook. G. II. 849. — Sp. 1. N. Zel.

- 5024 33 *Rindera* Pall. G. II. 849 et 1243. — Sp. ad 15. Eur. austr.,  
Asia occ. et med.

*Mattia* Schult., *Cyphomattia* Boiss.

- 5025 34 *Paracaryum* Boiss. G. II. 849. — Sp. ad 20. Eur. austr., Asia  
med. et centr.

- 5026 35 *Echinospermum* Sw. G. II. 850. (*Lappula* Mönch, *Rochelia* R. et S.). — Sp. ad 50. Utriusque orbis reg. temp., Afr. austr., Austral.  
Heterocaryum A. DC.
- 5027 36 *Eritrichium* Schrad. G. II. 850. — Sp. ad 70. Reg. Medit., Eur. et Asia mont., Asia et Amer. bor., Amer. austr. extratrop., Austral.  
Sect. 1. *Eueritrichium* A. Gray, *Plagiobotrys* F. et M.  
Sect. 2. *Krynitzkia* A. Gray, *Krynitzkia* F. et M., *Cryptanthus* Lehm., *Anoplocaryum* Ledeb., *Megastoma* Coss. et Durieu, *Piptocalyx* Torr.
- 5028 37 *Sonnea* Greene in *Pittonia* I. 22 (1887). — Sp. 2. Amer. bor. occ.
- 5029 38 *Amsinckia* Lehm. G. II. 851. (*Benthamia* Lindl.). — Sp. 7. Amer. bor. occ., Chili, alibi inquil.
- 5030 39 *Echiochilon* Desf. G. II. 852. — Sp. 2. Afr. bor.
- 5031 40 *Craniospermum* Lehm. G. II. 852. — Sp. 2 v. 3. Sibiria.  
*Dipioloma* Schrenk.
- 5032 41 *Rochelia* Rchb. G. II. 852. (*Maccoya* F. Müll.). — Sp. ad 8. Austral., Eur. austr., Afr. bor., Asia occ.
- 5033 42 *Asperugo* L. G. II. 853. — Sp. 1. Eur. et Asia, alibi inquil.
- 5034 43 *Microula* Benth. G. II. 853. — Sp. 1. Tibet.
- 5035 44 *Tetracarya* Maxim. in *Bull. Acad. Pétersb.* XI. 270 (1881). — Sp. 1. China (Kansu).
- 5036 45 *Bothriospermum* Bge. G. II. 853. — Sp. 2 v. 3. Asia trop. et bor., Ins. Mascar.
- 5037 46 *Gastrocotyle* Bge. G. II. 853 et 1243. — Sp. 1. Afr. bor., Asia occ.
- 5038 47 *Echidiocarya* A. Gray. G. II. 854. — Sp. 1. Arizona.
- 5039 48 *Symphytum* L. G. II. 854. — Sp. 17. Eur., Afr. bor., Asia occ.
- 5040 49 *Borago* L. G. II. 854. (*Borrigo* Juss.). — Sp. 3. Reg. Medit., alibi inquil.  
*Buglossites* Moris.
- 5041 50 *Trachystemon* Don. G. II. 855. (*Psilostemon* DC., *Nordmannia* Ledeb.). — Sp. 2. Oriens.
- 5042 51 *Anchusa* L. G. II. 855. (*Buglossum* Gärtn.). — Sp. ad 30. Eur., Afr. bor. et austr., Asia occ., alibi inquil.  
*Caryolopha* Fisch. et Trautv., *Pentaglottis* Tausch, *Brunnera* Stev., ?*Stomotechium* Lehm.
- 5043 52 *Lycopsis* L. G. II. 856. — Sp. 4? Eur., Afr. bor., Asia occ. et med.
- 5044 53 *Trigonocaryum* Trautv. G. II. 856. — Sp. 1. Daghestan.

- 5045 54 *Nonnea* Mönch. G. II. 856. (*Oskampia* Mönch, *Echioides* Desf.).  
— Sp. descr. ultra 30. Eur., Afr. bor., Asia occ.  
Phaneranthera DC., Elizaldia Willk.
- 5046 55 *Pulmonaria* L. pr. p. G. II. 857. — Sp. enum 15, ad 5 v. 6.  
reduc. Eur. et Asia imprim. occ.
- 5047 56 *Alkanna* Tausch. G. II. 857. (*Euphorhiza* Link, *Camptocarpus*  
K. Koch). — Sp. ad 40. Eur. austr., Afr. bor., Asia occ.
- 5048 57 *Cystostemon* Balf. f. *Descr. pl. nov. pars 1. 8.* (*Cystistemon*).  
— Sp. 1. Socotra.
- 5049 58 *Mertensia* Roth. G. II. 857. (*Hippoglossum* Hartm., *Steenham-*  
*mera* Rchb., *Casselia* Dmrt., *Oreocharis* Dcne). — Sp.  
ad 15. Eur. or., Asia extratrop., Amer. bor.
- 5050 59 *Trigonotis* Stev. G. II. 858. (*Endogonia* Turcz.). — Sp. 10.  
Asia med. et occ.
- 5051 60 *Myosotis* L. G. II. 858. — Sp. enum. ultra 40, sed plures reduc.  
Orbis veteris reg. temp. et frigid., Amer. bor.  
Exarrhena R. Br., Strophostoma Turcz.
- 5052 61 *Moritzia* DC. G. II. 859. (*Meratia* A. DC.). — Sp. 4. Brasil.  
Columbia.
- 5053 62 *Antiphytum* DC. G. II. 859. — Sp. 3. Brasil. austr., Bonaria.
- 5054 63 *Macromeria* Don. G. II. 859. — Sp. ad 8. Mexic., Peruvia,  
Columbia.
- 5055 64 *Onosmodium* Mchx. G. II. 859. (*Purshia* Spreng., *Osmodium*  
Raf.). — Sp. 6. Amer. bor., Mexic.
- 5056 65 *Lithospermum* L. G. II. 860. — Sp. ad 40. Utriusque orbis  
hemisph. bor. reg. extratrop., Amer. austr. occ., Afr. austr.  
Sect. 1. *Eulithospermum* DC.  
Sect. 2. *Margarospermum* Rchb., *Rhytispermum* Link  
(*Ægonychon* S. F. Gray), *Batschia* Gmel., *Pentalophum*  
A. DC., *Margarospermum* Dcne, *Lithodora* Griseb.  
(*Gymnoleima* Dcne).
- 5057 66 *Sericostoma* Stocks. G. II. 861. — Sp. 3. Arabia, Asia occ.
- 5058 67 *Ancistrocarya* Maxim. G. II. 861. — Sp. 1. Japon.
- 5059 68 *Moltkia* Lehm. G. II. 861. — Sp. 6 v. 7. Eur. austr., Asia occ.
- 5060 69 *Zwackhia* Sendtn. G. II. 862. — Sp. 1. Bosnia, Eur. austro-or.
- 5061 70 *Arnebia* Forsk. G. II. 862. (*Dioclea* Spreng., *Strobila* G. Don,  
*Meneghinia* Endl., *Stenosolenium* Turcz., *Toxostigma*  
A. Rich.). — Sp. ad 13. Afr. bor., Asia occ. et med.
- 5062 71 *Macrotomia* DC. G. II. 862. (*Leptanthe* Kl.). — Sp. 6 v. 8.  
Himal., Oriens.  
Munbya Boiss. (*Aipyanthus* Stev.).
- 5063 72 *Lobostemon* Lehm. G. II. 863. (*Echiopsis* Rchb.). — Sp. ad 50.  
Afr. austr.



- 5064 73 *Megacaryon* Boiss. G. II. 863. — Sp. 1. Armenia.  
 5065 74 *Echium* L. G. II. 863. — Sp. descr. ultra 50, sed vix 20 dist.  
 Orbis veteris hemisph. bor. reg. extratrop. et subtrop.  
 5066 75 *Onosma* L. G. II. 864. — Sp. ad 70. Eur. austr., Afr. bor.,  
 Asia occ. et med.  
*Colsmannia* Lehm., *Maharanga* DC., *Podonosma* Boiss.  
 5067 76 *Cerithe* L. G. II. 864. — Sp. 10, ad 4? reduc. Eur., Afr. bor.,  
 Asia occ.

## Genus anomalum

- 5068 77 *Wellstedtia* Balf. f. in *Trans. Roy. Soc. Edinb.* XXXI. 247. —  
 Sp. 1. Socotra.

ORDO CXXII. CONVOLVULACEÆ <sup>(1)</sup>

## TRIBUS I. Convolvuleæ.

- 5069 1 *Erycibe* Roxb. G. II. 868. (*Catonia* Vahl, *Erimatalia* R. et S.).  
 — Sp. ad 20. Asia et Austral. trop.  
 5070 2 *Rivea* Choisy. G. II. 868. — Sp. 2. Ind. or.  
 5071 3 *Argyreia* Lour. G. II. 869. — Sp. ad 30. Afr. trop., Ind. or.,  
 Archip. Malay.  
 5072 4 *Humbertia* Lam. G. II. 869. (*Endrachium* Juss., *Thouinia* Sm.,  
*Smithia* Gmel.). — Sp. 1. Madagasc.  
 5073 5 *Blinkworthia* Choisy. G. II. 869. — Sp. 1. Burma.  
 5074 6 *Maripa* Aubl. G. II. 869. (*Mouroucoa* Aubl., *Maireria* Scop.).  
 — Sp. 11. Amer. centr. et austr.  
 5075 7 *Lettsomia* Roxb. pr. p. G. II. 870. — Sp. ad 32. Ind. or.,  
 China austr., Archip. Malay.  
 Sect. 1. *Eulettsomia* Wight.  
 Sect. 2. *Moorcroftia* Wight, *Moorcroftia* Choisy.  
 5076 8 *Legendrea* Webb. G. II. 870. — Sp. 1. Ins. Canar.  
 5077 9 *Ipomæa* L. G. II. 870. — Sp. descr. ultra 450 et forte ad 350  
 reduc. Utriusque orbis reg. calidior. (Eur. except.).  
 Series A. G. II. 871.  
*Calonyction*, *Marcellia* et *Exogonium* Choisy, *Quamoclit*  
*Mönch*, *Calboa* Cav. (*Macrostema* Pers., *Morenoa* Llav.  
 et Lex.), *Mina* Llav. et Lex.  
 Series B. G. II. 871.  
*Operculina* Silva Manso (*Piptostegia* Hoffmsg), *Pharbitis*,  
*Aniseia*, *Skinneria* et *Batalas* Choisy, *Spiranthera* et  
*Elythrostamna* Bojer, *Calycanthemum* Kl., *Leptocallis*  
 G. Don.

(1) Sp. ad 870, per totum orbem terrarum late dispersæ.

- 5078 10 *Lepistemon* Bl. G. II. 873. — Sp. 3. Asia, Afr. et Austral. trop.  
 5079 11 *Hewittia* W. et A. G. II. 873. (*Shuterea* Choisy). — Sp. 1. Asia et Afr. trop.  
 5080 12 *Calystegia* R. Br. G. II. 874. — Sp. 7 v. 8. Utriusque orbis reg. temp. et subtrop.  
 5081 13 *Jacquemontia* Choisy. G. II. 874. — Sp. ad 36. Afr. et Amer. trop.  
 5082 14 *Convolvulus* L. G. II. 874. — Sp. ad 160. Utriusque orbis reg. temp. subtrop. et trop.  
     *Rhodorhiza* Webb, *Pantocsekia* Griseb.  
 5083 15 *Cardiochlamys* Oliv. in Hook. *Icon. Plant.* tab. 1403 (1883). — Sp. 1. Madagasc.  
 5084 16 *Polymeria* R. Br. G. II. 875. — Sp. 7. Austral.  
 5085 17 *Evolvulus* L. G. II. 875. (*Cladostyles* H. et B., *Meriana* Vell.). — Sp. ad 80. Utriusque orbis reg. trop. et subtrop.  
     *Leucomalla* Philippi.  
 5086 18 *Porana* Burm. G. II. 876. (*Duperreya* Gaud., *Dinetus* Ham.). — Sp. 9. Ind. or., Archip. Malay, Austral.  
 5087 19 *Nephrophyllum* A. Rich. G. II. 876. (*Hygrocharis* Hochst.). — Sp. 1. Abyss.  
 5088 20 *Breweria* R. Br. G. II. 876 et 1243. — Sp. ad 27. Utriusque orbis reg. calidior., Amer. bor., Austral.  
     *Seddera* Hochst., *Stylisma* Nutt. (*Bonamia* A. Gray), *Dufourea* H. B. et K. (*Calycobolus* Willd., *Reinwardtia* Spreng., *Prevostea* Choisy, *Dethardingia* Nees), *Trichantha* Karst., *Codonanthus* G. Don.  
 5089 21 *Cladostigma* Radlk. in *Abhandl. Nat. Ver. Brem.* VIII. 412 (1883). — Sp. 1. Abyss.  
 5090 22 *Bonamia* Thou. G. II. 877. — Sp. 1. Madagasc.  
 5091 23 *Neuropeltis* Wall. G. II. 878. — Sp. 2 v. 3? Ind. or., Penins. et Archip. Malay., Afr. trop.  
 5092 24 *Lysiostyles* Benth. G. II. 878. — Sp. 2? Guiana.  
 5093 25 *Dicranostyles* Benth. G. II. 878. — Sp. 2. Guiana, Brasil. bor.

TRIBUS II. **Dichondreæ.**

- 5094 26 *Falkia* L. f. G. II. 878. — Sp. 3 v. 4. Afr. austr.  
 5095 27 *Dichondra* Forst. G. II. 879. (*Steripha* Banks, *Demidofia* Gmel.). — Sp. 4 v. 5. Amer. bor. et austr., Afr. austr., Ind. or., Austral.

TRIBUS III. **Nolanæ.**

- 5096 28 *Alona* Lindl. pr. p. G. II. 879. — Sp. ad 6. Chili.  
     *Rayeria* Gaud.

- 5097 29 **Nonala** L. G. II. 879. (*Neudorfia* Adans., *Teganium* Schmid, *Sorema* Lindl.). — Sp. ad 7. Peruvia, Chili.  
Gubleria Gaud.
- 5098 30 ?**Osteocarpus** Philippi in *Gartenflora*. 356 (1884). — Sp. 1. Chili.
- 5099 31 **Dolia** Lindl. G. II. 880. (*Aplocarya* Lindl., *Alibrexia* Miers).  
— Sp. ad 12. Peruvia, Chili.  
Velpeaulia et Leloutria Gaud.
- 5100 32 **Bargemontia** Gaud. G. II. 880. — Sp. 1. Peruvia, Bolivia.

TRIBUS IV. **Cresseæ**.

- 5101 33 **Wilsonia** R. Br. G. II. 880. — Sp. 3. Austral.
- 5102 34 **Hillebrandtia** Vatke. G. II. 1243. — Sp. 1. Afr. or.
- 5103 35 **Cressa** L. G. II. 880. — Sp. 1. Utriusque orbis reg. calidiores.

TRIBUS V. **Cuscutæ**.

- 5104 36 **Cuscuta** L. G. II. 881. — Sp. ad 80. Utriusque orbis reg. temp. et calidior.  
Epilinella, Engelmannia et Cuscutina Pfeiff., Monogynella, Cussutha et Succuta Desm., Grammica Lour., Pfeifferia Buching., Lepidanche Engelm., Buchingera Schultz.

ORDO CXXIII. **SOLANACEÆ** <sup>(1)</sup>TRIBUS I. **Solaneæ**.

- 5105 1 **Lycopersicum** Mill. G. II. 888. — Sp. 3 v. 4. Amer. austr., alibi inquil.
- 5106 2 **Solanum** L. G. II. 888. — Sp. descr. ad 950, sed vix 750 dist. Utriusque orbis reg. calid. et temp.  
Sect. 1. *Pachystemonum* Dunal, *Normania* Lowe, *Cliocarpus* Miers.  
Sect. 2. *Leptostemonum* Dunal, *Nycterium* Vent. (*Androcera* Nutt.). *Aquartia* L.
- 5107 3 **Cyphomandra** Sendtn. G. II. 889. (*Pionandra* Miers, *Pallavicinia* De Not., *Cyathostyles* Schott). — Sp. ad 24. Amer. austr.
- 5108 4 **Athenæa** Sendtn. G. II. 890. (*Witheringia* Miers). — Sp. ad 15. Amer. austr.  
*Larnax* Miers.
- 5109 5 **Physalis** L. G. II. 890. (*Pentaphiltrum* Rehb.). — Sp. ad 30. Utriusque orbis reg. calidior. imprim. Amer. bor. et austr.

(1) Sp. ultra 1750, ad 1500 reduc., per reg. calidiores utriusque orbis latissime dispersæ.

- 5110 6 *Chamaesaracha* A. Gray. G. II. 891. — Sp. 3. Mexic., Texas.
- 5111 7 *Saracha* R. et P. G. II. 891. *Bellinia* R. et S., *Jaltomata* Schlecht. — Sp. ad 12. Amer. occ. a Bolivia usque ad Mexicum.
- 5112 8 *Melissia* H. f. G. II. 891. — Sp. 1. Ins. S. Helena.
- 5113 9 *Bassovia* Aubl. G. II. 892. (*Witheringia* L'Hér., *Aureliana* Sendtn.). — Sp. ad 12. Amer. austr. et centr., Ind. occ.
- 5114 10 *Capsicum* L. G. II. 892. — Sp. descr. ultra 30, ad 20 reduc. Utriusque orbis reg. calidior., sæpe cult. v. inquil.
- 5115 11 *Brachistus* Miers. G. II. 892. *Sicklera* Sendtn., *Fregirardia* Dunal. — Sp. bene dist. ad 10. Amer. trop. a Brasil. usque ad Amer. centr.
- 5116 12 *Discopodium* Hochst. G. II. 893. — Sp. 1. Afr. trop.
- 5117 13 *Oryctes* S. Wats. G. II. 893. — Sp. 1. Amer. bor.
- 5118 14 *Margaranthus* Schlecht. G. II. 893. — Sp. 1 v. 2? Mexic., Texas.
- 5119 15 *Withania* Pauq. G. II. 893. (*Hypnoticum* Rodrig., *Punceriu* Stocks). — Sp. 4. Eur. austr., Asia occ. et calid., Afr. bor., Ins. Canar.
- 5120 16 *Nothocestrum* A. Gray. G. II. 894. — Sp. 4. Ins. Sandvic.
- 5121 17 *Acnistus* Schott. G. II. 894. — Sp. ad 14. Amer. trop.  
*Lycioplesium* Miers, *Codochonia* Dunal.
- 5122 18 *Hebecladus* Miers. G. II. 895. — Sp. 8. Amer. trop. occ.
- 5123 19 *Lochroma* Benth. G. II. 895. (*Chænesthes* Miers). — Sp. ad 15.  
Amer. trop. occ.  
*Cleochroma* Miers.
- 5124 20 *Dunalia* H. B. et K. G. II. 895. (*Dierbachia* Spreng.). — Sp. ad 8. Amer. trop. occ. a Bolivia usque ad Mexicum.
- 5125 21 *Latua* Philippi. G. II. 896. — Sp. 1. Chili.
- 5126 22 *Pœcilochroma* Miers. G. II. 896. — Sp. 3 v. 4. Peruvia, Ecuador.
- 5127 23 *Phrodus* Miers. G. II. 896. (*Rhopalostigma* Philippi). — Sp. 2. Chili.
- 5128 24 *Cacabus* Bernh. G. II. 896. (*Thinogeton* Benth., *Dictyocalyx* H. f., *Streptostigma* Rgl). — Sp. 6 v. 2? Amer. occ. trop. et subtrop.
- 5129 25 *Nicandra* Adans. G. II. 897. (*Calydermos* R. et P.). — Sp. 1. Peruvia, alibi inquil.
- 5130 26 *Triguera* Cav. G. II. 897. — Sp. 1. Hispania austr.
- 5131 27 *Trechonætes* Miers. G. II. 898. — Sp. 1 v. 2? Andes Chilenses.
- 5132 28 *Himeranthus* Endl. G. II. 898. — Sp. 1. Bonaria.
- 5133 29 *Jaborosa* Juss. G. II. 898. — Sp. 6 v. 7. Mexic., Amer. austr. extratrop. et andina.  
*Dorystigma* Miers, *Lonchestigma* Dunal.

- 5134 30 *Nectouxia* H. B. et K. G. II. 899. — Sp. 1. Mexic.  
 5135 31 *Salpichroa* Miers. G. II. 899. (*Salpichroma* Miers, *Busbeckea* Mart.). — Sp. ad 10. Amer. austr. extratrop. et andina.

TRIBUS II. **Atropeæ.**

- 5136 32 *Grabowskia* Schlcht. G. II. 899. — Sp. 4 v. 5. Amer. austr. extratrop.  
 5137 33 *Lycium* L. G. II. 900. — Sp. ex Miersio 70, sed plures reduc. Utriusque orbis reg. temp. et calidior.  
 5138 34 *Atropa* L. G. II. 900. — Sp. 1 v. 2? Eur. et Asia occ. et med.  
 5139 35 *Mandragora* Juss. G. II. 900. — Sp. 5 v. 1. Reg. Medit., Sikkim.  
 5140 36 *Dyssochroma* Miers. G. II. 901. — Sp. 2. Brasil. Trianaea Pl. et Lind.  
 5141 37 *Solandra* Sw. G. II. 901. — Sp. ad 4. Amer. trop.

TRIBUS III. **Hyoscyameæ.**

- 5142 38 *Datura* L. G. II. 901. — Sp. ad 12. Utriusque orbis reg. temp. et calid.  
     Sect. 1. *Brugmansia* Bernh., *Brugmansia* Pers.  
     Sect. 2. *Stramonium* Bernh.  
     Sect. 3. *Dutra* Bernh.  
     Sect. 4. *Ceratocaulis* Bernh., *Ceratocaulos* Spach.  
 5143 39 *Scopolia* Jacq. G. II. 902. (*Scopolina* Schult.). — Sp. 3. Eur. Japon., Himal. Anisodus Link et Otto (*Whitleya* Don).  
 5144 40 *Przewalskia* Maxim. in *Bull. Acad. Pétersb.* XI. 274. — Sp. 1. Asia temp.  
 5145 41 *Physochlaina* G. Don. G. II. 902. (*Belenia* Dcne). — Sp. 4. Asia med.  
 5146 42 *Hyoscyamus* L. G. II. 903. — Sp. 8 v. 9. (ex Dunalio 17 v. 19). Reg. Medit., Ins. Canar., Asia occ. et med., alibi inquil.

TRIBUS IV. **Cestrineæ.**

- 5147 43 *Markea* L. C. Rich. G. II. 903. (*Lamarkea* Pers.). — Sp. 6. Amer. trop.  
 5148 44 *Juanulloa* R. et P. G. II. 903. (*Ulloa* Pers., *Laureria* Schlcht.). — Sp. 6 v. 7. Peruvia, Columbia, Amer. centr. Sarcophysa et Ectozoma Miers.  
 5149 45 *Cestrum* L. G. II. 904. — Sp. descr. fere 160, sed vix ultra 100 dist. Amer. calidior. Habrothamnus Endl. (*Meyenia* Schlcht.).  
 5150 46 *Gostzea* Wydl. G. II. 1244. — Sp. 1. Ins. Porto Rico.

- 5151 47 *Benthamiella* Spegazz. *Pl. nov. Amer. austr.* 13 (1883). — Sp.  
1. Patagonia.
- 5152 48 *Sessea* R. et P. G. II. 905. — Sp. 6 v. 7. Amer. austr. andina.
- 5153 49 *Metternichia* Mikan. G. II. 905. — Sp. 2. Brasil., Columbia.
- 5154 50 *Retzia* Thunb. G. II. 905. — Sp. 1. Afr. austr.
- 5155 51 *Fabiana* R. et P. G. II. 905. — Sp. 11. Chili, Bolivia, Brasil.
- 5156 52 *Vestia* Willd. G. II. 906. — Sp. 1. Chili.
- 5157 53 *Dittostigma* Philippi. G. II. 906. — Sp. 1. Chili.
- 5158 54 *Nicotiana* L. G. II. 906. — Sp. descr. ultra 50, sed vix 35 dist.  
Amer., Austral., Ins. Pacif., alibi inquil.  
*Nicotidendron* Griseb., *Polydiclis* Miers, *Sairanthus* G. Don,  
*Lehmannia* Spreng, *Tabacus* Mönch.

TRIBUS V. **Salpiglossidæ.**

- 5159 55 *Petunia* Juss. G. II. 907. — Sp. 12 v. 15. Amer. austr., Mexic.  
*Calibrachoa* Llav. et Lex. (*Leptophragma* Benth.), *Wad-*  
*dingtonia* Philippi.
- 5160 56 *Parabouchetia* H. Bn in *Bull. Soc. Linn. Paris.* 662 (1887). —  
Sp. 1. Brasil.
- 5161 57 *Bouchetia* DC. pr. p. G. II. 908. (*Leucantha* Scheele). — Sp.  
2. Texas, Mexic., Brasil. austr., Montevideo.
- 5162 58 *Nierembergia* R. et P. G. II. 908. — Sp. ad 20. Amer. austr.  
extratrop. et subtrop., Mexic., Texas.
- 5163 59 *Leptoglossis* Benth. G. II. 908. — Sp. 3. Amer. austr. extra-  
trop. et occ.  
*Cyclostigma* Philippi.
- 5164 60 *Reyesia* Clos. G. II. 909. (*Pteroglossis* Miers). — Sp. 1. Chili.
- 5165 61 *Schizanthus* R. et P. G. II. 909. — Sp. ad 7. Chili.
- 5166 62 *Salpiglossis* R. et P. G. II. 909. — Sp. 2 v. 3. Chili.
- 5167 63 *Browallia* L. G. II. 910. — Sp. 6. Amer. trop.
- 5168 64 *Microschwenkia* Benth. in Hemsl. *Biol. Centr. Amer.* II.  
438 (1882). — Sp. 1. Guatemala.
- 5169 65 *Streptosolen* Miers. G. II. 910. — Sp. 1. Columbia.
- 5170 66 *Brunfelsia* L. G. II. 911. — Sp. ad 20. Amer. austr., Ind. occ.  
*Franciscea* Pohl.
- 5171 67 *Schwenkia* L. G. II. 911. (*Chætochilus* Vahl, *Matthisonia* Raddi,  
*Mathea* Vell.). — Sp. ad 20. Amer. austr., Afr. trop.
- 5172 68 *Duboisia* R. Br. G. II. 911. — Sp. 1. Austral. or., N. Caled.
- 5173 69 *Anthocercis* Labill. G. II. 912. — Sp. 18. Austral.  
Sect. 1. *Euanthocercis* B. et H.  
Sect. 2. *Cyphanthera* B. et H., *Cyphanthera* Miers.
- 5174 70 *Anthotroche* Endl. G. II. 912. — Sp. 2. Austral. occ. extratrop.
- 5175 71 *Sclerophylax* Miers. G. II. 912. (*Sterrhymenia* Griseb.). — Sp.  
2 v. 3? Amer. austr. extratrop.

- 5176 72 *Ixandra* F. Müll. in *Wing's S. Sc. Record* n. 1 (1883). — Sp. 1. Austral.

ORDO CXXIV. SCROPHULARINEÆ <sup>(1)</sup>TRIBUS I. *Leucophylleæ*.

- 5177 1 *Heteranthia* Nees et Mart. G. II. 926. (*Vrolikia* Spreng.). — Sp. 1. Brasil.  
 5178 2 *Ghiesbreghtia* A. Gray. G. II. 926. — Sp. 1. Mexic.  
 5179 3 *Leucophyllum* H. et B. G. II. 927. — Sp. 3. Mexic., Texas.

TRIBUS II. *Aptosimeæ*.

- 5180 4 *Aptosimum* Burch. G. II. 927. (*Ohlendorfia* Lehm., *Chilostigma* Hochst.). — Sp. 9. Nubia, Afr. austr.  
 5181 5 *Peliostomum* E. Mey. G. II. 927. — Sp. 4. Afr. austr.  
 5182 6 *Anticharis* Endl. G. II. 928. (*Meisarrhena* R. Br., *Doratanthera* Benth.). — Sp. 4. Afr. trop. et bor. or., Arabia. Ind. or., Afr. austr.

TRIBUS III. *Verbasceæ*.

- 5183 7 *Verbascum* L. G. II. 928. — Sp. descr. ad 140, sed vix ultra 100 dist. Orbis vetus, alibi inquil.  
 5184 8 *Celsia* L. G. II. 929. — Sp. ad 30. Eur. austr., Afr. bor., Abyss., Asia occ., Ind. or.  
     Sect. 1. *Nefflea* Benth., *Celsia* Griseb.  
     Sect. 2. *Arcturus* Benth., *Thapsandra* Griseb.  
     Sect. 3. *Janthe* Benth., *Janthe* Griseb.  
 5185 9 *Staurophragma* F. et M. G. II. 929. — Sp. 1. Anatolia.

TRIBUS IV. *Calceolarieæ*.

- 5186 10 *Calceolaria* L. G. II. 929. — Sp. fere 120. Amer. occ. trop. et extratrop., N. Zel.  
     Sect. 1. *Aposecos* Benth.  
     Sect. 2. *Jovellana* Benth., *Jovellana* Cav., *Bæa* Pers. pr. p.  
     Sect. 3. *Eucalceolaria* Benth.

TRIBUS V. *Hemimerideæ*.

- 5187 11 *Alonsoa* R. et P. G. II. 930. (*Hemimeris* H. B. et K.). — Sp. 6. Amer. trop. andina a Peruvia usque ad Mexicum. *Schistanthe* Kunze.  
 5188 12 *Angelonia* H. et B. G. II. 930. (*Physidium* Schrad., *Schelveria*

(1) Sp. ad 2000, per totum orbem terrarum dispersæ.

et *Thylacantha* Nees et Mart.). — Sp. 22. Amer. trop.,  
Mexic., Ind. occ.

- 5189 13 *Hemimeris* Thunb. G. II. 931. — Sp. 4. Afr. austr.  
5190 14 *Diascia* Link et Otto. G. II. 931. — Sp. ad 20. Afr. austr.  
5191 15 *Colpias* E. Mey. G. II. 931. — Sp. 1. Afr. austr.  
5192 16 *Nemesia* Vent. G. II. 931. — Sp. ad 20. Afr. austr.  
5193 17 *Diclis* Benth. G. II. 932. — Sp. 3 v. 4. Afr. austr., Madagasc.,  
Maurit.

TRIBUS VI. *Antirrhineæ*.

- 5194 18 *Linaria* Juss. G. II. 932 et 1244. — Sp. 130. Hemisph. bor.  
reg. extratrop., Amer. austr. extratrop., inter trop.  
inquit.  
Sect. 1. *Cymbalaria* Chav., *Cymbalaria* Baumg., *Kickxia*  
Dmrt.  
Sect. 2. *Elatinoides* Chav.  
Sect. 3. *Linariastrum* Chav.  
Sect. 4. *Chænorrhinum* Chav., *Chænorrhinum* Lange.  
5195 19 *Anarrhinum* Desf. G. II. 933. — Sp. 11. Reg. Medit. et Nubica.  
Sect. 1. *Anarrhinum* Benth.  
Sect. 2. *Simbuleta* Benth., *Simbuleta* Forsk.  
5196 20 *Schweinfurthia* A. Braun. G. II. 933. — Sp. 3. Nubia, Ægypt.,  
Arabia, Oriens.  
5197 21 *Galvesia* Juss. G. II. 934. (*Agassizia* Chav.). — Sp. 2? Peru-  
via, Ecuador., Californ. ?  
5198 22 *Mohavea* A. Gray. G. II. 934. — Sp. 1. Amer. bor.-occ  
5199 23 *Antirrhinum* L. G. II. 934. — Sp. ad 25. Utriusque orbis  
hemisph. bor., alibi inquit.  
Sect. 1. *Orontium* A. Gray, *Orontium* Pers.  
Sect. 2. *Antirrhinastrum* Chav.  
Sect. 3. *Asarina* A. Gray, *Asarina* Mill.  
Sect. 4. *Særorhinum* A. Gray.  
Sect. 5. *Maurandella* A. Gray.  
Sect. 6. *Gambelia* A. Gray, *Gambelia* Nutt., ? *Saccula-*  
*ria* Kell.  
5200 24 *Maurandia* Ort. G. II. 935. — Sp. 6. Mexic., Texas.  
Sect. 1. *Eumaurandia* Benth., *Reichardia* Roth.  
Sect. 2. *Epixiphium* Engelm.  
Sect. 3. *Lophospermum* Benth., *Lophospermum* Don.  
5201 25 *Rhodochiton* Zucc. G. II. 935. — Sp. 1. Mexic.

TRIBUS VII. *Cheloneæ*.

- 5202 26 *Phygellus* E. Mey. G. II. 936. — Sp. 2. Afr. austr.



- 5203 27 *Halleria* L. G. II. 936. — Sp. 8. Abyss., Madagasc., Afr. austr.  
 5204 28 *Teedia* Rudolphi. G. II. 936. (*Borkhausenia* Roth). — Sp. 2.  
 Afr. austr.  
 5205 29 *Freylinia* Pangelli. G. II. 937. — Sp. 2. Afr. austr.  
 5206 30 *Anastrabe* E. Mey. G. II. 937. — Sp. 1. Afr. austr.  
 5207 31 *Ixianthes* Benth. G. II. 937. — Sp. 1. Afr. austr.  
 5208 32 *Bowkeria* Harv. G. II. 937. — Sp. 5. Afr. austr.  
 5209 33 *Scrophularia* L. G. II. 937. — Sp. ad 120. Eur., Afr. bor.,  
 Asia extratrop., Amer. bor.  
 Sect. 1. *Venilia* G. Don, *Ceramanthe* Rchb.  
 Sect. 2. *Scorodonia* G. Don.  
 Sect. 3. *Tomiophyllum* Benth.  
 5210 34 *Brandisia* H. f. et T. G. II. 938. — Sp. 2. Ind. or., China.  
 5211 35 *Wightia* Wall. G. II. 938. — Sp. 3. Himal., Java, Borneo.  
 5212 36 *Paulownia* S. et Z. G. II. 939. — Sp. 1. Japon.  
 5213 37 *Brookea* Benth. G. II. 939 et 1244. — Sp. 3. Borneo.  
 5214 38 *Chelone* L. G. II. 939. — Sp. 4. Amer. bor.  
 5215 39 *Pentstemon* Mitch. G. II. 940. (*Penstemon*). — Sp. ad 75.  
 Amer. bor., Mexic. (Asia bor.-or. sp. 1).  
 Sect. 1. *Eupentstemon* A. Gray, *Elmigera* Rchb.  
 Sect. 2. *Saccanthera* A. Gray.  
 5216 40 *Russelia* Jacq. G. II. 940 et 1244. — Sp. 4 v. 5. Mexic., Amer.  
 centr.  
 5217 41 ?*Gomara* R. et P. G. II. 941. — Sp. 1. Peruvia, Chili.  
 5218 42 *Collinsia* Nutt. G. II. 941 et 1244. — Sp. 14. Amer. bor.  
 5219 43 *Tonella* Nutt. G. II. 941. — Sp. 2. Amer. bor.-occ.  
 5220 44 *Chionophila* Benth. G. II. 942. — Sp. 1. Amer. bor. (Montes  
 Scopul.).  
 5221 45 *Tetranema* Benth. G. II. 942. — Sp. 1. Mexic.  
 5222 46 *Basistemon* Turcz. G. II. 1244. — Sp. 2. Peruv., N. Granada.  
 5223 47 *Uroskinnera* Lindl. G. II. 942. — Sp. 2. Amer. austr., Mexic.  
 5224 48 *Berendtia* A. Gray. G. II. 942. — Sp. 2 v. 3? Mexic., Amer.  
 centr.  
 5225 49 *Hemichaëna* Benth. G. II. 943. — Sp. 1. Amer. centr.  
 5226 50 *Leucocarpus* Don. G. II. 943. — Sp. 1. Columbia, Ecuador.,  
 Mexic.  
 5227 51 *Dermatocalyx* OErst. G. II. 943. — Sp. 1. Costa Rica.  
 5228 52 *Synapsis* Griseb. G. II. 943. — Sp. 1. Cuba.

TRIBUS VIII. *Manuleæ*.

- 5229 53 *Zaluzianskia* J. W. Schmidt. G. II. 944. (*Nycterinia* Don). —  
 Sp. ad 16. Afr. austr.  
 5230 54 *Polycarena* Benth. G. II. 944. — Sp. ad 10. Afr. austr.

- 5231 55 *Phyllopodium* Benth. G. II. 944. — Sp. 7. Afr. austr.  
 5232 56 *Sphenandra* Benth. G. II. 945. — Sp. 1. Afr. austr.  
 5233 57 *Chaenostoma* Benth. G. II. 945. — Sp. ad 26. Afr. austr.  
       *Sutera* Roth pr. p.  
 5234 58 *Lyperia* Benth. G. II. 945. — Sp. ad 30. Afr. austr., Ins.  
       Canar., Afr. trop. mont. (Somala).  
       *Urbania* Vatke.  
 5235 59 *Sutera* Roth pr. p. G. II. 945. — Sp. 1. Afr. bor.-or., Arabia,  
       Ind. or.  
 5236 60 *Manulea* L. G. II. 946. (*Nemia* Berg.). — Sp. ad 25. Afr. austr.

TRIBUS IX. **Gratioleæ.**

- 5237 61 *Monttea* C. Gay. G. II. 946. (*Oxycladus* Miers). — Sp. 2.  
       Chili.  
 5238 62 *Melosperma* Benth. G. II. 946. — Sp. 1. Andes Chilenses.  
 5239 63 *Mimulus* L. G. II. 946 et 1245. — Sp. 45 v. 50? Amer.,  
       Austral., Asia et Afr. extratrop. et trop. mont.  
       Sect. 1. *Eunanus* A. Gray, *Eunanus* Benth.  
       Sect. 2. *Diplacus* A. Gray, *Diplacus* Nutt.  
       Sect. 3. *Eumimulus* A. Gray, *Mimulus* Benth., *Erythran-*  
       *the* Spach.  
       Sect. 4. *Mimuloides* A. Gray.  
 5240 64 *Mazus* Lour. G. II. 947. (*Hornemannia* Willd.). — Sp. 6. Ind.  
       or., Archip. Malay., Asia or., Austral.  
 5241 65 *Dodartia* L. G. II. 948. — Sp. 1. Asia med. et occ.  
 5242 66 *Lancea* H. f. et T. G. II. 948. — Sp. 1. Tibet.  
 5243 67 *Lindenbergia* Lehm. G. II. 948. (*Brachycoris* Schrad., *Bovea*  
       Dcne). — Sp. 8. Afr. or., Arabia, Ind. or., Archip.  
       Malay.  
 5244 68 *Beyrichia* Cham. et Schlecht. G. II. 949. (De charact. emend. et  
       specier. num., cf. cl. Radlk. in *Sitzungb. K. bayer.*  
       *Acad.* 264, etc. (1885). — Sp. 3. Amer. trop. imprim.  
       Brasil.  
       *Achetaria* Cham. et Schlecht., *Herpestis* Auct. pr. p.  
       (*H. erecta* Spreng.).  
 5245 69 *Tetraplacus* Radlk. l. c. 258 (1885). — Sp. 1. Brasil.  
 5246 70 *Tetraulacium* Turcz. G. II. 949. — Sp. 1. Brasil.  
 5247 71 *Adenosma* R. Br. G. II. 949. (*Pterostigma* Benth., *Anisanthera*  
       Griff.). — Sp. 8 v. 9. Ind. or., Asia or., Archip. Malay.,  
       Austral.  
 5248 72 *Stemodia* L. G. II. 950. (*Unanuea* R. et P.). — Sp. ad 30.  
       Amer. trop. et austr. extratrop., Asia et Afr. trop.,  
       Austral.  
       *Poarium* Desv., *Matourea* Aubl.

- 5249 73 *Morgania* R. Br. G. II. 950. — Sp. 4. Austral.
- 5250 74 *Limnophila* R. Br. G. II. 950. (*Ambulia* Lam., *Cybbanthera* Ham.). — Sp. ad 25. Afr., Asia et Austral. calidior.  
Diceros Lour., Hydropityon Gärtn. f.
- 5251 75 *Hydrotriche* Zucc. G. II. 951. — Sp. 1. Madagasc.
- 5252 76 *Conobea* Aubl. G. II. 951. (*Sphærotheca* Cham. et Schlecht., *Leucospora* Nutt.). — Sp. 7. Amer. bor. et austr.  
Schistophragma Benth.
- 5253 77 *Herpestis* Gärtn. f. G. II. 951 et 1245. — Sp. ad 50. Utriusque orbis reg. trop. et subtrop., Amer. bor., Chili.  
Bramia Lam., Mella Vand., Monniera P. Br., Septas Lour., Heptas Meisn., Mecardonia et Calytriplex R. et P., Caco-napea et Ranaria Cham., Cardiolophus Griff., Anisocalyx Hance, Ranapalus Kell.
- 5254 78 *Mimelanthe* Greene in *Bull. Calif. Acad.* 181 (1886). — Sp. 1. Californ.
- 5255 79 *Bacopa* Aubl. G. II. 952. — Sp. 1. Guiana, Brasil.
- 5256 80 *Geochorda* Cham. et Schlecht. G. II. 952. — Sp. 1. Brasil.
- 5257 81 ?*Ildefonsia* Gardn. G. II. 953. — Sp. 1. Brasil.
- 5258 82 *Gratiola* L. G. II. 953. (*Sophronanthe* Benth.). — Sp. ad 20.  
Utriusque orbis reg. trop. et calid.  
Fonkia Philippi.
- 5259 83 *Dopatrium* Ham. G. II. 953. — Sp. 5. Asia, Afr. et Austral. trop.
- 5260 84 *Artanema* Don. G. II. 953. (*Achimenes* Vahl, *Diceros* Pers.). — Sp. 4. Asia trop., Austral.
- 5261 85 *Curanga* Juss. G. II. 954. (*Symphyllium* et *Treisteria* Griff.). — Sp. 2. Ind. or., Archip. Malay.  
Picria Lour.
- 5262 86 *Craterostigma* Hochst. G. II. 954. — Sp. 2 v. 3. Afr. or. trop. et austr.
- 5263 87 *Torenia* L. G. II. 954. (*Nortenia* Thou., *Pentstertia* Griff.). — Sp. ad 20. Asia trop. et or., Afr. trop., Amer. austr.
- 5264 88 *Vandellia* L. G. II. 955. — Sp. ad 30. Orbis veteris reg. trop. et temp., Amer. trop.  
Sect. 1. *Euvandellia* B. et H., *Ellobum* Bl., *Mitranthus* Hochst.  
Sect. 2. *Lindernia* B. et H., *Tittmannia* Rchb., *Diceros* Bl. pr. p., *Ilyogeton* Endl., *Hornemannia* Jacq. f. pr. p. *Vriesia* Hassk., *Lindernia* All.  
Sect. 3. *Hornemannia* B. et H., *Hornemannia* Link et Otto.
- 5265 89 *Olysanthus* Raf. G. II. 955. — Sp. 8. Amer. bor., Afr. austr., Ind. or., Austral., in Eur. occ. inquil.  
*Virchowia* Schenk.

- 5266 90 **Bonnaya** Link et Otto. G. II. 956. — Sp. ad 8. Asia et Afr. trop., alibi inquil.
- 5267 91 **Micranthemum** Mehx. G. II. 956. (*Pinarda* Vell.). — Sp. ad 16. Amer. bor. et austr., Ind. occ.  
Hemianthus Nutt., Amphiolanthus Griseb.
- 5268 92 **Bythophyton** H. f. *Fl. B. Ind.* IV. 286 (1884). — Sp. 1. Ind. or.
- 5269 93 **Hydranthelium** H. B. et K. G. II. 957. — Sp. 2 v. 3. Amer. austr., Afr. trop. occ.
- 5270 94 **Microcarpæa** R. Br. G. II. 957. — Sp. 1 v. 2? Ind. or., Austral.
- 5271 95 **Bryodes** Benth. G. II. 957. — Sp. 1. Ins. Maurit.
- 5272 96 **Encopa** Griseb. G. II. 957. — Sp. 1. Cuba.
- 5273 97 **Peplidium** Delile. G. II. 957. — Sp. 2. Afr. Asia et Austral. calidior.
- 5274 98 **Glossostigma** Arn. G. II. 958. (*Tricholoma* Benth.). — Sp. 3. Austral. N. Zel., Afr. et Asia trop.
- 5275 99 **Amphianthus** Torr. G. II. 958. — Sp. 1. Amer. bor.
- 5276 100 **Limosella** L. G. II. 958. (*Danubiunculus* Sailer). — Sp. 5 v. 6. Totius orbis reg. temp. et calid.

TRIBUS X. **Digitaleæ.**

- 5277 101 **Sibthorpia** L. G. II. 959. (*Disandra* L. f.). — Sp. 6. Eur. occ., Afr. trop. et bor.-occ., Nepal., Amer. austr.  
Willichia L., Hornemannia Benth.
- 5278 102 **Hemiphragma** Wall. G. II. 959. — Sp. 1. Himal.
- 5279 103 **Scoparia** L. G. II. 959. — Sp. 5 v. 6. Utriusque orbis reg. calidior. (Orbis vetus indig.?).
- 5280 104 **Capraria** L. G. II. 959. (*Xuaresia* R. et P.). — Sp. 4. Amer. trop. et subtrop.  
Pogostoma Schrad.
- 5281 105 **Camptoloma** Benth. G. II. 960. — Sp. 1. Afr. trop. occ.
- 5282 106 **Digitalis** L. G. II. 960. — Sp. ad 18. Eur., Asia med. et occ.
- 5283 107 **Isoplexis** Lindl. G. II. 961. (*Callianassa* Webb). — Sp. 2. Ins. Canar.
- 5284 108 **Erinus** L. G. II. 961. — Sp. 1. Eur. occ. et med.
- 5285 109 **Campylanthus** Roth. G. II. 962. — Sp. 4. Ins. Canar. et Azor., Arabia, Scindia.
- 5286 110 **Lafuentea** Lag. G. II. 962. (*Durieuva* Méral). — Sp. 1. Hispania.
- 5287 111 **Ourisia** Comm. G. II. 962. (*Dichroma* Cav.). — Sp. ad 18. N. Zel., Tasmania, Amer. austr. andina et antarct.
- 5288 112 **Picrorhiza** Royle. G. II. 962. — Sp. 1. Himal.
- 5289 113 **Synthyris** Benth. G. II. 963 et 1245. — Sp. 7. Amer. bor. occ.
- 5290 114 **Wulfenia** Jacq. G. II. 963. — Sp. 4. Carinthia, Asia occ., Himal.

- 5291 115 *Calorhabdos* Benth. G. II. 963. — Sp. 3. Himal., Japon., China.  
 5292 116 *Pæderota* L. G. II. 964. — Sp. 2. Eur. mont. med. et or.  
 5293 117 *Veronica* L. G. II. 964. — Sp. descr. ad 220, circa 180 bene  
 dist. Utriusque orbis reg. temp. et frigid., inter trop.  
 paucae.

Sect. 1. *Hebe* Benth., *Hebe* Juss.

Sect. 2. *Pygmæa* Benth., *Pygmæa* H. f., *Cymbophyllum*  
 F. Müll.

Sect. 3. *Pseudolysimachia* Benth., *Leptandra* Nutt.

Sect. 4. *Beccabunga* Benth.

Sect. 5. *Chamædryas* Benth.

Sect. 6. *Veronicastrum* Benth.

Sect. 7. *Omphalospora* Bess., *Diplophyllum* Lehm.

- 5294 118 *Aragoa* H. B. et K. G. II. 965. — Sp. 3. Amer. austr.

#### TRIBUS XI. *Gerardiæ*.

- 5295 119 *Escobedia* R. et P. G. II. 965. (*Silvia* Vell.). — Sp. 2. Amer.  
 calidior. a Brasil. usque ad Mexicum.  
 5296 120 *Physocalyx* Pohl. G. II. 966. — Sp. 2. Brasil.  
 5297 121 *Melasma* Berg. G. II. 966. (*Nigrina* Thunb., *Lyncea* Cham. et  
 Schlecht., *Gastromeria* Don). — Sp. 3 v. 4. Afr. austr.,  
 Brasil., Mexic.  
 5298 122 *Alectra* Thunb. G. II. 966. (*Starbia* Thou., *Glossostyles* Cham.  
 et Schlecht.). — Sp. ad 14. Amer. trop., Afr. trop. et  
 austr., Madagasc., Ind. or.  
 5299 123 *Tetraspidium* Bak. in *Journ. Linn. Soc.* XX. 215 (1882). —  
 Sp. 1. Madagasc.  
 5300 124 *Harveya* Hook. G. II. 967. (*Aulaya* Harv.). — Sp. ad 14. Afr.  
 austr.  
 5301 125 *Campbellia* Wight. G. II. 967. — Sp. 5 v. 6. Ind. or., Zeylan.,  
 Himal.  
 5302 126 *Hyobanche* L. G. II. 968. — Sp. 1. Afr. austr. (Cf. cl. Radlk.  
 in *Sitzungsb. K. bayer. Acad.* 270 in annot., 1885).  
*Hæmatobanche* Presl.  
 5303 127 *Buchnera* L. G. II. 968. (*Piripea* Aubl., *Chytra* Gärtner. f.). —  
 Sp. descr. ultra 30, sed plures reduc. Utriusque orbis  
 reg. calidior.  
 5304 128 *Striga* Lour. G. II. 968. (*Campuleia* Thou.). — Sp. ad 25.  
 Asia, Afr. et Austral. calidior.  
*Psanmostachys* et *Microsiphus* Presl.  
 5305 129 *Stellularia* Benth. in Hook. *Icon. Plant.* tab. 1318. — Sp. 1.  
 Afr. trop. occ.  
 5306 130 *Rhamphicarpa* Benth. G. II. 969. (*Macrosiphon* Hochst.). —  
 Sp. 12. Afr. trop. et austro-or., Ind. or., Austral.

- 5307 131 *Cycnium* E. Mey. G. II. 969. — Sp. 5 v. 6. Afr. trop. et austr.  
 5308 132 *Centranthera* R. Br. G. II. 969. (*Razumovia* Spreng.). — Sp. 4.  
     Asia trop. et subtrop., Archip. Malay., Austral.  
 5309 133 *Buttonia* Mac Ken. G. II. 970. — Sp. 1. Afr. austr.  
 5310 134 *Sopubia* Ham. G. II. 970. (*Gerdaria* Presl, *Raphidophyllum*  
     Hochst.). — Sp. 8 v. 9. Afr. trop. et austr., Madagasc.,  
     Ind. or., Archip. Malay., Austral.  
 5311 135 *Graderia* Benth. G. II. 970. (*Bopusia* Presl). — Sp. 1. Afr.  
     austr.  
 5312 136 *Micrargeria* Benth. G. II. 971. (*Gerardianella* Kl.). — Sp. 2.  
     Ind. or., Mossamb., Afr. trop. occ.  
 5313 137 *Leptorhabdos* Schrenk. G. II. 971. (*Dargeria* Dcne). — Sp. 4  
     v. 5. Asia mont. med.  
 5314 138 *Seymeria* Pursh. G. II. 971. (*Afzelia* Gmel.). — Sp. 10. Amer.  
     bor., Madagasc.  
 5315 139 *Macranthera* Torr. G. II. 972. (*Conradia* Nutt.). — Sp. 2.  
     Amer. bor.  
 5316 140 *Esterhazyia* Mikan. G. II. 972. — Sp. 2. Brasil.  
 5317 141 *Silvia* Benth. G. II. 972. — Sp. 2. Mexic.  
 5318 142 *Gerardia* L. G. II. 972. (*Virgularia* R. et P.). — Sp. ad 30.  
     Amer. bor. et austr.  
     *Dasystema* Raf., *Otophylla* Benth.  
 5319 143 *Radamæa* Benth. G. II. 973. — Sp. 2. Madagasc.  
 5320 144 *Rhaphispermum* Benth. G. II. 973. — Sp. 1. Madagasc.

TRIBUS XII. *Euphrasieæ*.

- 5321 145 *Castilleja* L. f. G. II. 973. — Sp. ad 35. Amer. bor. et austr.,  
     Asia bor.  
     Sect. 1. *Epichroma* A. Gray.  
     Sect. 2. *Hemichroma* A. Gray.  
     Sect. 3. *Euchroma* A. Gray, *Euchroma* Nutt.  
 5322 146 *Orthocarpus* Nutt. G. II. 974 et 1245. — Sp. ad 24. Amer. occ.  
     bor. et austr.  
     Sect. 1. *Triphysaria* Benth., *Triphysaria* F. et M., ? *Chlo-*  
     *ropyron* Behr.  
     Sect. 2. *Orthocarpus* Benth.  
     Sect. 3. *Oncorhynchus* Benth., *Oncorhynchus* Lehm.  
 5323 147 *Clevelandia* Greene in *Bull. Calif. Acad.* 182 (1886). — Sp. 1.  
     Californ.  
 5324 148 *Cordylanthus* Nutt. G. II. 974. — Sp. 11. Amer. bor. occ.  
     Sect. 1. *Adenostegia* Benth., *Adenostegia* Benth.  
     Sect. 2. *Hemistegia* A. Gray.  
 5325 149 *Hemiarrhena* Benth. G. II. 974. — Sp. 1. Austral. trop.

- 5326 150 *Schwalbea* L. G. II. 975. — Sp. 1. Amer. bor.
- 5327 151 *Siphonostegia* Benth. G. II. 975. (*Lesquereuxia* Boiss. et Reut.).  
— Sp. 3. Asia extratrop. et subtrop.
- 5328 152 *Cymbaria* L. G. II. 975. — Sp. 2. Asia rossica.
- 5329 153 *Bungea* C. A. Mey. G. II. 976. — Sp. 2. China, Oriens.
- 5330 154 *Monochasma* Maxim. in Franch. et Savat. *Enum. pl. Japon.*  
II. 458 (1876). — Sp. 1. China, Japon.
- 5331 155 *Phtheirospermum* Bge. G. II. 976. — Sp. 2. China bor., Himal.  
*Emmenospermum* Clarke in Hook. *Fl. B. Ind.* IV.  
305 (1884).
- 5332 156 *Euphrasia* L. pr. p. G. II. 976. — Sp. bene dist. infra 20.  
Utriusque orbis reg. extratrop. bor. et austr.  
*Siphonidium* Armstrong.
- 5333 157 *Omphalotrix* Maxim. G. II. 977. — Sp. 1. Terra Amurensis.
- 5334 158 *Bartsia* L. G. II. 977. (*Lasiopera* Hoffm. et Link). — Sp.  
ad 60. Eur., Asia extratrop., Afr. bor. et mont. trop.,  
Amer. austr. extratrop. et mont. trop. (Amer. bor. et Afr.  
austr. inquil.?).  
Sect. 1. *Eufragia* Benth., *Eufragia* Griseb., *Parentu-*  
*cellia* Viv.  
Sect. 2. *Trixago* Benth., *Trixago* Stev., *Bellardia* All.  
Sect. 3. *Eubartsia* Benth.  
Sect. 4. *Hesperobartsia* Benth.  
Sect. 5. *Odontites* Benth., *Odontites* Pers.  
Sect. 6. *Orthantha* Benth.
- 5335 159 *Lamourouxia* H. B. et K. G. II. 978. — Sp. 20. Mexic., Amer.  
centr. et austr. mont.
- 5336 160 *Rhynchocorys* Griseb. G. II. 978. (*Rhinanthus* M. B., *Elephas*  
Guss.). — Sp. 2. Sicilia, Italia, Oriens.
- 5337 161 *Pedicularis* L. G. II. 978. — Sp. enum. ad 135. Eur. fere tota,  
Asia, Afr. et Amer. bor. et trop. mont.
- 5338 162 *Rhinanthus* L. G. II. 979. (*Alectorolophus* M. B.). — Sp. 2 v. 3.  
Eur., Asia temp. et bor., Amer. bor.
- 5339 163 *Melampyrum* L. G. II. 979. — Sp. 9. Eur., Asia extratrop.,  
Amer. bor.
- 5340 164 *Tozzia* L. G. II. 980. — Sp. 1. Eur. mont. med. et austr.

## Genera incertæ sedis.

- 5341 165 *Oreosolen* H. f. *Fl. B. Ind.* IV. 318 (1884). — Sp. 1. Himal.  
(Sikkim).
- 5342 166 *Falconeria* H. f. *l. c.* 319. — Sp. 1. Himal. occ.

ORDO CXXV. OROBANCHACEÆ <sup>(1)</sup>

- 5343 1 *Æginetia* L. G. II. 982. — Sp. 3 v. 5. Asia trop. et subtrop.  
Centronia Bl. (Gasparinia Endl., Centronota DC., Tronicena Steud.).
- 5344 2 *Christisonia* Gardn. G. II. 982. (*Oligopholis* Wight). — Sp. 10.  
Asia trop.
- 5345 3 *Phelipæa* Desf. pr. p. G. II. 982. (*Anoplanthus* Auct. pr. p.).  
— Sp. 2. Oriens.
- 5346 4 *Cistanche* Hoffm. et Link. G. II. 983. — Sp. ad 12. Hispania,  
Afr. bor. et trop., Asia occ. et med.
- 5347 5 *Phacellanthus* S. et Z. G. II. 983. — Sp. 1. Japon.
- 5348 6 *Aphyllon* Mitch. G. II. 983. (*Gymnocaulis* Nutt.). — Sp. 8 v. 9.  
Amer. bor., Mexic., Amer. centr. occ.  
Sect. 1. *Gymnocaulis* B. et H., *Anoplanthus* Endl. pr. p.,  
*Anoplon* Wallr.  
Sect. 2. *Nothaphyllon* A. Gray, *Phelipæa* (sp. amer.) Reut.  
*Myzorrhiza* Philippi.
- 5349 7 *Orobanche* L. G. II. 984. — Sp. descr. ad 150, sed vix 100  
dist. Orbis veteris reg. temp. et trop., alibi inquil.  
Sect. 1. *Boulardia* B. et H., *Boulardia* F. Schultz, *Cera-*  
*tocalyx* Cass.  
Sect. 2. *Osproleon* Wallr.  
Sect. 3. *Trionychon* Wallr., *Phelipæa* Reut. pr. pr., *Chro-*  
*robanche* Presl, *Phelipanche* Pomel.
- 5350 8 *Lathræa* L. G. II. 985. — Sp. 3. Eur., Asia.  
*Clandestina* Endl.
- 5351 9 *Conopholis* Wallr. G. II. 985. — Sp. 1 v. 2. Amer. bor.
- 5352 10 *Platypholis* Maxim. in *Bull. Acad. Pétersb.* XII. 524 (1886).  
— Sp. 1. Japon.
- 5353 11 *Boschniackia* C. A. Mey. G. II. 985. — Sp. 5. Amer. bor.,  
Mexic., Asia bor. or., Himal.
- 5354 12 *Epiphegus* Nutt. G. II. 985. (err. *Epifagus* Nutt., *Mylanche*  
Wallr.). — Sp. 1. Amer. bor.

## ORDO CXXVI. LENTIBULARIÆ

- 5355 1 *Utricularia* L. G. II. 987 et 1245. (*Lentibularia* Vaill.). — Sp.  
ad 160. Reg. calid. et temp. utriusque orbis.  
*Akentra* Benjamin, *Diurospermum* Edgw.

(1) Sp. ad 150. per reg. temp et caled. Eur., Asiæ, Afr. et Amer. sparse, in Austral. inquil.?



- 5356 2 *Polypompholyx* Lehm. G. II. 988. (*Tetralobus* A. DC.). — Sp. 2. Austral. austro-occ.  
 5357 3 *Genlisea* A. St.-Hil. G. II. 988 et 1245. — Sp. 11. Brasil., Cuba, Afr. trop. et austr.  
 5358 4 *Pinguicula* L. G. II. 988. — Sp. descr. ultra 30, sed plures reduc. Hemisph. bor. extratrop., Amer. andina et antarct. Brandonia Rehb.

## ORDO CXXVII. COLUMELLIACEÆ

- 5359 1 *Columellia* R. et P. G. II. 989. (*Uluxia* Juss.). — Sp. 2. Amer. austr. andina.

ORDO CXXVIII. GESNERACEÆ <sup>(1)</sup>

## TRIBUS I. Gesnereæ.

- 5360 1 *Bellonia* L. G. II. 996. — Sp. 2. Cuba, S. Doming.  
 5361 2 *Niphæa* Lindl. G. II. 997. — Sp. 3. Mexic., Cuba.  
 5362 3 *Phinæa* Benth. G. II. 997. — Sp. 3 v. 4. Columbia, Amer. centr.  
     *Niphæa* Hanst. pr. p.  
 5363 4 *Monopyle* Moritz. G. II. 997 et 1245. — Sp. 5 v. 6. Columbia Peruvia, Amer. centr.  
 5364 5 *Anodiscus* Benth. G. II. 998 et 1245. — Sp. 2. Peruvia.  
 5365 6 *Gloxinia* L'Hér. G. II. 998. (*Sulisia* et *Escheria* Rgl). — Sp. ad 6. Amer. trop. a Brasil. usque ad Mexicum.  
 5366 7 *Achimenes* P. Browne. G. II. 998. (*Cyrilla* L'Hér., *Trevirana* Willd.). — Sp. ad 20. Amer. trop. a Brasil. usque ad Mexicum.  
     Sect. 1. *Trevirana* B. et H.  
     Sect. 2. *Locheria* B. et H., *Locheria* et *Guthnickia* Rgl, *Dolichoderia* Hanst.  
     Sect. 3. *Mandirola*, *Mandirola* Dcne, *Scheeria* Seem., *Eucodonia* Hanst., *Kœrnickia* Rgl.  
 5367 8 *Nægelia* Rgl. G. II. 999. — Sp. 6. Mexic., Amer. centr.  
 5368 9 *Heppiella* Rgl. G. II. 999. — Sp. ad 9. Columbia, Peruvia.  
 5369 10 *Seemannia* Rgl. G. II. 1000. — Sp. 1. Peruvia.  
 5370 11 *Kœllikeria* Rgl. G. II. 1000. — Sp. 1. Amer. trop. a Peruvia usque ad Amer. centr.  
 5371 12 *Dicyrta* Rgl. G. II. 1000. — Sp. 2. Amer. centr.

(1) Sp. ad 960, pleræque per reg. trop. et subtrop. utriusque orbis late dispersæ, perpaucæ in Chili, Austral., N. Zel., Japon., China et Reg. Medit.

- 25 ~~Diastemella~~ Benth. G. II. 1000. (*Diastemella* OErst.). — Sp. 15.  
 Amer. trop. a Brasil. usque ad Mexicum.
- 26 ~~Diastemella~~ Benth. G. II. 1000. — Sp. ad 60. Amer. trop. a Brasil.  
 et Peruvia usque ad Mexicum.  
 Series 1. *Tydzæa* B. et H., *Tydzæa* Dcne, *Sciadocalyx* et  
*Giesleria* Rgl, *Calycostemma* Hanst.  
 Series 2. *Brachyloma* B. et H., *Brachyloma* et *Cryptoloma*  
 Hanst., *Moussonia* Rgl.  
 Series 3. *Kœhleria* B. et H., *Kœhleria* et *Pearcea* Rgl.
- 27 ~~Houttea~~ Dcne. G. II. 1002. (*Van Houttea* Lemaire). — Sp. 3.  
 Brasil.
- 28 ~~Pellaviana~~ Vand. G. II. 1002. (*Codonophora* Lindl., *Prasanthea*  
 Dcne). — Sp. 2. Brasil.
- 29 ~~Campanea~~ Dcne. G. II. 1003. (*Capanea* Fl. des Serres.). —  
 Sp. 6. Amer. trop.
- 30 ~~Gesnera~~ Mart. G. II. 1003. — Sp. ad 60. Amer. trop. a Brasil,  
 usque ad Mexicum.  
 Sect. 1. *Rechsteineria* B. et H., *Rechsteineria* Rgl.  
 Sect. 2. *Cryptocaula* Hanst.  
 Sect. 3. *Eugesnera* B. et H.  
 Sect. 4. *Corytholoma* B. et H., *Corytholoma* Dcne.  
 Sect. 5. *Dircæa* B. et H., *Dircæa* Dcne.
- 31 ~~Llotzia~~ Rgl in *Gartenflora*. 96 (1880). — Sp. 1. Brasil.
- 32 ~~Sinningia~~ Nees. G. II. 1004. — Sp. ad 16. Brasil.  
 Sect. 1. *Stenosgastra* B. et H., *Stenosgastra* Hanst.  
 Sect. 2. *Eusinningia* B. et H., *Sinningia* Hanst.  
 Sect. 3. *Ligeria* B. et H., *Gloxinia* Hortul., *Ligeria* Dcne,  
*Tapina* Mart., *Tapeinotes* DC., *Biglandularia* Seem.  
 (*Rosanovia* Rgl).
- 33 ~~Solenophora~~ Benth. G. II. 1005. — Sp. 4. Mexic.  
*Hippodamia* Dcne, (*Arctocalyx* Fenzl).
- 34 ~~Pentarhaphia~~ Lindl. G. II. 1005. (*Conradia* Mart.). — Sp. ad 40.  
 Ind. occ., Columbia, Amer. centr.  
 Sect. 1. *Eupentarhaphia* B. et H., *Pentarhaphia* Griseb.  
 Sect. 2. *Duchartrea* B. et H., *Duchartrea* Dcne.  
 Sect. 3. *Codonoraphia* B. et H., *Codonoraphia* OErst.  
 Sect. 4. *Vaupellia* B. et H., *Vaupellia* Griseb.  
 Sect. 5. *Synanthera* Don, *Ophianthe* Hanst., *Herincquia*  
 Dcne, *Conradia* Griseb.  
 ? *Chorisanthra* OErst.
- 35 ~~Rhytidophyllum~~ Mart. G. II. 1006. — Sp. ad 10. Ind. occ., Co-  
 lumbia.

TRIBUS II. **Columnneæ.**

- 5383 24 **Tussacia** Rchb. G. II. 1006. (*Chrysothemis* Dcne).—Sp. 4 v. 5.  
Ind. occ., Guiana, Columbia.
- 5384 25 **Episcia** Mart. G. II. 1006. — Sp. ad 30. Amer. trop. a Brasil.  
usque ad Indiam occ. et Amer. centr.  
Sect. 1. *Physodeira* B. et H., *Physodeira* Hanst.  
Sect. 2. *Cyrtodeira* B. et H., *Cyrtodeira* Hanst.  
Sect. 3. *Alsobia* B. et H., *Alsobia* Hanst.  
Sect. 4. *Skiophila* B. et H., *Skiophila* Hanst.  
Sect. 5. *Centrosolenia* B. et H., *Centrosolenia* Benth.,  
*Paradrymonia* Hanst., *Trichodrymonia* OErst.  
Sect. 6. *Nautilocalyx* B. et H., *Nautilocalyx* Lind.
- 5385 26 **Drymonia** Mart. G. II. 1007. — Sp. 14. Amer. trop.
- 5386 27 **Alloplectus** Mart. G. II. 1008. (*Lophia* Desv., *Crantzia* Scop.).  
— Sp. ad 30. Amer. trop. a Brasil. usque ad Indiam occ.  
et Amer. centr.  
*Saccoplectus*, *Prionoplectus*, *Caloplectus*, *Corytoplectus*,  
*Calanthus* et *Calycoplectus* OErst., *Heintzia* Karst., *Glos-*  
*soloma*, *Pterygoloma* et *Polythysania* Hanst., *Macrochla-*  
*mys* Dcne, *Erythranthus* et *Anisoplectus* OErst.
- 5387 28 **Trichantha** Hook. G. II. 1009. — Sp. 2. Columbia.
- 5388 29 **Columnnea** L. pr. p. G. II. 1009. — Sp. ad 60. Amer. trop. a  
Brasil. usque ad Indiam occ. et Amer. centr.  
Sect. 1. *Collandra* B. et H., *Dalbergaria* Tussac., *Collandra*  
Lemaire.  
Sect. 2. *Cryptocolumnnea* Hanst.  
Sect. 3. *Eucolumnnea* B. et H.  
Sect. 4. *Pentadenia* B. et H., *Pentadenia* Planch.  
Sect. 5. *Systelostoma* B. et H.  
Sect. 6. *Ortholoma* B. et H., *Ortholoma* Hanst., *Stenan-*  
*thus* OErst.  
Sect. 7. *Stygnanthe* B. et H., *Stygnanthe* Hanst.
- 5389 30 **Nematanthus** Mart. G. II. 1010. — Sp. 3 v. 4. Brasil.
- 5390 31 **Hypocyrtia** Mart. G. II. 1010. — Sp. ad 10. Brasil., Costa  
Rica.
- 5391 32 **Codonanthe** Hanst. G. II. 1011. (*Hypocyrtæ* sect. *Codonanthe*  
Mart., *Coccanthera* Koch et Hanst.). — Sp. 5. Brasil.,  
Guiana.

TRIBUS III. **Cyrtandree** (1).SUBTRIBUS I. **Trichosporeæ**.

- 8392 33 **Æschynanthus** Jack. G. II. 1013. (*Trichosporum* D. Don, *Rheiotrophyllum* Hassk.). — Sp. 65. Ab Ind. or. et Zeylan. usque ad Hongkong et Ins. Philippin.  
 Sect. 1. *Polytrichium* B. et H.  
 Sect. 2. *Diplotrichium* B. et H.  
 Sect. 3. *Haplotrichium* B. et H.  
 Sect. 4. *Microtrichium* Clarke.
- 8393 34 **Dichrotrichum** Reinw. ex Clarke *l. c.* 58 (1883). — Sp. 4. Archip. Malay. a Java usque ad Ins. Philippin.  
 Tromsdorffia Bl. pr. p., Liebigia Endl. pr. p.
- 8394 35 **Agalmyla** Bl. G. II. 1014. (*Orithalia* Bl.). — Sp. 3. Java, Sumatra.
- 8395 36 **Lysionotus** D. Don. G. II. 1015. — Sp. 3. Ind. or., China, Japon.
- 8396 37 **Loxostigma** Clarke. *l. c.* 59 (1883). — Sp. 1. Ind. or.

SUBTRIBUS II. **Didymocarpeæ**.

- 8397 38 **Conandron** S. et Z. G. II. 1024. — Sp. 1. Japon.
- 8398 39 **Oreocharis** Benth. G. II. 1021. — Sp. 4 v. 6? China, Japon., Ins. Philippin.?
- 8399 40 **Didissandra** Clarke. *l. c.* 65 (1883). — Sp. 7. Ind. or., China bor., Archip. Malay.
- 8400 41 **Didymocarpus** Wall. G. II. 1021. — Sp. 70 v. 73? Ind. or., Archip. Malay. (Madagasc. sp. 1).  
 Rottlera Vahl, Henckelia Spreng. pr. p., Loxocarpus R. Br.  
 Sect. 1. *Eudidymocarpus* B. et H.  
 Sect. 2. *Monophylloides* Clarke.  
 Sect. 3. *Didymanthus* Clarke.  
 Sect. 4. *Kompsobæa* Clarke.  
 Sect. 5. *Heterobæa* B. et H.  
 Sect. 6. *Loxocarpus* Clarke.  
 Sect. 7. *Orthobæa* B. et H.  
 Sect. 8. *Parabæa* Clarke.  
 Sect. 9. *Hova* Clarke.
- 8401 42 **Petrocodon** Hance in *Journ. Bot.* 167 (1883). — Sp. 1. China or.
- 8402 43 **Primulina** Hance. *l. c.* 169 (1883). — Sp. 1. China or.
- 8403 44 **Chirita** Ham. G. II. 1022. — Sp. 36. Asia trop.

1) *Devisio et area geographica Cyrtandrearum* sec. Monographiam cl. C. B. Clarke in *Suites au Bottemus*, V. 1-303.

Sect. 1. *Euchirita* Clarke, *Henckelia* Spreng. pr. p.,  
*Calosacme* Wall.

Sect. 2. *Liebigia* Clarke, *Liebigia* Endl. pr. p., *Morst-*  
*dorffia* Steud.

Sect. 3. *Bilabium* Clarke, *Bilabium* Miq.

Sect. 4. *Microchirita* Clarke.

Sect. 5. *Gibbosaccata* Clarke.

- 5404 45 *Trachystigma* Clarke *Cyrtandreæ* 131 (1883). — Sp. 1. Afr.  
trop. occ.
- 5405 46 *Platystemma* Wall. G. II. 1020. — Sp. 1. Himal.
- 5406 47 *Championia* Gardn. G. II. 1024. — Sp. 1. Zeylan.
- 5407 48 *Bœica* Clarke. G. II. 1023. (*Bœica*). — Sp. 5. Ind. or. bor.,  
Burma.
- 5408 49 *Tetraphyllum* Griff. (*Phyllobœa* Benth. G. II. 1020 pr. p.). —  
Sp. 1. Bengal.
- 5409 50 *Trisepalum* Clarke *Cyrtandreæ* 138. (*Phyllobœa* Benth. G. II.  
1020 pr. p.). — Sp. 3. Burma.
- 5410 51 *Phyllobœa* Benth. pr. p. G. II. 1020. — Sp. 1. Burma.
- 5411 52 *Bœa* Comm. G. II. 1023. (*Bea* Comm., *Bœa* Juss., *Dorcoceras*  
Bge). — Sp. 14. Asia trop., Austral., Ins. Pacif.
- 5412 53 *Ornithobœa* Clarke *Cyrtandreæ* 147 (1883). — Sp. 1. Burma.
- 5413 54 *Streptocarpus* Lindl. G. II. 1023. — Sp. 19. Afr. trop. et  
imprim. austr., Madagasc.
- 5414 55 *Acanthonema* H. f. G. II. 1021. — Sp. 1. Afr. æquinoct.  
occ.
- 5415 56 *Loxonia* Jack. G. II. 1019. (*Loxophyllum* Bl.). — Sp. 1. Suma-  
tra, Java.
- 5416 57 *Rehmannia* Libosch. G. II. 960 (sub *Scrophularineis*). Ad *Cyr-*  
*tandreus* revocanda ex cl. Radlkofer in *Sitzb. k. b. Acad.*  
271 annot. (1885). — Sp. 2. China, Japon.
- 5417 58 *Klugia* Schlcht. G. II. 1019. (*Glossanthus* Klein). — Sp. 4. Ind.  
or., Amer. centr.
- 5418 59 *Rhynchoglossum* Bl. G. II. 1019. (*Rhyncoglossum* Bl., *Loxotis*  
R. Br.). — Sp. 2. Ind. or., Archip. Malay.
- 5419 60 *Jerdonia* Wight. G. II. 1020. — Sp. 1. Ind. or.
- 5420 61 *Napeanthus* Gardn. G. II. 1018. (*Marssonina* Karst.). — Sp. 5.  
Amer. trop.
- 5421 62 *Leptobœa* Benth. G. II. 1025. (*Championia* Clarke). — Sp. 2.  
Bengal.
- 5422 63 *Rhabdothamnus* A. Cunn. G. II. 1011. — Sp. 1. N. Zel.
- 5423 64 *Ramondia* L. C. Rich. G. II. 1024. (*Myconia* et *Chairia* Lapeyr.).  
— Sp. 3. Eur. austr. mont.  
Jankæa (Jancæa) Boiss.

- 5424 65 *Haberlea* Frivaldsky. G. II. 1023. — Sp. 1. Eur. austro-or.  
Balkan.
- 5425 66 *Coronanthera* Vieill. ex Clarke *Cyrtandrea* 170. 1883. — Sp. 9.  
N. Caled.  
? *Entrecasteauxia* Montrouz.
- 5426 67 *Negria* F. Müll. G. II. 1011. — Sp. 1. Austral.
- 5427 68 *Anetanthus* Hiern. G. II. 1025. — Sp. 4 v. 5. Mexic., Peruvia,  
Brasil.
- 5428 69 *Epithema* Bl. G. II. 1017. *Aikinia* R. Br. — Sp. 7. Asia et  
Afr. trop.

SUBTRIBUS III. *Eucyrtandreae*.

- 5429 70 *Monophyllea* R. Br. G. II. 1017. — Sp. 6 Archip. Malay.
- 5430 71 *Cyrtandromœa* Zoll. G. II. 1020. (*Busea* et *Brevidens* Miq.). —  
Sp. 8. Archip. Malay.
- 5431 72 *Slackia* Griff. G. II. 1017. — Sp. 1. Burma.
- 5432 73 *Stauranthera* Benth. G. II. 1016. (*Miquelia* Bl., *Quintilia*  
Endl., *Anomorhegmia* Meisn., *Cyananthus* Griff.). —  
Sp. 3. Ind. or., Archip. Malay.
- 5433 74 *Isanthera* Nees. G. II. 1016. — Sp. 3. Madras, Java, Ins.  
Philippin.
- 5434 75 *Hexatheca* Clarke *Cyrtandrea* 193 (1883). — Sp. 1. Bor-  
neo.
- 5435 76 *Rhynchotechum* Bl. G. II. 1016. (*Corysanthera* Wall., *Cheilo-*  
*sandra* et *Chiliandra* Griff.). — Sp. 9. Asia trop. a  
Bengalia usque ad Ins. Philippin.
- 5436 77 *Fieldia* A. Cunn. G. II. 1012. (*Basileophyta* F. Müll.). — Sp. 1.  
Austral. or.
- 5437 78 *Cyrtandra* Forst. G. II. 1012. — Sp. bene notæ 167. Archip.  
Malay., Polynesia.  
Subg. 1. *Brachycyathus* Clarke, *Whitia* Bl.  
Subg. 2. *Macrocyathus* Clarke, *Rhynchocarpus* Reinw.
- 5438 79 *Besleria* L. G. II. 1015. (*Eriphia* P. Browne). — Sp. 50. Amer.  
trop.  
*Pseudobesleria*, *Cyrtanthemum*, *Parabesleria*, *Gasteran-*  
*thopsis* et *Podobesleria* OErst., *Gasteranthus* et *Cremo-*  
*sperma* Benth.
- 5439 80 *Mitraria* Cav. G. II. 1012. (*Diplocalyx* Presl). — Sp. 1.  
Chili.
- 5440 81 *Sarmienta* R. et P. G. II. 1012. — Sp. 1. Chili.
- 5441 82 ? *Asteranthera* Hanst. G. II. 1011. — Sp. 1. Chili.

ORDO CXXIX. **BIGNONIACEÆ** <sup>(1)</sup>TRIBUS I. **Bignoniææ.**

- 5442 1 **Tynanthus** Miers. G. II. 1031. (*Schizopsis* Bur.). — Sp. 7. Brasil.
- 5443 2 **Arrabidaea** DC. G. II. 1032. (*Chasmia* Schott, *Vasconcellia* Mart.). — Sp. 2. Brasil.
- 5444 3 **Fridericia** Mart. G. II. 1032. — Sp. 2 v. 3. Brasil.
- 5445 4 **Lundia** DC. G. II. 1032. — Sp. ad 10. Brasil.  
Craterotecomia Mart.
- 5446 5 **Bignonia** L. G. II. 1033. — Sp. enum. ultra 150, sed forte 120 dist. Amer. bor. et austr. trop. et subtrop.  
1. Arrabidaea DC. pr. p. — 2. Petastoma Miers.  
3. Panterpa Miers. — 4. Anisostictus Bur.  
5. Bignonia Bur. — 6. Doxantha Miers.  
7. Stizophyllum Miers. — 8. Cydista Miers.  
9. Cremastus Miers. — 10. Phædranthus Miers.  
11. Pyrostegia Presl. — 12. Paragonia Bur.  
13. Pleonotoma Miers (Clematitaria Bur.).
- 5447 6 **Macfadyena** A. DC. G. II. 1034. — Sp. 22? Amer. trop.  
Dolichandra Cham., Pharscophora Miers.
- 5448 7 **Melloa** Bur. G. II. 1035. — Sp. 1 v. 2. Brasil.
- 5449 8 **Saldanhæa** Bur. G. II. 1035. (*Lochmocydia* Mart.). — Sp. 2. Brasil.
- 5450 9 **Cuspidaria** DC. G. II. 1036. — Sp. ad 8. Brasil.
- 5451 10 **Adenocalymma** Mart. G. II. 1036. — Sp. ad 20. Brasil., Guiana, Columbia.  
Pachyptera DC., Memora Miers (Leguminaria Bur.).
- 5452 11 **Anemopægma** Mart. G. II. 1037. — Sp. ad 20. Brasil., Guiana, Columbia.
- 5453 12 **Distictis** DC. G. II. 1037. — Sp. 7 v. 8. Amer. trop. a Brasil. usque ad Ind. occ.  
Macrodiscus Bur.
- 5454 13 **Pithecoctenium** Mart. G. II. 1038. — Sp. ad 20. Amer. trop. a Brasil. usque ad Mexicum.  
Clytostoma Miers ex Bur. in *Adans.* VIII. 353 (1868).
- 5455 14 **Haplolophium** Endl. G. II. 1038. (*Aptolophium* Cham.). — Sp. 2. Brasil.
- 5456 15 **Glaziovina** Bur. G. II. 1038. — Sp. 1. Brasil.
- 5457 16 **Amphilophium** Kth. G. II. 1039. — Sp. 4 v. 5. Amer. trop.
- 5458 17 **Callichlamys** Miq. G. II. 1039. — Sp. 2. Amer. trop.

(1) Sp. ad 500, per reg. trop. utriusque orbis late dispersæ, paucae extratrop.

- 5459 18 *Tanæcinum* Sw. G. II. 1039. — Sp. 4, ad 1? reduc. Amer. trop.  
 5460 19 *Nyctocalos* Teijsm. et Binn. G. II. 1040. — Sp. 3. Archip. Malay., Assam.  
 5461 20 *Millingtonia* L. f. G. II. 1040. — Sp. 1. Asia loco natali ignoto).  
 5462 21 *Oroxylum* Vent. G. II. 1040. (*Calosanthus* Bl.). — Sp. 1. Ind. or., Archip. Malay., Cochinchina, Ava.  
 5463 22 ?*Hausmannia* F. Müll. G. II. 1041. — Sp. 1. Austral. trop. or.

TRIBUS II. **Tecomeæ.**

- 5464 23 *Catalpa* Juss. G. II. 1041. — Sp. ad 6. China, Japon., Amer. bor., Ind. occ.  
 5465 24 *Chilopsis* Don. G. II. 1041. — Sp. 1. Amer. bor. occ.  
 5466 25 *Sparattosperma* Mart. G. II. 1041. — Sp. 1. Brasil.  
 5467 26 *Tabebuia* Gomez. G. II. 1042. — Sp. ad 60. Amer. trop. a Brasil. usque ad Ind. occ. et Mexic.  
     *Tecoma* DC.  
 5468 27 ?*Couralia* Splitg. G. II. 1042. — Sp. 4. Amer. trop.  
 5469 28 *Cybistax* Mart. G. II. 1042. (*Yungui* Spruce). — Sp. 3. Brasil., Peruvia, Panama.  
 5470 29 *Godmannia* Hemsl. *Biol. Centr. Amer.* II. 496 (1882). — Sp. 1. Amer. centr.  
 5471 30 *Zeyheria* Mart. G. II. 1043. — Sp. 2. Brasil.  
 5472 31 *Delostoma* Don. G. II. 1043. (*Codazzia* Karst.). — Sp. 5 v. 6. Columbia, Peruvia, Bolivia.  
 5473 32 *Argylia* Don. G. II. 1043. (*Oxymitus* Presl). — Sp. ad 10. Chili.  
 5474 33 *Tecoma* Juss. pr. p. G. II. 1044. — Sp. 25. Utriusque orbis reg. trop. et subtemp., Amer. bor. calid.  
     Sect. 1. *Tecomaria* Endl., *Tecomaria* Bur., *Stenolobium* Don, *Kokoschkinia* Turcz., *Ducoudræa* Bur., *Tecomella* Seem.  
     Sect. 2. *Astianthus* B. et H., *Astianthus* Don.  
     Sect. 3. *Eutecoma* B. et H., *Dendrophila* Bl., *Campsidium* Seem.  
     Sect. 4. *Pandorea* Endl., *Pandorea* Seem.  
     ? *Campsis* Lour.  
 5475 34 *Newbouldia* Seem. G. II. 1045. (*Spathotecoma* Bur.). — Sp. 3. Afr. trop.  
 5476 35 *Mayodendron* Kurz. *Forest Fl.* II. 233. — Sp. 1. Martabania, Ava, Yun-Nan.  
 5477 36 *Spathodea* P. B. G. II. 1045. — Sp. 1 v. 2. Afr. trop.  
 5478 37 *Dolichandrone* Fenzl. G. II. 1046. (*Dolichandra* (sp. geront.) Fenzl). — Sp. ad 12. Asia, Afr. et Austral. trop.



1. *Markhamia* Seem.
  2. *Muenteria* Seem.
  3. *Dolichandrone* Seem.
- 5479 38 *Heterophragma* DC. G. II. 1046. — Sp. 5. Ind. or., Afr. trop.  
Ferdinanda Welw.
- 5480 39 *Stereospermum* Cham. G. II. 1047. — Sp. ad 10. Asia et Afr.  
trop.
- Sect. 1. *Xylocarpæa* B. et H.
- Sect. 2. *Eustereospermum* B. et H., *Dipterosperma* Hassk.
- Sect. 3. *Radermachera* B. et H., *Radermachera* Zoll. et  
Mor., *Lagaropyxis* Miq.
- 5481 40 *Pajanelia* DC. G. II. 1047. — Sp. 1. Ind. or.
- 5482 41 *Diplanthera* R. Br. G. II. 1048. (*Deplanchea* Vieill., *Bulweria*  
F. Müll.). — Sp. 6. Austral., Malacca, Borneo, N. Caled.
- 5483 42 *Rhigozum* Burch. G. II. 1048. — Sp. 2 v. 3. Afr. austr.
- 5484 43 *Catophractes* Don. G. II. 1048. — Sp. 1. Afr. austr. subtrop.
- 5485 44 *Amphicome* Royle. G. II. 1049. — Sp. 2. Himal. bor. occ.
- 5486 45 *Incarvillea* Juss. G. II. 1049. — Sp. 1. China.
- 5487 46 *Tourretia* Juss. G. II. 1049. (*Dombeya* L'Hér., *Medica* Cothen).  
Sp. 1. Amer. trop. a Peruvia usque ad Mexic.

TRIBUS III. **Jacarandææ.**

- 5488 47 *Eccremocarpus* R. et P. G. II. 1050. — Sp. 3. Amer. austr. occ.
- Sect. 1. *Eueccremocarpus* B. et H.
- Sect. 2. *Calampelis* B. et H., *Calampelis* Don.
- 5489 48 *Jacaranda* Juss. G. II. 1050. (*Icaranda* Pers., *Kordelestris*  
Arrud.). — Sp. ad 30. Amer. trop.
- Sect. 1. *Monolobos* DC.
- Sect. 2. *Dilobos* Endl., *Pteropodium* DC.
- 5490 49 ?*Digomphia* Benth. G. II. 1051. — Sp. 1. Guiana.
- 5491 50 *Parmentiera* DC. G. II. 1051. — Sp. 6 v. 2. Mexic., Amer.  
centr.
- 5492 51 *Colea* Bojer. G. II. 1051. — Sp. 9 v. 10. Ins. Mascar.

TRIBUS IV. **Crescentiææ.**

- 5493 52 *Phyllarthron* DC. G. II. 1052. (*Arthrophyllum* Bojer). — Sp.  
ad 5. Madagasc.
- 5494 53 ?*Schlegelia* Miq. G. II. 1052. — Sp. ad 5. Amer. trop.
- 5495 54 *Crescentia* L. G. II. 1053. — Sp. ex Miersio 15, sed plures  
reduc. Amer. trop., Ind. occ.
- Sect. 1. *Eucrescentia* Miers.
- Sect. 2. *Enallagma* Miers, *Amphiteina* Miers.
- 5496 55 *Kigelia* DC. G. II. 1053. (*Sotor* Fenzl). — Sp. 3 v. 4. Afr.  
trop. et austr. subtrop.

ORDO CXXX. **PEDALINEÆ** <sup>(1)</sup>TRIBUS I. **Martyniææ.**

- 5497 1 **Martynia** L. G. II. 1055. — Sp. ad 10. Amer. austr. et bor. calid.  
 Sect. 1. *Carpoceras* B. et H., *Carpoceras* A. Rich.  
 Sect. 2. *Proboscidea* B. et H., *Proboscidea* Schmidel, *Holoregmia* Nees.
- 5498 2 **Vatkea** O. Hoffm. in *Verh. bot. Ver. Brand. Sitzb.* 45 (1880). — Sp. 1. Mexic.  
*Martynia* (*M. diandra*) Glox.
- 5499 3 **Craniolaria** L. G. II. 1056. — Sp. 2. Columbia, Brasil. mer.

TRIBUS II. **Pedaliææ.**

- 5500 4 **Pedaliu**m L. G. II. 1056. — Sp. 1. Ind. or., Afr. trop.
- 5501 5 **Pterosdiscus** Hook. G. II. 1057. — Sp. 3. Afr., austr., Angola.
- 5502 6 **Harpagophytum** DC. G. II. 1057. (*Unearia* Burch.). — Sp. 5. Afr. austr.
- 5503 7 **Holubia** Oliv. in Hook. *Icon. Plant.* tab. 1475 (1884). — Sp. 1. Transvaal.
- 5504 8 **Trapella** Oliv. in Hook. *Icon. Plant.* tab. 1595 (1885). — Sp. 1. China.

TRIBUS III. **Sesameææ.**

- 5505 9 **Rogeria** J. Gay. G. II. 1057. — Sp. 2. Afr. trop. et austr.
- 5506 10 **Sesamothamnus** Welw. G. II. 1058. — Sp. 2. Angola.
- 5507 11 **Sesamum** L. G. II. 1058. — Sp. 10. Afr. trop. et austr. (sp. 1 in Asia et Amer. inquil.).  
 Sect. 1. *Sesamotypus* B. et H., *Anthadenia* Van Houtte.  
 Sect. 2. *Sesamopteris* B. et H., *Simsimum* et *Gangila* Bernh., *Sesamopteris* DC.  
 Sect. 3. *Chamæsesamum* B. et H.
- 5508 12 **Ceratotheca** Endl. G. II. 1059. (*Sporledera* Bernh.). — Sp. 2. Afr. trop.

TRIBUS IV. **Pretreeææ.**

- 5509 13 **Pretrea** J. Gay. G. II. 1059. (*Dicerocaryum* Bojer). — Sp. 1. Afr. trop. or.
- 5510 14 **Linariopsis** Welw. G. II. 1060. — Sp. 1. Benguela.
- 5511 15 **Josephinia** Vent. G. II. 1060. — Sp. 4. Austral., Archip. Malay.

(1) Sp. ad 46, reg. calidior. utriusque orbis incolæ, maxima copie in Afr. crescente.

ORDO CXXXI. ACANTHACEÆ <sup>(1)</sup>TRIBUS I. **Thunbergiæ.**

- 5512 1 **Mendoncia** Vand. (non Vell. ex Vellozo ipso). G. II. 1072. (*Mendoncia* R. et P., *Besleria* Vell.). — Sp. 24. Amer. trop. a Brasil. usque ad Amer. centr., Madagasc. (Cf. Radlk. in *Abh. Nat. Ver. Brem.* VIII. 467).  
Engelia Karst.
- 5513 2 **Monachochlamys** Bak. in *Journ. Linn. Soc.* XX. 217 (1883). — Sp. 1. Madagasc.
- 5514 3 **Pseudocalyx** Radlk. in *Abh. Nat. Ver. Brem.* VIII. 416 (1883). — Sp. 1. Afr. trop. (Nossibé).
- 5515 4 **Thunbergia** L. f. G. II. 1072. — Sp. ad 45. Afr. trop. et austr., Madagasc., Asia calidior.  
Sect. 1. *Euthunbergia* B. et H.  
Sect. 2. *Meyenia* B. et H., *Meyenia* Nees.  
Sect. 3. *Hexacentris* B. et H., *Hexacentris* Nees, *Schmidia* Wight.

TRIBUS II. **Nelsoniæ.**

- 5516 5 **Elytraria** Vahl. G. II. 1073. — Sp. 3 v. 4. (apud nonnull. 14). Amer. trop. et bor., Asia et Afr. trop.
- 5517 6 **Nelsonia** R. Br. G. II. 1073. — Sp. enum. 6, ad 1 reduc. Utriusque orbis reg. calidior.
- 5518 7 **Ebermaiera** Nees. G. II. 1074. — Sp. ad 50. Asia et Austral. trop., Brasil.  
Staurogyne Wall., *Erythracanthus* Nees.
- 5519 8 **Ophiorrhizophyllon** Kurz. G. II. 1074. — Sp. 1. Martabaniam.
- 5520 9 **Hiernia** S. Moore in *Journ. Bot.* 196 (1880). — Sp. 1. Angola.

TRIBUS III. **Ruellieæ.**

- 5521 10 **Cardanthera** Ham. G. II. 1074. (*Adenosma* Nees, *Synnema* Benth.). — Sp. ad 12. Ind. or., Afr. trop.
- 5522 11 **Hygrophila** R. Br. G. II. 1075. — Sp. ad 20. Orbis utriusque reg. trop. et subtrop.  
*Physichilus* Nees (*Polychma* Hochst.), *Hemiadelphis* et *Asteracantha* Nees (*Tenoria* Denh.).
- 5523 12 **Nomaphila** Bl. G. II. 1075. — Sp. ad 7. Afr. trop., Madagasc., Asia austro-or., Archip. Malay.
- 5524 13 **Brillantaisia** P. B. G. II. 1076. (*Belantheria* et *Leucorhaphis* Nees). — Sp. 7 v. 8. Afr. trop., Madagasc.

(1) Sp. ad 1500, per reg. calidior. utriusque orbis late dispersæ, in temp. tam borealibus quam australibus rariores

- 5525 14 ? *Mellera* S. Moore in *Journ. Bot.* 223 1879). — Sp. 1. Afr trop.  
*Paulo-Wilhelmia* sp *Zambesiana*. G. II. 1080.
- 5526 15 *Otacanthus* Lindl. G. II. 1076. — Sp. 2. Amer. austr.
- 5527 16 *Calophanes* Don. G. II. 1077. — Sp. ad 35. Amer. trop. et bor., Afr. trop. et austr., Asia trop.  
*Dyschoriste* et *Chaetacanthus* Nees. *Linostyles* Fenzl.  
 Obs. Ad *Strobilantheas* serius transferenda videtur, Cf. Radlk. in *Sitzb. K. b. Acad.* 288 1883 .
- 5528 17 *Spirostigma* Nees. G. II. 1077. — Sp. 1. Peruvia, Brasil. bor.
- 5529 18 *Ruellia* L. G. II. 1077. — Sp. ad 150. Amer. bor. et austr., Afr. trop. et austr.  
 1. *Ruellia* Nees.  
 2. *Dipteracanthus* Nees (*Dizygandra* Meisn.), *Copioglossa* Miers, *Cryphiacanthus*, *Aphragmia* et *Ophthalmacanthus* Nees, *Neovedia* Schrad., *Gymnacanthus*, *Larysacanthus* et *Solenacanthus* OErst., *Eurychanes* Nees.  
 3. *Fabria* E. Mey.  
 4. *Stephanophysum* Pohl, *Siphonacanthus* et *Stemonacanthus* Nees, *Arrhostoxylum* Mart. (*Scorodoxylum* Nees), *Homotropium* Nees.  
 5. *Holtzendorffia* Kl. et Karst.
- 5530 19 *Forsythiopsis* Bak. in *Journ. Linn. Soc.* XX. 218 (1883). — Sp. 1. Madagasc.
- 5531 20 *Paulo-Wilhelmia* Hochst. G. II. 1079. — Sp. 3. Afr. trop.
- 5532 21 *Mimulopsis* Schweinf. G. II. 1080. — Sp. 6. Afr. trop., Madagasc.
- 5533 22 *Echinacanthus* Nees. G. II. 1080. — Sp. 6. Nepal., Khasia.
- 5534 23 *Dischistocalyx* T. Anders. (err. *Distichocalyx* G. II. 1080). — Sp. 7. Afr. trop. occ.  
 Obs. Ad *Strobilantheas* serius transferenda videtur, Cf. cl. Radlk. in *Sitzb. K. b. Acad.* 288 (1883).
- 5535 24 *Petalidium* Nees. G. II. 1081. (*Pseudobarleria* T. Anders.). — Sp. 12. Ind. or., Afr. trop. et austr.
- 5536 25 *Phaylopsis* Willd. G. II. 1081. (*Micranthus* Wendl., *Ætheilema* R. Br.). — Sp. ad 10. Afr. trop. et austr.
- 5537 26 *Blechum* P. Browne. G. II. 1082. — Sp. 8, ad 4 reduc. Ind. occ., Amer. centr., Columbia.
- 5538 27 ? *Pentstemonacanthus* Nees. G. II. 1082. — Sp. 1. Brasil.  
 Obs. Ad *Euruellieas* serius transferendus videtur, Cf. cl. Radlk. in *Sitzb. K. b. Acad.* 282 et 288 (1883).
- 5539 28 *Eranthemum* L. (non G. II. 1097). — Sp. 17. Ind. or., Archip. Ind.

*Dædalacanthus* T. Anders. G. II. 1082. Cf. cl. Radlk. in *Sitzb. K. b. Acad.* 282 et annot. 1883. (ad *Euruellieas* transferend. videtur. Cf. Radlk. *l. c.* 288).

- 5540 29 *Lankesteria* Lindl. G. II. 1082. — Sp. 3. Afr. trop.  
 5541 30 *Sanchezia* R. et P. G. II. 1083. (*Ancylogyne* Nees). — Sp. ad 8. Peruvia, Columbia, Brasil.  
 5542 31 *Sclerocalyx* Nees. G. II. 1083. (*Gymnacanthus* Nees). — Sp. 1. Mexic.  
 5543 32 *Trichanthera* Kth. G. II. 1083. — Sp. 1. Guiana, Columbia, Peruvia, Amer. centr.  
 5544 33 ?*Androcentrum* Lemaire. G. II. 1084. — Sp. 1. Mexic.  
 5545 34 *Bravaisia* DC. G. II. 1084. (*Onychacanthus* Nees). — Sp. 1. Columbia, Ins. Trinitatis, Amer. centr., Mexic.  
 5546 35 ?*Macrostegia* Nees. G. II. 1084. — Sp. 1. Peruvia.  
 5547 36 *Whitfieldia* Hook. G. II. 1085. — Sp. 2. Afr. trop.  
 5548 37 *Satanocrater* Schweinf. G. II. 1085. — Sp. 1. Afr. trop. (Gallabat).  
 5549 38 *Physacanthus* Benth. G. II. 1085. — Sp. 2. Afr. trop. occ.  
 5550 39 *Endosiphon* T. Anders. G. II. 1085. — Sp. 1. Ins. Fernando Po.  
 5551 40 *Hemigraphis* Nees. G. II. 1086. — Sp. ad 20. Ind. or., Archip. Malay., China, Japon.  
 5552 41 *Leptosiphonium* F. Müll. *Not. on Papuan Pl.* 32 (1885). — Sp. 1. N. Guinea.  
 5553 42 *Stenosiphonium* Nees. G. II. 1086. — Sp. 5. Ind. or., Zeylan.  
 5554 43 *Strobilanthes* Bl. G. II. 1086. — Sp. ad 180. Ind. or., Archip. Malay., China, Japon. (Afr. trop. sp. 1).  
     *Endopogon*, *Phlebophyllum* (*Gutzlaffia* Hance), *Leptacanthus*, *Goldfussia*, *Buteræa*, *Adenacanthus*, *Triænanthus* et *Mackenzia* Nees.  
 5555 44 *Æchmanthera* Nees. G. II. 1088. — Sp. 2. Himal., Khasia.  
 5556 45 *Calacanthus* T. Anders. G. II. 1088. — Sp. 1. Penins. Ind. or.  
 5557 46 *Sautiera* Dene. G. II. 1088. — Sp. 1. Timor.

#### TRIBUS IV. *Acanthææ*.

- 5558 47 *Trichacanthus* Zoll. G. II. 1089. — Sp. 1. Java.  
 5559 48 *Blepharis* Juss. G. II. 1089. — Sp. ad 25. Afr. trop. et austr., Ind. or.  
     *Acanthodium* Delile (*Blepharacanthus* Nees).  
 5560 49 *Acanthopsis* Harv. G. II. 1089. — Sp. 2. Afr. austr.  
 5561 50 *Acanthus* L. G. II. 1090. — Sp. ad 15. Eur. austr., Afr. et Asia trop. et subtrop., Austral.  
     *Cheilopsis* Moq., *Dilivaria* Juss.  
 5562 51 *Sclerochiton* Harv. G. II. 1090. — Sp. 2. Afr. austr. et trop. *Isacanthus* Nees.

- 5563 52 **Crossandra** Salisb. G. II. 1094. (Ad *Acanthaceas* transferenda ex cl. Radlk. in *Sitzb. K. b. Acad.* 293, 1883). (*Harrachia* Jacq. f., *Polythrix* Nees). — Sp. 5. Ind. or. Afr. trop., Madagasc.

TRIBUS V. **Justicieæ.**

- 5564 53 **Periblema** DC. G. II. 1091. (*Boutonia* DC.). — Sp. 1. Madagasc.  
 5565 54 **Barleria** L. G. II. 1091. — Sp. ad 85. Afr. trop. et austr., Asia trop., Austral., perpaucæ in Amer. trop.  
     *Pseudobarleria*, *Barlerianthus*, *Barleriosiphon*, *Barleriacanthus*, *Dicranacanthus*, *Prionitis*, *Barlerites* et *Barleriopsis* OErst., *Wahabia* Fenzl, *Crabbea* Harv. pr. p.  
 5566 55 **Crabbea** Harv. pr. p. G. II. 1092. — Sp. 6. Afr. austr. et trop.  
 5567 56 **Glossochilus** Nees. G. II. 1092. — Sp. 1. Afr. austr.  
 5568 57 **Neuracanthus** Nees. G. II. 1093. — Sp. 13. Afr. trop., Ind. or.  
 5569 58 **Scytanthus** T. Anders. G. II. 1093. — Sp. 1. Afr. trop. occ.  
 5570 59 **Barleriola** OErst. G. II. 1093. — Sp. 2. Cuba, S. Doming.  
 5571 60 **Lophostachys** Pohl. G. II. 1094. — Sp. 11. Brasil.  
 5572 61 **Lepidagathis** Willd. G. II. 1101. (Ad *Barlerieas* transferenda ex cl. Radlk. in *Sitzb. K. b. Acad.* 290, 1883). — Sp. ad 55. Ind. or., Archip. Malay., Afr. et Amer. trop.  
     *Teliostachya* Nees, *Apolepsis* Hassk., *Russeggera* Endl.  
 5573 62 **Asystasia** Bl. G. II. 1094. (*Henfrefya* Lindl.). — Sp. ad 25. Afr. trop. et austr., Ind. or., Archip. Malay.  
     *Diccntranthera* T. Anders., *Mackaya* Harv.  
 5574 63 **Chamæranthemum** Nees. G. II. 1095. — Sp. 2 v. 3. Brasil.  
 5575 64 **Herpetacanthus** Nees. G. II. 1102. (Ad *Asystasieas* transferendus ex cl. Radlk. in *Sitzb. K. b. Acad.* 297, 1883.) (*Schultzia* Nees). — Sp. 6? Brasil.  
 5576 65 **Strobilacanthus** Griseb. G. II. 1096. — Sp. 1. Panama.  
 5577 66 **Neriacanthus** Benth. G. II. 1096 et 1245. — Sp. 1. Jamaica.  
 5578 67 **Berginia** Harv. G. II. 1096. — Sp. 1. Californ., Arizona, N. Mexic.  
 5579 68 **Pseuderanthemum** Radlk. in *Sitzb. K. b. Acad.* 232 et annot. (1883). (*Eranthemum* non L., T. Anders. G. II. 1097. Cf. cl. Radlk. l. c.). — Sp. 45. Orbis totius reg. trop. et extratrop. calidior.  
 5580 69 **Anthacanthus** Nees. G. II. 1097. — Sp. ad 8. Ind. occ.  
 5581 70 **Codonacanthus** Nees. G. II. 1098. — Sp. 2. Khasia, China.  
 5582 71 **Sebastiano-Schaueria** Nees. G. II. 1098. — Sp. 1. Brasil.  
 5583 72 **Cystacanthus** T. Anders. G. II. 1098. — Sp. 4. Cochinc., Ind. or.  
     *Meninia* Fua.

- 5584 73 *Andrographis* Wall. G. II. 1099. — Sp. 17. Ind. or., alibi inquil.  
Erianthera Nees.
- 5585 74 *Haplanthus* Nees. G. II. 1099. — Sp. 3. Ind. or.
- 5586 75 *Cymnostachyum* Nees. G. II. 1099. (*Cryptophragmia* Nees). — Sp. ad 15. Ind. or., Archip. Malay.  
Odontostigma Zoll. (*Petracanthus* Nees).
- 5587 76 *Phlogacanthus* Nees. G. II. 1100. (*Loxanthus* Nees). — Sp. ad 11. Himal., Martabania.
- 5588 77 *Diotacanthus* Benth. G. II. 1100. — Sp. 2. Malabar.
- 5589 78 *Filetia* Miq. G. II. 1101. — Sp. 1. Sumatra.
- 5590 79 *Isochoriste* Miq. G. II. 1102. — Sp. 2. Java, Afr. trop. occ.
- 5591 80 *Phialacanthus* Benth. G. II. 1102. — Sp. 1. Bengal. or.
- 5592 81 *Aphelandra* R. Br. G. II. 1102. (*Synandra* Schrad., *Hemisandra* Scheidw.). — Sp. ad 36. Amer. trop. et subtrop.  
Lagochilium Nees, Strobilorhachis Link (*Hydromestes* Scheidw.).
- 5593 82 *Geissomeria* Lindl. G. II. 1103. (*Salpixantha* Hook.). — Sp. 10. Jamaica, Brasil., Guiana.
- 5594 83 *Stenandrium* Nees. G. II. 1095. (Prope *Geissomeriam* collocandum et cum hac et *Aphelandra* in tribum proprium *Aphelandrearum* Nees conjungendum ex cl. Radlk. in *Sitzb. K. b. Acad.* 294 et 295, 1883). — Sp. ad 18. Amer. trop. et subtrop.
- 5595 84 *Holographis* Nees. G. II. 1104. — Sp. 1. Mexic.
- 5596 85 *Pringleophytum* A. Gray in *Proc. Amer. Acad.* XX. 292 (1885). — Sp. 1. Sonora.
- 5597 86 *Monotheceum* Hochst. G. II. 1104. (*Anthocometis* Nees). — Sp. 2. Abyss., Ind. or.
- 5598 87 *Oreacanthus* Benth. G. II. 1104. — Sp. 1. Afr. trop. occ. (M. Cameroon).
- 5599 88 *Ruttya* Harv. G. II. 1105. — Sp. 2 v. 3. Afr. austr., Abyss. *Haplanthera* Hochst.
- 5600 89 *Brachystephanus* Nees. G. II. 1105. — Sp. 1. Madagasc.
- 5601 90 *Clinacanthus* Nees. G. II. 1105. — Sp. 1. Malacca, Java, Borneo, Hainan.
- 5602 91 *Habracanthus* Nees. G. II. 1106. — Sp. 3 v. 4. Mexic., Columbia, Costa Rica.
- 5603 92 *Glockeria* Nees. G. II. 1106. (*Galeottia* Nees). — Sp. 4. Mexic., Amer. centr.
- 5604 93 *Razisea* OErst. G. II. 1106. — Sp. 1. Costa Rica.
- 5605 94 *Stenostephanus* Nees. G. II. 1106. — Sp. 2. Brasil., Caracas.
- 5606 95 *Hansteinia* OErst. G. II. 1107. — Sp. 1. Costa Rica.

- 5607 96 *Gastranthus* Moritz. G. II. 1107. — Sp. 1. Venezuela.
- 5608 97 *Chætothylax* Nees. G. II. 1107. — Sp. 4 v. 5. Amer. austr. a  
Brasil. austr. usque ad Amer. centr.  
*Chætothylopsis* OErst., *Heinzelia* Nees.
- 5609 98 *Schwabea* Endl. G. II. 1108. (*Pogonospermum* Hochst.). —  
Sp. 2. Afr. trop.
- 5610 99 ? *Trichocalyx* Balf. f. in *Proc. Roy. Soc. Edinb.* XII. 88 (1883).  
— Sp. 1. Socotra.
- 5611 100 *Justicia* L. G. II. 1108. (*Tyloglossa* Hochst., *Adhatoda* Nees,  
pr. p. *Athlianthus* Endl.). — Sp. ad 110. Utriusque  
orbis reg. calidior.  
Sect. 1. *Hemichoriste* B. et H., *Hemichoriste* Nees.  
Sect. 2. *Adhatodoides* B. et H.  
Sect. 3. *Betonica* B. et H.  
Sect. 4. *Gendarussa* B. et H., *Gendarussa* Nees.  
Sect. 5. *Rostellaria* B. et H., *Rostellaria* Nees (*Rostellu-*  
*laria* Rehb.).  
Sect. 6. *Harnieria* B. et H., *Harnieria* Solms.  
Sect. 7. *Monechma* B. et H., *Monechma* Hochst.  
Sect. 8. *Amphiscopia* B. et H., *Amphiscopia* Nees.  
Sect. 9. *Anisostachya* B. et H., *Anisostachya* Nees.  
Sect. 10. *Rhaphidospora* B. et H., *Rhaphidospora* Nees.,  
*Leptostachya* (sp. gerontog.) Nees, *Campylostemon* E. Mey.  
Sect. 11. *Sarotheca* B. et H., *Sarotheca* Nees, *Leptostachya*  
Nees pr. p.
- 5612 101 ? *Somalia* Oliv. in Hook. *Icon. Plant.* tab. 1528 (1885). —  
Sp. 1. Afr. trop.
- 5613 102 *Angkalanthus* Balf. f. in *Proc. Roy. Soc. Edinb.* XII. 89  
(1883). (*Ancalanthus*). — Sp. 1. Socotra.
- 5614 103 *Ballochia* Balf. f. l. c. 87 (1883). — Sp. 3. Socotra.
- 5615 104 *Siphonoglossa* OErst. G. II. 1110. — Sp. 5. Texas, Mexic., Afr.  
austr.
- 5616 105 *Beloperone* Nees. G. II. 1110. — Sp. ad 36. Amer. trop.  
*Simonisia* Nees, *Beloperonides* OErst., *Kustera* Rgl.
- 5617 106 *Isoglossa* OErst. G. II. 1111. (*Ecteinanthus* T. Anders.). — Sp.  
ad 10. Afr. trop. et austr., Madagasc.
- 5618 107 *Anisotes* Nees. G. II. 1111. — Sp. 1. Arabia.
- 5619 108 *Adhatoda* Nees pr. p. G. II. 1112. (*Duvernoia* E. Mey.). —  
Sp. 6. Ind. or., Afr. trop. et austr., Brasil., Columbia ?
- 5620 109 *Rhinacanthus* Nees. G. II. 1112. — Sp. ad 4. Afr. trop. et  
austr., Madagasc., Ind. or., Archip. Malay.
- 5621 110 *Dianthera* L. G. II. 1113. (*Rhytiglossa* Nees pr. p.). — Sp.  
ad 80. Amer. bor. et austr. calidior., Afr. et Asia trop.



Series A. *Jacobinioideæ* B. et H., *Orthotactus* Nees, *Amphiscopia* Nees pr. p., *Porphyrocoma* Hook., *Chiloglossa* OErst.

Series B. *Justicioideæ* B. et H., *Leptostachya* Nees pr. p., *Plagiacanthus* Nees.

5622 111 *Gatesia* A. Gray in *Proc. Amer. Acad.* 365 (1878). — Sp. 1. Amer. bor.

5623 112 *Carlowrightia* A. Gray l. c. 364 (1878). — Sp. 2. Amer. bor.

5624 113 ?*Neohallia* Hemsl. *Biol. Centr. Amer.* II. 519 (1882). — Sp. 1. Mexic.

5625 114 *Jacobinia* Moric. G. II. 1114. — Sp. ad 30. Amer. a Brasil. et Bolivia usque ad Mexicum.

*Cyrtanthera*, *Pachystachys*, *Sericographis*, *Drejera* et *Cardiacanthus* Nees, *Libonia* K. Koch, *Cyrtantherella* OErst.

5626 115 *Harpochilus* Nees. G. II. 1116. — Sp. 2. Brasil.

5627 116 *Hoverdenia* Nees. G. II. 1116. — Sp. 1. Mexic.? (an potius Columbia).

5628 117 *Schaueria* Nees. G. II. 1116. — Sp. ad 8. Brasil.

5629 118 *Anisacanthus* Nees. G. II. 1117. — Sp. 3. Arizona, Texas, Mexic.

5630 119 *Himantochilus* T. Anders. G. II. 1117. — Sp. 1. Afr. trop.

5631 120 *Fittonia* E. Coemans. G. II. 1117. — Sp. 2. Peruvia.

5632 121 *Ptyssiglottis* T. Anders. G. II. 1117. — Sp. 1 v. 2. Java, Zeylan.

5633 122 *Sphinctacanthus* Benth. G. II. 1118. — Sp. 2. Ind. or. (Assam).

5634 123 *Ecbolium* Kurz. G. II. 1118. (*Justicia* Nees). — Sp. 1 v. plures. Asia et Afr. trop.

5635 124 *Graptophyllum* Nees. G. II. 1118. (*Earlia* F. Müll.). — Sp. 5. Austral., Ins. Pacif.

5636 125 *Thyrsacanthus* Nees. G. II. 1119. (*Odontonema* Nees). — Sp. ad 20. Amer. trop.

5637 126 *Chileranthemum* OErst. G. II. 1119 et 1245. — Sp. 1. Mexic.

5638 127 *Clistax* Mart. G. II. 1120. (*Corythacanthus* Nees). — Sp. 2. Brasil.

5639 128 *Rungia* Nees. G. II. 1120. — Sp. ad 20. Afr. trop., Ind. or., Archip. Malay., China austr.

5640 129 *Dicliptera* Juss. G. II. 1120. — Sp. ad 60. Orbis totius reg. trop. et subtrop., Japon., Afr. austr.

*Brochosiphon* et *Dactylostegium* Nees.

5641 130 *Tetramerium* Nees. G. II. 1121. — Sp. ad 6. Mexic., Amer. centr., Ins. Galapag.

*Henrya* Nees.

5642 131 *Peristrophe* Nees. G. II. 1121. — Sp. ad 15. Afr. trop. et austr., Madagasc., Ind. or., China, Archip. Malay., (N. Caled.?).

*Ramusia* Nees.

5643 132 **Hypoestes** R. Br. G. II. 1122. — Sp. ad 20. Afr. trop. et austr., Madagasc., Ind. or., China, Archip. Malay., Austral.

5644 133 **Lasiocladus** Bojer. G. II. 1122. — Sp. 2. Madagasc.

Genus incertæ sedis.

5645 134 ?**Dicladanthera** F. Müll. *Fragm.* XII. 23 1882. — Sp. 1. Austral. or.

### ORDO CXXXII. MYOPORINEÆ

5646 1 **Myoporum** Banks et Soland. G. II. 1124. *Pogonia* Andr., *Andreusia* Vent., *Bertolonia* Spinola. — Sp. ad 20. Austral., N. Zel., Ins. Mascar. et Pacif., Archip. Malay., China, Japon.

Sect. 1. *Pentacœlium* A. Gray, *Pentacœlium* Zucc., *Polycœlium* A. DC. pr. p.

Sect. 2. *Polycœlium* A. Gray, *Polycœlium* A. DC. pr. p.

Sect. 3. *Eumyoporum* B. et H.

Sect. 4. *Disoon* B. et H., *Disoon* A. DC.

Sect. 5. *Chamæpogonia* B. et H.

5647 2 **Pholidia** R. Br. G. II. 1124. — Sp. 15. Austral.

*Pseudopholidia* A. DC., *Sentis*, *Duttonia* et *Pholidiopsis* F. Müll.

5648 3 **Eremophila** R. Br. G. II. 1125. — Sp. ad 40. Austral.

Sect. 1. *Eriocalyx* Benth.

Sect. 2. *Eremocosmos* Benth., *Eremodendron* A. DC.

Sect. 3. *Platycalyx* Benth.

Sect. 4. *Platychilus* Benth., *Stenochilus* R. Br. pr. p.

Sect. 5. *Stenochilus* Benth., *Stenochilus* R. Br. pr. p.

5649 4 **Oftia** Adans. G. II. 1125. (*Spielmannia* Medik.). — Sp. 2. Afr. austr.

5650 5 **Bontia** L. G. II. 1126. — Sp. 1. Ind. or.

### ORDO CXXXIII. SELAGINEÆ (1)

5651 1 **Hebenstretia** L. G. II. 1127. — Sp. fere 20. Afr. austr. et usque ad Abyss.

*Polycenia* Chois.

5652 2 **Dischisma** Choisy. G. II. 1128. — Sp. ad 8. Afr. austr. (Austral. inquil.).

5653 3 **Selago** L. G. II. 1128. — Sp. descr. ad 83, sed nonnullæ reduc. Afr. austr., Madagasc.

*Walafrida* E. Mey.

(1) Sp. ad 140, reg. extratrop. orbis veteris, Austral. except., incolæ.

- 5654 4 **Cockburnia** Balf. f. in *Proc. Roy. Soc. Edinb.* XII. 90 (1883). — Sp. 1. Socotra.  
 5655 5 **Microdon** Choisy. G. II. 1129. (*Daloo* Gärtn.). — Sp. 4. Afr. austr.  
 5656 6 **Gosela** Choisy. G. II. 1129. — Sp. 1. Afr. austr.  
 5657 7 **Agathelpis** Choisy. G. II. 1129. — Sp. 6. Afr. austr.  
 5658 8 **Lagotis** Gärtn. (*Gymnandra* Pall. G. II. 1129). — Sp. 7 v. 8. Asia bor. et med., Amer. bor. occ.  
 5659 9 **Globularia** L. G. II. 1130. — Sp. ad 13. Eur. med. et occ., Reg. Medit. tota.

ORDO CXXXIV. **VERBENACEÆ** <sup>(1)</sup>TRIBUS I. **Phrymeæ.**

- 5660 1 **Phryma** L. G. II. 1137. (*Leptostachya* Mitch.). — Sp. 1. Asia med. et or., Japon., Amer. bor.

TRIBUS II. **Stilbeæ.**

- 5661 2 **Campylostachys** Kth. G. II. 1137. — Sp. 1. Afr. austr.  
 5662 3 **Stilbe** Berg. G. II. 1138. (*Luhea* W. Schmidt). — Sp. 4. Afr. austr.  
 5663 4 **Euthystachys** A. DC. G. II. 1138. — Sp. 1. Afr. austr.  
 5664 5 **Eurylobium** Hochst. G. II. 1138. — Sp. 1. Afr. austr.

TRIBUS III. **Chloanthæ.**

- 5665 6 **Lachnostachys** Hook. G. II. 1139. (*Pycnolachne* Turcz., *Walcottia* F. Müll.). — Sp. 5. Austral. occ. extratrop.  
 5666 7 **Newcastlia** F. Müll. G. II. 1139. — Sp. 5. Austral. trop.  
 5667 8 **Physopsis** Turcz. G. II. 1139. — Sp. 1. Austral. occ. extratrop.  
 5668 9 **Mallophora** Endl. G. II. 1139. (*Lachnocephalus* Turcz.). — Sp. 1. Austral. occ. extratrop.  
 5669 10 **Dicrastyles** Drumm. G. II. 1140. — Sp. 8. Austral.  
 5670 11 **Chloanthes** R. Br. G. II. 1140. — Sp. 5. Austral.  
 5671 12 ? **Hemiphora** F. Müll. *Census Austral. Pl.* 103 (1882). — Sp. 1. Austral. occ.  
 5672 13 **Pityrodia** R. Br. G. II. 1140. (*Quoya* Gaud., *Dasymalla* Endl.). — Sp. 12. Austral.  
 5673 14 **Cyanostegia** Turcz. G. II. 1140. (*Bunnya* F. Müll.). — Sp. 3. Austral.  
 5674 15 **Denisonia** F. Müll. G. II. 1141. — Sp. 1. Austral. trop.  
 5675 16 **Spartothamnus** A. Cunn. G. II. 1141. — Sp. 2. Austral.  
 5676 17 **Nesogenes** A. DC. G. II. 1141. — Sp. 2. Ins. Rodriguez, Polynesia.

(1) Sp. ad 740, per reg. calidior. utriusque orbis late dispersæ.

- 5677 18 **Acharitea** Benth. G. II. 1142. — Sp. 1. Madagasc.  
 5678 19 ?**Tatea** F. Müll. in *Trans. Roy. Soc. S. Austral.* VI, 33 (1883).  
 — Sp. 1. Austral. bor.

TRIBUS IV. **Verbeneæ.**

- 5679 20 **Lantana** L. G. II. 1142. — Sp. descr. ultra 55, forte ad 45  
 reduc. Asia, Afr. et Amer. trop. et subtrop.  
 Tamonopsis Griseb., ? Riedelia Cham.
- 5680 21 **Lippia** L. G. II. 1142. — Sp. ad 90. Utriusque orbis reg.  
 calidior. imprim. Amer.  
 Sect. 1. *Aloysia* Schau., *Aloysia* Ort., *Acantholippia* Griseb.  
 Sect. 2. *Zapania* B. et H., *Zapania* Scop., *Dipterocalyx*  
 Cham., *Cryptocalyx* Benth., *Phyla* Lour.
- 5681 22 **Baillonia** Bocquill. G. II. 1143. (*Diostea* Miers). — Sp. 2.  
 Amer. austr.
- 5682 23 **Neosparton** Griseb. G. II. 1144. — Sp. 2. Amer. austr. extra-  
 trop
- 5683 24 **Bouchea** Cham. G. II. 1144. — Sp. 16 v. 17. Amer. calidior.,  
 Afr. trop. et austr., Ind. or. (prov. or.).  
 Chascanum E. Mey. (*Pleurostigma* Hochst.).
- 5684 25 **Stachytarpheta** Vahl. G. II. 1145. (*Abena* Neck., *Cymburus*  
 Salisb., *Stachytarpha* Link). — Sp. ad 45. Amer. trop.  
 et subtrop. (Afr. et Asia trop. sp. 1).  
 Sect. 1. *Abena* Schau.  
 Sect. 2. *Melasantus* Schau., *Melasantus* Pohl.
- 5685 26 **Priva** Adans. G. II. 1145. (*Tortula* et *Streptium* Roxb.). —  
 Sp. ad 9. Utriusque orbis reg. calidior.  
 Blairia Gärtn., *Castelia* Cav. (*Pitræa* Turcz., *Phelloderma*  
 Miers).
- 5686 27 **Dipyrena** Hook. G. II. 1146. (*Wilsonia* Gill. et Hook.). —  
 Sp. 1. Chili (Mendoza).
- 5687 28 **Verbena** L. G. II. 1146. — Sp. ad 80. Amer. trop. et extratrop.,  
 (una sp. fere cosmopol., Reg. Medit. sp. 1, Austral.  
 sp. 1).  
*Glandularia* Gmel. (*Billardiera* Mönch, *Shuttleworthia* Meisn.,  
*Uwarowia* Bge).
- 5688 29 **Tamonea** Aubl. G. II. 1147. (*Ghinia* Schreb., *Kæmpfera*  
 Houst., *Leptocarpus* Willd., *Ischnia* DC.). — Sp. 4. Amer.  
 trop. a Brasil, usque ad Mexicum.
- 5689 30 **Monochilus** F. et M. G. II. 1147. — Sp. 1. Brasil.
- 5690 31 **Amasonia** L. f. G. II. 1147. (*Taligalea* Aubl.). — Sp. 6 v. 4?  
 Amer. trop. or. (Brasil., Guiana, Ins. Trinitatis).
- 5691 32 ?**Espadæa** A. Rich. G. II. 1148. (*Armeniastrum* Lemaire). —  
 Sp. 1. Cuba.

- 5692 33 *Casselia* Nees et Mart. G. II. 1148. — Sp. 5. Brasil.  
 5693 34 *Petræa* L. G. II. 1149. — Sp. ad 20. Amer. trop. et subtrop.  
 a Brasil. usque ad Mexicum.  
 5694 35 *Citharexylum* L. G. II. 1149. — Sp. ad 20. Amer. trop. et  
 subtrop.  
*Rauwolfia* R. et P.  
 5695 36 *Coelocarpum* Balf. f. in *Proc. Roy. Soc. Edinb.* XII. 91 (1883).  
 — Sp. 1. Socotra.  
 5696 37 *Rhaphithamnus* Miers. G. II. 1149. (*Pœppigia* Bert.). — Sp. 6  
 v. 1? Chili.  
 5697 38 *Duranta* L. G. II. 1150. — Sp. 4 v. 5. Amer. trop. a Bolivia  
 usque ad Mexic. et Ind. occ.

TRIBUS V. **Viticeæ.**

- 5698 39 *Geunsia* Bl. G. II. 1150. — Sp. 4. Archip. Malay.  
 5699 40 *Callicarpa* L. G. II. 1150. (*Burchardia* Duham., *Spondylococca*  
 Mitch., *Porphyra* Lour.). — Sp. ad 30. Asia trop. et  
 subtrop., Polynesia, Amer. trop. et bor.  
 5700 41 *Ægiphila* Jacq. G. II. 1151. (*Manabea* Aubl., *Omphalococca*  
 Willd.). — Sp. ad 30. Amer. trop. a Brasil. usque ad  
 Mexicum.  
*Amerina* DC. (*Brueckia* Karst., *Ehretia* H. B. et K. pr. p.  
 5701 42 *Petitia* Jacq. G. II. 1151. — Sp. 3. Ind. occ., Mexic.  
*Scleroon* Benth.  
 5702 43 *Tectona* L. f. G. II. 1152. (*Theca* Juss.). — Sp. 3. Asia (Ind.  
 or., Archip. Malay.), alibi cult.  
 5703 44 ?*Rapinia* Montrous. G. II. 1152. — Sp. 1. N. Caled.  
 5704 45 *Premna* L. G. II. 1152. (*Gumira* Hassk., *Baldingera* Dennst.).  
 Sp. ad 42. Orbis veteris reg. calidior.  
*Holochiloma* Hochst.  
 5705 46 *Adelosa* Bl. G. II. 1153. — Sp. 1. Madagasc.  
 5706 47 *Cornutia* L. G. II. 1153. (*Hosta* Jacq.). — Sp. 6 v. 8. Amer.  
 trop.  
 5707 48 *Gmelina* L. G. II. 1153. — Sp. ad 8. Ind. or., Asia or., Archip.  
 Malay., Austral. trop.  
 5708 49 *Vitex* L. G. II. 1154. (*Limia* Vent., *Nephrandra* Willd., *Wall-*  
*rothia* Roth, *Psilogyne* DC.). — Sp. ad 75. Utriusque  
 orbis reg. calidior., Eur. austr., Asia temp.  
*Chrysomallum* Thou., *Pyrostoma* G. F. W. Mey., *Casa-*  
*rettoa* Walp., *Ephielis* Soland.  
 5709 50 *Petræovitex* Oliv. in Hook. *Icon. Plant.* tab. 1420 (1883). —  
 Sp. 1. Archip. Ind.  
 5710 51 *Faradaya* F. Müll. G. II. 1154. — Sp. 2. Austral., Ins. Viti.

- 5711 52 *Oxera* Labill. G. II. 1155. (*Oncoma* Spreng.). — Sp. 10. N. Caled.  
Maoutia Montrouz.
- 5712 53 *Clerodendron* L. G. II. 1155. (*Siphonantha*, *Ovieda* et *Volkmannia* L., *Volkmannia* Jacq., *Agricolæa* Schrank). — Sp. ad 70. Orbis utriusque reg. calidior.  
Cornacchinia Savi, Torreya Spreng., Cyclonema et Spiro-  
nema Hochst., Tetrathyranthus A. Gray.
- 5713 54 *Holmakioldia* Retz. G. II. 1156. (*Hastingia* Sm., *Platunium* Juss.). — Sp. 4. Himal., Afr. trop. or., Madagasc.
- 5714 55 *Oncinocalyx* F. Müll. in *Wing's S. Sc. Record*. mense Mart. (1883). — Sp. 1. Austral.
- 5715 56 *Teucrium* H. f. G. II. 1157. — Sp. 1. N. Zel.

TRIBUS VI. *Caryopterideæ*.

- 5716 57 *Caryopteris* Bge. G. II. 1157. (*Barbula* Lour., *Mastacanthus* Endl.) — Sp. 5. Mongolia, China, Japon., Himal.
- 5717 58 *Rosenbachia* Rgl in *Act. Hort. Petrop.* IX. 613. — Sp. 1. Turkest.
- 5718 59 *Glossocarya* Wall. G. II. 1158. — Sp. 3. Martabania, Zeylan., Austral.
- 5719 60 *Hymenopyramis* Wall. G. II. 1158. — Sp. 1. Himal.
- 5720 61 *Peronema* Jack. G. II. 1158. — Sp. 1. Malacca, Sumatra, Java, Borneo.

TRIBUS VII. *Symphoremæ*.

- 5721 62 *Symphorema* Roxb. G. II. 1159. (*Analectis* Juss., *Decadontia* Griff., *Szegleewia* Turcz.). — Sp. 3. Penins. Ind. or., Ins. Philippin.
- 5722 63 *Sphenodesma* Jack. G. II. 1159. (*Roscoeia* Roxb. pr. p., *Viticasterum* Presl). — Sp. ad 9. Ind. or. (prov. or.), Archip. Malay.  
Brachynema Griff.
- 5723 64 *Congea* Roxb. G. II. 1159. (*Roscoeia* Roxb. pr. p., *Culochlamys* Presl). — Sp. 4. Burma, Penins. Malay., Siam.

TRIBUS VIII. *Avicenniæ*.

- 5724 65 *Avicennia* L. G. II. 1160. (*Bontia* L., *Donatia* Löfl., *Upata* Adans., *Sceura* Forsk., *Halodendron* Thou.). — Sp. 4 v. 1? Utriusque orbis littora marium calidiorum.

ORDO CXXXV. LABIATÆ <sup>(1)</sup>

## TRIBUS I. Ocimoideæ.

- 5725 1 *Ocimum* L. pr. p. G. II. 1171. (*Ocimum* Auct.). — Sp. ad 45.  
Utriusque orbis reg. calidior.  
Becium Lindl.
- 5726 2 *Geniosporum* Wall. G. II. 1172. — Sp. 6 v. 7. Ind. or., Madagasc., Afr. trop. or.
- 5727 3 *Mesona* Bl. G. II. 1172. — Sp. 4. Ind. or. (prov. or.), China austr., Archip. Malay.
- 5728 4 *Platystoma* P. B. G. II. 1172. (*Platostoma* P. B.). — Sp. 3.  
Afr. trop., Abyss., Ind. or.
- 5729 5 *Acrocephalus* Benth. G. II. 1173. — Sp. 10. Asia et Afr. trop.
- 5730 6 *Moschosma* Rchb. G. II. 1173. — Sp. 6. Orbis veteris reg. trop.  
Lehmannia Jacq. f., Lumnitzera Spreng. pr. p.
- 5731 7 *Catopheria* Benth. G. II. 1173. — Sp. 3. Columbia, Amer. centr., Mexic.
- 5732 8 *Orthosiphon* Benth. G. II. 1174. — Sp. ad 25. Asia, Afr. et Austral. trop.
- 5733 9 *Syncolostemon* E. Mey. G. II. 1174. — Sp. 5 v. 6. Afr. austr.
- 5734 10 *Hoslundia* Vahl. G. II. 1174. (*Micranthes* Bertol.). — Sp. 2 v. 3. Afr. trop., Madagasc.
- 5735 11 *Plectranthus* L'Hér. G. II. 1175. (*Germanea* Lam.). — Sp. ad 80. Afr. trop. et austr., Asia trop. et subtrop., Austral., Ins. Pacif.  
Rabdosia Hassk.
- 5736 12 *Solenostemon* Schum. et Thonn. G. II. 1175. — Sp. 2 v. 3.  
Afr. trop. occ. (Brasil. inquil.?).
- 5737 13 *Coleus* Lour. G. II. 1176. — Sp. ad 60. Afr. trop., Ind. or., Archip. Malay., Austral.
- 5738 14 *Æolanthus* Mart. G. II. 1176. — Sp. ad 12. Afr. trop. et austr. subtrop.
- 5739 15 *Alvesia* Welw. G. II. 1176. — Sp. 2? Afr. trop.
- 5740 16 *Anisochilus* Wall. G. II. 1177. — Sp. ad 16. Ind. or.
- 5741 17 *Pycnostachys* Hook. G. II. 1177. (*Echinostachys* E. Mey.). — Sp. 6. Afr. trop. et austr. or., Madagasc.
- 5742 18 *Peltodon* Pohl. G. II. 1177. — Sp. 4. Brasil.
- 5743 19 *Marsypianthes* Mart. G. II. 1178. — Sp. 3 v. 1? Amer. calidior.
- 5744 20 *Hyptis* L. G. II. 1178. (*Brotera* Spreng., *Hypothronia* Schrank, *Rhaphiodon* Schau., *Schaueria* Hassk.). — Sp. ad 250.  
Amer. trop. et subtrop., alibi inquil.

(1) Sp. ad 2700 per omnem fere orbem terrarum dispersæ.

- 5745 21 *Eriope* H. et B. G. II. 1178. — Sp. ad 14. Brasil., Venezuela.  
 5746 22 *Lavandula* L. G. II. 1179. (*Fabricia* Adans.). — Sp. ad 20.  
     Reg. Medit. tota, Asia occ., Ind. or.  
     Sect. 1. *Stæchas* Benth., *Stoechas* Mill.  
     Sect. 2. *Spica* Benth.  
     Sect. 3. *Pterostæchas* Ging.  
     Sect. 4. *Chætostachys* Benth., *Chætostachys* Benth.

TRIBUS II. **Satureineæ.**

- 5747 23 *Pogostemon* Desf. G. II. 1179. (*Wensea* Wendl.). — Sp. ad 32.  
     Ind. or., Archip. Malay., Japon.  
 5748 24 *Comanthosphace* S. Moore in *Journ. Bot.* 293 (1877). — Sp. 4.  
     Japon.  
 5749 25 *Disophylla* Bl. G. II. 1180. (*Chotekia* Opiz et Corda). — Sp.  
     ad 15. Ind. or., Archip. Malay., Austral., Japon.  
 5750 26 *Colebrookia* Sm. G. II. 1180. — Sp. 2 v. 1? Himal. infer.  
 5751 27 *Tetradenia* Benth. G. II. 1180. — Sp. 1. Madagasc.  
 5752 28 *Elsholtzia* Willd. G. II. 1180. — Sp. ad 21. Eur. calid., Asia  
     temp. et calid.  
     Sect. 1. *Aphanochilus* Benth., *Aphanochilus* Benth.  
     Sect. 2. *Cyclostegia* Benth., *Cyclostegia* Benth.  
     Sect. 3. *Elsholtzia* Benth.  
 5753 29 *Keiskea* Miq. G. II. 1181. — Sp. 1. Japon.  
 5754 30 *Collinsonia* L. G. II. 1181. — Sp. 4. Amer. bor.-or.  
 5755 31 *Perilla* L. G. II. 1182. (*Dentidia* Lour.). — Sp. 2 v. 1? Ind.  
     or., China.  
 5756 32 *Mosla* Ham. G. II. 1182. (*Orthodon* Benth. et Oliv.). — Sp.  
     ad 6. Asia or. ab Himal. usque ad Japon.  
 5757 33 *Perillula* Maxim. G. II. 1182. — Sp. 1. Japon.  
 5758 34 *Mentha* L. G. II. 1182. — Sp. enum. ultra 300, ad 25 reduc.  
     Utriusque orbis reg. trop. et imprim. temp.  
     *Audibertia* Benth. pr. p., *Pulegium* Mill., *Menthella* Pérard.  
 5759 35 *Preslia* Opitz. G. II. 1183. — Sp. 1. Reg. Medit. occ.  
 5760 36 *Lycopus* L. G. II. 1183. — Sp. enum. 10, forte ad 2 reduc.  
     Orbis veteris reg. temp., Amer. bor.  
 5761 37 *Cunila* L. pr. p. G. II. 1183. — Sp. 12. Amer. bor., Mexic.,  
     Brasil.  
 5762 38 *Bystropogon* L'Hér. G. II. 1184. — Sp. ad 14. Ins. Canar.,  
     Peruvia, Bolivia, Columbia.  
     Sect. 1. *Bystropogon* Benth.  
     Sect. 2. *Minthostachys* Benth.  
     ? *Astemon* Rgl.  
 5763 39 ? *Oreosphacus* Philippi. G. II. 1184. — Sp. 1. Andes Chilenses.



- 40 *Gumina* Colla. G. II. 1184. — Sp. 3. Ins. Juan Fernandez.
- 41 *Pycnanthemum* Mchx. G. II. 1184. (*Brachystemum* Mchx, *Kællia* Mönch, *Tullia* Leavenw.). — Sp. 14. Amer. bor.
- 42 *Monardella* Benth. G. II. 1185. — Sp. 13. Amer. bor.-occ.
- 43 *Origanum* L. G. II. 1185. — Sp. ad 30. Eur., Asia extratrop., Afr. bor., Ins. Canar.
- Sect. 1. *Amaracus* Benth., *Amaracus* Gleditsch.
- Sect. 2. *Euoriganum* Vogel.
- Sect. 3. *Majorana* Vogel, *Majorana* Gleditsch, *Schizocalyx* Scheele.
- 44 *Thymus* L. G. II. 1186. — Sp. enum fere 100, ad 40 reduc. *Coridothymus* Rchb. f.
- 45 *Zataria* Boiss. G. II. 1186. — Sp. 1. Persia, Belutsch., Afghan.
- 46 *Satureia* L. G. II. 1187. — Sp. ad 15. Florida, Reg. Medit. *Saccocalyx* Coss. et Durieu.
- 47 *Hyssopus* L. G. II. 1187. — Sp. 1. Reg. Medit., Asia med.
- 48 *Soliera* Clos. G. II. 1187. — Sp. 1. Chili.
- 49 *Micromeria* Benth. G. II. 1188. (*Sabbatia* Mönch, *Piperella* Presl, *Tendana* Rchb. f.). — Sp. ad 60. Reg. Medit., Eur. et Asia occ., Afr. trop., Ins. Canar., Amer. austr. et bor.-occ.
- Cuspidocarpus* Spenn., *Xenopoma* Willd.
- 50 *Hedeoma* Pers. G. II. 1188. — Sp. ad 14. Amer. bor. et austr.
- 51 *Keithia* Benth. G. II. 1189. — Sp. 8. Brasil. *Eriothymus* J. A. Schmidt.
- 52 *Poliomintha* A. Gray. G. II. 1189. — Sp. 4. Mexic., Texas.
- 53 *Gardoquia* R. et P. G. II. 1189. (*Rizoa* Cav.). — Sp. ad 28. Amer. andina a Chili usque ad Mexicum.
- 54 *Pogogyne* Benth. G. II. 1190. — Sp. 5 v. 6. Californ.
- 55 *Thymbra* L. G. II. 1190. — Sp. 1. Reg. Medit.
- 56 *Calamintha* Mönch. G. II. 1190. — S. ad 40. Utriusque orbis reg. temp. hemisph. bor.
- Sect. 1. *Calamintha* Benth.
- Sect. 2. *Calomelissa* Benth.
- Sect. 3. *Acinos* Benth., *Acinos* Mönch.
- Sect. 4. *Clinopodium* Benth., *Clinopodium* L.
- 57 *Melissa* L. G. II. 1191. — Sp. 3 v. 4. Eur. et Asia occ. et med.
- 58 *Conradina* A. Gray. G. II. 1191. — Sp. 1. Florida, Alabama.
- 59 *Ceranthera* Ell. G. II. 1191. (*Dicerandra* Benth.). — Sp. 2. Carolina, Florida, Georgia, Alabama.
- 60 *Acanthomintha* A. Gray. G. II. 1192. — Sp. 1. Californ.
- 61 *Glechon* Spreng. G. II. 1192. — Sp. 10. Brasil.
- 62 *Lepechinia* Willd. G. II. 1192. — Sp. 2. Mexic.

- 5787 63 ? *Dekania* Martens et Gal. G. II. 1193. — Sp. 1. Mexic.  
 5788 64 *Sphacele* Benth. G. II. 1193. (*Phytaxis* Spreng.). — Sp. ad 20.  
 Amer. austr., Mexic., Californ., Ins. Sandvic.  
 5789 65 *Horminum* L. G. II. 1193. — Sp. 1. Eur. mont. a Pyrenæis  
 usque ad Tyrol.

TRIBUS III. *Monardese*

- 5790 66 *Perowskia* Karel. G. II. 1193. — Sp. 4 v. 5. Asia occ.  
 5791 67 *Dorystoechas* Boiss. et Heldr. G. II. 1194. — Sp. 1. Oriens.  
 5792 68 *Meriandra* Benth. G. II. 1194. — Sp. 2. Abyss., Himal.  
 5793 69 *Salvia* L. G. II. 1194. — Sp. editæ ultra 450, nonnullæ tamen  
 reduc. Utriusque orbis reg. temp. et calidior.  
 Subg. 1. *Salvia* Benth., *Salvia* et *Schraderia* Mönch.  
 Subg. 2. *Sclarea* Benth., *Sclarea* et *Horminum* (Tourn.).  
 Mönch, *Stenarrhena* Don, *Gallitrichum* Jord. et Fourreau.  
 Subg. 3. *Calosphace* Benth., *Rhodochlamys* Schau.  
 Subg. 4. *Leonia* Benth., *Leonia* Llav. et Lex.  
 5794 70 *Polakia* Stapf in *Bot. Ergebn. Polak. Exped.* 43 (1885). —  
 Sp. 1. Persia.  
 5795 71 *Salviastrum* Scheele. G. II. 1196. — Sp. 4. Texas.  
 5796 72 *Audibertia* Benth. G. II. 1197. — Sp. 9. Amer. bor.-occ.  
 5797 73 *Rosmarinus* L. G. II. 1197. — Sp. 1. Reg. Medit.  
 5798 74 *Monarda* L. G. II. 1197. — Sp. 6 v. 9. Amer. bor.  
 Sect. 1. *Eumonarda* Benth.  
 Sect. 2. *Cheilyctis* Benth., *Cheilyctis* Raf., *Coryanthus*  
 Nutt.  
 5799 75 *Blephilia* Raf. G. II. 1198. — Sp. 2. Amer. bor.  
 5800 76 *Ziziphora* L. G. II. 1198. — Sp. ad 12. Asia med. et occ., Reg.  
 Medit. austr.  
*Faldermannia* Trautv.

TRIBUS IV. *Nepeteæ*.

- 5801 77 *Lophanthus* Benth. G. II. 1198. — Sp. 6. Amer. bor., Asia or.  
 extratrop.  
 5802 78 *Nepeta* L. G. II. 1199. (*Cataria* et *Saussuria* Mönch). — Sp.  
 ad 130. Orbis veteris hemisph. bor., Amer. bor. et Afr.  
 austr. inquil.  
*Glechoma* L. (*Chamæclema* Mönch), *Marmorites* Benth.,  
*Oxynepeta* Bge.  
 5803 79 *Dracocephalum* L. G. II. 1199. — Sp. ad 30. Eur., Reg. Medit.,  
 Asia extratrop.  
*Moldavica* Mönch, *Ruyschiana* Mill.

- 5804 80 *Lallemantia* F. et M. G. II. 1200. — Sp. 4. Oriens usque ad Kanaor (Ind. or.).  
Zornia Mönch.
- 5805 81 *Cedronella* Mönch. G. II. 1200. — Sp. 4. Ins. Canar., Amer. bor., Mexic.
- 5806 82 *Hymenocrater* F. et M. G. II. 1201. (*Sestinia* Boiss.). — Sp. 8. Oriens.
- 5807 83 *Chartocalyx* Rgl in *Act. Hort. Petrop.* VI. 368 (1879). — Sp. 1. Turkest.
- 5808 84 *Hypogomphia* Bge. G. II. 1201. — Sp. 2 v. 1? Turkest., Afghan.

TRIBUS V. **Stachydeæ.**

- 5809 85 *Salazaria* Torr. G. II. 1201. (*Salizaria*). — Sp. 1. Mexic., Texas.
- 5810 86 *Scutellaria* L. G. II. 1201. (*Cassida* Mönch). — Sp. ad 100.  
Utriusque orbis reg. temp. et mont. trop.  
Sect. 1. *Lupulinaria* A. Ham.  
Sect. 2. *Heteranthesia* Benth.  
Sect. 3. *Vulgares* Benth.
- 5811 87 *Perilomia* H. B. et K. G. II. 1202. — Sp. ad 8. Amer. andina a Bolivia et Chili usque ad Mexicum.  
Theresa Clos.
- 5812 88 *Brunella* L. G. II. 1203. (*Prunella* L.). — Sp. 2 v. 3, olim multiplic. Utriusque orbis reg. temp. et mont. trop.
- 5813 89 *Cleonia* L. G. II. 1203. — Sp. 1. Hispania, Mauritania.
- 5814 90 *Brazoria* Engelm. et Gray. G. II. 1204. — Sp. 2. Texas.
- 5815 91 *Physostegia* Benth. G. II. 1204. — Sp. 3. Amer. bor.
- 5816 92 *Chelonopsis* Miq. G. II. 1204. — Sp. 1. Japon.
- 5817 93 *Macbridea* Elliott. G. II. 1204. — Sp. 2. Amer. bor.
- 5818 94 *Synandra* Nutt. G. II. 1205. — Sp. 1. Amer. bor.
- 5819 95 *Melittis* L. G. II. 1205. — Sp. 1. Eur. med. et austr.
- 5820 96 *Sideritis* L. G. II. 1205. — Sp. ad 45. Reg. Medit., Ins. Canar., Oriens.  
Sect. 1. *Leucophaë* Benth., *Leucophaë* Webb, *Marrubias-trum* Mönch.  
Sect. 2. *Empedoclea* Benth., *Empedoclea* Raf.  
Sect. 3. *Eusideritis* Benth.  
Sect. 4. *Hesiodia* Benth., *Hesiodia* et *Burgsdorffia* Mönch.
- 5821 97 *Marrubium* L. G. II. 1206. — Sp. ad 33. Eur., Asia extratrop., Afr. bor. (sp. 1 in Amer. inquil.?).  
Lagopsis Bge, Maropsis Pomel.
- 5822 98 *Acrotome* Benth. G. II. 1206. — Sp. 3. Afr. austr.

- 5823 99 *Tapeinanthus* Boiss. G. II. 1207. — Sp. 2. Oriens.
- 5824 100 *Chamaesphacos* Schrenk. G. II. 1207. — Sp. 1. Songaria.
- 5825 101 *Craniotome* Rchb. G. II. 1207. — Sp. 1. Himal.
- 5826 102 *Anisomeles* R. Br. G. II. 1207. — Sp. 8, forte ad 2 v. 3 reduc.  
Asia trop. et subtrop., Austral.
- 5827 103 *Achyropernum* Bl. G. II. 1208. — Sp. 6 v. 7. Archip. Malay.,  
Madagasc., Ins. Seychell., Afr. trop.
- 5828 104 *Colquhounia* Wall. G. II. 1208. — Sp. 3 v. 4. Himal., Burma.
- 5829 105 *Stachys* L. G. II. 1208. (*Betonica* L., *Galeopsis* et *Trizago*  
Mönch, *Zietenia* Gleditsch, *Tetrahitum* et *Eriostomum*  
Hoffm. et Link). — Sp. descr. ultra 200, ad 170 reduc.  
Orbis utriusque reg. temp., frigid. et mont. trop.
- 5830 106 *Galeopsis* L. G. II. 1209. (*Tetrahit* Mönch). — Sp. descr.  
ultra 12 (in *Prodromo* ad 3 reduct.). Eur., Asia rossica.
- 5831 107 *Leonurus* L. G. II. 1210. — Sp. ad 10. Eur., Asia extratrop.  
(sp. 1 per reg. trop. late dispersa).  
Sect. 1. *Chaiturus* Benth., Chaiturus Mönch.  
Sect. 2. *Cardiaca* Benth., Cardiaca Mönch.  
Sect. 3. *Panzeria* Benth., Panzeria Mönch.
- 5832 108 *Wiedemannia* F. et M. G. II. 1210. — Sp. 3. Oriens.
- 5833 109 *Lamium* L. G. II. 1210. — Sp. fere 40. Eur., Afr. bor., Asia  
extratrop.  
Sect. 1. *Orvala* Dmrt., Orvala L.  
Sect. 2. *Lamiopsis* Dmrt., Pollichia Willd., Erianthera  
Benth.  
Sect. 3. *Lamiotypus* Dmrt.  
Sect. 4. *Galeobdolon* Benth., Galeobdolon Mönch.
- 5834 110 *Moluccella* L. G. II. 1211. (*Molucca* Mönch). — Sp. 2. Reg.  
Medit.  
Chasmonia Presl.
- 5835 111 *Lagochilus* Bge. G. II. 1211. (*Yermolofia* Belanger). — Sp.  
ad 15. Oriens.
- 5836 112 *Ballota* L. G. II. 1212. — Sp. ad 25. Reg. Medit., Eur. et Asia  
temp., Afr. austr.  
Sect. 1. *Beringeria* Benth., Beringeria Neck., Pseudodic-  
tamnus Mönch.  
Sect. 2. *Ballota* Benth.  
Sect. 3. *Acanthoprasium* Benth., Acanthoprasium Spenn.
- 5837 113 *Roylea* Wall. G. II. 1212. — Sp. 1. Himal.
- 5838 114 *Otostegia* Benth. G. II. 1213. — Sp. ad 8. Oriens, Arabia,  
Abyss.
- 5839 115 *Leucas* R. Br. G. II. 1213. — Sp. ad 50. Asia et Afr. calidior.  
(Amer. trop. inquil.).

Sect. 1. *Hemistoma* Benth., *Hemistoma* Ehrenb.

Sect. 2. *Loxostoma* Benth.

Sect. 3. *Physoleucas* Benth., *Physoleucas* Jaub. et Spach.

Sect. 4. *Ortholeucas* Benth.

Sect. 5. *Astrodon* Benth.

Sect. 6. *Plagiostoma* Benth.

5840 116 *Lasiocorys* Benth. G. II. 1213. — Sp. 4. Afr. austr., Arabia, Abyss.

5841 117 *Leonotis* Pers. G. II, 1214. — Sp. 12. Afr. austr. et trop., Ins. Mascar., Ind. or.

5842 118 *Phlomis* L. G. II. 1214. — Sp. descr. ultra 50, ad 45 reduc. Reg. Medit., Asia temp.

Sect. 1. *Euphlomis* Benth.

Sect. 2. *Phlomidopsis* Benth., *Phlomidopsis* Link, *Phlomoïdes* Mönch.

5843 119 *Notochæte* Benth. G. II. 1215. — Sp. 1. Himal.

5844 120 *Eremostachys* Bge. G. II. 1215. — Sp. ad 40. Asia occ. et med.

5845 121 *Eriophyton* Benth. G. II. 1215. — Sp. 1. Himal.

#### TRIBUS VI. **Prasiæ.**

5846 122 *Gomphostemma* Wall. G. II. 1216. — Sp. ad 20. Ind. or., Archip. Malay., China.

*Anthocoma* Zoll.

5847 123 *Bostrychanthera* Benth. G. II. 1216. — Sp. 1. China.

5848 124 *Phyllostegia* Benth. G. II. 1216. — Sp. ad 14. Ins. Sandvic.

5849 125 *Stenogyne* Benth. G. II. 1217. — Sp. ad 16. Ins. Sandvic.

5850 126 *Prasium* L. G. II. 1217. — Sp. 1. Reg. Medit. ab Ins. Canar. usque ad Orientem.

#### TRIBUS VII. **Prostantheræ.**

5851 127 *Prostanthera* Labill. G. II. 1218. — Sp. 38. Austral.

Sect. 1. *Euprostanthera* Benth., *Chilodia* R. Br.

Sect. 2. *Klanderia* Benth., *Klanderia* F. Müll., *Cryphia* R. Br.

5852 128 *Depresmenilia* F. Müll. *Fragm.* X. 59 (1876). — Sp. 1. Austral.

5853 129 *Wrixonia* F. Müll. *Fragm.* X. 18 (1876). — Sp. 1. Austral.

5854 130 *Hemiandra* R. Br. G. II. 1218. — Sp. 3. Austral. austro-occ.

5855 131 *Hemigenia* R. Br. G. II. 1218. — Sp. 24. Austral.

Sect. 1. *Homalochilus* Benth.

Sect. 2. *Atelandra* Benth., *Atelandra* Lindl., *Colobandra* Bartl.

Sect. 3. *Euhemigenia* Benth.

Sect. 4. *Diplanthera* Benth.

- 5856 132 *Microcorys* R. Br. G. II. 1218. — Sp. 15. Austral. austro-occ.  
 Sect. 1. *Hemigenioides* Benth.  
 Sect. 2. *Anisandra* Benth., *Anisandra* Bartl.  
 Sect. 3. *Microcorys* Benth.
- 5857 133 *Westringia* Sm. G. II. 1219. — Sp. enum. 9 v. 11? Austral.  
 extratrop.

TRIBUS VIII. *Ajugoides*.

- 5858 134 *Trichostema* L. G. II. 1219. — Sp. 8. Amer. bor.
- 5859 135 *Isanthus* Mchx. G. II. 1220. — Sp. 1. Amer. bor.
- 5860 136 *Tetraclea* A. Gray. G. II. 1220. — Sp. 1. N. Mexic., Texas.
- 5861 137 *Amethystea* L. G. II. 1220. — Sp. 1. Asia temp. a Ponte usque  
 ad Chinam.
- 5862 138 *Tinnea* Kotschy et Peyr. G. II. 1221. — Sp. 6. Afr. trop.  
*Renschia* Vatke in *Linnæa*. XLIII. 94 (1882).
- 5863 139 *Leucosceptrum* Sm. *Exot. Bot.* II. 113. (*Teucris* sect. *Leu-*  
*cosceptrum* Benth. G. II. 1221). — Sp. 1. Himal.,  
 Khasia.
- 5864 140 *Teucrium* L. G. II. 1221. — Sp. ad 100. Utriusque orbis reg.  
 temp. et calid.  
 Sect. 1. *Teucropsis* Benth., *Polidendron* Noé.  
 Sect. 2. *Teucris* Benth.  
 Sect. 3. *Pycnobotrys* Benth.  
 Sect. 4. *Stachyobotrys* Benth.  
 Sect. 5. *Scorodonia* Benth., *Scorodonia* Mönch.  
 Sect. 6. *Scordium* Benth., *Scordium* Cav.  
 Sect. 7. *Chamædrys* Benth., *Chamædrys* Mönch.  
 Sect. 8. *Polium* Benth., *Polium* Mönch.
- 5865 141 *Ajuga* L. G. II. 1222. — Sp. ad 30. Orbis veteris reg. extratrop.  
 et mont. trop.  
 Sect. 1. *Eugula* Benth., *Bugula* Mönch.  
 Sect. 2. *Chamæpithys* Benth., *Chamæpithys* Link, *Phle-*  
*boanthe* Tausch.
- 5866 142 *Cymaria* Benth. G. II. 1222. — Sp. 3. Birmania, Archip.  
 Malay.

ORDO CXXXVI. **PLANTAGINEÆ**

- 5867 1 *Plantago* L. G. II. 1224. — Sp. descr. ulira 200, sed multæ  
 reduc. Orbis fere totus.
- 5868 2 *Bougueria* Dcne. G. II. 1224. — Sp. 1. Peruvia et Bolivia  
 mont.
- 5869 3 *Littorella* L. G. II. 1224. — Sp. 1 v. 2. Eur. med. et bor.,  
 Chili, Ins. Falkland.

ORDO CXXXVII. NYCTAGINEÆ <sup>(1)</sup>

## TRIBUS I. Mirabilieæ.

- 5870 1 *Mirabilis* L. G. III. 3 et 1212. (*Nyctago* Juss., *Jalapa* Mönch).  
— Sp. ad 10 v. 12. Amer. calid.  
1. *Mirabilis* Choisy. — 2. *Quamoclidion* Choisy.
- 5871 2 *Oxybaphus* Vahl. G. III. 4 et 1217. (*Allionia* Löfl., *Calyxhy-*  
*menia* Ort., *Calimania* Pers., *Vitmannia* Turra). — Sp.  
ad 23. Amer. occ., Himal.
- 5872 3 *Nyctaginia* Choisy. G. III. 4. — Sp. 1. Texas.
- 5873 4 *Allionia* L. G. III. 4. (*Wedelia* L.). — Sp. 1. Amer. bor. occ.,  
Cuba, Venezuela, Chili.
- 5874 5 *Boerhaavia* L. G. III. 5. — Sp. ad 36. Utriusque orbis reg.  
trop.
- 5875 6 *Senkenbergia* Schau. G. III. 5. (*Tinantia* et *Lindenia* Martens  
et Gal.). — Sp. 4. Mexic.
- 5876 7 *Acleisanthes* A. Gray. G. III. 6. — Sp. 6. Texas, N. Mexic.  
*Pentacrophys* A. Gray.
- 5877 8 *Selinocarpus* A. Gray. G. III. 6. — Sp. 3. Texas, N. Mexic.
- 5878 9 *Okenia* Cham. et Schlcht. G. III. 6. — Sp. 1. Mexic.
- 5879 10 *Hermidium* S. Wats. G. III. 6. — Sp. 1. Amer. bor. (Nevada).
- 5880 11 *Bougainvillæa* Comm. G. III. 7. (*Buginvillæa*). — Sp. 7 v. 8.  
Amer. austr. trop. et subtrop.  
Josepha Vell.
- 5881 12 *Tricycla* Cav. G. III. 7. — Sp. 1. Chili.
- 5882 13 *Abronia* Juss. G. III. 7. (*Tricratus* L'Hér.). — Sp. ad 10. Amer.  
bor.-occ.
- 5883 14 *Boldoa* Cav. G. III. 8 et 1217. (*Salpianthus* H. et B.). — Sp. 1.  
Mexic.
- 5884 15 *Collignonia* Endl. G. III. 8. — Sp. 6. Andes a N. Granada  
usque ad Peruviam.
- 5885 16 *Reichenbachia* Spreng. G. III. 8. — Sp. 1. Brasil., Paraguay.

## TRIBUS II. Pisonieæ.

- 5886 17 *Pisonia* L. G. III. 9. — Sp. ad 60. Utriusque orbis reg. trop.  
*Calpidia* Thou., *Ceodes* Forst., *Torrubia*, *Bessera*, *Pallavia*  
et *Columella* Vell.
- 5887 18 *Eggersia* H. f. G. III. 1217. — Sp. 1. Ins. S. Thomas.
- 5888 19 *Phæoptilum* Radlk. in *Abh. Nat. Ver. Brem.* VIII. 435 (1883)  
— Sp. 1. Afr. austr.
- 5889 20 *Neea* R. et P. G. III. 9. (*Mitscherlichia* Kth). — Sp. ad 30.  
Amer. austr.

(1) Sp. ad 120, reg. trop. et calidior. totius orbis imprim. Amer. incolæ.

- 5890 21 *Timeroya* Montrouz. G. III. 10. (*Viellardia* Brongn.). — Sp. 2 v. 3. N. Caled.  
 5891 22 *Cephalotomandra* Karst. et Tr. G. III. 10. — Sp. 1. N. Granada.

TRIBUS III. **Leucastereæ.**

- 5892 23 *Leucaster* Choisy. G. III. 10. — Sp. 1. Brasil.  
 5893 24 ? *Andradea* Allem. G. III. 11. — Sp. 1. Brasil.  
 5894 25 *Cryptocarpus* H. B. et K. G. III. 11 et 1217. — Sp. 2. Amer. trop., Mexic.

ORDO CXXXVIII. **ILLECEBRACEÆ** <sup>(1)</sup>

TRIBUS I. **Pollichieæ.**

- 5895 1 *Illecebrum* L. G. III. 13. — Sp. 1. Eur. occ., Afr. bor.  
 5896 2 *Pentacæna* Bartl. G. III. 14. — Sp. 2 v. 3. Amer. occ. et austr. extratrop.  
     *Acanthonychia* Rohrb., *Cardionema* DC.  
 5897 3 *Dysphania* R. Br. G. III. 14. — Sp. 3. Austral.  
 5898 4 *Pollichia* Soland. G. III. 14. — Sp. 1. Afr. trop. et austr.  
     *Neckeria* Gmel., *Meerburgia* Mönch.  
 5899 5 *Haya* Balf. f. in *Trans. Roy. Soc. Edinb.* XXXI. 251. — Sp. 1. Socotra.  
 5900 6 *Achyronychia* Torr. et Gray. G. III. 15 et 1218. — Sp. 2. N. Mexic., Californ., Mexic.

TRIBUS II. **Paronychieæ.**

- 5901 7 *Paronychia* Juss. G. III. 15. — Sp. ad 45. Eur. austr., Oriens, Afr. trop. occ., Amer. temp. et calid.  
     *Plottzia* Arn., *Chætonymchia* Willk. *Prodr. fl. Hisp.* III. 154.  
 5902 8 *Herniaria* L. G. III. 16. — Sp. 8 v. 10. Eur., Asia occ., Afr. bor. et austr.  
 5903 9 *Siphonymchia* Torr. et Gray. G. III. 16 et 1218. — Sp. 4. Amer. bor.-or.  
 5904 10 *Anychia* Rich. G. III. 16. — Sp. 2. Amer. bor.  
 5905 11 *Corrigiola* L. G. III. 17. — Sp. 4 v. 6. Eur. med., Reg. Medit., Afr. bor. et austr., Amer. austr. temp.  
 5906 12 *Gymnocarpus* Forsk. G. III. 17. — Sp. 1. Afr. bor., Oriens.  
 5907 13 *Psyllothamnus* Oliv. in Hook. *Icon. Plant.* tab. 1499 (1885). — Sp. 1. Aden.  
 5908 14 *Lochia* Balf. f. in *Trans. Roy. Soc. Edinb.* XXXI. 251. — Sp. 1. Socotra.  
 5909 15 *Sclerocephalus* Boiss. G. III. 17. — Sp. 1. Afr. bor., Asia occ.

(1) Sp. ad 90, per orbem terrarum, reg. frigid. except., disperæ.



TRIBUS III. **Pteranthæ.**

- 5910 16 **Pteranthus** Forsk. G. III. 18. (*Louichea* L'Hér.). — Sp. 1. Afr. bor., Asia occ.  
 5911 17 **Cometes** L. G. III. 18. (*Saltia* R. Br., *Ceratonychia* Edgw.). — Sp. 1. Afr. bor. et austr., Asia occ.  
 5912 18 **Dicheranthus** Webb. G. III. 18. — Sp. 1. Ins. Canar.

TRIBUS IV. **Scleranthæ.**

- 5913 19 **Scleranthus** L. G. III. 19. — Sp. ad 10. Eur., Afr., Asia occ., Austral.  
       *Mniarum* Forst. (*Ditoca* Banks et Soland.).  
 5914 20 **Habrosia** Fenzl. G. III. 19. — Sp. 1. Mesopotamia, Syria.

ORDO CXXXIX. **AMARANTACEÆ** <sup>(1)</sup>TRIBUS I. **Celosieæ.**

- 5915 1 **Deeringia** R. Br. G. III. 23. (*Coilosperma* Raf., *Cladostachys* Don). — Sp. 5 v. 6. Asia et Afr. trop., Austral.  
 5916 2 **Pleuropetalum** H. f. G. III. 24 et 1218. (*Melanocarpum* H. f.). — Sp. 2. Ecuador., Mexic., Ins. Galapag.  
 5917 3 **Henonia** Moq. G. III. 24. — Sp. 1. Madagasc.  
 5918 4 **Celosia** L. G. III. 24 et 1218. (*Lophoxera* et *Sukana* Raf.). — Sp. ad 35. Asia, Afr. et Amer. trop.  
       *Lestibudesia* Thou., *Lagrezia* Moq.  
 5919 5 **Hermstædtia** Rchb. G. III. 25. (*Berzelia* Mart., *Langia* Endl., *Hyparete* Raf.). — Sp. 5. Afr. trop.

TRIBUS II. **Amarantæ.**

- 5920 6 **Rodetia** Moq. G. III. 25. — Sp. 1. Himal.  
 5921 7 **Bosia** L. G. III. 26. — Sp. 1. Ins. Canar. (Reg. Medit. allata).  
 5922 8 **Achatocarpus** Triana. G. III. 26. — Sp. 3. Amer. trop.  
 5923 9 **Charpentiera** Gaud. G. III. 26. — Sp. 1. Ins. Sandvic.  
 5924 10 **Banalia** Moq. G. III. 27. — Sp. 1. Ind. or.  
 5925 11 **Chamissoa** H. B. et K. G. III. 27. — Sp. 6 v. 8. Amer. trop.  
 5926 12 **Allmania** R. Br. G. III. 27. — Sp. 3 v. 4. Asia trop.  
 5927 13 **Digera** Forsk. G. III. 28. — Sp. 1 v. 2. Asia et Afr. trop.  
 5928 14 **Amarantus** L. G. III. 28. (*Amaranthus*). — Sp. ad 50. Utriusque orbis reg. calid. et trop.  
       *Glomeraria* Cav. (*Pyxidium* Mönch), *Euxolus* Raf. (*Albersia* Kth, *Pentrias* Raf.), *Mengea* Schau., *Scleropus* Schrad., *Amblogyne* Raf. (*Rœmeria* Mönch, *Sarratia* Moq.).

(1) Sp. ad 450, reg. frigid. except., in utroque orbe late dispersæ.

- 5929 15 *Acnida* L. G. III. 29. — Sp. 6. Amer. bor.-or., Ins. Trinitatis.  
Montelia A. Gray.
- 5930 16 *Acanthochiton* Torr. G. III. 29. — Sp. Texas, Arizona.
- 5931 17 *Saltia* R. Br. G. III. 29. — Sp. 1. Arabia.
- 5932 18 ? *Marcellia* H. Bn in *Bull. Soc. Linn. Paris*. 625 (1886). —  
Sp. 1. Angola?
- 5933 19 *Sericocoma* Fenzl. G. III. 30. — Sp. ad 11. Afr. trop. et  
subtrop.
- 5934 20 *Centema* H. f. G. III. 31. — Sp. 2 v. 3. Afr. trop.
- 5935 21 *Cyathula* Lour. G. III. 31. (*Polyscalis* Wall.). — Sp. ad 10.  
Asia, Afr. et Amer. trop.
- 5936 22 *Pupalia* Juss. G. III. 31. (*Syama* Jones). — Sp. 3. Asia et  
Afr. trop.  
Desmochæta DC.
- 5937 23 *Psilotrichum* Bl. G. III. 32. (*Leiospermum* Wall.). — Sp. 10.  
Asia et Afr. trop., Ins. Sandvic.
- 5938 24 *Psilostachys* Hochst. G. III. 32. (*Pæckia* Endl.). — Sp. 3. Afr.  
trop. or., Arabia, Ind. or.
- 5939 25 *Ptilotus* R. Br. G. III. 33. — Sp. 11. Austral.
- 5940 26 *Dipteranthemum* F. Müll. in *Wing's S. Sc. Record*. III. 281  
(1884). — Sp. 1. Austral.
- 5941 27 *Trichinium* R. Br. G. III. 33. — Sp. ad 50. Austral.  
*Arthrotrichium* et *Hemisteirus* F. Müll., *Goniotriche* (*sphalm.*  
*Gomotriche*) Turcz.
- 5942 28 *Chionothrix* H. f. G. III. 33. — Sp. 1. Afr. austr.
- 5943 29 *Nothosærua* Wight. G. III. 34. (*Pseudanthus* Wight). — Sp. 1.  
Asia et Afr. trop.
- 5944 30 *Ærua* Forsk. G. III. 34. (*Ærva*). — Sp. ad 10. Asia et Afr.  
calidior.
- 5945 31 *Calicorema* H. f. G. III. 34. — Sp. 1. Afr. austr.
- 5946 32 *Stilbanthus* H. f. G. III. 35. — Sp. 1. Himal.
- 5947 33 *Achyranthes* L. G. III. 35. — Sp. ad 12. Utriusque orbis reg.  
trop. et calid.  
*Centrostachys* Wall.
- 5948 34 *Pandiaka* Moq. G. III. 35. — Sp. 3. Afr. trop.
- 5949 35 *Achyropsis* Moq. G. III. 36. — Sp. 3. Afr. austr.
- 5950 36 *Nyssanthes* R. Br. G. III. 36. — Sp. 2. Austral. or.

TRIBUS III. *Gomphreneæ*.

- 5951 37 *Guilleminea* H. B. et K. G. III. 36. — Sp. 3 v. 1 ? Amer. calid.  
et mont. a Texas usque ad Argentinam.
- 5952 38 *Cladothrix* Nutt. G. III. 37. — Sp. 3. Californ., N. Mexic.,  
Texas.

- 5953 39 *Platfia* Mart. G. III. 37. — Sp. ad 15. Brasil.  
Serturnera Mart.
- 5954 40 *Mogiphanes* Mart. G. III. 37. — Sp. ad 10. Amer. trop.
- 5955 41 *Talanthera* R. Br. G. III. 38. (*Teleianthera* Endl.). — Sp. ad 50.  
Amer. trop. et subtrop., Afr. trop. occ.  
1. *Bucholtzia* Mart., *Steirema* Raf. — 2. *Brandesia* Mart.
- 5956 42 *Alternanthera* Forsk. G. III. 38. — Sp. ad 20. Utriusque orbis  
reg. calid.  
*Allaganthera* Mart, *Lithophila* Sw.
- 5957 43 *Gossypianthus* Hook. G. III. 39. — Sp. 2. Texas, N. Mexic.
- 5958 44 *Woehleria* Griseb. G. III. 39. — Sp. 1. Cuba.
- 5959 45 *Philoxerus* R. Br. G. III. 40. — Sp. ad 10. Amer. trop. or.,  
Afr. trop. occ., Austral., Ins. Loo Choo.
- 5960 46 *Gomphrena* L. G. III. 40. — Sp. ad 70. Amer. trop. et subtrop.,  
Austral. (Asia et Afr. trop. sp. 1).  
*Bragantia* Vand., *Schultesia* Schrad., *Xerosiphon* Turcz.,  
*Chnoanthus* Philippi.
- 5961 47 *Froelichia* Mönch. G. III. 41. — Sp. ad 15. Amer. trop. et  
subtrop.  
*Oplothea* Nutt. (*Hoplothea* Spreng.).
- 5962 48 *Hebanthe* Mart. G. III. 41. — Sp. 20. Amer. trop.  
*Tromsdorffia* Mart.
- 5963 49 *Iresine* L. G. III. 42. (*Xerandra* Raf.). — Sp. ad 25. Amer.  
trop. et subtrop.  
Sect. 1. *Euiresine* B. et H.  
? *Cruzeta* Löfl. (*Crucita* L., *Cruzita* Spreng.).  
Sect. 2. *Rosea* B. et H., *Rosea* Mart., *Ireneis* Moq.
- 5964 50 *Dicraurus* H. f. G. III. 42. — Sp. 1. Texas.

ORDO CXL. CHENOPODIACEÆ <sup>(1)</sup>

## TRIBUS I. Chenopodieæ.

- 5965 1 *Acroglochin* Schrad. G. III. 48. (*Blitanthus* Rchb., *Lecanocar-*  
*pus* Nees). — Sp. 1. Ind. bor., China occ.
- 5966 2 *Hablitzia* M. B. G. III. 49. — Sp. 1 v. 2? Caucasus, Asia minor.
- 5967 3 *Rhagodia* R. Br. G. III. 49. — Sp. 13. Austral.
- 5968 4 *Lophiocarpus* Turcz. G. III. 49. (*Wallinia* Moq.). — Sp. 2.  
Afr. austr.
- 5969 5 *Aphanisma* Nutt. G. III. 50. — Sp. 1. Californ.
- 5970 6 *Cycloloma* Moq. G. III. 50. — Sp. 1. Amer. bor.  
*Cyclolepis*, *Amoreuxia* et *Amorea* Moq.

(1) Sp. ad 500, per orbem terrarum late dispersæ.

- 5971 7 *Monolepis* Schrad. G. III. 50. — Sp. 5. Asia bor.-or., Amer. bor.-occ.
- 5972 8 *Chenopodium* L. G. III. 51. — Sp. ad 50. Orbis fere totus. ३३  
 Sect. 1. *Chenopodiastrum* Moq., *Oligandra* Less. (*Lipandra* Moq., *Gandriloa* Steud., *Oliganthera* Endl.).  
 Sect. 2. *Ambrina* B. et H., *Ambrina* Spach.  
 Sect. 3. *Botrydium* B. et H., *Botrydium* Spach.  
 Sect. 4. *Orthosporum* R. Br.  
 Sect. 5. *Blitum* B. et H., *Blitum* L., *Morocarpus* Mönch.  
 Sect. 6. *Pseudoblitum* B. et H., *Oxybasis* Kar. et Kir.  
 Sect. 7. *Rhagodioides* Benth.  
 Sect. 8. *Agathophyton* B. et H., *Agathophyton* Moq., *Orthosporum* Nees.
- 5973 9 *Teloxys* Moq. in *Ann. Sc. Nat.* ser. 2. I. 289. — Sp. 3. Asia bor., Amer. bor. et centr., Bolivia.
- 5974 10 *Roubieva* Moq. G. III. 52. — Sp. 2. Amer. temp. et trop., in orbe vetere subsp.
- 5975 11 *Beta* L. G. III. 52. — Sp. ad 13. Eur., Oriens, Afr. bor.
- 5976 12 *Oreobliton* Durieu et Moq. G. III. 52. — Sp. 1. Algeria.

TRIBUS II. *Atripliceæ*.

- 5977 13 *Spinacia* L. G. III. 53. — Sp. 4. Oriens, alibi cult.
- 5978 14 *Exomis* Fenzl. G. III. 53. — Sp. 1. Afr. austr., Ins. S. Helena.
- 5979 15 *Atriplex* L. G. III. 53. — Sp. ad 20. Utriusque orbis reg. temp. et subtrop.  
*Obione* Gärtn. (*Halimus* Wallr.), *Theleophyton* Moq., *Pterochiton* et *Endolepis* Torr. et Gray.
- 5980 16 *Graya* H. et A. G. III. 54. — Sp. 2. Amer. bor.-occ.
- 5981 17 *Suckleya* A. Gray. G. III. 54. — Sp. 1. Amer. bor. (Mont. Scopul.).
- 5982 18 *Eurotia* Adans. G. III. 55. — Sp. 3. Asia occ. et med., Amer. bor.-occ., Rossia austr.  
*Krascheninnikovia* Nees, *Diotis* Schreb., *Gueldenstædtia* Neck., *Ceratosperrum* Pers.
- 5983 19 *Ceratocarpus* L. G. III. 55. — Sp. 1. Asia occ. a Persia usque ad Afghan.
- 5984 20 *Pleuropterantha* Franch. G. III. 1218. — Sp. 1. Afr. austr. (Somala).

TRIBUS III. *Camphorosmeæ*.

- 5985 21 *Axyris* L. G. III. 56. — Sp. 5 v. 6. Asia bor. et centr., Amer. bor.-occ.
- 5986 22 *Microgynœcium* H. f. G. III. 56. — Sp. 1. Tibet., Sikkim.

- 5987 23 *Camphorosma* L. G. III. 56. (*Camphorosma* C. A. Mey.). — Sp. 4 v. 5. Afr. austr., Asia centr. et occ.  
 5988 24 *Panderia* F. et M. G. III. 57. — Sp. 1 an plures. Asia occ. et centr.  
 5989 25 *Kirilovia* Bge. G. III. 57. — Sp. 3 v. 4. Asia centr., Afghan.

TRIBUS IV. *Corispermæ*.

- 5990 26 *Corispermum* L. G. III. 57. — Sp. ad 8 v. 10. Eur. austr., Asia temp., Amer. bor. occ.  
 5991 27 *Anthochlamys* Fenzl. G. III. 58. — Sp. 1. Persia, Reg. Caucasica.  
 5992 28 *Agriophyllum* M. B. G. III. 58. — Sp. 4. Asia centr. et occ., Sibiria altaica, China or.

TRIBUS V. *Polycnemeæ*.

- 5993 29 *Polycnemon* L. G. III. 58. — Sp. 3 v. 4. Eur. med. et austr., Afr. bor., Asia occ.  
 5994 30 *Hemichroa* R. Br. G. III. 59. — Sp. 2 v. 3. Austral.  
 5995 31 *Nitrophila* S. Wats. G. III. 59. — Sp. 1. Amer. bor.-occ.

TRIBUS VI. *Chenoleæ*.

- 5996 32 *Chenolea* Thunb. G. III. 59. — Sp. ad 20. Eur. med., Afr. bor., Asia temp., Austral.  
     *Echinopsilon* Moq. (*Willemetia* Mærckl., *Villemetia* Moq., *Bassia* All.), *Londesia* F. et M., *Eriochiton* F. Müll.  
 5997 33 *Kochia* Roth. G. III. 60 et 1219. — Sp. ad 30. Eur. med., Asia temp., Afr. bor. et austr., Amer. bor.-occ.  
     *Sclerochlamys* F. Müll., *Maireana* Moq.  
 5998 34 *Didymanthus* Endl. G. III. 60. — Sp. 1. Austral. occ.  
 5999 35 *Enchylæna* R. Br. G. III. 61. — Sp. 3. Austral.  
 6000 36 *Babbagia* F. Müll. G. III. 61. — Sp. 2 v. 3. Austral. centr.  
 6001 37 *Sclerolæna* R. Br. G. III. 61. — Sp. 6. Austral.  
     *Kentropsis* Moq., *Dissocarpus* F. Müll.  
 6002 38 *Anisacantha* R. Br. G. III. 62. — Sp. 6. Austral.  
 6003 39 *Threlkeldia* R. Br. G. III. 62. — Sp. 3. Austral.  
     *Osteocarpum* F. Müll.  
 6004 40 *Cypselocarpus* F. Müll. G. III. 62. — Sp. 1. Austral. occ.

TRIBUS VII. *Salicorniæ*.

- 6005 41 *Kalidium* Moq. G. III. 63. — Sp. 4. Rossia austr., Asia centr.  
 6006 42 *Halostachys* C. A. Mey. G. III. 63. — Sp. 1. Rossia austro-occ., Asia med.  
 6007 43 *Spirostachys* S. Wats. G. III. 63. — Sp. 1. Amer. bor. et austr.

- 6008 44 *Heterostachys* Ung. G. III. 64. (*Spirostachys* Ung.). — Sp. 2.  
Argentina, Ind. occ.
- 6009 45 *Halopeplis* Bge. G. III. 64. — Sp. 3. Eur. austr., Afr. bor.,  
Asia occ.
- 6010 46 *Halocnemon* M. B. G. III. 64. — Sp. 1. Reg. Medit. or. et med.  
Rossia austr., Asia centr.
- 6011 47 *Tecticornia* H. f. G. III. 65. — Sp. 1. Austral. trop.
- 6012 48 *Pachycornia* H. f. G. III. 65. — Sp. 1. Austral. temp.
- 6013 49 *Arthrocnemum* Moq. G. III. 65. — Sp. 7 v. 8. Littora salsa  
(Asia, Afr., Austral., Amer. bor).
- 6014 50 *Salicornia* L. G. III. 66. — Sp. ad 8. Utriusque orbis littora  
salsa temp. et trop.
- 6015 51 *Microcnemum* Ung. et Sternb. G. III. 66. — Sp. 1. Arragonia.

TRIBUS VIII. **Suædeæ.**

- 6016 52 *Suæda* Forsk. G. III. 66. (*Cochliospermum* Lag.). — Sp. ad 45.  
Littora salsa.  
1. *Suæda* Moq. — 2. *Belovia* Moq.  
3. *Sevada* Moq. — 4. *Schanginia* C. A. Mey.  
5. *Brezia* Moq. — 6. *Calvelia* Moq.  
7. *Schoberia* C. A. Mey., *Chenopodixa* Moq.
- 6017 53 *Hypocylix* Woloczak in Stapf. *Bot. Ergeb. Polak. Exp.* II. 7  
(1886). — Sp. 1. Persia.
- 6018 54 *Alexandra* Bge. G. III. 67. (*Pterocalyx* Schrenk). — Sp. 1.  
Songaria.
- 6019 55 *Borsczovia* Bge. G. III. 68. — Sp. 1. Asia centr. (Desert. Aral.).
- 6020 56 *Bienertia* Bge. G. III. 68. — Sp. 1. Persia.

TRIBUS IX. **Salsoleæ.**

- 6021 57 *Traganum* Delile. G. III. 68. — Sp. 2. Afr. bor., Arabia, Ins. Canar.
- 6022 58 *Cornulaca* Delile. G. III. 69. — Sp. 4 v. 5. Afr. bor.-occ.,  
Arabia, Assyria.  
*Agathophora* Bge.
- 6023 59 *Seidlitzia* Bge. G. III. 69. — Sp. 1 v. 2? Armenia, Syria, Persia.
- 6024 60 *Arthrophytum* Schrenk. G. III. 70. — Sp. 1. Turkest., Songaria.
- 6025 61 *Horaninovia* F. et M. G. III. 70. — Sp. 2 v. 3. Songaria, Desert.  
Caspicum.
- 6026 62 *Haloxylon* Bge. G. III. 70. — Sp. ad 11. Hispania, Afr. bor.,  
Asia occ., Ind. or.
- 6027 63 *Salsola* L. G. III. 71. — Sp. ad 40. Orbis utriusque reg. temp.  
et subtrop.  
*Caroxylon* Thunb., *Halothamnus* Jaub. et Spach.

- 6028 64 *Helicilla* Moq. G. III. 71. — Sp. 1. China.  
 6029 65 *Olaiston* Raf. G. III. 71. — Sp. 1. A. Reg. Uralensi usque ad  
       Songariam.  
 6030 66 *Noëa* Moq. G. III. 72. — Sp. ad 6. Afr. bor., Asia occ.  
 6031 67 *Girgensohnia* Bge. G. III. 72. — Sp. 4. Asia med. et occ.  
 6032 68 *Anabasis* L. G. III. 72. — Sp. 15. Eur. austr., Afr. bor., Asia  
       occ. et centr.  
       1. *Anabasis* Moq. — 2. *Brachylepis* C. A. Mey.  
       3. *Fredolia* Coss. et Durieu.  
 6033 69 *Nanophytum* Less. G. III. 73. — Sp. 1. Reg. Caspica.  
 6034 70 *Petrosimonia* Bge. G. III. 73. — Sp. ad 7. Asia centr. et occ.  
 6035 71 *Halocharis* Moq. G. III. 73. — Sp. 5. Persia, Afghan., Asia  
       centr.  
 6036 72 *Halimocnemis* C. A. Mey. G. III. 74. — Sp. ad 10. Reg.  
       Caspica.  
       *Halotis* Bge.  
 6037 73 *Halanthium* K. Koch. G. III. 74. — Sp. 8. Asia centr. et occ.  
       1. *Physogeton* Jaub. et Spach. — 2. *Gamanthus* Bge.  
 6038 74 *Halarchon* Bge. G. III. 75. — Sp. 1. Afghan.  
 6039 75 *Piptoptera* Bge. G. III. 75. — Sp. 1. Turkest.  
 6040 76 *Halogeton* C. A. Mey. G. III. 75. — Sp. 5. Hispania, Afr.  
       bor., Asia centr. et occ.  
       *Micropeplis* Bge.  
 6041 77 *Sympegma* Bge. G. III. 76. — Sp. 1. Asia centr.

TRIBUS X. **Sarcobatideæ.**

- 6042 78 *Sarcobatus* Nees. G. III. 76. (*Fremontia* Torr.). — Sp. 1.  
       Amer. bor.

TRIBUS XI. **Eubaselleæ.**

- 6043 79 *Basella* L. G. III. 76. — Sp. 1. Asia et Afr. trop.  
 6044 80 *Tournonia* Moq. G. III. 77. — Sp. 1. N. Granada.  
 6045 81 *Ullucus* Lozano. G. III. 77 et 1219. (*Melloca* Lindl.). — Sp. 1.  
       Amer. austr. andina.

TRIBUS XII. **Boussingaultiæ.**

- 6046 82 *Boussingaultia* H. B. et K. G. III. 77. — Sp. ad 10. Amer.  
       trop., Mexic., Amer. centr.  
       *Tandonia* Moq.  
 6047 83 *Anredera* Juss. G. III. 78 et 1219. (*Clairisia* Abatt.). — Sp. 1.  
       Amer. subtrop.  
       *Sieberia* Presl, *Beriesa* Stend.

- 6080 11 *Pteropyrum* Jaub. et Spach. G. III. 95. — Sp. 7. Oriens usque ad Afghan.
- 6081 12 *Atraphaxis* L. G. III. 96. — Sp. enum. 17. Asia med. et occ., Afr. bor.  
Tragopyron M. B.
- 6082 13 *Oxygonum* Burch. G. III. 96. (*Ceratogonum* Meisn.). — Sp. ad 7. Afr. or. trop. et austr.
- 6083 14 *Polygonella* Mchx. G. III. 97. (*Gonopyrum* C. A. Mey., *Lyonia* et *Stopinaca* Raf.). — Sp. 5 v. 6. Amer. bor.
- 6084 15 *Polygonum* L. G. III. 97 et 1219. — Sp. bene dist. ad 200. Orbis fere totus.  
Sect. 1. *Tephis* B. et H., *Tephis* Adans.  
Sect. 2. *Avicularia* B. et H.  
Sect. 3. *Pseudomollia* Boiss.  
Sect. 4. *Persicaria* B. et H., *Lagunea* Lour.  
Sect. 5. *Tovara* B. et H., *Tovara* Adans., *Antenoron* Raf.  
Sect. 6. *Cephalophilon* Meisn., *Ampelygonum* Lindl., *Echinocalos* Hassk. (*Chilocalyx* Hassk.).  
Sect. 7. *Aconogonum* Meisn.  
Sect. 8. *Pseudopolygonella* A. Gray, *Thysanella* A. Gray.  
Sect. 9. *Tiniaria* Meisn., *Bilderdykia* Dmrt.  
Sect. 10. *Pleuropterus* B. et H., *Pleuropterus* Turcz.
- 6085 16 *Fagopyrum* Gärtn. G. III. 99. — Sp. 2. Eur., Asia temp., alibi cult.

TRIBUS IV. **Rumiceæ.**

- 6086 17 *Rheum* L. G. III. 100. — Sp. ad 20. Asia med. et or., Himal.
- 6087 18 *Oxyria* Hill. G. III. 100. — Sp. 2. Eur., Asia et Amer. bor. mont. et arct.
- 6088 19 *Rumex* L. G. III. 100. — Sp. enum. ad 150, sed plures reduc. Orbis fere totus.  
*Acetosa* Neck.
- 6089 20 *Emex* Neck. G. III. 101. (*Vibo* Mönch, *Centopodium* Burch.). — Sp. 2. Reg. Medit., Afr. austr., in Austral. inquil.

TRIBUS V. **Coccolobææ.**

- 6090 21 *Muehlenbeckia* Meisn. G. III. 101. (*Sarcogonum* Don). — Sp. ad 15. Austral., N. Zel., Ins. Pacif., Amer. austr., extratrop. et andina.
- 6091 22 *Coccoloba* L. G. III. 102. — Sp. fere 80. Amer. trop., Mexic., Florida.
- 6092 23 *Campderia* Benth. G. III. 102. — Sp. 2 v. 3. Mexic., Amer. centr., Brasil.



- 6093 24 *Antigonon* Endl. G. III. 103 et 1219. — Sp. 3 v. 4. Mexic., Amer. centr.  
 6094 25 *Brunnichia* Banks. G. III. 103 et 1219. (*Rajania* Walt.). — Sp. 1. Amer. bor., Afr. trop.  
 ? *Fallopia* Adans.

TRIBUS VI. *Triplaridæ*.

- 6095 26 *Leptogonum* Benth. G. III. 103. — Sp. 1. S. Doming.  
 6096 27 *Podopterus* H. et B. G. III. 104. — Sp. 1. Mexic.  
 6097 28 *Triplaris* L. G. III. 104. (*Velasquezia* Bert.). — Sp. enum. 25, ad 10 reduc. Amer. austr. trop.  
*Blochmannia* Rchb.  
 6098 29 *Ruprechtia* C. A. Mey. G. III. 104. — Sp. fere 20. Amer. austr. trop. et subtrop.  
 6099 30 *Symmeria* Benth. G. III. 105. — Sp. 2. Guiana, Brasil., Senegambia.

ORDO CXLIV. **PODOSTEMACEÆ** <sup>(1)</sup>

TRIBUS I. *Tristichæ*.

- 6100 1 *Tristicha* Thou. G. III. 108. (*Dufourea* Bory, *Philocrena* Bong.). — Sp. 6 v. 7? Amer. et Afr. trop. (Asia trop.?).  
 6101 2 *Terniola* Tul. G. III. 108. (*Lawia* Tul., *Dalzellia* et *Tulasnea* Wight., *Mnianthus* Walp.). — Sp. 7. Ind. or., Zeylan.

TRIBUS II. *Moureræ*.

- 6102 3 *Weddellina* Tul. G. III. 109. — Sp. 2. Guiana, Brasil. bor.  
 6103 4 *Mourera* Aubl. G. III. 109. (*Lacis* Schreb.). — Sp. 3. Guiana, Brasil. trop.  
 6104 5 *Lonchostephus* Tul. G. III. 109. — Sp. 1. Brasil.  
 6105 6 *Lacis* Lindl. G. III. 109. — Sp. 1. Brasil. bor.  
 6106 7 *Marathrum* H. et B. G. III. 110. — Sp. 6. Amer. trop. a Brasil. usque ad Mexicum.  
 6107 8 *Rhyncholacis* Tul. G. III. 110. — Sp. 7. Guiana, Brasil. bor.  
 6108 9 *Ligea* Tul. G. III. 110. (*Ligea* et *Ænone* Tul.). — Sp. ad 13. Guiana, Brasil.  
 6109 10 *Apinagia* Tul. G. III. 111. — Sp. ad 16 v. 17? Guiana, Brasil. (Italia super.?).  
*Neolacis* Wedd. pr. p., *Monostylis* Tul., ? *Blandowia* Willd.  
 6110 11 *Lophogyne* Tul. G. III. 111. — Sp. 2. Brasil.

(1) Sp. ad 116, in undis rapide fluentibus reg. trop. et subtrop. crescentes.

TRIBUS III. **Eupodostemeæ.**

- 6111 12 **Angolæa** Wedd. G. III. 111. — Sp. 1. Angola.  
 6112 13 **Hydrobryum** Endl. pr. p. G. III. 112. — Sp. 1. Bengal.  
 6113 14 **Podostemon** Mchx. G. III. 112. (*Dicræa*, male *Dicræia* Thou.).  
     — Sp. ad 20. Amer. bor., Brasil., Madagasc., Ind. or.  
     *Polypleurum* Tayl.  
 6114 15 **Ceratolacis** Wedd. G. III. 113. — Sp. 1. Brasil.  
 6115 16 **Mniopsis** Mart. et Zucc. G. III. 113. (*Crenias* Spreng.). — Sp. 2.  
     Brasil.  
 6116 17 **Sphærothylax** Bisch. G. III. 113. (*Anastrophea* Wedd.). — Sp. 2.  
     Abyss., Afr. austr.  
 6117 18 **Castelnavia** Tul. G. III. 114. — Sp. 7. Brasil. (ad flumen Ara-  
     guay).  
     *Carajæa* Wedd.  
 6118 19 **Oserya** Tul. et Wedd. G. III. 114. — Sp. 4. Mexic., Guiana,  
     Brasil.  
 6119 20 **Potamobryum** Liebm. G. III. 1219. — Sp. 3. Mexic.  
 6120 21 **Devillea** Tul. et Wedd. G. III. 114. — Sp. 1. Brasil. trop.

TRIBUS IV. **Hydrostachydeæ.**

- 6121 22 **Hydrostachys** Thou. G. III. 115. — Sp. 9, forte ad 6 reduc.  
     Madagasc., Afr. austro-or.  
     Genus incertæ sedis.  
 6122 23 ?**Velophylla** Clarke. *New Arrany*. tab. IV (1866). — Sp. 1.  
     Brasil.

ORDO CXLV. **NEPENTHACEÆ**

- 6123 1 **Nepenthes** L. G. III. 116. (*Phyllamphora* Lour.). — Sp. 31.  
     Asia trop., Madagasc., Ins. Seychell., Austral. trop.,  
     N. Caled., Archip. Malay.

ORDO CXLVI. **CYTINACEÆ** <sup>(1)</sup>TRIBUS I. **Rafflesieæ.**

- 6124 1 **Cytinus** L. G. III. 118 et 1220 (*Thyrsine* Gleditsch). — Sp. 4.  
     Reg. Medit., Afr. austr., Mexic.  
     *Phelypea* Thunb., *Hypolepis* Pers., *Bdallophyton* Eichl.

(1) Sp. bene notæ 27, per reg. temp. et calid. Eur. austr., Afr. et Amer. et per plagas Asiæ trop. sparsæ.

- 6125 2 *Apodanthes* Poit. G. III. 118. (*Pilostyles* Guillem., *Frostia* Bert., *Sarna* Karst.). — Sp. 10. Mexic., Amer. austr. trop. et extratrop., Afr. trop., Oriens.  
 6126 3 *Rafflesia* R. Br. G. III. 119. — Sp. 4. Archip. Malay.  
 6127 4 *Brugmansia* Bl. G. III. 119. (*Zippetia* et *Mycetanthus* Rchb.). — Sp. 2. Archip. Malay.  
 6128 5 *Sapria* Griff. G. III. 119. — Sp. 1. Bengal.

TRIBUS II. **Hydnoreæ.**

- 6129 6 *Hydnora* Thunb. G. III. 120. (*Aphyteia* Achar.). — Sp. 8 v. 5? Afr. trop. et austr.  
 6130 7 *Prosopanche* De Bary. G. III. 120. — Sp. 1. Amer. austr. extratrop.

ORDO CXLVII. **ARISTOLOCHIEÆ** <sup>(1)</sup>

- 6131 1 *Asarum* L. G. III. 122. (*Heterotropa* Morr. et Dcne). — Sp. 13. Eur., Asia temp., Amer. bor.  
 6132 2 *Bragantia* Lour. G. III. 122. — Sp. 4 v. 5. Ind. or., Archip. Malay.  
     *Apaina* Lam., *Ceramium* Lour. (*Vanhallia* R. et S., *Munnickia* Rchb.), *Trimeriza* Lindl., *Asiphonia* Griff., *Strakæa* Presl, *Cyclodiscus* Kl.  
 6133 3 *Thottea* Rottb. G. III. 123. (*Lobbia* Planch.). — Sp. 5. Penins. et Archip. Malay.  
 6134 4 *Holostylis* Duchartre. G. III. 123. — Sp. 1. Brasil.  
 6135 5 *Aristolochia* L. G. III. 123 et 1220. — Sp. ad 200. Orbis utriusque reg. temp. et calid.  
     Sect. 1. *Diplolobus* Duchartre, *Aristolochia* Kl., ? *Glossula* Raf.  
     Sect. 2. *Polyanthera* B. et H.  
     Sect. 3. *Gymnolobus* Duchartre, *Guaco* Liebm., *Howardia* et *Einomenia* Kl., ? *Pistolochia* Raf.  
     Sect. 4. *Siphisia* Duchartre, *Hocquartia* Dmrt., *Endodeca* Raf.

ORDO CXLVIII. **PIPERACEÆ** <sup>(2)</sup>

TRIBUS I. **Saurureæ.**

- 6136 1 *Lactoris* Philippi G. III. 127. — Sp. 1. Chili.

(1) Sp. ad 225, per reg. temp. et calidior. totius fere orbis late dispersæ.

(2) Sp. ad 1025, per orbem utrumque late dispersæ, *Piperacæ* vix extra tropicos extensæ, *Saurureæ* in reg. temp. v. subtrop. Amer. et Asiæ or.

- 6137 2 *Saururus* L. G. III. 127. (*Mattuschkia* Gmel., *Spathium* Lour., *Anonymos* Wall.). — Sp. 2. Amer. bor., Asia or. *Saururopsis* Turcz.
- 6138 3 *Houttuynia* Thunb. G. III. 128. (*Polypara* Lour., *Gymnotheca* Dcne). — Sp. 1 v. 2? Asia or. temp. et subtrop.
- 6139 4 *Anemiopsis* H. et A. (*Anemia* Nutt.). — Sp. 1. N. Californ. *Houttuynia* G. III. 128 pr. p.

TRIBUS II. **Pipereæ.**

- 6140 5 *Zippelia* Bl. G. III. 128. — Sp. 1. Java.
- 6141 6 *Piper* L. pr. p. G. III. 129. — Sp. enum. ultra 650, sed plures reduc. Utriusque orb. reg. calidior.  
Sect. 1. *Muldera* B. et H., *Muldera* Miq., *Schizonephos* Griff.  
Sect. 2. *Eupiper* B. et H., *Piper*, *Cubeba* et *Chavica* Miq., *Coccobryon* Kl.  
Sect. 3. *Rhyncholepis* B. et H., *Rhyncholepis* Miq.  
Sect. 4. *Peltobryon* B. et H., *Peltobryon* Kl., *Calliandra* et *Sphærostachys* Miq.  
Sect. 5. *Steffensia* B. et H., *Ottonia* Spreng., *Serronia* Gaud., *Enckea* Kth, *Carpunya* Presl, *Steffensia* et *Schilleria* Kth, *Artanthe* Miq.  
Sect. 6. *Nematanthera* B. et H., *Nematanthera* Miq.
- 6142 7 *Macropiper* Miq. *Comm. Phyt.* 35 (1840). (*Piperis* sect. *Macropiper* B. et H. G. III. 129). — Sp. 6. Ins. Pacif.
- 6143 8 *Heckeria* Kth in *Linnaea* XIII. 564. (*Piperis* sect. *Heckeria* B. et H. G. III. 129). — Sp. 9. Amer. austr. (Orbis vet. sp. 1).
- 6144 9 *Verhuellia* Miq. G. III. 131. (*Mildea* Griseb.). — Sp. 2. Ind. occ.
- 6145 10 *Peperomia* R. et P. G. III. 132 et 1220. — Sp. ad 400. Utriusque orbis reg. calidior.  
*Acrocarpidium*, *Phyllobryon*, *Erasmia*, *Tildenia* et *Micro-piper* Miq.
- 6146 11 *Symbryon* Griseb. G. III. 133. — Sp. 1. Cuba.

ORDO CXLIX. **CHLORANTHACEÆ**

- 6147 1 *Chloranthus* Sw. G. III. 134 et 1220. — Sp. ad 10. Asia calid. *Creodus* Lour., *Cryphæa* Ham., *Peperidia* Rchb., *Nigrina* Thunb., *Tricercandra* A. Gray., *Saintlegeria* Cordemoy, *Sarcandra* Gärdn., *Ascarina* Bl., *Stropha* Nor.
- 6148 2 *Ascarina* Forst. G. III. 134. — Sp. 3. Ins. Pacif., N. Zel.
- 6149 3 *Hedyosmum* Sw. G. III. 135. (*Tafalla* R. et P.). — Sp. 23, ad 20 reduc. Amer. trop.

Genus anomalum

- 6150 4 ?*Circæaster* Maxim. G. III. 1220. — Sp. 1. Asia mont.

ORDO CL. **MYRISTICÆÆ**

- 6151 1 *Myristica* L. G. III. 136. — Sp. ad 90. Asia, Afr. et Amer. trop., Austral.  
 Sect. 1. *Eumyristica* B. et H.  
 Sect. 2. *Virola* A. DC., *Virola* Aubl., *Sebophora* Neck.  
 Sect. 3. *Pyrrhosa* Bl.  
 Sect. 4. *Gymnacranthera* B. et H.  
 Sect. 5. *Otoba* B. et H.  
 Sect. 6. *Irya* B. et H., *Horsfieldia* Willd.  
 Sect. 7. *Knema* Bl., *Knema* Bl.

ORDO CLI. **MONIMIACEÆ** <sup>(1)</sup>

- 6152 1 *Monimia* Thou. G. III. 139. — Sp. 3. Ins. Mascar.  
 6153 2 *Tambourissa* Sonner. G. III. 139. (*Ambora* Juss., *Mithridatea* Schreb.). — Sp. 16. Java, Ins. Mascar.  
 6154 3 *Palmeria* F. Müll. G. III. 140. — Sp. 1 v. 3? Austral., N. Guinea?  
 6155 4 *Mollinedia* R. et P. G. III. 140. (*Tetratome* Pöpp. et Endl.). — Sp. 30. Austral., Amer. calid.  
 6156 5 *Hennecartia* Poisson in *Bull. Soc. bot. Fr.* XXXII. 40 (1885). — Sp. 1. Paraguay.  
 6157 6 *Kibara* Endl. G. III. 140. (*Brongniartia* Bl., *Sciadicarpus* Hassk., *Sarcodiscus* Griff., *Wilkiea* F. Müll.). — Sp. 12. Ind. or., Archip. Malay., Austral.  
 6158 7 *Ehippiandra* Dcne. G. III. 141 et 1221. — Sp. 1. Madagasc.  
 6159 8 *Matthæa* Bl. G. III. 141, — Sp. 1. Malacca, Sumatra, Borneo.  
 6160 9 *Hedycaria* Forst. G. III. 141. — Sp. ad 8. N. Zel., Austral., N. Caled., Ins. Viti.  
 6161 10 *Peumus* Pers. G. III. 141. (*Ruizia* Pavon, *Boldea* Juss.). — Sp. 1. Chili.  
 ?*Peumus* Molina.  
 6162 11 *Hortonia* Wight. G. III. 142. — Sp. 3 v. 1? Penins. Ind. or., Zeylan.  
 6163 12 *Levieria* Becc. G. III. 142. — Sp. 1. N. Guinea, Amboyna.  
 6164 13 *Amborella* H. Bn. G. III. 142. — Sp. 1. N. Caled.  
 6165 14 *Piptocalyx* Oliv. G. III. 143. — Sp. 1. Austral. or.  
 6166 15 ?*Trimenia* Seem. G. III. 143. — Sp. 1. Ins. Viti.

(1) Sp. ad 150, Amer. et Asiæ calidior. Ins. Mascar. et Pacif., Austral. et Afr. trop. occ. incolæ.

TRIBUS II. **Atherospermeæ.**

- 6167 16 **Conuleum** A. Rich. G. III. 143. — Sp. 1. Cayenna.  
 6168 17 **Siparuna** Aubl. G. III. 144. (*Citrosma* R. et P.). — Sp. ad 66.  
 Amer. trop.  
 6169 18 **Glossocalyx** Benth. G. III. 144. — Sp. 2. Afr. trop. occ.  
 6170 19 **Atherosperma** Labill. G. III. 144. — Sp. 1. Austral.  
 6171 20 **Doryphora** Endl. G. III. 145. (*Learosa* Rchb.). — Sp. 1.  
 Austral.  
 6172 21 **Nemuaron** H. Bn. G. III. 145. — Sp. 2. N. Caled.  
 6173 22 **Laurelia** Juss. G. III. 145. (*Pavonia* Ruiz). — Sp. 2. Chili,  
 N. Zel.  
 6174 23 **Daphnandra** Benth. G. III. 145. — Sp. 1. Austral.

ORDO CLII. **LAURINEÆ** <sup>(1)</sup>TRIBUS I. **Perseaceæ.**

- 6175 1 **Cryptocaria** R. Br. G. III. 150. — Sp. ad 45. Asia trop., Aus-  
 tral., N. Zel., Afr. austr., Amer. trop. et austr.  
*Caryodaphne* Nees, *Bellota* C. Gay. (*Boldu* Nees).  
 6176 2 **Ravensara** Sonner. G. III. 151. (*Agathophyllum* Juss., *Evodia*  
*Gärtn.*). — Sp. 3 v. 4. Madagasc.  
 6177 3 **Cyanodaphne** Bl. G. III. 151. — Sp. 2. Archip. Malay.  
 6178 4 ? **Icosandra** Philippi. G. III. 151. — Sp. 1. Chili.  
 6179 5 **Apollonias** Nees. G. III. 152. — Sp. 1. Ind. or., Ins. Canar.  
 6180 6 **Beilschmiedia** Nees. G. III. 152. — Sp. ad 25. Afr. et Asia trop.,  
 Austral., N. Zel., Amer. trop.  
 Sect. 1. *Eubeilschmiedia* B. et H.  
 Sect. 2. *Nesodaphne* B. et H., *Nesodaphne* H. f.  
 Sect. 3. *Hufelandia* B. et H., *Hufelandia* Nees.  
 6181 7 **Dehaasia** Bl. G. III. 152. (*Huasia* Nees.). — Sp. ad 10. Archip.  
 Malay.  
 6182 8 **Aydendron** Nees. G. III. 153. — Sp. ad 45. Amer. trop.  
*Gœppertia* Nees (*Endlicheria* et *Schauera* Nees).  
 6183 9 **Ampelodaphne** Meisn. G. III. 153. — Sp. 5. Brasil., Guiana.  
 6184 10 **Ajonea** Aubl. G. III. 153. (*Douglassia* Schreb., *Colomandra*  
*Neck.*, *Ehrhardia* Scop.). — Sp. ad 8. Brasil., Guiana,  
 Ind. occ.  
 6185 11 **Bernieria** H. Bn in *Bull. Soc. Linn. Paris*. 434 (1884). —  
 Sp. 1. Madagasc.  
 6186 12 ? **Potameia** Thou. G. III. 154. — Sp. 1. Madagasc.

(1) Sp. ad 900, per reg. calidior. utriusque orbis dispersæ.

- 6187 13 **Endiandra** R. Br. G. III. 154. (*Dictyodaphne* Bl.). — Sp. 15 v. 17. Asia, Austral., Brasil.  
Silvia Allem. (*Silvæa* Meisn.).
- 6188 14 **Micropora** H. f. *Icon. Plant.* tab. 1547 (1886). (*Hexapora* H. f. *Fl. B. Ind.* V. 189). — Sp. 1. Ind. or.
- 6189 15 **Syndiclis** H. f. *Icon. Plant.* tab. 1515 (1886). — Sp. 1. Himal.
- 6190 16 **Acroclididium** Nees. G. III. 154. — Sp. ad 12. Amer. trop.
- 6191 17 **Misanteca** Cham. et Schlcht. G. III. 155. (*Symphysodaphne* A. Rich.). — Sp. 4. Mexic., Cuba, Brasil.
- 6192 18 **Ensideroxylon** Teijsm. et Binn. G. III. 155. (*Bihania* Meisn.). — Sp. 1. Borneo.
- 6193 19 **Cinnamomum** Bl. G. III. 155. — Sp. enum. ad 130, sed forsan plurimæ reduc., Asia trop. et subtrop., Austral. trop., alibi inquil.  
Sect. 1. *Malabathrum* Meisn., *Cinnamomum* Nees.  
Sect. 2. *Camphora* Meisn., *Camphora* Nees, *Parthenoxylon* Bl., *Cecicodaphne* Nees.
- 6194 20 **Machilus** Nees. G. III. 156. — Sp. ad 15. Asia trop. et or.
- 6195 21 **Persea** Gärtn. f. G. III. 156. pr. p. — Sp. ad 100. Asia trop. et subtrop., Ins. Canar., Amer. trop. et temp.  
Sect. 1. *Eupersea* B. et H.  
Sect. 2. *Eriodaphne* Nees.  
Sect. 3. *Notaphæbe* B. et H., *Notaphœbe* Bl.  
?Menestrata Vell.
- 6196 22 **Alseodaphne** Nees. (*Perseæ* sect. *Alseodaphne* Nees. G. III. 157). — Sp. 15. Asia trop.
- 6197 23 **Phæbe** Nees. (*Perseæ* sect. *Gnesiopersea* et *Phæbe* B. et H. G. III. 157). — Sp. 25. Amer. et Asia trop. et subtrop.
- 6198 24 **Ocotea** Aubl. G. III. 157. — Sp. ad 150. Amer. trop. et subtrop., Ins. Canar., Afr. austr., Ins. Mascar.  
Sect. 1. *Oreodaphne* B. et H., *Oreodaphne*, *Teleiandra*, *Petalanthera*, *Leptodaphne* et *Evonymodaphne* Nees, *Nemodaphne* Meisn., *Adenotrachelium*, *Aperiphracta*, *Ceramocarpium* et *Ceramophora* Nees ex Meisn.  
Sect. 2. *Strychnodaphne* B. et H., *Strychnodaphne*, *Gymnobalanus* et *Camphoromæa* Nees.
- 6199 25 **Mespilodaphne** Nees. (*Ocoteæ* sect. *Mespilodaphne* B. et H. G. III. 157.) — Sp. 50. Amer. trop.; Ins. Maurit.  
*Agathophyllum* Bl. pr. p.
- 6200 26 ? **Dicypellium** Nees. G. III. 159. — Sp. 1. Brasil.
- 6201 27 **Nectandra** Roland. G. III. 159. (*Porostema* Schreb. pr. p.). — Sp. ad 70. Amer. trop. usque ad Mexicum et Ind. occ. et austr. subtrop.

- 6202 28 *Pleurothyrium* Nees. G. III. 159. — Sp. 7 v. 8? Peruvia,  
Columbia.  
6203 29 *Synandrodaphne* Meisn. G. III. 159. — Sp. 1. N. Granada.

TRIBUS II. *Litseaceæ*.

- 6204 30 *Sassafridium* Meisn. G. III. 160. — Sp. 3. Amer. centr., Ind.  
occ., Brasil.  
6205 31 *Sassafras* Nees. G. III. 160. — Sp. 1. Amer. bor.  
6206 32 *Actinodaphne* Nees. G. III. 160. (*Iozoste* Nees). — Sp. ad 55.  
Ind. or., Archip. Malay., Asia or.  
6207 33 *Dodecadenia* Nees. G. III. 160. — Sp. 3. Ind. or.  
6208 34 *Litsea* Lam. G. III. 161. (*Tetranthera* Jacq.). — Sp. ad 125.  
Asia trop. et or., Austral., alibi inquil.  
Sect. 1. *Eulitsea* B. et H., *Glabraria* Miq.  
Sect. 2. *Conodaphne* Bl.  
Sect. 3. *Cylicodaphne* B. et H., *Cylicodaphne* Nees, *Tomex*  
*Thunb.* (Fiwa Gmel.), *Lepidadenia* Nees, ?*Hexanthus* et  
*Sebifera* Lour.  
6209 35 *Tetradenia* Nees. (*Litsæa* Nees, *Litsæa* sect. *Neolitsea* B. et H.  
G. III. 161). — Sp. ad 30. Asia trop. et or., Austral.  
6210 36 *Umbellularia* Nutt. G. III. 162. (*Drimophyllum* Nutt.). — Sp. 2.  
Californ., Mexic.  
6211 37 *Iteadaphne* Bl. G. III. 162. — Sp. 1. Archip. Malay.  
6212 38 *Lindera* Thunb. G. III. 163. — Sp. ad 60. Asia trop. et or.  
usque ad Japon., Amer. bor.  
Sect. 1. *Benzoin* B. et H., *Benzoin* Nees, *Euosmus* Nutt.  
Sect. 2. *Sasssafrimorpha* B. et H.  
Sect. 3. *Daphnidium* B. et H., *Daphnidium* Nees.  
Sect. 4. *Cephalodaphne* Bl.  
Sect. 5. *Polyadenia* B. et H., *Polyadenia* Nees.  
Sect. 6. *Aperula* B. et H., *Aperula* Bl.  
6213 39 *Laurus* L. G. III. 163. — Sp. 2. Reg. Medit., Ins. Canar.

TRIBUS III. *Cassytheæ*.

- 6214 40 *Cassytha* L. G. III. 164. (*Volutella* Forsk., *Calodium* Lour.).  
— Sp. ad 30. Amer., Asia et Afr. trop., Austral.

TRIBUS IV. *Hernandiææ*.

- 6215 41 *Hernandia* L. G. III. 164. (*Hertelia* Neck.). — Sp. 6 v. 8.  
Utriusque orbis reg. trop.  
*Hernandiopsis* Meisn.  
Genus incertæ sedis.  
6216 42 ?*Massoia* Becc. in d'Albertis *New Guinea* III. 398. — Sp. 1.  
N. Guinea.



ORDO CLIII. **PROTEACEÆ** <sup>(1)</sup>TRIBUS I. **Proteeæ.**

- 6217 1 **Aulax** Berg. G. III. 168. — Sp. 2. Afr. austr.
- 6218 2 **Leucadendron** R. Br., G. III. 169. (*Protea* L. Gen. n. 111, *Conocarpus* Adans.). — Sp. fere 70, sed nonnullæ reduc. Afr. austr.  
Euryspermum, Chasme et Gissonia Salisb., Leucandrum et Vionæa Neck.
- 6219 3 **Protea** L. Gen. éd. 1. 22, G. III. 169. (*Leucadendron* L., *Erodendron* Salisb., *Pleuranthe* Salisb.). — Sp. ad 60. Afr. austr. et trop. usque ad Abyss.
- 6220 4 **Leucospermum** R. Br. G. III. 170. (*Leucadendron* et *Diastella* Salisb.). — Sp. ad 24. Afr. austr.
- 6221 5 **Faurea** Harv. G. III. 170. — Sp. ad 7. Afr. austr. trop. et extratrop., Madagasc.
- 6222 6 **Serruria** Salisb. G. III. 170. — Sp. 52. Afr. austr.
- 6223 7 **Mimetes** Salisb. G. III. 171. — Sp. 14. Afr. austr.  
Sect. 1. *Eumimetes* Endl., *Orothamnus* Pappe.  
Sect. 2. *Pseudomimetes* Endl.
- 6224 8 **Sorocephalus** R. Br. G. III. 171. (*Sorranthe* Salisb.). — Sp. ad 10. Afr. austr.  
Sect. 1. *Mischocaryon* Endl.  
Sect. 2. *Cardiocaryon* Endl.
- 6225 9 **Nivenia** R. Br. G. III. 171. (*Paranomus* Salisb.). — Sp. 12. Afr. austr.
- 6226 10 **Spatalla** Salisb. G. III. 172. — Sp. 17. Afr. austr.
- 6227 11 **Petrophila** R. Br. G. III. 172. — Sp. 37. Austral.  
*Atylus* Salisb.
- 6228 12 **Isopogon** R. Br. G. III. 172. — Sp. 30. Austral.
- 6229 13 **Adenanthos** Labill. G. III. 173. — Sp. 15. Austral. occ. extratrop.
- 6230 14 **Stirlingia** Endl. G. III. 173. (*Simsia* R. Br.). — Sp. 5. Austral. occ. extratrop.

TRIBUS II. **Conospermeæ.**

- 6231 15 **Synaphea** R. Br. G. III. 173. — Sp. 8. Austral. occ. extratrop.
- 6232 16 **Conospermum** Sm. G. III. 174. — Sp. 34. Austral. extratrop.  
Sect. 1. *Isomerum* R. Br.  
Sect. 2. *Euconospermum* Endl.

(1) Sp. ad 950, pro maxima parte Austral. et Afr. austr. propriæ, perpauca per Asiam et Afr. trop., Amer. austr. trop. et extratrop. et Ins. Pacif. sparæ.

TRIBUS III. **Franklandiæ.**

- 6233 17 **Franklandia** R. Br. G. III. 174. — Sp. 2. Austral. occ. extra-trop.

TRIBUS IV. **Persooniæ.**

- 6234 18 **Symphyonema** R. Br. G. III. 174. — Sp. 2. Austral. or. extra-trop.  
 6235 19 **Bellendena** R. Br. G. III. 175. — Sp. 1. Tasmania.  
 6236 20 **Agastachys** R. Br. G. III. 175. — Sp. 1. Tasmania.  
 6237 21 **Beauprea** Brongn. et Gris. G. III. 175. — Sp. 5. N. Caled.  
 6238 22 ? **Dilobeia** Thou. G. III. 175. — Sp. 1. Madagasc.  
 6239 23 **Cenarrhenes** Labill. G. III. 176. — Sp. 1. Tasmania.  
 6240 24 **Garnieria** Brongn. et Gris. G. III. 176. — Sp. 1. N. Caled.  
 6241 25 **Persoonia** Sm. G. III. 176 et 1221. (*Linkia* Cav., *Pentadactylon* Gärtn. f.). — Sp. 60. N. Zel., Austral.  
 6242 26 **Brabeium** L. G. III. 177. (*Brabyia* L.). — Sp. 1. Afr. austr.

TRIBUS V. **Grevilleæ.**

- 6243 27 **Panopsis** Salisb. G. III. 177. (*Andriapetalum* Pohl). — Sp. 8. Amer. trop. austr.  
 6244 28 **Euplassa** Salisb. G. III. 177. (*Adenostephanus* Kl., *Dicneckeria* Vell.). — Sp. 8. Guiana, Brasil.  
 6245 29 **Guevinà** Molina. G. III. 177. (*Quadria* R. et P.). — Sp. 1. Chili.  
 6246 30 **Kermadecia** Brongn. et Gris. G. III. 178. — Sp. 5. N. Caled., Austral. trop. or.  
 6247 31 **Macadamia** F. Müll. G. III. 178. — Sp. 1 v. 2. Austral. or.  
 6248 32 **Hicksbeachia** F. Müll. in *Wing's S. Sc. Record*, mense Febr. 1882. — Sp. 1. Austral. or. subtrop.  
 6249 33 **Roupala** Aubl. G. III. 178. (*Ropala*, *Rapala* et *Rhopala* Auct.). — Sp. 33. Amer. trop., (Austral. sp. 1).  
 6250 34 **Lambertia** Sm. G. III. 179. — Sp. 8. Austral. extratrop.  
 6251 35 **Xylomelum** Sm. G. III. 179. — Sp. 4. Austral.  
 6252 36 **Helicia** Lour. G. III. 179. (*Helittophyllum* Bl., *Castronia* Nor.). — Sp. ad 25. Asia trop., Austral.  
 6253 37 **Hollandæa** F. Müll. in *Chem. and Drugg. Austral.*, mense Jun. 1887. — Sp. 1. Austral. or. subtrop.  
 6254 38 **Orites** R. Br. G. III. 180. — Sp. 7. Austral., Chili. Patagua Pöpp., Oritina R. Br.  
 6255 39 **Grevillea** R. Br. G. III. 180. — Sp. ultra 160. N. Caled., Austral.  
     *Stylurus* et *Lysanthe* Salisb., *Anadenia* R. Br., *Manglesia* Endl.

- 6256 40 *Strangea* Meisn. in *Hooker's Kew. Misc.* VII. 66 (1855). (*Molloya* Meisn.). — Sp. 2. Austral.  
 6257 41 *Hakea* Schrad. G. III. 181. (*Conchium* Sm.). — Sp. 98. Austral.  
*Mercklinia* Rgl.  
 6258 42 *Canarvonnia* F. Müll. G. III. 182. — Sp. 1. Austral. trop. or.  
 6259 43 *Buckinghamia* F. Müll. G. III. 182. — Sp. 1. Austral. trop. or.  
 6260 44 *Darlingia* F. Müll. G. III. 182. — Sp. 1. Austral. trop. occ.

TRIBUS VI. **Embothriæ.**

- 6261 45 *Cardwellia* F. Müll. G. III. 182. — Sp. 1. Austral. trop. or.  
 6262 46 *Stenocarpus* R. Br. G. III. 182. (*Cybele* Salisb., *Agnostus* A. Cunn.). — Sp. 14. N. Caled., Austral.  
 6263 47 *Lomatia* R. Br. G. III. 183. (*Tricondylus* Salisb.). — Sp. 9. Chili, Austral.  
 6264 48 *Embothrium* Forst. pr. p. G. III. 183. — Sp. 4. Amer. austr. extratrop. et andina.  
*Oreocallis* R. Br.  
 6265 49 *Telopea* R. Br. G. III. 184. (*Hylogyne* Salisb.). — Sp. 2. Austral.  
 6266 50 *Knightia* R. Br. G. III. 184. (*Rymandra* Salisb.). — Sp. 3. N. Zel., N. Caled.

TRIBUS VII. **Banksiæ.**

- 6267 51 *Banksia* L. f. G. III. 184. — Sp. 46. Austral.  
 6268 52 *Dryandra* R. Br. G. III. 185. (*Josephia* Salisb.). — Sp. 19. Austral. occ. extratrop.

ORDO CLIV. **THYMELÆACEÆ** <sup>(1)</sup>

TRIBUS I. **Euthymelææ.**

- 6269 1 *Pimelea* Banks. G. III. 189. (*Banksia* Forst. *Cookia* Gmel.). — Sp. 76. Austral., N. Zel.  
 Sect. 1. *Thecanthes* Benth., *Thecanthes* Wikström.  
 Sect. 2. *Eupimelea* Benth.  
 Sect. 3. *Heterolæna* Benth., *Heterolæna* Fisch.  
 Sect. 4. *Calyptrrostegia* Benth., *Calyptrrostegia* C. A. Mey. pr. p., *Gymnococca* F. et M., *Macrostegia* Turcz.  
 Sect. 5. *Malistachys* Benth.  
 Sect. 6. *Dithalamia* Benth.  
 Sect. 7. *Epallage* Benth., *Calyptrrostegia* C. A. Mey. pr. p.

(1) Sp. ad 400, per reg. temp., calid. et trop. utriusque orbis dispersæ.

- 6270 2 *Schoenobiblos* Mart. et Zucc. G. III. 189. — Sp. 2. Brasil. bor., Guiana, Venezuela.
- 6271 3 *Daphne* L. G. III. 190. — Sp. ad 80. Eur., Asia temp. et subtrop.  
 Sect. 1. *Eudaphne* B. et H., *Mezereum* C. A. Mey.  
 Sect. 2. *Daphnanthes* Meisn.  
 Sect. 3. *Genkwa* B. et H.  
 Sect. 4. *Eriosolena* Meisn., *Scopolia* L. f., *Eriosolenia* Bl.
- 6272 4 *Ovidia* Meisn. G. III. 190. — Sp. 4. Chili, Andes popayanenses.
- 6273 5 *Dirca* L. G. III. 191. — Sp. 2. Amer. bor.
- 6274 6 *Thymelæa* Endl. G. III. 191. — Sp. ad 20. Reg. Medit., Eur. med., Asia med. et occ., Ins. Canar.  
 Sect. 1. *Lygia* B. et H., *Lygia* Pasano.  
 Sect. 2. *Chlamydanthus* B. et H., *Chlamydanthus* C. A. Mey.  
 Sect. 3. *Piptochlamys* B. et H., *Piptochlamys* C. A. Mey., *Sanamunda* Zumag.
- 6275 7 *Daphnopsis* Mart. et Zucc. G. III. 191. (*Nordmannia* F. et M.). — Sp. ad 20. Amer. calidior.  
 Sect. 1. *Nordmannia* B. et H.  
 Sect. 2. *Neivira* Griseb., *Coleophora* Miers.
- 6276 8 *Lasiadenia* Benth. G. III. 192 (excl. syn. *Linodendron* Griseb.). — Sp. 1. Guiana, Brasil. Cf. cl. Radlk. in *Sitzb. K. b. Acad.* 496 (1884).
- 6277 9 *Dais* L. G. III. 192. — Sp. 2. Afr. austr., Madagasc.
- 6278 10 *Edgeworthia* Meisn. G. III. 193. — Sp. 2. Ind. or., China, Japon.
- 6279 11 *Wikstroemia* Endl. G. III. 193. — Sp. ad 20. Asia trop. et or., Austral., Ins. Pacif.  
 Sect. 1. *Euwikstroemia* Meisn., ? *Capura* L.  
 Sect. 2. *Diplomorpha* Meisn., *Diplomorpha* Meisn.
- 6280 12 *Stellera* L. pr. p. G. III. 193. — Sp. 6 v. 8? Asia centr. et occ.  
 Sect. 1. *Chamæstellera* C. A. Mey.  
 Sect. 2. *Dendrostellera* C. A. Mey.
- 6281 13 *Arthrosolen* C. A. Mey. G. III. 193. — Sp. 10. Afr. austr. et trop.
- 6282 14 *Diarthron* Turcz. G. III. 194. — Sp. 2. Asia temp. a Persia usque ad Mandshuriam.
- 6283 15 *Passerina* L. G. III. 194. — Sp. 4. Afr. austr.
- 6284 16 *Chymococca* Meisn. G. III. 194. — Sp. 1. Afr. austr.
- 6285 17 *Goodallia* Benth. G. III. 194. — Sp. 1. Guiana.
- 6286 18 *Funifera* Leandro. G. III. 195. — Sp. 2. Brasil.  
 Bosca Vell.

- 6287 19 *Lagetta* Juss. G. III. 195. — Sp. 2. Ind. occ.  
 6288 20 *Cryptadenia* Meisn. G. III. 195. — Sp. 4 v. 5. Afr. austr.  
 6289 21 *Lachnæa* L. G. III. 196. — Sp. ad 18. Afr. austr.  
     *Radojitskya* Turcz.  
 6290 22 *Drapetes* Banks. G. III. 196 et 1221. — Sp. 5. Amer. antarct.,  
     N. Zel., Austral., Borneo.  
     *Kelleria* Endl., *Daphnobryon* Meisn.  
 6291 23 *Struthiola* L. G. III. 196. (*Belvala* Adans.). — Sp. ad 20. Afr.  
     austr.  
 6292 24 *Gnidia* L. G. III. 197. — Sp. ultra 40. Afr. trop. et austr.  
     Sect. 1. *Eugnidia* Meisn., *Thymelina* Hoffmsg., ?*Canalia*  
     F. V. Schmidt.  
     Sect. 2. *Phidia* Meisn.  
 6293 25 *Lasiosiphon* Fresen. G. III. 197. — Sp. ad 25. Afr. austr. et trop.,  
     Madagasc., Asia trop.  
 6294 26 *Linostoma* Wall. G. III. 197. (*Nectandra* Roxb.). — Sp. 5 v. 6.  
     Ind. or., Brasil. bor.  
     *Psilæa* Miq., *Enkleia* Griff., *Lophostoma* Meisn.  
 6295 27 *Dicranolepis* Planch. G. III. 197. — Sp. 2. Afr. trop.  
 6296 28 *Synaptolepis* Oliv. G. III. 198. — Sp. 2. Afr. trop.  
 6297 29 *Stephanodaphne* H. Bn. G. III. 198. — Sp. 2. Ins. Comor.,  
     Madagasc.

TRIBUS II. **Phaleriæ.**

- 6298 30 *Peddiea* Harv. G. III. 199. (*Cyathodiscus* Hochst., *Psilosolena*  
     Presl). — Sp. 3. Afr. trop., Natal.  
 6299 31 *Leucosmia* Benth. G. III. 199. — Sp. ad 5. Ins. Pacif. austr.  
 6300 32 *Phaleria* Jack. G. III. 199. (*Drimyspermum* Reinw.). — Sp.  
     ad 8. Zeylan., Archip. Malay., Austral.  
 6301 33 *Pseudais* Dcne. G. III. 200. — Sp. 1. Archip. Malay.

TRIBUS III. **Aquilarieæ.**

- 6302 34 *Gyrinops* Gärtn. G. III. 200. (*Lachnolepis* Miq.). — Sp. 2.  
     Ind. or., Zeylan., Archip. Malay.  
 6303 35 *Gyrinopsis* Dcne. G. III. 200. — Sp. 2. Ins. Philippin., Assam.  
 6304 36 *Aquilaria* Lam. G. III. 200. (*Agallochum* Lam. pr. p., *Ophi-*  
     *spermum* Lour.). — Sp. 2 v. 3. Archip. Malay., Asia or.  
     usque ad Chinam.

Genera anomala.

- 6305 37 ?*Octolepis* Oliv. G. III. 201. — Sp. 1. Afr. trop. occ.  
 6306 38 ?*Gonystylus* Teijsm. et Binn. G. III. 201. — Sp. 1. Java.

ORDO CLV. **PENÆACEÆ** <sup>(1)</sup>

- 6307 1 **Penæa** L. G. III. 202. — Sp. 9. Afr. austr.  
Stylaptera Juss.
- 6308 2 **Sarcocolla** Kth. G. III. 202. — Sp. 9 v. 10. Afr. austr.  
Brachysiphon A. Juss.
- 6309 3 **Endonema** A. Juss. G. III. 202. — Sp. 2 v. 3. Afr. austr.  
Glischrocolla A. DC.
- Genus anomalum.
- 6310 4 **Geissoloma** Lindl. G. III. 203. — Sp. 1. Afr. austr.

ORDO CLVI. **ELÆAGNACEÆ**

- 6311 1 **Elæagnus** L. G. III. 204. (*Lepargyræa* Raf. ex Steud.). — Sp. 27  
(ad 12 a cl. Maxim. reduct.). Eur. austr., Asia temp. et  
trop., Austral., Amer. bor.  
Octarillum Lour.
- 6312 2 **Hippophaë** L. G. III. 204. — Sp. 1. Eur., Amer., Asia temp.  
et med.
- 6313 3 **Shepherdia** Nutt. G. III. 204. (*Lepargyreia* Raf. ex Schlcht.).  
— Sp. 3. Amer. bor.

ORDO CLVII. **LORANTHACEÆ** <sup>(2)</sup>TRIBUS I. **Euloranthææ.**

- 6314 1 **Nuytsia** R. Br. G. III. 206. — Sp. 1. Austral. austro-occ.
- 6315 2 **Loranthus** L. G. III. 207. — Sp. ad 350. Reg. calidior. utrius-  
que orbis (Amer. bor. except.).  
Series A. G. III. 207.
- Sect. 1. *Euloranthus* B. et H., Baratranthus Miq.
- Sect. 2. *Phœnicanthemum* B. et H., Lanthorus Presl,  
*Phœnicanthemum* Miq., Helixanthera Lour.
- Sect. 3. *Acrostachys* B. et H.
- Sect. 4. *Plicopetalus* B. et H.
- Sect. 5. *Heteranthus* B. et H.
- Sect. 6. *Tapinostemma* B. et H.
- Sect. 7. *Cichlanthus* Endl.
- Sect. 8. *Dendrophthoë* B. et H., Moquinia Spreng., Lichten-  
steinia Wendl., Dendrophthoë Mart., Scurrula G. Don.

(1) Sp. ad 20, Africa australis incolæ.

(2) Sp. ad 520, per reg. utriusque orbis latissime dispersæ, in temp. tam. boreal. quam austr. rariores.

- Sect. 9. *Tapinanthus* Bl.  
 Sect. 10. *Tolypanthus* Bl.  
 Sect. 11. *Loxanthera* B. et H., *Loxanthera* Bl.  
 Sect. 12. *Macrosolen* Bl., *Macrosolen* Miq.  
 Sect. 13. *Elytranthe* Bl., *Elytranthe* Miq.  
 Sect. 14. *Lepiostegeres* Bl., *Lepiostegeres* Miq.  
 Series B. G. III. 211.  
 Sect. 15. *Aëtanthus* B. et H.  
 Sect. 16. *Psittacanthus* B. et H., *Psittacanthus* Mart.  
 Sect. 17. *Phrygilanthus* B. et H., *Phrygilanthus* Eichl.,  
*Tristerix* Mart., *Notanthera* G. Don.  
 Sect. 18. *Gaiadendron* B. et H., *Gaiadendron* G. Don,  
*Atkinsonia* F. Müll.  
 Sect. 19. *Struthanthus* B. et H., *Spirostylis* Presl, *Stru-*  
*thanthus* Mart., *Dendropemon* et *Lipotactes* Bl., *Passowia*  
*Kart.*, *Phthirusa* Mart.  
 Sect. 20. *Oryctanthes* B. et H., *Oryctanthes* Eichl.

TRIBUS II. **Visceæ.**

- 6316 3 *Viscum* L. G. III. 213. — Sp. fere 30. Orbis veteris reg. cali-  
 dior. et temp.  
 6317 4 *Arceuthobium* M. B. G. III. 213. (*Razoumowskia* Hoffm.). —  
 Sp. 5 v. 6. Eur., Asia occ., Amer. bor., Mexic.  
 6318 5 *Dendrophthora* Eichl. G. III. 214. (*Arceuthobium* Griseb.). —  
 Sp. ad 25. Ind. occ., Amer. centr., Columbia.  
 6319 6 *Phoradendron* Nutt. G. III. 214. (*Allobium* Miers, *Spiciviscum*  
*Engelm.*). — Sp. ad 80. Amer. bor. et austr.  
*Castrea* A. S'-Hil.  
 6320 7 *Notothixos* Oliv. G. III. 214. — Sp. 4. Zeylan., Austral.  
 6321 8 *Ginalloa* Korth. G. III. 215. — Sp. 4. Asia trop.  
 6322 9 *Eremolepis* Griseb. G. III. 215. — Sp. 5. Amer. trop. et austr.  
 extratrop.  
*Ixidium* Eichl.  
 6323 10 *Eubrachion* H. f. G. III. 216. — Sp. 2. Uruguay, Brasil.  
 6324 11 *Tupeia* Cham. et Schlcht. G. III. 216. — Sp. 1. N. Zel.  
 6325 12 *Lepidoceras* H. f. G. III. 216. (*Myrtobium* Miq.). — Sp. 3.  
 Peruvia, Chili.  
 6326 13 *Antidaphne* Pöpp. et Endl. G. III. 216. — Sp. 2. Columbia  
 Peruvia, Costa Rica, Panama.

ORDO CLVIII. **SANTALACEÆ** <sup>(1)</sup>TRIBUS I. **Thesieæ.**

- 6327 1 **Quinchamalium** Juss. G. III. 220. — Sp. 13 v. 7? Amer. austr. extratrop.  
 6328 2 **Arjona** Cav. G. III. 220. — Sp. 8 v. 3? Amer. austr. extratrop.  
 6329 3 **Thesium** L. G. III. 221. — Sp. ultra 100. Orbis veteris reg. temp. et trop., Brasil.  
     *Rhinostegia* Turcz.  
 6330 4 **Thesidium** Sond. G. III. 222. — Sp. 6. Afr. austr.  
 6331 5 ?**Osyridicarpos** A. DC. G. III. 222. — Sp. 2. Afr. austr., Abyss.

TRIBUS II. **Osyrideæ**

- 6332 6 **Cervantesia** R. et P. G. III. 222. — Sp. 3 v. 1? Columbia Ecuador., Peruvia mont.  
 6333 7 **Iodina** H. et A. G. III. 223. — Sp. 1. Amer. austr. extratrop.  
 6334 8 **Pyrularia** Mchx. G. III. 223. (*Hamiltonia* Mühlbg, *Sphærocarya* Wall.). — Sp. 2. Amer. bor. or., Himal.  
 6335 9 **Acanthosyris** Griseb. G. III. 224. — Sp. 1. Brasil. austr., Argentina.  
 6336 10 **Comandra** Nutt. G. III. 224. (*Hamiltonia* Spreng.). — Sp. 4. Eur., Amer. bor.  
 6337 11 **Santalum** L. G. III. 224. (*Sirium* Schreb.). — Sp. ad 8. Ind. or., Archip. Malay., Austral., Ins. Pacif.  
 6338 12 **Fusanus** R. Br. G. III. 225. (*Eucarya* Mitch.). — Sp. 5. Austral., N. Zel.  
     Sect. 1. *Eufusanus* B. et H., *Santali* sect. 1 pr. p. A. DC., *Fusanus* R. Br.  
     Sect. 2. *Mida* B. et H., *Santali* sect. 2. A. DC., *Mida* A. Cunn.  
 6339 13 **Colpoon** Berg. G. III. 225. (*Fusanus* Murr.). — Sp. 2 v. 3. Afr. austr.  
     *Rhoiacarpos* A. DC., *Hamiltonia* Harv.  
 6340 14 **Nanodea** Banks. G. III. 226. — Sp. 1. Terra magellanica.  
 6341 15 **Myoschilos** R. et P. G. III. 226. — Sp. 1. Chili.  
 6342 16 **Buckleya** Torr. G. III. 226. (*Nestronia* Raf. pr. p., *Quadriala* S. et Z.). — Sp. 2 v. 3. Japon., Amer. bor.  
     *Darbya* A. Gray.  
 6343 17 **Osyris** L. G. III. 227. — Sp. 5 v. 6. Eur. austr., Afr. fere tota, Ind. or.  
 6344 18 **Omphacomeria** A. DC. G. III. 227. — Sp. 2. Austral.

(1) Sp. ad 200, per reg. trop. et temp. utriusque orbis latissime dispersæ.



- 6345 19 *Henslowia* Bl. G. III. 228. (*Dendrotrophe* Miq., *Tupeia* Bl.). —  
Sp. 12. Ind. or., Archip. Malay., China.  
6346 20 *Scleropyron* Arn. G. III. 228. — Sp. 2. Ind. or., Zeylan.  
6347 21 *Choretum* R. Br. G. III. 228. — Sp. 4. Austral.  
6348 22 *Leptomeria* R. Br. G. III. 229. — Sp. 14. Austral.  
6349 23 *Phacellaria* Benth. G. III. 229. — Sp. 2. Burma, Malacca.  
6350 24 *Myzodendron* Banks et Soland. (errore *Misodendron*). G. III.  
229. — Sp. 4. Chili, Terra Magellanica.

TRIBUS III. **Anthoboleæ.**

- 6351 25 *Anthobolus* R. Br. G. III. 230. — Sp. 3 v. 4. Austral.  
6352 26 *Exocarpus* Labill. G. III. 230. (*Sarcocalyx* Zipp., *Xynophylla*  
Montrouz.). — Sp. ad 12. Austral., N. Zel., Ins. Norfolk,  
Mascar. et Sandvic., Archip. Malay.  
6353 27 *Champereia* Griff. G. III. 231. (*Malulucban* Blanco). — Sp. 2.  
Malacca, Java, Ins. Philippin.

TRIBUS IV. **Grubbieæ.**

- 6354 28 *Grubbia* Berg. G. III. 231. (*Ophira* L.). — Sp. 2. Afr. austr.  
*Ophira* Lam., *Strobilocarpus* Kl.

ORDO CLIX. **BALANOPHOREÆ** <sup>(1)</sup>

TRIBUS I. **Cynomorieæ.**

- 6355 1 *Cynomorium* L. G. III. 234. — Sp. 1. Reg. Medit. ab Ins.  
Canar. usque ad Syriam, Asia centr.

TRIBUS II. **Sarcophyteæ.**

- 6356 2 *Sarcophyte* Sparrm. G. III. 234. (*Ichthyosma* Schlcht.). — Sp. 1.  
Afr. austr.

TRIBUS III. **Mystropetaleæ.**

- 6357 3 *Mystropetalon* Harv. G. III. 234. (*Blepharochlamys* Presl). —  
Sp. 2. Afr. austr.

TRIBUS IV. **Dactylantheseæ.**

- 6358 4 *Dactylanthus* H. f. G. III. 235. — Sp. 1. N. Zel.

TRIBUS V. **Eubalanophoreæ.**

- 6359 5 *Balanophora* Forst. G. III. 235. (*Cynopsole* Endl., *Sarcocordylis*  
Wall.). — Sp. 11. Asia et Austral. trop. et subtrop.,  
Archip. Malay., N. Hebrides.

(1) Sp. ad 35, per reg. trop. utriusque orbis et Afr. austr. sparsæ, sp. 2 in Reg. Medit. et N. Zel.

TRIBUS VI. **Langsdorffieæ.**

- 6360 6 **Langsdorffia** Mart. G. III. 236. — Sp. 1. Amer. austr. trop.,  
Mexic. austr.
- 6361 7 **Thonningia** Vahl. G. III. 236. (*Conophyta* Schum., *Hæmato-*  
*strobis* Endl.). — Sp. 1. Afr. occ. trop.

TRIBUS VII. **Helosideæ.**

- 6362 8 **Scybalium** Schott et Endl. G. III. 236. — Sp. 4. Brasil.,  
N. Granada, Jamaica.  
Sphærorhizon et Phyllocoryne H. f.
- 6363 9 **Helosis** Rich. G. III. 237. (*Lathræophila* Leandro, *Caldasia*  
Mutis). — Sp. 3 v. 1? Amer. austr. trop., Mexic. austr.
- 6364 10 **Corynæa** H. f. G. III. 237. — Sp. 4. Peruvia, N. Granada,  
Columbia, Costa Rica.
- 6365 11 **Rhopalocnemis** Jungh. G. III. 238. (*Phæocordylis* Griff.). —  
Sp. 1. Ind. maxime or., Java.

TRIBUS VIII. **Lophophyteæ.**

- 6366 12 **Lophophytum** Schott et Endl. G. III. 238. (*Archimedeia* Lean-  
dro, *Lepidophyton* H. f.). — Sp. 4. Amer. trop. austr.
- 6367 13 **Ombrophytum** Pöpp. G. III. 239. — Sp. 2. Peruvia mont.
- 6368 14 **Lathrophytum** Eichl. G. III. 239. — Sp. 1. Brasil. (prov. Rio  
de Janeiro).

ORDO CLX. **EUPHORBIACEÆ** <sup>(1)</sup>TRIBUS I. **Euphorbieæ.**

- 6369 1 **Pedilanthus** Neck. G. III. 257. (*Crepidaria* Haw.). — Sp. 15.  
Amer. trop. a Brasil. usque ad Mexic. et Ind. occ.  
Pedilanthus, Hexadenia et Diadenaria Kl. et Garcke.
- 6370 2 **Euphorbia** L. G. III. 258. (*Tithymalus* Gärtner.). — Sp. ultra  
635. Utriusque orbis reg. trop. et temp.  
Sect. 1. *Anisophyllum* Boiss., *Anisophyllum* Haw.  
Sect. 2. *Adenopetalum* B. et H., *Adenopetalum*, *Eume-*  
*canthus* et *Leptopus* Kl. et Garcke, *Alectorocotonum*  
Schlecht., *Petaloma* Raf. (*Dichrophyllum* Kl. et Garcke),  
*Tithymalopsis*, *Trichrostigma* et *Euphorbiastrum* Kl. et  
Garcke.  
Sect. 3. *Poinsettia* B. et H., *Poinsettia* Grah.  
Sect. 4. *Eremophyton* Boiss.

(1) Sp. bene dist. ultra 3000, per totum fere orbem terrarum dispersæ, sed in reg. arct. et antarct. uti in summis Alpibus omnino desunt.

Sect. 5. *Euphorbium* Boiss., *Arthrothamnus* Kl. et Garcke.

*Anthacantha* Lemaire, *Sterigmanthe* Kl. et Garcke,

*Treisia*, *Dactylanthes* et *Medusea* Haw.

Sect. 6. *Tithymalus* Boiss., *Galarhœus* et *Esula* Haw.

? *Keraselma* et *Athymalus* Neck.

- 6371 3 *Synadenium* Boiss. G. III. 261. — Sp. 2 v. 3. Afr. austr. et trop. or.  
 6372 4 *Calycopeplus* Planch. G. III. 261. — Sp. 2 v. 3. Austral. occ.  
 6373 5 *Anthostema* A. Juss. G. III. 261. — Sp. 3. Afr. trop., Madagasc.

#### TRIBUS II. *Stenolobiæ*.

- 6374 6 *Poranthera* Rudge. G. III. 262 et 1222. — Sp. 5 v. 7? Austral., N. Zel.  
 6375 7 *Micrantheum* Desf. G. III. 262. — Sp. 2. Austral.  
*Caletia* H. Bn.  
 6376 8 *Pseudanthus* Sieb. G. III. 262. (*Chrysostemon* Kl., *Chorizotheca* Müll. Arg.). — Sp. 7. Austral.  
 6377 9 *Stachystemon* Planch. G. III. 263. — Sp. 3. Austral. occ. extratrop.  
 6378 10 *Beyeria* Miq. G. III. 263. (*Calyplostigma* Kl.). — Sp. 13. Austral.  
*Beyeropsis* Müll. Arg.  
 6379 11 *Ricinocarpus* Desf. G. III. 263. (*Ræperia* Spreng.). — Sp. 13. Austral.  
 6380 12 *Bertya* Planch. G. III. 264. — Sp. 10. Austral.  
 6381 13 *Monotaxis* Brongn. G. III. 264. — Sp. 7. Austral.  
 Sect. 1. *Eumonotaxis* Benth.  
 Sect. 2. *Hippocrepantha* Benth., *Hippocrepantha* Müll. Arg.  
 6382 14 *Dysopsis* H. Bn. G. III. 264. (*Molina* C. Gay). — Sp. 1. Amer. austr. andina, Ins. Juan Fernandez.  
 6383 15 *Amperea* A. Juss. G. III. 265. — Sp. 6. Austral.

#### TRIBUS III. *Buxæ*.

- 6384 16 *Simmondsia* Nutt. G. III. 265. (*Brocchia* Mauri). — Sp. 1. Californ.  
 6385 17 *Styloceras* A. Juss. G. III. 265. — Sp. 3. Columbia, Bolivia.  
 6386 18 *Notobuxus* Oliv. G. III. 1222. — Sp. 1. Natal.  
 6387 19 *Sarcococca* Lindl. G. III. 266. (*Lepidopelma* Kl.). — Sp. 3. Ind. or., Archip. Malay.  
*Austrobuxus* Miq.  
 6388 20 *Buxus* L. G. III. 266. — Sp. ad 20. Orbis veteris hemisph. bor., Madagasc., Afr. trop., Ind. occ.

Sect. 1. *Eubuxus* B. et H.

Sect. 2. *Tricera* B. et H., *Crantzia* et *Tricera* Sw.

- 6389 21 *Pachysandra* Mchx. G. III. 267. — Sp. 2. Amer. bor., Japon.

TRIBUS IV. **Phyllanthæ.**

- 6390 22 ?*Stenonia* H. Bn. G. III. 267. — Sp. 1. Ins. Comor.

- 6391 23 *Bridelia* Willd. G. III. 267. (*Briedelia* Willd., *Zarcoa* Llanos, *Candelabria* Hochst.). — Sp. ad 25. Asia et Afr. trop., Madagasc., Archip. Malay., Austral., N. Caled.

- 6392 24 *Amanoa* Aubl. G. III. 268. — Sp. 6. Amer. et Afr. occ. trop.

- 6393 25 *Cleistanthus* H. f. G. III. 268. (*Lebidiera* H. Bn, *Leiopyxis* Miq.). — Sp. ad 22. Asia et Afr. trop., Madagasc., Archip. Malay., Austral., N. Caled.

*Lebidieropsis* Müll. Arg., *Nanopetalum* Hassk.

- 6394 26 *Discocarpus* Kl. G. III. 269. — Sp. 3. Brasil., Guiana.

- 6395 27 *Lachnostylis* Turcz. G. III. 269. — Sp. 1. Afr. austr.

- 6396 28 *Actephila* Bl. G. III. 269. (*Anomospermum* Dalz.). — Sp. ad 10. Ind. or., Archip. Malay., Austral.

*Lithoxylon* Endl.

- 6397 29 *Wielandia* H. Bn. G. III. 270. — Sp. 1. Ins. Seychell.

- 6398 30 *Savia* Willd. G. III. 270. — Sp. ad 10. Ind. occ., Madagasc., (Brasil?).

*Petalodiscus* et *Charidia* H. Bn, ?*Gonatogyne* Kl.

- 6399 31 *Andrachne* L. G. III. 270. — Sp. 10. Eur. mer., Asia temp. et trop., Afr. austr., Amer. bor. (Peruvia?).

*Eraclissa* Forsk., *Lepidanthus* Nutt., *Phyllanthidea* Didrichs., *Arachne* Neck. (*Leptopus* Dcne).

- 6400 32 *Agyneia* Vent. G. III. 271. (*Diplomorpha* Griff.). — Sp. 2 v. 1. Ind. or., Archip. Malay., Ins. Mascar.

- 6401 33 *Sauropus* Bl. G. III. 271. (*Ceratogynum* Wight). — Sp. 14. Ind. or., Archip. Malay. (N. Caled.?).

- 6402 34 *Cluytiandra* Müll. Arg. G. III. 272. — Sp. 1. Afr. trop. occ.

- 6403 35 *Reverchonnia* A. Gray. G. III. 1222. — Sp. 1. Texas.

- 6404 36 *Phyllanthus* L. G. III. 272. — Sp. ad 480. Reg. calid. utriusque orbis.

Sect. 1. *Glochidium* B. et H., *Phyllanthi series* I. Müll. Arg., *Glochidion* Forst., *Bradleia* Gärtn., *Gynoon* A. Juss., *Glochisandra* Wight, *Lobocarpus* W. et A., *Glochidionopsis* Bl.

Sect. 2. *Synostemon* B. et H., *Synostemon* F. Müll.

Sect. 3. *Cicca* B. et H., *Cicca* L., *Tricaryum* Lour., *Staurothyra* Griff., *Wurtzia* H. Bn, *Prosorus* Dalz., *Calocaryus* Kurz.

Sect. 4. *Kirganelia* B. et H., *Kirganelia* et *Anisonema* A. Juss., *Peltandra* Wight.

Sect. 5. *Emblica* B. et H., *Emblica* Gärtn., *Dichelactina* Hance.

Sect. 6. *Emblicastrum* B. et H.

Sect. 7. *Williamia* B. et H., *Williamia* H. Bn.

Sect. 8. *Paraphyllanthus* B. et H., *Hemicicca* et *Orbicularia* H. Bn.

Sect. 9. *Euphyllanthus* B. et H., *Conami* Aubl., *Macræa* Wight, *Synexemia* et *Geminaria* Raf., *Meborea* Aubl., (*Rhopium* Schreb., *Tephranthus* Neck.), *Cathetus* Lour., *Ceramanthus* Hassk., *Menarda* A. Juss., *Asterandra* Kl., *Epistylum* Sw.

Sect. 10. *Reidia* B. et H., *Reidia* Wight, *Eriococcus* Hassk., *Nymphanthus* Lour., *Scepasma* Bl.

Sect. 11. *Xylophylla* B. et H., *Xylophylla* Schreb., *Genesiphylla* L'Hér., ?*Chorizandra* Wight.

6405 37 *Leptonema* A. Juss. G. III. 275. — Sp. 1. Madagasc.

6406 38 *Securinea* Juss. G. III. 275. — Sp. ad 8. Amer. trop., Afr. trop. et austr., Ins. Mascar., Asia temp.

*Geblera* F. et M., *Colmeiroa* Reut., *Meineckia* H. Bn., *Pleiostemon* Sond., *Bessera* Spreng.

6407 39 *Neorœpera* Müll. Arg. G. III. 276. — Sp. 2. Austral.

6408 40 *Fluggea* Willd. G. III. 276. — Sp. ad 6. Asia, Afr. et Austral. trop.

6409 41 *Breynia* Forst. G. III. 276. (*Melanthesa* Bl.). — Sp. ad 12. Asia trop., Austral., Ins. Pacif.

*Melanthesiopsis* Müll. Arg.

6410 42 *Petalostigma* F. Müll. G. III. 277. (*Hylococcus* R. Br.). — Sp. 1. Austral.

6411 43 *Putranjiva* Wall. G. III. 277. (*Nageia* Roxb.). — Sp. 2. Ind. or. Palenga Thw.

6412 44 *Scortechinia* H. f. *Icon. Plant.* tab. 1706 (1887). — Sp. 1. Penins. et Archip. Malay., Borneo.

6413 45 *Drypetes* Vahl. G. III. 278. — Sp. 9. Brasil., Ind. occ., Florida. *Freireodendron* Müll. Arg.

6414 46 *Forchhammeria* Liebm. G. III. 278. — Sp. 1. Mexic.

6415 47 *Hemicyclia* W. et A. G. III. 278. (*Periplexis* Wall., *Astylis* Wight, *Anaua* Miq.). — Sp. 9. Ind. or., Archip. Malay., Austral.

6416 48 *Sibangea* Oliv. G. III. 1223. — Sp. 1. Afr. trop. occ. (ad fl. Gaboon).

6417 49 *Cyclostemon* Bl. G. III. 279. (*Sphragidia* Thw., *Pycnosandra* Bl., *Laneasagum* Bedd.). — Sp. ad 18. Ind. or., Archip. Malay., Afr. trop.

*Dodecastemon* Hassk.

- 6418 50 *Dissiliaria* F. Müll. G. III. 279. — Sp. 3. Austral. trop. et or. subtrop.  
Choriceras H. Bn.
- 6419 51 *Longetia* H. Bn. G. III. 279. — Sp. 1. N. Caled.
- 6420 52 *Buræavia* H. Bn. G. III. 280. — Sp. 2 v. 3? N. Caled., Ins. Viti.
- 6421 53 *Choriophyllum* Benth. G. III. 280. — Sp. 1. Archip. Malay.
- 6422 54 *Toxicodendron* Thunb. G. III. 280. (*Hyænachne* Lamb.). — Sp. 2. Afr. austr.
- 6423 55 *Humblotia* H. Bn in *Bull. Soc. Linn. Paris*. 594 (1886). — Sp. 1. Ins. Comores.
- 6424 56 *Mischodon* Thw. G. III. 280. — Sp. 1. Zeylan.
- 6425 57 *Oldfieldia* Hook. G. III. 281. — Sp. 1. Afr. trop. occ.
- 6426 58 *Bischofia* Bl. G. III. 281. (*Microelus* W. et A., *Stylodiscus* Benn.). — Sp. 1. Asia trop., Archip. Malay., Ins. Pacif.
- 6427 59 *Piranhea* H. Bn. G. III. 281. — Sp. 1. Brasil. bor.
- 6428 60 *Uapaca* H. Bn. G. III. 282. — Sp. 7. Afr. trop., Madagasc.
- 6429 61 *Aporosa* Bl. G. III. 282. (*Lepidostachys* Wall., *Scœpa* Lindl., *Tetractinostigma* Hassk.). — Sp. ad 20. Asia trop., Archip. Malay.  
Leiocarpus Bl.
- 6430 62 *Daphniphyllum* Bl. G. III. 282. (*Goughia* Wight). — Sp. ad 12. Asia trop., Archip. Malay., Afr. trop. occ.
- 6431 63 *Baccaurea* Lour. G. III. 283 et 1228. (*Pierardia* Roxb., *Adenocrepis* Bl., *Microsepalu* et *Calypatroon* Miq., *Coccomelia* Reinw.). — Sp. ad 33. Ind. or., Archip. Malay., Ins. Pacif., Afr. trop.  
Platystigma Wall.
- 6432 64 *Cometia* Thou. G. III. 283. — Sp. 2. Madagasc.
- 6433 65 *Antidesma* L. G. III. 284. — Sp. enum. ultra 60, sed plures reduc. Orbis veteris reg. calidior.  
Stilago Schreb., Minutalia Fenzl, ? Rhytis Lour.
- 6434 66 *Hyeronyma* Allem. G. III. 284. (*Stilaginella* Tul.). — Sp. 8 v. 10. Amer. trop.  
Secretania Müll. Arg.
- 6435 67 *Mæsobotrya* Benth. G. III. 284. — Sp. 1. Afr. trop.
- 6436 68 *Ætotoxicicon* R. et P. G. III. 285. (*Ægototoxicicon* Dcne). — Sp. 1. Chili.
- 6437 69 *Hymenocardia* Wall. G. III. 285. (*Samaropyxis* Miq.). — Sp. 5. Penins. Ind. or., Archip. Malay., Afr. trop.
- 6438 70 *Richeria* Vahl. G. III. 286. (*Podocalyx* Kl., *Guarania* H. Bn). — Sp. 3. Brasil., Guiana, Ind. occ.
- 6439 71 *Thecacoris* A. Juss. G. III. 286. — Sp. 4. Afr. trop., Madagasc.

- 6440 72 *Cyathogyne* Müll. Arg. G. III. 286. — Sp. 1. Afr. trop. occ.  
 6441 73 *Dicœlia* Benth. G. III. 286. — Sp. 1. Borneo.  
 6442 74 ? *Tetracoccus* Engelm. ex S. Wats. in *Proc. Amer. Acad.* XX.  
 372 (1885). — Sp. 1. Californ.  
 6443 75 ? *Thacombauia* Seem. *Fl. Vitiensis*. 426 (1869). — Sp. 1.  
 Ins. Viti.

TRIBUS V. *Galearlesæ*.

- 6444 76 *Galearia* Zoll. et Mor. G. III. 287. (*Bennetia* R. Br., *Cremostachys* Tul.). — Sp. ad 12. Penins. et Archip. Malay.  
 6445 77 *Microdesmis* Planch. G. III. 287. — Sp. 2. Afr. trop., Asia trop. or.  
 Pentabrachion Müll. Arg.  
 6446 78 *Pogonophora* Miers. G. III. 288. — Sp. 1. Brasil., Guiana.  
 6447 79 *Tetrorchidium* Pöpp. et Endl. G. III. 288. — Sp. 4. Amer. trop.  
 6448 80 ? *Platystigma* R. Br. G. III. 283 sub *Baccaurea*. — Sp. 1.  
 Himal.

TRIBUS VI. *Crotonesæ*.

- 6449 81 *Elateriospermum* Bl. G. III. 288. — Sp. 1. Penins. et Archip. Malay.  
 6450 82 *Cunuria* H. Bn. G. III. 289. (*Clusiophyllum* Müll. Arg.). — Sp. 2. Brasil. bor.  
 6451 83 *Micrandra* Benth. G. III. 289. (*Pogonophyllum* Didrichs.). — Sp. 2 v. 3. Brasil.  
 6452 84 *Avellanita* Philippi. G. III. 289. — Sp. 1. Chili.  
 6453 85 *Hevea* Aubl. G. III. 290. (*Siphonia* Schreb., *Micrandra* R. Br.). — Sp. 9. Brasil. bor., Guiana.  
 6454 86 *Joannesia* Vell. G. III. 290. (*Anda* Juss., *Andicus* Vell.). — Sp. 1. Brasil.  
 6455 87 *Jatropha* L. G. III. 290. — Sp. ad 70. Orbis utriusque reg. calidior. imprim. Amer. et Afr.  
 Sect. 1. *Curcas* Griseb., *Curcas* Adans., *Castiglioni* R. et P., *Mozinna* Ort., *Loureira* Cav.  
 Sect. 2. *Adenoropium* Griseb., *Adenoropium* Pohl.  
 Sect. 3. *Cnidoscolus* Müll. Arg., *Cnidoscolus* Pohl, *Jussievia* Houst., *Bivonæa* Raf.  
 6456 88 *Acidocroton* Griseb. G. III. 291. — Sp. 1. Cuba.  
 ? *Acidoton* P. Browne.  
 6457 89 *Tritaxis* H. Bn. G. III. 292. (*Trigonostemonis* sect. *Tritaxis* et *Antitaxis* Müll. Arg.). — Sp. 3 v. 4. Ind. or., Archip. Malay.  
 6458 90 *Aleurites* Forst. G. III. 292. — Sp. 3. Asia or., Ins. Pacif.

Sect. 1. *Camirium* Müll. Arg., *Camirium* Gärtn.

Sect. 2. *Dryandra* Müll. Arg., *Elæococca* A. Juss., *Dryandra* Thunb., *Vernicia* Lour.

Sect. 3. *Reutiales* Müll. Arg.

6459 91 *Garcia* Rohr. G. III. 292.— Sp. 1. Ind. occ., Columbia, Amer. centr.

6460 92 *Croton* L. G. III. 293 et 1223. — Sp. descr. ad 530. Reg. calidior. utriusque orbis (Eur. et Asia extratrop. except.).

Sect. 1. *Eluteria* Griseb., *Cascarilla* Adans., *Klotzschiphytum* H. Bn, *Monguia* Chapelier.

Sect. 2. *Decapetalon* Müll. Arg.

Sect. 3. *Decalobus* Müll. Arg.

Sect. 4. *Eucroton* Müll. Arg.

Subsect. 1. *Eutropia* B. et H., *Eutropia* et *Cyclostigma* Kl., *Palamostigma* Mart., ? *Argyrodendron* Kl.

Subsect. 2. *Lasiogyne* Müll. Arg., *Lasiogyne* et *Cleodora* Kl.

Subsect. 3. *Cleodora* Müll. Arg., *Timandra*, *Medea*, *Ocalia*, *Tigilium*, *Barhamia*, *Crotonanthus*, *Leucadenium* et *Codonocalyx* Kl., *Myriogomphus* Didrichs., *Comatocroton* Karst.

Subsect. 4. *Podostachys* Müll. Arg., *Podostachys* Müll. Arg.

Sect. 5. *Astræa* H. Bn, *Astræa* Kl.

Sect. 6. *Quadrilobus* Müll. Arg.

Sect. 7. *Decarinium* Müll. Arg., *Decarinium* Raf. (*Geiseleria* et *Brachystachys* Kl.).

Sect. 8. *Heptallon* Müll. Arg., *Heptallon* Raf. (*Pilinophytum* Kl.).

Sect. 9. *Angelandra* Müll. Arg., *Engelmannia* Kl., *Angelandra* Endl., *Gynamblosis* Torr.

Sect. 10. *Drepadenium* Müll. Arg., *Hendecandra* Eschsch., *Drepadenium* Raf., *Astogyne* Benth.

? *Tridesmis* Lour.

6461 93 *Julocroton* Mart. G. III. 296. (*Heterochlamys* Turcz., *Centrandra* Karst.). — Sp. descr. 20. Amer. trop. a Brasil. usque ad Mexicum.

6462 94 *Crotonopsis* Mchx. G. III. 296. (*Friesia* Spreng., *Leptemon* Raf.). — Sp. 1. Amer. bor.

6463 95 *Eremocarpus* Benth. G. III. 297. — Sp. 1. Amer. bor.

6464 96 *Givotia* Griff. G. III. 297. (*Govania* Wall.). — Sp. 1. Ind. or., Zeylan.

6465 97 *Ricinodendron* Müll. Arg. G. III. 297. — Sp. 1. Afr. trop.



- 6466 98 **Manniophyton** Müll. Arg. G. III. 297. — Sp. 3 v. 1? Afr. trop.
- 6467 99 **Pausandra** Radlk. G. III. 298. — Sp. 1. Amer. trop. a Brasil.  
usque ad Nicaraguam.
- 6468 100 **Trigonostemon** Bl. G. III. 298 et 1223. (lapsu *Trigostemon*). —  
Sp. ad 10. Ind. or., Archip. Malay.  
*Silvæa* H. et A., *Athroisma* Griff., *Telogyne* H. Bn, *Enchidium* Jack., *Tylosepalum* Kurz.
- 6469 101 **Paracroton** Miq. G. III. 299. — Sp. 1. Java.
- 6470 102 **Ostodes** Bl. G. III. 299. (*Desmostemon* Thw.). — Sp. ad 6.  
Ind. or., Archip. Malay.  
*Fahrenheitia* Rchb. et Zoll.
- 6471 103 **Codiaeum** Rumph. G. III. 299. (*Phyllaurea* Lour.). — Sp. forte  
4. Archip. Malay., Austral., Ins. Pacif.  
*Synaspisma* Endl., *Junghuhnia* Miq.
- 6472 104 **Baloghia** Endl. G. III. 300. — Sp. ad 9. N. Caled., Austral.  
*Steigeria* Müll. Arg.
- 6473 105 **Alphandia** H. Bn. G. III. 300. — Sp. 2. N. Caled.
- 6474 106 **Fontainea** Heckel. G. III. 301. — Sp. 1. N. Caled., Austral.  
trop. or.
- 6475 107 **Blachia** H. Bn. G. III. 301. — Sp. 5 v. 6. Ind. or., Zeylan.,  
China.
- 6476 108 **Dimorphocalyx** Thw. G. III. 301. — Sp. 3 v. 4. Ind. or., Zey-  
lan., Archip. Malay.
- 6477 109 **Sagotia** H. Bn. G. III. 302. — Sp. 1. Brasil. bor., Guiana.
- 6478 110 **Cluytia** L. G. III. 302. (*Clutia* L., *Altora* Adans.). — Sp. 28.  
Afr. trop. et austr.
- 6479 111 **Agrostistachys** Dalz. G. III. 302. — Sp. 6 v. 7. Ind. or., Afr.  
trop.  
*Sarcoclinium* Wight.
- 6480 112 **Argithamnia** Sw. G. III. 303. (*Argothamnia* Spreng., *Argyro-  
thamnia* Müll. Arg.). — Sp. 37. Amer. trop., subtrop.  
et bor. calid.  
Sect. 1. *Philyra* Müll. Arg., *Philyria* Kl.  
Sect. 2. *Ditaxis* Müll. Arg., *Ditaxis* A. Juss.  
Sect. 3. *Aphora* Müll. Arg., *Aphora* Nutt., *Serophyton*  
Benth., *Stenonia* Didrichs.  
Sect. 4. *Euargithamnium* Müll. Arg.  
Sect. 5. *Chiropetalum* Müll. Arg., *Chiropetalum* A. Juss.,  
*Desfontæna* Vell., *Chlorocaulon* Kl.
- 6481 113 **Caperonia** S<sup>t</sup>-Hil. G. III. 304. (*Cavanilla* Vell., *Lepidococca*  
Turcz., *Androphoranthus* Karst.). — Sp. enum. 19, sed  
plures reduc. Amer. et Afr. trop.
- 6482 114 **Pseudocroton** Müll. Arg. G. III. 304. — Sp. 1. Amer. centr.

- 6483 115 *Sumbavia* H. Bn. G. III. 304. (*Doryxylon* Zoll.). — Sp. 2. Archip. Malay.
- 6484 116 *Tannodia* H. Bn. G. III. 304. (*Tandonia* H. Bn.). — Sp. 1. Madagasc.
- 6485 117 *Crotonogyne* Müll. Arg. G. III. 305. — Sp. 1. Afr. trop.
- 6486 118 *Chrozophora* Neck. G. III. 305. (*Crozophora* A. Juss., *Tourne-solia* Scop., *Lepidocroton* Presl). — Sp. ad 6? Reg. Medit., Asia et Afr. trop.
- 6487 119 *Speranskia* H. Bn. G. III. 305. — Sp. 1. China bor.
- 6488 120 *Manihot* Adans. G. III. 306. (*Janipha* H. B. et K., *Mandiocca* Link). — Sp. ad 80. Amer. trop. et subtrop. usque ad Mexicum, alibi diu cult.
- 6489 121 *Adriana* Gaud. G. III. 306. (*Trachycarion* Kl.). — Sp. 5 v. 1? Austral.
- 6490 122 *Pachystroma* Kl. G. III. 307. (*Acantholoma* Gaud.). — Sp. 1. Brasil.
- 6491 123 *Cephalocroton* Hochst. G. III. 307. — Sp. 2. Afr. trop.
- 6492 124 *Adenochlæna* H. Bn. G. III. 307. (*Centrostylis* H. Bn.). — Sp. 3. Ind. or., Zeylan.  
Symphyllia H. Bn.
- 6493 125 *Bernardia* P. Browne. G. III. 308. (*Bivonia* Spreng., *Tyria*, *Phædra*, *Polybæa* et *Traganthus* Kl., *Passæa* et *Alevia* H. Bn.). — Sp. ad 24. Amer. trop. et subtrop.  
Adelia L. pr. p.
- 6494 126 *Erythrococca* Benth. G. III. 308. — Sp. 1. Afr. trop.
- 6495 127 *Hasskarlia* H. Bn. G. III. 308. — Sp. 1. Afr. trop.
- 6496 128 *Claoxylon* A. Juss. G. III. 309. (*Erythrochilus* Reinw.). — Sp. enum. 42. Asia, Afr. et Austral. trop., Ins. Pacif.
- 6497 129 *Micrococca* Benth. G. III. 309. — Sp. 1. Afr. et Asia trop.
- 6498 130 *Mercurialis* L. G. III. 309. — Sp. 6. Eur., Reg. Medit., Asia or., alibi inquil.
- 6499 131 *Leidesia* Müll. Arg. G. III. 310. — Sp. 2. Afr. austr.
- 6500 132 *Adenocline* Turcz. G. III. 310. (*Diplostylis* Sond.). — Sp. 3 v. 4. Afr. austr.
- 6501 133 *Seidella* H. Bn. G. III. 310. — Sp. 1. Afr. austr.
- 6502 134 *Acalypha* L. G. III. 311. (*Cupameni* Adans.). — Sp. dist. ad 220. Utriusque orbis reg. calidior.  
Sect. 1. *Linostachys* Müll. Arg., *Linostachys* Kl. (*Gymnalypha* Griseb.).  
Sect. 2. *Euacalypha* Müll. Arg., *Caturus* L. (*Galurus* Spreng.), *Odonteilema* Turcz., *Calyptrorpatha* Kl.
- 6503 135 *Mareya* H. Bn. G. III. 312. — Sp. 2. Afr. trop.
- 6504 136 *Adelia* L. pr. p. G. III. 312. (*Ricinella* Müll. Arg.). — Sp. ad 7. Ind. occ., Amer. centr., Columbia?

- 6505 137 *Leucocroton* Griseb. G. III. 312. — Sp. 2 v. 3. Cuba.
- 6506 138 *Chloradenia* H. Bn. G. III. 312. (*Adenogynum* Zoll.). — Sp. 1. Java.
- 6507 139 *Cælodepas* Hassk. G. III. 313. (*Koilodepas* Hassk.). — Sp. 3. Ind. or., Java.
- 6508 140 *Bocquillonia* H. Bn. G. III. 313. — Sp. 5 v. 6. N. Caled.
- 6509 141 *Adenophædra* Müll. Arg. G. III. 314. — Sp. 1. Brasil.
- 6510 142 *Caryodendron* Karst. G. III. 314. (*Centrodiscus* Müll. Arg.). — Sp. 2. Columbia, Brasil.
- 6511 143 *Alchornea* Sw. G. III. 314. — Sp. ad 40. Utriusque orbis reg. calidior.
- Sect. 1. *Eualchornea* Müll. Arg., *Schousboea* Schum., *Hermesia* H. et B.
- Sect. 2. *Cladodes* Müll. Arg., *Cladodes* Lour.
- Sect. 3. *Aparisthmium* Müll. Arg., *Aparisthmium* Endl.
- Sect. 4. *Stipellaria* Müll. Arg., *Stipellaria* Benth., *Bleekeria* Miq.
- Sect. 5. *Lautenbergia* Müll. Arg., *Lautenbergia* H. Bn (*Diderotia* H. Bn).
- Sect. 6. *Orfilea* Müll. Arg., *Orfilea* H. Bn.
- Sect. 7. *Cœlebogyne* Müll. Arg., *Cœlebogyne* J. Sm.
- Sect. 8. *Wetria* Müll. Arg., *Wetria* H. Bn, *Pseudotrewia* Miq.
- Sect. 9. *Palissya* Müll. Arg., *Palissya* H. Bn.
- 6512 144 *Alchorneopsis* Müll. Arg. G. III. 315. — Sp. 2 v. 1. Brasil., Guiana.
- 6513 145 *Lepidoturus* H. Bn. G. III. 316. — Sp. 4. Afr. trop., Madagasc.
- 6514 146 *Conceveiba* Aubl. G. III. 316. — Sp. 3. Brasil., Guiana.
- 6515 147 *Gavarretia* H. Bn. G. III. 316. — Sp. 2. Brasil. bor.
- 6516 148 *Lasiocroton* Griseb. G. III. 317. — Sp. 1. Jamaica.
- 6517 149 *Neoboutonia* Müll. Arg. G. III. 317. — Sp. 2. Afr. trop.
- 6518 150 *Cœlodiscus* H. Bn. G. III. 317. — Sp. 4. Ind. or., Archip. Malay.
- 6519 151 *Podadenia* Thw. G. III. 318. — Sp. 1. Zeylan.
- 6520 152 *Trewia* L. G. III. 318. (*Rottlera* Willd.). — Sp. 2. Ind. or. Tetragastris Gärtn.
- 6521 153 *Coccoceras* Miq. G. III. 318. — Sp. 3. Archip. et Penins. Malay.
- 6522 154 *Mallotus* Lour. G. III. 319. — Sp. ad 70. Orbis veteris reg. trop.
- Sect. 1. *Blumeodendron* Müll. Arg., *Blumeodendron* Kurz.
- Sect. 2. *Rottleropsis* Müll. Arg.
- Sect. 3. *Melanolepis* Müll. Arg., *Melanolepis* Rchb. f. et Zoll.

Sect. 4. *Cordemoya* Müll. Arg., *Boutonia* Bojer (*Cordemoya* H. Bn).

Sect. 5. *Eumallotus* Müll. Arg., *Mallotus* et *Echinus* Lour., *Trewia* Willd., *Rottlera* Roxb., *Plagianthera* Rehb. f. et Zoll., *Echinocroton* F. Müll., *Hancea* Seem., *Axenfeldia* H. Bn, *Adisca* Bl.

Sect. 6. *Diplochlamys* H. Bn, *Diplochlamys* Müll. Arg.

6523 155 *Ptychopyxis* Miq. *Fl. Ind. Bat. suppl.* 402 (1860). — Sp. 1. Malacca, Sumatra.

6524 156 *Cleidion* Bl. G. III. 320. (*Redia* Casar., *Psilostachys* Turcz., *Lasiostyles* Presl, *Tetraglossa* Bedd.). — Sp. ad 15. Amer., Afr. et Asia trop., Ins. Pacif.

6525 157 *Macaranga* Thou. G. III. 320. — Sp. ad 80. Asia et Afr. trop. et austr., Ins. Mascar. et Pacif., Austral.

Sect. 1. *Eumacaranga* Müll. Arg., *Mecostylis* Kurz, *Pan-kopia* Nor.

Sect. 2. *Mappa* Müll. Arg., *Mappa* A. Juss., *Adisca* Zoll.

Sect. 3. *Pachystemon* Müll. Arg., *Pachystemon* Bl.

6526 158 *Ricinus* L. G. III. 321. — Sp. 1. Utriusque orbis reg. calidior., sed sæpe inquil.

6527 159 *Homonoia* Lour. G. III. 322. (*Lumanaja* Blanco, *Hæmatospermum* Wall.). — Sp. 3 v. 4. Ind. or., Archip. Malay.

*Spathiostemon* Bl.

6528 160 *Lasiococca* H. f. *Icon. Plant.* tab. 1587 (1886). — Sp. 1. Sikkim.

6529 161 *Polydragma* H. f. l. c. 1701. (1887). — Sp. 1. Penins. Malay.

6530 162 *Cheilosa* Bl. G. III. 322. — Sp. 1. Java.

6531 163 *Endospermum* Benth. G. III. 322. — Sp. 3. China austr., Archip. Malay.

*Capellenia* Teijsm. et Binn.

6532 164 *Cephalomappa* H. Bn. G. III. 323. — Sp. 1. Borneo.

6533 165 *Cladogynos* Zipp. G. III. 323. — Sp. 1. Ins. Timor. et Celebes.

6534 166 ?*Calpigyne* Bl. G. III. 323. — Sp. 1. Ins. Celebes et Borneo.

6535 167 ?*Sphyranthra* H. f. *Icon. Plant.* tab. 1702 (1887). — Sp. 1. Ins. Andaman.

6536 168 ?*Aconceveibum* Miq. *Fl. Ind. Bat.* I. p. 2. 389. — Sp. 1. Archip. Ind.

6537 169 ?*Cocconerion* H. Bn. G. III. 323. — Sp. 2. N. Caled.

6538 170 *Chætocarpus* Thw. G. III. 323. (*Regnaldia* H. Bn). — Sp. 4 v. 5. Ind. or., Archip. Malay., Amer. trop.

6539 171 *Mettenia* Griseb. G. III. 324. — Sp. 2. Cuba, Jamaica.

6540 172 *Gelonium* Roxb. G. III. 324. (*Suregada* Roxb., *Erythrocarpus* Bl., *Ceratophorus* Sonder). — Sp. 13. Asia calidior, Afr. trop. et austr.

- 6541 173 *Baliospermum* Bl. G. III. 324. — Sp. 4. Ind. or.  
 6542 174 *Erismanthus* Wall. G. III. 325. — Sp. 1. Ind. or. (Ins. Penang).  
 6543 175 *Epiprinus* Griff. G. III. 325. — Sp. 1. Malacca.  
 6544 176 *Pycnocomma* Benth. G. III. 326. — Sp. 8. Afr. trop., Ins. Mascar.  
 6545 177 *Ramelia* H. Bn. G. III. 326. — Sp. 1. N. Caled.  
 6546 178 *Astrococcus* Benth. G. III. 326. — Sp. 2. Brasil. bor.  
 6547 179 *Angostylis* Benth. G. III. 327. — Sp. 1. Brasil. bor.  
 6548 180 *Sphærostylis* H. Bn. G. III. 327. — Sp. 1. Madagasc.  
 6549 181 *Plukenetia* L. G. III. 327. — Sp. ad 12. Utriusque orbis reg. calidior. (Austral. except.).  
     Sect. 1. *Euplukenetia* Müll. Arg., *Pluknetia* Plumier.  
     Sect. 2. *Hedraiostylus* Müll. Arg., *Ceratococcus* Meisn., *Hedraiostylus* et *Pterococcus* Hassk.  
     Sect. 3. *Angostylidium* Müll. Arg.  
     Sect. 4. *Cylindrophora* Müll. Arg.  
     Sect. 5. *Fragariopsis* B. et H., *Fragariopsis* S<sup>t</sup>-Hil. (*Accia* S<sup>t</sup>-Hil., *Botryanthe* Kl., *Vigia* Vell.).  
     Sect. 6. *Anabæna* Müll. Arg., *Anabæna* A. Juss.  
 6550 182 *Acidoton* Sw. G. III. 328. — Sp. 1. Jamaica.  
 6551 183 *Platygyne* Mercier. G. III. 328. (*Acanthocaulon* Kl.). — Sp. 1. Cuba.  
 6552 184 *Tragia* L. G. III. 329. — Sp. ad 50. Utriusque orbis reg. calidior., Afr. austr., Amer. bor. calida.  
     Sect. 1. *Zuckertia* Müll. Arg., *Zuckertia* H. Bn.  
     Sect. 2. *Bia* Müll. Arg., *Bia* Kl.  
     Sect. 3. *Adenotragia* Müll. Arg.  
     Sect. 4. *Leucandra* Müll. Arg., *Leucandra* Kl.  
     Sect. 5. *Lassia* Müll. Arg., *Lassia* H. Bn.  
     Sect. 6. *Ratiga* Müll. Arg.  
     Sect. 7. *Eutragia* Müll. Arg., *Tragia* Plumier.  
     Sect. 8. *Tagira* Müll. Arg.  
     Sect. 9. *Agirta* Müll. Arg., *Agirta* H. Bn.  
     Sect. 10. *Leptobotrys* Müll. Arg., *Leptobotrys* H. Bn.  
     Sect. 11. *Leptorhachis* Müll. Arg., *Leptorhachis* Kl. (*err.* *Leptorhaphis* Müll. Arg. in *Prodr.*).  
     Sect. 12. *Ctenomeria* B. et H., *Ctenomeria* Harv.  
 6553 185 *Cnesmone* Bl. G. III. 330. (*err. typ. Cnesmosa*). — Sp. 1. Ind. or., Archip. Malay.  
 6554 186 *Megistostigma* H. f. *Icon. Plant.* tab. 1592 (1886). — Sp. 1. Malacca.  
 6555 187 *Dalechampia* L. G. III. 330. — Sp. ad 60. Utriusque orbis reg. calidior.  
     *Cremophyllum* Scheidw., *Rhopalostylis* Kl.

- 6556 188 *Mabea* Aubl. G. III. 331. — Sp. 12. Amer. trop.
- 6557 189 *Homalanthus* A. Juss. G. III. 331. (*Omalanthus* A. Juss., *Duania* Nor., *Carumbium* Reinw.). — Sp. 7 v. 8. Archip. Malay., Ins. Pacif., Austral.  
Dibrachion Rgl, Wartmannia Müll. Arg.
- 6558 190 *Pimeleodendron* Hassk. G. III. 331. (*Stomatocalyx* et *Carumbii* sect. *Pimeleodendron* Müll. Arg.). — Sp. 2 v. 3. Archip. Malay.
- 6559 191 *Senefeldera* Mart. G. III. 332. — Sp. 4. Brasil.
- 6560 192 *Trisyngyne* H. Bn. G. III. 332. — Sp. 2. N. Caled.
- 6561 193 *Omphalea* L. G. III. 332. (*Duchola* Adans., *Omphalandria* P. Browne, *Ronnovia* Buch., *Hecatea* Thou., *Hebecocca* Beurl.). — Sp. 8. Amer. trop., Madagasc.
- 6562 194 *Ophthalmoblapton* Allem. G. III. 333. — Sp. 3 v. 4. Brasil.
- 6563 195 *Hippomane* L. G. III. 333. (*Mancinella* Tuss.). — Sp. 1. Ind. occ., Amer. centr., Columbia.
- 6564 196 *Corythea* S. Wats. in *Proc. Amer. Acad.* XXII. 461 (1887). — Sp. 1. Mexic.
- 6565 197 *Maprounea* Aubl. G. III. 333. (*Ægopricon* L. f.). — Sp. 3. Amer. et Afr. trop.
- 6566 198 *Stillingia* L. G. III. 334. — Sp. 13. Amer. bor. et austr., Ins. Mascar. et Pacif.  
*Gymnostillingia* Müll. Arg.
- 6567 199 *Sapium* P. Browne. G. III. 334. (*Triadica* Lour., *Stillingfleetia* Bojer, *Carumbium* Kurz). — Sp. ad 25. Utriusque orbis reg. calidior.  
*Falconeria* Royle, *Conosapium* Müll. Arg.
- 6568 200 *Bonania* A. Rich. G. III. 335. — Sp. 6. Cuba.
- 6569 201 *Ditta* Griseb. G. III. 335. — Sp. 1. Cuba.
- 6570 202 *Sebastiania* Spreng. G. III. 336 et 1223. (*Gussonia* Spreng.). — Sp. ad 40. Amer. trop. et subtrop. (Orbis veteris reg. trop. sp. 2).  
*Ditrysinia* Raf., *Microstachys* A. Juss. (*Cnemidostachys* Mart., *Elachocroton* F. Müll., *Tragiopsis* Karst.), *Sarothrostachys*, *Adenogyne* et *Clonostachys* Kl.
- 6571 203 *Excoecaria* L. G. III. 337. (*Commia* Lour., *Spirostachys* Sond.). — Sp. descr. fere 30, sed plures reduc. Asia et Afr. trop. et subtrop., Ins. Mascar., Austral.  
*Tænosapium* Müll. Arg., *Sclerocroton* Hochst.
- 6572 204 *Gymnanthes* Sw. G. III. 337. (*Excoecaria* Griseb. pr. p.). — Sp. ad 10. Ind. occ., Amer. austr. trop.
- 6573 205 *Actinostemon* Kl. G. III. 338. (*Dactylostemon* Kl.). — Sp. 24. Amer. trop.

- 6574 206 *Adenopeltis* Bert. G. III. 338. — Sp. 1. Chili.  
 6575 207 *Colliguaja* Molina. G. III. 338. — Sp. 5. Amer. austr. extratrop.  
 6576 208 *Dalembertia* H. Bn. G. III. 339. — Sp. 4. Mexic.  
 6577 209 *Hura* L. G. III. 339. — Sp. 2 v. 3. Amer. trop., alibi inquil.  
 6578 210 *Algernonia* H. Bn. G. III. 339. (*Tetraplandra* H. Bn). — Sp. 4.  
 Brasil.  
 6579 211 *Pera* Mutis. G. III. 340. (*Perula* Schreb.). — Sp. 20. Amer.  
 trop.  
*Schismatopera* et *Pera* Kl., *Spixia* Leandro, *Peridium*  
 Schott.

Genus incertæ sedis.

- 6580 212 ?*Lophopyxis* H. f. *Icon. Plant.* tab. 1714 (1887). — Sp. 1.  
 Malacca.

### ORDO CLXI. **BALANOPSEÆ**

- 6581 1 *Balanops* H. Bn. G. III. 341. — Sp. 7 v. 8. N. Caled., Austral.  
 trop.

### ORDO CLXII. **URTICACEÆ** <sup>(1)</sup>

#### TRIBUS I. **Ulmeæ.**

- 6582 1 *Ulmus* L. G. III. 351. — Sp. ad 16. Utriusque orbis hemisph. bor.  
 Sect. 1. *Oreoptelea* Spach, *Chætoptelea* Liebm.  
 Sect. 2. *Dryoptelea* Spach.  
 Sect. 3. *Microptelea* Spach, *Microptelea* Spach.  
 6583 2 *Holoptelea* Planch. G. III. 352. — Sp. 1. Ind. or.  
 6584 3 *Phyllostylon* Capanema. G. III. 352. — Sp. 1. Brasil.  
 6585 4 *Planera* Gmel. G. III. 352. — Sp. 1. Amer. bor.

#### TRIBUS II. **Celtideæ.**

- 6586 5 *Zelkova* Spach. G. III. 353. (*Abelicea* H. Bn). — Sp. 4. Creta,  
 Reg. Caucasico-Caspica, Japon., China.  
*Hemiptelea* Planch.  
 6587 6 *Ampelocera* Kl. G. III. 353. — Sp. 2. Cuba, Peruvia?  
 6588 7 *Celtis* L. G. III. 354. — Sp. descr. ultra 70, sed vix 50 dist.  
 Utriusque orbis reg. temp. et trop.  
 Sect. 1. *Euceltis* Planch.  
 Sect. 2. *Sponioceltis* Planch.  
 Sect. 3. *Solenostigma* Planch., *Solenostigma* Endl.

(1) Sp. ad 1560, per reg. temp. et calidior. utriusque orbis late dispersæ.

Sect. 4. *Momisia* Planch., *Mertensia* H. B. et K., *Momisia* Dmrt.

- 6589 8 *Pteroceltis* Maxim. G. III. 354. — Sp. 1. Mongholia, China bor.  
 6590 9 *Trema* Lour. G. III. 355. (*Sponia* Comm.). — Sp. enum. fere 30, sed verisim. ad 20 reduc. Utriusque orbis reg. trop. et subtrop.  
 6591 10 *Parasponia* Bl. G. III. 355. — Sp. 2. Archip. Malay., Ins. Pacif.  
 6592 11 *Aphananthe* Planch. G. III. 355. — Sp. 2. Ins. Philippin., Austral., Japon.  
     *Homoioceltis* Bl.  
 6593 12 *Gironniera* Gaud. G. III. 356. (*Nematostigma* (err. *Nemostigma*) Planch., *Helminthospermum* Thw.). — Sp. 7 v. 8. Archip. Malay., Zeylan., China austr., Ins. Pacif.  
     *Galumpita* Bl.  
 6594 13 *Chætacme* Planch. G. III. 356. — Sp. 1. Afr. trop. et austr.

TRIBUS III. **Cannabineæ.**

- 6595 14 *Humulus* L. G. III. 356. — Sp. 2. Hemisph. bor. reg. temp.  
 6596 15 *Cannabis* L. G. III. 357. — Sp. 1. Asia centr., alibi cult. et sæpe inquil.

TRIBUS IV. **Moreæ.**

- 6597 16 *Pseudostreblus* Bur. G. III. 357. — Sp. 1 v. 2. Ind. or. (Ins. Philippin.?).  
     ? *Calius* Blanco.  
 6598 17 *Bleekrodia* Bl. G. III. 358. — Sp. 2. Madagasc., Borneo.  
 6599 18 *Fatoua* Gaud. G. III. 358. — Sp. 1. Archip. Malay., Austral. trop., Ins. Pacif., China, Japon.  
 6600 19 *Taxotrophis* Bl. G. III. 358. — Sp. 3 v. 4. Zeylan., Malacca, Archip. Malay.  
     *Diplocos* Bur.  
 6601 20 *Phyllochlamys* Bur. G. III. 359. — Sp. 1 v. 2? Ind. or., Zeylan., Timor.  
     *Epicarpurus* Dcne pr. p.  
 6602 21 *Streblus* Lour. G. III. 359. (*Epicarpurus* Bl.). — Sp. 1. Asia trop.  
     *Albrandia* Gaud.  
 6603 22 *Maillardia* Frappier et Duchartre. G. III. 360. — Sp. 1. Ins. Borbon. (La Réunion).  
 6604 23 *Malaisia* Blanco. G. III. 360. (*Dumartroya* Gaud., *Cephalotrophis* Bl.). — Sp. 1. Archip. Malay., Austral. trop., Ins. Pacif.  
     *Caturus* Seem.



- 6605 24 *Broussonetia* Vent. G. III. 361. — Sp. 2 v. 3. Archip. Malay., China, Japon.  
Stenochasma Miq.
- 6606 25 *Allæanthus* Thw. G. III. 361. — Sp. 2. Zeylan., Ins. Philippin.
- 6607 26 *Plecosperrum* Trécul. G. III. 361. — Sp. 2. Ind. or., Afr. trop. or.  
Cardiogyne Bur.
- 6608 27 *Bagassa* Aubl. G. III. 362. (*Laurea* Gaud.). — Sp. 2 v. 3. Guiana gall., Brasil. bor.
- 6609 28 *Chlorophora* Gaud. G. III. 363. — Sp. 2. Amer. et Afr. trop.
- 6610 29 *Maclura* Nutt. G. III. 363. — Sp. 1. Amer. bor. (Arkansas).
- 6611 30 *Pachytrophe* Bur. G. III. 363. — Sp. 2. Madagasc.
- 6612 31 *Paratrophis* Bl. G. III. 364. — Sp. 4. N. Zel., Ins. Pacif. et Philippin.  
Uromorus Bur.
- 6613 32 *Pseudomorus* Bur. G. III. 364. — Sp. 1. Austral., Ins. Norfolk.
- 6614 33 *Morus* L. G. III. 364. — Sp. descr. 10 v. 12. (a cl. Bureau ad 5 reduct.). Utriusque orbis hemisph. bor. et mont. trop.
- 6615 34 *Botryomorus* Miq. *Fl. Ind. Bat.* I. 2. 282. — Sp. 1. Archip. Ind.
- 6616 35 *Ampalis* Bojer. G. III. 365. — Sp. 1. Madagasc.
- 6617 36 *Trophis* L. G. III. 365. (*Bucephalon* L.). — Sp. 5 v. 6. Ind. occ., Mexic., Amer. austr. andina.
- 6618 37 *Sloetia* Teijsm. et Binn. G. III. 365. — Sp. 1. Archip. Malay.
- 6619 38 *Dorstenia* L. G. III. 366. (*Kosaria* Forsk., *Sychinium* Desv.). — Sp. ad 45. Ind. or., Amer. et Afr. trop.
- 6620 39 *Trymatococcus* Pöpp. et Endl. G. III. 366. — Sp. 2. Amer. austr. (Reg. Amazonica), Afr. trop. occ.

TRIBUS V. **Artocarpeæ.**

- 6621 40 *Ficus* L. G. III. 367. — Sp. ultra 650. Utriusque orbis reg. trop. et subtrop.
- Sect. 1. *Palæomorphe* King.
- Sect. 2. *Pharmacosyce* B. et H., *Pharmacosycea* Miq.
- Sect. 3. *Urostigma* B. et H., *Urostigma*, *Visiania*, *Macrophthalmum* et *Galoglychia* Gasparr.
- Sect. 4. *Synæcia* Miq., *Synœcia* Miq., ?*Erythrogyné* Vis.
- Sect. 5. *Sycidium* King.
- Sect. 6. *Covellia* B. et H., *Covellia* et *Cystogine* Gasparr., *Sycomorpe* Miq.
- Sect. 7. *Eusyce* B. et H., *Caprificus*, *Tenoria* et *Sycomorus* Gasparr., *Pogonotrophe* Miq.
- Sect. 8. *Neomorphe* King.

- 6622 41 *Sparattosyce* Bur. G. III. 369. — Sp. 2. N. Caled.
- 6623 42 *Brosimum* Sw. G. III. 369. (*Piratinera* Aubl., *Galactodendron* H. B. et K.). — Sp. ad 10. Amer. trop. a Brasil. usque ad Ind. occ. et Mexic.
- 6624 43 *Lanessania* H. Bn. G. III. 370. — Sp. 1 v. 2. Brasil.
- 6625 44 *Bosqueia* Thou. G. III. 370. — Sp. 3 v. 4. Madagasc., Afr. trop.
- 6626 45 *Scyphosyce* H. Bn. G. III. 371. — Sp. 1. Afr. trop. occ.
- 6627 46 *Antiaris* Lesch. G. III. 371. (*Lepurandra* Grah.). — Sp. 5 v. 6. Ind. or., Archip. Malay.
- 6628 47 *Olmedia* R. et P. G. III. 371. — Sp. 6. Amer. trop.  
*Pseudolmedia* Karst.
- 6629 48 *Pseudolmedia* Trécul. G. III. 372. — Sp. 5. Amer. trop. andina et centr., Ind. occ.  
*Olmediopsis* Karst.
- 6630 49 *Olmediella* H. Bn. G. III. 1224. — Sp. 2. Brasil.
- 6631 50 *Castilloa* Cervant. G. III. 372. — Sp. 3. Amer. centr., Cuba.
- 6632 51 *Helicostylis* Trécul. G. III. 372. — Sp. 2. Amer. austr. (Reg. Amazonica), Guiana.  
*Maquira* Aubl.
- 6633 52 *Perebea* Aubl. G. III. 373. — Sp. 4 v. 5. Amer. trop.
- 6634 53 *Noyera* Trécul. G. III. 373. — Sp. 3. Guiana, Brasil. bor.  
1. *Noyera* Trécul. — 2. *Naucleopsis* Miq.  
3. *Oncodeia* (*male* *Oycodeia*) Bur.
- 6635 54 *Helianthostylis* H. Bn. G. III. 374. — Sp. 1. Brasil.
- 6636 55 *Cudrania* Trécul. G. III. 374. (*Cudranus* Miq.). — Sp. 2 v. 3. Asia et Austral. trop., N. Caled.
- 6637 56 *Treculia* Dene. G. III. 374. — Sp. 2 v. 3. Afr. trop.
- 6638 57 *Parartocarpus* H. Bn. G. III. 375. — Sp. 2. Borneo.
- 6639 58 *Artocarpus* L. G. III. 376. (*Radermachia* Thunb., *Polyphema* Lour., *Sitodium* Gärtn., *Rima* Sonner.). — Sp. descr. ultra 40. Asia trop., Ins. Pacif., Afr. trop.?, alibi inquil.  
Sect. 1. *Jaca* Trécul. — 2. *Pseudojaca* Trécul.
- 6640 59 *Batocarpus* Karst. G. III. 376. — Sp. 1. Columbia.
- 6641 60 *Sahagunia* Liebm. G. III. 377. (*Acanthinophyllum* Allem.). — Sp. 3. Mexic., Brasil., Guiana.
- 6642 61 *Clarisia* R. et P. G. III. 377 et 1224. (*Soaresia* Allem.). — Sp. 4? Brasil., Peruvia.
- 6643 62 *Balanostreblus* Kurz. G. III. 377. — Sp. 1. Ind. or.
- 6644 63 *Sorocea* A. S<sup>t</sup>-Hil. G. III. 378. — Sp. 15. Amer. trop. usque ad Mexicum.  
*Pseudosorocea* H. Bn.

TRIBUS VI. **Conocephaleæ.**

- 6645 64 **Cecropia** L. G. III. 378. — Sp. ad 45. Amer. trop. usque ad  
Mexicum.
- 6646 65 **Myrianthus** P. B. G. III. 379. (*Dicranostachys* Trécul). —  
Sp. 4. Afr. trop. occ.
- 6647 66 **Musanga** R. Br. G. III. 379 et 1224. — Sp. 1. Afr. trop. occ.
- 6648 67 **Coussapoa** Aubl. G. III. 379. — Sp. ad 20, sed plures reduc.  
Amer. austr. trop.
- 6649 68 **Conocephalus** Bl. G. III. 380. — Sp. ad 10. Ind. or., Archip. Malay.
- 6650 69 **Pourouma** Aubl. G. III. 380. — Sp. ad 20. Amer. austr. trop.

TRIBUS VII. **Urticeæ.**

- 6651 70 **Urtica** L. G. III. 381. — Sp. ad 30. Utriusque orbis reg.  
temp. et subtemp.
- 6652 71 **Hesperocnide** Torr. et Gray. G. III. 381. — Sp. 2. Amer. bor.,  
Ins. Sandvic.
- 6653 72 **Nanocnide** Bl. G. III. 381. — Sp. 2. Japon., Asia or. ins.
- 6654 73 **Obetia** Gaud. G. III. 382. — Sp. 2. Madagasc.
- 6655 74 **Fleurya** Gaud. G. III. 382. — Sp. 8. Utriusque orbis reg. trop.,  
Afr. austr.  
*Schychowskia* Endl.
- 6656 75 **Sceptrocnide** Maxim. G. III. 382. — Sp. 1. Japon.
- 6657 76 **Laportea** Gaud. G. III. 383. — Sp. ad 25. Amer. bor., Mexic.,  
Afr. et Asia trop., Ins. Pacif., Austral.  
Sect. 1. *Discocarpus* Wedd., *Discocarpus* Liebm.  
Sect. 2. *Sclepsion* Wedd.  
Sect. 3. *Sarcopus* Wedd.  
Sect. 4. *Dendrocnide* Wedd. *Dendrocnide* Miq.
- 6658 77 **Urera** Gaud. G. III. 383. — Sp. 22. Amer. et Afr. trop., Ins.  
Mascar. et Pacif.  
*Scepocarpus* Wedd.
- 6659 78 **Gyrotænia** Griseb. G. III. 384. — Sp. 3. Ind. occ.
- 6660 79 **Girardinia** Gaud. G. III. 384. — Sp. 7. Asia et Afr. trop.
- 6661 80 **Pilea** Lindl. C. III. 384. (*Dubreuilia* Gaud., *Adike* Raf.). —  
Sp. ad 175. Asia, Afr. et Amer. trop.
- 6662 81 **Achudenia** Bl. G. III. 385. — Sp. 2. Java, Japon.
- 6663 82 **Lecanthus** Wedd. G. III. 385. — Sp. 1. Ind. or.
- 6664 83 **Pellionia** Gaud. G. III. 385. — Sp. ad 18. Asia trop. et or.,  
Ins. Pacif.  
*Polychroa* Lour.
- 6665 84 **Elatostema** Forst. G. III. 386. (*Langeveldia* Gaud.). — Sp. ad  
50. Asia et Afr. trop., Asia temp. or. usque ad Japon.

- 6666 85 *Procris* Juss. G. III. 386. (*Sciophila* Gaud., *Sciobia* Rehb.). — Sp. 5 v. 6. Asia et Afr. trop., Ins. Mascar. et Pacif.
- 6667 86 *Bœhmeria* Jacq. G. III. 387. (*Splitgerbera* Miq., *Duretia* Gaud.). — Sp. ad 45. Utriusque orbis reg. trop., Chili, Amer. bor., Japon.
- 6668 87 *Chamabaina* Wight. G. III. 387. — Sp. 1. Ind. or.
- 6669 88 *Pouzolzia* Gaud. G. III. 387. — Sp. ad 50. Utriusque orbis reg. trop.  
 Sect. 1. *Pouzolzia* B. et H., *Leptocnide* et *Stachyocnide* Bl., *Margarocarpus* Wedd. (*Leucococcus* Liebm.), *Elkania* Schlcht.  
 Sect. 2. *Memorialis* B. et H., *Gonostegia* Turcz., *Memorialis* Ham., *Hyrtanandra* Miq.
- 6670 89 *Distemon* Wedd. G. III. 388. — Sp. 1. Ind. or.
- 6671 90 *Cypholophus* Wedd. G. III. 388. — Sp. 9. Archip. Malay., Ins. Pacif.
- 6672 91 *Toucharidia* Gaud. G. III. 388. — Sp. 1 v. 2? Ins. Pacif., Ins. Sandvic. et Amirauté.
- 6673 92 *Sarcochlamys* Gaud. G. III. 389. — Sp. 1. Ind. or., Penins. Malay.
- 6674 93 ? *Poikilospermum* Zipp. G. III. 389. — Sp. 1. Amboina.
- 6675 94 *Neraudia* Gaud. G. III. 389. — Sp. 3 v. 1? Ins. Sandvic.
- 6676 95 *Pipturus* Wedd. G. III. 390. (*Nothocnide* Bl., *Prætoria* H. Bn). — Sp. 9. Ins. Mascar., Archip. Malay., Ins. Pacif., Austral.
- 6677 96 *Villebrunea* Gaud. G. III. 390. (*Oreocnide* Miq.). — Sp. ad 8. Ind. or., Archip. Malay., Asia or. usque ad Japon.
- 6678 97 *Debregeasia* Gaud. G. III. 390. (*Morocarpus* S. et Z.). — Sp. 5. Abyss., Ind. or., Archip. Malay., Asia or. *Leucocnide* Miq.
- 6679 98 *Leucosyke* Zoll. et Mor. G. III. 391. (*Missiessia* Gaud.). — Sp. 9. Archip. Malay., Ins. Pacif. austr.
- 6680 99 *Maoutia* Wedd. G. III. 391. (*Lecanocnide* Bl.). — Sp. 8. Ind. or., Archip. Malay., Ins. Pacif.
- 6681 100 *Myriocarpa* Benth. G. III. 391. — Sp. 6. Amer. trop. a Brasil. usque ad Mexicum.
- 6682 101 *Phenax* Wedd. G. III. 392. — Sp. 10. Amer. trop. (Ins. Maurit., Malacca. inquil.?).
- 6683 102 *Parietaria* L. G. III. 392. (*Freirea* et *Thaumuria* Gaud.). — Sp. ad 8. Utriusque orbis reg. temp., inter trop. paucae.
- 6684 103 *Gesnouinia* Gaud. G. III. 392. — Sp. 1. Ins. Canar.
- 6685 104 *Helxine* Req. G. III. 393. (*Soleirolia* Gaud.). — Sp. 1. Corsica, Sardinia.

- 6686 105 *Rousselia* Gaud. G. III. 393. — Sp. 1. Ind. occ.  
 6687 106 *Hemistylis* Benth. G. III. 393. — Sp. 4. Columbia.  
 6688 107 *Forskohlea* L. G. III. 393. (*Forskalea* Juss., *Caidbeja* Forsk.).  
     — Sp. 3. Hispania, Afr. tota, Asia occ.  
 6689 108 *Droguetia* Gaud. G. III. 394. — Sp. 4. Afr. trop. et austr.,  
     Madagasc., Ind. or.  
     Sect. 1. *Didymogyne* Wedd., *Didymogyne* Wedd.  
     Sect. 2. *Eudroguetia* Wedd.  
 6690 109 *Australina* Gaud. G. III. 394. — Sp. ad 3. Austral. et Afr.  
     austr.  
     *Didymodoxa* E. Mey.

TRIBUS VIII. **Thelygoneæ.**

- 6691 110 *Thelygonum* L. G. III. 395. (*Cynocrambe* Gärtn.). — Sp. 1.  
     Reg. Medit.

ORDO CLXIII. **PLATANACEÆ**

- 6692 1 *Platanus* L. G. III. 396. — Sp. 6. Utriusque orbis reg. temp.  
     et subtrop. hemisph. bor.

ORDO CLXIV. **LEITNERIEÆ**

- 6693 1 *Leitneria* Chapm. G. III. 397. — Sp. 2. Florida, Texas.

Genus incertæ sedis.

- 6694 2 ?*Didymales* Thou. G. III. 398. — Sp. 1. Madagasc.

ORDO CLXV. **JUGLANDEÆ**

- 6695 1 *Carya* Nutt. G. III. 398. (*Hicorias* et *Scorias* Raf.). — Sp. 12.  
     Amer. bor., Mexic.  
     Sect. 1. *Eucarya* C. DC. — 2. *Apocarya* C. DC.  
 6696 2 *Juglans* L. pr. p. G. III. 398. — Sp. 8 v. 9. Hemisph. bor.  
     reg. temp. et subtrop., Jamaica.  
     *Wallia* Alef.  
 6697 3 *Pterocarya* Kth. G. III. 399. — Sp. 4. Asia temp. a Caucaso  
     usque ad Japon.  
 6698 4 *Engelhardtia* Lesch. G. III. 399. (*Pterilema* Reinw.). — Sp. 10  
     v. 11? Ind. or., Archip. Malay., China austr., Costa-Rica.  
     *Oreomunnea* OErst. (*Oreamunoa* OErst.).

- 6699    5 *Platycaria* S. et Z. G. III. 400. (*Fortunæa* Lindl.). — Sp. 1 Japon., China bor.

ORDO CLXVI. **MYRICACEÆ**

- 6700    1 *Myrica* L. G. III. 400. — Sp. ad 40. Utriusque orbis reg. temp. et calid. (Austral. except.).  
          Subg. 1. *Gale* B. et H., *Gale* Spach.  
          Subg. 2. *Morella* B. et H., *Morella* Lour. (*Faya* Webb, *Nageia* Gärtn.).  
          Subg. 3. *Comptonia* Engl., *Comptonia* Banks.

ORDO CLXVII. **CASUARINEÆ**

- 6701    1 *Casuarina* Forst. G. III. 401. — Sp. 23. Austral., N. Caled., Asia trop., Ins. Mascar. et Pacif., Sumatra, Borneo, Amboina.  
          Series 1. *Cylindraceæ* Poiss. — 2. *Tetragonæ* Poiss.

ORDO CLXVIII. **CUPULIFERÆ** <sup>(1)</sup>TRIBUS I. **Betuleæ.**

- 6702    1 *Betula* L. G. III. 404. — Sp. ad 35. Eur., Asia med. et bor., Amer. bor.  
          *Betulaster* Spach.  
 6703    2 *Alnus* Gärtn. G. III. 404. — Sp. ad 14. Eur., Asia med. et bor., Amer. bor. et austr. andina (Afr. austr. inquil.?).  
          Subg. 1. *Alnaster* Prantl, *Alnaster* Spach (*Alnobetula* Schur), *Semidopsis* Zumag. *Fl. Pedem.* I. 249.  
          Subg. 2. *Clethropsis* Prantl, *Clethropsis* Spach.  
          Subg. 3. *Gymnothyrsus* Spach.

TRIBUS II. **Coryleæ.**

- 6704    3 *Carpinus* L. pr. p. G. III. 405. — Sp. 12. Utriusque orbis reg. temp. hemisph. bor., Mexic.  
          *Distegocarpus* S. et Z.  
 6705    4 *Ostryopsis* Dene, G. III. 405. — Sp. 1. Monghol. or.

(1) Sp. ad 420, per totum fere orbem terrarum, sed pro maxima parte per reg. temp. hemisph. bor. late dispersæ.

- 6706 5 *Ostrya* Scop. G. III. 406. (*Corylus* L. pr. p.). — Sp. 5. Amer. bor. et centr., Eur. austr., Asia occ.  
 6707 6 *Corylus* L. G. III. 406. — Sp. 7. Utriusque orbis reg. temp. hemisph. bor., Asia or. extratrop.

TRIBUS III. **Quercineæ.**

- 6708 7 *Quercus* L. G. III. 407 et 1224. — Sp. ad 300. Eur., Asia temp. et trop., Amer. bor., Amer. centr. mont., Columbia.  
 Sect. 1. *Lepidobalanus* Endl.  
 Sect. 2. *Cyclobalanopsis* OErst., *Cyclobalanopsis* OErst.  
 Sect. 3. *Pasania* Miq., *Synædrys* Lindl., *Pasania* OErst.  
 Sect. 4. *Cyclobalanus* Endl., *Cyclobalanus* OErst.  
 Sect. 5. *Chlamydbalanus* Endl.  
 Sect. 6. *Lithocarpus* Miq., *Lithocarpus* Bl.  
 6709 8 *Castanopsis* Spach. G. III. 409. — Sp. ad 25. Asia trop. et or. subtrop., Californ.  
*Callæocarpus* Miq.  
 6710 9 *Castanea* Gärtn. G. III. 409. — Sp. 2. Eur., Asia temp., Amer. bor.  
 6711 10 *Fagus* L. G. III. 410 et 1224. — Sp. ad 15. Eur., Asia temp. et bor., Amer. bor. et austr. extratrop., Austral., N. Caled.  
 Sect. 1. *Eufagus* Bl.  
 Sect. 2. *Nothofagus* A. DC., *Nothofagus* Bl., *Lophozonia* Turcz., ? *Calucechinus* et *Calusparassus* Homb. et Jaquin.

ORDO CLXIX. **SALICINEÆ**

- 6712 1 *Salix* L. G. III. 411. — Sp. ad 160. Orbis fere totus (Austral., Archip. Malay. et Ins. Pacif. except.).  
*Chamitea* A. Kern. in *Verh. Zool. Bot. Gesell.* X. 273 (1860).  
 6713 2 *Populus* L. G. III. 412. — Sp. 18. Eur., Asia med., mont. et bor., Amer. bor., Mexic.

ORDO CLXX. **LACISTEMACEÆ**

- 6714 1 *Lacistema* Sw. G. III. 413. (*Nematospermum* Rich., *Synzyganthera* R. et P., *Didymandra* Willd.). — Sp. 16. Amer. trop. a Brasil. et Peruvia usque ad Ind. occ. et Mexic.

ORDO CLXXI. **EMPETRACEÆ**

- 6715 1 *Empetrum* L. G. III. 414. — Sp. 1. Utriusque orbis reg. mont. et frigid.

- 6716    2 *Corema* Don. G. III. 414. (*Oakesia* Tuck., *Tuckermannia* Kl., *Euleucum* Raf.). — Sp. 2. Amer. bor., Eur. austro-occ., Ins. Azores.
- 6717    3 *Ceratiola* Mchx. G. III. 415. — Sp. 1. Amer. bor. austro-occ.

## ORDO CLXXII. CERATOPHYLLÆ

- 6718    1 *Ceratophyllum* L. G. III. 415. (*Dichotophyllum* Dill.). — Sp. enum. 10, ad 3 reduc. In aquis dulcis orbis fere totius.
-



## MONOCOTYLEDONES

---

### ORDO CLXXIII. **HYDROCHARIDEÆ** <sup>(1)</sup>

#### TRIBUS I. **Hydrilleæ.**

- 6719 1 **Hydrilla** L. C. Rich. G. III. 450 et 1225. (*Epigynanthus* Bl., *Hydrospondylus* Hassk.). — Sp. 1. Asia trop., Austral., Eur. or.
- 6720 2 **Elodea** Mchx. G. III. 450. (*Udora* Nutt., *Apalanthe* et *Egeria* Planch., *Anacharis* Babingt. et Planch.). — Sp. ad 8. Amer. bor. et austr. (Eur. inquil.).  
*Anacharis* L. C. Rich.
- 6721 3 **Lagarosiphon** Harv. G. III. 450. — Sp. ad 7. Ind. or., Madagasc., Afr. trop.  
*Nechamandra* Planch.

#### TRIBUS II. **Vallisneriæ.**

- 6722 4 **Vallisneria** L. G. III. 451. — Sp. 1. Utriusque orbis reg. calidior. et temp.  
*Physkium* Lour.
- 6723 5 **Blyxa** Thou. G. III. 451 et 1225. (*Saivala* Wall., *Diplosiphon* Dcne). — Sp. 1. Asia trop., Austral., Ins. Mascar.
- 6724 6 **Hydrotrophus** Clarke. G. III. 452. — Sp. 1. Bengal.

#### TRIBUS III. **Stratiotæ.**

- 6725 7 **Limnobium** L. C. Rich. G. III. 452. (*Hydromystria* G. F. Mey., *Jalambicea* Llav. et Lex., *Trianea* Karst.). — Sp. 3 v. 4. Amer. bor. calid. et austr. trop.  
? *Hydrocharella* Spruce.
- 6726 8 **Hydrocharis** L. G. III. 452. — Sp. 1. Eur., Asia med. (Austral. et Madagasc. inquil?).

(1) Sp. ad 40, per reg. temp. et calidior. utriusque orbis sparsæ.

- 6727 9 *Ottelia* Pers. G. III. 453 et 1225. (*Hymenotheca* Salisb., *Damasonium* Schreb.). — Sp. 10 v. 12. Asia trop., Japon., Austral., Ins. Mascar., Afr. trop. et subtrop., Brasil.
- 6728 10 *Boottia* Wall. G. III. 453. — Sp. 3 v. 4. Burma, Afr. trop.
- 6729 11 *Stratiotes* L. G. III. 454 et 1225. — Sp. 1. Eur., Asia altaica.

TRIBUS IV. **Thalassieæ.**

- 6730 12 *Enhalus* L. C. Rich. G. III. 454. — Sp. 1. Ad oras maris Indici a Zeylaniam usque ad Australiam.
- 6731 13 *Thalassia* Soland. G. III. 455. (*Schizotheca* Ehrenb.). — Sp. 2. Ind. occ., Mare Rubrum et Indicum.
- 6732 14 *Halophila* Thou. G. III. 455. (*Parkania* Ehrenb. et Hempr.). — Sp. 2 v. 3. Mare Indicum ab Afr. usque ad Australiam, Mare Pacif. austr.

ORDO CLXXIV. **BURMANNIACEÆ** <sup>(1)</sup>

TRIBUS I. **Euburmannieæ.**

- 6733 1 *Burmannia* L. G. III. 457. (*Maburnia* Thou.). — Sp. ad 20. Utriusque orbis reg. trop., Amer. bor., China. *Tripterella* Mchx (*Vogelia* Gmel.), *Tetraptera* Miers, *Gonyanthes* Bl., *Cryptonema* Turcz. (*Nephrocœlium* Turcz., *Nephrocodium* Walp.), *Cyanotis* et *Cyananthus* Miers (*Tripteranthus* Wall.).
- 6734 2 *Campylosiphon* Benth. G. III. 458. — Sp. 1. Brasil. bor.
- 6735 3 *Gymnosiphon* Bl. G. III. 458. (*Ptychomeria* Benth., *Benitzia* Karst.). — Sp. ad 12. Archip. Malay., Afr. et Amer. trop. *Cymbocarpa* Miers.
- 6736 4 *Dictyostegia* Miers. G. III. 458. — Sp. 4 v. 5. Amer. et Afr. trop.
- 6737 5 *Apteria* Nutt. G. III. 458. (*Stemoptera* Miers). — Sp. 3 v. 1? Amer. bor. et trop. austr.

TRIBUS II. **Thismieæ.**

- 6738 6 *Thismia* Griff. G. III. 459. — Sp. 7 v. 8. Brasil., Asia trop. *Ophiomeris* et *Myostoma* Miers.
- 6739 7 *Bagnisia* Becc. G. III. 459. — Sp. 1. N. Guinea. *Sarcosiphon* Bl.
- 6740 8 *Geomitra* Becc. G. III. 459. — Sp. 2. Java, Borneo.

(1) Sp. ad 50, per reg. calidior. utriusque orbis late dispersæ, usque ad Amer. bor. et Chinam extensæ.

TRIBUS III. **Corsieæ.**

- 6741 9 **Corsia** Becc. G. III. 460. — Sp. 1. N. Guinea.  
 6742 10 **Arachnites** Philippi. G. III. 460. — Sp. 1. Chili.

ORDO CLXXV. **ORCHIDEÆ** <sup>(1)</sup>

TRIBUS I. **Epidendreæ.**

- 6743 1 **Pleurothallis** R. Br. G. III. 488 et 1225. (*Humboldtia* R. et P.).  
 — Sp. descr. ad 400. Amer. trop. a Brasil. usque ad  
 Mexic. et Ind. occ.  
 Series 1. *Elougatæ floribundæ* Lindl., *Crocodilanthæ*  
 Rchb. f.  
 Series 2. *Elougatæ minores* Lindl.  
 Series 3. *Rhynchopereæ* Lindl., *Rhynchopera* Kl., *Talpi-*  
*naria* Karst., *Acronia* Presl.  
 Series 4. *Fasciculatæ* Lindl.  
 Series 5. *Aggregatæ* Lindl., *Myoxanthus* Pöpp. et Endl.,  
*Dubois-Reymondia* Karst. (*Duboisia* Karst.), *Acianthera*  
 Scheidw.  
 Series 6. *Apodæ* Lindl., *Centranthera* Scheidw.  
 Series 7. *Caulescentes* Lindl., ?*Specklinia* Lindl.  
 ?*Chætocephala*, *Anathallis* et *Cryptophoranthus* Barb. Rodr.  
 6744 2 **Stelis** Sw. G. III. 490 et 1225. — Sp. ad 170. Amer. trop. a  
 Brasil. et Peruvia usque ad Mexic. et Ind. occ.  
 Sect. 1. *Eustelis* Lindl.  
 Sect. 2. *Dialissa* Lindl., *Dialissa* Lindl.  
 6745 3 **Physosiphon** Lindl. G. III. 490. — Sp. ad 4. Amer. trop. a  
 Brasil. usque ad Mexic.  
 6746 4 **Lepanthes** Sw. G. III. 491 et 1225. — Sp. enum. ad 100, sed  
 vix 50 dist. Amer. andina austr. et centr., Ind. occ.,  
 Mexic.  
 6747 5 **Restrepia** H. B. et K. G. III. 491. — Sp. ad 20. Amer. trop. a  
 Brasil. usque ad Mexic.  
 6748 6 ?**Brachionidium** Lindl. G. III. 491. — Sp. 3. Columbia, Bolivia.  
 6749 7 **Masdevallia** R. et P. G. III. 492. — Sp. enum. ultra 125, sed  
 plures reduc. Amer. trop. a Peruvia usque ad Mexic.  
 6750 8 **Arpophyllum** Llav. et Lex. G. III. 492. — Sp. 6. Mexic., Amer.  
 centr., Jamaica.  
 6751 9 **Octomeria** R. Br. G. III. 493. (*Aspegrenia* Pöpp. et Endl.,

(1) Sp. bene dist. ad 5000, editæ multo numerosiores, per reg. temp. et calidior. utriusque orbis  
 latissime dispersæ, in Alpibus fregidis raræ, in Arcticis Antarcticisque desunt.

- Gigliolia* Barb. Rodrig.). — Sp. 10. Brasil., Guiana, Nicaragua, Ind. occ.
- 6752 10 ?*Meiracyllium* Rchb. f. G. III. 493. — Sp. 3. Mexic., Guatemala.
- 6753 11 *Malaxis* Sw. pr. p. G. III. 493. — Sp. 1. Eur. præcipue bor.
- 6754 12 *Microstylis* Nutt. G. III. 494. (*Achroanthes* Raf., *Pedilea* Lindl., *Crepidium* Bl., *Pterochilus* Hook.). — Sp. ad 45. Eur., Asia, Amer. bor. et austr.
- Dienia* Lindl.
- 6755 13 *Oberonia* Lindl. G. III. 494. — Sp. ad 50, Asia trop., Austral., Ins. Mascar. et Pacif.
- Titania* Endl.
- 6756 14 *Liparis* L. C. Rich. G. III. 495 et 1225. (*Sturmia* Rchb., *Alipsa* Hoffmg). — Sp. ad 120. Utriusque orbis reg. temp. et calidior.
- Empusa* Lindl. (*Empusaria* Rchb.), *Ephippianthus* Rchb. f., *Platystylis* et *Gastroglottis* Bl.
- 6757 15 *Androchilus* Liebm. in *Forh. Skand. Naturf. Mode*. IV. 197. — Sp. 1. Mexic. austr.
- 6758 16 *Platyclinis* Benth. G. III. 496. (*Dendrochilus* Bl. pr. p.). — Sp. ad 8. Ind. or., Archip. Malay.
- 6759 17 *Calypso* Salisb. G. III. 496. (*Cytherea* Salisb., *Norna* Wahlbg, *Orchidium* Sw.). — Sp. 1. Eur., Asia et Amer. bor.
- 6760 18 *Aplectrum* Nutt. G. III. 497. — Sp. 1. Amer. bor.
- 6761 19 *Corallorhiza* R. Br. G. III. 497. — Sp. ad 12? Eur., Asia extra-trop., Amer. bor., Mexic.
- 6762 20 *Tipularia* Nutt. G. III. 497. (*Anthericlis* et *Plectrurus* Raf.). — Sp. 2. Amer. bor., Himal.
- 6763 21 *Oreorchis* Lindl. G. III. 498. — Sp. 4. Himal., Asia sibirica, Japon.
- 6764 22 *Hexalectris* Raf. G. III. 498. — Sp. 1. Amer. bor., Mexic.
- 6765 23 *Dendrobium* Sw. G. III. 498. (*Ceraia* et *Callista* Lour., *Desmotrichum*, *Pedilonum* et *Onychium* Bl.) — Sp. descr. ad 330. Asia calid., Japon., Ins. Pacif., Austral.
- Sect. 1. *Aporum* Lindl., *Aporum*, *Oxystophyllum* et *Macrostromum* Bl., *Schismoceras* Presl.
- Sect. 2. *Rhizobium* Benth.
- Sect. 3. *Cadetia* B. et H., *Cadetia* Gaud.
- Sect. 4. *Sarcopodium* B. et H., *Sarcopodium* Lindl. pr. p.
- Sect. 5. *Stachyobium* B. et H., ?*Sarcostoma* Bl., *Scaredederis* et *Scandederis* Thou., *Thelychiton* Endl.
- Sect. 6. *Strongyle* B. et H.
- Sect. 7. *Eudendrobium* B. et H., *Dichopus* et *Grastidium* Bl., *Aclinia* Griff., ?*Coelandria* Pfitzer.

- 6766 24 **Latourea** Bl. G. III. 501. — Sp. 1. N. Guinea.
- 6767 25 **Bulbophyllum** Thou. G. III. 501 et 1226. (*Bolbophyllum* Spreng., *Gersinia* Neraud, *Diphyes* Bl., *Tribrachium* Lindl., *Anisopetalum* Hook.). — Sp. ad 93. Asia et Afr. trop., Austral., N. Zel., Amer. austr.
- Sect. 1. *Sestochilos* B. et H., *Sestochilos* Breda, *Sarcopodium* Lindl. pr. p.
- Sect. 2. *Leopardinæ* B. et H.
- Sect. 3. *Ellegantes* B. et H., *Epicranthes* Bl.
- Sect. 4. *Racemosæ* B. et H., *Taurostalix*, *Xiphizusa* et *Bolbophyllaria* Rchb. f., *Ione*, *Malachadenia*, *Lyræa* et *Didactyle* Lindl.
- Sect. 5. *Umbellatæ* B. et H., *Cochlia* Bl.
- Sect. 6. *Brachystachyæ* B. et H., *Odontostyles* Breda.
- Sect. 7. *Oxysepalæ* B. et H., *Oxysepalum* Wight.
- 6768 26 **Sunipia** Lindl. G. III. 504. — Sp. 1. Himal., Burma.
- 6769 27 **Cirrhopetalum** Lindl. G. III. 504. (*Zygoglossum* Reinw., *Hippoglossum* Breda, *Ephippium* Bl.). — Sp. ad 30. Ind. or., China, Archip. Malay., Austral., Ins. Mascar.
- Bolbophyllopsis* Rchb. f.
- 6770 28 **Megaclinium** Lindl. G. III. 505. — Sp. ad 9. Afr. trop. et austr. subtrop.
- 6771 29 **Trias** Lindl. G. III. 505. — Sp. 3. Ind. or.
- 6772 30 **Osyricera** Bl. G. III. 505. — Sp. 1. Java.
- 6773 31 **Drymoda** Lindl. G. III. 506. — Sp. 1. Penins. Malay.
- 6774 32 **Monomeria** Lindl. G. III. 506. — Sp. 2. Nepal., Burma.
- 6775 33 **Dendrochilum** Bl. pr. p. G. III. 506. — Sp. 4. Malacca, Archip. Malay.
- 6776 34 **Panisea** Lindl. G. III. 507. (*Androgyne* Griff.). — Sp. 1 v. 2. Himal.
- 6777 35 **Acrochæne** Lindl. G. III. 507. — Sp. 1. Sikkim.
- 6778 36 **Chrysoglossum** Bl. G. III. 507. — Sp. 4. Archip. Malay., Ins. Pacif., Himal.
- Diglyphis* Bl.
- 6779 37 **Collabium** Bl. G. III. 508. — Sp. 2. Java, Borneo.
- 6780 38 **Cœlia** Lindl. G. III. 508. (*Bothriochilus* Lemaire). — Sp. 5. Ind. occ., Amer. centr., Mexic.
- 6781 39 **Eria** Lindl. G. III. 509. (*Dendrolirium* Bl., *Pinalia* Lindl., *Octomeria* Don). — Sp. ad 85. Ind. or., China austr., Archip. Malay., N. Guinea.
- Sect. 1. *Porpax* B. et H., *Porpax* Lindl., *Aggeianthus* et *Lichenora* Wight.
- Sect. 2. *Conchidium* Lindl., *Conchidium* Griff.

- Sect. 3. *Bryobium* B. et H., *Bryobium* et *Alvisia* Lindl.  
 Sect. 4. *Mycaranthus* Rchb. f., *Mycaranthus* Bl.  
 Sect. 5. *Eriura* Lindl.  
 Sect. 6. *Hymeneria* Lindl.  
 Sect. 7. *Urostachya* Lindl.  
 Sect. 8. *Dendrolirion* Lindl., *Xiphosium* Griff., *Octomeria* Breda pr. p.  
 Sect. 9. *Trichotosia* Lindl., *Trichotosia* Bl.  
 Sect. 10. *Cylindrolobus* Lindl., *Ceratium* et *Cylindrolobus* Bl.
- 6782 40 *Phreatia* Lindl. G. III. 510. — Sp. ad 12. Ind. or., Archip. Malay., Austral., Ins. Pacif.  
 Sect. 1. *Euphreatia* B. et H.  
 Sect. 2. *Plexaure* B. et B., *Plexaure* Endl., ?*Octarrhena* Thw.
- 6783 41 *Pachystoma* Bl. G. III. 511. (*Pachychilus* Bl.). — Sp. ad 10. Afr. trop., Ind. or., Archip. Malay.  
 Sect. 1. *Apturia* B. et H., *Apturia* Lindl.  
 Sect. 2. *Ipsea* B. et H., *Ipsea* Lindl.
- 6784 42 *Spathoglottis* Bl. G. III. 511. — Sp. ad 10. Ind. or., Archip. Malay., Ins. Pacif., Austral.  
*Paxtonia* Lindl.
- 6785 43 *Acanthephippium* Bl. G. III. 512. (*Acanthophippium*). — Sp. 3 v. 4. Ind. or., Archip. Malay.
- 6786 44 *Phajus* Lour. G. III. 512. (*Tankervillia* Link, *Pachyne* Salisb.). — Sp. ad 15. Asia et Afr. trop., Japon., Archip. Malay., Ins. Pacif. et Mascar., Austral.  
 Sect. 1. *Genuini* Bl.  
 Sect. 2. *Gastrorchis* Bl., *Pesomeria* Lindl.  
 Sect. 3. *Thunia* B. et H., *Thunia* Rchb. f.  
 Sect. 4. *Limatodes* Bl., *Limatodes* Bl.
- 6787 45 *Bletia* R. et P. G. III. 513. (*Gyas* Salisb., *Thiebautia* Colla). — Sp. ad 20. Amer. trop., China, Japon.  
 Sect. 1. *Eubletia* B. et H.  
 Sect. 2. *Bletilla* B. et H., *Bletilla* Rchb. f.
- 6788 46 *Chysis* Lindl. G. III. 514. — Sp. 6 v. 8? Mexic., Columbia.
- 6789 47 *Nephelaphyllum* Bl. G. III. 514. (*Cytheris* Lindl.). — Sp. 4. Ind. or., China austr., Archip. Malay.
- 6790 48 *Tainia* Bl. G. III. 515. (*Mitopetalum* Bl., *Ania* Lindl.). — Sp. 6 v. 7. Ind. or., China austr., Archip. Malay.
- 6791 49 *Anthogonium* Lindl. G. III. 515. — Sp. 1. Himal. or., Burma.
- 6792 50 *Josepha* Wight. G. III. 516. — Sp. 2. Penins. Ind. or., Zeylan.
- 6793 51 *Earina* Lindl. G. III. 516. — Sp. 6. N. Zel., Ins. Pacif.

- 6794 52 *Glomera* Bl. G. III. 516. — Sp. 2. Archip. Malay., Ins. Pacif.  
 6795 53 *Agrostophyllum* Bl. G. III. 517. (*Diploconchium* Schau.). —  
 Sp. ad 5. Ind. or., Archip. Malay.  
 6796 54 *Ceratostylis* Bl. G. III. 517. — Sp. ad 15. Ind. or., Archip.  
 Malay., Ins. Pacif.  
 6797 55 *Callostylis* Bl. G. III. 518. (*Tylostylis* Bl.). — Sp. 1. Java.  
 6798 56 *Cryptochilus* Wall. G. III. 518. — Sp. 2. Himal.  
 6799 57 *Trichosma* Lindl. G. III. 518. — Sp. 1. Khasia.  
 6800 58 *Cœlogyne* Lindl. G. III. 518. (*Chelonanthera* Bl. pr. p., *Acanthoglossum* Bl.). — Sp. ad 60. Ind. or., Archip. Malay.,  
 China austr.  
 Sect. 1. *Neogyne* Lindl., *Neogyne* Rchb. f.  
 Sect. 2. *Pleione* Lindl., *Pleione* Don, *Bolborchis* Zoll. et  
 Mor.  
 Sect. 3. *Eucœlogyne* Lindl.  
 6801 59 *Otochilus* Lindl. G. III. 519. (*Tetrapeltis* Wall.). — Sp. 3 v. 4.  
 Himal., Burma.  
 6802 60 *Pholidota* Lindl. G. III. 520. (*Ptilocnema* Don, *Chelonanthera*  
 Bl. pr. p., *Crinonia* Bl.). — Sp. ad 20. Ind. or., Archip.  
 Malay., China austr.  
 Sect. 1. *Eupholidota* B. et H.  
 Sect. 2. *Otochiloides* B. et H.  
 6803 61 *Calanthe* R. Br. G. III. 520. (*Centrosis* Thou., *Amblyglottis* Bl.,  
*Styloglossum* Breda, *Ghiesbreghtia* A. Rich., *Preptanthe*  
 Rchb. f.). — Sp. ad 40. Utriusque orbis reg. trop., Afr.  
 austro-or., Japon.  
 6804 62 *Arundina* Bl. G. III. 521. — Sp. ad 5. Ind. or., China austr.,  
 Archip. Malay.  
*Dilochia* Lindl.  
 6805 63 *Elleanthus* Presl. G. III. 522. (*Evelyna* Pöpp. et Endl.). —  
 Sp. fere 50. Amer. trop. a Brasil. usque ad Amer. centr.  
 et Ind. occ.  
 Sect. 1. *Cœlelyna* Rchb. f. — 2. *Euevelyna* Rchb. f.  
 6806 64 *Lanium* Lindl. G. III. 522. — Sp. 2. Brasil., Surinam.  
 6807 65 *Amblostoma* Scheidw. G. III. 522. — Sp. 3. Brasil, Peruvia,  
 Bolivia.  
 6808 66 *Serapbyta* F. et M. G. III. 523. -- Sp. 1. Ind. occ., Mexic.,  
 Guiana.  
 6809 67 *Diothonea* Lindl. G. III. 523. (*Gastropodium* Lindl.). — Sp. 4.  
 Andes Columbiae et Peruviae.  
*Hemiscleria* Lindl.  
 6810 68 *Stenoglossum* H. B. et K. G. III. 523. — Sp. 1. Amer. trop.  
 andina.

- 6811 69 **Hormidium** Lindl. G. III. 524. — Sp. ad 7. Amer. trop. a Brasil. usque ad Mexicum et Cubam.
- 6812 70 **Hexisia** Lindl. G. III. 524. (*Euothonæa* Rehb. f.). — Sp. 3 v. 4. Amer. trop. a Brasil. usque ad Mexicum.
- 6813 71 **Scaphyglottis** Pöpp. et Endl. G. III. 525. (*Cladobium* Lindl.). — Sp. ad 8. Amer. trop. a Brasil. usque ad Mexicum.
- 6814 72 **Hexadesmia** A. Brongn. G. III. 525. — Sp. 11. Mexic., Amer. centr., Ind. occ., Brasil.
- 6815 73 **Octadesmia** Benth. G. III. 525. — Sp. 3. Ins. Jamaica et S. Thomas.
- 6816 74 ?**Alamania** Llav. et Lex. G. III. 526. — Sp. 1. Mexic.
- 6817 75 **Pleuranthium** Lindl. G. III. 516. — Sp. 5 v. 6. Brasil., Peruvia, Columbia, Guatemala, Cuba.
- 6818 76 **Diacrium** Lindl. G. III. 526. — Sp. 4. Guiana, Amer. centr., Mexic., Ind. occ.
- 6819 77 **Isochilus** R. Br. G. III. 527. — Sp. 4 v. 5. Amer. trop. a Brasil. usque ad Mexic. et Ind. occ.
- 6820 78 **Ponera** Lindl. G. III. 54. (*Nemaconia* Knowles et Westcot). — Sp. ad 12. Mexic., Amer. centr.  
Tetragamestus Rehb. f.
- 6821 79 **Pinelia** Lindl. G. III. 528. — Sp. 1. Brasil.
- 6822 80 **Hartwegia** Lindl. G. III. 528. — Sp. 2. Mexic., Amer. centr.
- 6823 81 **Epidendrum** L. pr. p. G. III. 528. — Sp. descr. ultra 420.  
Amer. trop., bor. calid.  
Sect. 1. *Barkeria* B. et H., *Barkeria* Knowles et Westcot.  
Sect. 2. *Encyclia* B. et H., *Dinema* Lindl., *Prosthechea* et *Epithecium* Knowles et Westcot, *Encyclia* Hook.  
Sect. 3. *Auliseum* B. et H., *Epidendrum* et *Auliza* Salisb., *Anacheilium* Hoffmsg.  
Sect. 4. *Eupepidendrum* B. et H., *OErstedella* et *Pseudepidendrum* Rehb. f., *Amphiglottis* Salisb., *Physinga* et *Nanodes* Lindl.  
Sect. 5. ?*Psilanthemum* B. et H.
- 6824 82 **Broughtonia** R. Br. G. III. 531. — Sp. 3 v. 4. Ind. occ.
- 6825 83 **Cattleya** Lindl. G. III. 531. — Sp. ad 20. Amer. trop. a Brasil. usque ad Mexicum.  
*Mælenia* Dmrt.
- 6826 84 **Læliopsis** Lindl. G. III. 532. — Sp. 3 v. 4. Ind. occ.
- 6827 85 **Tetramicra** Lindl. G. III. 532. — Sp. ad 6. Amer. trop. a Brasil. usque ad Mexicum.  
*Leptotes* Lindl.
- 6828 86 **Brassavola** R. Br. G. III. 533. — Sp. ad 20. Amer. trop. a Brasil. usque ad Mexicum et Ind. occ.



- 6829 87 *Lælia* Lindl. G. III. 533. (*Amalias* Hoffmsg). — Sp. ad 20.  
Amer. trop. a Brasil. usque ad Mexicum.  
6830 88 *Schomburgkia* Lindl. G. III. 534. — Sp. ad 13. Amer. trop.  
6831 89 *Sophronitis* Lindl. G. III. 535. — Sp. 4 v. 5. Brasil.

TRIBUS II. **Vandeeæ.**

- 6832 90 *Eulophia* R. Br. G. III. 535. (*Orthochilus* Hochst.). — Sp.  
ad 60. Afr. trop. et austr., Asia trop., Austral. (Brasil.  
sp. 1, Mexic. sp. 1).  
6833 91 *Lissochilus* R. Br. G. III. 536. (*Hypodematium* A. Rich.). —  
Sp. ad 32. Afr. trop. et austr.  
6834 92 *Galeandra* Lindl. G. III. 536. (*Corydandra* Rchb.). — Sp. ad 6.  
Amer. trop. a Brasil. usque ad Mexicum.  
6835 93 *Cymbidium* Sw. pr. p. G. III. 536. (*Iridorchis* Bl.). — Sp.  
ad 30. Asia trop. or., China, Japon., Afr., Austral.,  
N. Caled.  
6836 94 *Ansellia* Lindl. G. III. 537. — Sp. 3 v. 4? Afr. trop. et austr.  
6837 95 *Grammangis* Rchb. f. G. III. 537. — Sp. 2. Madagasc., Java?  
6838 96 *Cremastra* Lindl. G. III. 548. (*Hyacinthorchis* Bl.). — Sp. 1.  
Japon.  
Dactylostalix Rchb. f.  
6839 97 *Cyperorchis* Bl. G. III. 538. — Sp. 2 v. 3. Ind. or., Archip.  
Malay.  
6840 98 *Geodorum* Jacks. G. III. 538. (*Cistella* Bl., *Otandra* Salisb.).  
— Sp. 9. Ind. or., Archip. Malay., Austral.  
6841 99 *Grammatophyllum* Bl. G. III. 539. (*Gabertia* Gaud., *Pattonia*  
Wight). — Sp. 3 v. 4. Penins. et Archip. Malay.  
6842 100 *Dipodium* R. Br. G. III. 539. (*Leopardanthus* Bl., *Wailesia*  
Lindl.). — Sp. ad 6. Penins. et Archip. Malay.  
6843 101 *Thecostele* Rchb. f. G. III. 539. — Sp. 1. Malacca, Archip.  
Malay.  
6844 102 *Bromheadia* Lindl. G. III. 540. — Sp. 2. Malacca, Archip.  
Malay.  
6845 103 *Polystachya* Hook. G. III. 540. (*Encyclia* Pöpp. et Endl., *Epi-*  
*phora* Lindl.). — Sp. ad 40. Asia et Afr. trop. (Amer.  
trop. sp. 1).  
6846 104 ? *Plocoglottis* Bl. G. III. 541. — Sp. ad 8. Archip. Malay.  
6847 105 *Cyrtopodium* R. Br. G. III. 541. (*Tylochilus* Nees). — Sp.  
ad 20. Asia, Afr. et Amer. trop., Madagasc.  
6848 106 *Cyrtopera* Lindl. G. III. 541 (sub *Cyrtopodio*). — Sp. 2 v. 1?  
Cochinch., N. Guinea.  
6849 107 *Govenia* Lindl. G. III. 542. (*Eucnemis* Lindl.). — Sp. ad 12  
v. 16? Amer. trop. a Brasil. usque ad Ind. occ. et  
Mexicum.

- 6850 108 *Pteroglossaspis* Rchb. f. G. III. 542. — Sp. 1. Abyss.
- 6851 109 *Zygopetalum* Hook. G. III. 542. — Sp. ad 50. Amer. trop. a  
Brasil. usque ad Mexicum et Ind. occ.
- Sect. 1. *Euzygopetalum* Rchb. f.
- Sect. 2. *Zygosepalum* Rchb. f., *Zygosepalum* Rchb. f.
- Sect. 3. *Huntleya* Rchb. f., *Huntleya* Batem., *Galeottia*  
A. Rich.
- Sect. 4. *Bollea* Rchb. f., *Bollea* Rchb. f.
- Sect. 5. *Warszewiczella* Rchb. f., *Warszewiczella* et *Pescatorea* Rchb. f.
- Sect. 6. *Promenæa* Rchb. f., *Promenæa* Lindl., *Kefersteinia* et *Chaubardia* Rchb. f.
- 6852 110 *Grobya* Lindl. G. III. 544. — Sp. 2. Brasil.
- 6853 111 *Cheiradenia* Lindl. G. III. 544. — Sp. 1. Guiana.
- 6854 112 *Aganisia* Lindl. G. III. 544. (*Kællensteinia* Rchb. f.). — Sp.  
ad 6. Amer. trop.
- 6855 113 *Acacallis* Lindl. G. III. 544. — Sp. 1. Brasil. bor.
- 6856 114 *Eriopsis* Lindl. G. III. 545. — Sp. 3 v. 4. Brasil. bor., Guiana,  
Columbia.
- Pseuderriopsis* Rchb. f.
- 6857 115 *Warrea* Lindl. G. III. 545. — Sp. 2? Peruvia, Columbia.
- 6858 116 *Lycomormium* Rchb. f. G. III. 545. — Sp. 2 v. 3? Columbia,  
Amer. centr.
- 6859 117 *Batemannia* Lindl. G. III. 546. — Sp. 1. Guiana.
- 6860 118 *Bifrenaria* Lindl. G. III. 546. — Sp. ad 10. Brasil., Guiana,  
Columbia.
- Stenocoryne* Lindl.
- 6861 119 *Xylobium* Lindl. G. III. 547. — Sp. 16. Amer. trop.
- 6862 120 *Lacæna* Lindl. G. III. 547. (*Navenia* Kl.). — Sp. 2. Amer.  
centr.
- 6863 121 ? *Sievekingia* Rchb. f. G. III. 477. — Sp. 1. Costa Rica.
- 6864 122 ? *Coeliopsis* Rchb. f. G. III. 477. — Sp. 1. Panama.
- 6865 123 ? *Kegelia* Rchb. f. in *Bot. Zeit.* 670 (1852). — Sp. 1. Surinam.
- 6866 124 *Lycaste* Lindl. G. III. 547. — Sp. ad 25. Amer. trop. a Peruvia  
usque ad Mexic. et Ind. occ.
- Paphinia* et *Colax* Lindl.
- 6867 125 *Anguloa* R. et P. G. III. 548. — Sp. 3. Andes Columbiae et  
Peruviae.
- 6868 126 *Chondrorhyncha* Lindl. G. III. 548. — Sp. 3. Columbia.
- 6869 127 *Gongora* R. et P. G. III. 549. — Sp. ad 22. Amer. trop. a Bra-  
silia usque ad Mexicum.
- Acropera* Lindl.
- 6870 128 *Coryanthes* Hook. G. III. 549. — Sp. ad 4 v. 5. Amer. austr.  
trop.

- 6871 129 *Stanhopea* Frost. G. III. 549. (*Ceratochilus* Lindl.). — Sp. ad 20. Amer. trop. a Brasil. usque ad Mexicum.  
*Stanhopeastrum* Rchb. f.
- 6872 130 *Houlletia* A. Brongn. G. III. 550. — Sp. 6. Brasil., Columbia, Costa Rica, Nicaragua, Venezuela.
- 6873 131 *Peristeria* Hook. G. III. 550. (*Eckardia* Rchb.). — Sp. 2 v. 3. Andes Columbiæ.
- 6874 132 *Acineta* Lindl. G. III. 551. (*Neippergia* C. Morren). — Sp. ad 8. Amer. trop. a Columbia usque ad Mexicum.
- 6875 133 *Catasetum* L. C. Rich. G. III. 551. (*Catachætum* Hoffm.). — Sp. fere 40. Amer. trop. a Brasilia usque ad Mexicum.
- 6876 134 *Mormodes* Lindl. G. III. 552. (*Cyclosia* Kl.). — Sp. ad 15. Amer. trop. a Peruvia et Columbia usque ad Mexicum.
- 6877 135 *Cycnoches* Lindl. G. III. 552. — Sp. ad 8. Amer. trop. a Guiana usque ad Mexicum.  
*Luedemannia* Rchb. f.
- 6878 136 *Chrysocynis* Rchb. f. G. III. 553. — Sp. 1. N. Granada.
- 6879 137 *Polycynis* Rchb. G. III. 553. — Sp. 3. Amer. trop. a Guiana usque ad Amer. centr.
- 6880 138 *Stenia* Lindl. G. III. 553. — Sp. 2. Guiana, Columbia.
- 6881 139 *Schlimmia* Planch. G. III. 553. — Sp. 3. Andes Columbiæ.
- 6882 140 ?*Clowesia* Lindl. G. III. 554. — Sp. 1. Brasil.
- 6883 141 *Mormolyce* Fenzl. G. III. 554. — Sp. 1. Mexic.
- 6884 142 *Scuticaria* Lindl. G. III. 554. — Sp. 2. Brasil., Guiana.
- 6885 143 *Maxillaria* R. et P. G. III. 555. — Sp. enum. ultra 120, nonnullæ tamen reduc. Amer. trop. a Brasil. usque ad Mexicum et Ind. occ.  
 Series 1. *Acaules* Rchb. f., *Psittacoglossum* Llav. et Lex., *Dicrypta* Lindl. (*Heterotaxis* Lindl.).  
 Series 2. *Caulescentes* Rchb. f.
- 6886 144 *Camaridium* Lindl. G. III. 556. — Sp. ad 12. Guiana, Columbia, Peruvia, Nicaragua, Mexic.
- 6887 145 *Dichæa* Lindl. G. III. 556. (*Fernandezia* R. et P.). — Sp. ad 15. Amer. trop.
- 6888 146 *Ornithidium* Salisb. G. III. 556. — Sp. ad 20. Amer. trop. a Brasil. usque ad Mexicum et Ind. occ.
- 6889 147 ?*Cryptocentrum* Benth. G. III. 557. — Sp. 1. Ecuador.
- 6890 148 *Diadenium* Pöpp. et Endl. G. III. 557. (*Chænanthe* Lindl.). — Sp. 2. Peruvia, Brasil.
- 6891 149 *Comparettia* Pöpp. et Endl. G. III. 558. — Sp. 3. Amer. austr. andina a Peruvia usque ad Amer. centr., Mexic.?, Brasil.?  
*Plectrophora* Focke.
- 6892 150 *Scelochilus* Kl. G. III. 558. — Sp. 3 v. 4. Amer. austr. andina.

- 6893 151 *Trichocentrum* Pöpp. et Endl. G. III. 359. — Sp. ad 8. Amer. trop. a Brasil. usque ad Amer. centr.
- 6894 152 *Rodriguezia* R. et P. G. III. 559. (*Burlingtonia* Lindl.). — Sp. ad 28. Amer. trop. a Brasil. usque ad Amer. centr.
- 6895 153 ?*Warmingia* Rehb. f. G. III. 477. — Sp. 1. Brasil.
- 6896 154 ?*Papperitzia* Rehb. f. G. III. 477. — Sp. 1. Mexic. austr.
- 6897 155 *Trichopilia* Lindl. G. III. 559. (*Pilumna* Lindl., *Leucohyle* Kl.). — Sp. ad 16. Amer. calidior. imprim. Columbia, Amer. centr., Mexic.
- 6898 156 ?*Helicia* Lindl. G. III. 560 (sub *Trichopilia*). — Sp. 1 v. 3? Ecuador.
- 6899 157 ?*Oliveriana* Rehb. f. G. III. 560 (sub *Trichopilia*). — Sp. 1. Mexic.
- 6900 158 *Aspasia* Lindl. G. III. 560. (*Trophianthus* Scheidw.). — Sp. ad 6. Amer. trop. a Brasil. usque ad Amer. centr.
- 6901 159 *Cochlioda* Lindl. G. III. 560. — Sp. ad 6. Amer. austr. andina.
- 6902 160 *Dignathe* Lindl. G. III. 560. — Sp. 1. Mexic.
- 6903 161 *Cohnia* Rehb. f. G. III. 477. — Sp. 1. Nicaragua.
- 6904 162 *Saundersia* Rehb. f. G. III. 561. — Sp. 1. Brasil.
- 6905 163 *Brachtia* Rehb. f. G. III. 561. (*Oncodia* Lindl.). — Sp. 3. Columbia.
- 6906 164 *Odontoglossum* H. B. et K. G. III. 561. — Sp. enum. ultra 80. Amer. trop. andina a Bolivia usque ad Mexic.  
Mesospinidium Rehb.
- 6907 165 *Oncidium* Sw. G. III. 562. — Sp. enum. ultra 250. Amer. trop. a Bolivia et Brasil. usque ad Mexic. et Ind. occ.  
Sect. 1. *Microchila* Lindl., *Cyrtochilum* H. B. et K.  
Sect. 2. *Equitantia* Lindl.  
Sect. 3. *Teretifolia* Lindl.  
Sect. 4. *Planifolia* B. et H., ?*Cuitlauzina* Llav. et Lex.
- 6908 166 *Palumbina* Rehb. f. G. III. 563 (sub *Oncidio*). — Sp. 1. Guatemala.
- 6909 167 *Miltonia* Lindl. G. III. 563. (*Macrochilus* Knowles et Westcot.). — Sp. ad 10? Peruvia, Brasil.
- 6910 168 *Brassia* R. Br. G. III. 564. — Sp. ad 20. Amer. trop. a Brasil. usque ad Ind. occ. et Mexic.
- 6911 169 *Solenidium* Lindl. G. III. 564. — Sp. 1. Andes Columbiae.
- 6912 170 *Leiochilus* Knowles et Westcot. G. III. 564. (*Cryptosaccus*, errore *Cryptosanus*, Scheidw.). — Sp. 4 v. 5. Ind. occ., Mexic., Amer. centr.  
Rhynchostele Rehb. f.
- 6913 171 *Sigmatostalix* Rehb. f. G. III. 565. — Sp. 7. Amer. trop.
- 6914 172 *Erycina* Lindl. G. III. 565. — Sp. 1. Mexic.
- 6915 173 *Gomeza* R. Br. G. III. 565. — Sp. ad 6. Brasil.

- 6916 174 **Abola** Lindl. G. III. 566. — Sp. 1. Andes Columbiae.
- 6917 175 **Neodryas** Rchb. f. G. III. 566. — Sp. ad 3. Bolivia, Peruvia.
- 6918 176 **Trizeuxis** Lindl. G. III. 566. — Sp. 1. Columbia, Brasil., Venezuela, Costa Rica, Ins. Trinitatis.
- 6919 177 **Ada** Lindl. G. III. 566. — Sp. 1. Andes Columbiae.
- 6920 178 **Sutrina** Lindl. G. III. 567. — Sp. 1. Peruvia.
- 6921 179 **Trigonidium** Lindl. G. III. 567. — Sp. 7 v. 8. Amer. trop. a Brasil. usque ad Amer. centr.
- 6922 180 **Ionopsis** H. B. et K. G. III. 567. (*Iantha* Hook., *Cybelion* Spreng.). — Sp. ad 10, sed nonnullæ reduc. Amer. trop. a Brasil. usque ad Mexic. et Ind. occ.
- 6923 181 **Cryptarrhena** R. Br. G. III. 568. (*Orchidofunkia* et *Clynhymentia* A. Rich.). — Sp. 2. Ind. occ., Amer. centr., Guiana, Mexic.
- 6924 182 **Ornithocephalus** Hook. G. III. 568. — Sp. ad 20. Amer. trop. a Brasil. usque ad Mexicum.
- 6925 183 **Quekettia** Lindl. G. III. 569. — Sp. 1. Brasil.
- 6926 184 **Zygostates** Lindl. G. III. 569. (*Dactylostyles* Scheidw.). — Sp. 3 v. 4. Brasil.
- 6927 185 **Phymatidium** Lindl. G. III. 569. — Sp. 2. Brasil.
- 6928 186 **Chytroglossa** Rchb. f. G. III. 569. — Sp. 2. Brasil.
- 6929 187 **Hofmeisterella** Rchb. f. G. III. 570. — Sp. 1. Ecuador.
- 6930 188 **Lockhartia** Hook. G. III. 570. (*Fernandezia* Lindl.). — Sp. ad 16. Amer. trop. a Brasil. usque ad Mexic. et Ind. occ.
- 6931 189 **Centropetalum** Lindl. G. III. 571. — Sp. 5 v. 6. Andes Columbiae.  
Sect. 1. *Nasonia* B. et H., *Nasonia* Lindl.  
Sect. 2. *Eucentropetalum* B. et H., *Fernandezia* R. et P. pr. p.
- 6932 190 **Pachyphyllum** H. B. et K. G. III. 571. — Sp. 6 v. 7. Amer. austr. andina.
- 6933 191 **Luisia** Gaud. G. III. 571. (*Mesoclastes* Lindl., *Birchea* A. Rich.). — Sp. ad 10. Ind. or., Asia or. ab Archip. Malay. usque ad Japoniam.
- 6934 192 **Cottonia** Wight. G. III. 572. — Sp. 2 v. 3. Ind. or., Zeylan., China austr.
- 6935 193 **Stauroopsis** Rchb. f. G. III. 572. (errore *Stauritis* Rchb. f., *Fieldia* Gaud.). — Sp. ad 8. Archip. Malay.
- 6936 194 **Arachnanthe** Bl. G. III. 572. (*Arachnis* Bl.). — Sp. 6. Archip. Malay., Himal.  
Arrhynchium Lindl., Armodorum Breda, Esmeralda Rchb. f.
- 6937 195 **Phalænopsis** Bl. G. III. 573. — Sp. ad 15. Archip. Malay., Ind. or. (prov. or.).

- Sect. 1. *Euphalænopsis* B. et H.  
 Sect. 2. *Stauroglottis* B. et H., *Stauroglottis* Schau., *Polychilos* Breda.
- 6938 196 *Doritis* Lindl. G. III. 574. — Sp. 5. Ind. or., Archip. Malay.  
 Sect. 1. *Eudoritis* B. et H.  
 Sect. 2. *Carteretia* B. et H., *Carteretia* A. Rich.
- 6939 197 *Rhynchostylis* Bl. G. III. 574. — Sp. 2 v. 3. Ind. or., Archip. Malay.
- 6940 198 *Sarcochilus* R. Br. G. III. 575. (*Dendrocolla* Bl., *Thrixspermum* Rchb. f.). — Sp. ad 30. Ind. or., Archip. Malay., Ins. Pacif., Austral.  
 Sect. 1. *Cuculla* Bl., *Orsidice* Rchb. f., *Thrixspermum* Lour.  
 Sect. 2. *Fornicaria* B. et H., *Grosourdya* Rchb. f., *Cylindrochilus* Thw.  
 Sect. 3. *Tubera* B. et H., *Ornitharium*, *Gunnia*, *Chiloschista*, *Camarotis*, *Micropera* et *Stereochilus* Lindl., *Micropera* Dalz.  
 ?*Adenoncos* Bl., ?*Pteroceras* Hassk.
- 6941 199 *Trichoglottis* Bl. pr. p. G. III. 576. — Sp. 4 v. 5. Archip. Malay.
- 6942 200 *Aeranthus* Lindl. G. III. 576. — Sp. 2. Ins. Mascar.
- 6943 201 *Aerides* Lour. G. III. 576. — Sp. ad 10. Ind. or., Archip. Malay., China, Japon.
- 6944 202 *Renanthera* Lour. G. III. 577. (*Nephranthera* Hassk.). — Sp. ad 5. Asia trop., Archip. Malay.
- 6945 203 *Vanda* R. Br. G. III. 578. — Sp. ad 20. Ind. or., Archip. Malay., Austral. trop.
- 6946 204 *Saccolabium* Bl. G. III. 578. (*Saccochilus* Bl., *Robiquetia* Gaud.). — Sp. ad 20. Ind. or., Archip. Malay.  
*Gastrochilus* Don, *Ceratochilus* et *Omœa* Bl., *OEceoclades* Lindl.
- 6947 205 *Uncifera* Lindl. G. III. 579. — Sp. 2. Khasia.
- 6948 206 *Acampe* Lindl. G. III. 579. — Sp. ad 9. Ind. or., China austr., Afr. austro-or.
- 6949 207 *Sarcanthus* Lindl. G. III. 580. — Sp. ad 15. Ind. or., China austr., Archip. Malay.
- 6950 208 *Cleisostoma* Bl. G. III. 580. (*Pomatocalpa* Breda). — Sp. ad 15. Ind. or., Archip. Malay., Austral. trop.  
*Echioglossum* Bl., *Synptera* Llanos.
- 6951 209 *Schoenorchis* Bl. pr. p. G. III. 581. — Sp. 1. Java.
- 6952 210 *Ornithochilus* Wall. G. III. 851. — Sp. 3? Himal., Burma, (Austral.?).

- 6953 211 *Tæniophyllum* Bl. G. III. 582. — Sp. ad 6. Ind. or., Archip. Malay., Ins. Pacif., Austral.
- 6954 212 *Microsaccus* Bl. G. III. 582. — Sp. 5 v. 6. Archip. Malay., Malacca.
- 6955 213 *Diplocentrum* Lindl. G. III. 582. — Sp. 2 v. 3. Penins. Ind. or.
- 6956 214 *Angræcum* Thou. G. III. 583. (*Aerobion* Spreng.). — Sp. ad 15. Afr. trop. et austr., Ins. Mascar., China, Japon.
- 6957 215 *Listrostachys* Rehb. f. in *Bot. Zeit.* 930 (1852). G. III. 588 (sub *Angræco*). — Sp. 8. Afr. trop. occ.
- 6958 216 *Aerangis* Rehb. f. in *Flora.* 190 (1865). G. III. 583 (sub *Angræco*). — Sp. 2. Angola.
- 6959 217 *Cryptopus* Lindl. G. III. 583. (*Beclardia* A. Rich.). — Sp. 1. Ins. Mascar.
- 6960 218 *Æonia* Lindl. G. III. 584. — Sp. 4 v. 5. Ins. Mascar.
- 6961 219 *Mystacidium* Lindl. G. III. 584. (*Aeranthus* Rehb. pr. p.). — Sp. ad 20. Afr. trop. et austr.  
Gussonia Rich., Microcoelia Lindl.
- 6962 220 *Dendrophylax* Rehb. f. G. III. 585. — Sp. 5. Ind. occ.
- 6963 221 *Campylocentrum* Benth. G. III. 585. (*Todaroa* A. Rich.). — Sp. ad 15. Amer. trop. a Brasil. usque ad Mexic. et Ind. occ.
- 6964 222 *Cirrhaea* Lindl. G. III. 585. (*Scleropteris* Scheidw.). — Sp. 5. Brasil.
- 6965 223 *Macradenia* R. Br. G. III. 586. (*Rhynchadenia* A. Rich.). — Sp. 5. Ind. occ., Guatemala, Guiana.
- 6966 224 *Notylia* Lindl. G. III. 586. — Sp. 18 v. 20. Amer. trop.
- 6967 225 *Acriopsis* Reinw. G. III. 586. — Sp. 3 v. 4. Burma, Archip. Malay.
- 6968 226 *Telipogon* H. B. et K. G. III. 587. (*Thelypogon* Spreng.). — Sp. ultra 40. Andes Peruviae et Columbiae.
- 6969 227 *Trichoceros* H. B. et K. G. III. 587. — Sp. 6 v. 7, forte ad 3 v. 4 reduc. Peruvia, Columbia.  
Astroglossus Rehb. f.
- 6970 228 *Podochilus* Bl. G. III. 588 et 1226. (*Cryptoglottis*, *Platysma*, *Plocostigma* et *Apista* Bl.). — Sp. ad 12. Ind. or., Archip. Malay.
- 6971 229 *Appendicula* Bl. G. III. 588. (*Metachilum* Lindl., *Conchochilus* Hassk.). — Sp. ad 20 v. 22? Malacca, Archip. Malay., Ins. Pacif. (China et Ind. or.?).
- 6972 230 *Thelasis* Bl. G. III. 589. (*Oxyanthera* Brongn., *Euproboscis* Griff.). — Sp. vel var. insign. 8. Ind. or., China austr., Archip. Malay.

TRIBUS III. **Neottieæ.**

- 6973 231 **Galeola** Lour. G. III. 589. (*Cyrtosia*, *Erythrorchis* et *Hæmatorchis* Bl., *Pogochilus* Falc., *Ledgeria* F. Müll.). — Sp. ad 12. Ind. or., Japon., Archip. Malay., N. Caled., Austral.  
*Eriaxis* Rchb. f.
- 6974 232 **Vanilla** Sw. G. III. 590. (*Myrobroma* Salisb.). — Sp. ad 20. Utriusque orbis reg. trop.
- 6975 233 **Sobralia** R. et P. G. III. 590. — Sp. ad 39. Amer. trop. andina a Peruvia usque ad Mexicum, Guiana.  
*Cyathoglottis* Pöpp. et Endl.
- 6976 234 **Fregea** Rchb. f. in *Bot. Zeit.* 712 (1852). — Sp. 1. Panama.
- 6977 235 **Epistephium** Kth. G. III. 591. — Sp. ad 6. Amer. austr. trop.
- 6978 236 **Sertifera** Lindl. G. III. 591. — Sp. 1. Ecuador.
- 6979 237 **Corymbis** Thou. G. III. (*Corymborchis* Thou., *Hysteria* Reinw., *Rhynchanthera* Bl., *Macrostylis* Breda, *Chloidia* Lindl.). — Sp. 6 v. 7. Utriusque orbis reg. trop.
- 6980 238 **Tropidia** Lindl. G. III. 592. (*Decaisnea* Lindl., *Cnemidia* Lindl., *Ptychochilus* Schau., *Govindovia* Wight). — Sp. ad 5. Ind. or., Archip. Malay., Ins. Pacif.
- 6981 239 **Altensteinia** H. B. et K. G. III. 592. — Sp. ad 12. Amer. trop. andina.
- 6982 240 **Pterichis** Lindl. G. III. 592. (*Acræa* Lindl.). — Sp. ad 6. Amer. trop. austr.
- 6983 241 **Cranichis** Sw. G. III. 593. — Sp. fere 20. Amer. trop., andina, Mexic., Ind. occ.
- 6984 242 **Prescottia** Lindl. G. III. 593. (*Decaisnea* Brongn., *Galeoglossum* A. Rich.). — Sp. ad 20. Amer. trop. a Brasil. usque ad Mexicum et Ind. occ.  
*?Ocampo* A. Rich. et Gal.
- 6985 243 **Ponthieva** R. Br. G. III. 593. — Sp. ad 20. Amer. trop. et bor. subtrop.
- 6986 244 **Wulfschlägelia** Rchb. f. G. III. 594. — Sp. 2. Ind. occ., Brasil. bor.
- 6987 245 **Pseudocentrum** Lindl. G. III. 594. — Sp. 5. Amer. austr. et centr. andina, Jamaica.
- 6988 246 **Gomphichis** Lindl. G. III. 594. — Sp. 4 v. 5. Amer. austr. andina.
- 6989 247 **Stenoptera** Presl. G. III. 594. (*Porphyrostachys* Rchb. f.). — Sp. 3. Amer. trop. mont. a Brasil. et Bolivia usque ad Ind. occ.
- 6990 248 **Neottia** L. G. III. (*Neottidium* Schlecht.). — Sp. 3. Eur., Asia bor. et mont.



- 6991 249 *Listera* R. Br. G. III. 595. (*Diphryllum* Raf.). — Sp. ad 10.  
Eur., Asia temp. et mont., Amer. bor.
- 6992 250 *Spiranthes* L. C. Rich. G. III. 596. (*Aristotelea* Lour., *Ibidium* Salisb. pr. p., *Gyrostachis* Pers., *Cyclopogon* Presl). —  
Sp. ad 80. Utriusque orbis reg. temp. et trop.  
Sect. 1. *Euspiranthes* B. et H.  
Sect. 2. *Sauroglossum* B. et H., *Sauroglossum* et *Synassa* Lindl.  
Sect. 3. *Sarcoglottis* B. et H., *Sarcoglottis* Presl.  
Sect. 4. *Stenorhynchus* B. et H., *Stenorrhynchus* L. C. Rich.
- 6993 251 *Baskervilla* Lindl. G. III. 597. — Sp. 1. Peruvia.
- 6994 252 *Pelexia* Lindl. pr. p. G. III. 597. — Sp. 7 v. 8. Amer. trop. a  
Brasil. usque ad Ind. occ. et Amer. centr.
- 6995 253 *Physurus* L. C. Rich. G. III. 597. (*Erythrodes* Bl., *Microchilus* Presl). — Sp. ad 20. Asia et Amer. calidior.  
*Queteletia* Bl. (*Orchipedum* Breda).
- 6996 254 *Anæctochilus* Bl. G. III. 598. (*Anecochilus* Bl., *Chrysobaphus* Wall.). — Sp. ad 8. Ind. or., Archip. Malay.
- 6997 255 *Vredagzenia* Bl. G. III. 598 et 1226. — Sp. 8. Archip. Malay.,  
Ins. Pacif.
- 6998 256 *Cystorchis* Bl. G. III. 599. — Sp. 2 v. 3? Archip. Malay.,  
Himal.
- 6999 257 *Herpysma* Lindl. G. III. 599. — Sp. 1. Himal.
- 7000 258 *Zeuxine* Lindl. G. III. 599. (*Adenostyles* Bl., *Tripleura* Lindl.,  
*Psychechilus* Breda). — Sp. ad 16. Ins. or., Archip.  
Malay., Afr. trop.  
Sect. 1. *Euzeuxine* Bl.  
Sect. 2. *Lathrodus* Bl.  
Sect. 3. *Psychechilus* Bl.  
Sect. 4. *Monochilus* B. et H., *Monochilus* Wall., *Haplo-*  
*chilus* Endl.
- 7001 259 *Cheirostylis* Bl. G. III. 600. — Sp. 8. Ind. or., Archip. Malay.,  
Afr. trop.
- 7002 260 *Odontochilus* Bl. G. III. 600. — Sp. ad 10. Ind. or., Archip.  
Malay., Ins. Pacif.  
*Cystopus* Bl.
- 7003 261 *Myrmechis* Bl. G. III. 601. — Sp. 2. Java, Japon.
- 7004 262 *Hæmaria* Lindl. G. III. 601. (*Ludisia* A. Rich.). — Sp. 4.  
China, Cochinchina, Archip. Malay.  
*Myoda* Lindl.
- 7005 263 *Dossinia* C. Morren. G. III. 601. — Sp. 1. Borneo.
- 7006 264 *Macodes* Bl. G. III. 602. — Sp. 1. Java.

- 7007 265 **Hylophila** Lindl. G. III. 602. — Sp. 1. Malacca, Archip. Malay.  
occ.
- 7008 266 **Goodyera** R. Br. G. III. 602. (*Peramium* Salisb., *Gonogona*  
Link., *Tussuca* Raf.). — Sp. ad 25. Eur., Madera, Asia  
trop. et temp., N. Caled., Ins. Mascar.  
*Cionisaccus* Breda (*Cordylestylis* Falc., *Leucostachys*  
Hoffmsg), *Georchis* Lindl.
- 7009 267 **Lepidogyne** Bl. G. III. 603. — Sp. 1. Java.
- 7010 268 **Heteraria** Bl. G. III. 603. (*Elæria* Bl., *Ætheria* Endl., *Rham-*  
*phidia* Lindl. pr. p.). — Sp. ad 13. Ind. or., Archip.  
Malay., Ins. Pacif., Austral., N. Caled., Afr. trop.  
*Cerochilus* et *Rhomboda* Lindl., *Salacistis* Rehb. f.
- 7011 269 **Mœrenhoutia** Bl. G. III. 604. — Sp. 1 v. 2? Ins. Societatis et  
Niviti-Levu (Mare Pacif.).
- 7012 270 **Platylepis** A. Rich. G. III. 604. (*Notiophrys* Lindl., *Diplogastra*  
Rehb. f.). — Sp. 3 v. 5? Afr. trop. et austr., Ins. Mascar.
- 7013 271 **Manniella** Rehb. f. G. III. 605. — Sp. 1. Afr. trop. occ.
- 7014 272 **Eucosia** Bl. G. III. 605. — Sp. 1. Java.
- 7015 273 **Gymnochilus** Bl. G. III. 605. — Sp. 2. Ins. Mascar.
- 7016 274 ? **Argyrorchis** Bl. G. III. 606. — Sp. 1. Java.
- 7017 275 **Lecanorchis** Bl. G. III. 606. — Sp. 2. Japon., Java.
- 7018 276 **Aphyllorchis** Bl. G. III. 606. — Sp. 5? Ind. or., Archip. Malay.
- 7019 277 **Stereosandra** Bl. G. III. 607. — Sp. 1. Java.
- 7020 278 **Thelymitra** Forst. G. III. 607. — Sp. ad 20. Austral., N. Zel.,  
N. Caled., Archip. Malay.  
Sect. 1. *Cucullaria* Lindl.  
Sect. 2. *Macdonaldia* B. et H., *Macdonaldia* Lindl. pr. p.  
Sect. 3. *Biaurella* Lindl., *Macdonaldia* Lindl. pr. p.
- 7021 279 **Epiblema** R. Br. G. III. 607. — Sp. 1. Austral. austro-occ.,  
N. Zel.
- 7022 280 **Diuris** Sm. G. III. 608. — Sp. ad 15. Austral.
- 7023 281 **Orthoceras** R. Br. G. III. 608. — Sp. 1. Austral., N. Zel.
- 7024 282 **Cryptostylis** R. Br. G. III. 608. (*Zosterostylis* Bl.). — Sp. 7.  
Ind. or., Archip. Malay., Austral.
- 7025 283 **Prasophyllum** R. Br. G. III. 608. — Sp. ad 35. Austral.,  
N. Caled., N. Zel.  
*Genoplesium* R. Br.
- 7026 284 **Microtis** R. Br. G. III. 609. — Sp. 6 v. 7? Austral., N. Zel.,  
Java?
- 7027 285 **Corysanthes** R. Br. G. III. 609. (*Corybas* Salisb., *Calcearia*  
Bl., *Nematoceras* H. f.). — Sp. ad 15. Austral., N. Zel.,  
Archip. Malay.
- 7028 286 **Pterostylis** R. Br. G. III. 610. (*Diplodium* Sw.). — Sp. ad 36.  
Austral., N. Zel., N. Caled.

- 7029 286 *Caleana* R. Br. G. III. 610. (*Caleya* Endl.). — Sp. 3. Austral. extratrop.
- 7030 287 *Drakæa* Lindl. G. III. 611. (*Arthrochilus* F. Müll.). — Sp. 3. Austral.  
*Spiculæa* Lindl.
- 7031 288 *Acianthus* R. Br. G. III. 611. — Sp. 7. Austral. or., N. Zel., N. Caled.
- 7032 289 *Eriochilus* R. Br. G. III. 611. — Sp. 5. Austral.
- 7033 290 *Lyperanthus* R. Br. G. III. 611. — Sp. 4 v. 6. Austral., N. Caled., N. Zel.  
*Fitzgeraldia* Rchb. f.
- 7034 291 *Burnettia* Lindl. G. III. 612. — Sp. 1. Tasmania.
- 7035 292 *Cyrtostylis* R. Br. G. III. 612. — Sp. 3. Austral., N. Zel.
- 7036 293 *Caladenia* R. Br. G. III. 612. — Sp. ad 32. Austral., N. Zel.  
 Sect. 1. *Leptoceras* R. Br., *Leptoceras* Lindl.  
 Sect. 2. *Phlebochilus* Benth.  
 Sect. 3. *Calonema* Lindl.  
 Sect. 4. *Eucaladenia* Lindl.  
 Sect. 5. *Pentisia* Lindl.
- 7037 294 *Glossodia* R. Br. G. III. 613. — Sp. 4. Austral.  
 Sect. 1. *Euglossodia* Endl.  
 Sect. 2. *Eleutheranthera* Endl.
- 7038 295 *Adenochilus* H. f. G. III. 613. — Sp. 2. Austral., N. Zel.
- 7039 296 *Chiloglottis* R. Br. G. III. 614. — Sp. 6. Austral., N. Zel.
- 7040 297 *Calochilus* R. Br. G. III. 614. — Sp. 3 v. 1. Austral. or.
- 7041 298 *Arethusa* L. G. III. 614. — Sp. 3. Japon., Amer. bor., Guatemala.  
*Crybe* Lindl.
- 7042 299 *Calopogon* R. Br. G. III. 615. (*Cathea* Salisb.). — Sp. 4. Amer. bor.
- 7043 300 *Pogonia* Juss. G. III. 615. — Sp. ultra 30. Amer. et Asia trop. et temp., Afr. trop.  
 Sect. 1. *Nervilia* B. et H., *Nervilia* Gaud., *Cordyla* et *Rhopostemon* Bl., *Aplostellis* Thou. (*Haplostellis* Endl.).  
 Sect. 2. *Eupogonia* B. et H.  
 Sect. 3. *Cleistis* B. et H., *Cleistis* L. C. Rich.  
 Sect. 4. *Triphora* B. et H., *Triphora* Nutt.  
 Sect. 5. *Codonorchis* B. et H., *Isotria* et *Odonectis* Raf., *Codonorchis* Lindl.
- 7044 301 ?*Pogoniopsis* Rchb. f. G. III. 616. — Sp. 1. Brasil.
- 7045 302 ?*Chlorosa* Bl. G. III. 616. — Sp. 1. Java.
- 7046 303 *Didymoplexis* Griff. G. III. 1226. (*Leucorchis* Bl. G. III. 616, *Apetalon* Wight, *Epiphanes* Rchb. f.). — Sp. 2 v. 3. Ind. or., Archip. Malay., Ins. Pacif.

- 7047 304 **Gastrodia** R. Br. G. III. 617. (*Gamoplexis* Falc., *Epiphanes* Bl.).  
— Sp. 7. Ind. or., Asia occ., Archip. Malay., Austral.,  
N. Zel.
- 7048 305 **Yoania** Maxim. G. III. 617. — Sp. 1. Japon.
- 7049 306 **Epipogum** Gmel. G. III. 617. (*Epipogium* Lindl.). — Sp. 2.  
Orbis veteris reg. temp. et trop.  
Galera Bl., Ceratopsis Lindl., Podanthera Wight.
- 7050 307 **Limodorum** L. C. Rich. G. III. 618. — Sp. 1. Reg. Medit.  
usque ad Eur. centr. et occ. et Caucasum.
- 7051 308 **Chloræa** Lindl. G. III. 618. — Sp. enum. ultra 80. Amer.  
austr. extratrop.  
Asarca Lindl., Bieneria Rehb. f., Ulantha Hook.
- 7052 309 **Bipinnula** Juss. G. III. 618. — Sp. 3 v. 4. Amer. austr.  
extratrop.
- 7053 310 **Cephalanthera** L. C. Rich. G. III. 619. — Sp. ad 10. Eur.,  
Afr. bor., Asia temp. et mont., Amer. bor.-occ.
- 7054 311 **Epipactis** R. Br. pr. p. G. III. 619. — Sp. ad 10, nonnullæ  
tamen verisim. reduc. Eur., Asia temp. et mont., Amer.  
bor.

#### TRIBUS IV. **Ophrydeæ.**

- 7055 312 **Orchis** L. pr. p. G. III. 620 et 1226. — Sp. fere 80. Eur.,  
Asia temp., Afr. bor., Amer. bor., Ins. Canar.  
Strateuma Salisb., Traunsteinera Rehb., Barlia Parlat.,  
Loroglossum L. C. Rich. (*Himantoglossum* Spreng.),  
Comperia K. Koch, Anacamptis L. C. Rich.
- 7056 313 **Serapias** L. G. III. 620. (*Helleborine* Pers.). — Sp. 4 v. 5.  
Reg. Medit. tota, Ins. Azores.  
Isias De Not.
- 7057 314 **Aceras** R. Br. G. III. 621. — Sp. 1. Eur., Afr. bor.
- 7058 315 **Ophrys** L. pr. p. G. III. 621. (*Arachnites* F. W. Schmidt).  
— Sp. enum. ultra 30. Eur., Asia occ., Afr. bor.  
Myodium Salisb.
- 7059 316 **Herminium** L. G. III. 622. — Sp. 6. Eur., Asia temp. et  
mont.  
Monorchis Ehrh., Chamorchis L. C. Rich. (*Chamæorchis*  
Koch), Thisbe Falc., Aopla Lindl., Chamærepes Spreng.
- 7060 317 **Stenoglottis** Lindl. G. III. 622. — Sp. 1. Afr. austr.
- 7061 318 **Arnottia** A. Rich. G. III. 622. — Sp. 2. Ins. Maurit.
- 7062 319 **Bartholina** R. Br. G. III. 623 et 1226. (*Lathrisia* Sw.). —  
Sp. 1. Afr. austr.
- 7063 320 **Huttonæa** Harv. G. III. 623. (*Hallackia* Harv.). — Sp. 2. Afr.  
austr.

- 7064 321 **Holothrix** L. C. Rich. G. III. 623. — Sp. 18. Afr. austr.,  
Abyss.  
Saccidium, Monotris, Bucculina, Scopularia et Tryphia  
Lindl.
- 7065 322 **Bicornella** Lindl. G. III. 624. — Sp. 2. Madagasc.
- 7066 323 **Habenaria** Willd. G. III. 624. (*Sieberia* Spreng.). — Sp. ad 450.  
Utriusque orbis reg. temp. et calidior.  
Sect. 1. *Gymnadenia* B. et H., *Gymnadenia* R. Br. (*Nigritella* L. C. Rich.).  
Sect. 2. *Tinea* B. et H., *Tinea* Biv. (*Neotinea* Rchb. f.).  
Sect. 3. *Leucorchis* B. et H., *Leucorchis* E. H. F. Mey.,  
(*Bicchia* Parlat.).  
Sect. 4. *Perularia* B. et H., *Perularia* Lindl.  
Sect. 5. *Deroëmeria* B. et H., *Deroëmeria* Rchb. f.  
Sect. 6. *Peristylis* B. et H., *Peristylis* Bl. (*Gennaria*  
Parlat., *Benthamia* A. Rich., *Cybele* Falc.), ?*Montolivæa* Rchb. f.  
Sect. 7. *Cœloglossum* B. et H. G. III. 626, *Cœloglossum*  
Hartm., *Cœloglossum* Lindl. (*Lindelomia* Fries), *Chæradoplectron* J. C. Schau.  
Sect. 8. *Phyllostachys* B. et H.  
Sect. 9. *Platanthera* L. C. Rich. (*Lysias* Salisb.), *Mecosa*  
et *Mitostigma* Bl., *Centrochilus* J. C. Schau., *Ponerorchis* Rchb. f.  
Sect. 10. *Euhabenariæ* B. et H. G. III. 627, *Dissorhynchium* J. C. Schau.,  
*Bilabrella* et *Ate* Lindl., *Barlæa* Rchb. f., *Macrocentrum* Philippi,  
*Synmeria* Grah.
- 7067 324 **Diplomeris** Don. G. III. 627. (*Diplochilus* Lindl., *Paragnathis*  
Spreng.). — Sp. 2. Himal.
- 7068 325 **Bonatea** Willd. G. III. 628. — Sp. 2 v. 3? Afr. austr.
- 7069 326 **Cynorchis** Thou. G. III. 628. (*Cynosorchis* Thou.). — Sp. ad 25.  
Afr. trop., Ins. Mascar.  
*Amphorchis* Thou.
- 7070 327 **Heminilia** Lindl. G. III. 628. — Sp. 2. Ind. or.
- 7071 328 **Glossula** Lindl. G. III. 628. (*Glossaspis* Spreng.). — Sp. 1.  
Cochinch., China.
- 7072 329 **Satyrium** Sw. G. III. 629. (*Diplecthrum* Pers.). — Sp. descr.  
fere 60. Afr. austr. et trop., Ins. Mascar., Ind. or.  
*Satyridium* et *Aviceps* Lindl.
- 7073 330 ?**Pachites** Lindl. G. III. 629. — Sp. 1. Afr. austr.
- 7074 331 **Disa** Berg. G. III. 630. — Sp. ad 60. Afr. trop. et austr., Ins.  
Mascar.  
*Penthea* Lindl.

- 7075 332 ?*Ræperocharis* Rchb. f. *Otia Hamb.* 104. — Sp. 1. Abyss.  
 7076 333 *Herschelia* Lindl. G. III. 630. — Sp. 2. Afr. austr.  
 7077 334 *Monadenia* Lindl. G. III. 630. — Sp. ad 10. Afr. austr.  
 7078 335 *Schizodium* Lindl. G. III. 631. — Sp. ad 10. Afr. austr.  
 7079 336 *Brownleea* Harv. G. III. 631. — Sp. 4. Afr. austr.  
 7080 337 ?*Forficaria* Lindl. G. III. 631. — Sp. 1. Afr. austr.  
 7081 338 *Brachycorythis* Lindl. G. III. 632. — Sp. 4 v. 5. Afr. austr. et  
     trop. occ.  
 7082 339 *Schizochilus* Sond. G. III. 632. — Sp. 4. Afr. austr.  
 7083 340 *Platycoryne* Rchb. f. G. III. 632. — Sp. 1. Madagasc.  
 7084 341 *Pterygodium* Sw. G. III. 632. — Sp. ad 10. Afr. austr.  
     *Ommatodium* Lindl.  
 7085 342 *Disperis* Sw. G. III. 633. (*Dryopeia* Thou., *Dipera* Spreng.).  
     — Sp. ad 25. Ind. or., Afr. trop. et austr., Ins. Mascar.  
 7086 343 *Corycium* Sw. G. III. 633. — Sp. ad 10. Afr. austr.  
 7087 344 *Ceratandra* E. et Z. G. III. 634. — Sp. 7 v. 8. Afr. austr.

TRIBUS V. *Cypripediæ*.

- 7088 345 *Cypripedium* L. G. III. 634. (*Criosanthes* Raf.). — Sp. descr.  
     ultra 50. Eur., Asia temp. et trop., Amer. bor., Mexic.,  
     Guatemala.  
     Series 1. *Foliosæ* B. et H., *Arietinum* Beck.  
     Series 2. *Diphyllæ* B. et H.  
     Series 3. *Coriaceæ* B. et H.  
 7089 346 *Selenipedium* Rchb. f. G. III. 635. — Sp. ad 10. Amer. austr.  
     mont.  
     Series 1. *Coriaceæ* B. et H.  
     Series 2. *Foliosæ* B. et H., *Uropedium* Lindl.  
 7090 347 *Apostasia* Bl. G. III. 635. (*Niemeyera* F. Müll.). — Sp. ad 4.  
     Ind. or., Archip. Malay., Austral. trop.  
 7091 348 *Neuwiedia* Bl. G. III. 635. — Sp. 3. Malacca, Archip. Malay.

Genera inquirenda.

- 7092 349 ?*Baptistania* Barb. Rodrig. *Gen. et Sp. Orchid.* 94 (1877).  
     — Sp. 1. Brasil.  
 7093 350 ?*Calorchis* Barb. Rodrig. *l. c.* — Sp. 1. Brasil.  
 7094 351 ?*Capanemia* Barb. Rodrig. *l. c.* 137. — Sp. 2. Brasil.  
 7095 352 ?*Cheiropterocephalus* Barb. Rodrig. *l. c.* 28. — Sp. 1. Brasil.  
 7096 353 ?*Constantia* Barb. Rodrig. *l. c.* 78. — Sp. 1. Brasil.  
 7097 354 ?*Cyanæorchis* Barb. Rodrig. *l. c.* 112. — Sp. 1. Brasil.  
 7098 355 ?*Cystochilum* Barb. Rodrig. *l. c.* 197. — Sp. 1. Brasil.  
 7099 356 ?*Isabella* Barb. Rodrig. *l. c.* — Sp. 1. Brasil.  
 7100 357 ?*Orlcanesia* Barb. Rodrig. *l. c.* 63. — Sp. 1. Brasil.

- 7101 358 ? *Palmorchis* Barb. Rodrig. *l. c.* 169. — Sp. 2. Brasil.  
 7102 359 ? *Parlatorea* Barb. Rodrig. *l. c.* 141. — Sp. 1. Brasil.  
 7103 360 ? *Petronia* Barb. Rodrig. *l. c.* — Sp. 1. Brasil.  
 7104 361 ? *Pleurobotryum* Barb. Rodrig. *l. c.* — Sp. 1. Brasil.  
 7105 362 ? *Regnellia* Barb. Rodrig. *l. c.* 81. — Sp. 1. Brasil.  
 7106 363 ? *Theodorea* Barb. Rodrig. *l. c.* 44. — Sp. 1. Brasil.  
 7107 364 ? *Centroglossa* Barb. Rodrig. (*loco nobis ignoto edit.*).  
 7108 365 ? *Dipteranthus* Barb. Rodrig. id.  
 7109 366 ? *Macroclinium* Barb. Rodrig. id.  
 7110 367 ? *Ornithophora* Barb. Rodrig. id.  
 7111 368 ? *Platyrrhiza* Barb. Rodrig. id.  
 7112 369 ? *Psilochilus* Barb. Rodrig. id.  
 7113 370 ? *Reichembachanthus* Barb. Rodrig. id.

ORDO CLXXVI. ZINGIBERACEÆ <sup>(1)</sup>

## TRIBUS I. Zingibereæ.

- 7114 1 *Mantisia* Sims. G. III. 639. — Sp. 2. Ind. or.  
 7115 2 *Globba* L. pr. p. G. III. 640. (*Manitia* Giseke, *Hura* Kön.,  
*Sphærocarpos* Gmel.). — Sp. ad 24. Ind. or., Archip.  
 Malay.  
 Sect. 1. *Aplanthera* Horan.  
 Sect. 2. *Careyella* Horan., *Colebrookia* Don pr. p.  
 Sect. 3. *Cerutanthera* Horan., *Ceratanthera* Horan.  
 Sect. 4. *Marantella* Horan., *Colebrookia* Don pr. p.  
 7116 3 *Guillainia* Vieill. G. III. 640. — Sp. 1. N. Caled.  
 7117 4 *Hemiorchis* Kurz. G. III. 641. — Sp. 1. Burma.  
 7118 5 *Roscoeia* Sm. G. III. 641. — Sp. 6. Himal.  
 Cautlea Royle.  
 7119 6 *Kæmpferia* L. G. III. 641. — Sp. ad 18. Afr. et Asia trop.  
 Sect. 1. *Protanthium* Horan., *Cienkowskia* Solms.  
 Sect. 2. *Stachyanthesis* B. et H., *Monolophus* Wall.  
 Sect. 3. *Soncorus* Horan., *Tritophus* Lestib., *Cadalvena*  
 Fenzl.  
 7120 7 *Gastrochilus* Wall. G. III. 642. — Sp. 3 v. 4. Burma.  
 7121 8 *Hedychium* Kön. G. III. 642. — Sp. ad 25. Asia trop.  
*Gamochilus* Lestib.  
 7122 9 *Curcuma* L. G. III. 643. (*Stissera* et *Erndlia* Giseke). — Sp.  
 enum. ultra 30. Asia, Afr. et Austral. trop., Ins. Pacif.  
 7123 10 *Hitchenia* Wall. G. III. 643. — Sp. 3 v. 4. Ind. or. (prov. or.).  
 7124 11 *Tapeinochilus* Miq. G. III. 644. — Sp. 1. Archip. Malay., Aus-  
 tral. trop.

(1) Sp. ad 470, per reg. calidior. utriusque orbis late dispersæ.

- 7125 12 **Amomum** L. G. III. 644. — Sp. ad 55. Asia, Afr. et Austral. trop., Ins. Pacif.  
 Sect. 1. *Geanthus* B. et H., *Elettaria* Bl. pr. p., *Phæomeria* Lindl., *Nicolaia* Horan., *Donacodes* Bl., *Achasma* Griff., *Etlingera* Giseke.  
 Sect. 2. *Euamomum* B. et H., *Marogna*, *Torymenes* et *Alexis* Salisb., *Hornstedtia* Retz (*Greenwaya* Giseke), *Meistera*, *Wurfbainia* et *Paludana* Giseke.  
 Sect. 3. *Cenolophon* B. et H., *Cenolophon* Horan., *Diracodes* Bl.  
 ?*Geocallis* Horan.
- 7126 13 **Cyphostigma** Benth. G. III. 645. — Sp. 1. Zeylan.
- 7127 14 **Elettaria** Maton. G. III. 646. (*Cardamomum* Salisb.). — Sp. 1 v. 2? Ind. or., Zeylan.
- 7128 15 **Zingiber** Adans. G. III. 646. — Sp. enum. ad 33, sed vix 23 dist. Ind. or., Archip. Malay., Ins. Mascar. et Pacif.  
 Sect. 1. *Cryptanthium* Horan.  
 Sect. 2. *Lampuzium* Horan., *Jægera* et *Dietrichia* Giseke, *Cassumunar* Colla.  
 Sect. 3. *Pleuranthesis* B. et H.  
 Sect. 4. *Dymczewiczia* B. et H., *Dymczewiczia* Horan., *Zerumbet* Lestib.
- 7129 16 **Costus** L. G. III. 646. (*Banksea* Kön., *Tsiana* Gmel., *Hellenia* Retz., *Planera* Giseke, *Jacuanga* Lestib., *Gissanthe* Salisb.). — Sp. ad 27. Utriusque orbis reg. trop.
- 7130 17 **Burbridgea** H. f. G. III. 647. — Sp. 1. Borneo.
- 7131 18 **Rhynchanthus** H. f. *Bot. Magaz.* tab. 6861 (1887). — Sp. 1. Burma.
- 7132 19 **Leptosolena** Presl. G. III. 647. — Sp. 1. Ins. Philippin.
- 7133 20 **Strobidia** Miq. G. III. 647. — Sp. 1. Sumatra.
- 7134 21 **Alpinia** L. G. III. 648. (*Catimbium* Juss., *Languas* Kön., *Heritiera* Retz, *Buckia*, *Albina* et *Martensia* Giseke, *Galanga* Salisb.). — Sp. ad 45. Asia trop. et subtrop., Austral., Ins. Pacif.  
*Hellenia* Willd., *Kolowratia* Presl, *Cenolophon* Bl., *Monocystis* Lindl.
- 7135 22 **Riedelia** Oliv. G. III. 1226. — Sp. 1. Archip. Malay. (Ins. Buru).
- 7136 23 **Renealmia** L. f. G. III. 648. (*Ethanium* et *Gethyra* Salisb., *Peperidium* Lindl.). — Sp. ad 14. Amer. trop., Afr. trop. occ.



TRIBUS II. **Maranteæ.**

- 7137 24 *Ichnosiphon* Körn. G. III. 649. (*Hymenocharis* Salisb.). —  
Sp. 16. Amer. trop.
- 7138 25 *Maranta* L. G. III. 649. (*Gæppertia* Nees pr. p.). — Sp. ad  
15. Amer. trop., alibi inquil.  
*Marantopsis* Körn.
- 7139 26 *Stromanthe* Sond. G. III. 650 et 1226. — Sp. 6. Brasil.  
*Kerchovea* Jorissenne.
- 7140 27 *Ctenanthe* Eichl. *Beitr. Morph. Syst. Marant.* 74 (1884). —  
Sp. 7. Amer. trop.  
*Myrosma* B. et H. G. III. 651 pr. p.
- 7141 28 *Thalia* L. G. III. 650. (*Peronia* DC.). — Sp. ad 6. Amer. trop.  
et bor. subtrop., Afr. trop.
- 7142 29 *Myrosma* L. f. G. III. 651. pr. p. — Sp. ad 3? Amer. trop., Ma-  
dagasc.  
*Thladianthus* Kl.
- 7143 30 *Saranthe* Körn. emend. ex Eichl. *Beitr. Morph. Syst. Marant.*  
83 (1884). — Sp. 7. Amer. trop.  
*Myrosma* B. et H. G. III. 651 pr. p.
- 7144 31 *Clinogyne* Salisb. G. III. 651. — Sp. 7 v. 8. Afr. trop., Ind. or.
- 7145 32 *Trachyphrynium* Benth. G. III. 651. — Sp. 4 v. 6. Afr. trop.
- 7146 33 *Thaumatococcus* Benth. G. III. 652. — Sp. 1. Afr. trop. occ.
- 7147 34 *Phrynium* Willd. G. III. 652. (*Phyllodes* Lour.). — Sp. ad 20.  
Ind. or., Archip. Malay., Afr. trop.
- 7148 35 *Calathea* G. F. W. Mey. G. III. 653. (*Gæppertia* Nees pr. p.).  
— Sp. ad 60. Afr. trop. occ., Amer. trop.  
Sect. 1. *Eucalatheia* Körn.  
Sect. 2. *Macropus* Körn.  
Sect. 3. *Breviscapus* Körn.  
Sect. 4. *Pseudophrynium* Körn.  
Sect. 5. *Microcephalum* Körn.  
Sect. 6. *Monostiche* Körn., *Monostiche* Körn.

TRIBUS III. **Canneæ.**

- 7149 36 *Canna* L. G. III. 654. — Sp. vix 30. Utriusque orbis reg.  
calidior. (in orbe vetere inquil.?).  
*Achirida* Horan., *Eurystylus* Bouché.

ORDO CLXXVII. **MUSACEÆ**

- 7150 1 *Heliconia* L. G. III. 655. — Sp. ad 25. Amer. trop., alibi inquil.?  
*Heliconiopsis* Miq.
- 7151 2 *Musa* L. G. III. 655. — Sp. enum. ultra 20, sed plures reduc.  
Orbis veteris reg. trop.  
*Ensete* Bruce.

- 7152 3 *Strelitzia* Ait. G. III. 656. — Sp. 4 v. 5. Afr. austr.  
 7153 4 *Ravenala* Adans. G. III. 656. (*Urania* Schreb.). — Sp. 2.  
     Brasil. bor., Guiana, Madagasc.  
     *Phenacospermum* Endl.  
         Genus anomalum.  
 7154 5 *Orchidantha* N. E. Brown in *Gard. Chron.* XXVI. 519 (1886).  
     — Sp. 1. Borneo.

ORDO CLXXVIII. **BROMELIACEÆ** <sup>(1)</sup>TRIBUS I. **Bromeliæ.**

- 7155 1 *Bromelia* L. pr. p. G. III. 660. (*Agallostachys* Beer). — Sp. 4  
     v. 5. Amer. trop.  
     *Ananas* Gärtn.  
 7156 2 *Karatas* Adans. G. III. 660 pr. p. — Sp. 2 v. 3. Ind. occ.  
 7157 3 *Nidularium* Lemaire in *Jard. Fleur.* IV. 60. (*Karatas* B. et H.  
     G. III. 660 pr. p.). — Sp. ad 15. Amer. trop. imprim.  
     Brasil.  
     Sect. 1. *Eunidularium* Wittmack.  
     Sect. 2. *Regelia* Antoine, *Regelia* Lemaire.  
 7158 4 *Greigia* Rgl. G. III. 660. — Sp. 2. Chili.  
 7159 5 *Cryptanthus* Otto et Dietr. G. III. 661. — Sp. ad 6 v. 1?  
     Brasil. trop.  
     *Madvigia* Liebm.  
 7160 6 *Disteganthus* Lemaire. G. III. 661. — Sp. 1 v. 2. Cayenna.  
 7161 7 *Rhodostachys* Philippi. G. III. 662. (*Ruckia* Rgl). — Sp. 6  
     v. 7. Chili, Columbia, Guiana.  
 7162 8 *Ochagavia* Philippi. G. III. 661. — Sp. 1. Ins. Juan Fernandez.  
 7163 9 *Ananas* Adans. G. III. 662. (*Ananassa* Lindl.). — Sp. 5 v. 6.  
     Amer. trop.  
     *Acanthostachyum* Link, Kl. et Otto.  
 7164 10 *Billbergia* Thunb. G. III. 664. — Sp. 30 v. 40. Amer. trop.  
     Sect. 1. *Densifloræ* K. Koch, *Jonghea* et *Libonia* Lemaire.  
     Sect. 2. *Remotifloræ* K. Koch.  
     Sect. 3. *Cernuæ* K. Koch, *Helicodea* Lemaire.  
 7165 11 *Quesnelia* Gaud. G. III. 665. (*Lievena* Rgl). — Sp. 5 v. 6.  
     Amer. andina a Brasil. usque ad Peruviam.  
 7166 12 *Portea* Brongn. G. III. 662. — Sp. 3 v. 4. Brasil.?  
 7167 13 *Æchmea* R. et P. G. III. 663. — Sp. ad 40. Amer. austr.  
     Sect. 1. *Amphilepis* Bak.

(1) Sp. bene dist. ad 525, omnes Americanæ tropicæ v. subtropicæ.

Cf. cl. L. Wittmack, *Bromeliaceæ* in *Die natürlichen Pflanzenfamilien* (1887).

Sect. 2. *Platyæchmea* Bak.

Sect. 3. *Euæchmea* Bak.

Sect. 4. *Thyrsæchmea* Wittmack, *Hohenbergia* Bak.

- 7168 14 *Streptocalyx* Beer. G. III. 659. — Sp. 3. Brasil. et Guiana trop.
- 7169 15 *Ortgiesia* Rgl. G. III. 662 (sub *Portea*). — Sp. 2. Amer. trop.
- 7170 16 *Pothuava* Gaud. G. III. 663 (sub *Æchmea*). — Sp. 2. Amer. austr.
- 7171 17 *Lamprococcus* Beer. G. III. 663 (sub *Æchmea*). — Sp. 7 v. 8. Amer. trop.
- 7172 18 *Chevaliera* Gaud. *Voy. Bonite* tab. 61 et 62. G. III. 663 in annot. — Sp. 5. Amer. trop.
- 7173 19 *Hohenbergia* Schult. G. III. 664 (sub *Æchmea*). — Sp. 2 v. 3. Brasil.
- 7174 20 *Hoplophytum* E. Morren. G. III. 664. (sub *Æchmea*). — Sp. 7. Brasil.
- 7175 21 *Ronnbergia* E. Morren. G. III. 661. — Sp. 1. N. Granada.
- 7176 22 *Aræococcus* Brongn. G. III. 664. — Sp. 1. Brasil. bor., Guiana.
- 7177 23 *Echinostachys* Brongn. G. III. 664 (sub *Æchmea*). — Sp. 1. Amer. trop.
- 7178 24 *Macrochordium* De Vriese. G. III. 664 (sub *Æchmea*). — Sp. 4. Brasil.
- 7179 25 *Canistrum* E. Morren. G. III. 664 (sub *Æchmea*). — Sp. 4. Brasil.
- 7180 26 *Pironeava* Gaud. G. III. 663 (sub *Æchmea*). — Sp. 1. Amer. trop.

#### TRIBUS II. *Pitcairniæ*.

- 7181 27 *Brocchinia* Schult. G. III. 665. — Sp. 3. Guiana, Brasil.
- 7182 28 *Pitcairnia* L'Hér. G. III. 665. (*Hepetis* Sw.). — Sp. ad 70. Amer. trop.
- Sect. 1. *Cephalopitcairnia* Bak.
- Sect. 2. *Eupitcairnia* Bak., *Orthopetalum* et *Cochliopetalum* Beer.
- Sect. 3. *Neumannia* Bak., *Neumannia* Brongn., *Phlomostachys* Beer, *Lamproconus* Lemaire.
- Sect. 4. *Pepinia* Bak., *Pepinia* Brongn., *Melinonia* Brongn.
- 7183 29 *Puya* Molina. G. III. 666. (*Pourretia* R. et P.). — Sp. 3 v. 4. Peruvia, Chili.
- 7184 30 *Encholirion* Mart. G. III. 667. (*Prionophyllum* K. Koch). — Sp. ad 6. Brasil.

- 7185 31 *Dyckia* Schult. G. III. 667. — Sp. ad 6. Brasil.  
*Garrielia* Gaud., *Cottendorfia* et *Navia* Schult.  
 7186 32 *Hechtia* Kl. G. III. 667. — Sp. 2 v. 3. Mexic.

TRIBUS III. *Tillandsieæ* <sup>(1)</sup>.

- 7187 33 *Sodiroa* André. G. III. 668. — Sp. 30. Columbia, Ecuador.,  
 N. Granada.  
 7188 34 *Caraguata* Lindl. G. III. 668. — Sp. 12. Ind. occ., Amer.  
 centr., Columbia, N. Granada, Guiana.  
*Massangea* E. Morren.  
 7189 35 *Schlumbergeria* E. Morren. G. III. 668. — Sp. 3. Ecuador.,  
 Peruvia.  
 7190 36 *Guzmania* R. et P. G. III. 669. — Sp. 5. Amer. trop. ab  
 Ecuador. usque ad Ind. occ.  
 7191 37 *Catopsis* Griseb. G. III. 670. (*Pogospermum* Brongn., *Tussacia*  
 Kl.). — Sp. ad 9. Ind. occ., Mexic., Amer. austr. andina.  
 7192 38 *Tillandsia* L. G. III. 669. (*Renealmia* L.). — Sp. ad 220.  
 Amer. trop. et subtrop.  
 Subg. 1. *Strepsia* B. et H., *Strepsia* Nutt.  
 Subg. 2. *Diaphoranthema* Bak., *Diaphoranthema* Beer.  
 Subg. 3. *Phytarhiza* Bak., *Phytarhiza* Vis.? *Amalia* Hort.  
 Hisp.  
 Subg. 4. *Platystachya* Bak., ?*Platystachya* Beer, *Bona-*  
*parte* R. et P. (*Acanthospora* Spreng.).  
 Subg. 5. *Anoplophytum* Bak., *Anoplophytum* Beer.  
 Subg. 6. *Pityrophyllum* Bak., *Pityrophyllum* Beer.  
 Subg. 7. *Allardtia* Bak., *Allardtia* Dietr.  
 Subg. 8. *Wallisia* Bak., *Wallisia* Rgl.  
 Subg. 9. *Vriesea* Bak., *Vriesea* Lindl.  
 Subg. 10. *Cyathophora* Bak.  
 Subg. 11. *Conostachys* Bak.

ORDO CLXXIX. HÆMODORACEÆ <sup>(2)</sup>

TRIBUS I. *Euhæmodoreæ*.

- 7193 1 *Hæmodorum* Sw. G. III. 673. — Sp. 17. Austral.  
 7194 2 *Wachendorfia* L. G. III. 673. (*Pedilonia* Presl). — Sp. 7 v. 3?  
 Afr. austr.  
 7195 3 *Schieckia* Meisn. G. III. 674. (*Troschelia* Kl.). — Sp. 1. Bra-  
 sil., Guiana, Venezuela.

(1) Cf. cl. Baker, *Synopsis of Tillandsia* in *Journal of Botany*. t. XXV et XXVI (1887-88).

(2) Sp. ad 125, Austral., Afr. austr., Amer. bor. et austr. et Asia med. et or. incolæ.

- 7196 4 *Hagenbachia* Nees. G. III. 674. — Sp. 1. Brasil.  
 7197 5 *Dilatris* Berg. G. III. 674. — Sp. 2. Pr. B. Spei.  
 7198 6 *Lachnanthes* Ell. G. III. 674. (*Heritiera* Gmel., *Gyrotheca* Salisb.). — Sp. 1. Amer. bor. or.  
 7199 7 *Barberetia* Harv. G. III. 674. — Sp. 1. Pr. B. Spei.  
 7200 8 *Xiphidium* Aubl. G. III. 675. — Sp. 2 v. 1? Amer. trop. a Brasil. usque ad Ind. occ.  
 7201 9 *Lanaria* Ait. G. III. 675. (*Argolasia* Juss., *Augea* Retz). — Sp. 1. Afr. austr.  
 7202 10 *Phlebocarya* R. Br. G. III. 675. — Sp. 3. Austral. austro-occ.

TRIBUS II. **Conostyleæ.**

- 7203 11 *Tribonanthus* Endl. G. III. 675. — Sp. 5. Austral. austro-occ.  
 7204 12 *Conostylis* R. Br. G. III. 676. — Sp. 32. Austral. *Androstemma* Lindl.  
 7205 13 *Blancoa* Lindl. G. III. 676. — Sp. 1. Austral. austro-occ.  
 7206 14 *Anigozanthos* Labill. G. III. 676. (*Anigosia* Lindl., *Schwægrichenia* Spreng.). — Sp. 8. Austral. austro-occ.  
 7207 15 *Macropidia* Drumm. G. III. 677. — Sp. 1. Austral. austro-occ.  
 7208 16 *Lophiola* Ker. G. III. 677. — Sp. 1. Amer. bor.  
 7209 17 *Aletris* L. G. III. 677. (*Stachyopogon* Kl.). — Sp. ad 8. Amer. bor., Japon., China, Ind. or., Borneo.

TRIBUS III. **Ophiopogoneæ.**

- 7210 18 *Peliosanthus* Andr. G. III. 678. (*Teta* Roxb., *Bulbospermum* Bl.). — Sp. ad 8. Ind. or., Archip. Malay.  
 7211 19 *Ophiopogon* Ker. G. III. 678. (*Flueggia* L. C. Rich., *Slateria* Desv., *Chloopsis* Bl.). — Sp. ad 4. Ind. or., Asia or. usque ad Japoniam.  
 7212 20 *Liriope* Lour. G. III. 678. (*Ophiopogon* Kth). — Sp. 1. Japon., China.  
 7213 21 *Sansevieria* Thunb. G. III. 679. (*Acyntha* Medik.). — Sp. 10. Afr. trop. et austr., Ind. or.

TRIBUS IV. **Conanthereæ.**

- 7214 22 *Conanthera* R. et P. G. III. 679. (*Cumingia* Don). — Sp. 3 v. 4? Chili.  
 7215 23 *Cyanella* L. G. III. 679. — Sp. 4 v. 5. Afr. austr. *Trigella* et *Pharetrella* Salisb.  
 7216 24 *Zephyra* Don. G. III. 680. (*Dicolus* Philippi). — Sp. 1. Chili.  
 7217 25 *Tecophilæa* Bert. G. III. 680. (*Distrepta* Miers, *Phyganthus* Pöpp. et Endl., *Pæppigia* Kunze). — Sp. 2. Chili.

7218 26 *Odontostomum* Torr. G. III. 680. — Sp. 1. Californ.

7219 27 ?*Pauridia* Harv. G. III. 716. — Sp. 1. Afr. austr.

# ORDO CLXXX. IRIDEÆ <sup>(1)</sup>

## TRIBUS I. *Morææ*.

- 7220 1 *Iris* L. G. III. 686. — Sp. fere 100. Eur., Afr. bor., Asia temp., Amer. bor.  
*Neubeckia* Alef., *Hermodactylon* Parlat., *Xyridion* et *Ioniris* Klatt, *Chamoletta* Adans., *Xiphion* Parlat.  
 Sect. 1. *Euiris* B. et H., *Oncocyclus* Siemss., *Evansia* Salisb.  
 Sect. 2. *Diaphane* B. et H., *Diaphane* Salisb., *Xiphion* Bak. pr. p.  
 Sect. 3. *Juno* B. et H., *Juno* Tratt., *Thelysia* Salisb., *Costia* Willk., *Coresanthe* Alef., *Xiphion* Bak. pr. p.  
 Sect. 4. *Gynandriris* B. et H., *Gynandriris* Parlat.
- 7221 2 *Hermodactylus* Adans. G. III. 687. — Sp. 3 v. 1? Gallia, Italia, Græcia.
- 7222 3 *Moræa* L. G. III. 688. — Sp. ad 40. Afr. trop. et austr., Ins. Mascar., Austral.  
*Freuchenia* Eckl., *Diets* Salisb., *Vieusseuxia* Delaroche, *Hymenostigma* Hochst., *Helixyra* Salisb.
- 7223 4 *Marica* Ker. G. III. 689. — Sp. 9. Amer. trop. or., Afr. trop. occ.
- 7224 5 *Cypella* Herb. G. III. 689. (*Polia* Ten.). — Sp. 4 v. 3. Amer. austr. trop. et subtrop.  
*Hesperoxiphion* Bak., *Phalocallis* Herb.
- 7225 6 *Trimezia* Salisb. G. III. 690. (*Lansbergia* De Vriese, *Xanthocromyon* Karst., *Poarchon* Allem., *Remaclea* C. Morren). — Sp. ad 6. Ind. occ., Amer. austr.
- 7226 7 *Tigridia* Ker. G. III. 690. (*Beutonia* Herb., *Hydrotænia* Lindl.). — Sp. ad 7. Mexic., Amer. centr., Peruvia, Chili.
- 7227 8 *Rigidella* Lindl. G. III. 691. — Sp. 3. Mexic., Amer. centr.
- 7228 9 *Alophia* Herb. G. III. 691. (*Trifurcia* Herb., *Herbertia* Sweet). — Sp. 3 v. 4. Amer.  
*Larentia* Klatt.
- 7229 10 *Ferraria* L. G. III. 692. — Sp. 6. Afr. austr.
- 7230 11 *Homeria* Vent. G. III. 692. — Sp. 5. Afr. austr.
- 7231 12 ?*Hexaglottis* Vent. G. III. 692. — Sp. 2 v. 3. Afr. austr.  
*Plantia* Herb.

(1) Sp. bene dist. ad 770, per reg. temp. et trop. utriusque orbis latissime dispersæ.

TRIBUS II. *Sisyrinchieæ*.

- 7232 13 *Crocus* L. G. III. 693. (*Crociris* Schur). — Sp. ad 67. Reg. Medit., Eur. et Asia med.
- 7233 14 *Syringodea* H. f. G. III. 693. — Sp. 3. Afr. austr.
- 7234 15 *Galaxia* Thunb. G. III. 693. — Sp. 2 v. 3 Afr. austr.
- 7235 16 *Romulea* Maratti. G. III. 694. (*Trichonema* Ker). — Sp. 54? Eur. occ., Reg. Medit., Afr. occ. et austr.  
*Spatalanthus* Sweet.
- 7236 17 *Cipura* Aubl. G. III. 694. (*Marica* Schreb.). — Sp. ad 4. Ind. occ., Mexic., Amer. austr.
- 7237 18 *Sphenostigma* Bak. G. III. 694. — Sp. 5. Amer. trop.  
*Cardiostigma* Bak.
- 7238 19 *Eleutherine* Herb. G. III. 695. (*Galatea* Salisb.). — Sp. 2 v. 3. Ind. occ., Amer. austr. trop.
- 7239 20 *Calydorea* Herb. G. III. 695. (*Rotherbe* Steud.). — Sp. 8. Amer. austr., Mexic.
- 7240 21 *Gelasine* Herb. G. III. 695. — Sp. 1. Amer. austr. extratrop.
- 7241 22 *Nemastylis* Nutt. G. III. 696. (*Nemostylis* Herb., *Eustylis* Engelm. et Gray, *Chlamydstylis* Bak.). — Sp. ad 6. Mexic., Amer. trop. et bor.
- 7242 23 *Diplarrhena* Labill. G. III. 696. — Sp. 2. Austral., Tasmania.
- 7243 24 *Libertia* Spreng. G. III. 696. (*Renealmia* R. Br., *Nematostigma* A. Dietr.). — Sp. 8. Chili, Austral., N. Zel.
- 7244 25 *Belamcanda* Adans. G. III. 697. (*Pardanthus* Ker). — Sp. 1. Ind. or., China, Japon.
- 7245 26 *Orthrosanthus* Sweet. G. III. 697. — Sp. 7. Amer. austr., Austral. occ.
- 7246 27 ? *Keitia* Rgl. G. III. 697. — Sp. 1. Natal.
- 7247 28 *Bobartia* Ker. G. III. 698. — Sp. ad 6. Afr. austr.
- 7248 29 *Sisyrinchium* L. G. III. 698 et 1228. (*Souza* Vell., *Syrorhynchium* Hoffm.). — Sp. ad 50. Amer. bor. et austr., Hibernia.  
Sect. 1. *Bermudiana* B. et H., *Bermudiana* Adans.  
Sect. 2. *Echthronema* B. et H., *Echthronema* Herb., *Hydastylus* Salisb., *Glumisia* Herb.  
Sect. 3. *Eriphilema* B. et H., *Eriphilema* Herb.  
Sect. 4. ? *Nuno* B. et H.
- 7249 30 *Tapoinia* Juss. G. III. 699. — Sp. 1. Terra Magellanica.
- 7250 31 *Patersonia* R. Br. G. III. 699. (*Genosiris* Labill.). — Sp. 19. Austral.
- 7251 32 *Symphystemon* Miers. G. III. 700. (*Psithyrisma* Herb., *Susarium* Philippi). — Sp. 2 v. 3. Amer. austr.

- 7252 33 *Chamelum* Philippi. G. III. 700. — Sp. 2. Chili.  
 7253 34 *Solenomelus* Miers. G. III. 700. (*Cruikshanksia* Miers, *Lechlera* Griseb.). — Sp. 2. Chili.  
 7254 35 ? *Cleanthe* Salisb. G. III. 701. — Sp. 1. Afr. austr.  
 7255 36 *Aristea* Ait. G. III. 701. — Sp. ad 20. Afr. austr. et trop., Madagasc.  
     *Nivenia* Vent., *Genlisca* Richb., *Wredowia* Eckl.  
 7256 37 *Witsenia* Thunb. G. III. 701. — Sp. 1. Afr. austr.  
 7257 38 *Klattia* Bak. G. III. 702. — Sp. 1. Afr. austr.

TRIBUS III. *Ixiææ*.

- 7258 39 *Schizostylis* Backh. et Harv. G. III. 702. — Sp. 2. Afr. austr.  
 7259 40 *Hesperantha* Ker. G. III. 702. — Sp. ad 20. Afr. austr. et trop.  
 7260 41 *Geissorhiza* Ker. G. III. 703. — Sp. enum. ultra 30, ad 25 reduc.  
     Afr. austr., Madagasc.  
     Sect. 1. *Rochea* Bak., *Rochea* Salisb.  
     Sect. 2. *Weihea* Bak., *Weihea* Eckl.  
 7261 42 *Dierama* K. Koch. G. III. 703. — Sp. 2 v. 2. Afr. trop. et austr.  
 7262 43 *Streptanthera* Sweet. G. III. 703. — Sp. 2. Afr. austr.  
 7263 44 *Ixia* L. G. III. 704. (*Wurthia* Rgl). — Sp. ad 25? Afr. austr.  
     *Morphixia* Ker, *Hyalis* Salisb., *Freesia* Eckl.  
 7264 45 *Freesia* Klatt pr. p. G. III. 704. — Sp. 2. Afr. austr.  
 7265 46 *Lapeyrousia* Pourr. G. III. 705. (*Meristostigma* A. Dietr., *Peyrousia* Sweet, *Ovida* Spreng.). — Sp. ad 18. Afr. trop. et austr.  
     Series 1. *Galexioidæ* B. et H., *Sophronia* Licht.  
     Series 2. *Haplostachyæ* B. et H.  
     Series 3. *Spathacæ* B. et H.  
     Series 4. *Anomathecæ* B. et H., *Anomatheca* Ker, *Anomaza* Salisb.  
     Series 5. *Corymbosæ* B. et H. — 6. *Dichotomæ* B. et H.  
 7266 47 *Watsonia* Mill. G. III. 705. (*Neuberia* Eckl., *Meriana* Trew). — Sp. 25. Afr. austr.  
     *Beilia* Eckl., *Lomenia* Pourr. (err. *Lemonia* Pers.).  
 7267 48 *Micranthus* Pers. G. III. 706. — Sp. 2 v. 3. Afr. austr., Ins. Mascar.  
 7268 49 *Acidanthera* Hochst. G. III. 706. (*Sphærospora* Klatt). — Sp. ad 12. Afr. trop. et austr.  
     *Houttuynia* Houtt.  
 7269 50 *Babiana* Ker. G. III. 706. — Sp. fere 30. Afr. austr. Ins. Socotra.  
     Sect. 1. *Eubabiana* Bak.



Sect. 2. *Acaste* Bak., *Acaste* Salisb.

Sect. 3. *Antholyzoides* B. et H.

- 7270 51 *Crocasma* Planch. G. III. 707. — Sp. 1. Afr. austr. et trop.  
 7271 52 *Melasphærule* Ker. G. III. 707. (*Diasia* DC., *Aglaea* Pers.). —  
 Sp. 1. Afr. austr.  
 7272 53 *Tritonia* Ker. G. III. 708. (*Waitzia* Rchb.). — Sp. ad 34. Afr.  
 austr.  
*Montbretia* DC., *Dichone* Laws., *Agretta* Eckl., *Tritonixia*  
*Klatt*.  
 7273 54 *Sparaxis* Ker. G. III. 708. — Sp. enum. 11, sed vix 5 dist.  
*Pr. B. Spei*.  
 7274 55 *Synnotia* Sweet. G. III. 709. (sphalmate *Synnetia*). — Sp. 3.  
*Pr. B. Spei*.  
 7275 56 *Gladiolus* L. G. III. 709. — Sp. fere 90. Eur. med., Reg.  
 Medit., Afr. trop. et austr., Ins. Mascar.  
 Sect. 1. *Eugladiolus* B. et H., *Symphydolon*, *Ballosporum*,  
*Ophiolyza*, *Hyptissa* et *Ranisia* Salisb., *Sphærospora* Sweet.  
 Sect. 2. *Hebea* B. et H., *Hebea* Pers.  
 Sect. 3. *Schweiggera* B. et H., *Schweiggera* E. Mey.  
 7276 57 *Antholyza* L. G. III. 710. (*Cunonia* Mill., *Petamenes* Salisb.).  
 — Sp. ad 14. Afr. austr. et trop.  
*Anisanthus* Sweet, *Homoglossum* Salisb.

## ORDO CLXXXI. **AMARYLLIDEÆ** <sup>(1)</sup>

### TRIBUS I. **Hypoxideæ.**

- 7277 1 ? *Campynema* Labill. G. III. 716. (*Campylonema* Schult.). —  
 Sp. 2. Tasmania.  
 7278 2 *Hypoxis* L. G. III. 717. — Sp. 51. Asia trop., Austral., Ins.  
 Mascar., Afr. trop. et austr., Amer. trop. et bor.  
 Sect. 1. *Ianthe* Bak., *Ianthe* Salisb., *Spiloxene* Salisb.  
 Sect. 2. *Euhypoxis* Bak., *Niobe* Willd.  
 7279 3 *Curculigo* Gärtn. G. III. 717. (*Fabricia* Thunb., *Forbesia*  
*Eckl.*). — Sp. ad 12. Austral., Afr. trop. et austr., Asia  
 et Amer. trop.  
 Sect. 1. *Molineria* B. et H., *Molineria* Colla.  
 Sect. 2. *Empodium* B. et H., *Empodium* Salisb.

### TRIBUS II. **Amarylleæ.**

- 7280 4 *Cryptostephanus* Bak. G. III. 718. — Sp. 1. Angola.

(1) Sp. bene dist. vix 650, per reg. temperatas calidioresque utriusque orbis late dispersæ.

- 7281 5 **Narcissus** L. G. III. 718. — Sp. enum. ultra 130, sed ad 20 reduc. Eur. temp. et calid., Reg. Medit. tota Asia med. et or.  
 Series 1. *Magnicoronatæ* Bak., Ajax et Corbularia Salisb., Assaracus Haw., Ganymedes Salisb. pr. p.  
 Series 2. *Mediocroronatæ* Bak., Ganymedes, Queltia et Hermione Salisb. pr. p., Oilcus, Illus, Schizanthus, Diomedes et Tros Haw., Philogyne Salisb.  
 Series 3. *Parricoronatæ* Bak., Hermione et Queltia Salisb. pr. p., Jonquilla, Chloraster et Helena Haw., Aurelia J. Gay.  
 ?Cydenis, Panza, Patrocles, Chione, Plateana, Veniera, Tityrus, Prasiteles et Argenope Salisb.
- 7282 6 **Tapeinanthus** Herb. G. III. 719. (*Tapeinægle* Herb., *Carregnoa* Boiss., *Gymnoterpe* Salisb.). — Sp. 1. Hispania, Afr. bor.-occ.
- 7283 7 **Galanthus** L. G. III. 719. — Sp. 3. Eur., Asia occ.
- 7284 8 **Leucoium** L. G. III. 720. (*Nivaria* Mönch). — Sp. 9. Eur. med., Reg. Medit.  
 Sect. 1. *Erinosma* Bak., *Erinosma* Herb.  
 Sect. 2. *Euleucoium* Bak.  
 Sect. 3. *Acis* Bak., *Acis* Salisb., *Ruminia* Parlat.
- 7285 9 **Lapiedra** Lag. G. III. 720. — Sp. 2. Hispania austr., Mauritania.
- 7286 10 **Hessea** Herb. G. III. 720. (*Periphanes* Salisb.). — Sp. ad 10. Pr. B. Spei.  
 Imhofia Herb., Gemmaria Salisb.
- 7287 11 **Carpolyza** Salisb. G. III. 721. (*Hessea* Berg.). — Sp. 1. Afr. austr.
- 7288 12 **Sternbergia** W. et K. G. III. 721. — Sp. ad 12. Eur. or., Reg. Medit.  
 Sect. 1. *Eusternbergia* Pax.  
 Sect. 2. *Oporanthus* Pax, *Oporanthus* Herb.
- 7289 13 **Ungernia** Bge. G. III. 721. — Sp. 1. Persia.
- 7290 14 **Anoiganthus** Bak. G. III. 722. — Sp. 2. Pr. B. Spei.
- 7291 15 **Gethyllis** L. G. III. 722. (*Abapus* Adans., *Papiria* Thunb.). — Sp. 9. Pr. B. Spei.
- 7292 16 **Apodolirion** Bak. G. III. 722. — Sp. 4. Pr. B. Spei
- 7293 17 **Cooperia** Herb. G. III. 722. (*Sceptranthus* Grah.). — Sp. 2. Mexic., Texas.
- 7294 18 **Chlidanthus** Herb. G. III. 723. (*Coleophyllum* Kl.). — Sp. 3. Amer. austr.
- 7295 19 **Haylockia** Herb. G. III. 723. — Sp. 1. Montevideo.

- 7296 20 **Zephyranthes** Herb. G. III. 723. — Sp. ad 30. Amer. trop. et subtrop.  
Arviela Salisb., Argyropsis Röm., Habranthus et Pyrolirion Herb.
- 7297 21 **Sprekelia** Heist. G. III. 724. — Sp. 1. Mexic.
- 7298 22 **Hippeastrum** Herb. G. III. 724. — Sp. ultra 50. Amer. austr.  
Sect. 1. *Habranthus* B. et H., *Habranthus* Herb., *Myostemma* Salisb., *Rhodophiala* Presl, *Rhodolirion* Philippi.  
Sect. 2. *Phycella* B. et H., *Phycella* Lindl.  
Sect. 3. *Euhippeastrum* B. et H., *Leopoldia* Herb., *Lais*, *Aschamia*, *Omphalissa* et *Chonais* Salisb.  
Sect. 4. *Macropodastrum* Bak.
- 7299 23 **Placea** Miers. G. III. 725. — Sp. 3 ? Chili.
- 7300 24 **Griffinia** Ker. G. III. 726. — Sp. 7 v. 8. Brasil.
- 7301 25 **Crinum** L. G. III. 726. — Sp. enum. ultra 60, sed verisim. plures reduc. Utriusque orbis reg. trop., Amer. bor., Afr. austr.  
Sect. 1. *Stenaster* Bak.  
Sect. 2. *Platyaster* Bak.  
Sect. 3. *Codonocrinum* Bak., *Tænais* et *Erigone* Salisb.
- 7302 26 **Amaryllis** L. pr. p. G. III. 727. (*Callicore* Link, *Belladonna* Sweet). — Sp. 1. Afr. austr.
- 7303 27 **Ammocharis** Herb. G. III. 727. (*Palinetes* Salisb.). — Sp. 2. Pr. B. Spei.
- 7304 28 **Lycoris** Herb. G. III. 727. — Sp. 4. Japon., China, Asia med. *Orexis* Salisb.
- 7305 29 **Brunswigia** Heist. G. III. 728. — Sp. 9. Pr. B. Spei.
- 7306 30 **Nerine** Herb. G. III. 728. (*Loxanthes* Herb.). — Sp. ad 9. Afr. austr.  
Sect. 1. *Eunerine* Pax.  
Sect. 2. *Galatea* Pax, *Galatea* Herb.
- 7307 31 **Strumaria** Jacq. G. III. 728. (*Eudolon*, *Stylago*, *Pugionella* et *Hymenetron* Salisb.). — Sp. 6. Pr. B. Spei.
- 7308 32 **Vallota** Herb. G. III. 729. — Sp. 1. Afr. austr.
- 7309 33 **Cyrtanthus** Ait. G. III. 729. — Sp. 15. Afr. austr. et trop.  
Sect. 1. *Eucyrtanthus* Pax, *Monella* Herb., *Timmia* Gmel., *Eusipho* Salisb.  
Sect. 2. *Gastronema* Pax, *Gastronema* Herb.  
Sect. 3. *Cyphonema* Pax, *Cyphonema* Herb.
- 7310 34 **Clivia** Lindl. G. III. 729. — Sp. 3. Pr. B. Spei.  
Sect. 1. *Euclivia* Pax.  
Sect. 2. *Imatophyllum* Pax, *Himantophyllum* Spreng., *Imatophyllum* Hook.

- 7311 35 *Hæmanthus* L. G. III. 730. — Sp. 50 v. 60? Afr. trop. et austr.  
Gyaxis, Nerissa, Melicho et Diacles Salisb., Polystegia et  
Tristegia Rchb. f.
- 7312 36 *Buphane* Herb. G. III. 730. (*Boophane* Herb.). — Sp. 2. Afr.  
trop. et austr.  
Crossyne Salisb.
- 7313 37 *Hyline* Herb. G. III. 730. — Sp. 1. Brasil.
- 7314 38 *Eucrosia* Ker. G. III. 730. — Sp. 1. Andes Ecuadorenses.
- 7315 39 *Plagiolirion* Bak. in *Gard. Chron.* XX. 38 (1883). — Sp. 1.  
Columbia.
- 7316 40 *Callipsyche* Herb. G. III. 731. — Sp. 3. Ecuador., Peruvia.
- 7317 41 *Eucharis* Planch. G. III. 731 et 1227. (*Mathieua* Kl.). — Sp. 4.  
Columbia, Peruvia.
- 7318 42 *Calliphurria* Herb. G. III. 731 et 1227. — Sp. 3. Columbia,  
Peruvia.
- 7319 43 *Eustephia* Cav. G. III. 732. — Sp. 1. Peruvia.
- 7320 44 *Urceolina* Rchb. G. III. 732. (*Urceolaria* Herb., *Collania*  
Schult.). — Sp. 3. Amer. austr. andina.  
Leperiza Aubl. (*Pentlandia* Herb.), *Sphærotele* Link.
- 7321 45 *Phædranassa* Herb. G. III. 732. — Sp. ad 4. Amer. austr.  
andina.
- 7322 46 *Stenomesson* Herb. G. III. 733. — Sp. 19. Amer. trop.  
Sect. 1. *Stenomesson* Bak., *Chrysiphiala* Ker, *Sphæro-*  
*thele* Presl, *Næra* Salisb.  
Sect. 2. *Coburgia* Bak., *Coburgia* Sweet, *Carpodetes*  
Herb., *Clinanthus* (*Clinanthum*) et *Callithauma* Herb.
- 7323 47 *Pancratium* L. G. III. 733. — Sp. ad 12. Reg. Medit., Ins.  
Canar., Ind. or., alibi inquil.  
*Almyra* Salisb. (*Halmyra* Parlat.), *Bollæa* Parlat., *Tiaran-*  
*thus* Herb.
- 7324 48 *Hymenocallis* Salisb. G. III. 734. — Sp. ad 30. Amer. bor. et  
trop.  
*Ismene* Salisb., *Choretis* Herb.
- 7325 49 *Elisena* Herb. G. III. 734. (*Liriope* Herb., *Liriopsis* Rchb.).  
— Sp. 3. Peruvia
- 7326 50 *Vagaria* Herb. G. III. 735. (*Vaginaria* Kth). — Sp. 1. Syria.
- 7327 51 *Eurycles* Salisb. G. III. 735. (*Proiphys* Herb.). — Sp. 2.  
Austral., Archip. Malay.
- 7328 52 *Calostemma* R. Br. G. III. 735. — Sp. 3. Austral.

TRIBUS III. *Alstroemerleæ*.

- 7329 53 ? *Lxiolirion* Fisch. G. III. 735. (*Kolpakowskia* Rgl). — Sp. 2.  
Asia med. et occ.

- 7330 54 *Alstroëmeria* L. pr. p. G. III. 736. — Sp. 40 v. 50? Amer. austr. trop. et extratrop.  
 7331 55 *Bomarea* Mirbel. G. III. 736. (*Vandesia* et *Danbya* Salisb.). — Sp. ultra 50. Amer. austr., Mexic.  
     Sect. 1. *Eubomarea* Pax.  
     Sect. 2. *Wichuræa* Pax, *Collania* Herb. (*Wichuræa* Röm.).  
     Sect. 3. *Sphærine* Pax, *Sphærine* Herb.  
 7332 56 *Leontochir* Philippi. G. III. 737. — Sp. 1. Chili.

TRIBUS IV. **Agaveæ.**

- 7333 57 *Polianthes* L. G. III. 737. (err. *Polyanthus* Hort. Cliff.). — Sp. 3. Mexic., Amer. centr.  
 7334 58 *Prochnyanthes* S. Wats. in *Proc. Amer. Acad.* XXII. 457 in annot. (1887). — Sp. 1. Mexic.  
 7335 59 *Bravoa* Llav. et Lex. G. III. 737. (*Cætocapnia* Link et Otto). — Sp. 2 v. 3. Mexic.  
 7336 60 *Beschorneria* Kth. G. III. 738. — Sp. 3. Mexic.  
 7337 61 *Agave* L. G. III. 738 et 1227. — Sp. descr. ultra 120, sed vix 50 bene dist. Amer. austr. et bor. calida.  
     Subg. 1. *Aplagave* Terrace.  
     Sect. 1. *Singulifloræ* Pax, *Manfreda* Salisb., *Alibertia* Marion.  
     Sect. 2. *Geminifloræ* Engelm., *Bonapartea* Willd., *Littæa* Brignoli.  
     Subg. 2. *Cladagave* Terrace, ?*Chloropsis* Herb.  
     Sect. 1. *Americanæ* Pax.  
     Sect. 2. *Submarginatæ* Bak.  
 7338 62 *Fourcroya* Schult. (*Furcræa* Vent. G. III. 739, *Funium* Willem.). — Sp. ad 15? Amer. calida, in orbe vetere inquil.  
 7339 63 *Doryanthes* Corr. G. III. 739. — Sp. 3. Austral.

TRIBUS V. **Velloziæ.**

- 7340 64 *Vellozia* Vand. G. III. 739. (*Xerophyta* Juss.). — Sp. enum. ultra 50, sed ad 30 v. 40 reduc. Afr. trop. et austr., Madagasc., Brasil.  
 7341 65 *Barbacenia* Vand. G. III. 740. — Sp. 18. Brasil., Guiana, Venezuela.  
     *Radia* (Campderia) A. Rich.

ORDO CLXXXII. **TACCACEÆ**

- 7342 1 *Tacca* Forst. G. III. 741. (*Ataccia* Presl). — Sp. ad 9. Utriusque orbis reg. trop.  
     *Chaitæa* (Chatæa) Soland. ex Seem. *Fl. Vitiensis*. 102.

- 7343 2 *Schizocapsa* Hance. G. III. 741. — Sp. 1. China.

ORDO CLXXXIII. **DIOSCOREACEÆ** <sup>(1)</sup>

- 7344 1 *Borderea* Miégeville. G. III. 743 (sub *Dioscorea*). — Sp. 2.  
Pyren., Chili.  
Epipetrum Philippi.
- 7345 2 *Dioscorea* L. G. III. 742. — Sp. ad 150. Utriusque orbis reg.  
calidior.  
1. *Helmia* Kth (*Hamatris* Salisb.), *Botriosycios* Hochst.,  
*Sismondæa* Delponte.  
2. *Dioscorea* Kth (*Merione*, *Dioscorea* et *Polynome* Salisb.).  
? *Strophis* et *Elephantodon* Salisb.
- 7346 3 *Testudinaria* Salisb. G. III. 744. — Sp. 2. Afr. austr.
- 7347 4 *Rajania* L. G. III. 744. — Sp. 6. Ind. occ.
- 7348 5 *Tamus* L. G. III. 744. (*Tamnus* Juss.). — Sp. 2. Eur., Afr.  
bor., Asia temp., Ins. Canar.
- 7349 6 *Stenomeris* Planch. G. III. 745. — Sp. 2. Ins. Philippin.
- 7350 7 *Trichopus* Gärtner. G. III. 745. (*Trichopodium* Lindl., *Podian-*  
*thus* Schnitzl.). — Sp. 1. Penins. Ind. or., Zeylan.
- 7351 8 ? *Oncus* Lour. G. III. 745. (*Oncorhiza* Pers.). — Sp. 1. Co-  
chinchina.
- 7352 9 *Petermannia* F. Müll. G. III. 746. — Sp. 1. Austral.

ORDO CLXXXIV. **STEMONACEÆ**

- 7353 1 *Stemona* Lour. G. III. 747 et 1227. (*Roxburghia* Banks). —  
Sp. 4 v. 5. Ind. or., Archip. Malay., Austral. trop.
- 7354 2 *Croomia* Torr. et Gray. G. III. 747. — Sp. 2. Florida, Japon.
- 7355 3 *Stichoneuron* H. f. G. III. 747. — Sp. 1. Ind. or.

ORDO CLXXXV. **LILIACEÆ** <sup>(2)</sup>

TRIBUS I. **Smilaceæ.**

- 7356 1 *Heterosmilax* Kth. G. III. 763. (*Oligosmilax* Seem.). — Sp. 5.  
Ind. or., Archip. Malay., China, Japon.
- 7357 2 *Smilax* L. G. III. 763. — Sp. ad 200. Utriusque orbis reg. trop.,  
Reg. Medit., Asia or., Amer. bor. calida.  
Sect. 1. *Coprosmanthus* Torr., *Coprosmanthus* Kth, *Ne-*  
*mexia* Raf.

(1) Sp. ad 170, per reg. calidiores utriusque orbis late dispersæ, plures etiam in Amer. bor. et austr. extratrop. et in Afr. austr., 2 solæ in Eur. obviæ.

(2) Sp. bene notæ ad 2300, per varias regiones utriusque orbis latissime dispersæ.

Sect. 2. *Coilanthus* A. DC.

Sect. 3. *Eusmilax* A. DC., *Parillax* Raf.

Sect. 4. *Pleiosmilax* A. DC., *Pleiosmilax* Seem.

- 7358 3 *Rhipogonum* Forst. G. III. 764. (*Ripogonum*). — Sp. 5. Austral., N. Zel.

TRIBUS II. *Asparageæ*.

- 7359 4 *Ruscus* L. G. III. 764. — Sp. 3. Eur., Reg. Medit., Madera, Caucasus.  
 7360 5 *Semele* Kth. G. III. 765. (*Amphion* Salisb.). — Sp. 1. Ins. Canar.  
 7361 6 *Danaë* Medik. G. III. 765. (*Danaidia* Link). — Sp. 1. Oriens.  
 7362 7 *Asparagus* L. G. III. 765. — Sp. ad 110. Orbis veteris reg. trop. et temp.  
     Subg. 1. *Euasparagus* Bak.  
     Subg. 2. *Asparagopsis* Bak., *Asparagopsis* Kth.  
     Subg. 3. *Myrsiphyllum* Bak., *Myrsiphyllum* Willd., *Hecatr* Salisb.

TRIBUS III. *Luzuriageæ*.

- 7363 8 *Herreria* R. et P. G. III. 766. — Sp. 3 v. 4. Brasil. austro-occ. Montevideo, Clara Kth.  
 7364 9 *Bohnia* Didrichs. G. III. 766. (*Dietyopsis* Harv., *Hylonome* Bak.). — Sp. 1. Afr. austr.  
 7365 10 *Lapageria* R. et P. G. III. 767. (*Copia* Domb., *Phænocodon* Salisb.). — Sp. 1. Chili.  
 7366 11 *Philesia* Comm. G. III. 767. — Sp. 1. Chili austr., Terra Magellanica.  
 7367 12 *Luzuriaga* R. et P. G. III. 767. (*Callixene* Juss., *Enargea* Banks). — Sp. 3. Chili, Terra Magellancia, N. Zel.  
 7368 13 ? *Elacantha* F. Müll. in *Victor. Natural.* mense Dec. 1886. — Sp. 1. Austral.  
 7369 14 *Eustrephus* R. Br. G. III. 768. — Sp. 1. Austral.  
 7370 15 *Geitonoplesium* A. Cunn. G. III. 768. (*Luzuriaga* R. Br., *Calcoa* Salisb.). — Sp. 2. Austral., N. Caled., Ins. Pacif.

TRIBUS IV. *Polygonateæ*.

- 7371 16 *Polygonatum* Adans. G. III. 768. (*Evallaria* Neck., *Axillaria* Raf., *Campydorum* Salisb.). — Sp. 13. Utriusque orbis reg. temp. hemisph. bor.  
     *Periballanthus* Franch. et Sav.

- 7372 17 *Disporopsis* Hance in *Journ. Bot.* 278 (1883). — Sp. 1. China (Canton).
- 7373 18 *Streptopus* Mchx. G. III. 769. (*Hexorima* Raf., *Hekorima* Kth). — Sp. 4. Eur., Asia temp. et mont., Amer. bor. Kruhsea Rgl.
- 7374 19 *Drymophila* R. Br. G. III. 769. — Sp. 2. Austral.
- 7375 20 *Smilacina* Desf. G. III. 770. (*Tovaria* Neck., *Polygonastrum* Mönch, *Sigillaria* Raf., *Asteranthemum*, *Jocaste* et *Medora* Kth, *Neolexis* Salisb.). — Sp. fere 20. Amer. bor. et centr., Asia temp. et mont.
- 7376 21 *Oligobotrya* Bak. in Hook. *Icon. Plant.* tab. 1537 (1886). — Sp. 1. China centr.
- 7377 22 *Maianthemum* Wigg. G. III. 770. (*Sciophylla* Wibel, *Bifolium* G. Gärtn., *Styrandra* Raf., *Maia* Salisb.). — Sp. 1. Utriusque orbis reg. temp. hemisph. bor.

TRIBUS V. **Convallariæ.**

- 7378 23 *Convallaria* L. G. III. 770. — Sp. 1. Eur., Asia temp., Amer. bor.
- 7379 24 *Theropogon* Maxim. G. III. 771. — Sp. 1. Himal.
- 7380 25 ? *Speirantha* Bak. G. III. 771. — Sp. 1. China.
- 7381 26 *Reineckea* Kth. G. III. 771. (*Sanseviella* Rchb., *Liriope* Salisb.). — Sp. 1. China, Japonia.

TRIBUS VI. **Aspidistreæ.**

- 7382 27 *Aspidistra* Ker. G. III. 772. (*Macrogyne* Link et Otto, *Porpax* Salisb.). — Sp. 3. Himal., China, Japonia. *Plectogyne* Link.
- 7383 28 *Tupistra* Ker. G. III. 772. (*Platymetra* Salisb.). — Sp. 3 v. 4. Himal., Burma. *Macrostigma* Kth, *Campylandra* Bak.
- 7384 29 *Rohdea* Roth. G. III. 772. (*Titragyne* Salisb.). — Sp. 1. Japonia.
- 7385 30 *Gonioscypha* Bak. G. III. 773. — Sp. 1. Himal. or. (Bhotan).

TRIBUS VII. **Hemerocalleæ.**

- 7386 31 *Hemerocallis* L. pr. p. G. III. 773. — Sp. 5. Eur. centr., Asia temp.
- 7387 32 *Phormium* Forst. G. III. 773. (*Chlamydia* Banks). — Sp. 2. N. Zel.
- 7388 33 *Blandfordia* Sm. G. III. 774. — Sp. 4. Austral.
- 7389 34 *Hosta* Tratt. (*Funkia* Spreng. G. III. 774, *Libertia* Dmrt., *Saussurea* Salisb.). — Sp. 4 v. 5. Japon., China.



Sect. 1. *Niobe* B. et H., *Niobe* Salisb.

Sect. 2. *Bryocles* B. et H., *Bryocles* Salisb.

- 7390 35 *Kniphofia* Salisb. G. III. 775. (*Tritoma* Ker, *Tritomanthe* et *Tritomium* Link, *Rudolphorœmeria* Steud., *Triclissa* Salisb.). — Sp. ad 20. Afr. austr. et trop., Madagasc.

- 7391 36 *Notosceptrum* Benth. G. III. 775. — Sp. 3. Angola, Afr. austr.

TRIBUS VIII. **Aloineæ.**

- 7392 37 *Gasteria* Duval. G. III. 775. — Sp. ad 35. Afr. austr.

- 7393 38 *Aloe* L. G. III. 776. — Sp. ad 85. Afr. austr. et trop., Asia occ., Reg. Medit., Ins. Canar.

Subg. 1. *Eualoe* Bak., *Bowiea* Haw., *Catevala* Medik.

Subg. 2. *Gonialoe* Bak.

Subg. 3. *Pachydendron* Bak., *Pachydendron* Haw. (*Busipho* Salisb.).

Subg. 4. *Kumara* Bak., *Kumara* Medik. (*Rhipidendron* Haw., *Ptyas* Salisb.).

- 7394 39 *Apicra* Willd. G. III. 776. — Sp. ad 7. Pr. B. Spei.

- 7395 40 *Haworthia* Duval. G. III. 777. — Sp. enum. 59. Afr. austr. (Angola sp. 1).

- 7396 41 *Lomatophyllum* Willd. G. III. 777. (*Phylloma* Ker). — Sp. 3. Ins. Mascar.

TRIBUS IX. **Dasypogoneæ.**

- 7397 42 *Dasypogon* R. Br. G. III. 865. — Sp. 2. Austral. austro-occ.

TRIBUS X. **Lomandreæ.**

- 7398 43 *Acanthocarpus* Lehm. G. III. 864. — Sp. 1. Austral. austro-occ.

- 7399 44 *Chamæxeros* Benth. G. III. 865. — Sp. 2. Austral. austro-occ.

- 7400 45 *Lomandra* Labill. (*Xerotes* R. Br. G. III. 863). — Sp. 29. Austral., N. Caled.

Sect. 1. *Eulomandra* Engl.

Sect. 2. *Cephalogyne* B. et H.

Sect. 3. *Schœnolomandra* Engl.

Sect. 4. *Typhopsis* B. et H.

Sect. 5. *Macrostachya* B. et H.

- 7401 46 *Xanthorrhœa* Sm. G. III. 865. — Sp. 11. Austral.

TRIBUS XI. **Calectasiæ.**

- 7402 47 *Kingia* R. Br. G. III. 865. — Sp. 1. Austral. austro-occ.

- 7403 48 *Baxteria* R. Br. G. III. 866. — Sp. 1. Austral. occ.

- 7404 49 *Calectasia* R. Br. G. III. 866. — Sp. 1. Austral. austr. et occ.

TRIBUS XII. **Dracæneseæ.**

- 7405 50 **Hesperocallis** A. Gray. G. III. 777. — Sp. 1. Californ.  
 7406 51 **Hesperaloe** Engelm. G. III. 778. — Sp. 1. Texas.  
 7407 52 **Yucca** L. G. III. 778. — Sp. ad 20. Amer. bor. calida, Mexic., Amer. centr.  
     Sect. 1. *Sarcoyucca* Engelm. — 2. *Clistoyucca* Engelm.  
     Sect. 3. *Chænoyucca* Engelm. — 4. *Hesperoyucca* Engelm.  
 7408 53 **Dracaena** L. G. III. 779. (*Terminalis* Medik., *Pleomele* Salisb.). — Sp. ad 36. Orbis veteris reg. calidior.  
     *Størkea* et *OEdera* Crantz.  
 7409 54 **Cordyline** Comm. G. III. 779 et 1227. (*Tætsia* Medik.). — Sp. ad 10. Ind. or., Archip. Malay., Austral., N. Zel., Ins. Pacif.  
     *Charlwoodia* Sweet, *Cohnia* Kth, *Dracænopsis* et *Calodracon* Planch.  
 7410 55 **Nolina** Michx. G. III. 780. (*Roulinia* Brongn., *Beaucarnea* Lemaire, *Pincenectetia* Hortul.). — Sp. ad 10. Californ., Texas, Mexic.  
 7411 56 **Dasyllirion** Zucc. G. III. 780. — Sp. ad 50. Mexic., Texas.  
 7412 57 **Astelia** Banks et Soland. G. III. 781. (*Hamelinia* A. Rich.). — Sp. ad 9. Ins. Pacif., N. Zel., Austral., Amer. antarct.  
     *Funkia* Willd., *Hanguana* Bl.  
 7413 58 **Milligania** H. f. G. III. 781. — Sp. 4. Tasmania.

TRIBUS XIII. **Asphodeleæ.**

- 7414 59 **Xeronema** Brongn. et Gris. G. III. 781. (*Scleronema* Brongn. et Gris). — Sp. 1. N. Caled.  
 7415 60 **Anemarrhena** Bge. G. III. 782. — Sp. 1. China bor.  
 7416 61 **Asphodelus** L. G. III. 782. — Sp. 6 v. 7. Reg. Medit. tota, Ind. or., Ins. Mascar.  
     *Clausonia* Pomel (*Gethosyne* Salisb.), *Verinea* Pomel (*Asphodeloides* Mönch, *Ophioprason* Salisb.).  
 7417 62 **Asphodeline** Rehb. G. III. 783. (*Dorydium* Salisb.). — Sp. 14. Reg. Medit., Oriens.  
 7418 63 **Paradisica** Mazzuc. G. III. 783. (*Czackia* Andr., *Liliastrum* Link, *Allobrogia* Tratt., *Hyperogyne* Salisb.). — Sp. 1. Pyren., Alpes, Jurass., Apenn.  
 7419 64 **Simethis** Kth. G. III. 784. (*Morgagnia* Bubani, *Pogonella* Salisb.). — Sp. 1. Eur. occ. et austr., Afr. bor.-occ.  
 7420 65 **Bulbinella** Kth. G. III. 784. (*Chrysobactron* H. f.). — Sp. 13. Afr. austr., N. Zel., Ins. Campbell et Auckland.  
 7421 66 **Bulbine** L. pr. p. G. III. 784. — Sp. ad 23. Afr. austr. et Abyss. (sp. 21), Austral. or. (sp. 2).

- 7422 67 *Chlorogalum* Kth. G. III. 785. — Sp. 3. Californ.  
 7423 68 *Hemiphylacus* S. Wats. in *Proc. Amer. Acad.* XVIII. 163 (1883). — Sp. 1. Mexic. bor.  
 7424 69 *Schoenolirion* Torr. G. III. 785. — Sp. 4. Amer. bor. austr. et austro-or.  
 7425 70 *Hastingsia* S. Wats. G. III. 785. — Sp. 1. Californ.  
 7426 71 *Bowisa* Harv. G. III. 786. — Sp. 1. Pr. B. Spei.  
 7427 72 *Schizobasis* Bak. G. III. 786. — Sp. 5. Afr. trop. et austr.  
 7428 73 *Eriospermum* Jacq. G. III. 786. — Sp. 25. Afr. trop. et austr. *Phylloglottis* et *Thaumaza* Salisb.  
 7429 74 *Eremurus* M. B. G. III. 787. (*Ammolirion* et *Henningia* Kar. et Kir.). — Sp. ad 18. Oriens, Asia rossica, Ind. or. *Selonina* Rgl.  
 7430 75 *Acrospira* Welw. G. III. 787. — Sp. 1. Angola.  
 7431 76 *Anthericum* L. pr. p. G. III. 788. — Sp. ad 50. Eur., Amer., Afr. trop. et extratrop.  
     Sect. 1. *Phalangium* B. et H., *Phalangium* Kth, *Pessularia* et *Liliago* Salisb.  
     Sect. 2. *Trachyandra* B. et H., *Trachyandra* Kth, *Dilanthos* Salisb.  
     Sect. 3. *Hesperanthes* Bak., *Hesperanthes* S. Wats.  
     Sect. 4. *Holopodium* Bak.  
 7432 77 *Chlorophytum* Ker. G. III. 788. (*Hartwegia* Nees, *Schidospermum* Griseb., *Asphodelopsis* Steud.). — Sp. ad 50. Asia trop., Afr. trop. et austr., Amer. trop., Tasmania.  
 7433 78 *Dasystachys* Bak. G. III. 789. — Sp. 7 v. 8. Afr. trop.  
 7434 79 *Echeandia* Ort. G. III. 789. — Sp. 3. Amer. trop.  
 7435 80 *Bottionea* Colla. G. III. 789. (*Trichopetalum* Lindl.). — Sp. 1. Chili.  
 7436 81 *Thysanotus* R. Br. G. III. 790. (*Chlamysporum* Salisb.). — Sp. 22. Austral., Ins. Philippin., China austr. *Isandra* et *Thysanella* Salisb.  
 7437 82 *Arthropodium* R. Br. G. III. 790. — Sp. 8. N. Caled., N. Zel., Austral.  
 7438 83 *Dichopogon* Kth. G. III. 791. (*Siona* Salisb.). — Sp. 2 v. 3? Austral.  
 7439 84 *Glyphosperma* S. Wats. in *Proc. Amer. Acad.* XVIII. 164 (1883). — Sp. 1. Amer. bor.  
 7440 85 *Pasithea* Don. G. III. 791. — Sp. 1. Chili.  
 7441 86 *Chamascilla* F. Müll. G. III. 791. — Sp. 3 v. 2. Austral.  
 7442 87 *Hodgsoniella* F. Müll. G. III. 791. (*Hodgsonia* F. Müll.). — Sp. 1. Austral. austro-occ.  
 7443 88 *Casia* R. Br. G. III. 792. — Sp. 9. Austral., Afr. austr.

- 7444 89 *Agrostocrinum* F. Müll. G. III. 792. — Sp. 1. Austral.  
austro-occ.
- 7445 90 *Corynotheca* F. Müll. G. III. 792. — Sp. 3. Austral.
- 7446 91 *Herpolirion* H. f. G. III. 793. — Sp. 1. N. Zel., Tasmania,  
Victoria.
- 7447 92 *Nanolirion* Benth. G. III. 793. — Sp. 1. Afr. austr.
- 7448 93 *Leucocrinum* Nutt. G. III. 793. — Sp. 1. Amer. bor.
- 7449 94 *Dianella* L. G. III. 793. (*Rhuacophila* Bl.). — Sp. 11 v. 12?  
Amer. trop., Ins. Pacif., N. Zel., Austral., Ins. Mascar.,  
Asia trop.
- 7450 95 *Eccremis* Willd. G. III. 794. (*Excremis*). — Sp. 1. Amer.  
austr.
- 7451 96 *Stypandra* R. Br. G. III. 794. — Sp. 3. Austral.  
*Styponema* Salisb.

TRIBUS XIV. *Johnsoniæ*.

- 7452 97 *Aphyllanthes* L. G. III. 795. — Sp. 1. Reg. Medit. occ.
- 7453 98 *Johnsonia* R. Br. G. III. 795. — Sp. 3. Austral.
- 7454 99 *Arnocrinum* Endl. G. III. 795. — Sp. 2. Austral.
- 7455 100 *Tricoryne* R. Br. G. III. 796. — Sp. 6. Austral.
- 7456 101 *Laxmannia* R. Br. G. III. 796. — Sp. 8. Austral.
- 7457 102 *Stawellia* F. Müll. G. III. 796. — Sp. 1. Austral.
- 7458 103 *Borya* Labill. G. III. 797. — Sp. 2. Austral.
- 7459 104 *Alania* Endl. G. III. 797. — Sp. 1. Austral.
- 7460 105 *Sowerbæa* Sm. G. III. 797. — Sp. 3. Austral.

TRIBUS XV. *Alliæ*.

- 7461 106 *Agapanthus* L'Hér. G. III. 798. (*Abumon* Adans., *Mauhlia*  
Dahl.). — Sp. 3. Afr. austr.
- 7462 107 *Tulbaghia* L. G. III. 798. (*Omentaria* Salisb.). — Sp. 12 v. 9.  
Afr. austr. et trop.
- 7463 108 *Tristagma* Pöpp. et Endl. G. III. 798. (*Stemmatium* Philippi,  
*Stephanolirion* Bak.). — Sp. 3. Chili.
- 7464 109 *Leucocoryne* Lindl. G. III. 798. — Sp. 3 v. 4. Chili.
- 7465 110 *Milla* Cav. G. III. 799. — Sp. 1. Mexic.
- 7466 111 ? *Diphalangium* S. Schau. G. III. 799. — Sp. 1. Mexic.
- 7467 112 *Stropholirion* Torr. G. III. 799. (*Rupallega* Moricre). — Sp. 1.  
Californ.
- 7468 113 *Brevoortia* Wood. G. III. 800. — Sp. 1. Californ.
- 7469 114 *Behria* Greene in *Bull. Calif. Acad.* 143 (1887). — Sp. 1.  
Californ.
- 7470 115 *Brodiaea* Sm. G. III. 800. (*Hookera* Salisb.). — Sp. ad 36.  
Amer. bor. occ. et austr. extratrop.

Sect. 1. *Eubrodiaea* Sm., *Dichelostemma* Kth, *Macroscapa* Kell.

Sect. 2. *Triteleia* B. et H., *Triteleia* Lindl., *Seubertia* Kth, *Themis* Salisb.

Sect. 3. *Calliprora* B. et H., *Calliprora* et *Hesperocordum* Lindl., *Veatchia* Kell.

7471 116 *Androstephium* Torr. G. III. 801. — Sp. 2. Texas, Californ.

7472 117 *Bessera* Schult. G. III. 801. (*Pharium* Herb.). — Sp. 3, ad 1 reduc. Mexic.

7473 118 *Bloomeria* Kell. G. III. 801. — Sp. 1. Californ.

7474 119 *Muilla* S. Wats. G. III. 801. — Sp. 1. Californ.

7475 120 *Nothoscordum* Kth. G. III. 802. (*Pseudoscordum* Herb., *Hesperocles* et *Oligosma* Salisb.). — Sp. ad 10. Amer. extratrop. et andina., China bor., alibi inquil.

*Caloscordum* Herb.

7476 121 *Allium* L. G. III. 802. — Sp. ad 270. Hemisph. bor. extratrop., Abyss., Mexic.

Sect. 1. *Porrum* G. Don.

Sect. 2. *Schœnoprasum* G. Don, *Schœnoprasum* H. B. et K.

Sect. 3. *Rhiziridium* G. Don.

Sect. 4. *Macrospatha* G. Don, *Porrum* Mönch, *Codonoprasum* Rchb.

Sect. 5. *Molium* G. Don, *Ophioscorodon* Wallr., *Mœnchia* Medik., *Moly* Mönch., *Saturnia* Maratti.

Sect. 6. *Nectaroscordum* Lindl., *Nectaroscordum* Lindl., *Trigonea* Parlat.

Obs. Cl. Salisbury genus *Allium* ad *A. nutantem* L. limitavit et sp. cæteras in genera 17 distribuit : *Hexonychia*, *Raphione*, *Calliprena*, *Xylorhiza*, *Berenice*, *Porrum*, *Cepa*, *Phyllodolon*, *Camarilla*, *Schœnissa*, *Butomissa*, *Hylogeton*, *Molyza*, *Canidia*, *Iulus*, *Saturnia* et *Briseis* Salisb. (Cfr. B. et H. G. III. 804).

7477 122 *Gilliesia* Lindl. G. III. 804. — Sp. 3. Chili.

7478 123 *Miersia* Lindl. G. III. 804. — Sp. 2. Chili.

7479 124 *Trichlora* Bak. G. III. 805. — Sp. 1. Peruvia.

7480 125 *Erinna* Philippi G. III. 805. — Sp. 1. Chili.

7481 126 *Solaria* Philippi. G. III. 805. (*Symea* Bak.). — Sp. 1. Chili.

7482 127 *Gethyum* Philippi. G. III. 805. — Sp. 1. Chili.

7483 128 *Ancrumia* Harv. G. III. 806. — Sp. 1. Chili.

7484 129 *Massonia* Thunb. G. III. 806. (*Podocallis* Salisb.). -- Sp. vix 20. Afr. austr.

7485 130 *Daubenya* Lindl. G. III. 806. — Sp. 3. Afr. austr.

TRIBUS XVI. **Scilleæ.**

- 7486 131 **Whiteheadia** Harv. G. III. 807. — Sp. 1. Afr. austr.
- 7487 132 **Polyxena** Kth. G. III. 807. (*Polyanthes* Jacq., *Manlilia* Salisb.).  
— Sp. ad 7. Afr. austr.
- 7488 133 **Lachenalia** Jacq. G. III. 807. — Sp. ad 30. Afr. austr.  
Sect. 1. *Eulachenalia* Bak.  
Sect. 2. *Orchiops* Bak., Himas, Platyestes, Chloriza et  
Orchiops Salisb.  
Sect. 3. *Brachyscypha* B. et H., *Brachyscypha* Bak.  
Sect. 4. *Cœlanthus* Bak., *Cœlanthus* Willd.  
? *Orchiastrum* et *Scillopsis* Lemaire.
- 7489 134 **Drimia** Jacq. G. III. 808. (*Idothea* Kth, *Idothearia* Presl). —  
Sp. ad 15. Afr. austr. et trop.
- 7490 135 **Rhadamanthus** Salisb. G. III. 808. — Sp. 1. Afr. austr.
- 7491 136 **Litanthus** Harv. G. III. 808 et 1227. — Sp. 1. Afr. austr.
- 7492 137 **Dipcadi** Medik. G. III. 809. (*Zuccagnia* Thunb., *Polemannia*  
Berg.). — Sp. ad 22. Eur. austr., Afr. trop. et austr.,  
Ind. or.  
Sect. 1. *Tricharis* Bak., *Tricharis* Salisb.  
Sect. 2. *Uropetalum* Bak., *Uropetalum* Ker.
- 7493 138 **Galtonia** Dcne. G. III. 809. — Sp. 2. Afr. austr.
- 7494 139 **Albuca** L. G. III. 809. — Sp. ad 30. Afr. austr. et trop.  
Sect. 1. *Eualbuca* Bak.  
Sect. 2. *Falconera* Bak., Branciona et *Falconera* Salisb.  
Sect. 3. *Pallastema* Bak., *Pallastema* Salisb.
- 7495 140 ? **Steinmannia** Philippi. *Descr. Pl. nuev. Chil.* (1884). — Sp. 1.  
Chili.
- 7496 141 **Urginea** Steinh. G. III. 810. — Sp. ad 24. Eur., Reg. Medit.,  
Ind. or., Afr. trop. et austr.  
*Physodia* et *Sypharissa* Salisb., *Squilla* Steinh.
- 7497 142 **Veltheimia** Gleditch. G. III. 811. — Sp. 3. Afr. austr.
- 7498 143 **Rhodocodon** Bak. G. III. 811. — Sp. 1. Madagasc.
- 7499 144 **Muscari** Mill. G. III. 811. — Sp. bene dist. ad 40. Eur., Asia  
occ., Afr. bor.  
Sect. 1. *Moscharia* Bak., *Moscharia* Salisb.  
Sect. 2. *Botryanthus* Bak., *Botryanthus* Kth, *Botryphile*  
Salisb.  
Sect. 3. *Leopoldia* Bak., *Leopoldia* Parlat.
- 7500 145 **Hyacinthus** L. G. III. 812. — Sp. ad 30. Reg. Medit., Oriens,  
Afr. trop. et austr.  
Sect. 1. *Euhyacinthus* B. et H.  
Sect. 2. *Hyacinthella* B. et H., *Hyacinthella* Schur, *Bri-*  
*meura* Salisb.

- Sect. 3. *Strangweya* B. et H., *Strangweya* et *Foxia* Parlat.  
 Sect. 4. *Bellevallia* B. et H., *Bellevallia* Lapeyr., *Busbequia* Salisb.  
 Sect. 5. *Peribœa* B. et H., *Peribœa* Kth, *Bæoterpe* Salisb.  
 7501 146 *Puschkinia* Adams. G. III. 813. (*Adamsia* Willd.). — Sp. 2.  
     Asia minor, Caucasus, Afghan.  
 7502 147 *Chionodoxa* Boiss. G. III. 813. — Sp. 4. Oriens.  
 7503 148 *Drimiopsis* Lindl. G. III. 813. — Sp. 5. Afr. austr. et trop.  
 7504 149 *Eucomis* L'Hér. G. III. 813. (*Basilæa* Juss.). — Sp. 5. Afr.  
     austr.  
 7505 150 *Scilla* L. G. III. 814. — Sp. ad 80. Eur., Asia temp. et mont.,  
     Afr. extratrop. et mont., Chili?  
     Sect. 1. *Euscilla* Bak., *Barnardia* Lindl., *Somera*, *Prospero*,  
     *Petranthe* et *Monocallis* Salisb., *Nectaroscilla* Parlat.,  
     *Caloscilla* Jord. et Fourr. (*Basaltogeton* Salisb.), *Adenoscilla*  
     Grenier et Godron (*Rinopodium* Salisb.), *Othocallis* Salisb.,  
     *Stellaris* Steinh.  
     Sect. 2. *Ledebouria* Bak., *Ledebouria* Roth, *Eratobotrys*  
     Fenzl, *Xcodolon* et *Sugillaria* Salisb.  
     Sect. 3. *Endymion* Bak., *Endymion* Dmrt, *Agraphis* Link,  
     *Hylomenes* Salisb., *Usteria* Medik.  
     Sect. 4. ? *Hesperoscilla* B. et H.  
 7506 151 *Camassia* Lindl. G. III. 815. (*Cyanotris* Raf., *Sitocodium* Sa-  
     lisb.). — Sp. 2. Amer. bor.  
 7507 152 *Ornithogalum* L. G. III. 815. — Sp. ad 70. Eur., Oriens, Afr.  
     extratrop. et trop., in Amer. inquil.  
     Sect. 1. *Heliocharmos* Bak.  
     Sect. 2. *Caruelia* Bak., *Caruelia* Parlat., *Myanthe*, *As-  
     pasia* et *Phæocles* Salisb.  
     Sect. 3. *Myogalum* Bak., *Honorius* S. F. Gray, *Myoga-  
     lum* Link, *Albucea* Rehb., *Brizophile* Salisb.  
     Sect. 4. *Beryllis* Bak., *Beryllis* et *Ardornia* Salisb.  
     Sect. 5. *Osmyne* Bak., *Taniola*, *Osmine* et *Monotassa*  
     Salisb.  
     Sect. 6. *Cathissa* Bak., *Eustachys* et *Cathissa* Salisb.  
     Genus anomalum.  
 7508 153 ? *Geanthus* Philippi. *Descr. Pl. nuev. Chil.* 7 (1884). — Sp. 1.  
     Chili.

## TRIBUS XVII. Tulipææ.

- 7509 154 *Lilium* L. G. III. 816. — Sp. ad 45. Utriusque orbis reg. temp.  
     hemisph. bor.  
     Sect. 1. *Cardiocrinum* Bak.

Sect. 2. *Eulirion* Rchb. (*Notholirion* Boiss., *Martagon* Salisb.).

7510 155 *Fritillaria* L. G. III. 817. — Sp. enum. ultra 50, sed vix 40 bene dist. Utriusque orbis reg. temp. hemisph. bor.

Sect. 1. *Eufritillaria* B. et H., *Monocodon* Salisb.

Sect. 2. *Petilium* B. et H., *Petilium* L., *Imperialis* Juss.

Sect. 3. *Theresia* B. et H., *Theresia* K. Koch, *Tozzettia* Parlat., *Lyperia* Salisb., *Rhinopetalum* Fisch.

Sect. 4. *Amblirion* B. et H., *Amblirion* Raf.

Sect. 5. *Liliorhiza* B. et H., *Liliorhiza* Kell., *Korolkowia* Rgl, *Sarania* Fisch.

7511 156 *Tulipa* L. G. III. 818. — Sp. fere 50. Eur., Afr. bor., Asia occ., centr. et or.

Subg. 1. *Eutulipa* Engl.

Subg. 2. *Orithya* Engl., *Orithya* Don.

7512 157 *Erythronium* L. G. III. 819. — Sp. 7. Eur., Asia rossica, Japon., Amer. bor.

7513 158 *Gagea* Salisb. G. III. 819 et 1227. (*Ornithoxanthum* Link). — Sp. ad 25. Eur., Afr. bor., Asia temp. et mont.

*Hornungia* Bernh., *Bulbillaria* Zucc., *Plecostigma* Turcz.

7514 159 *Lloydia* Salisb. G. III. 820. (*Nectarobothrium* Ledeb., *Rhabdocrinum* Rchb.). — Sp. 2 v. 3. Eur., Asia med. et bor., Amer. bor.

7515 160 *Calochortus* Pursh. G. III. 820. (*Cyclobothra* Don). — Sp. ad 32. Amer. bor., Mexic.

#### TRIBUS XVIII. Colchicaceæ.

7516 161 *Colchicum* L. G. III. 821. — Sp. ad 30. Eur., Asia occ. et centr., Afr. bor.

*Fouha* Pomel, *Monocaryum* R. Br., *Paludaria* Salisb.

7517 162 *Synsiphon* Rgl. G. III. 821. — Sp. 1. Asia centr.

7518 163 *Bulbocodium* L. G. III. 821. — Sp. 1. Eur. med. et austr. Asia rossica mer.

7519 164 *Merendera* Ram. G. III. 822. (*Geophila* Bergeret). — Sp. 10. Reg. Medit. usque ad Abyss. et Afghan.

#### TRIBUS XIX. Anguillarieæ.

7520 165 *Burchardia* R. Br. G. III. 822. — Sp. 1. Austral.

7521 166 *Androcymbium* Willd. G. III. 822. — Sp. 13. Afr. austr., Reg. Medit.

Sect. 1. *Cyrananthus* B. et H., *Cymbanthus* Salisb.

Sect. 2. *Erythrostictus* B. et H., *Erythrostictus* Schlcht.



- 7522 167 *Wurmbea* Thunb. G. III. 823. — Sp. 7. Austral occ., Pr. B. Spei, Natal., Ins. Fernando Po.
- 7523 168 *Bæometra* Salisb. G. III. 823. (*Kolbea* Schlecht., *Jania* Schult.). Sp. 1. Pr. B. Spei.
- 7524 169 *Dipidax* Salisb. G. III. 824. (*Melanthium* Kth). — Sp. 2. Pr. B. Spei.
- 7525 170 *Anguillaria* R. Br. G. III. 824. — Sp. 2. Austral., Tasmania.
- 7526 171 *Ornithoglossum* Salisb. G. III. 824. (*Lichtensteinia* Willd., *Cymation* Spreng.). — Sp. 2. Pr. B. Spei.
- 7527 172 *Iphigenia* Kth. G. III. 824. (*Notocles* Salisb.). — Sp. 4. Ind. or., Austral., N. Zel., Madagasc., Angola.

TRIBUS XX. *Narthecieæ*.

- 7528 173 *Nietneria* Kl. G. III. 825. — Sp. 1. Guiana angl.
- 7529 174 *Narthecium* Moehr. G. III. 825. (*Abama* Adans.). — Sp. 5. Utriusque orbis reg. temp. et subfrigid. hemisph bor.
- 7530 175 *Metanarthecium* Maxim. G. III. 825. — Sp. 1. Japon.
- 7531 176 *Chamælirium* Willd. G. III. 826. (*Ophiostachys* Red., *Dasurus* Salisb., *Diclinotrys* Raf.). — Sp. 1. Amer. bor. or.
- 7532 177 *Chionographis* Maxim. G. III. 826. — Sp. 2. Japon.
- 7533 178 *Xerophyllum* Mchx. G. III. 826. — Sp. 3. Amer. bor.
- 7534 179 *Hewardia* Hook. G. III. 827. — Sp. 1. Tasmania.
- 7535 180 *Heloniopsis* A. Gray. G. III. 827. (*Sugerokia* Miq.). — Sp. 4. Japon., Formosa.
- 7536 181 *Ypsilandra* Franch. in *Ann. Sc. Nat.* ser. 2. X. 93 (1887). — Sp. 1. China (Moupine).
- 7537 182 *Helonias* L. G. III. 827. — Sp. 1. Amer. bor.
- 7538 183 *Tofieldia* Huds. G. III. 828. (*Heriteria* Schrank, *Hebelia* Gmel.). — Sp. ad 14. Hemisph. bor. reg. temp. et mont., Amer. austr. andina.
- Triantha Nutt., Isidrogalvia R. et P.
- 7539 184 ?*Petrosavia* Becc. G. III. 828. — Sp. 1. Borneo.
- 7540 185 *Pleea* Mchx. G. III. 829. — Sp. 1. Carolina, Florida.

TRIBUS XXI. *Uvularieæ*.

- 7541 186 *Schelhammera* R. Br. G. III. 829. (*Parduyna* Salisb.). — Sp. 2. Austral.
- 7542 187 *Kreysigia* Rchb. G. III. 829. (*Tripladenia* Don). — Sp. 1. Austral.
- 7543 188 *Uvularia* L. pr. p. G. III. 830. — Sp. 4 v. 5? Amer. bor. Oakesia S. Wats.
- 7544 189 *Gloriosa* L. G. III. 830. (*Methonica* Juss., *Clinostylis* Hochst.). — Sp. 3. Asia et Afr. trop.

- 7545 190 **Sandersonia** Hook. G. III. 830. — Sp. 1. Natal.  
 7546 191 **Littonia** Hook. G. III. 831. — Sp. 2. Natal., Angola.  
 7547 192 **Walleria** Kirk. G. III. 831. — Sp. 3. Afr. trop.  
 7548 193 **Tricyrtis** Wall. G. III. 831. (*Compsoa* Don, *Compsanthus* Spreng.). — Sp. 5. Himal., Japon., China.  
 7549 194 **Disporum** Salisb. G. III. 831. (*Drapieza* Bl.). — Sp. ad 12. Asia mont. trop. et centr., Japon., Amer. bor. Prosartes Don.

TRIBUS XXII. **Medeoleæ.**

- 7550 195 **Clintonia** Raf. G. III. 832. (*Xeniatrum* Salisb.). — Sp. 6. Amer. bor., Himal., Sibiria, Japon.  
 7551 196 **Scoliopus** Torr. G. III. 832. — Sp. 2. Amer. bor.  
 7552 197 **Medeola** L. G. III. 833. (*Gyromia* Nutt.). — Sp. 1. Amer. bor.  
 7553 198 **Trillium** L. G. III. 833. — Sp. ad 15. Amer. bor., Asia mont. et temp., Japon.  
     *Trillidium* Kth, *Esdra* Salisb., *Delostylis* Raf.  
 7554 199 **Paris** L. G. III. 833. — Sp. 7. Eur., Asia temp. et mont. *Demidovia* Hoffm., *Euthyra* Salisb.

TRIBUS XXIII. **Veratreæ.**

- 7555 200 **Melanthium** L. G. III. 834. (*Leimanthium* Willd.). — Sp. 3. Amer. bor.  
 7556 201 **Veratrum** L. G. III. 834. — Sp. 9. Eur., Asia rossica, Amer. bor.  
     *Acedilanthus* Trautv.  
 7557 202 **Stenanthium** A. Gray. G. III. 835. — Sp. 5. Asia bor.-or., Amer. bor.-or., Mexic.  
 7558 203 **Zygadenus** Mchx. G. III. 835 et 1227. — Sp. ad 10. Sibiria, Amer. bor., Mexic.  
     Sect. 1. *Euzygadenus* B. et H.  
     Sect. 2. *Anticlea* B. et H., *Anticlea* Kth, *Monadenus* Salisb.  
 7559 204 **Amianthium** A. Gray. (*Zygadeni* sect. *Amianthium* B. et H. G. III. 836, *Amiantanthium* Kth, *Chitonia* et *Endoles* Salisb.). — Sp. 1. Amer. bor.-or.  
 7560 205 **Schoenocaulon** A. Gray. G. III. 836. (*Asogräa* Lindl., *Sabadilla* Brandt). — Sp. 5. Georgia, Florida, Texas, Mexic., Venezuela.

ORDO CLXXXVI. **PONTEDERIACEÆ**

- 7561 1 **Pontederia** L. G. III. 837. (*Unisema* Raf.). — Sp. 7 v. 8.  
Amer. bor. et austr.  
Reussia Endl.
- 7562 2 **Eichhornia** Kth. G. III. 838. — Sp. enum. 12, sed plures  
reduc. Amer. austr., Afr. trop.  
Leptosomus Schlcht., Cabanisia Kl.
- 7563 3 **Heteranthera** R. et P. G. III. 838. (*Buchosia* Vell., *Heteran-*  
*dera* P. B.). — Sp. 9. Afr. trop., Amer. bor. et austr.  
Sect. 1. *Schollera* Solms, *Schollera* Schreb.  
Sect. 2. *Leptanthus* Solms, *Leptanthus* Mchx.
- 7564 4 **Monochoria** Presl. G. III. 839. — Sp. ad 6. Ind. or., Archip.  
Malay., Japon., China, Austral., Afr. trop.  
*Limnostachys* F. Müll.

ORDO CLXXXVII. **PHILYDRACEÆ**

- 7565 1 **Phylidrum** Banks. G. III. 840. (*Garciana* Lour.). — Sp. 1.  
Austral. or., Archip. Malay., Asia or. usque ad Chinam.
- 7566 2 **Pritzelia** F. Müll. G. III. 840. — Sp. 1. Austral. austro-occ.  
*Hetæria* Endl., *Philydrella* Caruel.
- 7567 3 **Helmholtzia** F. Müll. G. III. 840. — Sp. 1. Austral., Ins. Pacif.

ORDO CLXXXVIII. **XYRIDEÆ**

- 7568 1 **Xyris** L. G. III. 842. (*Schismaxon* Steud.). — Sp. descr. ad 40,  
sed nonnullæ reduc. Utriusque orbis reg. calidior.
- 7569 2 **Abolboda** H. et B. G. III. 842. (*Chloerum* Willd.). — Sp. 7.  
v. 8. Amer. trop.

ORDO CLXXXIX. **MAYACACEÆ**

- 7570 1 **Mayaca** Aubl. G. III. 843. (*Syena* Schreb, *Biaslia* Vandelli,  
*Coletia* Vell.). — Sp. ad 7. Amer. bor. et austr.

ORDO CXC. **COMMELINACEÆ** <sup>(1)</sup>

TRIBUS I. **Polliææ.**

- 7571 1 **Pollia** Thunb. G. III. 846. — Sp. ad 14. Austral., Archip.  
Malay., Asia or. usque ad Chinam et Japoniam.

(1) Sp. vix ultra 200, per reg. calidior. utriusque orbis late dispersæ.

Cf. C. B. Clarke, *Commelinaceæ* in A. et C. De Candolle, *Suites au Prodromus* v. III. (1881).

Sect. 1. *Lamprocarpus* B. et H., *Lamprocarpus* Bl.

Sect. 2. *Aclisia* Clarke, *Aclisia* E. Mey.

Sect. 3. *Phæocarpa* Clarke.

7572 2 *Palisota* Rchb. G. III. 847. (*Duchekia* Kostel.). — Sp. 8. Afr. trop.

7573 3 *Athyrocarpus* Schlecht. G. III. 847. (*Phæosphærion* Hassk.). — Sp. 3. Amer. trop. a Peruvia et Guiana usque ad Mexic.

#### TRIBUS II. *Commelineæ*.

7574 4 *Commelina* L. G. III. 847 et 1227. (*Erxlebia* et *Hedwigia* Medik., *Ananthopus* Raf.). — Sp. 88. Utriusque orbis reg. calidior. (Eur. except.).

Sect. 1. *Eucommelina* Clarke.

Sect. 2. *Heterocarpus* Clarke, *Heterocarpus* Wight.

Sect. 3. *Dissecocarpus* Clarke, *Dissecocarpus* Hassk.

Sect. 4. *Trithyrocarpus* Clarke, *Trithyrocarpus* Hassk.

Sect. 5. *Heteropyxis* Clarke.

Sect. 6. *Spathodithyrsus* Clarke, *Spathodithyrsus* Hassk.  
? *Lechea* Lour., ? *Omphalotheca* Hassk.

7575 5 *Polyspatha* Benth. G. III. 849. — Sp. 1. Afr. trop.

7576 6 *Aneilema* R. Br. G. III. 849. (*Anilema* Kth, *Aphylax* Salisb.). — Sp. fere 60. Utriusque orbis reg. calidior.

Sect. 1. *Euaneilema* Clarke, *Prionostachys* Hassk., *Murdannia* Royle.

Sect. 2. *Dichæsperrum* Clarke, *Dichæsperrum* Wight.

Sect. 3. *Dictyospermum* Clarke, *Dictyospermum* Wight.,  
*Rhopalephora* et *Piletocarpus* Hassk.

Sect. 4. *Amelina* Clarke, *Amelina* Clarke.

Sect. 5. *Lamprodithyros* Clarke, *Bauschia* Seub., *Lamprodithyros* Hassk.

7577 7 *Cochliostema* Lemaire. G. III. 850. — Sp. 1. Andes Ecuadoriæ.

#### TRIBUS III. *Tradescantieæ*.

7578 8 *Buforrestia* Clarke. G. III. 850. — Sp. 3. Afr. trop.

7579 9 *Forrestia* A. Rich. G. III. 850. (*Amischototype* Hassk.). — Sp. 7. Afr. trop., Asia trop. usque ad Formosam.

7580 10 *Coleotrype* Clarke. G. III. 851. — Sp. 3. Afr. austro-or., Madagasc.

7581 11 *Cyanotis* Don. G. III. 851. (*Tonningia* Neck., *Zygomenes* Salisb.). — Sp. ad 30. Orbis veteris reg. calidior.

Sect. 1. *Eucyanotis* Clarke.

Sect. 2. *Ocreæfolia* Clarke.

Sect. 3. *Dalzellia* Clarke, *Dalzellia* Hassk., *Belosynapsis* Hassk. (*Erythrotis* H. f.).

- 7582 12 *Streptolirion* Edgew. G. III. 852. — Sp. 1. Himal.  
 7583 13 *Cartonema* R. Br. G. III. 852. — Sp. 6. Austral.  
 7584 14 *Floscopa* Lour. G. III. 852. (*Dithyrocarpus* Kth). — Sp. 11.  
     *Utriusque orbis reg. calidior.*  
 7585 15 *Pyrrheima* Hassk. G. III. 854 (sub *Tradescantia*). — Sp. 1.  
     *Brasil., Chili.*  
 7586 16 *Dichorisandra* Mikan. G. III. 853. (*Stickmannia* Neck.). —  
     Sp. 28. Amer. trop.  
 7587 17 *Tinantia* Scheidw. G. III. 853. — Sp. 3. Amer. trop.  
 7588 18 *Tradescantia* L. G. III. 853. (*Ephemerum* Mönch). — Sp. ad 32.  
     *Amer. trop. et bor. calid.*

Sect. 1. *Eutradescantia* Clarke, *Knowlesia*, *Mandonia* et *Skofitzia* Hassk.

Sect. 2. *Descantaria* Clarke, *Descantaria* Schlcht., *Heterachtia* Kunze, *Disgrega* Hassk.

Sect. 3. *Monantha* Clarke.

- 7589 19 *Callisia* L. G. III. 854. — Sp. 4. Amer. trop.  
     Sect. 1. *Hapalanthus* Clarke, *Hapalanthus* Jacq.  
     Sect. 2. *Leptocallisia* Clarke.  
 7590 20 *Spironema* Lindl. G. III. 854. — Sp. 1. Mexic.  
 7591 21 *Campelia* L. C. Rich. III. 855. (*Zanonia* Cram., *Gonatandra*  
     *Schlecht.*). — Sp. 1. Amer. trop.  
 7592 22 *Sauvallea* Wright. G. III. 855. — Sp. 1. Cuba.  
 7593 23 *Rhoeo* Hance. G. III. 855. — Sp. 1. Amer. centr.  
 7594 24 *Leptorhoeo* Hemsl. G. III. 856. — Sp. 1. Amer. trop. a Brasil.  
     *usque ad Mexic.*  
 7595 25 *Zebrina* Schntzl. G. III. 856. — Sp. 2. Texas, Mexic. bor.  
 7596 26 *Weldenia* Schult. G. III. 856. (*Lampra* Benth.). — Sp. 1.  
     *Mexic., Amer. centr.*

ORDO CXCI. **RAPATEACEÆ**

- 7597 1 *Cephalostemon* R. Schomb. G. III. 858. — Sp. 4. Guiana,  
     *Brasil.*  
 7598 2 *Rapatea* Aubl. G. III. 858. (*Mnasium* Schreb.). — Sp. 5 v. 6?  
     *Guiana, Brasil. bor.*  
 7599 3 *Saxo-Fridericia* R. Schomb. G. III. 858. — Sp. 5. Guiana,  
     *Brasil.*  
 7600 4 *Stegolepis* Kl. G. III. 859. — Sp. 4. Guiana, Venezuela.  
     *Monotrema* Körn.  
 7601 5 *Schoënocephalum* Seub. G. III. 859. — Sp. 2. Brasil. bor.

- 7602 6 *Spathanthus* Desv. G. III. 859. — Sp. 1. Guiana.

### ORDO CXII. FLAGELLARIEÆ

- 7603 1 *Flagellaria* L. G. III. 860. — Sp. 2. Asia, Afr. et Austral. trop., Ins. Pacif.  
 7604 2 *Joinvillea* Gaud. G. III. 861. — Sp. 2 v. 3. Archip. Malay., Ins. Pacif.  
 7605 3 *Susum* Bl. G. III. 861. — Sp. 2. Zeylan., Penins. et Archip. Malay.  
           *Hanguana* Bl.

### ORDO CXIII. JUNCACEÆ

- 7606 1 *Distichia* Nees et Meyen. G. III. 866. (*Goudotia* Dcne, *Agapatea* Steud.). — Sp. 3. Amer. austr. andina.  
 7607 2 *Oxychloe* Phillippi. G. III. 866 (sub *Distichia*). — Sp. 1. Bolivia, Chili.  
 7608 3 *Marsippospermum* Desv. G. III. 867 (sub *Rostkovia*). — Sp. 2. N. Zel., Terra Magellanica.  
 7609 4 *Rostkovia* Desv. G. III. 867. — Sp. 1. Ins. Falkland et Campbell.  
 7610 5 *Juncus* L. pr. p. G. III. 867. — Sp. enum. ultra 200, ad 160 reduc. Orbis fere totus.  
           Sect. 1. *Subulati* Buchen.  
           Sect. 2. *Poiophylli* Buchen., *Tenageia* Rchb.  
           Sect. 3. *Genuini* Buchen.  
           • Sect. 4. *Thalassici* Buchen.  
           Sect. 5. *Septati* Buchen.  
           Sect. 6. *Alpini* Buchen.  
           Sect. 7. *Singulares* Buchen.  
           Sect. 8. *Graminifolii* Buchen., *Cephaloxys* Desv.  
 7611 6 *Luzula* DC. G. III. 868. (*Juncoides* Adans., *Leucophoba* Ehrh., *Luciola* Sm.). — Sp. ad 40. Utriusque orbis reg. temp. et trop. mont.  
           Sect. 1. *Pterodes* Buchen. — 2. *Anthelæa* Buchen.  
           Sect. 3. *Gymnodes* Buchen.  
 7612 7 *Prionium* E. Mey. G. III. 869. — Sp. 1. Afr. austr.  
           Genus anomalum.  
 7613 8 ? *Thurnia* H. f. G. III. 869. — Sp. 1. Guiana.

ORDO CXCIV. **PALMÆ** <sup>(1)</sup>TRIBUS I. **Areceæ.**

- 7614 1 **Areca** L. G. III. 883. — Sp. 14 (sec. Drude). Asia et Austral trop., Archip. Malay., N. Guinea.  
     Sect. 1. *Ewareca* Scheff.  
     Sect. 2. *Balanocarpus* Wendl. et Drude.
- 7615 2 **Mischophlœus** Scheff. G. III. 883. — Sp. 1. Ins. Ternate.
- 7616 3 **Pinanga** Bl. G. III. 884. — Sp. ad 40. Asia trop.
- 7617 4 **Kentia** Bl. G. III. 884. — Sp. 3. N. Guinea, Ins. Molucc.
- 7618 5 **Hydriastele** Wendl. et Drude. G. III. 885. — Sp. 1. Austral
- 7619 6 **Adelonenga** Becc. G. III. 885. — Sp. 2. N. Guinea.
- 7620 7 **Gronophyllum** Scheff. G. III. 886. — Sp. 4. N. Guinea, Ins Celebes.
- 7621 8 **Nengelia** Becc. G. III. 886. — Sp. 2 v. 3. Archip. Malay., N. Guinea.
- 7622 9 **Kentiopsis** Brongn. G. III. 887. — Sp. 2. N. Caled.
- 7623 10 **Veitchia** Wendl. G. III. 887. — Sp. 4. Ins. Viti et N. Hebrid.
- 7624 11 **Hedyscepe** Wendl. et Drude. G. III. 888. — Sp. 1. Ins. Lord Howe.
- 7625 12 **Nenga** Wendl. et Drude. G. III. 888. — Sp. ad 11. Asia trop. a Malacca usque ad N. Guineam.  
     Subg. 1. *Eunenga* Becc.  
     Subg. 2. *Adclonenga* Becc., *Adelonenga* Becc. in *Ann. Jard. Buitenz.* II. 82. (1885).  
     Subg. 3. *Leptophœnix* Becc., *Leptophœnix* Becc. *l. c.*  
     Subg. 4. *Nengella* Becc.  
     Subg. 5. *Ophiria* Becc.
- 7626 13 **Loxococcus** Wendl. et Drude. G. III. 888. — Sp. 1. Zeylan.
- 7627 14 **Ptychococcus** Becc. in *Ann. Jard. Buitenz.* II. 96 (1885). — Sp. 3. N. Guinea, Ins. Molucc.
- 7628 15 **Actinorhytis** Wendl. et Drude. G. III. 889. — Sp. 1. Archip. Malay.
- 7629 16 **Archontophœnix** Wendl. et Drude. G. III. 889. — Sp. 3. Austral. or. trop. et subtrop.
- 7630 17 **Rhopalostylis** Wendl. et Drude. G. III. 890. — Sp. 2. N. Zel., Ins. Norfolk.
- 7631 18 **Dictyosperma** Wendl. et Drude. G. III. 890. — Sp. 3. Ins. Mascar.

(1) Sp. ad 1100, per reg. trop. et subtrop. utriusque orbis dispersæ.

Cf. el. O. Drude, *Palmae* in *Die natürlichen Pflanzenfamilien* (1887).

- 7632 19 *Ptychoraphis* Becc. in *Ann. Jard. Buitenz.* II. 90 et 126 (1885).  
Sp. 3. Singapore, Ins. Philippin. et Nicobar.
- 7633 20 *Ptychosperma* Labill. G. III. 891. (*Seaforthia* R. Br.). — Sp. 13.  
Archip. Malay., N. Guinea, Austral. trop., Ins. Pacif.
- 7634 21 *Rhopaloblaste* Scheff. G. III. 891. — Sp. 2. Archip. Malay.
- 7635 22 *Cyrtostachys* Bl. G. III. 892. — Sp. 2. Archip. Malay.
- 7636 23 *Drymophlœus* Zipp. G. III. 892. — Sp. 12 v. 13? N. Guinea,  
Austral. trop., Ins. Molucc. et Pacif.  
Sect. 1. *Actinophlœus* Becc., *Actinophlœus* Becc.  
Sect. 2. *Eudrymophlœus* Becc.
- 7637 24 *Cyphophœnix* Wendl. G. III. 893. — Sp. 2. N. Caled.
- 7638 25 *Ptychandra* Scheff. G. III. 893. — Sp. 2. Ins. Molucc.
- 7639 26 *Clinostigma* Wendl. G. III. 894. — Sp. 3. Ins. Samoa et Lord  
Howe.
- 7640 27 *Cyphokentia* Brongn. G. III. 894. — Sp. 10. N. Caled.  
Subg. 1. *Eucyphokentia* Drude, *Cyphokentia* Wendl. et  
Drude.  
Subg. 2. *Cyphosperma* Drude, *Cyphosperma* Wendl. et  
Drude. G. III. 895.  
Subg. 3. *Microkentia* Drude, *Microkentia* Wendl. et Drude.
- 7641 28 *Oncosperma* Bl. G. III. 895. (*Keppleria* Meisn.). — Sp. 5.  
Zeylan., Archip. Malay.
- 7642 29 *Euterpe* Mart. G. III. 896. — Sp. ad 10. Amer. trop., Ind. occ.
- 7643 30 *Ænocarpus* Mart. G. III. 897. — Sp. ad 8. Amer. trop.  
Subg. 1. *Distichophyllum* Drude.  
Subg. 2. *Euænocarpus* Drude.  
Subg. 3. *Bacaba* Drude.
- 7644 31 *Jessenia* Karst. G. III. 897. — Sp. 3. Reg. Amazonica, Ins.  
Trinitatis.
- 7645 32 *Acanthophœnix* Wendl. G. III. 898. — Sp. 3. Ins. Mascar.
- 7646 33 *Deckenia* Wendl. G. III. 898 (sub *Acanthophœnice*). — Sp. 1.  
Ins. Seychell.
- 7647 34 *Hyospathe* Mart. G. III. 898. — Sp. 3. Brasil.
- 7648 35 *Prestoea* H. f. G. III. 899. — Sp. 1. Ins. Trinitatis.
- 7649 36 *Oreodoxa* Willd. G. III. 899. — Sp. 6. Amer. trop.
- 7650 37 *Iriartea* R. et P. G. III. 900. — Sp. ad 10. Amer. trop.  
Subg. 1. *Euiriartea* Drude, *Iriartea* Wendl., *Deckeria*  
Karst.  
Subg. 2. *Dictyocaryum* Drude, *Dictyocaryum* Wendl.  
Subg. 3. *Socratea* Drude, *Socratea* Karst. G. III. 900.  
Subg. 4. *Iriartella* Drude, *Iriartella* Wendl. G. III. 901,  
*Trachyphyllum* Drude.
- 7651 38 *Calypetrocalyx* Bl. G. III. 902. — Sp. 2. Amboina, Austral. trop.



Subg. 1. *Eucalyptrocalyx* Drude.

Subg. 2. *Laccospadix* Drude, *Laccospadix* Wendl. et Drude.

7652 39 *Catoblastus* Wendl. G. III. 901. — Sp. 3. N. Granada, Venezuela, Brasil. bor.

7653 40 *Wettinia* Pöpp. G. III. 902. — Sp. 3. Amer. andina a Columbia usque ad Peruviam.

7654 41 *Linospadix* Wendl. et Drude. G. III. 903. — Sp. 5. Austral. temp. et trop., N. Guinea.

Sect. 1. *Eulinospadix* Drude, *Linospadix* Becc.

Sect. 2. *Bacularia* Drude, *Bacularia* F. Müll. G. III. 903.

7655 42 *Howea* Becc. G. III. 904. (*Howea* Becc., *Grisebachia* Wendl. et Drude). — Sp. 2 v. 3. Ins. Lord Howe.

7656 43 ?*Gigliolia* Becc. G. III. 904. — Sp. 2. Borneo.

7657 44 *Ceroxylon* H. B. et K. G. III. 905. (*Beethovenia* Engelm.). — Sp. 5. N. Granada, Venezuela.

Subg. 1. *Euceroxylon* Drude.

Subg. 2. *Klopstockia* Drude, *Klopstockia* Karst.

7658 45 *Juania* Drude. G. III. 905. — Sp. 1. Ins. Juan Fernandez.

7659 46 *Reinhardtia* Liebm. G. III. 906. — Sp. 8. Amer. centr., Mexic.

Subg. 1. *Eureinhardtia* Wendl.

Subg. 2. *Malortia* Drude, *Malortia* Wendl. G. III. 906.

7660 47 *Heterospatha* Scheff. G. III. 906. — Sp. 1. Amboina.

7661 48 *Nephrosperma* Balf. f. G. III. 907. — Sp. 1. Ins. Seychelles.

7662 49 *Iguanura* Bl. G. III. 907. (*Slackia* Griff.). — Sp. 10. Archip. Malay., Malacca.

7663 50 *Phœnicophorium* Wendl. G. III. 908. (*Stevensonia* Duncan). — Sp. 1. Ins. Seychelles.

7664 51 *Verschaffeltia* Wendl. G. III. 908. (*Regelia* Hort.). — Sp. 1. Ins. Seychelles.

7665 52 *Dypsis* Nor. G. III. 909. — Sp. 6. Madagasc.

7666 53 *Phloga* Nor. G. III. 909. — Sp. 1. Madagasc.

7667 54 *Sommiera* Becc. G. III. 909. — Sp. 2. N. Guinea.

7668 55 *Chamædorea* Willd. G. III. 910. (*Nunnezharia* R. et P., *Nunnezia* Willd.). — Sp. ultra 60. Amer. trop. a Mexico usque ad Panamam.

Subg. 1. *Collinia* Liebm.

Subg. 2. *Eleutheropetalum* Wendl.

Subg. 3. *Euchamædorea* Auct.

Subg. 4. *Dasystachys* OErst.

7669 56 *Morenia* R. et P. G. III. 910 (sub *Chamædorea*). — Sp. 3. Amer. andina a Columbia usque ad Brasiliam.

- 7670 57 **Kunthia** H. et B. G. III. 910 (sub *Chamædorea*). — Sp. 1. Columbia, Brasil.
- 7671 58 **Synechanthus** Wendl. G. III. 912. — Sp. 3. Amer. centr., Columbia.
- 7672 59 **Pseudophoenix** Wendl. et Drude in *Natürl. Pflanzenfam.* (Palmæ) 64 (1887). — Sp. 1. Florida.
- 7673 60 **Gaussia** Wendl. G. III. 912. — Sp. 1. Cuba.
- 7674 61 **Hyophorbe** Gärtn. G. III. 912. (*Sublimia* Comm.). — Sp. 3. Ins. Mascar.
- 7675 62 **Roscheria** Wendl. G. III. 913. — Sp. 1. Ins. Seychell.
- 7676 63 **Geonoma** Willd. G. III. 913. (*Gynestum* Poit., *Vouay* Aubl.). — Sp. enum. ultra 100, ad 80 reduc. Amer. trop.
- 7677 64 **Asterogyne** Wendl. G. III. 914. — Sp. 3. Amer. centr.
- 7678 65 **Calyptrogyne** Wendl. G. III. 914. (*Calyptronoma* Griseb., *Pholidostachys* Wendl.). — Sp. 6. Amer. trop.
- 7679 66 **Welfia** Wendl. G. III. 915. — Sp. 2. Amer. centr.
- 7680 67 **Podococcus** Wendl. et Mann. G. III. 915. — Sp. 1. Afr. trop.
- 7681 68 **Bentinckia** Berry. G. III. 916. (*Keppleria* Mart.). — Sp. 2. Tranvancor., Ins. Nicobar.
- 7682 69 **Wallichia** Roxb. G. III. 916. (*Harina* Ham., *Wrightia* Roxb.). — Sp. 3. India transgangetica, Himal. subtrop.
- 7683 70 **Didymosperma** Wendl. et Drude G. III. 917. (*Blancoa* Bl.). — Sp. 8. Ind. transgangetica et Archip. Malay.
- 7684 71 **Arenga** Labill. G. III. 917. (*Saguerus* Bl., *Gomutus* Spreng.). — Sp. ad 7. Asia et Austral. trop., Archip. Malay., N. Guinea.
- 7685 72 **Caryota** L. G. III. 918. — Sp. ad 9. Asia et Austral. trop., Archip. Malay., N. Guinea.
- 7686 73 **Orania** Zipp. G. III. 918. (*Macrocladus* Griff.). — Sp. 2. Archip. Malay., N. Guinea. Araucasia Bl.
- 7687 74 **Sclerosperma** Wendl. et Mann. G. III. 918. — Sp. 1. Afr. trop. occ. (ad fl. Gaboon).
- 7688 75 **Manicaria** Gärtn. G. III. 919. (*Pilophora* Jacq.). — Sp. 2 v. 3. Amer. trop. a Brasil. usque ad N. Granadam.
- 7689 76 **Leopoldinia** Mart. G. III. 920. — Sp. 4. Brasil.

TRIBUS II. **Phœniceæ.**

- 7690 77 **Phoenix** L. G. III. 921. (*Elate* L., *Fulchironia* Lesch., *Phoniphora* Neck.). — Sp. ad 12. Afr. trop. et subtrop., Asia occ., Ind. or., Asia or. trop.

TRIBUS III. **Corypheæ.**

- 7691 78 **Corypha** L. G. III. 922. (*Taliera* Mart., *Gembanga* Bl.). — Sp. ad 6. Asia trop., Archip. Malay.
- 7692 79 **Sabal** Adans. G. III. 922. — Sp. 7. Amer. trop. et subtrop. a Florida ad Venezuelam.
- 7693 80 **Nannorhops** Wendl. G. III. 923. — Sp. 1. Ind. or. (prov. occ.), Belutsch., Afghan., Persia austr.
- 7694 81 **Teysmannia** Rchb. f. et Zoll. G. III. 924. — Sp. 1. Sumatra.
- 7695 82 **Chamærops** L. G. III. 924. (*Chamæriphes* Ponted.). — Sp. 2. Reg. Medit.
- 7696 83 **Rhapidophyllum** Wendl. et Drude. G. III. 925. — Sp. 1. Carolina, Florida.
- 7697 84 **Acanthorhiza** Wendl. et Drude. G. III. 925. — Sp. 2 v. 3. Amer. trop. andina a Bolivia usque ad Mexicum.
- 7698 85 **Trithrinax** Mart. G. III. 925. — Sp. 2 v. 3. Brasil., Argentina, (Chili?).
- 7699 86 **Brahea** Mart. G. III. 926. — Sp. 2 v. 4? Mexic., Texas.
- 7700 87 **Cryosophila** Bl. G. III. 927 (sub *Copernicia*). — Sp. 1. Mexic.
- 7701 88 **Serenoa** H. f. G. III. 926 et 1228. — Sp. 1. Florida, Carolina.
- 7702 89 **Colpothrinax** Griseb. et Wendl. G. III. 927. — Sp. 1. Cuba.
- 7703 90 **Erythea** S. Wats. G. III. 927. — Sp. 2. Californ. austr.
- 7704 91 **Copernicia** Mart. G. III. 927. — Sp. ad 6. Mexic., Ind. occ., N. Granada, Brasil., Argentina.
- 7705 92 **Pritchardia** Seem. et Wendl. G. III. 928. — Sp. 7. Ins. Viti et Sandvic., Californ., Arizona.  
Subg. 1. *Eupritchardia* Drude.  
Subg. 2. *Washingtonia* Drude, *Washingtonia* Wendl.
- 7706 93 **Licuala** Wurmb. G. III. 928. — Sp. 36. Asia trop. or., N. Guinea, Austral. bor.  
Subg. 1. *Eulicuala* Drude, *Licuala* Bl.  
Subg. 2. *Pericycla* Drude, *Pericycla* Bl.
- 7707 94 **Thrinax** L. f. G. III. 930. — Sp. ad 9. Antill., Florida.  
Subg. 1. *Euthrinax* Drude.  
Subg. 2. *Hemithrinax* Drude, *Hemithrinax* H. f. G. III. 930.  
Subg. 3. *Porothrinx* Drude, *Porothrinx* Griseb. et Wendl.

TRIBUS IV. **Lepidocaryeæ.**

- 7708 95 **Calamus** L. G. III. 931. — Sp. ad 200, sed verisim. plurimæ reduc. Asia, Afr. et Austral. trop. et subtrop.  
Subg. 1. *Dæmonorops* Drude, *Dæmonorops* Bl.  
Subg. 2. *Eucalamus* Drude, *Calamus* Bl.

Sect. 1. *Piptospathæ* Griff.

Sect. 2. *Platyspathæ* Griff.

Sect. 3. *Coleospathæ* Griff.

- 7709 96 *Zalacca* Reinw. G. III. 932. (*Salacca*). — Sp. 10. Archip. Malay., Assam.
- 7710 97 *Korthalsia* Bl. G. III. 932. (*Ceratolobus* Bl. pr. p., *Calamosagus* Griff.). — Sp. ad 19. Archip. Malay., N. Guinea.
- 7711 98 *Ceratolobus* Bl. G. III. 933. — Sp. 2. Java, Sumatra.
- 7712 99 *Pigafetta* Becc. G. III. 933. — Sp. 3. Archip. Malay., N. Guinea.
- 7713 100 *Plectocomia* Mart. et Bl. G. III. 934. — Sp. ad 6. Khasia, Himal., Assam, Malacca, Java, Borneo.
- 7714 101 *Eugeissonia* Griff. G. III. 934. — Sp. 2. Archip. Malay.
- 7715 102 *Metroxylon* Rottb. G. III. 935. (*Sagus* Bl.). — Sp. 7. Archip. Malay., N. Guinea, Ins. Viti.
- 7716 103 *Raphia* P. B. G. III. 935. (*Metroxylon* Spreng.). — Sp. 5. Afr. trop., Madagasc., Amer. trop.
- 7717 104 *Oncocalamus* Wendl. et Mann. G. III. 936. — Sp. 1. Afr. trop. occ.
- 7718 105 *Eremospatha* Wendl. et Mann. G. III. 936. — Sp. 3 v. 4. Afr. trop. occ.
- 7719 106 *Ancistrophyllum* Wendl. et Mann. G. III. 937. — Sp. 3. Afr. trop. occ.
- Sect. 1. *Ancistrophyllum* Wendl. et Drude.
- Sect. 2. *Laccosperma* Wendl. et Drude, *Laccosperma* Mann. et Wendl.
- 7720 107 *Mauritia* L. f. G. III. 937. — Sp. 9. Brasil., Guiana, Ind. occ.
- Subg. 1. *Moriche* Drude.
- Subg. 2. *Lepidococcus* Drude, *Lepidococcus* Wendl. et Drude.
- Subg. 3. *Orophoma* Drude, *Orophoma* Drude.
- 7721 108 *Lepidocaryum* Mart. G. III. 938. — Sp. 5. Brasil. bor., Guiana.

TRIBUS V. **Borasseæ.**

- 7722 109 *Borassus* L. G. III. 939. (*Lontarus* Gärtn.). — Sp. 1. Afr. trop. (Asia trop. indig. ?).
- 7723 110 *Lodoicea* Labill. G. III. 939. — Sp. 1. Ins. Seychell.
- 7724 111 *Latania* Comm. G. III. 940. (*Cleophora* Gärtn.). — Sp. 3. Ins. Mascar.
- 7725 112 *Hyphæne* Gärtn. G. III. 940. (*Cucifera* Delile, *Douma* Poir.). — Sp. 9. Afr. trop., Madagasc., Arabia.
- 7726 113 *Medemia* P. Guill. de Wurt. et Braun. G. III. 882 in obs. — Sp. 4. Afr. trop. or., Madagasc.
- Bismarckia* Hildebr. et Wendl.

- 7727 114 *Pholidocarpus* Bl. G. III. 883 in obs. — Sp. 5. Ins. Amboina, Timor et Borneo.

TRIBUS VI. **Coccolneæ.**

- 7728 115 *Bactris* Jacq. G. III. 941. — Sp. bene dist. ad 90. Amer. trop.  
 Subg. 1. *Eubactris* Drude, *Bactris* Karst.  
 Subg. 2. *Augustinea* Drude, *Augustinea* et *Pyrenoglyphis* Karst., *Cocarpos* Mart.  
 Subg. 3. *Guilielma* Drude, *Guilielma* Mart.
- 7729 116 *Desmoncus* Mart. G. III. 942. — Sp. 22. Amer. trop. a Mexico austr. usque ad Boliviam.  
 Subg. 1. *Eudesmoncus* Drude. — 2. *Bactridopsis* Drude.
- 7730 117 *Astrocaryum* G. W. Mey. G. III. 942. — Sp. 29. Amer. trop. a Mexico usque ad Brasil. austr.  
 Subg. 1. *Munbaca* Drude.  
 Subg. 2. *Tucuma* Drude, *Toxophoenix* Schott.
- 7731 118 *Acrocomia* Mart. G. III. 943. — Sp. 8. Antill., Amer. centr., Brasil., Bolivia.
- 7732 119 *Martinezia* R. et P. G. III. 944. (*Aiphanes* Willd.). — Sp. 7. Amer. trop.  
 ? *Marara* Karst.
- 7733 120 *Elæis* Jacq. G. III. 944. (*Alfonsia* H. B. et K.). — Sp. 2. Afr. et Amer. or. trop.
- 7734 121 *Barcella* Traill. G. III. 945. — Sp. 1. Brasil. æquator.
- 7735 122 *Diplothemium* Mart. G. III. 945. (*Allagoptera* Nees). — Sp. 5. Brasil. med. et austr.
- 7736 123 *Cocos* L. G. III. 945. — Sp. ad 35. Amer. trop. et subtrop. (Asia trop., Austral. bor. sp. 1).  
 Subg. 1. *Eucocos* Drude.  
 Subg. 2. *Syagrus* Drude, *Syagrus* Mart., *Langsdorffia* Raddi.  
 Subg. 3. *Arecastrum* Drude, ? *Platenia* Karst.  
 Subg. 4. *Glaziova* Drude, *Glaziova* Mart.  
 ? *Lithocarpus* Targ.
- 7737 124 *Maximiliana* Mart. G. III. 946. — Sp. 3. Brasil., Guiana, Ins. Trinitatis.
- 7738 125 *Jubæa* H. B. et K. G. III. 948. (*Micrococos* Philippi, *Molinæa* Bert.). — Sp. 1. Chili.
- 7739 126 *Attalea* H. B. et K. G. III. 947. — Sp. ad 23. Antill., Guiana, Columbia, Brasil., Bolivia.  
 Subg. 1. *Euattalea* Drude.  
 Subg. 2. *Cylindrostachys* Drude.  
 Subg. 3. *Scheelea* Drude, *Scheelea* Karst. G. III. 947.

7740 127 *Orbignya* Mart. G. III. 948. — Sp. 6. Brasil., Bolivia.

TRIBUS VII. **Phytelephantinæ.**

7741 128 *Phytelephas* R. et P. G. III. 921. — Sp. 3. Amer. trop.

7742 129 *Nipa* Wurm. G. III. 920. — Sp. 1. Asia et Austral. trop., Ins. Philippin., N. Guinea.

ORDO CXCV. **PANDANEÆ**

7743 1 *Pandanus* L. f. G. III. 949. — Sp. bene dist. ad 50. Asia, Afr. et Oceania trop. (Ind. occ. sp. 1. inquil.).

1. *Jeanneretia* Gaud.

2. *Fisquetia* Gaud.

3. *Rykia* De Vriese, *Barrotia* Gaud.

4. *Fouilloya* Gaud.

5. *Tuckeya* Gaud.

6. *Marquartia* Hassk., *Hasskarlia* Walp. pr. p.

7. *Hasskarlia* Walp. pr. p., *Athrodactylis* Forst.

8. *Barrotia* Brongn.

9. *Bryantia* Brongn., *Doornia* De Vriese, *Dorystigma*, *Eydouxia*, *Heterostigma*, *Hombronia*, *Roussinia* et *Sussea* Gaud.

7744 2 *Freycinetia* Gaud. G. III. 951. (*Jezabel* Banks, *Victoriperrea* Gaud.). — Sp. ad 33. Asia trop. or., Archip. Malay., Austral. trop., Ins. Pacif., N. Zel.

ORDO CXCVI. **CYCLANTHACEÆ**

TRIBUS I. **Carludoviceæ.**

7745 1 *Stelestylis* Drude. G. III. 952. — Sp. 1. Brasil. or.

7746 2 *Carludovica* R. et P. G. III. 953. (*Ludovia* Pers., *Salmia* Willd.). — Sp. 34. Amer. trop. Ind. occ.

7747 3 *Evodianthus* OErst. G. III. 953 (sub *Carludovica*). — Sp. 2. Antill., Costa Rica.

7748 4 *Sarcinanthus* OErst. G. III. 953 (sub *Carludovica*). — Sp. 1. Costa Rica.

7749 5 *Ludovia* Brongn. G. III. 953. — Sp. 2. Guiana gall., Brasil.

TRIBUS II. **Cyclanthææ.**

7750 6 *Cyclanthus* Poit. G. III. 953. (*Cyclosanthes* Pöpp., *Discanthus* Spruce). — Sp. 4. Amer. trop.

ORDO CXCVII. **TYPHACEÆ**

- 7751 1 **Typha** L. G. III. 955. — Sp. ad 10. Utriusque orbis reg. trop. et temp.  
 7752 2 **Sparganium** L. G. III. 955. (*Platanaria* S. F. Gray). — Sp. ad 6. Utriusque orbis reg. bor. temp. et subfrigid., Austral.

ORDO CXCVIII. **AROIDEÆ** <sup>(1)</sup>

TRIBUS I. **Pothoideæ**.

SUBTRIBUS I. **Pothoeæ**.

- 7753 1 **Pothos** L. G. III. 999. — Sp. bene dist. ad 30. Asia trop., Austral., Ins. Pacif.  
     Sect. 1. *Eupothos* Schott.  
     Sect. 2. *Allopothos* Schott.  
 7754 2 **Pothoidium** Schott. G. III. 999. — Sp. 1. Ins. Philippin., Java.  
 7755 3 **Anadendron** Schott. G. III. 991. — Sp. 4. Archip. Malay.  
 7756 4 **Heteropsis** Kth. G. III. 991. — Sp. 3. Brasil. (Guiana?).  
 7757 5 **Amydrium** Schott. G. III. 993. — Sp. 1. Borneo, Sumatra.

SUBTRIBUS II. **Anthurieæ**.

- 7758 6 **Anthurium** L. G. III. 998. — Sp. ad 200. Amer. trop.

SUBTRIBUS III. **Culcasieæ**.

- 7759 7 **Culcasia** P. B. G. III. 980. (*Denhamia* Schott). — Sp. 2. Afr. trop. centr. et occ.

SUBTRIBUS IV. **Zamioculcaseæ**.

- 7760 8 **Zamioculcas** L. G. III. 993. — Sp. 1. Zanzib., Ins. Borbon.  
 7761 9 **Gonatopus** H. f. G. III. 993. — Sp. 1. Zanzib.

SUBTRIBUS V. **Acoreæ**.

- 7762 10 **Acorus** L. G. III. 999. — Sp. 2. Utriusque orbis reg. temp. hemisph. bor.  
 7763 11 **Gymnostachys** R. Br. G. III. 1000. — Sp. 1. Austral. austro-or.

(1) Sp. fere 900, per reg. trop. utriusque orbis maxima copia dispersæ, in temp. rariores.  
 Divisio et area geographica sec. scripta cl. A. Engleri (Cf. *Araceæ* in A. et C. de Candolle.,  
*Suites au Prodromus*, v. II (1879) et *Araceæ* in *Die natürlichen Pflanzenfamilien* (1887).

TRIBUS II. **Monsteroideæ.**SUBTRIBUS I. **Monstereæ.**

- 7764 12 **Stenospermation** Schott. G. III. 990. — Sp. 4. Amer. trop. subandina.  
 7765 13 **Anepsias** Schott. G. III. 990 (sub *Rhodospatha*). — Sp. 1. Venezuela.  
 7766 14 **Rhodospatha** Pöpp. G. III. 990. (*Atimeta* Schott). — Sp. 1. Amer. austr. trop. subandina.  
 7767 15 **Rhaphidophora** Schott. G. III. 990. (*Raphidophora* Hassk. pr. p.). — Sp. ad 20. Asia, Afr. et Austral. trop., Ins. Pacif.  
 7768 16 **Monstera** Adans. G. III. 991. (*Tornelia* Gutierrez, *Dracontium* L., *Heteropsis* Miq.). — Sp. ad 15. Amer. trop.  
 7769 17 **Alloschemone** Schott. G. III. 992 (sub *Monstera*). — Sp. 1. Brasil.  
 7770 18 **Epipremum** Schott. G. III. 993. (*Raphidophora* Hassk. pr. p.). — Sp. ad 8. Archip. Malay.  
 7771 19 **Scindapsus** Schott. G. III. 992. — Sp. ad 8. Archip. Malay.  
 7772 20 **Cuscuaria** Schott. G. III. 992. — Sp. 1. Java, Amboina.

SUBTRIBUS II. **Spathiphyllæ.**

- 7773 21 **Spathiphyllum** Schott. G. III. 997. — Sp. ad 18. Amer. trop., Archip. Malay.  
     Sect. 1. *Euspathiphyllum* Engl., *Hydrostachyon* Liebm.  
     Sect. 2. *Amomophyllum* Engl., *Amomophyllum* Engl.  
     Sect. 3. *Massoura* Engl., *Massoura* K. Koch, *Spathiphyllopsis* Teijsm. et Binn., *Leucochlamys* Pöpp.  
     Sect. 4. *Ambliscoon* N. E. Brown.  
 7774 22 **Holochlamys** Engl. in Becc. *Malesia* I. 265 (1883). — Sp. 1. N. Guinea.

SUBTRIBUS III. **Symplocarpeæ.**

- 7775 23 **Lysichiton** Schott. G. III. 994. (*Arctiodracon* A. Gray). — Sp. 1. Amer. bor.-or., Sibiria or., Japon.  
 7776 24 **Symplocarpus** Salisb. G. III. 995. (*Ictodes* Bigel., *Spathyema* Raf.). — Sp. 1. Amer. bor., Asia bor.-or., Japon.  
 7777 25 **Orontium** L. G. III. 994. — Sp. 1. Amer. bor.-or.

TRIBUS III. **Calloideæ.**SUBTRIBUS I. **Calleæ.**

- 7778 26 **Calla** L. G. III. 989. (*Provenzalia* Adans.). — Sp. 1. Eur. med. et bor., Sibiria, Amer. bor.-or.



TRIBUS IV. **Lasioideæ.**

SUBTRIBUS I. **Lasiææ.**

- 7779 27 **Cyrtosperma** Griff. G. III. 997. — Sp. ad 10. Asia Afr. et Amer. trop.  
     Sect. 1. *Eucyrtosperma* Engl.  
     Sect. 2. *Lasimorpha* Engl., *Lasimorpha* Schott.  
     Sect. 3. *Polytomophyllum* Engl.  
 7780 28 **Lasia** Lour. G. III. 995. — Sp. 2. Ind. or., Archip. Malay.  
 7781 29 **Anaphyllum** Schott. G. III. 996. — Sp. 1. Ind. or.  
 7782 30 **Podolasia** N. E. Brown. G. III. 996. — Sp. 1. Borneo.  
 7783 31 **Urospatha** Schott. G. III. 996. — Sp. 10. Amer. trop.  
 7784 32 **Ophione** Schott. G. III. 996. — Sp. 1. N. Granada.  
 7785 33 **Dracontium** L. G. III. 995. — Sp. ad 6. Amer. trop. cisæquat.  
     Sect. 1. *Eudracontium* Engl., *Chersydrium* Schott.  
     Sect. 2. *Godwinia* Engl., *Godwinia* Seem.  
     Sect. 3. *Echidnium* Engl., *Echidnium* Schott.

SUBTRIBUS II. **Amorphophalleæ.**

- 7786 34 **Plesmonium** Schott. G. III. 973. — Sp. 3. Ind. or.  
 7787 35 **Pseudodracontium** N. E. Brown. G. III. 971. — Sp. 2. Cochinchina.  
 7788 36 **Thomsonia** Wall. G. III. 971. (*Pythonium* et *Allopythion* Schott). — Sp. 2. Himal., Khasia.  
 7789 37 **Anchomanes** Schott. G. III. 973. — Sp. 2. Afr. trop.  
 7790 38 **Synantherias** Schott. G. III. 972. — Sp. 1. Ind. or.  
 7791 39 **Amorphophallus** Bl. G. III. 970. (*Pythion* Mart.). — Sp. ad 15. Ind. or.  
     Sect. 1. *Candarum* Bl., *Candarum* Rehb.  
     Sect. 2. *Brachyspatha* Engl., *Brachyspatha* Schott.  
     Sect. 3. *Conophallus* Engl., *Conophallus* Schott.  
 7792 40 **Hydrosme** Schott. G. III. 970 (sub *Amorphophallo*). — Sp. 15. Afr. trop., Madagasc., Ind. or., Cochinch., Archip. Ind. *Corynophallus*, *Hansalia* et *Rhaphiophallus* Schott, *Proteinophallus* H. f., *Tapeinophallus* H. Bn.  
 7793 41 **Cercestis** Schott. G. III. 980. — Sp. 3. Afr. trop. occ.

SUBTRIBUS III. **Nephtytideæ.**

- 7794 42 **Rhektophyllum** N. E. Brown. G. III. 981. — Sp. 1. Afr. trop. occ.  
 7795 43 **Nephtyhtis** Schott. G. III. 982. — Sp. 2. Afr. trop. occ.  
 7796 44 **Oligogynium** Engl. in *Natürl. Pflanzenfam.* (Araceæ) 129 (1887). — Sp. 1. Afr. trop. occ.

SUBTRIBUS IV. **Montrichardiæ.**

- 7797 45 **Montrichardia** Crüger. G. III. 982. — Sp. 3 v. 4. Amer. trop.

TRIBUS V. **Philodendroidæ.**SUBTRIBUS I. **Philodendreæ.**

- 7798 46 **Homalonema** Schott. G. III. 983. (*Homalomena* Schott). —  
Sp. ad 20. Asia et Amer. trop.  
Sect. 1. *Euhomalonema* Engl.  
Sect. 2. *Curmeria* Engl., *Curmeria* Lind. et André.  
? *Cyrtocladon* Griff.
- 7799 47 **Chamæcladon** Miq. G. III. 983. — Sp. 12. Asia trop.
- 7800 48 **Schismatoglottis** Zoll. et Morr. G. III. 984. (*Apoballis* Schott,  
*Zantedeschia* K. Koch). — Sp. ad 10. Archip. Malay.  
Sect. 1. *Euschismatoglottis* Engl.  
Sect. 2. *Apatemone* Engl., *Apatemone* et *Colobogynium*  
Schott.
- 7801 49 **Piptospatha** N. E. Brown. G. III. 985. — Sp. 1. Borneo.
- 7802 50 **Gamogyne** N. E. Brown. G. III. 985. — Sp. 1. Borneo.
- 7803 51 **Bucephalandra** Schott. G. III. 984. — Sp. 1. Borneo.
- 7804 52 **Rhynchopyle** Engl. G. III. 985. — Sp. 2. Borneo.
- 7805 53 **Microcasia** Becc. G. III. 984 (sub *Bucephalandra*). — Sp. 2.  
Borneo.
- 7806 54 **Philodendron** Schott. G. III. 978. — Sp. ultra 100. Amer. trop.  
*Elopium* Schott.
- 7807 55 **Thaumatophyllum** Schott. G. III. 979. — Sp. 1. Brasil. bor.
- 7808 56 **Philonotion** Schott. G. III. 981. — Sp. 1. Brasil. bor.
- 7809 57 **Adelonema** Schott. G. III. 983 (sub *Homalonemate*). — Sp. 1.  
Brasil. bor.

SUBTRIBUS II. **Anubiadeæ.**

- 7810 58 **Anubias** Schott. G. III. 975. — Sp. 3. Afr. trop. occ.

SUBTRIBUS III. **Aglaonemeæ.**

- 7811 59 **Aglaonema** Schott. G. III. 981. — Sp. ad 10. Ind. or., Archip.  
Malay.
- 7812 60 **Aglaodorum** Schott. G. III. 981 (sub *Aglaonemate*). — Sp. 1.  
Sumatra, Borneo.
- 7813 61 **Dieffenbachia** Schott. G. III. 986. — Sp. ad 6. Amer. trop.

SUBTRIBUS IV. **Peltandreæ.**

- 7814 62 **Peltandra** Raf. G. III. 975. (*Lecontia* Torr., *Rensselæria* Beck.).  
— Sp. 2. Amer. bor.-or.

SUBTRIBUS V. **Zantedeschieæ.**

- 7815 63 **Zantedeschia** Spreng. (*Richardia* Kth. G. III. 982). — Sp. 6.  
Afr. austr.  
7816 64 **Typhonodorum** Schott. G. III. 977. — Sp. 1 v. 2. Madagasc.

TRIBUS VI. **Colocasioideæ.**

SUBTRIBUS I. **Colocasieæ.**

- 7817 65 **Stendnera** K. Koch. G. III. 988. — Sp. 2. Ind. or.  
7818 66 **Gonatanthus** Kl. G. III. 974. — Sp. 2. Himal., Khasia.  
7819 67 **Alocasia** Schott. G. III. 975. — Sp. ultra 20. Ind. or., Archip.  
Malay.  
Sect. 1. *Eualocasia* Engl.  
Sect. 2. *Eusolenanthe* Engl., *Eusolenanthe* Schott.  
7820 68 **Schizocasia** Schott. G. III. 978. — Sp. 2. Ins. Philippin.,  
N. Guinea.  
7821 69 **Remusatia** Schott. G. III. 974. — Sp. 2. Ind. or., Java.  
7822 70 **Colocasia** Schott. G. III. 974. — Sp. 6. Cochinch., Ind. or.  
Sect. 1. *Tuberosæ* Engl.  
Sect. 2. *Caulesantes* Engl., *Leucocasia* Schott.  
7823 71 **Hapaline** Schott. G. III. 977. (*Hapale* Schott). — Sp. 1.  
Himal.  
7824 72 **Caladium** Vent. G. III. 976. — Sp. 10. Amer. trop. austr.  
Sect. 1. *Cyrtospadix* Engl., *Cyrtospadix* K. Koch.  
Sect. 2. *Eucaladium* Engl.  
7825 73 **Xanthosoma** Schott. G. III. 976. — Sp. ultra 20. Amer. trop.  
Sect. 1. *Euxanthosoma* Engl.  
Sect. 2. *Acontias* Engl., *Acontias* Schott, *Andromycia*  
A. Rich. G. III. 987, *Phyllotænium* André.  
7826 74 **Chlorospatha** Engl. G. III. 977. — Sp. 1. Columbia.

SUBTRIBUS II. **Syngonieæ.**

- 7827 75 **Porphyrospatha** Engl. G. III. 980. — Sp. 2. Amer. centr.  
7828 76 **Syngonium** Schott. G. III. 979. — Sp. ad 10. Mexic., Ind.  
occ., Amer. centr., Brasil.

SUBTRIBUS III. **Ariopsidæ.**

- 7829 77 **Ariopsis** Grah. G. III. 973. — Sp. 1 v. 2? Himal.

TRIBUS VII. **Aroideæ.**

SUBTRIBUS I. **Stylochitonæ.**

- 7830 78 **Stylochiton** Leprieur. G. III. 969. — Sp. 3. Afr. centr., Natal.

Sect. 1. *Spirogyne* Engl., Guienza Sonder.

Sect. 2. *Cyclogyne* Engl.

SUBTRIBUS II. **Staurostigmatæ.**

- 7831 79 **Mangonia** Schott. G. III. 988. — Sp. 1. Brasil. bor. (prov. Rio Grande do Sul).
- 7832 80 **Taccarum** Brongn. G. III. 986. (*Lysistigma* Schott, *Endera* Rgl). — Sp. 3. Brasil.
- 7833 81 **Staurostigma** Scheidw. G. III. 987. — Sp. 3. Brasil. austr.  
Sect. 1. *Asterostigma* Engl., *Asterostigma* Schott.  
Sect. 2. *Rhopalostigma* Engl., *Rhopalostigma* Schott.
- 7834 82 **Gorgonidium** Schott. G. III. 988. — Sp. 1. Ins. Carari (Mare Sualicum).
- 7835 83 **Gearum** N. E. Brown. G. III. 987. — Sp. 1. Brasil. austr.
- 7836 84 **Synandrospadix** Engl. in *Natürl. Pflanzenfam.* (Araceæ) 144 (1887). — Sp. 1. Argentina.
- 7837 85 **Spathicarpa** Hook. G. III. 989. — Sp. ad 8. Brasil., Paraguay.
- 7838 86 **Spathanthemum** Schott. G. III. 989. (*Gamochlamys* Bak.). — Sp. 2. Bolivia.

SUBTRIBUS III. **Zomicarpæ.**

- 7839 87 **Zomicarpa** Schott. G. III. 970. — Sp. 3. Brasil.
- 7840 88 **Zomicarpella** N. E. Brown. G. III. 970. — Sp. 1. N. Granada.
- 7841 89 **Scaphispatha** Brongn. G. III. 978. — Sp. 1. Bolivia.
- 7842 90 ? **Xenophya** Schott. G. III. 972. — Sp. 1. N. Guinea.

SUBTRIBUS IV. **Areæ.**

- 7843 91 **Arisæma** Mart. G. III. 965. — Sp. ad 50. Asia temp. et subtrop., Abyss., Amer. bor.
- 7844 92 **Arisarum** Targ. G. III. 965. — Sp. 3. Reg. Medit.
- 7845 93 **Pinellia** Ten. G. III. 964. (*Hemicarpurus* Nees, *Atherurus* Bl.). — Sp. 3 v. 4. China bor., Japon.
- 7846 94 **Sauromatum** Schott. G. III. 966. — Sp. ad 6. Asia et Afr. trop.
- 7847 95 **Biarum** Schott. G. III. 966. — Sp. ad 12. Reg. Medit.  
Sect. 1. *Eubiarum* Engl., *Biarum* Schott, *Stenurus* Salisb.  
Sect. 2. *Cyllenium* Engl., *Cyllenium* Schott.  
Sect. 3. *Ischarum* Engl., *Ischarum* Bl., ?*Leptopetion* Schott.
- 7848 96 **Arum** L. pr. p. G. III. 967. — Sp. ad 20. Eur., Reg. Medit., Asia occ. usque ad Afghan.  
*Gymnomesium* et *Dochæa* Schott.
- 7849 97 **Helicophyllum** Schott. G. III. 968. (*Eminium* Schott). — Sp. 4 v. 3. Asia occ.

- 7850 98 *Dracunculus* Schott. G. III. 969. (*Anarmodium* Schott). —  
Sp. 2. Eur. austr., Ins. Canar.
- 7851 99 *Helicodiceros* Schott. G. III. 968. — Sp. 1. Ins. Balear., Corsica,  
Sardinia.
- 7852 100 *Theriophonum* Bl. G. III. 967. — Sp. 3 v. 5. Ind. or.  
Sect. 1. *Eutheriophonum* Engl.  
Sect. 2. *Calypetrocoryne* Engl., *Calypetrocoryne* Schott, *Tapinocarpus* Dalz.
- 7853 101 *Typhonium* Schott. G. III. 967. (*Heterostalis* Schott). — Sp.  
ad 13. Asia trop., Austral., Ins. Pacif.
- 7854 102 *Ambrosinia* L. G. III. 964. — Sp. 1. Italia, Algeria.
- 7855 103 *Lagenandra* Dalz. G. III. 963. — Sp. 4. Ind. or.
- 7856 104 *Cryptocoryne* Fisch. G. III. 963. (*Myrioblastus* Wall.). — Sp.  
ad 15 (Engl.) v. 25 (B. et H. l. c.). Asia trop., Archip.  
Malay.

TRIBUS VIII. **Pistioideæ.**

- 7857 105 *Pistia* L. G. III. 964. (*Zalu* (err. *Zara*) Lour., *Apiospermum* et  
*Limnonesis* Kl.). — Sp. 1. Utriusque orbis reg. trop. et  
subtrop.

ORDO CXCIX. **LEMNACEÆ**

- 7858 1 *Lemna* L. G. III. 1001. — Sp. 7. Utriusque orbis reg. temp. et  
trop.  
Sect. 1. *Eulemna* B. et H.  
Sect. 2. *Telmatophace* B. et H., *Telmatophace* Schleid.  
Sect. 3. *Spirodela* B. et H., *Spirodela* Schleid.
- 7859 2 *Wolffia* Horkel. G. III. 1001. (*Horkelia* Rchb., *Grantia* Griff.,  
*Bruniera* Franch.). — Sp. 12. Eur., Ind. or., Afr. trop.,  
Amer. trop. et temp.

ORDO CC. **TRIURIDEÆ**

- 7860 1 *Triuris* Miers. G. III. 1002. — Sp. 2. Brasil.  
*Peltophyllum* Gärdn., *Hexuris* Miers.
- 7861 2 *Sciaphila* Bl. G. III. 1002. — Sp. ad 14. Brasil., Venezuela,  
Ind. or., Archip. Malay., N. Guinea.  
Sect. 1. *Eusciaphila* B. et H., *Sciaphila* et *Soridium* Miers,  
*Aphylleia* Champ.  
Sect. 2. *Hyalisma* B. et H., *Hyalisma* Champ.

ORDO CCI. **ALISMACEÆ** <sup>(1)</sup>TRIBUS I. **Alismææ**.

- 7862 1 **Alisma** L. G. III. 1004 — Sp. ad 10. Eur., Asia temp. et trop., Afr. trop., Austral., Amer. bor. et austr.  
 Sect. 1. *Ehualisma* B. et H.  
 Sect. 2. *Caldesia* B. et H., *Caldesia* Parlat.  
 Sect. 3. *Baldellia* B. et H., *Baldellia* Parlat.  
 Sect. 4. *Helanthium* B. et H., *Helanthium* Engelm.
- 7863 2 **Elisma** Buchen. G. III. 1005. — Sp. 1. Eur. occ.
- 7864 3 **Limnophyton** Miq. G. III. 1005. (*Dipseudochorion* Buchen.). — Sp. 1. Asia et Afr. trop.
- 7865 4 **Sagittaria** L. G. III. 1006. — Sp. ad 15. Utriusque orbis reg. temp. et trop.
- 7866 5 **Lophiocarpus** Micheli in A. et C. de Candolle *Suites au Prodromus*. III. 60 (1881). — Sp. 1. Amer. bor.
- 7867 6 **Echinodorus** L. C. Rich. G. III. 1006. — Sp. ad 14. Amer. bor. temp. et trop., Senegambia.
- 7868 7 **Burnatia** Micheli. G. III. 1007. — Sp. 1. Nubia.
- 7869 8 **Wisneria** Micheli. G. III. 1007. — Sp. 3. Afr. centr., Madagasc., Malabar.
- 7870 9 **Damasonium** Juss. G. III. 1007. (*Actinocarpus* R. Br.). — Sp. 4. Eur., Afr. bor., Asia occ., Austral., Californ.

TRIBUS II. **Butomeææ**.

- 7871 10 **Butomus** L. G. III. 1008. — Sp. 1. Eur., Asia temp.
- 7872 11 **Butomopsis** Kth. G. III. 1008. (*Tenagocharis* Hochst.). — Sp. 2. Asia, Afr. et Austral. trop.
- 7873 12 **Hydrocleis** L. C. Rich. G. III. 1009. (*Vespuccia* Parlat.). — Sp. 3 v. 4. Amer. trop. austr.
- 7874 13 **Limnocharis** H. B. et K. G. III. 1009. — Sp. 3 v. 4. Amer. trop.

ORDO CCII. **NAIADACEÆ** <sup>(2)</sup>TRIBUS I. **Juncagineææ**.

- 7875 1 **Triglochin** L. G. III. 1012. — Sp. 10 v. 12? Utriusque orbis reg. temp. et frigid.

(1) Sp. ad 55, in aquis dulcibus totius fere orbis frigidis exceptis obvia.

Cf. cl. M. Micheli, *Alismaceæ* et *Butomaceæ* in A. et C. de Candolle, *Suites au Prodromus* v. III (1881).

(2) Sp. ad 120, aquis paludibusque tam dulcibus quam salsis orbis terrarum incolæ.

Sect. 1. *Eutriglochin* Benth.

Sect. 2. *Cycnogeton* Benth., *Cycnogeton* Endl.

Sect. 3. *Maundia* B. et H., *Maundia* F. Müll.

7876 2 *Scheuchzeria* L. G. III. 1012. — Sp. 1. Eur., Asia et Amer. bor.

7877 3 *Tetroncium* Willd. G. III. 1013. (*Cathanthes* L. C. Rich.). —  
Sp. 1. Amer. antarct.

Genus anomalum.

7878 4 ?*Lilæa* H. et B. G. III. 1013. (*Heterostylus* Hook.). — Sp. 2.  
Amer. austr. et bor.-occ.

TRIBUS II. **Aponogetoneæ.**

7879 5 *Aponogeton* Thunb. G. III. 1013 et 1228. (*Spathium* et *Limno-*  
*geton* Edgew.). — Sp. ad 23. Asia et Afr. trop. et temp.,  
Austral.

*Ouvirandra* Thou. (*Hydrogeton* Pers.).

TRIBUS III. **Potameæ.**

7880 6 *Potamogeton* L. G. III. 1014. — Sp. ad 50. Orbis fere totus.  
*Spirillus* et *Grœnlandia* J. Gay, *Peltopsis* Raf.

7881 7 *Ruppia* L. G. III. 1014. — Sp. 1 v. plures. Utriusque orbis  
reg. temp. et subtrop.

TRIBUS IV. **Posidonieæ.**

7882 8 *Posidonia* Kön. G. III. 1015. (*Kerneria* Willd., *Tænidium* Targ.,  
*Caulinia* DC.). — Sp. 2. Mare Medit., Austral.

7883 9 *Amphibolis* Agardh. G. III. 1015. (*Graumuellera* Rchb.). —  
Sp. 1. Austral.

TRIBUS V. **Zannichellieæ.**

7884 10 *Zannichellia* L. G. III. 1016. — Sp. 9 v. 1? Orbis fere totus.

7885 11 *Althenia* Petit. G. III. 1016. — Sp. 2. Gallia mer., Hispania,  
Sicilia, Algeria.

7886 12 *Lepilæna* J. Drumm. G. III. 1016. (*Hexatheca* Sond.). — Sp. 3.  
Austral.

TRIBUS VI. **Zostereæ.**

7887 13 *Zostera* L. G. III. 1017. (*Alga* Lam.). — Sp. 4. Orbis vetus.

7888 14 *Phyllospadix* Hook. G. III. 1017. — Sp. 2. Amer. bor.-occ.

TRIBUS VII. **Naiadeæ.**

7889 15 *Naias* L. G. III. 1018. — Sp. ad 10. Utriusque orbis reg. temp.  
et trop.

Sect. 1. *Eunaias* B. et H., Fluvialis Michel.

Sect. 2. *Caulinia* B. et H., Caulinia Willd., Fluvialis Pers., Ittnera Gmel.

TRIBUS VIII. **Cymodoceæ.**

7890 16 **Cymodocea** Kön. G. III. 1018. — Sp. 3. Orbis veteris maria trop. et subtrop., Austral.

Sect. 1. *Phycagrostis* Aschers., Phucagrostis Willd.

Sect. 2. *Physoschænus* Aschers., Halodula Endl. (*Diplanthera* Thou.).

ORDO CCIII. **ERIOCAULEÆ**

7891 1 **Eriocaulon** L. G. III. 1020. (*Randulia*, *Sphærochloa* et *Symphachne* P. B., *Nasmythia* Huds., *Leucocephala* Roxb., *Electrosperma* F. Müll., *Lasiolepis* Böckel., *Chætodiscus* Steud.). — Sp. ad 110. Asia, Afr., Amer. et Austral. trop. et subtrop. (Hibernia et Scotia sp. 1 indig.?).

Subg. 1. *Astole* Körn. — 2. *Trichopeplus* Körn.

Subg. 3. *Spathopeplus* Körn. — 4. *Eueriocaulon* Körn.

7892 2 **Mesanthemum** Körn. G. III. 1021. — Sp. 3. Madagasc., Sierra Leone.

7893 3 **Pæpalanthus** Mart. G. III. 1022. (*Dupatya* Vell., *Lasiolepis* Böckel.). — Sp. ad 215. Amer. austr., Ind. occ. (Amer. bor. sp. 1, Afr. austr. sp. 1).

*Cladocaulon* Gärdn., *Stephanophyllum* Guillem.

7894 4 **Philodice** Mart. G. III. 1023. — Sp. 5 v. 3. Brasil., Guiana.

7895 5 **Lachnocaulon** Kth. G. III. 1024. — Sp. 4 v. 2. Amer. bor.-or. calida.

7896 6 **Tonina** Aubl. G. III. 1024. (*Hyphydra* Schreb.). — Sp. 1. Amer. trop.

ORDO CCIV. **CENTROLEPIDEÆ**

7897 1 **Trithuria** H. f. G. III. 1025. (*Juncella* F. Müll.). — Sp. 2. Victoria, Tasmania, Austral. austro-occ.

7898 2 **Aphelia** R. Br. G. III. 1026. — Sp. 1. Austral. austr., Tasmania.

7899 3 **Brizula** Hieron. G. III. 1026 (sub *Aphelia*). — Sp. 5. Austral. austr., N. Zel.

7900 4 **Centrolepis** Labill. G. III. 1026. (*Desvauxia*, err. *Devauxia*, et *Alepyrum* R. Br.). — Sp. ad 20. Cambodia, Austral., Tasmania.



- 7901 5 *Gaimardia* Gaud. G. III. 1026. — Sp. 2. Amer. antarct., N. Zel.  
 7902 6 *Alepyrum* Hieron. G. III. 1026 (sub *Gaimardia*). — Sp. 2. Amer. antarct., N. Zel.

ORDO CCV. RESTIACEÆ <sup>(1)</sup>

- 7903 1 *Lyginia* R. Br. G. III. 1029. (*Schœnodum* Labill.). — Sp. 1. Austral. austro-occ.  
 7904 2 *Ecdetoclea* F. Müll. G. III. 1030. — Sp. 1. Austral. austro-occ.  
 7905 3 *Anarthria* R. Br. G. III. 1030. — Sp. 6. Austral. austro-occ.  
 7906 4 *Lepyrodia* R. Br. G. III. 1030. — Sp. 15. Austral. extratrop., N. Zel.  
     *Sporadanthus* F. Müll.  
 7907 5 *Restio* L. G. III. 1031. (*Rhodocoma* Nees, *Megalotheca* F. Müll., *Ischyrolepis* et *Craspedolepis* Steud.). — Sp. descr. ad 100. Austral., Afr. austr.  
     Sect. 1. *Dicarpia* Mast. — 2. *Tricarpia* Mast.  
 7908 6 *Dovea* Kth. G. III. 1031. — Sp. 6. Afr. austr.  
 7909 7 *Askidiosperma* Steud. G. III. 1032. — Sp. 1. Afr. austr.  
 7910 8 *Elegia* L. G. III. 1032. (*Chondropetalum* Rotth.). — Sp. 13. Afr. austr.  
     *Lamprocaulos* Mast.  
 7911 9 *Leptocarpus* R. Br. G. III. 1032. (*Calopsis* P. B., *Schœnodum* Labill.). — Sp. 21. Austral., N. Zel., Afr. austr., Cochinchina, Chili.  
 7912 10 *Loxocarya* R. Br. G. III. 1033. (*Haplostigma* F. Müll.). — Sp. 17. Austral. austro-occ.  
     *Desmodcladus* Nees.  
 7913 11 *Lepidobolus* Nees. G. III. 1033. — Sp. 3. Austral. extratrop. austr.  
 7914 12 *Chaetanthes* R. Br. G. III. 1034. (*Prionosepalum* Steud.). — Sp. 1. Austral.  
 7915 13 *Onychosepalum* Steud. G. III. 1034. — Sp. 1. Austral. austro-occ.  
 7916 14 *Thamnochortus* Berg. G. III. 1034. — Sp. 10. Afr. austr.  
 7917 15 *Staberoha* Kth. G. III. 1034. — Sp. 6. Afr. austr.  
 7918 16 *Hypolaena* R. Br. G. III. 1035. (*Calorophus* Labill., *Calostrophus* F. Müll.). — Sp. 17. Afr. austr., Austral. extratrop., N. Zel.

(1) Sp. ad 240, pro maxima parte Afr. austro-occ. vel Austral. incolæ, perpauci in N. Zel. inveniuntur, una sola in Chili et una in Cochinchina.

- 7919 17 *Hypodiscus* Nees. G. III. 1035. (*Leucoplæus* Nees, *Bæckhia* Kth).  
— Sp. 11. Afr. austr.  
Lepidanthus Nees.
- 7920 18 *Cannomois* P. B. G. III. 1036. (*Mesanthus* et *Cucullifera* Nees).  
— Sp. 3. Afr. austr.
- 7921 19 *Willdenowia* Thunb. G. III. 1036. (*Nematanthus* Nees). —  
Sp. 8. Afr. austr.  
Antochortus Nees (Anthochortus Kth).
- 7922 20 *Ceratocaryum* Nees. G. III. 1037. — Sp. 2. Afr. austr.

ORDO CCVI. **CYPERACEÆ** <sup>(1)</sup>TRIBUS I. **Scirpeæ**.

- 7923 1 *Cyperus* L. G. III. 1043. — Sp. enum. ultra 780, sed vix 480  
dist.  
Sect. 1. *Pycreus* Benth., *Pycreus* P. B., *Torreyia* et  
Distimus Raf.  
Sect. 2. *Juncellus* Griseb., *Dichostylis* et *Anosporum* Nees  
(*Trentepohlia* Böckel.), *Atomostylis* Steud.  
Sect. 3. *Eucyperus* Benth., *Sorostachys* Steud., *Galilea*  
Parlat., *Bobartia* L.  
Sect. 4. *Papyrus* Benth., *Papyrus* Willd., *Borabora* Steud.,  
*Hydroschœnus* Zoll. et Mor.  
Sect. 5. *Dictidium* Benth., *Dictidium* Schrad., *Torulium*  
Desv.  
Sect. 6. *Mariscus* Benth., *Mariscus* Vahl, *Opetiola* Gärtn.
- 7924 2 *Kyllinga* Rottb. G. III. 1045. (*Kyllingia* Auct., *Hedychloa* Raf.).  
— Sp. enum. ultra 65, ad 25 v. 35 reduc. Utriusque  
orbis reg. calidior.
- 7925 3 *Courtoisia* Nees. G. III. 1046. — Sp. 1. Ind. or.
- 7926 4 *Androtrichum* Brongn. G. III. 1046. (*Comostemum* Nees pr. p.).  
— Sp. 1. Brasil., Argentina.
- 7927 5 *Dulichium* Pers. G. III. 1046. — Sp. 1. Amer. bor.
- 7928 6 ?*Websteria* S. H. Wright in *Bull. Torr. Bot. Club*. XIV. 125  
(1887). — Sp. 1. Florida.
- 7929 7 *Heleocharis* R. Br. G. III. 1047. (*Eleocharis*). — Sp. enum.  
ad 90. Orbis fere totus.  
Sect. 1. *Limnochloa* Benth., *Limnochloa* Nees.  
Sect. 2. *Scirpidium* Benth., *Scirpidium* Nees, *Bulbostylis*  
Raf. in *Bull. Soc. Mosc.* X. 355 (1813).

(1) Sp. descr. ultra 3000, quarum tamen vix 2200 bene distinctæ, per orbem terrarum copiose dispersæ.

Sect. 3. *Heleogenus* Benth., *Chætocyperus* et *Eleogenus* Nees.

7930 8 *Dichromena* Mchx. G. III. 1047. (*Dichroma* Pers.). — Sp. 8.  
Amer. bor. et austr. trop.

7931 9 *Psilocarya* Torr. G. III. 1048. — Sp. 4? v. 3. Amer. bor.,  
Cuba.

7932 10 *Fimbristylis* Vahl. G. III. 1048. — Sp. enum. ultra 300, ad  
200 reduc. Orbis utriusque reg. trop. et temp.

Sect. 1. *Heleocharoides* Benth., *Mischospora* Böckel.

Sect. 2. *Abildgaardia* Benth., *Abildgaardia* Vahl, *Gussonea*  
Presl.

Sect. 3. *Dichelostylis* Benth., *Pogonostylis* Bertol.

Sect. 4. *Trichelostylis* Benth., *Trichelostylis* Lestib.

Sect. 5. *Oncostylis* Benth., *Oncostylis* et *Leptoschoenus*  
Nees, *Echinolytrum* Desv.

7933 11 *Pentasticha* Turcz. G. III. 1049. — Sp. 1. Afr. trop.,  
Madagasc.

7934 12 *Scirpus* L. G. III. 1049. — Sp. enum. ultra 300, ad 200 reduc.  
Orbis totus.

*Aplostemon* (*Haplostemum*), *Diplarrhinus* et *Distichmus* Raf.

Sect. 1. *Bæothryon* Benth., *Bæothryon* Ehrh.

Sect. 2. *Nemum* Benth., *Nemum* Desv.

Sect. 3. *Isolepis* Benth., *Isolepis* R. Br., *Dichostylis* P. B.,  
*Eleogiton* et *Holoschoenus* Link.

Sect. 4. *Desmoschoenus* Benth., *Desmoschoenus* H. f., *An-*  
*thophyllum* Steud.

Sect. 5. *Schænoplectus* Rchb., *Elytrospermum* C. A. Mey.,  
*Hymenochæte* Nees (*Hymenochæta* P. B.), *Hellmuthia*  
Steud., *Heleophylax* Lestib., *Malachochæte* Nees, *Ptero-*  
*lepis* Schrad.

Sect. 6. *Blysmus* Benth., *Blysmus* Panz., *Nomochloa* P. B.

Sect. 7. *Euscirpus* Benth.

Sect. 8. *Androcoma* Benth., *Androcoma*, *Blepharolepis* et  
*Oxycarium* Nees.

7935 13 *Eriophorum* L. G. III. 1052. (*Linagrostis* Adans.). — Sp. 13.  
Eur., Asia extratrop., Amer. bor.

Sect. 1. *Trichophorum* Benth., *Trichophorum* Pers.

Sect. 2. *Eueriophorum* Benth.

7936 14 *Ficinia* Schrad. G. III. 1052. (*Hypolepis* P. B.). — Sp. ad 40.  
Afr. trop. et austr.

*Schœnidium* et *Sickmannia* Nees, *Melancranis* Vahl, *Cha-*  
*mæxiphium* Hochst., *Pleurachne* et *Acrolepis* Schrad,  
(*Hypophialium* Nees).

- 7937 15 **Hemichlæna** Schrad. G. III. 1053. — Sp. 3. Afr. austr.  
 7938 16 **Fuirena** Rottb. G. III. 1053. — Sp. enum. ultra 35, ad 25  
 reduc. Utriusque orbis reg. trop. et subtrop.  
 Vaginata Pers.  
 7939 17 **Hemicarpha** Nees. G. III. 1053. — Sp. 3. Orbis utriusque reg.  
 trop. et subtrop., Californ.  
 7940 18 **Lipocarpha** R. Br. G. III. 1054. — Sp. 7. Orbis utriusque reg.  
 trop. et subtrop.

TRIBUS II. **Hypolytreæ.**

- 7941 19 **Ascolepis** Nees. G. III. 1054. (*Platylepis* Kth). — Sp. 6. Amer.  
 austr., Afr. trop. et austr.  
 Sect. 1. *Euascolepis* Benth.  
 Sect. 2. *Platylepis* Benth., *Lyprolepis* Steud.  
 Sect. 3. *Kyllingoides* Benth.  
 7942 20 **Hypolytrum** Rich. G. III. 1054. (*Hypælyptum* Vahl, *Beera*  
 P. B., *Hypelytrum* Link, *Tunga* Roxb., *Albikia* Presl).  
 — Sp. 25. Orbis utriusque reg. trop. et subtrop.  
 7943 21 **Diplasia** Rich. G. III. 1055. — Sp. 1 v. 2. Amer. trop. a Brasil.  
 usque ad Ind. occ.  
 7944 22 **Mapania** Aubl. G. III. 1055. — Sp. ad 35. Utriusque orbis  
 reg. trop.  
 Sect. 1. *Thoracostachyum* Benth., *Thoracostachyum* Kurz.  
 Sect. 2. *Mapania* Benth.  
 Sect. 3. *Cephaloscirpus* Benth., *Cephaloscirpus* Kurz.  
 Sect. 4. *Pandanophyllum* Benth., *Pandanophyllum* Hassk.,  
*Halostemma* Wall.  
 7945 23 **Scirpodendron** Zipp. G. III. 1056. (*Ptychocarya* R. Br.). —  
 Sp. 1 v. 2? Zeylan., Archip. Malay., Ins. Pacif., Austral.  
 trop.  
 7946 24 **Exocarya** Benth. G. III. 1056. — Sp. 1. Austral. austr.  
 7947 25 **Lepironia** Rich. G. III. 1056. (*Chondrachne* R. Br., *Chori-*  
*carpha* Böckel.). — Sp. 1. Ind. or., Archip. Malay.,  
 Madagasc., Austral.  
 7948 26 **Chorisandra** R. Br. G. III. 1057. — Sp. 4. Austral., N. Caled.  
 7949 27 **Chrysithrix** L. G. III. 1057. — Sp. 2. Pr. B. Spei.

TRIBUS III. **Rhynchosporæ.**

- 7950 28 **Oreobolus** R. Br. G. III. 1057. — Sp. 3. Austral. austr.,  
 N. Zel., Amer. austr. antaret. et andina.  
 7951 29 **Remirea** Aubl. G. III. 1058. (*Miegia* Schreb.). — Sp. 1. Orbis  
 utriusque reg. trop. marit.  
 7952 30 **Arthrostylis** R. Br. G. III. 1058. — Sp. 1 v. 2? Austral.

- 7953 31 *Decalepis* Böckel. in *Engler's Jahrb.* V. 509 (1884). — Sp. 1.  
Pr. B. Spei.
- 7954 32 *Actinoschoenus* Benth. G. III. 1058. (*Arthrostylis* Böckel.). —  
Sp. 3. China, Zeylan., Ins. Maurit.
- 7955 33 *Rhynchospora* Vahl. G. III. 1058. — Sp. descr. ad 200, sed  
verisim. infra 150 bene dist. Utriusque orbis reg. trop.  
et temp.

A. *Haplostyleæ* Benth.

Sect. 1. *Haplostylis* Benth., *Haplostylis* Nees, *Trichochæta*  
Steud., *Morisia* Nees (*Sphæroschoenus* Nees), *Mitrospora*  
Nees, *Pterotheca* Presl, *Diplochæta* Nees.

Sect. 2. *Asteroschoenus* Benth., *Asteroschoenus* Nees.

Sect. 3. *Cephaloschoenus* Benth., *Cephaloschoenus* Nees,  
*Ptilosciadium* Steud.

Sect. 4. *Echinoschoenus* Benth., *Echinoschoenus* et *Ehip-  
piorhynchium* Nees.

Sect. 5. *Calyptrostylis* Benth., *Calyptrostylis* et *Cerato-  
schoenus* Nees.

B. *Dichostyleæ* Benth.

Sect. 6. *Eurhynchospora* Benth., *Haloschoenus* et *Ptilo-  
chæta* Nees, *Spermodon* P. B., *Calyptrolepis* Steud.

Sect. 7. *Pleurostachys* Benth., *Pleurostachys* Brongn.,  
*Nomochloa* et *Nemochloa* Nees, *Zosterospermon* P. B.

Sect. 8. *Millegrana* Benth.

Sect. 9. ?*Campylorhachis* Benth.

- 7956 34 *Cyathochæte* Nees. G. III. 1061. (*Tetralepis* Steud.). — Sp. 3.  
Austral.

- 7957 35 *Carpha* R. Br. pr. p. G. III. 1061. — Sp. 2. Austral., N. Zel.,  
Amer. austr. extratrop. andina, Chili.

- 7958 36 *Mesomelæna* Nees. G. III. 1061. — Sp. 6. Austral.  
*Gymnoschoenus* Nees, *Ptilanthelium* Steud.

- 7959 37 *Trianoptiles* Fenzl. G. III. 1062. (*Ecklonia* Steud.). — Sp. 1.  
Afr. austr.

- 7960 38 *Asterochæte* Nees. G. III. 1062. — Sp. 3 v. 4. Afr. austr., Ins.  
Mascar.

- 7961 39 *Schoenus* L. pr. p. G. III. 1062. — Sp. ad 70. Utriusque orbis  
reg. temp. hemisph. bor. et austr., Archip. Malay.  
*Chætopora* R. Br. (*Streblidia* Link), *Isoschoenus* et *Helo-  
thrix* Nees, *Gymnochæta* Steud.

- 7962 40 *Cyclocampe* Steud. G. III. 1063. — Sp. 2. Ins. Maurit.,  
N. Caled.

- 7963 41 *Elynanthus* Nees. G. III. 1063. — Sp. fere 30. Afr. et Austral.  
austr., N. Zel., N. Caled., Amer. austr. frigid.

*Tetraria* P. B., *Lepisia* Presl, *Sclerochætium* Nees (*Trichoballia* Presl), *Cyathocoma* Nees (*Macrochætium* Steud.), *Buckia* Nees, *Ideleria* Kth.

?*Elynanthus* Beauv.

- 7964 42 *Tricostularia* Nees. G. III. 1064. (*Discopodium* Steud.). — Sp. 7. Austral., Borneo, Zeylan.
- 7965 43 *Lepidosperma* Labill. G. III. 1065. (*Vauthiera* A. Rich.). — Sp. ad 40. Austral., N. Zel., Archip. Malay., China austr.
- 7966 44 *Cladium* P. Browne. G. III. 1065. — Sp. ad 33. Utriusque orbis reg. trop. et temp.  
Sect. 1. *Eucladium* Benth.  
Sect. 2. *Baumea* Benth., *Baumea* Gaud., *Chapelliera* et *Trachyrhynchium* Nees.  
Sect. 3. *Vincentia* Benth., *Vincentia* Gaud. (*Agylla* Philippi in *Anal. Univ. Chil.* I. 643) (1885), *Terobera* Steud., *Trasi* P. B., *Machærina* Vahl.
- 7967 45 *Gahnia* Forst. G. III. 1066. (*Psittacoschænus* Nees). — Sp. ad 30. Austral., N. Zel., N. Caled., Archip. Malay., China, Ins. Pacif.  
Sect. 1. *Lampocarya* Benth., *Lampocarya* R. Br., *Morelotia* Gaud., *Hexalepis* Böckel.  
Sect. 2. *Eugahnia* Benth., *Didymonema* et *Epiandra* Presl, *Melachne* Schrad., *Syziganthus* Steud.
- 7968 46 *Caustis* R. Br. G. III. 1067. (*Eurostorhiza* Steud.). — Sp. 3. Austral.
- 7969 47 *Reedia* F. Müll. G. III. 1067. — Sp. 1. Austral. austro-occ.
- 7970 48 *Evandra* R. Br. G. III. 1067. — Sp. 2. Austral. austro-occ.

#### TRIBUS IV. *Cryptangieæ*.

- 7971 49 *Lagenocarpus* Nees. G. III. 1067. (*Anogyna* Nees). — Sp. 8. Amer. austr. trop.
- 7972 50 *Cryptangium* Schrad. G. III. 1067. (*Acrocarpus* Nees). — Sp. ad 10. Amer. trop.
- 7973 51 *Fintelmannia* Kth. G. III. 1068. — Sp. 2. Brasil., Madagasc.
- 7974 52 *Cephalocarpus* Nees. G. III. 1068. — Sp. 1. Brasil. bor.
- 7975 53 *Pteroscleria* Nees. G. III. 1068. — Sp. 3. Amer. trop., Ind. occ.
- 7976 54 *Calyptracarya* Nees. G. III. 1069. — Sp. 4. Brasil., Guiana.
- 7977 55 *Becquerelia* Brongn. G. III. 1069. — Sp. 3. Amer. austr. trop.
- 7978 56 *Hoppia* Nees. G. III. 1069. — Sp. 4. Brasil. bor., Guiana.
- 7979 57 ?*Everardia* Ridley in *Trans. Linn. Soc.* ser. 2. II. 287. — Sp. 1. Amer. austr. (Roraima).

TRIBUS V. **Sclerieæ.**

- 7980 58 **Eriospora** Hochst. G. III. 1070. (*Catagyna* P. B.). — Sp. 4.  
Afr. trop.
- 7981 59 **Scleria** Berg. G. III. 1070. — Sp. ad 100. Utriusque orbis reg.  
trop. et subtrop., Amer. bor.  
Diplacrum R. Br., Sphæropus Böckel., Hypoporum, Cylin-  
dropus, Trachylomia, Scleria, Mastigoscleria, Omoscleria,  
Chondrolomia, Hymenolytrum et Ophryoscleria Nees,  
Diploscyphum Liebm., Schizolepis et Macrolomia Schrad.,  
Diaphora Lour.
- 7982 60 **Acriulus** Ridley in *Journ. Linn. Soc.* XX. 336. — Sp. 2.  
Madagasc., Angola.
- 7983 61 **Didymia** Philippi in *Engler's Jahrb.* XIII. 57 (1886). — Sp. 1.  
Chili.
- 7984 62 **Kobresia** Willd. G. III. 1071. (*Elyna* Schrad., *Cobresia* Pers.,  
*Frælichia* Wulf., *Trilepis* Nees pr. p.). — Sp. enum.  
8, ad 3 v. 4. reduc. Eur. et Asia bor. et mont.

TRIBUS VI. **Cariceæ.**

- 7985 63 **Hemicarex** Benth. G. III. 1072. — Sp. ad 12. Ind. or., Afr.  
austr.
- 7986 64 **Schoenoxiphium** Nees pr. p. G. III. 1072. — Sp. 1. Afr. austr.
- 7987 65 **Uncinia** Pers. G. III. 1072. — Sp. ad 25. Hemisph. austr. reg.  
temp. et frigid., Amer. andina, Mexic., Ind. occ.  
Sect. 1. *Stenandra* Clarke. — 2. *Platyandra* Clarke.  
Sect. 3. *Pseudocarex* Clarke.
- 7988 66 **Carex** L. G. III. 1073. — Sp. enum. ultra 800, sed vix 500 bene  
dist. Utriusque orbis reg. temp. et frigid., inter trop. sp.  
paucae.  
*Vigneia* P. B., *Trasus* S. Gray, *Scuria*, *Triplima* et *Triodus*  
Raf., *Psyllophora* Ehrh., *Vignantha* Schur, *Maukschia*,  
*Leucoglochin*, *Callistachys*, *Genersichia* et *Cryptoglochin*  
Heuff., *Pseudocarex* Miq., *Schelhammeria* Mönch.  
Sect. 1. *Monoicæ* Fries. — 2. *Dioicæ* Fries.  
Sect. 3. *Bracteosæ* Pax. — 4. *Cyperoideæ* Pax.  
Sect. 5. *Acrarrhenæ* Fries. — 6. *Hyparrhenæ* Fries.  
Sect. 7. *Holarrhenæ* Döll. — 8. *Limnonastes* Rehb.  
Sect. 9. *Atratæ* Fries. — 10. *Cyrtostomæ* Nyman.  
Sect. 11. *Odontostomæ* Fries.

ORDO CCVII. **GRAMINEÆ** <sup>(1)</sup>TRIBUS I. **Maydeæ.**

- 7989 1 **Euchlæna** Schrad. G. III. 1114. (*Reana* Brign.). — Sp. 1.  
Mexic., alibi inquil.
- 7990 2 **Zea** L. G. III. 1114. (*Mays* Gärtn.). — Sp. 1. Amer. ? in utroque  
orbe culta, sylvestris ignota.
- 7991 3 **Tripsacum** L. G. III. 1113. — Sp. 2 v. 3. Amer. calid. a Brasil.  
usque ad Texas.
- 7992 4 **Polytoca** R. Br. G. III. 1112. (*Cyatorhachis* Nees). — Sp. ad 4.  
Ind. or., Ins. Pacif.
- 7993 5 **Chionachne** R. Br. G. III. 1113. — Sp. 3. Ind. or., Archip.  
Malay., Austral.
- 7994 6 **Sclerachne** R. Br. G. III. 1113. — Sp. 1. Java.
- 7995 7 **Coix** L. G. III. 1112. (*Lithagrostris* Gärtn.). — Sp. 3 v. 4.  
Utriusque orbis reg. calidior.

TRIBUS II. **Andropogoneæ.**

- 7996 8 **Dimeria** R. Br. G. III. 1128. (*Haplachne* Presl, *Didactylon*  
Zoll., *Psilostachys* Steud., *Pterygostachyum* Nees). —  
Sp. 12. Asia trop. et or., Archip. Malay., Austral. trop.
- 7997 9 **Imperata** Cyr. G. III. 1125. — Sp. 5. Utriusque orbis reg. trop.  
et subtrop., in orbe vetere usque ad Eur. austr., Chinam  
et Japoniam.  
Syllepis Fourn.
- 7998 10 **Miscanthus** Anderss. G. III. 1125. (*Eulalia* Trin.). — Sp. 6.  
Afr. austr., Asia or. ab Archip. Malay. usque ad Japo-  
niam.  
Eccoilopus Steud.
- 7999 11 **Saccharum** L. G. III. 1125. — Sp. 12. Utriusque orbis reg.  
trop. et subtrop.  
Sect. 1. *Eusaccharum* Hack.  
Sect. 2. *Sclerostachya* Hack.  
Sect. 3. *Eriochrysis* Hack, *Eriochrysis* P. B.  
Sect. 4. *Leptosaccharum* Hack.
- 8000 12 **Erianthus** Mchx. G. III. 1126 (*Ripidium* Trin.). — Sp. 17.  
Utriusque orbis reg. trop. et subtrop., hemisph. bor. reg.  
temp. calida (Eur. austr., China, Japon., Amer. bor.).

(1) Species a variis auctoribus inordinate multiplicatæ, ad 3500 reducendæ, per orbem totum terrarum copiose dispersæ.

Divisio tribuum et generum sec. cl. E. Hackel in *Die natürlichen Pflanzenfamilien* (Grami-  
neæ) (1887).



- 8001 13 **Pollinia** Trin. G. III. 1127. — Sp. ad 25. Asia, Afr. et Austral trop., Asia or. extratrop.  
Sect. 1. *Eulalia* Benth., *Eulalia* Kth.  
Sect. 2. *Leptatherum* Benth., *Leptatherum* et *Microstegium* Nees, *Nemastachys* Steud.
- 8002 14 **Spodiopogon** Trin. G. III. 1126. — Sp. 3. Asia temp., Ind. or.
- 8003 15 **Polytrias** Hack. in *Natürl. Pflanzenfam.* (Gramineæ). 24 (1887). — Sp. 1. Java.
- 8004 16 **Pogonatherum** P. B. G. III. 1127. (*Homoplitis* Trin.). — Sp. 2. Ind. or., Archip. Malay., China, Japon.
- 8005 17 **Ratzeburgia** Kth. G. III. 1130. (*Aikinia* Wall.). — Sp. 1. Ind. or. (ad fl. Irawadi).
- 8006 18 **Rottboellia** L. f. G. III. 1129. (*Stegosia* Lour.). — Sp. 33. Utriusque orbis reg. calidior., Reg. Medit., Oriens, Afr. austr., Tasmania.  
Subg. 1. *Cælorhachis* Hack., *Cælorhachis* Brongn.  
Subg. 2. *Ophiurus* Hack., *Ophiurus* Gärtn. G. III. 1130. (*Mnesithea* Kth, *Diperium* Desv., *Thyridostachyum* Nees).  
Subg. 3. *Hemarthria* Hack., *Hemarthria* R. Br. G. III. 1131, ?*Cymbachne* Retz, ?*Lodicularia* P. B.  
Subg. 4. *Peltophorus* Hack., *Peltophorus* Desv. (*Manisuris* L.).  
Subg. 5. *Thyrsostachys* Hack.  
Subg. 6. *Phacelurus* Hack., *Phacelurus* Griseb. (*Pholiurus* Trin.).  
? *Apogonia* Fourn.
- 8007 19 **Manisuris** Sw. « nec L. ». G. III. 1130. — Sp. 1. Utriusque orbis reg. calidior.
- 8008 20 **Rhytachne** Desv. ex Hack. *Gramineæ*. 25. — Sp. 3. Afr. trop., Antill.  
Subg. 1. *Eurhytachne* Hack.  
Subg. 2. *Jardinea* Hack., *Jardinea* Steud.
- 8009 21 **Urelytrum** Hack. in *Natürl. Pflanzenfam.* (Gramineæ). 25 (1887). — Sp. 2. Afr. trop., Natal.
- 8010 22 **Vossia** Wall. et Griff. G. III. 1131. — Sp. 1. Afr. trop., Ind. or. (Sumatra?).
- 8011 23 **Thelepogon** Roth. G. III. 1131. (*Rhiniachne* Hochst.). — Sp. 1. Ind. or., Abyss.
- 8012 24 **Ischæmum** L. G. III. 1132. — Sp. 34. Utriusque orbis reg. calidior.  
Sect. 1. *Meoschium* Hack., *Meoschium* P. B., *Colladoa* Cav., *Ischæmopogon* Griseb.  
Sect. 2. *Sehima* Hack., *Sehima* Forsk., *Hologamium* Nees.

- 8013 25 **Eremochloa** Büse. (*Pectenaria* Hack., *Ischæmi* sect. *Pectinaria* Benth. G. III. 1132). — Sp. 6. Asia trop.
- 8014 26 **Apocopis** Nees. G. III. 1128. (*Amblyachyrum* Hochst.). — Sp. 5 v. 6. Ind. or., China, Archip. Malay.
- 8015 27 **Lophopogon** Hack. in *Natürl. Pflanzenfma.* (Gramineæ). 26 (1887). — Sp. 1. Ind. or.
- 8016 28 **Apluda** L. G. III. 1137. — Sp. 1 valde variabilis. Asia trop., China, Ins. Pacif., N. Caled.
- 8017 29 **Trachypogon** Nees. G. III. 1133. — Sp. enum. 11, ad 1 reduc. (Hackel). Amer. et Afr. trop., Madagasc.
- 8018 30 **Elionurus** H. et B. G. III. 1129. — Sp. 15. Amer., Afr. et Austral. trop., Oriens.
- 8019 31 **Arthraxon** P. B. G. III. 1128. (*Pleuroplitis* Trin., *Bathratherrum* Nees, *Lucæa* Kth, *Lasiolytrum* Steud., *Alectoridia* A. Rich., *Psilopogon* Hochst.). — Sp. 9. Asia, Afr. et Austral. trop., Oriens, China, Japon.
- 8020 32 **Andropogon** L. G. III. 1133. — Sp. bene dist. ad 200. Utriusque orbis reg. calidior., Amer. bor., Asia et Eur. temp.
- Subg. 1. *Schizachyrium* Hack., *Schizachyrium* Nees., *Heterochloa* Desv.
- Subg. 2. *Diectomis* Hack., *Diectomis* H. et B., ? *Homocatherum* Nees.
- Subg. 3. *Hypogynium* Hack., *Hypogynium* Nees.
- Subg. 4. *Anadelphia* Hack., *Anadelphia* Hack. in *Engler's Jahrb.* VI. 240 (1885).
- Subg. 5. *Arthrolophis* Hack., *Arthrostachys* Desv., *Euklastrum* Steud., ? *Agenium* Nees.
- Subg. 6. *Amphilophis* Trin.
- Subg. 7. *Sorghum* Hack., *Sorghum* Pers. G. III. 1133. *Blumenbachia* Köl.
- Subg. 8. *Vetiveria* Hack., *Vetiveria* Virey, *Anatherum* P. B., *Mandelorna* Steud.
- Subg. 9. *Chrysopogon* Hack., *Chrysopogon* Trin. G. III. 1133, *Raphis* Lour., *Centrophorum* Trin.
- Subg. 10. *Dichanthium* Hack., *Dichanthium* Willem. (*Diplasanthum* Desv.), *Lepeocercis* Trin.
- Subg. 11. *Cymbopogon* Hack., *Cymbopogon* Spreng., ? *Gymnanthelia* et *Hyparrhenia* Anders.
- Subg. 12. *Heteropogon* Hack., *Heteropogon* Pers. G. III. 1133.
- 8021 33 **Themeda** Forsk. (*Anthistiria* L. f. G. III. 1136, *Androscepiæ* Brongn., *Heterelytron* Jungh., *Perobachne* Presl). — Sp. 9. Orbis veteris reg. calidior.

*Aristaria* Jungh., *Exotheca* Anderss.

- 8022 34 *Germainia* Bal. et Poitrass. G. III. 1136 (sub *Anthistiria*). —  
Sp. China, Cochineh., Khasia.  
8023 35 *Iseilema* Anderss. G. III. 1136 (sub *Anthistiria*). — Sp. 4. Ind.  
or., Austral.  
8024 36 *Cleistachne* Benth. G. III. 1120. — Sp. 2. Ind. or., Afr. trop.

TRIBUS III. **Zoysiæ.**

- 8025 37 *Trachys* Pers. G. III. 1122. (*Trachyoxus* Rchb., *Trachystachis*  
Dietr.). — Sp. 1. Ind. or.  
8026 38 *Anthephora* Schreb. G. III. 1122. — Sp. 5. Amer. trop., Afr.  
trop. et austr.  
*Hypudæurus* Hochst.  
8027 39 *Hilaria* H. B. et K. G. III. 1121. (*Hexarrhena* Presl, *Pleura-*  
*phus* Torr.). — Sp. 5 v. 6. Amer. centr., Mexic., Texas  
Californ.  
8028 40 *Ægopogon* H. et B. G. III. 1121. (*Schellingia* Steud., *Hymeno-*  
*thecium* Lag.). — Sp. 2. Amer. trop. occ. a Brasil. usque  
ad Californ.  
8029 41 *Tragus* Hall. G. III. 1122. (*Lappago* Schreb.). — Sp. 1.  
Utriusque orbis reg. trop. et temp.  
8030 42 *Latipes* Kth. G. III. 1123. — Sp. 1. Afr. trop. et Asia occ.  
a Senegambia usque ad Ind. or. (Scinde).  
8031 43 *Lopholepis* Dcne. G. III. 1123. (*Holboellia* Wall.). — Sp. 1.  
Penins. Ind. or.  
8032 44 *Neurachne* R. Br. G. III. 1123. — Sp. 3. Austral.  
8033 45 *Perotis* Ait. G. III. 1123. (*Xystidium* Trin.). — Sp. enum. 7,  
ad 3 reduc. Asia, Afr. et Austral. trop.  
8034 46 *Leptothrium* Kth. G. III. 1124. — Sp. 1. Amer. calid.  
8035 47 *Zoysia* Willd. G. III. 1124. (*Matrella* Pers., *Osterdamia*  
Neck.). — Sp. 2 v. 3. Asia austr. et or., Ins. Mascar.,  
Austral., N. Zel.  
8036 48 *Schaffnera* Benth. G. III. 1124. — Sp. 1. Mexic.

TRIBUS IV. **Tristegineæ.**

- 8037 49 *Arundinella* Raddi. G. III. 1118. (*Goldbachia* Trin., *Acratherum*  
Desv., *Thysanachne* Presl, *Brandtia* Kth). — Sp. 24.  
Utriusque orbis reg. trop.  
8038 50 *Melinis* P. B. G. III. 1119. (*Tristegis* Nees, *Suardia* Schrank).  
— Sp. 1. Brasil., Natal., Ins. Ascension et Madagasc.  
8039 51 *Phænosperma* Munro. G. III. 1119. — Sp. 1. China.  
8040 52 *Triscenia* Griseb. G. III. 1119. — Sp. 1. Cuba.  
8041 53 *Arthropogon* Nees. G. III. 1119. — Sp. 2. Brasil., Cuba.

- 8042 54 *Thysanolaena* Nees. G. III. 1120. (*Myriachæta* Zoll. et Mor.)  
 — Sp. 1. Asia trop. (Ins. Maurit. inquil.).  
 8043 55 *Beckera* Fresen. G. III. 1117. — Sp. 3. Abyss.

TRIBUS V. **Panicææ.**

- 8044 56 *Reimaria* Flügge. G. III. 1097. — Sp. 4. Amer. trop. et bor.  
 subtrop.  
 8045 57 *Paspalum* L. G. III. 1097. — Sp. edit. ultra 300, ad 160 reduc.  
 Amer. trop. et subtrop., Asia et Afr. trop. (in Eur.  
 inquil.).  
 Sect. 1. *Eupaspalum* Benth., *Anachyris* Nees, *Cymatochloa*  
*Schlecht.*, *Paspalanthium* Desv., *Ceresia* Pers.  
 Sect. 2. *Cabrera* Benth., *Cabrera* Lag., ?*Axonopus* P. B.  
 Sect. 3. *Anastrophus* Benth., *Anastrophus* *Schlecht.*, ?*Lap-*  
*pagopsis* Steud.  
 8046 58 *Anthænantia* P. B. G. III. 1098. (*Aulaxanthus* Ell., *Aulaxia*  
*Nutt.*, *Leptocoryphum* Nees). — Sp. 3. Amer. trop. et  
 bor. calid.  
 8047 59 *Amphicarpum* Kth. G. III. 1099. — Sp. 1. Amer. bor.  
 8048 60 *Eriochloa* Kth. G. III. 1099. (*Ædipachne* Link, *Helopus* Trin.).  
 — Sp. edit. fere 20, ad 5 reduc. Utriusque orbis reg.  
 trop. et subtrop.  
 ? *Monachne* P. B.  
 8049 61 *Isachne* R. Br. G. III. 1100. — Sp. ad 20. Utriusque orbis reg.  
 calidior.  
 ? *Graya* Nees.  
 8050 62 *Panicum* L. G. III. 1100. (*Thalasium* Spreng.). — Sp. enum.  
 ad 850, sed vix 280 servandæ. Utriusque orbis reg. trop.  
 et subtrop., in temperatis paucæ.  
 Sect. 1. *Digitaria* Benth., *Digitaria* Pers., *Syntherisma*  
*Walt.*  
 Sect. 2. *Trichachne* Benth., *Bluffia* et *Trichachne* Nees,  
*Acicarpa* Raddi, *Urochloa* Kth, *Coridochloa* Nees,  
*Eriachne* Philippi, *Holosetum* Steud., ?*Mesosetum* Steud.  
 ?*Gramerium* Desv., *Alloteropsis* Presl.  
 Sect. 3. *Thrasya* Benth., *Thrasya* H. B. et K., *Tylo-*  
*thrasia* Döll.  
 Sect. 4. *Echinolaena* Hack., *Echinolaena* Desv. G. III. 1107.  
 Sect. 5. *Brachiaria* Benth., *Paractænium* et *Urochloa*  
 P. B., ?*Dimorphostachys* Fourn.  
 Sect. 6. *Echinochloa* Benth., *Echinochloa* P. B.  
 Sect. 7. *Hymenachne* Benth., *Hymenachne* P. B.  
 Sect. 8. *Ptychophyllum* A. Braun.

Sect. 9. *Eupanicum* Benth., *Otachyrium* Nees, *Streptostachys* Desv., *Coleatænia* Griseb.

- 8051 63 *Ichnanthus* P. B. G. III. 1103. (*Navicularia* Raddi). — Sp. 20. Amer. trop.
- 8052 64 *Tricholæna* Schrad. (*Panici* sect. *Tricholæna* Benth. G. III. 1103, *Monachyron* Parlat., *Rhynchelytrum* Nees). — Sp. 10. Afr. trop. et austr., Ind. or., Sicilia.
- 8053 65 *Oplismenus* P. B. G. III. 1104. (*Orthopogon* R. Br., *Hekaterosachne* Steud.). — Sp. enum. 20, ad 4 reduc. Utriusque orbis reg. trop. et subtrop., Eur. austr.
- 8054 66 *Chætium* Nees. G. III. 1104. (*Berchtoldia* Presl). — Sp. 2. Brasil., Mexic., Cuba.
- 8055 67 *Setaria* P. B. G. III. 1105. — Sp. ad 10. Utriusque orbis reg. trop. et temp.  
? *Ixophorus* Schlcht.
- 8056 68 *Cenchrus* L. G. III. 1105. — Sp. 12. Utriusque orbis reg. trop. et subtrop., Amer. temp.
- 8057 69 *Pennisetum* Pers. G. III. 1105. — Sp. 40. Utriusque orbis reg. calidior. imprimis Afr. trop. et extratrop., (Eur. austr. sp. 1).

Sect. 1. *Pennisetum* Benth., *Pennisetum* Kth, *Eriochæta* Fig. et De Not.

Sect. 2. *Penicillaria* Benth., *Penicillaria* Willd.

Sect. 3. *Gymnothrix* Benth., *Gymnothrix* P. B., *Catathrophora* Steud., *Sericura* Hassk., *Amphochæta* Anderss.

Sect. 4. *Beckeropsis* Hack., *Beckeropsis* Fig. et De Not.

- 8058 70 *Plagiosetum* Benth. G. III. 1107. — Sp. 1. Austral. centr.
- 8059 71 *Chamæraphis* R. Br. G. III. 1107. (*Paratheria* Griseb.). — Sp. 3. Asia et Austral. trop., Brasil., Ind. occ.
- 8060 72 *Xerochloa* R. Br. G. III. 1108. — Sp. 3. Austral.
- 8061 73 *Stenotaphrum* Trin. G. III. 1108. (*Diastemanthe* Steud.). — Sp. 3 v. 4. Utriusque orbis reg. trop.
- 8062 74 *Phyllorhachis* Trim. G. III. 1108. — Sp. 1. Angola.
- 8063 75 *Thuarea* Pers. G. III. 1109. (*Thouarea* Kth, *Microthuareia* Thou., *Ornithocephalochloa* Kurz). — Sp. 1 (a nonnullis in 4 v. 5 divis.). Littora maris Indici et Pacifici.
- 8064 76 *Spinifex* L. G. III. 1109. — Sp. 4. Asia trop., Japon., Austral., N. Zel., N. Caled.
- 8065 77 *Olyra* L. G. III. 1110. (*Lithachne* P. B., *Strephium* Schrad., *Raddia* Bertol.). — Sp. 20. Afr. et Amer. trop.

TRIBUS VI. **Oryzæ.**

- 8066 78 **Hydrochloa** P. B. G. III. 1115. — Sp. 1. Carolina, Florida.  
 8067 79 **Pharus** L. G. III. 1110. — Sp. 5. Amer. trop.  
 8068 80 **Leptaspis** R. Br. G. III. 1110. — Sp. 3. Orbis veteris reg. trop.  
 8069 81 **Luziola** Juss. G. III. 1115. — Sp. 6. Amer. trop. et bor. calida.  
     Sect. 1. *Euluziola* Hack.  
     Sect. 2. *Caryochloa* Hack., *Caryochloa* Trin., *Arrozia*  
     Schrad.  
 8070 82 **Zizaniopsis** Döll et Aschers. G. III. 1115 (sub *Zizania*). —  
     Sp. 1. Amer. bor. calida, Brasil.  
 8071 83 **Zizania** L. G. III. 1115. (*Hydropyrum* et *Melinum* Link). —  
     Sp. 1. Amer. bor., Asia bor.-or., Japon.  
 8072 84 **Potamophila** R. Br. G. III. 1116. — Sp. 1. Austral.  
 8073 85 **Maltebrunia** Kth. G. III. 1116 (sub *Potamophila*). — Sp. 2.  
     Madagasc., Pr. B. Spei.  
 8074 86 **Oryza** L. G. III. 1116. (*Padia* Zoll. et Mor.). — Sp. enum. 20,  
     ad 6 reduc. Utriusque orbis reg. trop.  
 8075 87 **Leersia** Sw. G. III. 1117. (*Homalocenchrus* Mieg., *Ehrarhtia*  
     Wigg., *Asprella* Schreb., *Blepharochloa* Endl.). —  
     Sp. 5. Utriusque orbis reg. trop. et bor. temp.  
 8076 88 **Achlæna** Griseb. G. III. 1117. — Sp. 1. Cuba.  
 8077 89 **Reynaudia** Kth. G. III. 1120. — Sp. 1. Cuba, S. Doming.  
 8078 90 **Hygroryza** Nees. G. III. 1116. (*Potamochloa* Griff.). — Sp. 1.  
     Ind. or.  
 8079 91 **Anomochloa** Brongn. G. III. 1111. — Sp. 1. Brasil.  
 8080 92 **Lygeum** L. G. III. 1110. — Sp. 1. Reg. Medit. occ.  
 8081 93 **Streptochaeta** Schrad. G. III. 1111. (*Lepideilema* Trin.). —  
     Sp. 1. Brasil. austr.

TRIBUS VII. **Phalarideæ.**

- 8082 94 **Ehrarhta** Thunb. G. III. 1137. (*Trochera* L. C. Rich.). — Sp.  
     ad 24. Afr. austr., Ins. Mascar., N. Zel. (Austral.  
     inquil.).  
 8083 95 **Microlæna** R. Br. G. III. 1137. (*Diplax* H. f.). — Sp. 5. Aus-  
     tral., N. Zel.  
 8084 96 **Tetrarrhena** R. Br. G. III. 1138. — Sp. 4. Austral.  
 8085 97 **Phalaris** L. G. III. 1138. — Sp. 10. Eur., Reg. Medit., Amer.  
     extratrop., alibi inquil.  
     *Digraphis* Trin. (*Baldingera* Fl. Wett., *Typhoides* Mönch).  
 8086 98 **Anthoxanthum** L. G. III. 1138. (*Xanthoanthos* S'-Lager). —  
     Sp. 4. Eur., Asia extratrop., Amer. bor., (Austral.  
     indig.?).

- 8087 99 *Hierochloë* Gmel. G. III. 1139. (*Savastana* Schrad, *Disarrenum* Labill., *Torresia* R. et P.). — Sp. 13. Utriusque orbis reg. temp., frigid. et trop. mont.  
? *Ataxia* R. Br.

TRIBUS VIII. **Agrostideæ.**

- 8088 100 *Amphipogon* R. Br. G. III. 1145. (*Gamelytrum* Nees, *Ægopogon* P. B., *Pentacraspedon* Steud.). — Sp. 5. Austral.
- 8089 101 *Aristida* L. G. III. 1140. — Sp. ad 100. Utriusque orbis reg. calidior.  
Sect. 1. *Chætaria* Benth., *Chætaria* et *Curtopogon* P. B., *Streptachne* Kth (*Ortachne* Nees).  
Sect. 2. *Arthratherum* Benth., *Arthratherum* P. B.  
Sect. 3. *Stipagrostis* Benth., *Stipagrostis* Nees, *Schistachne* Fig. et De Not.
- 8090 102 *Stipa* L. G. III. 1141. — Sp. vix 100. Utriusque orbis reg. trop. et temp.  
*Macrochloa* Kth, *Aristella* Bertol., *Streptachne* R. Br. (*Orthoraphium* Nees), *Jarava* R. et P., *Lasiagrostis* Link (*Achnatherum* P. B.), *Ptilagrostis* Griseb.
- 8091 103 *Oryzopsis* Mchx. G. III. 1142. (*Piptatherum* P. B., *Urachne* Trin., *Dilepyrum* Raf., *Schousbæa* Nicotra). — Sp. 13. Utriusque orbis reg. temp.  
*Eriocoma* Nutt. (*Fendleria* Steud.).
- 8092 104 *Nassella* Desv. G. III. 1142 (sub *Oryzopside*). — Sp. 8. Peruvia, Chili, Argentina.
- 8093 105 *Piptochætium* Presl. G. III. 1142 (sub *Oryzopside*). — Sp. 3. Amer. austr. extratrop.  
*Caryochloa* Spreng.
- 8094 106 *Milium* L. G. III. 1143. (*Miliarium* Mönch). — Sp. 5 v. 6. Eur., Asia temp., Amer. bor.
- 8095 107 *Aciachne* Benth. G. III. 1143. — Sp. 1. Amer. austr. andina.
- 8096 108 *Muehlenbergia* Schreb. G. III. 1143. — Sp. ad 60. Amer. bor. et austr. andina, Japon., Himal.  
*Vaseya* Thurb., *Podosæmum* Desv. (*Trichochloa* P. B.), *Tosagris* et *Clomena* P. B. (*Bealia* Scribn.), *Calycodon* Nutt.
- 8097 109 *Brachyelytrum* P. B. G. III. 1144. — Sp. 1. Amer. bor.
- 8098 110 *Podophorus* Philippi. G. III. 1200. — Sp. 1. Ins. Juan Fernandez.
- 8099 111 *Lycurus* Cth. G. III. 1145. (*Pleopogon* Nutt.). — Sp. 2. N. Mexic., Mexic.
- 8100 112 *Perieilema* Presl. G. III. 1144. — Sp. 3. Amer. trop. usque ad Mexicum.

- 8101 113 *Cornucopiæ* L. G. III. 1139. — Sp. 1. Oriens.
- 8102 114 *Crypsis* Ait. G. III. 1139. (*Antitragus* Gärtn., *Pallasia* Scop.).  
— Sp. 1. Reg. Medit.
- 8103 115 *Heleochloa* Host. G. III. 1146. (*Pechea* Pourr.). — Sp. 8. Reg.  
Medit., Eur. et Asia med.  
*Rhizocephalus* Boiss.
- 8104 116 *Maillea* Parlat. G. III. 1146. — Sp. 1. Archip. Græc., Sardinia.
- 8105 117 *Phleum* L. G. III. 1146. (*Stelephuros* Adans.). — Sp. ad 10.  
Eur., Asia med. et bor., Afr. bor., Amer. bor. et antarct.  
*Chilochloa* P. B. (*Achnodon* Link, *Achnodonton* P. B.).
- 8106 118 *Echinopogon* P. B. G. III. 1145. (*Hystericina* Steud.). — Sp. 1.  
Austral., N. Zel.
- 8107 119 *Alopecurus* L. G. III. 1140. — Sp. enum. ultra 40, sed vix 20  
dist. Eur. et Asia temp. (Amer. bor. et austr., Austral.  
indig.?).  
*Colobachne* P. B., *Tozzetia* Savi.
- 8108 120 *Mibora* Adans. G. III. 1147. (*Chamagrostis* Borkh., *Sturmia*  
Hoppe, *Knappia* Sm.). — Sp. 1. Eur. occ., med. et  
austr.
- 8109 121 *Coleanthus* Seid. G. III. 1147. (*Schmidtia* Tratt.). — Sp. 1.  
Eur. (Bohemia, Moravia, Austria, Tyrol., Gallia occ.,  
Norwegia), Asia or. (Reg. Amur.), Amer. bor. (Oregon).
- 8110 122 *Phippsia* R. Br. G. III. 1147. — Sp. 1. Hemisph. bor. reg.  
arct.
- 8111 123 *Sporobolus* R. Br. G. III. 1148. (*Vilfa* P. B., *Agrosticula*  
Raddi, *Cryptostachys* Steud.). — Sp. ad 80. Asia, Afr.  
et Amer. reg. temp. et calid. (Eur. austr. sp. 1).  
*Diachyrium* Griseb., *Triachyrum* Hochst., ?*Spermachiton*  
Llanos.
- 8112 124 *Epicampes* Presl. G. III. 1148. — Sp. 12. Californ., Mexic.,  
Amer. austr. andina.  
*Crypsinna* et *Bauchea* Fourn. G. III. 1149.
- 8113 125 *Chæturus* Link. G. III. 1149. — Sp. 2. Penins. Iberica.
- 8114 126 *Polypogon* Desf. G. III. 1150. (*Santia* Savi, *Raspailia* et *No-*  
*wodworskyia* Presl). — Sp. 10. Utriusque orbis reg.  
temp. subtrop. et trop.
- 8115 127 *Garnotia* Brongn. G. III. 1118. (*Miquelia* Nees, *Berghausia*  
Endl.). — Sp. 8. Ind. or., China, Japonia.
- 8116 128 *Thurberia* Benth. G. III. 1118. (*Greenia* Nutt., *Sclerachne*  
Torr.). — Sp. 2. Texas, Arkansas.
- 8117 129 *Limnas* Trin. G. III. 1118. — Sp. 1. Sibiria or.
- 8118 130 *Arctagrostis* Griseb. G. III. 1150. — Sp. 1. Eur., Asiæ et  
Amer. reg. arct. et subarct.



- 8119 131 *Cinna* L. G. III. 1151. (*Abola* Adans., *Blyttia* Fries). — Sp. 2.  
Eur. et Amer. bor.
- 8120 132 *Agrostis* L. G. III. 1149. *Vilfa* Adans. . — Sp. ad 100. Orbis  
fere totus.  
*Trichodium* Mchx *Agraulus* P. B., *Bromidium* Nees  
*Didymochæta* Steud., *Chamaecalamus* Meyen).
- 8121 133 *Chaetotropis* Kth. G. III. 1151. — Sp. 1. Chili.
- 8122 134 *Gastridium* P. B. G. III. 1151. — Sp. 2. Reg. Medit., Eur.  
occ., Ins. Canar. Afr. trop. et Amer. austr. extratrop.  
inquil.?
- 8123 135 *Triplachne* Link. G. III. 1151. — Sp. 1. Reg. Medit. occ.
- 8124 136 *Calamagrostis* Roth. G. III. 1150. — Sp. ad 135. Utriusque  
orbis reg. frigid., temp. et trop. mont.  
Sect. 1. *Epigeios* Koch.  
Sect. 2. *Deyeuxia* Hack., *Deyeuxia* P. B. G. III. 1152,  
*Lachnagrostis* Trin., *Relcbela* Steud., *Achæta* et *Cinnas-*  
*trum* Fourn.
- 8125 137 *Cinnagrostis* Griseb. G. III. 1152. — Sp. 1. Argentina.
- 8126 138 *Ammophila* Host. G. III. 1153. *Psamma* P. B. . — Sp. 4.  
Utriusque orbis hemisph. bor.
- 8127 139 *Apera* Adans. G. III. 1152. *Anemagrostis* Trin.). — Sp. 2.  
Eur., Asia occ.
- 8128 140 *Dichelachne* Endl. G. III. 1153. — Sp. 2. Austral., N. Zel.
- 8129 141 *Trisetaria* Forsk. G. III. 1154. *Anomalotis* Steud.). — Sp. 2.  
Ægypt., Abyss., Syria.
- 8130 142 *Diplopogon* R. Br. G. III. 1145. (*Dipogonia* P. B.). — Sp. 1.  
Austral. occ.
- 8131 143 *Pentapogon* R. Br. G. III. 1154. — Sp. 1. Austral., Victoria,  
Tasmania.
- 8132 144 *Lagurus* L. G. III. 1154. — Sp. 1. Reg. Medit., Eur. occ.

TRIBUS IX. **Aveneæ.**

- 8133 145 *Holcus* L. pr. p. G. III. 1159. — Sp. 8. Eur., Afr. bor. (Afr.  
austr. sp. 1.), alibi inquil.
- 8134 146 *Prionanthium* Desv. (*Prionachne* Nees. G. III. 1155, *Chondro-*  
*luena* Nees, *Ktenosachne* Steud.). — Sp. 1. Afr. austr.
- 8135 147 *Eriachne* R. Br. G. III. 1155. (*Achneria* P. B.). — Sp. ad 22.  
Asia trop., Austral.  
*Megalachne* Thw.
- 8136 148 *Zenkeria* Trin. G. III. 1155. (*Amphidonax* Nees pr. p.). —  
Sp. 2. Ind. or., Zeylan.
- 8137 149 *Micraira* F. Müll. G. III. 1156. — Sp. 1. Austral. or.  
subtrop.

- 8138 150 *Coelachne* R. Br. G. III. 1156. — Sp. 3. Ind. or., China austr., Austral. trop.
- 8139 151 *Airopsis* Desv. G. III. 1156. — Sp. 1. Eur. austro-occ., Afr. bor.-occ.
- 8140 152 *Aira* L. pr. p. G. III. 1156. (*Fussia* Schur). — Sp. 6. Eur., Afr. bor., Oriens, alibi inquil.? *Fiorinia* Parlat.
- 8141 153 *Antinoria* Parlat. G. III. 1156 (sub *Aira*). — Sp. 2. Eur. austr. et austro-occ.
- 8142 154 *Molineria* Parlat. G. III. 1156 (sub *Aira*). — Sp. 3. Eur. occ. et austr., Asia minor.
- 8143 155 *Achneria* Munro. G. III. 1158. (*Eriachne* Nees). — Sp. 8. Afr. austr. et trop.
- 8144 156 *Corynephorus* P. B. G. III. 1157. (*Weingærtneria* Bernh.). — Sp. 2. Eur., Reg. Medit., Oriens.
- 8145 157 *Deschampsia* P. B. G. III. 1157. — Sp. 2. Utriusque orbis reg. frigid., temp. et trop. mont.  
Sect. 1. *Campella* Hack., *Campella* Link, (*Campelia* Griseb.), *Rytidosperma* Steud.  
Sect. 2. *Avenella* Hack., *Avenella* Parlat., *Lerchenfeldia* Schur.  
Sect. 3. *Vahlodea* Fries, *Vahlodea* Fries, *Airidium* Steud., *Peyritschia* Fourn., *Monandraira* Desv.
- 8146 158 *Trisetum* Pers. G. III. 1159. — Sp. fere 50. Utriusque orbis reg. temp. et mont.  
*Trichæta* P. B., *Acrospelion* (*Acropselion*) Bess., *Rostraria* Trin. pr. p.
- 8147 159 *Ventenata* Köl. G. III. 1159. — Sp. 3. Reg. Medit., Eur. occ. et centr., Oriens.
- 8148 160 *Avena* L. G. III. 1160. — Sp. ad 50. Orbis veteris reg. temp., Amer. bor. et austr.  
Sect. 1. *Crithe* Griseb.  
Sect. 2. *Avenastrum* Koch, *Heuffelia* Schur, *Helicotrichum* Bess.
- 8149 161 *Amphibromus* Nees. G. III. 1161. — Sp. 1. Austral. extratrop.
- 8150 162 *Arrhenatherum* P. B. G. III. 1161. — Sp. 3. Eur., Afr. bor., Asia occ.
- 8151 163 *Gaudinia* P. B. pr. p. G. III. 1160. (*Arthrostachya* Link). — Sp. 2. Reg. Medit., Ins. Azor.
- 8152 164 *Tristachya* Nees. G. III. 1161. (*Monopogon* Presl). — Sp. ad 8. Afr. trop. et austr., Asia occ., Amer. trop.
- 8153 165 *Trichopteryx* Nees. G. III. 1162. (*Loudetia* Hochst.). — Sp. 10. Afr. trop. et austr. (Brasil. sp. 1).

- 8154 166 *Anisopogon* R. Br. G. III. 1162. — Sp. 1. Austral. austro-occ.  
 8155 167 *Danthonia* DC. G. III. 1162. — Sp. ad 100. Utriusque orbis  
 reg. calid. et temp.

Sect. 1. *Himantochæte* Nees, *Streblochæta* et *Crinipes*  
 Hochst.

Sect. 2. *Pentaschistis* Nees, *Pentameris* P. B., *Triraphis*  
 et *Chætobromus* Nees, *Monachather* Steud.

? *Plinthanthesis* Steud.

#### TRIBUS X. *Chlorideæ*.

- 8156 168 *Microchloa* R. Br. G. III. 1163. — Sp. 3. Utriusque orbis reg.  
 trop., Afr. austr.

- 8157 169 *Cynodon* Pers. G. III. 1164. (*Capriola* Adans., *Fibichia* Kōl.,  
*Dactylon* Vill. pr. p.). — Sp. 4. Utriusque orbis reg. calid.

- 8158 170 *Spartina* Schreb. G. III. 1108. (*Trachynotia* Mchx, *Limnetis*  
 Pers., *Ponzeletia* Thow., *Chauvinia* et *Solenachne* Steud.).  
 — Sp. 7. Amer. bor. et austr. extratrop., Ins. Tristan  
 d'Acunha, S'-Paul et Amsterdam, Eur. et Afr. marit.

- 8159 171 *Schoenefeldia* Kth. G. III. 1164. — Sp. 4. Afr. trop., Ind. or.

- 8160 172 *Harpechloa* Kth. G. III. 1164. — Sp. 2. Afr. austr.

- 8161 173 *Ctenium* Panzer. G. III. 1165. (*Campulosus* et *Campuloa* Desv.  
*Monocera* Ell.). — Sp. 7. Amer. bor. et austr., Afr.,  
 trop., Ins. Mascar.

- 8162 174 *Enteropogon* Nees. G. III. 1165. — Sp. 4. Ind. or., Afr. trop.  
 Ins. Mascar. et Seychelles.

- 8163 175 *Chloris* Sw. G. III. 1165. — Sp. ad 40. Utriusque orbis reg.  
 calidior.

Sect. 1. *Euchloris* Benth., *Biatherium* Desv.

Sect. 2. *Eustachys* Benth., *Eustachys* Desv. (*Schultesia*  
 Spreng.).

- 8164 176 *Trichloris* Fourn. G. III. 1166. (*Chloridopsis* Gärt. ined. ex  
 Hackel). — Sp. 4. Mexic., Texas, Arizona, Chili, Ar-  
 gentina.

- 8165 177 *Gymnopogon* P. B. G. III. 1167. (*Anthopogon* Nutt., *Dichætaria*  
 Nees). — Sp. 6. Amer. bor. et austr.; Zeylan.

- 8166 178 *Monochæte* Döll. G. III. 1167. — Sp. 1. Brasil.

- 8167 179 *Schedonnardus* Steud. G. III. 1167. — Sp. 1. Amer. bor.

- 8168 180 *Craspedorhachis* Lag. G. III. 1168. — Sp. 1. Afr. trop.

- 8169 181 *Bouteloua* Lag. G. III. 1168. (*Eutriana* Trin., *Actinochloa*  
 Willd.). — Sp. ad 30. Amer. bor. et austr.

Sect. 1. *Chondrosium* Benth., *Chondrosium* Desv.

Sect. 2. *Atheropogon* Benth., *Atheropogon* Müll., *Dinebra*  
 DC. pr. p., *Heterostega* (*Heterosteca*) Desv.

Sect. 3. *Triathera* Benth., *Aristidium* Endl., *Triathera* Desv., *Triæna* H. B. et K.

Sect. 4. *Polyodon* Benth., *Polyodon* H. B. et K., *Triplathera* Endl.

?*Corethrum* Vahl.

8170 182 *Melanocenchris* Nees. G. III. 1169. (*Ptiloneilema* Steud.). — Sp. 3. Ind. or., Arabia, Afr. trop.

8171 183 *Tripogon* Roth. G. III. 1169. (*Plagiolytrum* Nees). — Sp. 8. Ind. or., Afr. trop.

8172 184 *Lepidopironia* A. Rich. G. III. 1170. — Sp. 1. Abyss.

8173 185 *Tetrapogon* Desf. G. III. 1170. (*Cryptochloris* Benth. G. III. 1166). — Sp. 8. Afr. bor., Abyss., Asia occ. (Patagonia?).

8174 186 *Astrebla* F. Müll. G. III. 1170. — Sp. 2 v. 3. Austral.

8175 187 *Tetrachne* Nees. G. III. 1171. — Sp. 1. Pr. B. Spei.

8176 188 *Dinebra* Jacq. G. III. 1171. — Sp. 1. Afr. trop. et bor., Ind. or.

8177 189 *Beckmannia* Host. G. III. 1099. (*Joachimea* Ten., *Bruckmannia* Nutt.). — Sp. 1. Eur. or., Asia temp., Amer. bor.

8178 190 *Eleusine* Gärtn. G. III. 1172. — Sp. bene dist. 6. Utriusque orbis imprimis veteris reg. trop. et subtrop.

*Acrachne* W. et A.

8179 191 *Dactyloctenium* Willd. G. III. 1172. — Sp. 1. Orbis totius reg. calidior.

8180 192 *Cœlachyrum* Nees. G. III. 1187 (sub *Eragrostide*). — Sp. 2. Ind. or., Arabia.

8181 193 *Leptochloa* P. B. G. III. 1172. (*Oxydenia* Nutt., *Rabdochloa* P. B.). — Sp. ad 12. Utriusque orbis reg. calidior., Amer. temp.

8182 194 *Buchloe* Engelm. G. III. 1173. (*Sesleria* Nutt., *Bulbilis* Raf., *Calanthera* Nutt.). — Sp. 1. Amer. bor.

8183 195 *Opizia* Presl. G. III. 1173. — Sp. 1. Mexic.

#### TRIBUS XI. *Festuceæ*.

8184 196 *Pappophorum* Schreb. G. III. 1174. — Sp. vix 20. Utriusque orbis reg. calidior., Asia et Amer. bor., Austral.

Sect. 1. *Polyrhaphis* Trin., *Polyrhaphis* Lindl.

Sect. 2. *Enneapogon* Benth., *Enneapogon* Desv.

8185 197 *Cottea* Kth. G. III. 1174. — Sp. 1. Amer. trop. et subtrop.

8186 198 *Schmidtia* Steud. G. III. 1175. (*Antoschmidtia* Steud.). — Sp. 2. Afr. trop. et austr., Ægypt., Ins. Capitis Viridis.

8187 199 *Calamochloa* Fourn. G. III. 1178. — Sp. 1. Mexic.

8188 200 *Cathestechum* Presl. G. III. 1122. — Sp. 1. Mexic.

8189 201 *Pommereulla* L. f. G. III. 1174. — Sp. 1. Ind. or.

- 8190 202 **Scleropogon** Philippi. G. III. 1177. (*Lesourdia* Fourn.). — Sp. 2 v. 3. Chili, Mexic., Texas.
- 8191 203 **Triraphis** R. Br. G. III. 1177. — Sp. 5. Austral., Afr. austr.
- 8192 204 **Monanthochloe** Engelm. G. III. 1180. (*Halochloa* Griseb. G. III. 1096). — Sp. 1. Amer. bor. calid., Argentina.
- 8193 205 **Munroa** Torr. G. III. 1180. (err. *Monroa*). — Sp. 3. Texas, Mexic., Amer. austr. extratrop.
- 8194 206 **Echinaria** Desf. G. III. 1181. (*Panicastrella* Mönch). — Sp. 1. Reg. Medit.
- 8195 207 **Orcuttia** Vasey in *Bull. Torr. Bot. Club*. XIII. 219 (1886). — Sp. 1. Californ.
- 8196 208 **Ammochloa** Boiss. G. III. 1181. (*Cephalochloa* Coss. et Durieu). — Sp. 2. Oriens, Afr. bor.
- 8197 209 **Urochlæna** Nees. G. III. 1181. — Sp. 1. Afr. austr.
- 8198 210 **Sesleria** Scop. G. III. 1181. — Sp. 10. Eur., Asia occ.  
Psilathera Link.
- 8199 211 **Oreochloa** Link. G. III. 1188. — Sp. 2. Pyren., Alpes.
- 8200 212 **Fingerhuthia** Nees. G. III. 1180. — Sp. 1. Afr. austr., Afghan.
- 8201 213 **Elytrophorus** P. B. G. III. 1182. (*Echinalysium* Trin.). — Sp. 2. Orbis veteris reg. trop.
- 8202 214 **Gynerium** H. et B. G. III. 1178. — Sp. 3. Amer. trop. et subtrop.
- 8203 215 **Ampelodesma** P. B. G. III. 1178. — Sp. 1. Reg. Medit.
- 8204 216 **Arundo** L. pr. p. G. III. 1179. (*Donax* P. B. pr. p., *Scolochloa* M. et K., *Amphidonax* Nees). — Sp. 6. Reg. Medit., Ind. or., Archip. Malay., Ins. Mascar., Amer. calid., N. Zel.  
? *Oxyanthe* Steud.
- 8205 217 **Phragmites** Trin. pr. p. G. III. 1179. (*Arundo* P. B. pr. p., *Czernya* Presl). — Sp. 3. Utriusque orbis reg. temp. et subtrop.  
Trichoon Roth.
- 8206 218 **Blepharidachne** Hack. « nec Hook. » in *Die Natürl. Pflanzenfam.* (Gramineæ) 126. (*Eremochloe* Wats. G. III. 1177). — Sp. 2. Mexic., Californ.
- 8207 219 **Triodia** R. Br. G. III. 1175. — Sp. 26. Utriusque orbis reg. temp. et subtrop., Amer. trop.  
Sect. 1. *Isotria* Benth.  
Sect. 2. *Sieglingia* Hack., *Sieglingia* Bernh.  
Sect. 3. *Rhombolytrum* Hack., *Rhombolytrum* Link.  
Sect. 4. *Tricuspis* Benth., *Tricuspis* P. B., *Windsoria* Nutt., *Tridens* R. et S.  
Sect. 5. *Triptasis* Hack., *Triplasis* P. B. G. III. 1176, *Uralepis* (err. *Uralepsis*) Nutt., *Diplorea* Raf.

Sect. 3. *Triathera* Benth., *Aristidium* Endl., *Triathera* Desv., *Triæna* H. B. et K.

Sect. 4. *Polyodon* Benth., *Polyodon* H. B. et K., *Triplathera* Endl.

?*Corethrum* Vahl.

8170 182 *Melanocenchris* Nees. G. III. 1169. (*Ptiloneilema* Steud.). — Sp. 3. Ind. or., Arabia, Afr. trop.

8171 183 *Tripogon* Roth. G. III. 1169. (*Plagiolytrum* Nees). — Sp. 8. Ind. or., Afr. trop.

8172 184 *Lepidopironia* A. Rich. G. III. 1170. — Sp. 1. Abyss.

8173 185 *Tetrapogon* Desf. G. III. 1170. (*Cryptochloris* Benth. G. III. 1166). — Sp. 8. Afr. bor., Abyss., Asia occ. (Patagonia?).

8174 186 *Astrebla* F. Müll. G. III. 1170. — Sp. 2 v. 3. Austral.

8175 187 *Tetrachne* Nees. G. III. 1171. — Sp. 1. Pr. B. Spei.

8176 188 *Dinebra* Jacq. G. III. 1171. — Sp. 1. Afr. trop. et bor., Ind. or.

8177 189 *Beckmannia* Host. G. III. 1099. (*Joachimea* Ten., *Bruckmannia* Nutt.). — Sp. 1. Eur. or., Asia temp., Amer. bor.

8178 190 *Eleusine* Gärtn. G. III. 1172. — Sp. bene dist. 6. Utriusque orbis imprimis veteris reg. trop. et subtrop.

*Acrachne* W. et A.

8179 191 *Dactyloctenium* Willd. G. III. 1172. — Sp. 1. Orbis totius reg. calidior.

8180 192 *Coelachyrum* Nees. G. III. 1187 (sub *Eragrostide*). — Sp. 2. Ind. or., Arabia.

8181 193 *Leptochloa* P. B. G. III. 1172. (*Oxydenia* Nutt., *Rabdochloa* P. B.). — Sp. ad 12. Utriusque orbis reg. calidior., Amer. temp.

8182 194 *Buchloe* Engelm. G. III. 1173. (*Sesleria* Nutt., *Bulbilis* Raf., *Calanthera* Nutt.). — Sp. 1. Amer. bor.

8183 195 *Opizia* Presl. G. III. 1173. — Sp. 1. Mexic.

#### TRIBUS XI. **Festuceæ.**

8184 196 *Pappophorum* Schreb. G. III. 1174. — Sp. vix 20. Utriusque orbis reg. calidior., Asia et Amer. bor., Austral.

Sect. 1. *Polyrhaphis* Trin., *Polyrhaphis* Lindl.

Sect. 2. *Enneapogon* Benth., *Enneapogon* Desv.

8185 197 *Cottea* Kth. G. III. 1174. — Sp. 1. Amer. trop. et subtrop.

8186 198 *Schmidtia* Steud. G. III. 1175. (*Antoschmidtia* Steud.). — Sp. 2. Afr. trop. et austr., Ægypt., Ins. Capitis Viridis.

8187 199 *Calamochloa* Fourn. G. III. 1178. — Sp. 1. Mexic.

8188 200 *Cathestechum* Presl. G. III. 1122. — Sp. 1. Mexic.

8189 201 *Pommereulla* L. f. G. III. 1174. — Sp. 1. Ind. or.

- 8190 202 *Scleropogon* Philippi. G. III. 1177. (*Lesourdia* Fourn.). —  
Sp. 2 v. 3. Chili, Mexic., Texas.
- 8191 203 *Triraphis* R. Br. G. III. 1177. — Sp. 5. Austral., Afr. austr.
- 8192 204 *Monanthochloe* Engelm. G. III. 1180. (*Halochloa* Griseb.  
G. III. 1096). — Sp. 1. Amer. bor. calid., Argentina.
- 8193 205 *Munroa* Torr. G. III. 1180. (err. *Monroa*). — Sp. 3. Texas,  
Mexic., Amer. austr. extratrop.
- 8194 206 *Echinaria* Desf. G. III. 1181. (*Panicastrella* Mönch). — Sp. 1.  
Reg. Medit.
- 8195 207 *Orcuttia* Vasey in *Bull. Torr. Bot. Club*. XIII. 219 (1886). —  
Sp. 1. Californ.
- 8196 208 *Ammochloa* Boiss. G. III. 1181. (*Cephalochloa* Coss. et Durieu).  
— Sp. 2. Oriens, Afr. bor.
- 8197 209 *Urochlæna* Nees. G. III. 1181. — Sp. 1. Afr. austr.
- 8198 210 *Sesleria* Scop. G. III. 1181. — Sp. 10. Eur., Asia occ.  
*Psilathera* Link.
- 8199 211 *Oreochloa* Link. G. III. 1188. — Sp. 2. Pyren., Alpes.
- 8200 212 *Fingerhuthia* Nees. G. III. 1180. — Sp. 1. Afr. austr., Afghan.
- 8201 213 *Elytrophorus* P. B. G. III. 1182. (*Echinalysium* Trin.). —  
Sp. 2. Orbis veteris reg. trop.
- 8202 214 *Gynerium* H. et B. G. III. 1178. — Sp. 3. Amer. trop. et subtrop.
- 8203 215 *Ampelodesma* P. B. G. III. 1178. — Sp. 1. Reg. Medit.
- 8204 216 *Arundo* L. pr. p. G. III. 1179. (*Donax* P. B. pr. p., *Scolochloa* M. et K., *Amphidonax* Nees). — Sp. 6. Reg.  
Medit., Ind. or., Archip. Malay., Ins. Mascar., Amer.  
calid., N. Zel.  
? *Oxyanthe* Steud.
- 8205 217 *Phragmites* Trin. pr. p. G. III. 1179. (*Arundo* P. B. pr. p.,  
*Czernya* Presl). — Sp. 3. Utriusque orbis reg. temp. et  
subtrop.  
*Trichoon* Roth.
- 8206 218 *Blepharidachne* Hack. « nec Hook. » in *Die Natürl. Pflanzenfam.* (Gramineæ) 126. (*Eremochloe* Wats. G. III. 1177).  
— Sp. 2. Mexic., Californ.
- 8207 219 *Triodia* R. Br. G. III. 1175. — Sp. 26. Utriusque orbis reg.  
temp. et subtrop., Amer. trop.  
Sect. 1. *Isotria* Benth.  
Sect. 2. *Sieglingia* Hack., *Sieglingia* Bernh.  
Sect. 3. *Rhombolytrum* Hack., *Rhombolytrum* Link.  
Sect. 4. *Tricuspis* Benth., *Tricuspis* P. B., *Windsoria*  
Nutt., *Tridens* R. et S.  
Sect. 5. *Triplasis* Hack., *Triplasis* P. B. G. III. 1176,  
*Uralepis* (err. *Uralepsis*) Nutt., *Diplorea* Raf.

Sect. 3. *Triathera* Benth., *Aristidium* Endl., *Triathera* Desv., *Triæna* H. B. et K.

Sect. 4. *Polyodon* Benth., *Polyodon* H. B. et K., *Triplathera* Endl.

?*Corethrum* Vahl.

8170 182 *Melanocenchris* Nees. G. III. 1169. (*Ptiloneilema* Steud.). — Sp. 3. Ind. or., Arabia, Afr. trop.

8171 183 *Tripogon* Roth. G. III. 1169. (*Plagiolytrum* Nees). — Sp. 8. Ind. or., Afr. trop.

8172 184 *Lepidopironia* A. Rich. G. III. 1170. — Sp. 1. Abyss.

8173 185 *Tetrapogon* Desf. G. III. 1170. (*Cryptochloris* Benth. G. III. 1166). — Sp. 8. Afr. bor., Abyss., Asia occ. (Patagonia?).

8174 186 *Astrebla* F. Müll. G. III. 1170. — Sp. 2 v. 3. Austral.

8175 187 *Tetrachne* Nees. G. III. 1171. — Sp. 1. Pr. B. Spei.

8176 188 *Dinebra* Jacq. G. III. 1171. — Sp. 1. Afr. trop. et bor., Ind. or.

8177 189 *Beckmannia* Host. G. III. 1099. (*Joachimea* Ten., *Bruckmannia* Nutt.). — Sp. 1. Eur. or., Asia temp., Amer. bor.

8178 190 *Eleusine* Gärtn. G. III. 1172. — Sp. bene dist. 6. Utriusque orbis imprimis veteris reg. trop. et subtrop.

*Acrachne* W. et A.

8179 191 *Dactyloctenium* Willd. G. III. 1172. — Sp. 1. Orbis totius reg. calidior.

8180 192 *Cœlachyrum* Nees. G. III. 1187 (sub *Eragrostide*). — Sp. 2. Ind. or., Arabia.

8181 193 *Leptochloa* P. B. G. III. 1172. (*Oxydenia* Nutt., *Rabdochloa* P. B.). — Sp. ad 12. Utriusque orbis reg. calidior., Amer. temp.

8182 194 *Buchloe* Engelm. G. III. 1173. (*Sesleria* Nutt., *Bulbilis* Raf., *Calanthera* Nutt.). — Sp. 1. Amer. bor.

8183 195 *Opizia* Presl. G. III. 1173. — Sp. 1. Mexic.

#### TRIBUS XI. *Festuceæ*.

8184 196 *Pappophorum* Schreb. G. III. 1174. — Sp. vix 20. Utriusque orbis reg. calidior., Asia et Amer. bor., Austral.

Sect. 1. *Polyrhaphis* Trin., *Polyrhaphis* Lindl.

Sect. 2. *Enneapogon* Benth., *Enneapogon* Desv.

8185 197 *Cottea* Kth. G. III. 1174. — Sp. 1. Amer. trop. et subtrop.

8186 198 *Schmidtia* Steud. G. III. 1175. (*Antoschmidtia* Steud.). — Sp. 2. Afr. trop. et austr., Ægypt., Ins. Capitis Viridis.

8187 199 *Calamochloa* Fourn. G. III. 1178. — Sp. 1. Mexic.

8188 200 *Cathestechum* Presl. G. III. 1122. — Sp. 1. Mexic.

8189 201 *Pommereulla* L. f. G. III. 1174. — Sp. 1. Ind. or.





- 8190 202 **Scleropogon** Philippi. G. III. 1177. (*Lesourdia* Fourn.). — Sp. 2 v. 3. Chili, Mexic., Texas.
- 8191 203 **Triraphis** R. Br. G. III. 1177. — Sp. 5. Austral., Afr. austr.
- 8192 204 **Monanthochloe** Engelm. G. III. 1180. (*Halochloa* Griseb. G. III. 1096). — Sp. 1. Amer. bor. calid., Argentina.
- 8193 205 **Munroa** Torr. G. III. 1180. (err. *Monroa*). — Sp. 3. Texas, Mexic., Amer. austr. extratrop.
- 8194 206 **Echinaria** Desf. G. III. 1181. (*Panicastrella* Mönch). — Sp. 1. Reg. Medit.
- 8195 207 **Orcuttia** Vasey in *Bull. Torr. Bot. Club*. XIII. 219 (1886). — Sp. 1. Californ.
- 8196 208 **Ammochloa** Boiss. G. III. 1181. (*Cephalochloa* Coss. et Durieu). — Sp. 2. Oriens, Afr. bor.
- 8197 209 **Urochlæna** Nees. G. III. 1181. — Sp. 1. Afr. austr.
- 8198 210 **Sesleria** Scop. G. III. 1181. — Sp. 10. Eur., Asia occ. Psilathera Link.
- 8199 211 **Oreochloa** Link. G. III. 1188. — Sp. 2. Pyren., Alpes.
- 8200 212 **Fingerhuthia** Nees. G. III. 1180. — Sp. 1. Afr. austr., Afghan.
- 8201 213 **Elytrophorus** P. B. G. III. 1182. (*Echinalysium* Trin.). — Sp. 2. Orbis veteris reg. trop.
- 8202 214 **Gynerium** H. et B. G. III. 1178. — Sp. 3. Amer. trop. et subtrop.
- 8203 215 **Ampelodesma** P. B. G. III. 1178. — Sp. 1. Reg. Medit.
- 8204 216 **Arundo** L. pr. p. G. III. 1179. (*Donax* P. B. pr. p., *Scolochloa* M. et K., *Amphidonax* Nees). — Sp. 6. Reg. Medit., Ind. or., Archip. Malay., Ins. Mascar., Amer. calid., N. Zel.  
? Oxyanthe Steud.
- 8205 217 **Phragmites** Trin. pr. p. G. III. 1179. (*Arundo* P. B. pr. p., *Czernya* Presl). — Sp. 3. Utriusque orbis reg. temp. et subtrop.  
Trichoon Roth.
- 8206 218 **Blepharidachne** Hack. « nec Hook. » in *Die Natürl. Pflanzenfam.* (Gramineæ) 126. (*Eremochloe* Wats. G. III. 1177). — Sp. 2. Mexic., Californ.
- 8207 219 **Triodia** R. Br. G. III. 1175. — Sp. 26. Utriusque orbis reg. temp. et subtrop., Amer. trop.  
Sect. 1. *Isotria* Benth.  
Sect. 2. *Sieglingia* Hack., *Sieglingia* Bernh.  
Sect. 3. *Rhombolytrum* Hack., *Rhombolytrum* Link.  
Sect. 4. *Tricuspis* Benth., *Tricuspis* P. B., *Windsoria* Nutt., *Tridens* R. et S.  
Sect. 5. *Triplasis* Hack., *Triplasis* P. B. G. III. 1176, *Uralepis* (err. *Uralepsis*) Nutt., *Diplorea* Raf.

Sect. 3. *Triathera* Benth., *Aristidium* Endl., *Triathera* Desv., *Triæna* H. B. et K.

Sect. 4. *Polyodon* Benth., *Polyodon* H. B. et K., *Triplathera* Endl.

?*Corethrum* Vahl.

8170 182 *Melanocenchris* Nees. G. III. 1169. (*Ptiloneilema* Steud.). — Sp. 3. Ind. or., Arabia, Afr. trop.

8171 183 *Tripogon* Roth. G. III. 1169. (*Plagiolytrum* Nees). — Sp. 8. Ind. or., Afr. trop.

8172 184 *Lepidopironia* A. Rich. G. III. 1170. — Sp. 1. Abyss.

8173 185 *Tetrapogon* Desf. G. III. 1170. (*Cryptochloris* Benth. G. III. 1166). — Sp. 8. Afr. bor., Abyss., Asia occ. (Patagonia?).

8174 186 *Astrebla* F. Müll. G. III. 1170. — Sp. 2 v. 3. Austral.

8175 187 *Tetrachne* Nees. G. III. 1171. — Sp. 1. Pr. B. Spei.

8176 188 *Dinebra* Jacq. G. III. 1171. — Sp. 1. Afr. trop. et bor., Ind. or.

8177 189 *Beckmannia* Host. G. III. 1099. (*Joachimea* Ten., *Bruckmannia* Nutt.). — Sp. 1. Eur. or., Asia temp., Amer. bor.

8178 190 *Eleusine* Gärtn. G. III. 1172. — Sp. bene dist. 6. Utriusque orbis imprimis veteris reg. trop. et subtrop.

*Acrachne* W. et A.

8179 191 *Dactyloctenium* Willd. G. III. 1172. — Sp. 1. Orbis totius reg. calidior.

8180 192 *Cœlachyrum* Nees. G. III. 1187 (sub *Eragrostide*). — Sp. 2. Ind. or., Arabia.

8181 193 *Leptochloa* P. B. G. III. 1172. (*Oxydenia* Nutt., *Rabdochloa* P. B.). — Sp. ad 12. Utriusque orbis reg. calidior., Amer. temp.

8182 194 *Buchloe* Engelm. G. III. 1173. (*Sesleria* Nutt., *Bulbilis* Raf., *Calanthera* Nutt.). — Sp. 1. Amer. bor.

8183 195 *Opizia* Presl. G. III. 1173. — Sp. 1. Mexic.

#### TRIBUS XI. *Festuceæ*.

8184 196 *Pappophorum* Schreb. G. III. 1174. — Sp. vix 20. Utriusque orbis reg. calidior., Asia et Amer. bor., Austral.

Sect. 1. *Polyrhaphis* Trin., *Polyrhaphis* Lindl.

Sect. 2. *Enneapogon* Benth., *Enneapogon* Desv.

8185 197 *Cottea* Kth. G. III. 1174. — Sp. 1. Amer. trop. et subtrop.

8186 198 *Schmidtia* Steud. G. III. 1175. (*Antoschmidtia* Steud.). — Sp. 2. Afr. trop. et austr., Ægypt., Ins. Capitis Viridis.

8187 199 *Calamochloa* Fourn. G. III. 1178. — Sp. 1. Mexic.

8188 200 *Cathestechum* Presl. G. III. 1122. — Sp. 1. Mexic.

8189 201 *Pommereulla* L. f. G. III. 1174. — Sp. 1. Ind. or.

- 8190 202 *Scleropogon* Philippi. G. III. 1177. (*Lesourdia* Fourn.). — Sp. 2 v. 3. Chili, Mexic., Texas.
- 8191 203 *Triraphis* R. Br. G. III. 1177. — Sp. 5. Austral., Afr. austr.
- 8192 204 *Monanthochloe* Engelm. G. III. 1180. (*Halochloa* Griseb. G. III. 1096). — Sp. 1. Amer. bor. calid., Argentina.
- 8193 205 *Munroa* Torr. G. III. 1180. (err. *Monroa*). — Sp. 3. Texas, Mexic., Amer. austr. extratrop.
- 8194 206 *Echinaria* Desf. G. III. 1181. (*Panicastrella* Mönch). — Sp. 1. Reg. Medit.
- 8195 207 *Orcuttia* Vasey in *Bull. Torr. Bot. Club*. XIII. 219 (1886). — Sp. 1. Californ.
- 8196 208 *Ammochloa* Boiss. G. III. 1181. (*Cephalochloa* Coss. et Durieu). — Sp. 2. Oriens, Afr. bor.
- 8197 209 *Urochlaena* Nees. G. III. 1181. — Sp. 1. Afr. austr.
- 8198 210 *Sesleria* Scop. G. III. 1181. — Sp. 10. Eur., Asia occ.  
*Psilathera* Link.
- 8199 211 *Oreochloa* Link. G. III. 1188. — Sp. 2. Pyren., Alpes.
- 8200 212 *Fingerhuthia* Nees. G. III. 1180. — Sp. 1. Afr. austr., Afghan.
- 8201 213 *Elytrophorus* P. B. G. III. 1182. (*Echinalysium* Trin.). — Sp. 2. Orbis veteris reg. trop.
- 8202 214 *Gynerium* H. et B. G. III. 1178. — Sp. 3. Amer. trop. et subtrop.
- 8203 215 *Ampelodesma* P. B. G. III. 1178. — Sp. 1. Reg. Medit.
- 8204 216 *Arundo* L. pr. p. G. III. 1179. (*Donax* P. B. pr. p., *Scolochloa* M. et K., *Amphidonax* Nees). — Sp. 6. Reg. Medit., Ind. or., Archip. Malay., Ins. Mascar., Amer. calid., N. Zel.  
? *Oxyanthe* Steud.
- 8205 217 *Phragmites* Trin. pr. p. G. III. 1179. (*Arundo* P. B. pr. p., *Czernya* Presl). — Sp. 3. Utriusque orbis reg. temp. et subtrop.  
*Trichoon* Roth.
- 8206 218 *Blepharidachne* Hack. « nec Hook. » in *Die Natürl. Pflanzenfam.* (Gramineæ) 126. (*Eremochloe* Wats. G. III. 1177). — Sp. 2. Mexic., Californ.
- 8207 219 *Triodia* R. Br. G. III. 1175. — Sp. 26. Utriusque orbis reg. temp. et subtrop., Amer. trop.  
Sect. 1. *Isotria* Benth.  
Sect. 2. *Sieglingia* Hack., *Sieglingia* Bernh.  
Sect. 3. *Rhombolytrum* Hack., *Rhombolytrum* Link.  
Sect. 4. *Tricuspis* Benth., *Tricuspis* P. B., *Windsoria* Nutt., *Tridens* R. et S.  
Sect. 5. *Triplasis* Hack., *Triplasis* P. B. G. III. 1176, *Uralepis* (err. *Uralepsis*) Nutt., *Diplorea* Raf.

? *Leptocarydion* Hochst., *Trichoneura* Anderss.

8208 220 *Redfieldia* Vasey in *Bull. Torr. Bot. Club.* XIX. 133 (1887).  
— Sp. 1. Colorado.

8209 221 *Diplachne* P. B. G. III. 1176. — Sp. 14. Utriusque orbis reg.  
calidior.

8210 222 *Dissanthelium* Trin. G. III. 1185. (*Phalaridium* Nees, *Stenochloa* Nutt.). — Sp. 3. Amer. andina a Bolivia usque ad  
Californ.

8211 223 *Molinia* Schrank. G. III. 1185 (*Enodium* Gaudin). — Sp. 1.  
Eur. fere tota.

8212 224 *Eragrostis* P. B. G. III. 1186. — Sp. ad 100. Orbis utriusque  
reg. calid. et temp.

Sect. 1. *Cataclastos* Döll, *Macroblepharus* Philippi.

Sect. 2. *Pteroessa* Döll, *Megastachya* P. B., *Megastachya*  
Fourn.

Sect. 3. *Myriostachya* Benth.

Sect. 4. *Platystachya* Benth., *Cladoraphis* Franch.

8213 225 *Ipnum* Philippi. G. III. 1187. — Sp. 1. Mendoza, (Argentina?).

8214 226 *Eatonia* Raf. G. III. 1184. (*Reboutea* Kth, *Colobanthus* Trin.).  
— Sp. 2. Amer. bor.

8215 227 *Avellinia* Parlat. G. III. 1184. — Sp. 1. Reg. Medit. occ.

8216 228 *Koeleria* Pers. G. III. 1183. (*Collinaria* Ehrh.). — Sp. 15. Eur.,  
Asia temp., Afr. bor. et austr., Amer. extratrop., Ins.  
Sandvic.

Sect. 1. *Airochloa* Benth., *Airochloa* Link.

Sect. 2. *Lophochloa* Benth., *Lophochloa* Rchb., *Ægialitis*  
Trin., *Ægialina* Schult., *Wilhelmsia* K. Koch.

8217 229 *Catabrosa* P. B. G. III. 1186. — Sp. 1. Eur., Asia temp.,  
Amer. bor.

8218 230 *Sphenopus* P. B. G. III. 1185. — Sp. 1. Reg. Medit. usque ad  
Mare Caspicum.

8219 231 *Cutandia* Willk. G. III. 1187. — Sp. 6. Reg. Medit.

8220 232 *Ectrosia* R. Br. G. III. 1188. — Sp. 4. Austral.

8221 233 *Harpachne* Hochst. G. III. 1187 (sub *Triodia*). — Sp. 1. Afr. trop.

8222 234 *Heterachne* Benth. G. III. 1188. — Sp. 2. Austral.

8223 235 *Anthochloa* Nees. G. III. 1189. (*Antochloa*). — Sp. 2. Andes  
Peruviae et Boliviae.

8224 236 *Melica* L. G. III. 1189. — Sp. ad 30. Eur., Asia temp., Afr.  
extratrop., Amer. andina et extratrop.

? *Chondrachyrum* Nees.

8225 237 *Diarrhena* Raf. G. III. 1190. (*Diarina* Raf., *Korycarpus*,  
*Corycarpus* et *Raemeria* Zea, *Onœa* Franch. et Sav.).  
— Sp. 2. Amer. bor., Japon.

- 8226 238 *Centotheca* Desv. G. III. 1190. — Sp. 3. Asia et Afr. trop., Ins. Pacif.
- 8227 239 *Zeugites* Schreb. G. III. 1191. (*Senites* Adans., *Despretzia* Kth, *Krombholzia* Fourn.). — Sp. 5 v. 6. Amer. trop. a Columbia usque ad Ind. occ. et Mexic.
- 8228 240 *Orthoclada* P. B. G. III. 1190. — Sp. 1. Amer. bor. a Brasil. usque ad Mexic. et Ind. occ.
- 8229 241 *Lophatherum* Brongn. G. III. 1191. (*Acroelytrum* et *Alletotheca* Steud.). — Sp. 3. Ind. or., Archip. Malay., China, Japonia.
- 8230 242 *Pœcilostachys* Hack. in *Sitz. K. Akad. Wissen.* XXXIX. 131 (1884). — Sp. 2. Madagasc.  
*Lophatherum* (*L. geminatum*) Bak.
- 8231 243 *Streptogyne* P. B. G. III. 1191. — Sp. 1. Utriusque orbis reg. trop.
- 8232 244 *Pleuropogon* R. Br. G. III. 1192. (*Lophochlæna* Nees). — Sp. 3. Terra arctica, Californ.
- 8233 245 *Brylkinia* F. Schmidt. G. III. 1192. — Sp. 1. Japon., Asia bor.-or.
- 8234 246 *Uniola* L. G. III. 1192. (*Trisiola* Raf., *Chasmanthium* Link). — Sp. 5. Amer. bor., centr., austr. extratrop. et andina.
- 8235 247 *Distichlis* Raf. G. III. 1193. — Sp. 4. Amer. bor. et austr. andina vel extratrop., Austral., sæpius in maritimis.
- 8236 248 *Briza* L. G. III. 1194. — Sp. 12. Eur., Afr. bor., Asia temp., Amer. austr.  
 Sect. 1. *Eubriza* Benth.  
 Sect. 2. *Chascolytrum* Benth., *Chascolytrum* Desv.  
 Sect. 3. *Calotheca* Benth., *Calotheca* Desv.
- 8237 249 *Desmazeria* Dmrt. G. III. 1194. (*Brizopyrum* Link). — Sp. 4. Reg. Medit., Afr. austr.
- 8238 250 *Wangenheimia* Mönch. G. III. 1170. — Sp. 1. Hispania austr., Afr. bor.-occ.
- 8239 251 *Æluropus* Trin. G. III. 1193. (*Calotheca* Spreng., *Chamædactylis* Nees). — Sp. 4. Reg. Medit., Arabia, Asia med., Ind. or., sæpius marit.
- 8240 252 *Lasiochloa* Kth. G. III. 1194. — Sp. 3 v. 4. Afr. austr.
- 8241 253 *Dactylis* L. G. III. 1193. — Sp. 1. Eur., Asia temp., Afr. bor., alibi inquil.
- 8242 254 *Cynosurus* L. pr. p. G. III. 1181. — Sp. 5. Eur., Asia occ., Afr. bor., Ins. Canar., alibi verisim. inquil.  
 Sect. 1. *Cynosurus* Benth.  
 Sect. 2. *Phalona* Benth., *Falona* Adans., *Phalona* Dmrt. (*Pterium* Desv.).

- 8243 255 **Lamarckia** Mönch. G. III. 1183. (*Chrysurus* Pers., *Tinæa* Garzia). — Sp. 1. Reg. Medit. ab Ins. Canar. usque ad Afghan., alibi inquil.
- 8244 256 **Sclerochloa** P. B. G. III. 1194. — Sp. 1. Eur. austr. et med., Asia occ. et med.
- 8245 257 **Schismus** P. B. G. III. 1195. (*Electra* Panzer, *Hemisacris* Steud.). — Sp. 4. Reg. Medit. ab Ins. Canar. usque ad Afghan., Arabia, Afr. austr.
- 8246 258 **Nephelochloa** Boiss. G. III. 1195. — Sp. 1. Oriens.
- 8247 259 **Poa** L. G. III. 1196. — Sp. enum 200, ad 100. reduc. Utriusque orbis reg. temp. et frigid., inter tropic. pauciores.  
Sect. 1. *Pseudopoa* K. Koch.  
Sect. 2. *Eupoa* Hack.  
Sect. 3. *Dioicopoa* E. Desv., *Poidium* Nees.
- 8248 260 **Colpodium** Trin. G. III. 1196. (*Arctophila* Rupr.). — Sp. ad 12. Oriens, Asia centr. et mont.
- 8249 261 **Dupontia** R. Br. G. III. 1197 (sub *Graphephoro*). — Sp. 1. Ins. Melvil (Reg. Arctica).
- 8250 262 **Scolochloa** Link. G. III. 1197 (sub *Graphephoro*). (*Fluminia* Fries). — Sp. 2. Utriusque orbis reg. temp.
- 8251 263 **Graphephorum** Desv. G. III. 1197. — Sp. 1. Amer. bor.
- 8252 264 **Glyceria** R. Br. G. III. 1197. — Sp. 16. Amer. bor., Eur., Asia temp., Austral.  
*Hydrochloa* Hartm., *Porroteranthe* Steud., *Exydra* Endl.
- 8253 265 **Atropis** Rupr. (*Glyceriæ* sect. *Atropis* Benth. G. III. 1198, *Puccinellia* Parlat.). — Sp. 14. Utriusque orbis reg. temp.
- 8254 266 **Festuca** L. G. III. 1198. — Sp. enum. ultra 250, ad 80 reduc. Utriusque orbis reg. temp., inter trop. rarior.  
Subg. 1. *Eufestuca* Hack., *Leucopoa* Griseb., *Gouinia* Fourn.  
Subg. 2. *Vulpia* Benth., *Vulpia* Gmel., *Ctenopsis* De Not.  
Subg. 3. *Nardurus* Hack., *Nardurus* Rchb., *Micropyrum* et *Festucaria* Link, *Castellia* Tin.
- 8255 267 **Catapodium** Link. G. III. 1199 (sub *Festuca*). — Sp. 2. Reg. Medit.
- 8256 268 **Scleropoa** Griseb. G. III. 1199 (sub *Festuca*), (*Sclerochloa* Griseb.). — Sp. 1. Eur. occ., Reg. Medit.
- 8257 269 **Bromus** L. G. III. 1200. — Sp. ad 40. Hemisph. bor. reg. temp., Amer. austr. extratrop., inter trop. paucae.  
Sect. 1. *Festucoides* Coss. et Durieu, *Schedonorus* P. B.  
Sect. 2. *Stenobromus* Griseb., *Anisantha* Koch.  
Sect. 3. *Zeobromus* Griseb., *Serrafalcus* Parlat., *Triniusa* Steud.

Sect. 4. *Libertia* Hack., *Libertia* Lej., *Michelaria* Dmrt.

Sect. 5. *Ceratochloa* Benth., *Ceratochloa* P. B.

8258 270 *Boissiera* Hochst. G. III. 1175. — Sp. 1. Oriens.

Eurhaphis Trin. G. III. 1174. in obs. (sub *Pappophoro*).

8259 271 *Megalachne* Steud. (*Pantathera* Philippi. G. III. 1200). — Sp. 1.

Ins. Juan Fernandez.

8260 272 *Brachypodium* P. B. G. III. 1201. (*Hemibromus* Steud.). —

Sp. 6. Eur., Asia temp. et mont., Afr. trop. centr. et austr., Mexic., Columbia.

*Trachynia* Link.

#### TRIBUS XII. **Hordeæ.**

8261 273 *Nardus* L. G. III. 1205. — Sp. 1. Eur., Asia temp.

8262 274 *Lolium* L. G. III. 1202. — Sp. enum. ultra 20, ad 6 reduc.

Eur., Afr. bor., Asia temp., alibi inquil.

*Cræpalia* Schrank, *Arthrochortus* Lowe.

8263 275 *Kralikia* Coss. et Durieu. G. III. 1205. — Sp. 1. Algeria.

8264 276 *Oropetium* Trin. G. III. 1206. — Sp. 1. Ind. or.

8265 277 *Jouvea* Fourn. G. III. 1173. — Sp. 1. Mexic.

8266 278 *Kerinozoma* Steud. G. III. 1096 in obs. — Sp. 1. Java.

8267 279 *Monerma* P. B. G. III. 1205 (sub *Psiluro*). (*Ophiurinella* Desv.).

— Sp. 3. Reg. Medit., Asia trop., Ins. Pacif., Austral., Afr. austr., Madagasc.

8268 280 *Ischnurus* Balf. f. in *Proc. Roy. Soc. Edinb.* XII. 98 (1883).

— Sp. 1. Socotra.

8269 281 *Lepturus* R. Br. G. III. 1204. — Sp. 6. Eur., Afr. bor., Asia

temp. marit., Austral., N. Zel., Ins. Pacif.

*Pholiurus* Trin. (*Rottboellia* Host).

8270 282 *Scribneria* Hack. in *Bot. Gazet.* XI. 105 (1886). — Sp. 1. Cali-

forn., Oregon.

8271 283 *Psilurus* Trin. G. III. 1205. — Sp. 1. Eur. austr., Oriens

usque ad Afghan.

8272 284 *Agropyrum* J. Gärt. G. III. 1202. (*Elytrigia* Desv.). — Sp. 32.

Utriusque orbis reg. temp.

Sect. 1. *Agropyrum* Benth., *Rœgneria* K. Koch.

Sect. 2. *Eremopyrum* Benth., *Eremopyrum* Jaub. et

Spach, *Costia* Willk., *Cremopyrum* Schur.

8273 285 *Haynaldia* Schur. G. III. 1203 (sub *Agropyro*). — Sp. 2. Eur.

med., Reg. Medit.

8274 286 *Secale* L. G. III. 1203. — Sp. 2. Reg. Medit., Asia occ. et

centr., alibi late cult.

8275 287 *Triticum* L. G. III. 1204. — Sp. 15. Reg. Medit., Asia occ.

usque ad Afghan. et Turkest., alibi latissime cult.

Sect. 1. *Ægilops* Hack., *Ægilops* L.

Sect. 2. *Sitopyros* Hack., *Critodium* Link.

8276 288 *Heteranthelium* Hochst. G. III. 1203 (sub *Agropyro*). — Sp. 1. Oriens.

8277 289 *Hordeum* L. G. III. 1206. — Sp. ad 16. Eur., Asia temp., Amer. extratrop., alibi late cult.

Sect. 1. *Zeocriton* Benth., *Zeocriton* P. B., *Critesion* Raf.

Sect. 2. *Crithopsis* Hack., *Crithopsis* Jaub. et Spach.

Sect. 3. *Cuviera* Benth., *Cuviera* Köl.

8278 290 *Elymus* L. G. III. 1206. — Sp. ad 20. Eur., Asiæ et Amer. bor. reg. temp.

Sect. 1. *Sitanion* Benth., *Sitanion* Raf., *Polyantherix* Nees.

Sect. 2. *Clinelymus* Hack.

Sect. 3. *Psammelymus* Hack.

8279 291 *Asprella* Willd. G. III. 1207. (*Hystrix* Mönch, *Gymnostichum* Schreb.). — Sp. 4. Amer. bor., Sibiria, N. Zel.

8280 292 *Pariana* Aubl. G. III. 1112. — Sp. ad 10. Amer. trop. Eremites Döll.

#### TRIBUS XIII. **Bambuseæ.**

8281 293 *Arundinaria* Mchx. G. III. 1207. (*Miegia* Pers., *Ludolfia* Willd., *Triglossum* Fisch., *Macronax* Raf.). — Sp. ad 24. Asia trop., Japon., Amer. bor. et trop.

*Thamnocalamus* Munro.

8282 294 *Arthrostylidium* Rupr. G. III. 1208. — Sp. 12. Amer. trop.

*Aulonemia* Goudot.

8283 295 *Phyllostachys* S. et Z. G. III. 1208. — Sp. 4 v. 5. Japon., China, Himal.

8284 296 *Athroostachys* Benth. G. III. 1208. (err. *Achroostachys*). — Sp. 1. Brasil.

8285 297 *Merostachys* Spreng. G. III. 1209. — Sp. 8 v. 9. Brasil., Paraguay, Peruvia.

8286 298 *Chusquea* Kth. G. III. 1209. (*Rettbergia* Raddi, *Dendragrostis* Nees). — Sp. ad 35. Amer. a Mexico usque ad Chili austr.

8287 299 *Planotia* Munro. G. III. 1209. (*Platonia* Kth). — Sp. 5. Amer. austr. trop. mont.

8288 300 *Nastus* Juss. G. III. 1210. (*Stemmatospermum* P. B.). — Sp. 2 v. 3. Ins. Mascar.

8289 301 *Bambusa* Schreb. G. III. 1210. (*Bambos* Retz., *Ischurochloa* Büse). — Sp. ad 46. Asia et Amer. trop. et subtrop.

Sect. 1. *Eubambusa* Hack.

Sect. 2. *Guadua* Hack., *Guadua* Kth. G. III. 1210.



Sect. 3. *Guadella* Hack., *Guadella* Franch. in *Bull. Soc. Linn. Paris*. 676 (1887).

8290 302 *Atractocarpa* Franch. in *Bull. Soc. Linn. Paris*. 675 (1887).  
— Sp. 1. Congo gall.

8291 303 *Gigantochloa* Kurz. G. III. 1211. — Sp. 4 v. 5. Ind. or., Archip. Malay.

8292 304 *Oxytenanthera* Munro. G. III. 1212. — Sp. 6. Ind. or., Archip. Malay., Afr. trop.

8293 305 *Puelia* Franch. in *Bull. Soc. Linn. Paris*. 674 (1887). — Sp. 1. Afr. trop. occ.

8294 306 *Dendrocalamus* Nees. G. III. 1211. — Sp. 6. Ind. or., Archip. Malay., China.

8295 307 *Melocalamus* Benth. G. III. 1212. — Sp. 1. Martabania.

8296 308 *Pseudostachyum* Munro. G. III. 1212. — Sp. 1. Himal.

8297 309 *Teinostachyum* Munro. G. III. 1213. — Sp. 3. Ind. or.

8298 310 *Greslania* Balansa. G. III. 1213. — Sp. 3. N. Caled.

8299 311 *Cephalostachyum* Munro. G. III. 1213. — Sp. 5 v. 6. Ind. or., Madagasc.

8300 312 *Schizostachyum* Nees. G. III. 1214. — Sp. ad 8. Archip. Malay., China, Ins. Pacif.

*Chloothamnus* Büse.

8301 313 *Dinochloa* Büse. G. III. 1214. — Sp. 1. Archip. Malay.

8302 314 *Melocanna* Trin. G. III. 1214. — Sp. 1. Ind. or. (Ins. Maurit. cult.).

8303 315 *Ochlandra* Thw. G. III. 1215. (*Beesha* Munro). — Sp. 3. Ind. or., Zeylan.

? *Beesha* Kth.

---

## GYMNOSPERMEÆ<sup>(1)</sup>

### ORDO CCVIII. GNETACEÆ

- 8304 1 **Ephedra** L. G. III. 418. (*Chætocladus* Senil). — Sp. enum.  
ultra 30, ad 20 reduc. Eur. med., Reg. Medit., Asia et  
Amer. trop., subtrop. et temp.
- 8305 2 **Gnetum** L. G. III. 419. (*Thoa* Aubl., *Abutua* Lour.). — Sp.  
ad 15. Asia, Afr. et Amer. trop.
- 8306 3 **Welwitschia** H. f. G. III. 418 et 1224. (*Tumboa* Welw.). —  
Sp. 1. Afr., trop. austro-occ.

### ORDO CCIX. CONIFERÆ<sup>(2)</sup>

#### A. PINOIDEÆ.

##### TRIBUS I. Abietinæ.

###### SUBTRIBUS I. Araucarinæ.

- 8307 1 **Agathis** Salisb. G. III. 436. (*Dammara* Lamb.). — Sp. descr.  
10, ad 4 reduc. Archip. Malay., Ins. Pacif., N. Caled.,  
N. Zel., Austral.
- 8308 2 **Araucaria** Juss. G. III. 437. (*Dombeya* Lam.). — Sp. 10. Amer.  
austr., N. Caled., Ins. Pacif., Austral.  
Sect. 1. *Colymbea* Endl., *Colymbea* Salisb. (*Columbea*  
Steud.).  
Sect. 2. *Eutacta* Eichl., *Altingia* Loud., *Eutassa* Salisb.,  
*Eutacta* Link.

###### SUBTRIBUS II. Abietinæ.

- 8309 3 **Pinus** L. G. III. 438 et 1226. — Sp. ad 70. Utriusque orbis  
hemisph. bor.  
Sect. 1. *Pinaster* Endl. — 2. *Strobus* Spach.
- 8310 4 **Cedrus** Loud. G. III. 439. — Sp. 3 v. 1. Himal., Oriens,  
Afr. bor.

(1) Cfr. cl. A. W. Eichler. *Cycadaceæ, Coniferae et Gnetacea* in Engler et Prantl, *Die Natürlichen Pflanzenfamilien* (1887).

(2) Sp. ad 300, pro maxima parte per reg. temp. vel mont. tam bor. quam austr. utriusque orbis late dispersæ, inter tropicos rariores.

- 8311 5 *Larix* Mill. G. III. 442. — Sp. 8. Eur., Asia et Amer. bor.  
 8312 6 *Pseudolarix* Gord. G. III. 442 (sub *Larice*). — Sp. 1. China or.  
 8313 7 *Picea* Link. G. III. 439. (*Abies* Don). — Sp. 12. Utriusque  
 orbis reg. extratrop. hemisph. bor.  
 ? *Veitchia* Lindl.  
 8314 8 *Tsuga* Carr. G. III. 440. — Sp. 6. Amer. bor., Mexic., Asia.  
*Pseudotsuga* Carr. G. III. 441.  
 8315 9 *Abies* Juss. G. III. 441. (*Picea* Don). — Sp. ad 20. Eur., Asia  
 temp. et trop. mont., Amer. bor.  
*Keteleeria* Carr.

SUBTRIBUS III. **Taxodineæ.**

- 8316 10 *Sciadopitys* S. et Z. G. III. 437. — Sp. 1. Japon.  
 8317 11 *Cunninghamia* R. Br. G. III. 435. (*Belis* Salisb., *Raxopitys*  
 Senil.). — Sp. 1. Japon., China.  
 8318 12 *Sequoia* Endl. G. III. 429. (*Wellingtonia* Lindl., *Washingtonia*  
 Winsl., *Gigantabies* Senil.). — Sp. 2. Californ.  
 8319 13 *Athrotaxis* Don. G. III. 430 et 1225. (err. *Arthrotaxis* Auct.).  
 — Sp. 3. Tasmania, Victoria.  
 8320 14 *Cryptomeria* Don. G. III. 428. — Sp. 1. China bor., Japon.  
 8321 15 *Taxodium* L. C. Rich. G. III. 429. (*Schubertia* Mirb., *Cupres-*  
*pinnata* Senil.). — Sp. 2. Amer. bor., Mexic.  
 8322 16 *Glyptostrobus* Endl. G. III. 429 (sub *Taxodio*). (*Schubertia*  
 Mirb. pr. p.). — Sp. 2. China.

TRIBUS II. **Cupressineæ.**SUBTRIBUS IV. **Actinostrobinæ.**

- 8323 17 *Actinostrobus* Miq. G. III. 425. — Sp. 2. Austral. austro-occ.  
 8324 18 *Callitris* Vent. G. III. 424. (*Frenela* Mirb.). — Sp. ad 15. Afr.,  
 Madagasc., Austral., N. Caled.  
 Sect. 1. *Pachylepis* B. et H., *Pachylepis* Brongn., *Parolinia*  
 et *Widdringtonia* Endl.  
 Sect. 2. *Tetraclinis* B. et H., *Callitris* Spach.  
 Sect. 3. *Hexaclinis* B. et H., *Callitris* Vent., *Frenela* Spach.  
 Sect. 4. *Octoclinis* B. et H., *Octoclinis* F. Müll., *Leichard-*  
*tia* Sheph.  
 8325 19 *Fitzroya* H. f. G. III. 425. (*Diselma* H. f., *Cupresstellata*  
 Senil.). — Sp. 2. Chili austr., Tasmania.

SUBTRIBUS V. **Thuyopsidineæ.**

- 8326 20 *Thuyopsis* S. et Z. G. III. 427 (sub *Thuya*). (*Thujopsis* Auct.).  
 — Sp. 1. Japon.  
*Platycladus* Spach pr. p.

- 8327 21 **Libocedrus** Endl. G. III. 426. — Sp. 8. Chili, N. Zel., N. Caled., Japon., China, Californ.  
Heyderia K. Koch, Calocedrus Kurz.
- 8328 22 **Thuya** L. G. III. 426. (*Thuja* Auct.). — Sp. 4. Asia centr., China, Japon., Amer. bor.  
Sect. 1. *Euthuya* B. et H.  
Sect. 2. *Biota* Eichl., *Biota* Endl., *Platycladus* Spach pr. p.

SUBTRIBUS VI. **Cupressinæ.**

- 8329 23 **Cupressus** L. G. III. 427. — Sp. 12. Asia temp., Eur. austro-or., Amer. bor., Mexic.
- 8330 24 **Chamæcyparis** Spach. G. III. 427 (sub *Thuya*). (*Chamæpeuce* Zucc., *Retinospora* S. et Z.). — Sp. 4. Amer. bor., Japon.

SUBTRIBUS VII. **Juniperinæ.**

- 8331 25 **Juniperus** L. G. III. 427. — Sp. 29 v. 31 ? Utriusque orbis reg. extratrop. et mont. hemisph. bor.  
Sect. 1. *Caryocedrus* Endl., *Arceuthos* Ant. et Kotschy.  
Sect. 2. *Oxycedrus* Endl., *Thuiæcarpus* Trautv.  
Sect. 3. *Sabina* Endl.

## B. TAXOIDEÆ.

TRIBUS III. **Taxoideæ.**

- 8332 26 **Saxogothæa** Lindl. G. III. 434. (*Squamataxus* Senil). — Sp. 1. Patagonia.
- 8333 27 **Microcachrys** H. f. G. III. 433. — Sp. 1. Tasmania.
- 8334 28 **Podocarpus** L'Hér. G. III. 434. — Sp. descr. ultra 60, ad 40 reduc. Amer. austr., Ind. occ., Afr. trop. et austr., Asia trop. mont., Australasia, Japon.  
Sect. 1. *Nageia* B. et H., *Nageia* Gärtn.  
Sect. 2. *Eupodocarpus* Endl.  
Sect. 3. *Stachycarpus* Endl., *Prumnopitys* Philippi.  
Sect. 4. *Dacrycarpus* Endl.
- 8335 29 **Dacrydium** Soland. G. III. 433. — Sp. 12. Archip. et Penins. Malay., Ins. Viti, N. Caled., N. Zel., Tasmania, Chili.  
*Lepidothamnus* Philippi, *Pherosphæra* Arch. G. III. 433.

TRIBUS IV. **Taxeæ.**

- 8336 30 **Phyllocladus** L. C. Rich. G. III. 432. (*Thalumia* Spreng.). — Sp. 3. Tasmania, N. Zel., Borneo.
- 8337 31 **Ginkgo** L. G. III. 431 et 1225. (*Salisburia* Sm., *Pterophyllus* Senil). — Sp. 1. China, Japon.

- 8338 32 *Cephalotaxus* S. et Z. G. III. 430. — Sp. 4 v. 1? China, Japon.  
 8339 33 *Torreya* Arn. G. III. 431. (*Caryotaxus* Zucc., *Fœtataxus* Senil).  
 — Sp. 4. Amer. bor., Japon., China.  
 8340 34 *Taxus* L. G. III. 431. (*Verataxus* Senil). — Sp. 6 v. 8.  
 Utriusque orbis reg. temp. hemisph. bor.

## ORDO CCX. CYCADACEÆ

TRIBUS I. *Cycadeæ*.

- 8341 1 *Cycas* L. G. III. 444. — Sp. ad 16. Orbis veteris reg. trop. et  
 subtrop.

TRIBUS II. *Zamiæ*.

- 8342 2 *Stangeria* T. Moore. G. III. 446. — Sp. 1 v. 2? Natal.  
 8343 3 *Bowenia* Hook. G. III. 446. — Sp. 1. Austral. bor.-or.  
 8344 4 *Dioon* Lindl. G. III. 445. (*Platyzamia* Zucc.). — Sp. 2. Mexic.  
 8345 5 *Encephalartos* Lehm. G. III. 445. (*Arthrozamia* Rchb.). — Sp.  
 ad 12. Afr. trop. et austr.  
 8346 6 *Macrozamia* Miq. G. III. 445. — Sp. ad 14. Austral. trop. et  
 temp.  
 Sect. 1. *Eumacrozamia* B. et H., *Macrozamia* Rgl.  
 Sect. 2. *Lepidozamia* B. et H., *Lepidozamia* Rgl, *Cataki-*  
*dozamia* T. Hill.  
 8347 7 *Ceratozamia* Brongn. pr. p. G. III. 446. (*Dipsacozamia* Lehm.).  
 — Sp. 6. Mexic.  
 8348 8 *Zamia* L. G. III. 447. — Sp. ad 30. Amer. trop. et subtrop.  
 bor.  
*Aulacophyllum* Rgl.  
 8349 9 *Microcycas* Miq. G. III. 447. — Sp. 1. Cuba.



## APPENDIX

### GENERA DUBIÆ SEDIS VEL NON SATIS NOTA

- Acœloraphis** H. Wendl. in Bot. Zeit. 148 (1879). Palm.  
**Acoridium** Nees in Plant. Meyen. 131. Cypel. ?  
**Acrodryon** Spreng. Syst. Veget. I. 365.  
**Adaphus** Neck. Elem. II. 240. Laurin. ?  
**Æchmophora** Spreng. ex Pfeiffer Nomencl. Bot. I. 61. « In ullo opere Sprengelii nobis noto invenitur » (B. et H. G. III. 1096).  
**Agrostomia** Cerv. in La Naturaleza. 345 (1869-70).  
**Aidia** Lour. Fl. Cochinch. I. 143.  
**Allagostachyum** Nees in Steud. Syn. Glum. 50.  
**Allasia** Lour. Fl. Cochinch. I. 84.  
**Alloteropsis** Presl Reliq. Hænk. I. 343. Gramin.  
**Aloexylum** Lour. Fl. Cochinch. I. 267.  
**Anagzanthæ** F. Baudo in Ann. Sc. Nat. sér. 2. XX. 344.  
**Androsyne** Salisb. Gen. Pl. Fragm. 61.  
**Anisosperma** « Manso » Lindl. Veg. Kingd. 315.  
**Anoma** Lour. Fl. Cochinch. I. 278.  
**Anthelia** Schott in Miq. Ann. Mus. Lugd. Bat. I. 127.  
**Antherura** Lour. Fl. Cochinch. I. 143.  
**Aphænandra** Miq. Fl. Ind. Bat. II. 341.  
**Aphanomyrtus** Miq. l. c. I. 480.  
**Aphloia** Benn. in Horst. Pl. Jav. rar. 192.  
**Arisacontis** Schott. Prodr. 415.  
**Aroton** Neck. Elem. II. 336.  
**Asciadium** Griseb. Bot. Pl. Cub. 118.  
**Aspidandra** Hassk. Hort. Bogor. Deser. 47.  
**Asthenochloa** Büse in Pl. Jungh. 367. Gramin.  
**Astrolinoides** F. Baudo in Ann. Sc. Nat. sér. 2. XX. 350.  
**Atelandra** Bello Apunt. para la Flora de Puerto-Rico (1881).  
**Ateramnus** P. Br. Hist. Jam. 339.  
**Augea** Lour. Fl. Cochinch. 337.  
**Aulacorhynchus** Nees in Linnaea. X. 198.

- Bambega** Blanco Fl. Filip. 379.  
**Baryxylum** Lour. Fl. Cochinch. I. 266.  
**Beloanthera** Hassk. in Flora (1842).  
**Bembix** Lour. Fl. Cochinch. I. 282.  
**Benzonia** Schum. et Thoun. Beskr. Guin. Pl. 113.  
**Berghesia** Nees in Linnæa. XX. 701.  
**Bernardina** F. Baudo in Ann. Sc. Nat. ? sér. XX. 344.  
**Bidwillia** Herb. in Lindl. Veget. Kingd. 203.  
**Bilabium** Miq. Fl. Ind. Bat. II. 730.  
**Bouzetia** Montr. in Mém. Acad. Lyon. X. 192.  
**Bradburya** Raf. Fl. Ludov. 104.  
**Bremontiera** DC. in Ann. Sc. Nat. sér. 1. IV. 93.  
**Bromfeldia** Neck. Elem. II. 317. Euphorb. ?  
**Bruea** Gaud. in Freyc. Voy. Bot. 511. Urtic. ?  
**Brunsvia** Neck. Elem. III. 337. Euphorb. ?  
  
**Calycotropis** Turcz in Bull. Mosc. II. 323 (1862). Caryophyll.  
**Caucanthus** Forsk. Fl. Æg.-Arab. 91.  
**Cervia** Rodrig. in Spreng. Syst. I. 138.  
**Chaboissæa** Fourn. Gramin. Mexic. 112.  
**Chænolobium** Miq. Fl. Ind. Bat. Suppl. I. 302.  
**Chæradodia** Herb. Amaryll. 87.  
**Chamæle** Miq. in Ann. Mus. Lugd. Bat. III. 59.  
**Charachera** Forsk. Fl. Æg.-Arab. 115.  
**Christmannia** Dennst in Schl. Hort. Malabar. 30. Celastr. ?  
**Chrysalidocarpus** H. Wendl. in Bot. Zeit. 118 (1878). Palm.  
**Cinogasum** Neck. Elem. II. 336. Euphorb. ?  
**Contarenia** Vaud. Fl. Lusit. et Brasil. 42. t. 3.  
**Covilhamia** Korth. in Ned. Kruid. Arch. I. 307.  
**Crafordia** Raf. in DC. Prodr. II. 522.  
**Cratochwilia** Neck. Elem. II. 339. Euphorb. ?  
**Cyclocarpa** Jungh. in Hœv. et de Vriese Tijdschr. VII.  
**Cycnia** Griff. Notul. IV. 431.  
**Cylindria** Lour. Fl. Cochinch. I. 69. Proteac. ?  
  
**Dadia** Vell. Fl. Flumin. 347.  
**Dartus** Lour. Fl. Cochinch. I. 123. Solan. ?  
**Delpechia** Montr. in Mém. Acad. Lyon. X. 220.  
**Dendrodaphne** Beurl in R. Vet. Akad. Stockh. Handl. 145 (1854).  
**Didierea** H. Bn in Bull. Soc. Linn. Paris. 255 (1880).  
**Digyroloma** Turcz. in Bull. Mosc. II. 329 (1862). Acanth. ?  
**Diodosperma** H. Wendl. in Bot. Zeit. 118 (1878).  
**Disakisperma** Steud. Syn. Glum. 287.  
**Discovium** Raf. in DC. Prodr. I. 120.



- Dissolæna** Lour. Fl. Cochinch. I. 317.  
**Distomanthera** Turcz. in Bull. Mosc. II. 328 (1862).  
**Dodecadia** Lour. Fl. Cochinch. I. 318.  
**Douarrea** Montr. in Mém. Acad. Lyon. X. 220.  
**Dugagelia** Gaud. in Freyc. Voy. Bot. 513.  
**Dugezia** Montr. l. c. X. 187. Hyperic.  
**Echinanthus** Cerv. in La Naturaleza. 346 (1869-70).  
**Elæogene** Miq. Fl. Ind. Bat. Suppl. 460.  
**Endosteira** Turcz. in Bull. Mosc. I. 575 (1863).  
**Endusa** in Ann. Nat. Hist. sér. 2. VIII. 172.  
**Epiphystis** Trin. Fund. Agrost. 97. Cyper. ?  
**Erucaria** Cerv. (nec Gärtn.) in La Naturaleza. 347 (1869-70).  
**Exotanthera** Turcz. in Bull. Mosc. II. 342 (1854).  
**Figuieria** Montr. in Mém. Acad. Lyon. X. 220.  
**Fissistigma** Griff. Notul. IV. 706.  
**Garugandra** Griseb. Symb. Fl. Arg. 96 (1879).  
**Gomesia** Llav. Reg. Trim. Mexic. 40 (1832).  
**Gonianthes** Rich. Fl. Cub. 149. Rubiac. ?  
**Guapira** Aubl. Pl. Guian. I. 308. (Gynastrum Neck.).  
**Halimolobos** Tausch in Flora. 410 (1836).  
**Haynea** Schum. et Thonn. Beskr. Guin. Pl. 406.  
**Herpyza** Wright ex Sauv. Fl. Cubana.  
**Heterapithmos** Turcz. in Bull. Mosc. I. 265 (1859).  
**Hexadica** Lour. Fl. Cochinch. II. 562.  
**Heynichia** Kth. Ind. Sem. Hort. Berol. 8 (1844).  
**Hornera** Jungh in Hœv. et Vriese Tijdschr. VII. 314.  
**Huegelia** R. Br. mss. Endl. Gen. Pl. n° 6013 (1840).  
**Hydropyxis** Raf. in DC. Prodr. III. 864.  
**Kampmannia** Steud. Syn. Glum. 34.  
**Karpaton** Raf. Fl. Ludov. 78.  
**Lascodium** Raf. Fl. Ludov. 114.  
**Lemairea** De Vriese in Nat. Verh. Haarl. X. 189.  
**Lencymmæa** Presl. Epimel. Bot. 211.  
**Lenzia** Phil. in Linnæa. XXXIII. 222. Amarant. ?  
**Leptophragma** R. Br. et Benn. Pl. Jav. Rar. 185.  
**Licaria** Aubl. Pl. Guian. 313.  
**Loureira** Meisn. Comm. Gen. 53 (Toluiifera Lour.).  
**Lozania** Mutis Sem. Nov. Gran. 20 (1810).  
**Luntia** Neck. Elem. II. 335. Euphorb. ?  
**Macahanea** Aubl. Pl. Guian. Suppl. 6. t. 371.

**Malaparius** Miq. Fl. Ind. Bat. I. 1082.

**Margaritaria** L. f. Suppl. 66.

**Margaritopsis** Wright (non Sauv.).

**Melananthus** Walp. in Bot. Zeit. 788 (1850).

**Menais** (Löfl.) L. Gen. n. 239.

**Menestoria** DC. Prodr. IV. 390.

**Michoxia** Vell. Fl. Flum. V. t. 103.

**Micræa** Miers. Trav. Chil. II. 529. Gentian. ?

**Microlobius** Presl. Bot. Bem. 66. Legumin. ?

**Micronoma** H. Wendl. in litt. (B. et H. G. III. 882). Palm.

**Mimelea** Phil. in Anal. Univ. Chil. II. 336.

**Nephrostigma** Griff. Notul. IV. 717.

**Nyctophylax** Zipp. in Flora. 286 (1829).

**Nyrophylla** Neck. Elem. II. 240. Laurin.

**Odontanthera** Wight in Lindl. Veget. Kingd. 626.

**Onosuris** Raf. Fl. Ludov. 96 (1817).

**Othera** Thunb. Fl. Jap. 4.

**Pelticalyx** Griff. Notul. IV 706.

**Pentarhaphis** H. B. K. Nov. Gen. et Sp. I. 177. Gramin.

**Petrusia** H. Bn in Bull. Soc. Linn. Paris. 351 (1869-70).

**Phyllepidum** Raf. ex Desv. Journ. Bot. I. 218.

**Phylloxylon** H Bn in Adans. II. 56.

**Physanthera** Spreng. Syst. Veget. III. 730. Composit.

**Physopodium** Desv. in Ann. Sc. Nat. sér. 4. II. 403.

**Piptocelus** Presl. in Abh. Böhm. Ges. 5<sup>te</sup> Folge. III. 466 (1845).

**Piptosaccos** Turcz. in Bull. Mosc. I. 415 (1858).

**Placolobium** Miq. Fl. Jap. Fam. Nat. II. 98.

**Plagiostigma** Zucc. in Fl. Jap. Fam. Nat. II. 98.

**Platymerium** Barth. ex DC. Prodr. IX. 619.

**Pleurostemon** Raf. (Pleurandra Raf.) in Journ. Phys. LXXXIX. 258 (1825).

**Podopogon** Ehrenb. in Ledeb. Veget. Kingd. 446. Gramin.

**Pogcnanthus** Montr. in Mem. Acad. Lyon. X. 220.

**Pogonopsis** Presl. Reliq. Haenk. I. 233. Gramin.

**Polyosus** Lour. Fl. Cochinch. 75.

**Polyschistis** Presl Reliq. Haenk. I. 294.

**Pseudiosma** A. Juss. in Mem. Mus. XII 319 (1825).

**Pterocœllion** Turcz. in Bull. Mosc. I. 572 1863.

**Quinquelobus** Benj. (Benjaminia Mart.) Linnaea. XX. 319.

**Radackea** Endl. in Ann. Wien. Mus. I. 486.

**Ravenia** Bouché in Monatsb. Ver. Belford. Gartenb. 197 1878.

- Reilia** Steud. Syn. Glum. II. 311. Umbellif. ?  
**Rixea** C. Morren ex Lindl. Veget. Kingd. 367.  
**Rœbelia** Engel in Linnæa. XXXIII. 680. Palm.  
**Ryparosa** Bl. Bijdrag. 600. (Ryparia Bl., Rhyparia Hassk.)  
  
**Sabbata** Vell. Fl. Flumin. 352.  
**Samodia** F. Baudo. Ann. Sc. Nat. sér. 2. XX. 344.  
**Schieckea** Karst. in Bot. Zeit. 398 (1818).  
**Senacia** Lam. Illustr. II. n. 2712.  
**Sericospora** Nees in DC. Prodr. XI. 44.  
**Serresia** Montr. in Mém. Acad. Lyon. X. 179. Violar. ?  
**Singana** Aubl. Fl. Guian. 574.  
**Siphomeris** Bojer. ex Hook. Bot. Misc. III. 313.  
**Soala** Bl. El. Filip. 437.  
**Solenocera** Zipp. ex B. et H. G. II. 26. Loganiac. ?  
**Souleyetia** Gaud. Bot. Voy. Bonite. tab. 19. Pandan. ?  
**Spondylantha** Presl. Reliq. Hænk. II. 33. (Vitis sp. f. monstr.)  
**Stachyacanthus** Nees in Mart. Fl. Brasil. IX. 63. Acanth. ?  
**Staphylorhodos** Turcz. in Bull. Mosc. II. 231 (1862).  
**Stenostachys** Turcz. l. c. II. 330 (1862).  
**Stigmanthus** Lour. Fl. Cochinch. 146.  
**Stigmatoccoca** Willd. in Schult. Mant. III. 3 et 53.  
**Sulipa** Bl. l. c. 497. Cyrtandr. ?  
  
**Tachibota** Aubl. Pl. Guian. 287.  
**Tala** Blanco Fl. Filip. 484.  
**Tayotum** Blanco l. c. 104.  
**Tetractys** Spreng. (*Tetractis* DC.) Neu. Entd. III. 33.  
**Tetragyne** Miq. Fl. Ind. Bat. Suppl. 463. Euphorb. ?  
**Tetralix** Griseb. Cat. Pl. Cub. 8.  
**Tetreilema** Turcz. in Bull. Mosc. II. 199. (1863).  
**Thamnoseris** Phil. in Anal. Univ. Chil. (1875).  
**Thryocephalon** Forst. Char. Gen. 129. t. 63.  
**Thuraria** Molina. Hist. Chil.  
**Thysanus** Lour. Fl. Cochinch. 284.  
**Tralliana** Lour. Fl. Cochinch. 157.  
**Trichodictidia** Gerv. in La Naturelle. 346. 1869-70.  
**Trilepisium** Thou. Nov. Gen. Madag. 22.  
**Tripinna** Lour. Fl. Cochinch. 391 (Tripinnaria Pers.).  
**Tropidopetalum** Turcz. in Bull. Mosc. I. 263 (1859).  
**Tula** Adans. Fam. II. 500 (1763).  
  
**Valcarcelia** Lag. ex Lindl. Introd. Nat. Syst. éd. 2. 157.  
**Valentiana** Raf. Speech. I. 67.

**Vanieria** Lour. Fl. Cochinch. 564.

**Votomita** Aubl. Fl. Guian. I. 90.

**Walkera** Schreb. Gen. 378 (*Mæsia* Gärtn. f. Fruct. I. 344)

**Xenochloa** Licht. in R. et S. Syst. II. 29, 51. Gramin. ?

---

**Chibaca** Bert. in Rosenth. Syn. Pl. Diaphor. 238.

**Coccoderma** Miers in Lindl. Veget. Kingd. 309<sup>b</sup>.

**Corynocarpus** Forst. Char. Gener. 31 (1776).

**Cryptodiscus** Schrenk. Enum. Pl. Nov. 65 (1841.

**Cymelonema** Presl. Epimel. Bot. 570.

**Cypellium** Desv. in Ham. Pl. Ind. Occ 28.

**Dasycarya** Liebm. in Vidensk. Meddel 98 (1853)

**Geruma** Forsk. Fl. Æg. Arab. 62.

**Hygæa** Hanst. in Linnæa XXVI. 209.

**Lachnochloa** Steud. Syn. Glum I 5.

**Lechlera** Miq. (ubi ?) Zanthoxyl.

**Lepturopsis** Steud. Syn. Glum. I. 357.

**Paradisanthus** Rehb. f. Bot. Zeit. 9.00 (1852.)

**Peltostegia** Turcz. in Bull. Mosc. I. 223 (1858 .

---

# ADDENDA ET EMENDANDA

ANTE USUM OPERIS SUIS LOCIS INSERENDA).

## I. ADDENDA

### ORDO IV. **MAGNOLIACEÆ**

- 52 **Cercidiphyllum**,  
Genus a Maximowicz in *Bull. Acad. St-Pétersb.* VIII. 367  
(1871) Magnoliaceis (Trochodendreis) adnumeratum, a  
Baillon in *Adans.* X. 132, rectius inter Hamamelideas  
tractari videtur esti in *Hist. des Plantes* p. 408, inter genera  
dubia Saxifragacearum relictum est (cl. Radlk. in lit.).
- 54<sup>b</sup> **Cosbæa** Lam. in *Illustr. hort.* 71 (1855). — Sp. 1. Patria ignota.
- 62 **Schizandra**, adde :  
Trochostigma Auct. pr. p. (*T. repandum* S. et Z.) (cf. cl.  
Radlk. in *Sitz. K. b. Acad.* 303. 1886).

### ORDO V. **ANONACEÆ**

- 83<sup>b</sup> **Fitzgeraldia** F. Müll. *Fragm.* VI. 1. — Sp. 1. Austral.
- 72<sup>b</sup> ?**Pleuripotalum** Becc. in *N. Giorn. bot. Ital.* III. 181. — Sp. 1.  
Borneo.

### ORDO VI. **MENISPERMACEÆ**

- 130<sup>b</sup> **Fawcettia** F. Müll. *Fragm.* X. 93. — Sp. 1. Austral. austro-occ.
- 137 **Anamirta**,  
dele synon : *Chlænandra* Miq. (cf. n. 1225 sub *Olacineis*).
- 151<sup>b</sup> **Strychnopsis** H. Bn in *Bull. Soc. Linn. Paris.* 456. — Sp. 1.  
Madagasc.
- 153<sup>b</sup> **Hypsepodes** Miq. in *Ann. Lugd. Bat.* IV. 82. — Sp. 1. Timor.
- 154<sup>b</sup> **Leichardtia** F. Müll. *Fragm.* X. 67 (1876). — Sp. 1. Austral.

Genus incertæ sedis

- 181<sup>b</sup> ?**Hornschuchia** Nees (fide B. et H. *Gen. Plant.* II. 663, non  
Styracea, uti ibid. I. 392 legitur). — Sp. 2. Brasil.  
(cl. Radlkofer in lit.).

ORDO VII. **BERBERIDEÆ**182 **Lardizabala**

Thouinia Domb. mss. (cf. Endl. *Genera*. n. 4703). (cl. Radlk. in lit.).

ORDO XI. **FUMARIACEÆ**234 **Dicentra**, adde :

Hedycapnos Planch. in *Fl. Serres*. VIII. 193.

ORDO XII. **CRUCIFERÆ**

253<sup>b</sup> **Pirea** Nob. (*Dictyosperma* Rgl *Pl. Fedtsch.* 1, non Wendl. et Drude). — Sp. 1. Asia centr.

287<sup>b</sup> **Fedtschenkoa** Rgl *l. c.* 8. — Sp. 1. Turkest.

309<sup>b</sup> **Stanfordia** S. Wats. *Fl. Calif.* II. 479. — Sp. 1. Californ.

ORDO XIII. **CAPPARIDEÆ**425 **Cleome**, ante sect. 1. adde :

Sect. *Thylacophora* Franch. in *Journ. de Bot.* m. Mart. 1887.

437<sup>b</sup> **Stuebelia** Pax in *Engl. Bot. Jahrb.* IX. 39 (1887). — Sp. 1. Columbia.

442 **Saheria** Fenzl in Kotschy *Fl. Æthiop. Exsicc.* 1837-39. n. 480. — Sp. 2 v. 3. Afr. trop.

*Mærua* Auct. pr. p. (*M. virgata* Dene mss. ex seq.), Courbonia Brongn. G. I. 969, *Physanthemum* Kl. (cf. cl. Radlk. in *Sitzb. K. b. Acad.* 78, annot. (1884).

444<sup>b</sup> **Forchhammeria** Liebm. (cf. n. 6414 sub *Euphorbiaceis*). — Sp. 2. Mexic.

Hoc genus post *Bosciam* recensendum ex cl. L. Radlk. in *Sitzb. K. b. Acad.* 58 (1884).

446 **Capparis**.... (sectio nova).

Sect. 1. *Monostichocalyx* Radlk. in *Sitzb. K. b. Acad.* 103 (1884).

Genus incertæ sedis

454<sup>b</sup> **Belencita** Karst. in Koch's *Berl. Allg. Gartenz.* 25 (1857). — Sp. 1. Columbia.

ORDO XVI. **VIOLARIEÆ**

Genus incertæ sedis

488<sup>b</sup> ? **Acentra** Philippi Sert. *Mendoz.* 3 (1871). — Sp. 1. Chili.

## ORDO XVII. CANELLACEÆ

- 489 **Canella** P. Browne *Hist. Jam.* 275. tab. 27. fig. 3 (1746) (nec uti in *Gen. Plant.* I. 121 refertur, Sm. in *Trans. Linn. Soc.* I. 96, tab. 8, (1791). (cf. cl. Radlk. in *Sitzb. K. b. Acad.* 162. 1884).  
 491<sup>b</sup> **Asteriastigma** Bedd. in *Fl. Sylv.* II. 266. — Sp. 1. Travancor.

## ORDO XXI. POLYGALEÆ

- 555 **Xanthophyllum**,  
 Skophium Miq. *Fl. Ind. Bot. Suppl.* 357.

## ORDO XXIV. CARYOPHYLLEÆ

- 573 **Gypsophila**,  
 Dianthella Clauson in Pomel *Nouv. Mat. Fl. Atlant.* 9.

## ORDO XXV. PORTULACEÆ

- 606 *dele* **Pleuropetalum** et conf. n. 5916 (sub *Amarantaceis*).  
 Genus incertæ sedis  
 622<sup>b</sup> **Chromanthus** Philippi (loc. nobis ignot. edit.). — Sp. 1. Chili.

## ORDO XXVI. TAMARISCINEÆ

- 627 **Fouquieria** H. B. K. (*Fouquiera* Spreng.).  
 Idria Kell. in *Pr. Amer. Acad.* II. 34 (*F. columnaris*).

## ORDO XXVII. ELATINEÆ

- 629 **Bergia**,  
 Sphondylococca Willd. *Reliq.* in R. et S. *System.* VI. 70, 799. (cf. cl. Radlk. in *Sitzb. K. b. Acad.* 387) (1878).

## ORDO XXIX. GUTTIFERÆ

- 638<sup>b</sup> **Leioclusia** H. Bn in *Bull. Soc. Linn. Paris.* 244. — Sp. 1. Madagasc.  
 660<sup>b</sup> ?**Vidalia** Vell. ex Blanco *Fl. Filip. Nov. App.* 17. — Sp. 1. Ins. Philippin.

## ORDO XXX. TERNSTROEMICEÆ

- 673 **Eremolæna** H. Bn. .... ad *Chlænacæas* referend. videtur.  
 676<sup>b</sup> **Llanosia** Blanco *Fl. Filip.* ed. 2. p. 319. — Sp. 1. Ins. Philippin.

ORDO XXXI. **DIPTEROCARPEÆ**

- 710<sup>b</sup> **Vatica** L. Sp. 18. (Cf. cl. Burck in *Ann. Jard. Buit.* VI. pars 2. 181 (1887).  
 714<sup>b</sup> **Balanocarpus** Bedd. *Fl. Sylv.* t. II. tab. 329 et 330. — Sp. 1. Ind. or. et centr.  
 719 **Isoptera** Scheff. *Annot.* in *Hort. Bogor.* — Sp. 1. Borneo (cf. cl. Burck in *Ann. Jard. bot. Buit.* VI. 2. 188 (1887).

ORDO XXXII. **CHLÆNACEÆ**

- 726 **Xylolæna** H. Bn (nec *Xyloolæna*) = **Scleroolæna** Ejusd. (n. 724).

ORDO XXXIII. **MALVACEÆ**

- 735<sup>b</sup> **Horsfordia** A. Gray. in *Pr. Amer. Acad.* 296 (1887). — Sp. 2. Amer. bor. occ.  
 735<sup>b</sup> **Luederitzia** Schum. in *Engl. Bot. Jahrb.* IX. 3 (1887).  
 767 **Thurberia** A. Gray. Genus mancum cum *Gossypio* jungendum (cl. Wright).

ORDO XXXIV. **STERCULIACEÆ**

- 815<sup>b</sup> **Gilesia** F. Müll. *Fragm.* IX. 41. — Sp. 1. N. Caled.  
 833<sup>b</sup> **Maxwellia** H. Bn in *Adans.* X. 100. — Sp. 1. N. Caled.

ORDO XXXV. **TILIACEÆ**

- 882 **Sloanea**,  
     *Pouteria* Aubl. quoad fruct. (*Chætocarpus* Schreb.). (Cf. cl. Radlk. in *Sitz. K. b. Acad.* 327 (1881).

ORDO XXXVIII. **MALPIGHIACEÆ**

Genus incertæ sedis

- 943<sup>b</sup> ?**Stenocalyx** Turcz. in *Bull. Soc. Mosc.* II. 293 (1858).

ORDO XL. **GERANIACEÆ**

Genus incertæ sedis

- 1005<sup>b</sup> ?**Dirachmia** Balf. f. in *Proc. Roy. Soc. Edinb.* (1883). — Sp. 1. Socotra.

ORDO XLI. **RUTACEÆ**

- 1008 **Erythrochiton**,  
     *Hypophyllanthus* Rgl in *Gartenflora.* XV. 182 (1866).



- 1011 **Galipea**,  
Systemon Rgl. *Ind. Semin.* 38 (1856).  
1016 **Ticorea**,  
Endostephium Turcz. in *Bull. Soc. Mosc.* II. 227 (1863).  
1059 pro *Adans.* VII. 327, lege : X. 327.  
1078<sup>b</sup> **Orixa** Thunb. *Fl. Japon.* 3. — Sp. 1. Japon.  
1086<sup>b</sup> **Bonninia** Planch. in *Ann. Sc. Nat. sér. 5.* XIV. 309 (1871). —  
Sp. 1. Ins. Bonin.

ORDO XLII. **SIMARUBACEÆ**

- 1136 **Picramnia**,  
Valenzuela Mut., non Bert. (v. Endl. *Gen. Plant.* 1334)  
teste Triana in scheda *Picramniæ Corallodendron* Tul. ab  
ipso collectæ (cl. Radlk. in lit.).  
Genus anomalum  
1138<sup>b</sup> **Marupa** Miers in *Journ. Bot.* 260 (1873). — Sp. 1. Brasil.

ORDO XLIV. **BURSERACEÆ**

- 1156<sup>b</sup> ?**Tapirocarpus** Sagot in *Ann. Sc. Natur. sér. 3.* XIII. 292 (1882).  
— Sp. 1. Guiana.  
Tapirira Aubl. quoad fruct.?

ORDO XLV. **MELIACEÆ**

- 1176<sup>b</sup> **Megaphyllæa** Hemsl. in Hook. *Icon. Plant.* tab. 1708. — Sp. 1.  
Ind. or.

ORDO XLVII. **OLACINEÆ**

- 1207<sup>b</sup> **Endusa** Miers. G. I. 345. — Sp. 1 (*E. pustulata* Radlk. in *Sitzb. K. b. Acad.* 313. 1886). Peruvia.  
1213 **Ctenolophon**,  
Genus anomalum dicitur a cl. Radlkofer in lit.  
1244 **Pteleocarpa**.... adde : Sumatra, Borneo.  
*Ehretiaceis* potius (nec *Ericaceis*, uti refert cl. Valetton) affine  
dicitur genus a cl. Beccari in *Malesia*. I. 2. p. 110, 130.  
(1887) (cl. Radlk. in lit.).  
1221 **Schœpfia**,  
Schœpfiosis Miers in *Journ. Linn. Soc.* XVII. 74.  
1250<sup>b</sup> **Tridianisia** H. Bn in *Bull. Soc. Linn. Paris.* 197 (1879). — Sp. 1.  
Madagasc.  
1262 **Iodes**,  
*Erythrostaphyle* Hance in *Journ. Bot.* 266 (1873).

## ORDO XLVIII. ILICINEÆ

1265 **Ilex**,

Synon. adde : *Sideroxylon* Willd. *Enum. Hort. Berol.* 249.  
huc recensend. ex autopsio stirpis in *Hb. Willd.* sub  
n. 4617 servatæ (nec ad genus « *Myrsine* L. » ut in G. II.  
642) (cl. Radlk. in lit.).

## ORDO L. CELASTRINEÆ

1288 *dele* *Orixa* Thunb. (cf. n. 1078').1288<sup>b</sup> **Scytophyllum** E. et Z. G. I. 365 (sub *Gymnosporia*). — Sp. 2.  
Pr. B. Sp.1308 **Wimmeria** Schlecht. G. I. 369. — Sp. 6. Mexic., Montevideo.

*Dodonæa* sp. (*D.?* *serrulata*) DC. (cf. cl. Radlk. in *Sitzb. K.*  
*b. Acad.* 379 (1878).

Sect. 1. *Endalophus* Radlk. l. c.Sect. 2. *Endolophus* Radlk. l. c.

## ORDO LI. HIPPOCRATEACEÆ

1313 **Salacia**,

Synon. adde : *Sethia* sp. (sphalmate loco *Salaciæ* sp. (*S. oblonga*  
Wall.) *Wight Icon.* tab. 97. ex cl. Radlk. in lit.).

## ORDO LIII. RHAMNEÆ

1318 **Ventilago**,Enrila Blanco *Fl. Filip.* 709.1335<sup>b</sup> **Barcenia** Dugès in *Revist. Cientif. Mexic.* I. n. 5. p. 8 (1880). —  
Sp. 1. (*Colubrina glomerata* Hemsl.) Mexic.1336<sup>b</sup> **Apteron** Kurz in *Journ. Soc. As. Beng.* II. 301 (1872). — Sp. 1.  
Ind. or.1355 **Gouania**,*Trisecus* Willd. *Reliq.* in R. et S. *Syst.* VI. 61.

Genera incertæ sedis

1357<sup>b</sup> ? **Macrorhamnus** H Bn in *Adans.* XI. 273. — Sp. 1. Madagasc.1357<sup>c</sup> ? **Reynosia** Griseb. *Catal. Pl. Cub.* 33. — Sp. 1. Cuba.1357<sup>d</sup> ? **Marlothia** Engl. *Bot. Jahrb.* IX. 2 (1887).

## ORDO LV. SAPINDACEÆ

Pag. 71. Post titulum « *Sopra i varii tipi delle anomalie dei tronchi nelle*  
*Sapindacee* », insere (errore typographico omissa) : Atti del Congresso

tenuto à Firenze 1874 (impress. 1875. p. 60-63); *Monographia Serjaniæ*, Monachii 1875, 392 pp.; *Sopra un arillo speciale di una Sapindacea* (signitur : Atti del Congresso tenuto à Palermo 1870, etc.) (L. Radlkofer).

ORDO LVII. **ACERACEÆ**

- 1495 *Dobinea* Ham.... Ad *Anacardiaceas* transferenda (et forsan prope *Boueam*, n. 1513, inseranda) est, uti methodus anatomica docet et partium fructificationis analysis accuratior, monente cl. Radlkofer in lit.

ORDO LXI. **ANACARDIACEÆ**

- 1545<sup>b</sup> *Blepharocarya* F. Müll. *Fragm.* XI. 15 (inter *Sapinduceas*). — Sp. 1. Austral.  
Huc recensenda ex cl. Radlk. in *Sitzb. K. b. Acad.* 592. (1879).

ORDO LXIV. **CONNARACEÆ**

- 1568 *Rourea* Aubl. G. I. 432 (excl. syn. *Canicia* Vell. ad *Connarum* recensend.).  
Connarus DC. non L., Connarus sp. (*C. obliquus*) Vidal, Omphalobium sp. (*O. obliquum*) Presl, Enourea Auct. (cf. cl. Radlk. in *Sitzb. K. b. Acad.* 366 et 371 (1886)).  
1571 *Connarus* L. G. I. 432.  
*Canicia* Vell. *Fl. Flumin.* IV. tab. 139 (sphalmate 129 in B. et H. *Gen. Plant.*) ex cl. Baker in *Fl. Brasil.* XIV. 2. 190 (1871), *Cnestidium* sp. (*C. lasiocarpum*) Bak. cf. cl. Radlk. in *Sitzb. K. b. Acad.* 360 (1886).

ORDO LXV. **LEGUMINOSÆ**

- 1616<sup>b</sup> *Plagiocarpa* Benth. in Hook. *Icon. Plant.* tab. 1162.  
1644 *Genista*,  
Synon. adde : *Pterospartium* Willk. et Lange *Prodr. Fl. Hisp.* III. 440.  
1645 *Cytisus*,  
Synon. adde : *Enantiosparton* K. Koch *Dendrol.* I. 34.  
1653<sup>b</sup> *Bolusia* Benth. in Hook. *Icon. Plant.* tab. 1163. — Sp. 1. Afr. austr.  
1661 *Herpyza* Sauvalle *Fl. Cub.* 29. — Sp. 1. Cuba.  
1712 *Swainsona*,  
*Loxidium* Vent. *Decad. genr. nouv.* n. 9.  
1749 *Cyclocarpa* Afzel in *Jahrb. K. Bot. Gart. Berl.* III. 247 (1884). — Sp. 1. Afr. trop. occ.

- 1750<sup>b</sup> **Ctenodon** H. Bn in *Adans.* IX. 236. — Sp. 1. Brasil.  
 1813 **Phaseolus**,  
     Synon. adde : *Lepusa* Alef. in *Bot. Zeit.* 253 (1866).  
 1819 **Baukea** Vatke in *Linnæa.* XLIII. 104. — Sp. 1. Madagasc.  
 1838 *pro* *Pœcilanthe*, *lege* : *Pœcilanthe*.  
 1846 **Derris**,  
     *Lonchocarpus* sp. (*L. pterocarpus*) DC. ex Benth. in *Fl. Brasil.* XV. 1. 288 (1862).  
     ? *Phyllocarpus* Riedel mss. ex Endl. *Gen. Plant. Suppl.* II. 97 (1842) cum syn. « *Lonchocarpus pterocarpus* DC. » (non *Phyllocarpus* Riedel *Index. Gen. phaner.* n. 1907) in Herb. Mus. Paris ex Tul. in *Ann. Sc. Nat. sér. 2.* XX. 142 (1843).  
 1936<sup>b</sup> ? **Koompasssea** Maingay in Hook. *Icon. Plant.* tab. 1164. — Sp. 1. Malabar.  
 1942<sup>b</sup> **Lysidice** Hance in *Journ. Bot.* 298 (1867). — Sp. 1. China.  
 1971 **Cynometra**,  
     *Maniltoa* Scheff. in *Ann. Jard. Buit.* I. 20.

ORDO LXXI. **BRUNIACEÆ**

- 2218 *lege* **Diberara** H. Bn (*Berardia* Brongn. non Vill.)

ORDO LXXIV. **COMBRETACEÆ**

- 2249 **Terminalia**,  
     *Alectryon* sp. (A. ? *canescens*) DC. *Prodr.* I. 617 (1824).  
     *Terminalia circumalata* F. Müll., nunc *Terminalia canescens* nominanda ex cl. Radlk. in lit.

ORDO LXXV. **MYRTACEÆ**

- 2280 **Bæckeia**,  
     Sect. 3<sup>b</sup> *Pauromyrtus* Radlk. in *Ber. Deutsch. Bot. Gesellsch* II 264 ( 884).

ORDO LXXXVIII. **UMBELLIFERÆ**

- 2744 *lege* **Platysace** Bge emend. (*Siebera* Rehb., non Presl).  
 2918<sup>b</sup> **Prionosciadium** S. Wats. in Pringle *Pl. Mexic. exsic.* n. 1251 (1887). — Sp. 1. Mexic.

ORDO XCII. **RUBIACEÆ**

- 3176<sup>b</sup> **Brachytome** H. f. *Icon. Plant.* tab. 1088 (G. II. 87). — Sp. 1. Himal., Khasia.

- 3264 *lege* : **Buseria** Nob. (*Leiochilus* H. f. G. II. 116, noa Kn. et West. G. III. 564).
- 3223<sup>b</sup> **Bunophila** Willd. *Reliq.* in R. et S. *Mantissa*. III. 8 (1827) (sphal-  
mate « *Punophila* » 128. — Sp. 1. Amer. mer. (Mexic. ?).  
Cf. cl. Radlk. in *Sitz. K. b. Acad.* 387-390 (1878), Anne  
*Knoxia*? etsi corolla imbricata (Id. in lit.)
- 3345<sup>b</sup> **Hemidiodia** Schum. in *Fl. Brasil.* (Rubiaceæ) fasc. I. 29 (1888).  
— Sp. 1. Amer. calid. a Mexico usque ad Brasil.
- 3342<sup>b</sup> **Gomphocalyx** Bak. in *Journ. Linn. Soc.* XXII. 485 (1887). —  
Sp. 1. Madagasc.
- 3358<sup>b</sup> **Schwendenera** Schum. in *Sitz. Naturf. Freund. Berol.* 157 (1886).  
— Sp. 1. Brasil.

ORDO XCVI. **COMPOSITÆ**

- 4146<sup>b</sup> ? **Nouelia** Franch. in *Journ. de Bot. m.* Mart. 1888. — Sp. 1.  
Yun-Nan.

ORDO CX. **SAPOTACEÆ** <sup>(1)</sup>

- 4483<sup>b</sup> **Pradosia** Liais in *Géogr. bot. Brasil.* 615 (1872). — Sp. 1.  
(*P. lutescens* nominanda ex cl. Radlk. in lit.). Brasil.  
Chrysophyllum glycyphloeum Casar., C. Baranhem Ried.,  
Lucuma glycyphloea Mart. et Eichl., Pometia (*P. lactescens*)  
Vell., non Forst. G. II. 634, Pouteria sp. (*P. lactescens*)  
Radlk. l. c. 333 (1881) quæ nomina in synonyma *Pouteriæ*  
Aubl. emend. delenda sunt.
- 4495 **Pouteria**,  
dele synonyma *Pradosiam* spectantia quæ conferenda in ante-  
cedente.
- 4510<sup>b</sup> **Diploknema** L. Pierre in *Arch. néerland. Scienc. exact. et natur.*  
XIX. 104 (1884). — Sp. 1. Borneo.
- 4511 **Bassia**.  
Ob *Bassiam* All. 1766, forsan restituendum (cf. Radlk. in  
*Sitz. K. b. Acad.* 322 (1881) F. Müller errore captus nomen  
vernaculum « Illippe » Malabarorum « König mss. » a  
Linnæo in *Mantissa Plant.* 1771. p. 563, nomini « Bassia »  
(« autore cl. König » ex Linn. ibid. p. 555) adjectum gene-  
ricum et Bassiæ Linn. (resp. König) substituendum putavit  
in *Hamburger Garten und Blumenzeitung.* Jahrg. XLI.  
303 (1885).

Pag. 257. Deleatur quod dicitur sub titulo « Genera serius inserenda » ;  
cf. Addenda antecedentia de *Diploknema* et *Illippe*.

(1) Auct. cl. L. Radlkofer.

ORDO CXVII. **LOGANIACEÆ**

- 4886 **Coinochlamys**... lege : Sp. 3? Afr. trop. (cf. cl. S. Moore in *Journ. Bot.* 138 (1878).  
 4901 **Adenoplusia**. . lege : Sp. 2. Madagasc. (cf. cl. Radlk. in *Ber. deutsch. Bot. Gesells.* II. 239, 1884).  
 4902 **Adenoplea**... lege : Sp. 2. Madagasc. (cf. cl. Radlk. l. c. 261).

ORDO CXXIV. **SCROPHULARINEÆ**

- 5311<sup>b</sup> **Xylocalyx** Balf. f. *Liagn. pl. nov.* pars 3. 84. — Sp. 1. Socotra.

ORDO CXXVIII. **GESNERACEÆ**

- 5399<sup>b</sup> **Petrocosmea** Oliv. in Hook. *Icon. Plant.* tab. 1716 (1877). — Sp. 1. China.

ORDO CXXXII. **MYOPORINEÆ**

- 5650 **Boutia** L. ... — Sp. 1. Ind. occ. — Nec « or » uti l. c. refertur.

ORDO CLIII. **LAURINEÆ**

- 6216<sup>b</sup> **Gomortega** R. et P. G. III. 149.  
*Adenostemum* Pers., *Keulia* Molina *Saggio sulla storia naturale de Chile* éd. 2. 1810, pp. 159 et 288 (nomen a B. et H. fide G. III. 150 non inventum in opere Moliniano), *Lucuma* sp. (*L. Keule*) Molina l. c. éd. 1. 1782. (cf. cl. Radlk. in *Sitzb. K. b. Acad.* 315 et 316 (1881).

ORDO CLIV. **THYMELÆACEÆ**

- 6276<sup>b</sup> **Linodendron** Griseb. G. III. 192 (sub *Lasiadenia*). — Sp. 4. Cuba.  
 Genus distinct. restituendum (cf. cl. Radlk. in *Sitzb. K. b. Acad.* 496 (1884).  
 6306 **Gonostylus**... lege : Sp. 3. Java, Borneo (cf. cl. Radlk. l. c. 329 (1886).

ORDO CLIX. **BALANOPHOREÆ**

Genera incertæ sedis

- 6368<sup>b</sup> **Hachettea** H. Bn in *Bull. Soc. Linn. Paris.* 229 (1879). — Sp. 1. N. Caled.  
 6368<sup>c</sup> **Cephalophyton** H. f. in *Journ. Linn. Soc.* XX. 250. — Sp. 1. Madagasc.

ORDO CLXXXVI. **PONTEDERIACEÆ**

Genus incertæ sedis

- 7564<sup>b</sup> ? *Hydrothrix* H. f. in *Annals of Botany*. 90. t. VII (1887). — Sp. 1. Brasil.

ORDO CXCIV. **PALMÆ** <sup>(1)</sup>

- 7617 *Pinanga* Bl. Becc. *Malesia*. III. 100. — Sp. 40.  
Cladosperma Griff. *Notul.* III. 163, Ophiria Becc. in *Ann. Jard. Buit.* II. 128 et *Malesia*. III. 129.
- 7617 *Kentia* Bl. Becc. *Ann. Jard. Buit.* II. 127. — Sp. 1. (*K. procera* Bl.). N. Guinea.
- 7617<sup>b</sup> *Gulubia* Becc. *l. c.* II. 137. — Sp. 2. (*Kentia* Auct.). Ins. Molucc., N. Guinea.
- 7617<sup>c</sup> *Carpentaria* Becc. *l. c.* II. 128. — Sp. 1. (*C. acuminata* Becc., *Kentia acuminata* Wendl. et Dr.). Austral. bor. (*Carpentariæ sinus*).
- 7617<sup>d</sup> *Exorhiza* Becc. *l. c.* 128 et 169. — Sp. 1. (*E. Wendlandiana* Becc., *Kentia exorhiza* Wendl.). Ins. Viti.
- 7620 *Gronophyllum* Scheff. Becc. *l. c.* II. 79. — Sp. 2 (non 4). Ins. Molucc. et Celebes.
- 7621 *Nengella* Becc... — Sp. 2 (*N. flabellata* et *moutana* Becc.). Ins. Papuanæ.
- 7625 *Nenga* Wendl. et Dr. Becc. *l. c.* II. 81. — Sp. 3 (vel 1 valde variabilis?). Penins. et Archip. Malay.
- 7625<sup>b</sup> *Leptophoenix* Becc. *l. c.* II. 82. — Sp. 2. Ins. Papuanæ.
- 7633 *Ptychosperma* Labill. Becc. in *Ann. Jard. Buit.* II. 87. tab. 1 et 3-4, et in *N. Giorn. bot. Ital.* XX. 177. — Sp. 11, quarum 6 tantum bene notæ.
- 7633<sup>b</sup> *Ptychococcus* Becc. in *Ann. Jard. Buit.* II. 100. — Sp. 2. Ins. Papuanæ.
- 7633<sup>c</sup> *Loxococcus* Wendl. et Dr. (cf. n. 7626.)
- 7633<sup>d</sup> *Normanbya* F. Müll. *Fragm.* XI. 56, Becc. *l. c.* II. 91, 170, 171. — Sp. 1. (*N. Muelleri* Becc.). Austral. trop.
- 7633<sup>e</sup> *Balaka* Becc. *l. c.* II. 91. — Sp. 2. (*Ptychosperma* Auct.). Ins. Viti.
- 7633<sup>f</sup> *Vitiphœnix* Becc. *l. c.* II. 91. — Sp. 1. (*Ptychosperma* Auct.). Ins. Viti.
- 7633<sup>g</sup> *Coleospadix* Becc. *l. c.* II. 90. — Sp. 2. (*Ptychosperma* Auct.). Ins. Papuanæ.
- 7634 *Rhopaloblaste* Scheff. Becc. *l. c.* II. 140. — Sp. 2. (*R. hexandra*

(1) Has annotationes nobis benigne ministravit. cl. Beccari.

Scheff. sp. typica e Molucc, altera *R. micrantha* B. et H.,  
e Nova Guinea, dubie congenerica.

- 7638 **Ptychandra** Scheff. Becc. in *Ann. Jard. Buit.* II. 90 et in *N. Giorn. bot. Ital.* XX. 177. — Sp. 3. Ins. Molucc., N. Guinea.
- 7654<sup>b</sup> **Bacularia** F. Müll. G. III. 903, Becc. *Malesia.* III. 108. — Sp. 3, quarum 2 Austral. temp. et trop. incolæ, altera Papuana.
- 7683 **Didymosperma** Wendl. et Dr. Becc. *l. c.* III. 96. — Sp. 8, quarum 2 v. 3 dubiæ.
- 7684 **Arenga** Labill. Becc. *l. c.* III. 96. — Sp. descr. 8, nonnullæ dubiæ. Indistrib. geogr. adde : Ins. Philippin.
- 7685 **Orania** Zipp... — Sp. 5.
- 7706<sup>b</sup> **Livistona** R. Br. G. III. 929. (*Saribus* Bl.). — Sp. ad 14. Asia or trop., Archip. Malay., N. Guinea, Austral. or.
- 7706<sup>c</sup> **Trachycarpus** Wendl. G. III. 929. — Sp. 4. Ind or., Burnia, China, Japon.
- 7706<sup>d</sup> **Rhapis** L. f. G. III. 930. — Sp. 4 v. 5. China, Japon.
- 7710 **Korthalsia** Bl. Becc. *Malesia.* II. 62 et 275, tab. V, VI, VII et LXIV. fig. 1, 2, 3. — Sp. 20.
- 7711 **Ceratolobus** Bl. Becc. *l. c.* III. 63. — Sp. 3. Java, Sumatra, Borneo.
- 7714 **Eugeissonia** Griff. Becc. *l. c.* III. 58. — Sp. 5. In distrib. geogr. adde : Borneo.

#### ORDO CCI. **ALISMACEÆ**

- 7866 **Michelia** Nob. (*Lophiocarpus* M. Micheli, non Turcz.)

#### ORDO CCVI. **CYPERACEÆ**

- 7953 **Bœckeleria** Nob. (*Decalepis* Bock., non W. et A.).

#### ORDO CCVII. **GRAMINEÆ**

- 8273 **Dasypyrum** Coss. et Durieu. *Explor. Alger.* II. 202 (*Haynaldia* Schur, non Kanitz) (cl. Hackel in litt.).



## II. EMENDANDA

|      |             |   |      |             |   |
|------|-------------|---|------|-------------|---|
| 10   | <i>lege</i> | <b>Kumlien</b> Greene.  | 1406 | <i>lege</i> | <b>Glennia</b> H. f.  |
| 44   | »           | <b>Burtonia</b> Salisb.                                       | 1448 | »           | <b>Diploglottis</b> H. f.   |
| 54   | »           | <b>Drimys</b> Forst. ( <i>Drymis</i> Juss.).                  | 1503 | »           | <i>Androglossa</i> Benth.   |
| 62   | »           | <i>Sphaerostemon</i> Bl.                                      | 1545 | »           | <i>Laurophyllus</i> Thunb.  |
| 76   | »           | <b>Duguetia</b> St-Hil.                                       | 1548 | »           | <b>Comocladia</b> P. Br.  |
| 201  | »           | <b>Nuphar</b> Sm.   | 1613 | »           | <i>Lalage</i> Lindl.  |
| 277  | »           | <i>Cælonema</i> Maxim.  | 1641 | »           | <i>Syspene</i> Griseb.  |
| 293  | »           | <b>Porphyrocodon</b> H. f.                                    | 1682 | »           | <i>Balboa</i> Liebm.  |
| 302  | »           | Sect. 1. <i>Leptormus</i> DC.<br>( <i>Leptormus</i> E. et Z.) | 1724 | »           | <b>Sewerzowia</b> Rgl et Seg-<br>malk.                                  |
| 343  | »           | <b>Eunomia</b> DC.  | 1761 | »           | Sect. 1. <i>Dendrolobium</i><br>Benth., <i>Dendrolobium</i><br>W. et A. |
| 430  | »           | <i>Symphyostemon</i> Kl.                                      | 1804 | »           | <i>Sweetia</i> DC.  |
| 542  | »           | <i>Phylax</i> Nor.  | 1804 | »           | <i>Odonia</i> Bert.   |
| 613  | »           | <b>Talinella</b> H. Bn.                                       | 1836 | »           | <b>Centrolobium</b> Benth.  |
| 675  | <i>dele</i> | <b>Trimenia</b> (cf. n. 6466).                                | 1871 | »           | <i>Badiusia</i> Rchb.   |
| 681  | <i>lege</i> | <b>Trematanthera</b> F. Müll.                                 | 1937 | »           | <i>Perlebia</i> Mart.   |
| 685  | »           | <i>Apatelia</i> DC.   | 2019 | »           | <i>Emplectrocladus</i> Torr.  |
| 726  | »           | <i>Xylolæna</i> H. Bn.  | 2061 | »           | <b>Spenceria</b> Trim.  |
| 792  | »           | <b>Bernouillea</b> Oliv.                                      | 2068 | <i>dele</i> | <b>Menax</b> Gärt. (cf. n.<br>3337).                                    |
| 904  | »           | <i>Emmenanthus</i> H. et A.                                   | 2223 | <i>lege</i> | <i>Olischrocaryon</i> Endl.   |
| 906  | »           | <i>Helleria</i> Nees et Mart.                                 | 2275 | »           | <b>Homalocalyx</b> F. Müll.   |
| 939  | »           | <b>Brachylophora</b> Oliv.                                    | 2280 | »           | Sect. 2. <i>Euryomyrtus</i><br>Hook., <i>Euryomyrtus</i><br>Schau.      |
| 1014 | »           | <i>Lasiostemum</i> Nees et<br>Mart.                           | 2280 | »           | Sect. 5. <i>Oxymyrrhine</i><br>Benth., <i>Oxymyrrhine</i><br>Schau.     |
| 1059 | »           | <i>Adans.</i> X. 327.   | 2307 | »           | <i>Draparnaudia</i> Montr.  |
| 1076 | »           | <b>Esenbeckia</b> H. B. K.                                    | 2536 | »           | <i>Schizocarya</i> Spach.   |
| 1161 | »           | <i>Sonzaya</i> L. March.                                      | 2578 | »           | <i>Erblichia</i> Seem.  |
| 1165 | »           | <i>Ginnania</i> Röm.  | 2616 | »           | <b>Herpetospermum</b> Wall.   |
| 1178 | »           | <i>Carapa</i> Aubl.   | 2686 | »           | <b>Pomaterium</b> Miq.  |
| 1192 | »           | <i>Touloucouna</i> Röm.                                       |      |             |   |
| 1214 | »           | <i>Modeccopsis</i> Griff.                                     |      |             |   |
| 1214 | »           | <i>Decastrophia</i> Griff.                                    |      |             |   |
| 1270 | »           | <i>Mylocaryum</i> Willd.                                      |      |             |   |
| 1340 | »           | <b>Noltea</b> Rchb.   |      |             |   |

- |           |                                     |           |   |
|-----------|-------------------------------------|-----------|---|
| 2696 lege | <i>Hildebrandtia</i> Vatke.         | 4146 lege | <i>Perdicium</i> L.                                   |
| 2723 "    | <i>Pyxipoma</i> Fenzl.              | 4158 "    | <i>Jungia</i> L. f.                                   |
| 2835 "    | <i>Stenocœlium</i> Ledeb.           | 4227 "    | <i>Levenhookia</i> R. Br.                             |
| 2995 "    | <i>Xylosteon</i> Juss.              | 4240 "    | De Vriese.  |
| 3012 "    | <i>Pimentelia</i> Wedd.             | 4407 "    | <i>Epacris</i> Cav.                                   |
| 3014 "    | <i>Sickingia</i> Willd.             | 4439 "    | <i>Dionysia</i> Fenzl.                                |
| 3074 "    | <i>Greenoa</i> W. et A.             | 4444 "    | <i>Bryocarpon</i> H. f. et T.                         |
| 3181 "    | <i>Bergkias</i> Sonn.               | 4527 "    |   |
| 3260 "    | <i>Lachnostoma</i> Korth.           | 4578 "    | Harv.   |
| 3285 "    | <i>Gloueria</i> Lind. et André.     | 4610 "    | <i>Rejoua</i> Gaud.                                   |
| 3397 "    | <i>Rolfinkia</i> Zenk.              | 4768 "    |   |
| 3405 "    | Steetz.                             | 4772 "    |   |
| 3408 "    | Bojer.                              | 4779 "    | Meisn.  |
| 3409 "    | <i>Carphobolus</i> Schott.          | 4863 "    |   |
| 3423 "    | <i>Eremanthus</i> Less.             | 4959 "    |   |
| 3460 "    | <i>Wikstroemia</i> Spreng.          | 4984 "    | Ch. et Schl   |
| 3543 "    | Nees.                               | 5056 "    | A. DC.  |
| 3544 "    | <i>Galatella</i> Cass.              | 5066 "    | <i>Maharanga</i> A. DC.                               |
| 3551 "    | Nees.                               | 5097 "    | <i>Nolana</i> L.                                      |
| 3573 "    | <i>Heteromma</i> Benth.             | 5302 "    | <i>Eyobanche</i> Thunb. ex L.                         |
| 3581 "    | <i>Conyza</i> Sch. Bip.             | 5349 "    | <i>Chorobanche</i> Presl.                             |
| 3592 "    | <i>Gynophanes</i> Steetz.           | 5501 "    | <i>Pterodiscus</i> Hook.                              |
| 3600 "    | <i>Evacopsis</i> Pomel.             | 5447 "    | Miers.  |
| 3622 "    | <i>Pteropogon</i> Neck.             | 5469 "    |   |
| 3624 "    | <i>Phagnalon</i> Lowe.              | 5586 "    | Nees.   |
| 3637 "    | <i>Gilbertia</i> Turcz.             | 5655 "    | <i>Dalea</i> Gärtn.                                   |
| 3696 "    |                                     | 5744 "    | <i>Hyptis</i> Jacq.                                   |
| 3696 "    |                                     | 5749 "    | <i>Dysophylla</i> Bl.                                 |
| 3705 "    |                                     | 5871 "    | <i>Calymenia</i> Pers.                                |
| 3709 "    | ■ . Bip.                            | 5980 "    | <i>Grayia</i> H. et A.) ( <i>Grayia</i> Rehb.).       |
| 3710 "    | <i>Frankia</i> Steud.               | 5982 "    | <i>Krascheninnikovia</i> Güldst.                      |
| 3741 "    | <i>Oswalda</i> Cass.                | 6040 "    | <i>Halocnemum</i> M. B. ( <i>Halocnemum</i> Spreng.). |
| 3829 "    | <i>Geræa</i> T. et G.               | 6016 "    | <i>Chenopodina</i> Moq.                               |
| 3849 "    |                                     | 6070 "    | <i>Eriogonum</i> Rich.                                |
| 3872 "    | <i>Calycadenia</i> DC.              | 6119 "    | <i>Potamobryon</i> Liebm.                             |
| 3921 "    | <i>Schlechtendalia</i> Willd.       | 6132 "    | <i>Ceramium</i> Bl.                                   |
| 3933 "    | <i>Actinea</i> Juss.                | 6160 "    | <i>Hedycarya</i> Forst. ( <i>Hedycaria</i> Murr.).    |
| 3963 "    | <i>Courrantia</i> Sch. Bip.         | 6258 "    | <i>Carnarvonia</i> F. Müll.                           |
| 3981 "    | <i>Cheilodiscus</i> Triana.         | 6269 "    | <i>Heterolæna</i> F. et M.                            |
| 3990 "    | <i>Paranephelium</i> Pöpp. et Endl. |           |   |
| 4078 "    | <i>Onotrophe</i> Cass.              |           |   |
| 4105 "    | <i>Schlechtendalia</i> Less.        |           |   |

|      |             |                                       |      |             |  |
|------|-------------|---------------------------------------|------|-------------|--|
| 6378 | <i>lege</i> | Beyeriopsis Müll. Arg.                | 7500 | <i>lege</i> | Strangweya Bertol.                                 |
| 6480 | »           | Philyra Kl.                           | 7559 | »           | Endocles Salisb.                                   |
| 6501 | »           | Seidelia H. Bn.                       | 7563 | »           | Philydrum Vahl (Phylydrum Banks, Philhydrum Link). |
| 6507 | »           | Cœlodepas Hassk.                      | 7574 | »           | Spathodithyros Hassk.                              |
| 6621 | »           | Cystogyne Gasparr.                    | 7621 | »           | Nengella Becc.                                     |
| 6634 | »           | Ogcodeia Bur.                         | 7760 | »           | Zamioculcas Schott.                                |
| 6655 | »           | Schyckowskyia Endl.                   | 7761 | »           | Gonatopus Engl.                                    |
| 6662 | »           | Achudemia Bl.                         | 7773 | »           | Hydnostachyon Liebm.                               |
| 6898 | »           | Helcia Lindl.                         | 7775 | »           | Lysichiton Schott.                                 |
| 6970 | »           | Placostigma Bl.                       | 7848 | <i>dele</i> | Dochæa Schott.                                     |
| 6997 | »           | Vrydagzynia Bl.                       | 7910 | <i>lege</i> | Lamprocaulus Mast.                                 |
| 7066 | »           | Lindblomia Fries.                     | 7981 | »           | Diploscyphus Liebm.                                |
| 7193 | »           | Hæmodorum Sm.                         | 8020 | »           | Euklastaxon Steud.                                 |
| 7196 | »           | Hagenbachia Nees et Mart.             | 8087 | »           | Savastana Schrank.                                 |
| 7239 | »           | Rotherbe Klatt (Botherbe Steud.).     | 8088 | »           | Gamelytrum Steud. (Gamelythrum Nees).              |
| 7320 | »           | Sphærotele Link et Otto.              | 8099 | »           | Lycurus H. B. K.                                   |
| 7322 | »           | Clitanthes Herb.                      | 8107 | »           | Tozzettia Savi.                                    |
| 7364 | »           | Dictyopsis Ham.                       | 8275 | »           | Crithodium Link.                                   |
| 7436 | »           | Thysanotus R. Br. (Thysanotus Poir.). | 8280 | »           | Eremitis Döll.                                     |
| 7470 | »           | Hesperoscordum Lindl.                 |      |             |  |



# INDEX ALPHABETICUS

## ORDINUM

### GENERUM ET SYNONYMORUM

---

Nomina admissa litteris italicis, synonyma romanis designatur.

Numeri asterici (\*) signati non solum in ipso opere sed etiam in supplemento (Addenda), cruce (+) signati in supplemento tantum quærendi sunt.

Ut hunc Indicem quam maxime completum farceremus, multa synonyma inseruimus, quæ nec apud Benthamum et Hookerum (*Genera Plantarum*) nec in nostri operis systematica parte proferuntur; hæc autem facile agnoscentur, nulle numero sequente.

#### A

|   |      |  |      |
|---|------|--|------|
| <i>Aa</i> Rchb. f. ( <i>Altensteinia</i> H. B. K.)      | 6981 | <i>Abolaria</i> (Neck.) Adans. ( <i>Globularia</i> L.) |      |
| <i>Aakesia</i> Tuss. ( <i>Cupania</i> L.)               |      | <i>Abola</i> Lindl. (Orchid.)                          | 6916 |
| <i>Abama</i> Adans. ( <i>Narthecium</i> Moehr.)         | 7529 | — Adans. ( <i>Cinna</i> L.)                            | 8119 |
| <i>Abacosa</i> Alef. ( <i>Vicia</i> L.)                 | 1776 | <i>Abolboda</i> H. et B. ( <i>Xyris</i> L.)            | 7569 |
| <i>Abalon</i> Adans. ( <i>Helonias</i> L.)              |      | <i>Abroma</i> Jacq. (Stercul.)                         | 822  |
| <i>Abapus</i> Adans. ( <i>Gethyllis</i> L.)             | 7291 | <i>Abronia</i> Juss. (Nyctagin.)                       | 5882 |
| <i>Abasoloa</i> Llav. et Lex. (Composit.)               | 3792 | <i>Abrophyllum</i> H. f. (Saxifrag.)                   | 2136 |
| <i>Abatia</i> R. et P. (Samyd.)                         | 255  | <i>Abrotanella</i> Cass. (Composit.)                   | 3974 |
| <i>Abauria</i> Becc. (Legumin.)                         | 1926 | <i>Abrus</i> L. (Legumin.)                             | 1780 |
| <i>Abbevillea</i> Berg. ( <i>Campomanesia</i> R. et P.) | 2312 | <i>Absinthium</i> Gärtn. ( <i>Artemisia</i> L.)        | 3989 |
| <i>Abbotia</i> F. Müll. (Rubiace.)                      | 3104 | <i>Abumon</i> Adans. ( <i>Agapanthus</i> L'Hér.)       | 7461 |
| <i>Abelia</i> R. Br. (Caprifol.)                        | 2993 | <i>Abuta</i> Aubl. (Menisperm.)                        | 111  |
| <i>Abelicea</i> H. Bn ( <i>Zelkova</i> Spach)           | 6586 | <i>Abutilæa</i> F. Müll. ( <i>Abutilon</i> Gärtn.)     | 747  |
| <i>Abelmoschus</i> Medik. ( <i>Hibiscus</i> L.)         | 762  | <i>Abutilon</i> Gärtn. (Malvac.)                       | 747  |
| <i>Aben</i> Neck. ( <i>Stachytarpheta</i> Vahl)         | 5684 | <i>Abutua</i> Lour. (Gnetum L.)                        | 8305 |
| <i>Aberemoa</i> Aubl. ( <i>Duguetia</i> St-Hil.)        | 76   | <i>Acacallis</i> Lindl. (Orchid.)                      | 6855 |
| <i>Aberia</i> Hochst. (Dovyaes E. Mey.)                 | 517  | <i>Acacia</i> Willd. (Legumin.)                        | 1997 |
| <i>Abesina</i> Neck. ( <i>Verbesina</i> L.)             | 3832 | <i>Acajou</i> Tourn. ( <i>Anacardium</i> Rottb.)       |      |
| <i>Abildgaardia</i> Vahl ( <i>Fimbristylis</i> Vahl)    | 7932 | <i>Acæna</i> L. (Rosac.)                               | 2065 |
| <i>Abies</i> Juss. (Conifer.)                           | 8315 | <i>Acajuba</i> Gärtn. ( <i>Anacardium</i> Rottb.)      | 1509 |
| — Don ( <i>Picea</i> Link)                              | 8313 | <i>Acalypha</i> L. (Euphorb.)                          | 6502 |
| <i>Ablania</i> Aubl. ( <i>Sloanea</i> L.)               | 882  | <i>Acampe</i> Lindl. (Orchid.)                         | 6948 |
| <i>Abobra</i> Naud. (Cucurbit.)                         | 2672 | <i>Acamptopappus</i> A. Gray (Composit.)               | 3489 |
|   |      | <i>Acana</i> Adans. ( <i>Onopordon</i> L.)             |      |
|   |      | <i>Acanos</i> Adans. ( <i>Onopordon</i> L.)            |      |

**Acanthaceæ p. 311.**

- Acanthella* H. f. (Melastom.) 2404  
*Acanthephippium* Bl. (Orchid.) 6785  
*Acanthinophyllum* Allem. (Sahagunia Liebm.) 6641  
*Acanthobotrya* E. et Z. (Lebeckia Thunb.) 1624  
*Acanthocarpæa* Kl. (Limeum Kl.) 3739  
*Acanthocarpus* Lehm. (Liliac.) 7398  
*Acanthocaulon* Kl. (Platygyne Merc.) 6551  
*Acanthocephalus* Kar. et Kir. (Composit.) 4185  
*Acanthochiton* Torr. (Amarant.) 5930  
*Acanthocladium* F. Müll. (Helichrysum Gartn.) 3632  
*Acanthocladus* Kl. (Polygala L.) 547  
*Acanthodium* Del. (Blepharis Juss.) 5559  
*Acanthoglossum* Bl. (Cœlogyne Lindl.) 6800  
*Acanthogonum* Torr. (Chorizantha R. Br.) 6072  
*Acantholepis* Less (Composit.) 4066  
*Acantholimon* Boiss. (Plumbagin.) 4427  
*Acantholippia* Griseb. (Lippia L.) 5680  
*Acantholoma* Gaud. (Pachystroma Kl.) 6490  
*Acanthomintha* A. Gray (Labiæ.) 5784  
*Acanthonema* H. f. (Gesner.) 5414  
*Acanthonotus* Benth. (Indigofera L.) 1672  
*Acanthonychia* Rohrb. (Pentacæna Bartl.) 6896  
*Acanthopanax* Dcne et Pl. (Araliac.) 2939  
*Acanthophippium* Bl. (Acanthephippium Bl.) 6785  
*Acanthophœnix* Wendl. (Palm.) 7645  
*Acanthophyllum* C. A. Mey. (Caryophyll.) 571  
— H. f. (Nassauvia Juss.) 4159  
*Acanthophyton* Less. (Cichorium L.) 4170  
*Acanthopleura* K. Koch (Polylophium Boiss.) 2910  
*Acanthoprasium* Spenn. (Ballota L.) 5836  
*Acanthopsis* Harv. (Acanth.) 5560  
*Acanthorhiza* Wendl. (Palm.) 7697  
*Acanthosicyos* Welw. (Cucurbit.) 2622  
*Acanthosperma* Vell. (Acicarpa Juss.) 3389  
*Acanthospermum* Schrank (Composit.) 3752  
*Acanthospora* Spreng. (Tillandsia L.) 7192  
*Acanthostachyum* Link. Kl. et Otto (Ananas Adans.) 7163  
*Acanthostemma* Bl. (Hoya R. Br.) 4852  
*Acanthosyris* Griseb. (Santal.) 6335

- Acanthotheca* DC. (Dimorphotheca Mönch) 4041  
*Acanthus* L. (Acanth.) 5561  
*Acanthyllis* Pomel (Anthyllis L.) 1654  
*Acarna* Vaill. (Cnicus L.) — Willd. (Atractylis L.) 4073  
*Acarpha* Griseb. (Boopis Juss.) 3387  
*Acarphæa* A. Gray (Chænactis DC.) 3898  
*Acaste* Salisb. (Babiana Ker) 7269  
*Acca* Berg. (Psidium L.) 2314  
*Accia* St-Hil. (Plukenetia L.) 6549  
*Accorombona* Endl. (Galega L.) 1679  
*Acedilanthus* Trautv. (Veratrum L.) 7556  
*Accentra* Phil. (Violar.) + 488<sup>b</sup>

**Aceraceæ p. 82.**

- Acer* L. (Acerac.) 1493  
*Aceranthus* Dcne (Berberid.) 197  
*Aceras* R. Br. (Orchid.) 7057  
*Acerates* Ell. (Gomphocarpus R. Br.) 4739  
*Aceratium* DC. (Elæocarpus L.) 887  
*Acetosa* Neck. (Rumex L.) 6088  
*Achæta* Fourn. (Calamagrostis Roth) 8124  
*Achætogeron* A. Gray (Composit.) 3515  
*Achania* Sw. (Malvaviscus Dill.) 755  
*Acharia* Thunb. (Passiflor.) 2602  
*Acharitea* Benth. (Verben.) 5677  
*Achariterium* Bluff et Fing. (Filago L.) 3606  
*Achasma* Griff. (Amomum L.) 7125  
*Achatocarpus* Triana (Amarant.) 5922  
*Achetaria* Ch. et Schl. (Beyrichia Ch. et Schl.) 5214  
*Achillea* L. (Composit.) 3950  
*Achilleopsis* Turcz. (Rulingia R. Br.) 830  
*Achimenes* P. Br. (Gesner.) 3566  
— Vahl (Artanema Don) 5260  
*Achirida* Horan. (Canna L.) 7149  
*Achlæna* Griseb. (Gramin.) 8076  
*Achlys* DC. (Berberid.) 201  
*Achnatherum* P. B. (Stipa L.) 8090  
*Achneria* Munro (Gramin.) 8143  
— P. B. (Eriachne R. Br.) 8135  
*Achnodon* Link (Phleum L.) 8105  
*Achnodonton* P. B. (Phleum L.) 8105  
*Achnophora* F. Müll. (Composit.) 3524  
*Achras* L. (Sapotac.) 4501  
— Forst. (Mimusops L.) 4508  
— R. Br. (Sideroxylon L.) 4503  
— Auct. 4494, 4500  
*Achroanthes* Raf. (Microstylis Nutt.) 6754  
*Achromolæna* Cass. (Cassinia R. Br.) 3637  
*Achrysum* A. Gray (Calocephalus A. Gray) 3661  
*Achudemia* Bl. (Urtic.) 6662  
*Achyrachæna* Schau. (Composit.) 3877

- Achyranthes* L. (Amarant.) 5947  
*Achyrastrum* L. (Hyoseris L.) 4177  
*Achyrobaccharis* Sch. Bip. (Baccharis L.) 3575  
*Achyrocline* Less. (Composit.) 3625  
*Achyrocoma* Cass. (Vernonia Schreb.) 3405  
*Achyrocome* Schrank (Elytropappus Cass.) 3671  
*Achyronia* Wendl. (Priesleya DC.) 1606  
*Achyronychia* T. et G. (Illecebr.) 5900  
*Achyropappus* H. B. K. (Schkubria Roth) 3902  
*Achyrophorus* Adans. (Hypochæris L.) 4197  
*Achyropsis* Moq. (Amarant.) 5949  
*Achyroseris* Sch. Bip. (Scorzonera L.) 4219  
*Achyrospermum* Bl. (Labiata.) 5827  
*Acia* Willd. (Couepia Aubl.) 2015  
*Aciachne* Benth. (Gramin.) 8095  
*Acianthera* Scheidw. (Pleurothallis R. Br.) 6743  
*Acianthus* R. Br. (Orchid.) 7031  
*Acicalyptus* A. Gray (Myrtac.) 2299  
*Acicarpa* Raddi (Panicum L.) 8850  
*Acicarpa* Juss. (Calycer.) 3389  
*Acicarpheæ* Walp. (Chænactis DC.) 3898  
*Acidanthera* Scheidw. (Irid.) 7268  
*Acidocroton* Griseb. (Euphorb.) 6456  
*Acidoton* Sw. (Euphorb.) 6550  
— P. Br. (Acidocroton Griseb.) 6456  
*Acilepis* Don (Vernonia Schreb.) 3405  
*Acineta* Lindl. (Orchid.) 6874  
*Acinos* Mönch (Calamintha Mönch) 5780  
*Acioa* Aubl. (Couepia Aubl.) 2015  
*Aciotis* Don (Melastom.) 2388  
*Acipetalum* Turcz. (Pyramia Cham.) 2359  
*Aciphylla* Forst. (Umbellif.) 2873  
*Aciphyllæa* A. Gray (Hymenatherum Cass.) 3926  
*Acis* Salisb. (Leucium L.) 7284  
*Acisanthera* P. Br. (Melastom.) 2369  
*Acispermum* Neck. (Coreopsis L.) 3849  
*Ackama* A. Cunn. (Saxifrag.) 2163  
*Acladodea* R. et P. (Talisia Aubl.) 1405  
*Acleia* DC. (Senecio L.) 4025  
*Acleisanthes* A. Gray (Nyctagin.) 5876  
*Aclinia* Griff. (Dendrobium Sw.) 6765  
*Aclisia* E. Mey. (Pollia Thunb.) 7571  
*Acmadenia* Bartl. et Wendl. (Rutac.) 1031  
*Acmantthera* Griseb. (Malpigh.) 917  
*Acmella* Rich. (Spilanthus L.) 3835  
*Acmena* DC. (Eugenia L.) 2327  
*Acnista* L. (Amarant.) 5929  
*Acnistus* Schott (Solan.) 5121  
*Acælorrhaphis* Wendl. (Inc. sed.) p. 487.
- Acohantthera* Don (Apocyn.) 4578  
*Acoma* Benth. (Coreocarpus Benth.) 3848  
*Acomis* F. Müll. (Composit.) 3653  
*Aconcereibum* Miq. (Euphorb.) 6536  
*Aconitum* L. (Ranuncul.) 26  
*Acontias* Schott (Xanthosoma Schott) 7825  
*Acophorum* Gaud. (Inc. sed.)  
*Acoridium* Nees (Inc. sed.) p. 487.  
*Acorus* L. (Aroid.) 7762  
*Acosmia* Benth. (Gypsophila L.) 573  
*Acosmium* Schott (Sweetia Spreng.) 1889  
*Acosmus* Desv. (Aspicarpa Lag.) 958  
*Acosta* Lour. (Agapetes G. Don) 4316  
— R. et P. (Moutabea Aubl.) 556  
*Acouroa* Aubl. (Ecastaphyllum Rich.) 1830  
*Acourtia* Don (Perezia Lag.) 4154  
*Acrachne* W. et A. (Eleusine Gärt.) 8178  
*Acradenia* Kipp. (Rutac.) 1041  
*Acræa* Lindl. (Pterichis Lindl.) 6982  
*Acrandra* Berg. (Campomanesia R. et P.) 2312  
*Acrantthera* Arn. (Rubiace.) 3108  
*Acratherum* Link (Arundinella Raddi) 8037  
*Acridocarpus* Guill. et Perr. (Malpigh.) 934  
*Acrilia* Griseb. (Trichilia L.) 1190  
*Acriopsis* Reinw. (Orchid.) 6967  
*Acriulus* Ridl. (Cyper.) 7982  
*Acrocarpidium* Miq. (Peperomia R. et P.) 6145  
*Acrocarpus* W. et A. (Legumin.) 1916  
— Nees (Cryptangium Schrad.) 7972  
*Acrocentron* Cass. (Centaurea L.) 4100  
*Acrocephalus* Benth. (Labiata.) 5729  
*Acrochæne* Lindl. (Orchid.) 6777  
*Acroclinium* A. Gray (Helipterum DC.) 3031  
*Acrocomia* Mart. (Palm.) 7731  
*Acrocoryne* Turcz. (Metastelma R. Br.) 4745  
*Acrodiclidium* Nees (Laurin.) 6190  
*Acrodryon* Spreng. (Inc. sed.) p. 487.  
*Acroelytrum* Steud. (Lophatherum Brongn.) 8229  
*Acroglochin* Schrad. (Chenopod.) 5965  
*Acrolasia* Presl (Mentzelia L.) 2571  
*Acrolepis* Schrad. (Ficinia Schrad.) 7936  
*Acrolobus* Kl. (Heisteria L.) 1207  
*Acrolophus* Cass. (Centaurea L.) 4100  
*Acronema* Edgew. (Pimpinella L.) 2814  
*Acronia* Presl (Pleurothallis R. Br.) 6743  
*Acronodia* Bl. (Elæocarpus L.) 887  
*Acronychia* Forst. (Rutac.) 1086  
*Acropera* Lindl. (Gongora R. et P.) 6869

- Acrophyllum* Benth. (Saxifrag.) 2158  
 — E. Mey. (Pappea E. et Z.) 1426  
*Acropodium* Desv. (Aspalathus L.) 1626  
*Acropselion* Bess. (Trisetum Pers.) 8146  
*Acroptilon* Cass. (Centaurea L.) 4100  
*Acrosanthes* E. et Z. (Ficoid.) 2721  
*Acrospira* Welw. (Liliac.) 7430  
*Acrossanthes* Presl (Vismia Vell.) 635  
*Acrostemon* Kl. (Grisebachia Kl.) 4357  
*Acrotaphros* Hochst. (Ormocarpum P. B.) 1747  
*Acrotome* Benth. (Labiata.) 5822  
*Acrotrema* Jack. (Dilleniace.) 33  
*Acrotriche* R. Br. (Epacrid.) 4403  
*Acrozyus* Spreng. (Elæocarpus L.) 887  
*Actaea* L. (Ranuncul.) 27  
*Actegeton* Bl. (Azima Lam.) 4555  
*Actephila* Bl. (Euphorb.) 6396  
*Actinanthus* Ehrenb. (Umbellif.) 2814  
*Actinea* H. B. K. (Helenium L.) 3934  
 — Juss. (Cephalophora Cav.) 3933  
*Actinella* Nutt. (Composit.) 3936  
 — Pers. (Cephalophora Cav.) 3933  
*Actinidia* Lindl. (Ternstroem) 684  
*Actinobole* Fenzl (Gnaphalodes A. Gray) 5664  
*Actinocarpus* R. Br. (Damasonium Juss.) 7870  
*Actinocarya* Benth. (Boragin.) 5013  
*Actinocladus* E. Mey. (Capnophyllum Gärtn.) 2861  
*Actinochloa* Willd. (Bouteloua Lag.) 8166  
*Actinocyclus* Kl. (Pyrola L.) 4378  
*Actinodaphne* Nees (Laurin.) 6206  
*Actinodium* Schau. (Myrtac.) 2267  
*Actinolema* Fenzl (Astrantia L.) 2761  
*Actinolepis* DC. (Composit.) 3890  
*Actinomeris* Nutt. (Composit.) 3831  
*Actinomorphe* Miq. (Heptapleurum Gärtn.) 2952  
*Actinopappus* H. f. (Rutidosia DC.) 3646  
*Actinopogon* Becc. (Drymophilceus Zipp.) 7636  
*Antinophora* Wall. (Schoutenia Korth.) 873  
*Actinophyllum* R. et P. (Sciadophyllum P. Br.) 2944  
*Actinorhysis* Wendl. et Dr. (Palm.) 7628  
*Actinoschænus* Benth. (Cyperac.) 7954  
*Actinospermum* Ell. (Balduina Nutt.)  
*Actinospira* Turcz. (Cimicifuga L.) 28  
*Actinostemma* Griff. (Cucurbit.) 2086  
*Actinostemon* Kl. (Euphorb.) 6573  
*Actinostigma* Turcz. (Seringia J. Gay) 832  
*Actinostrobus* Miq. (Conifer.) 8323  
*Actinotus* Labill. (Umbellif.) 2765  
*Acunna* R. et P. (Bejaria Juss.) 4374  
*Acynta* Medik. (Sansevieria Thunb.) 7213  
*Ada* Lindl. (Orchid.) 6919  
*Adambea* Lam. (Lagerstroemia L.) 2512  
*Adamia* Wall. (Dichroa Lour.) 2115  
*Adamsia* Willd. (Puschkinia Adams.) 7501  
*Adansonia* L. (Malvac.) 769  
*Adaphus* Neck. (Inc. sed.) p. 487.  
*Adelanthus* Endl. (Pyrenacantha Hook.) 1261  
*Adelbertia* Meisn. (Meriana Sw.) 2410  
*Adelia* L. (Euphorb.) 6493  
 — L. (Bernardia P. Br.) 6504  
 — Mchx (Forestiera Poir.) 4512  
*Adeliopsis* Benth. (Menisperm.) 179  
*Adelmanmia* Rehb. (Borrchia Adans.) 3809  
*Adelobotrys* DC. (Melastom.) 2409  
*Adelonema* Schott (Aroid.) 7809  
*Adelonenga* Cecc. (Palm.) 7619  
*Adelosa* Bl. (Verben.) 5705  
*Adelostemma* H. f. (Asclepias L.) 4775  
*Adelostigma* Steetz (Composit.) 3569  
*Adenacanthus* Nees (Strobilanthes Bl.) 5554  
*Adenachæna* DC. (Phymaspermum Lees.) 3959  
*Adenandra* Willd. (Rutac.) 1032  
*Adenanthera* L. (Legumin.) 1985  
*Adenanthos* Labill. (Proteac.) 6229  
*Adenaria* H. B. K. (Lythrar.) 2493  
*Adenarium* Raf. (Arenaria L.) 583  
*Adenema* G. Don (Enicostema Bl.) 4930  
*Adenia* Forsk. (Inc. sed.).  
*Adenilema* Bl. (Neillia Don)  
*Adenium* R. et S. (Apocyn.) 4658  
*Adenocalyx* Bert. (Coulteria H. B. K.)  
*Adenobasium* Presl (Sloanea L.) 882  
*Adenocalymma* Mart. (Bignon.) 5151  
*Adenocarpus* DC. (Legumin.) 1637  
*Adenocaulon* Hook. (Composit.) 3737  
*Adenocheton* Fenzl (Cocculus DC.) 148  
*Adenochilus* H. f. (Orchid.) 7038  
*Adenochlora* H. Bn. (Euphorb.) 6492  
*Adenocline* Turcz. (Euphorb.) 6500  
*Adenocrepis* Bl. (Baccaurea Lour.) 6431  
*Adenocyclus* Less. (Oliganthus Cass.) 3414  
*Adenodiscus* Turcz. (Belotia Rich.) 855  
*Adenodus* Lour. (Elæocarpus L.) 887  
*Adenogramma* Rehb. (Ficoid.) 2736  
*Adenogyne* Kl. (Sebastiania Spreng.) 6570  
*Adenogynum* Zoll. (Chloradenia H. Bn.) 6566  
*Adenogyras* Kl. (Scolopia Schreb.) 511  
*Adenolepis* Less. (Bidens L.) 3856



- Adenolinum* Rchb. (*Linum* L.) 892  
*Adenoncos* Bl. (*Sarcophilus* R. Br.) 6940  
*Adenonema* Bge (*Stellaria* L.) 581  
*Adenoon* Dalz. (Composit.) 3402  
*Adenopappus* Benth. (Composit.) 3928  
*Adenopeltis* Bert. (Euphorb.) 6579  
*Adenopetalum* Kl. et Garcke (*Euphorbia* L.) 6370  
— Turcz. (*Cissus* L.)  
*Adenaphædra* Müll. Arg. (Euphorb.) 6509  
*Adenophora* Fisch. (Campanul.) 4299  
*Adenophyllum* Pers. (Composit.) 3921  
— Thou. (*Omphalea* L.)  
*Adenopilea* Radlk. (Logan.) \*4900  
*Adenoplusia* Radlk. (Logan.) \*4901  
*Adenopodia* Presl (*Entada* Adans.) 1980  
*Adenopus* Benth. (Cucurbit.) 2618  
*Adenoropium* Pohl (*Jatropha* L.) 6455  
*Adenosacme* R. Br. (Rubiace.) 3121  
*Adenosilla* Gren. et Godr. (*Scilla* L.) 7505  
*Adenosma* R. Br. (Scrophul.) 5247  
— Nees (*Cardanthera* Ham.) 5521  
*Adenosolen* DC. (*Marasmodium* DC.) 3981  
*Adenospermum* H. et A. (*Chrysanthellum* Rich.) 3860  
*Adenostegia* Benth. (*Cordylanthus* Nutt.) 5324  
*Adenostemma* Forst. (Composit.) 3438  
*Adenostemum* Pers. (*Gomortega* R. et P.) \*6216b  
*Adenostephanus* Kl. (*Euplassa* Salisb.) 6244  
*Adenostoma* H. et A. (Rosac.) 2033  
*Adenostyles* Cass. (Composit.) 3464  
— Bl. (*Zenxine* Lindl.) 7000  
*Adenostylium* Rchb. (*Adenostyles* Cass.) 3464  
*Adenotrachelium* Nees et Meisn. (*Ocotea* Aubl.) 6198  
*Adenotrias* Spach (*Hypericum* L.) 631  
*Adenotrichia* Lindl. (*Senecio* L.) 4025  
*Adesmia* DC. (Legumin.) 1755  
*Adhatoda* Nees (*Acanth.*) 5619  
*Adike* Raf. (*Pilea* Lindl.) 6661  
*Adina* Salisb. (Rubiace.) 3004  
*Adinandra* Jack. (*Ternstroem.*) 678  
*Adisca* Bl. (*Mallotus* Lour.) 6522  
— Zoll. (*Macaranga* Thou.) 6525  
*Adleria* Neck. (*Parivoa* Aubl.)  
*Adlumia* Raf. (*Fumar.*) 235  
*Adodendron* Neck. (*Rhododendron* L.)  
*Adolia* Lam. (Inc. sed. *Rhamn.* ?)  
*Adolphia* Meisn. (*Rhamn.*) 1350  
*Adonanthe* Spach (*Adonis* L.) 6  
*Adonis* L. (*Ranuncul.*) 6  
*Adopogon* Neck. (*Krigia* Schreb.) 4173  
*Adoxa* L. (*Caprifol.*) 2986  
*Adrastæa* DC. (*Dilleniace.*) 45  
*Adriana* Gaud. (Euphorb.) 6489  
*Adromischus* Lem. (*Cotyledon* L.) 2182  
*Adupla* Bosc (*Scirpus* L.)  
*Æchmandra* Arn. (*Kedrastis* Medik.)  
*Æchmanthera* Nees (*Acanth.*) 5555  
*Æchmea* R. et P. (*Bromel.*) 7167  
*Æchmolepis* Dcne (*Asclep.*) 4688  
*Æchmophora* Spreng. (Inc. sed.) p. 487.  
*Ædemone* Kotschy (*Herminiera* Guill. et Perr.) 1749  
*Ægialea* Kl. (*Pieris* Don) 4346  
*Ægialina* Schult. (*Koeleria* Pers.) 8216  
*Ægialinitis* Presl (*Ægialitis* R. Br.) 4426  
*Ægialitis* R. Br. (*Plumbagin.*) 4426  
— Trin. (*Koeleria* Pers.) 8216  
*Ægialophila* Boiss. (*Centaurea* L.) 4100  
*Ægiceras* Gärtner. (*Myrsin.*) 4477  
*Ægilops* L. (*Triticum* L.) 8275  
*Æginetia* L. (*Orobanch.*) 5343  
— Cav. (*Bouvardia* Salisb.) 3023  
*Ægiphila* Jacq. (*Verben.*) 5700  
*Ægle* Corr. (*Rutac.*) 1105  
*Æglochloa* Benth. (*Gilia* R. et P.) 4969  
*Ægomarathrum* Koch (*Hippomarathrum* Link) 2775  
*Ægonychon* S. F. Gray (*Lithospermum* L.) 5056  
*Ægopodium* L. (*Umbellif.*) 2813  
*Ægopogon* H. et B. (*Gramin.*) 8028  
— P. B. (*Amphipogon* R. Br.) 8088  
*Ægopordon* Boiss. (*Jurinea* Cass.) 4089  
*Ægopricon* L. f. (*Maprounea* Aubl.) 6565  
*Ægotoxicum* Dcne (*Ætotoxicum* R. et P.) 6436  
*Æluropus* Trin. (*Gramin.*) 8239  
*Æolanthus* Mart. (*Labiata.*) 5738  
*Æonium* Webb (*Sempervivum* L.) 2184  
*Ærangis* Rchb. f. (*Orchid.*) 6958  
*Æcranthus* Lindl. (*Orchid.*) 6912  
— Rchb. f. (*Mystacidium* Lindl.) 6961  
*Ærides* Lour. (*Orchid.*) 6943  
*Ærobion* Spreng. (*Angræcum* Thou.) 6956  
*Ærua* Forsk. (*Amarant.*) 5944  
*Ærva* Auct. (*Ærua* Forsk.) 5944  
*Æschryon* Vell. (*Picræna* Lindl.) 1120  
*Æschynanthus* Jack. (*Gesner.*) 5392  
*Æschynomene* L. (*Legumin.*) 1750  
*Æsculus* L. (*Hippocast.*) 1491  
*Ætheilema* R. Br. (*Phaylopsis* Willd.) 5536  
*Ætheolæna* Cass. (*Senecio* L.) 4025  
*Ætheopappus* Cass. (*Centaurea* L.) 4100  
*Ætheorhiza* Cass. (*Crepis* L.) 4190  
*Ætheria* Endl. (*Heteria* Bl.) 7010  
*Æthia* Adans. (*Combretum* L.)

- Æthionema* R. Br. (Crucif.) 341  
*Æthonia* Don (Tolpis Adans.) 4178  
*Æthusa* L. (Umbellif.) 2858  
*Æstovicon* R. et P. (Euphorb.) 6436  
*Affonsea* St-Hil. (Legumin.) 2006  
*Afzelia* Sm. (Legumin.) 1951  
— Gmel. (*Seymeria* Pursh) 5314  
*Agallis* Phil (Crucif.) 420  
*Agallochum* Lam. (*Aquilaria* Lam.) 6804  
*Agallostachys* Beer (*Bromelia* L.) 7135  
*Agalma* Miq. (*Heptapleurum* Gartn.) 2952  
*Agalmyla* Bl. (Gesner.) 5394  
*Aganippea* DC. (Composit.) 3780  
*Aganisia* Lindl. (Orchid.) 6854  
*Aganope* Miq. (*Derris* Lour.) 1846  
*Aganosma* Don (Apocyn.) 4644  
*Agapanthus* L'Hér. (Liliac.) 7461  
*Agapatea* Steud. (*Distichia* Nees et Mey.) 7606  
*Agapetes* Don (Vaccin.) 4316  
— Dun. (*Vaccinium* L.) 4321  
*Agardhia* Spreng. (*Qualea* Aubl.) 559  
*Agarista* Don (Ericac.) 4342  
— DC. (*Pugiopappus* Gray) 3850  
*Agassizia* Chav. (*Galvesia* Juss.) 5197  
— Gray et Engelm. (*Gail-lardia* Foug.) 3935  
— Spach (*Enothera* L.) 2528  
*Agasta* Miers (*Barringtonia* Forst.) 2340  
*Agastachys* R. Br. (Proteac.) 6236  
*Agasyllis* Spreng. (*Siler* Scop.) 2862  
*Agatea* A. Gray (*Agation* Brongn.) 472  
*Agathæa* Cass. (*Detris* Adans.) 3545  
*Agathelpis* Choisy (Selagin.) 5657  
*Agathis* Salisb. (Conifer.) 8307  
*Agathisanthemum* Kl. (*Hedyotis* L.) 3086  
*Agathisanthes* Bl. (*Nyssa* L.) 2982  
*Agathomoris* Delaun. (*Humea* Sm.) 3652  
*Agathophora* Bge (*Cornulaca* Del.) 6022  
*Agathophyllum* Bl. (*Mespilo-daphne* Nees) 6199  
— Juss. (*Ravensara* Sonn.) 6176  
*Agathophytum* Moq. (*Chenopo-dium* L.) 5972  
*Agathosma* Willd. (Rutac.) 1034  
*Agathotes* Don (*Swertia* L.) 4938  
*Agathyrsus* Don (*Lactuca* L.) 4206  
*Agati* Desv. (*Sesbania* Pers.) 1704  
*Agation* Brongn. (Violar.) 472  
*Agauria* DC. (Ericac.) 4341  
*Agave* L. (Amaryll.) 7337  
*Agdestis* Moc. et Sess. (Phytolac.) 6067  
*Agelæa* Soland. (Connar.) 1367  
*Agenium* Nees (*Andropogon* L.) 8020  
*Agenora* Don (*Hypochæris* L.) 4197  
*Ageratiopsis* Sch. Bip (*Eupato-rium* L.) 3460  
*Ageratum* L. (Composit.) 3448  
*Aggeianthus* Wight (*Eria* Lindl.) 6781  
*Agirta* H. Bn (*Tragia* L.) 6552  
*Aglaea* Pers. (*Melasphærule* Ker) 7271  
*Aglaia* Lour. (Meliac.) 1185  
*Aglaiopsis* Miq. (*Hearnia* F. Müll.) 1186  
*Aglaodendron* Remy (*Plazia* R. et P.) 4111  
*Aglaodorum* Schott (Aroid) 7812  
*Aglaonema* Schott (Aroid.) 7811  
*Agnostus* A. Cunn. (*Stenocarpus* R. Br.) 6262  
*Agonandra* Miers (Olacin.) 1227  
*Agonis* DC. (Myrtac.) 2285  
*Agoseris* Raf. (*Troximon* Nutt.) 4199  
*Agostana* S. F. Gray (*Bupleu-rum* L.) 2792  
*Agraphis* Link (*Scilla* L.) 7505  
*Agraulus* P. B. (*Agrostis* L.) 8120  
*Agretta* Eckl. (*Tritonia* Ker) 7272  
*Agrianthus* Mart. (Composit.) 3458  
*Agricolæa* Schrank (*Cleroden-dron* L.) 5712  
*Agrimonia* (Tourn.) L. (Rosac.) 2062  
*Agrimonioides* Tourn. (*Agrimo-nia* L.) 2062  
*Agriodaphne* Nees (*Oreodaphne* Nees) 5992  
*Agriophyllum* M. B. (Chenopod.) 5992  
*Agriphyllum* Juss. (*Berkheya* Ehrh.) 4060  
*Agrocharis* Hochst. (*Caucalis* Hoffm.) 2903  
*Agrophyllum* Neck. (*Zygophyl-lum* L.) 969  
*Agropyrum* J. Gartn. (Gramin.) 8272  
*Agrostemma* L. (*Lychnis* L.) 577  
*Agrosticula* Raddi (*Sporobolus* R. Br.) 8111  
*Agrostis* L. (Gramin.) 8120  
*Agrostistachys* Dalz. (Euphorb.) 6479  
*Agrostocrinum* F. Müll. (Liliac.) 7444  
*Agrostomia* Cerv. (Inc. sed.) p. 487.  
*Agrostophyllum* Bl. (Orchid.) 6795  
*Agylla* Phil. (*Cladium* P. Br.) 7966  
*Agylophora* Neck. (*Uncaria* Schreb.) 3007  
*Agynæia* Vent. (Euphorb.) 6400  
*Aidelus* Spreng. (*Veronica* L.)  
*Aichryson* Webb (*Sempervivum* L.) 2184  
*Aidia* Lour. (Inc. sed.) p. 487.  
*Aikinia* R. Br. (*Epithema* Bl.) 5428  
— Salisb. (*Wahlenbergia* Schrad.)  
— Wall. (*Ratzeburgia* Kth) 8005  
*Ailanthus* Desf. (Simarub.) 1111  
*Aillya* De Vriese (*Goodenia* Sm.) 4233  
*Aimenia* Comm. (*Cissus* L.) 1367  
*Ainslia* DC. (Composit.) 4133  
*Ainsworthia* Boiss. (*Tordylium* L.) 2895

- Aiolothea* DC. (Composit.) 3761  
*Ajouea* Aubl. (*Ajouea* Aubl.) 6184  
*Aiphanes* Willd. (*Martinezia* R. et P.) 7732  
*Aipyranthus* Stev. (*Macrotomia* DC.) 5062  
*Aira* L. (Gramin.) 8140  
*Airidium* Steud. (*Deschampsia* P. B.) 8145  
*Airochloa* Link (*Koeleria* Pers.) 8216  
*Airopsis* Desv. (Gramin.) 8139  
*Aitchisonia* Hemsl. (Rubiace.) 3318  
*Aithales* Webb (*Sedum* L.) 2183  
*Aitonia* L. f. (Sapind.) 1488  
*Aizoon* L. (Ficoid.) 2718  
— Andr. (*Sesuvium* L.) 2723  
*Ajax* Salisb. (*Narcissus* L.) 7281  
*Ajouea* Aubl. (Laurin.) 6184  
*Ajouea* Bl. (Inc. sed. Laurin.?).  
*Ajuga* L. (Labiata.) 5865  
*Akania* H. f. (Sapind.) 1487  
*Akebia* Dcne (Berberid.) 188  
*Akeesia* Tuss. (*Blighia* Kön.) 1440  
*Akentra* Benj. (*Utricularia* L.) 5355  
*Akylopsis* Lehm. (*Matricaria* L.) 3965  
*Alacospermum* Neck. (*Cryptotænia* DC.)  
*Alafia* Thou. (Apocyn.) 4646  
*Alamania* Llav. et Lex. (Orchid.) 6816  
*Alandina* Neck. (*Moringa* Burm.)  
*Alamoton* Flac. (*Flacourtia* L'Hér.)  
*Alangium* L. (Cornac.) 2970  
*Alania* Endl. (Liliac.) 7459  
*Alarconia* DC. (*Wyethia* Nutt.) 3821  
*Alaternus* Tourn. (*Rhamnus* L.)  
*Albersia* Kth (*Amarantus* L.) 5928  
*Alberta* E. Mey. (Rubiace.) 3245  
*Albertia* Rgl. et Schmalh. (Umbellif.) 2780  
*Albertinia* Spreng. (Composit.) 3404  
— DC. (*Vanillosmopsis* Sch. Bip.) 3401  
— DC. (*Eremanthus* L.) 3423  
*Albertisia* Becc. (Menisperm.) 164  
*Albikia* Presl (*Hypolytrum* Rich.) 7942  
*Albina* Giseke (*Alpinia* L.) 7134  
*Albinea* Hombr. et Jacq. (*Pleurophyllum* H. f.) 3555  
*Albizzia* Durazz. (Legumin.) 2000  
*Albrandia* Gaud. (*Streblus* Gaud.) 6602  
*Albuca* L. (Liliac.) 7494  
*Albucea* Rchb. (*Ornithogalum* L.) 7507  
*Alcanna* (Rumph.) Gärtn. (*Lawsonia* L.) 2507  
*Alcea* L. (*Althæa* L.) 730  
*Alchemilla* (Tourn.) L. (Rosac.) 2058  
*Alchornea* Sw. (Euphorb.) 6511  
*Alchorneopsis* Müll. Arg. (Euphorb.) 6512  
*Alcina* Cav. (*Melampodium* L.) 3751  
*Alcinia* Steud. (*Melampodium* L.)  
*Alciope* DC. (Composit.) 4001  
*Alcytophyllum* Willd. (Rubiace.) 3088  
*Aldama* Llav. et Lex. (*Sclerocarpus* Jacq.) 3798  
*Aldea* R. et P. (*Phacelia* Juss.) 4978  
*Aldina* Endl. (Legumin.) 1894  
— Adans. (*Brya* P. Br.)  
*Aldrovanda* L. (Droserac.) 2190  
*Aldunatea* Remy (*Chætanthra* R. et P.) 4143  
*Alectoridia* A. Rich. (*Arthraxon* P. B.) 8019  
*Alectoroctonum* Schlecht. (Euphorb.) 6370  
*Alectorolophus* M. B. (*Rhinanthus* L.) 5338  
*Alectra* Thunb. (Scrophul.) 5298  
*Alectryon* Gärtn. (Sapind.) 1423  
*Alegria* Moç. et Sessé (*Luhea* Willd.) 866  
*Alepidea* Laroche (Umbellif.) 2759  
*Alepyrum* Hieron. (Centrolepid.) 7902  
— R. Br. (*Centrolepis* Labill.) 7900  
*Aletris* L. (Hæmodor.) 7209  
*Aleurites* Forst. (Euphorb.) 6458  
*Aleurodendron* Reinw. (*Melochia* L.) 818  
*Alevia* H. Bn (*Bernardia* P. Br.) 6493  
*Alexa* Moç. (Legumin.) 1875  
*Alexandra* Bge (Chenopod.) 6018  
— Schomb. (*Alexa* Moç.) 1875  
*Alexis* Salisb. (*Amomum* L.) 7125  
*Alexitoxicum* St-Lager (*Cynanchum* L.) 4779  
*Alfonsia* H. B. K. (*Elæis* Jacq.) 7733  
*Alfredia* Cass. (*Carduus* L.) 4077  
*Alga* Lam. (*Zostera* L.) 7887  
*Algarobia* Benth. (*Prosopis* L.) 1989  
*Algernonia* H. Bn (Euphorb.) 6578  
*Alhagi* Desv. (Legumin.) 1739  
*Alibertia* A. Rich. (Rubiace.) 3159  
— Marion (*Agave* L.) 7337  
*Alibrexia* Miers (*Dolia* Lindl.) 5099  
*Alibum* Less. (*Liabum* Adans.) 3990  
*Alicastrum* P. Br. (*Brosimum* Sw.)  
*Alicteres* Schott (*Helicteres* L.) 803  
*Alifanus* Adans. (*Rhexia* L.)  
*Alipsa* Hoffm. (*Liparis* L. C. Rich.) 6756  
*Alisma* L. (Alism.) 7862  
**Alismaceæ p. 452.**  
*Alix* Comm. (*Psiadia* Jacq.)  
*Alkanna* Tausch (*Boragin.*) 5047  
*Alkekengi* (Tourn.) Mönch (*Physalis* L.)  
*Allanthus* Thw. (Urtic.) 6606  
*Allæophania* Thw. (Rubiace.) 3297  
*Allaganthra* Mart. (*Alternanthera* Forsk.) 5956  
*Allagopappus* Cass. (Composit.) 3699  
*Allagoptera* Nees (*Diplothenium* Mart.) 7735

- Allagosperra* Röm. (*Trianosperma* Mart.)  
*Allagostachyum* Nees (Inc. sed.) p. 487.  
*Allamanda* L. (Apocyn.) 4356  
*Allanblackia* Oliv. (Guttifer.) 653  
*Allania* Benth. (*Aldina* Endl.) 1897  
*Allantoma* Miers (Myrtac.) 2336  
*Allardia* Dene (Composit.) 3963  
*Allardtia* Dietr. (*Tillandsia* L.) 7192  
*Allasia* Lour. (Inc. sed.) p. 487  
*Allendea* Llav. et Lex. (Composit.) 3991  
*Alletotheca* Steud. (*Lophatherum* Brongn.) 8229  
*Alliaria* Adans. (*Sisymbrium* L.) 290  
*Allibertia* Marion (*Agave* L.) 7337  
*Allionia* L. (Nyetagin.) 5873  
— Löff. (*Oxybaphus* Vahl) 5871  
*Allium* L. (Liliac.) 7476  
*Allmania* R. Br. (Amarant.) 5926  
*Allobium* Miers (*Phoradendron* Nutt.) 6319  
*Allobrogia* Tratt. (*Paradisica* Mazuc.) 7418  
*Allocarpus* H. B. K. (*Calea* L.) 3862  
*Allocleratum* H. f. et T. (*Diptychocarpus* Trautv.) 240  
*Allochlams* Moq. (*Pleuropetalum* H. f.) 606  
*Allochrusa* Bge. (*Acanthophyllum* C. A. Mey.) 571  
*Allodape* Endl. (*Lebetanthus* Endl.) 4411  
*Alloispermum* Willd. (*Calea* Willd.) 3862  
*Alloiozonium* Kunze (*Cryptostemma* R. Br.) 4053  
*Allomorphia* Bl. (Melastom.) 2420  
*Allophyllus* L. (Sapind.) 1379  
*Alloplectus* Mart. (Gesner.) 5386  
*Allopythion* Schott (*Thomsonia* Wall.) 7788  
*Alluschemone* Schott (Aroid.) 7769  
*Alloteropsis* Presl (*Panicum* L.) 8050  
*Allotropa* T. et G. (Monotrop.) 4386  
*Allozygia* Naud. (*Oxyspora* DC.) 2416  
*Almeidea* St-Hil. (Rutac.) 1006  
*Almyra* Salisb. (*Pancratium* L.) 7323  
*Alnaster* Spach (*Alnus* Gärtn.) 6703  
*Alnobetula* Schur (*Alnus* Gärtn.) 6703  
*Alnus* (Tourn.) Gärtn. (Cupulif.) 6703  
*Alocasia* Schott (Aroid.) 7819  
*Aloe* L. (Liliac.) 7393  
*Aloexylum* Lour. (Inc. sed.) p. 487.  
*Alomia* H. B. K. (Composit.) 3441  
*Alona* Lindl. (Convolvul.) 5096  
*Alonsoa* R. et P. (Scrophul.) 5187  
*Alopecurus* L. (Gramin.) 8107  
*Alophia* Herb. (Irid.) 7228  
*Alophium* Cass. (*Centaurea* L.)  
*Aloysia* Ort. (*Lippia* L.) 5680  
*Alphandia* H. Bn. (Euphorb.) 6473  
*Alphitonia* Reiss. (Rhamn.) 1342  
*Alphonsia* H. f. et T. (Anonac.) 117  
*Alpinia* L. (Zingiberac.) 7134  
*Alschingera* Vis. (*Physospermum* Cusson) 2773  
*Alseis* Schott (Rubiace.) 3027  
*Alseodaphne* Nees (Laurin.) 6196  
*Alseuosmia* Cunn. (Caprifol.) 2999  
*Alsinanthe* Rehb. (*Arenaria* L.) 583  
*Alsinastrum* Schur (*Elatine* L.)  
*Alsine* L. (*Stellaria* L.)  
— Wahlenb. (*Arenaria* L.) 583  
*Alsinella* Dill. (*Sagina* L.)  
— Gray (*Arenaria* L.)  
*Alsinodendron* H. Mann (Caryophyll.) 591  
*Alsobia* Hanst. (*Episcia* Mart.) 5384  
*Alsoecydia* Mart. (*Bignonia* L.)  
*Alsodia* Thon. (Violar.) 476  
*Alsodiopsis* Oliv. (Olacin.) 1246  
*Alsomitra* Röm. (Cucurbit.) 2689  
*Alstonia* R. Br. (Apocyn.) 4609  
— L. f. (*Symplocos* L.) 4327  
*Alstromeria* L. (Amaryll.) 7330  
*Altensteinia* H. B. K. (Orchid.) 6981  
*Alternanthera* Forsk. (Amarant.) 3956  
*Alternasemina* Manso (Cayaponia Manso.) 2673  
*Althaea* L. (Malvac.) 730  
*Althelia* Petit (Naiad.) 7885  
*Altheria* Thon. (*Melochia* L.) 818  
*Altingia* Nor. (Hamamelid.) 2209  
*Altora* Adans. (*Cluytia* L.) 6478  
*Alcaradon* Liebm. (Sapind.) 1488  
*Alvardia* Fenzl (*Peucedanum* L.) 2886  
*Alvarezia* Pav. (*Blechnum* P. Br.)  
*Alvesia* Welw. (Labiata.) 5739  
*Alvisia* Lindl. (*Ceria* Lindl.) 6781  
*Alymnia* Neck. (*Polymnia* L.) 3744  
*Alysicarpus* Neck. (Legumin.) 1768  
*Alysiopsis* Boiss. (Crucif.) 275  
*Alyssum* L. (Crucif.) 274  
*Alyria* R. Br. (Apocyn.) 4581  
— Wall. (*Winchia* A. DC.)  
*Alzatea* R. et P. (Celastrin.) 1281  
*Amadea* Adans. (Androsace L.)  
*Amaia* Aubl. (Rubiace.) 3161  
*Amaiova* Desf. (*Amaiova* Aubl.)  
*Amaiova* Spreng. (*Amaiova* Aubl.)  
*Amalia* Hort. Hisp. (*Tillandsia* L.) 7192  
*Amalias* Hoffm. (*Laelia* Lindl.) 6829  
*Amanoa* Aubl. (Euphorb.) 6392  
*Amara* Rumph. (*Trichosanthes* L.)  
*Amaraboya* Lind. (*Blakea* L.) 2478  
*Amaracarpus* Bl. (Rubiace.) 3299  
*Amaracus* Gled. (*Origanum* L.) 5767  
*Amaralia* Welw. (Rubiace.) 3185  
**Amarantaceæ** p. 332.  
*Amaranthus* Auct. (*Amarantus* L.) 3928  
*Amarantus* L. (Amarant.) 3928  
*Amarens* Presl (*Trifolium* L.) 1653  
*Amaria* Mut. (*Bauhinia* L.) 1939  
*Amaroria* A. Gray (Simarub.) 1127

**Amaryllideæ p. 414.**

- Amaryllis* L. (Amaryll.) 7302  
*Amasonia* L. f. (Verben.) 5690  
*Amatula* Medik. (Lycopersicum Mill.)  
*Amauria* Benth. (Composit.) 3904  
*Ambassa* Steetz (Vernonia Schreb.) 3405  
*Ambelania* Aubl. (Apocyn.) 4568  
*Amberboa* DC. (Centaurea L.) 4100  
— DC. (Goniocaulon Cass.)  
— Isnard (Volutarella Cass.) 4897  
*Amblachenium* Turcz. (Hypochæris L.) 4197  
*Amblatum* Fisch. (Phelipæa Desf.)  
*Amblirion* Raf. (Fritillaria L.) 7510  
*Amblogyne* Raf. (Amarantus L.) 5928  
*Amblostoma* Scheidw. (Orchid.) 6807  
*Amblyachyrum* Hochst. (Apocypis Nees) 8014  
*Amblyanthera* Bl. (Osbeckia L.) 2389  
— Müll. Arg. (Mandevilla Lindl.) 4674  
*Amblyanthus* A. DC. (Myrsin) 4475  
*Amblyglottis* Bl. (Calanthe R. Br.) 6803  
*Amblyocalyx* Benth. (Apocyn.) 4583  
*Amblyocarpum* F. et M. (Composit.) 3707  
*Amblyoglossum* Turcz. (Tylophora R. Br.) 4826  
*Amblyolepis* DC. (Helenium L.) 3934  
*Amblyopappus* H. et A. (Composit.) 3913  
*Amblyopogon* F. et M. (Centaurea L.) 4100  
*Amblyorrhina* Turcz. (Phyllactis Pers.) 3376  
*Amblyserma* Benth. (Trichocline Cass.) 4145  
*Amblystigma* Benth. (Asclep.) 4720  
*Ambora* Juss. (Tambourissa Sonn.) 6153  
*Amborella* H. Bn (Monimiace.) 6161  
*Ambraria* Cruse (Nenax Gärtn.) 3337  
— Heist. (Anthospermum L.)  
*Ambrina* Spach (Chenopodium L.) 5972  
*Ambrosia* L. (Composit.) 3769  
*Ambrosinia* L. (Aroid.) 7854  
*Ambulia* Lam. (Limnophila R. Br.) 5250  
*Amecharpus* Benth. (Indigofera L.) 1672  
*Amechania* DC. (Agarista D. Don) 4342  
*Amelanchier* Lindl. (Rosac.) 2083  
*Ameletia* DC. (Rotala L.) 2487  
*Amelia* Alef. (Pyrola L.) 4378  
*Amelina* Clarke (Aneilema R. Br.) 7576  
*Amellus* L. (Composit.) 3527  
— Adans. (Aster L.)  
— Cass. (Amellus L.)  
— P. Br. (Melanthera Rohr.)  
*Amerinum* P. Br. (Dalbergia L.) 1828  
*Amerina* DC. (Egiphila Jacq.) 5700  
*Amethystea* L. (Labiata) 5861  
*Amherstia* Wall. (Legumin.) 1944  
*Amiantanthus* Kth (Amianthium A. Gray) 7559  
*Amianthium* A. Gray (Liliac.) 7559  
*Amicia* H. B. K. (Legumin.) 1743  
*Amida* Nutt. (Madiæ Molina) 3870  
*Amirola* Pers. (Lagunoa R. et P.) 1468  
*Amischotolype* Hassk. (Forrestia A. Rich.) 7579  
*Ammanella* Miq. (Ammania Houst.) 2488  
*Ammania* Houst. (Lythrar.) 2488  
— B. et H. (Rotala L.) 2487  
*Ammanthus* Boiss. (Chrysanthemum L.) 3964  
*Ammi* L. (Umbellif.) 2803  
*Ammianthus* Spruce (Retiniphyl-lum H. et B.) 3209  
*Ammiopsis* Boiss. (Umbellif.) 2904  
*Ammios* Mönch (Carum L.)  
*Ammobium* R. Br. (Composit.) 3648  
*Ammobroma* Torr. (Lennoac.) 4424  
*Ammocharis* Herb (Amaryll.) 7303  
*Ammochloa* Boiss. (Gramin.) 8196  
*Ammodancus* Coss. et Durieu (Daucus L.) 2907  
*Ammodenia* Gmel. (Arenaria L.) 583  
*Ammodendron* Fisch. (Legumin.) 1868  
*Ammodia* Nutt. (Chrysopsis Nutt.) 3485  
*Ammogeton* Schrad. (Troximon Nutt.) 4199  
*Ammoides* Adans. (Carum L.)  
*Ammolirion* Kar. et Kir. (Eremurus M. B.) 7429  
*Ammophila* Host (Gramin.) 8126  
*Ammoselinum* T. et G. (Umbellif.) 2826  
*Ammoseris* Endl. (Micro-rhynchus Less.) 4212  
*Ammosperma* H. f. (Crucif.) 306  
*Ammothamnus* Bge (Legumin.) 1869  
*Ammyrsine* Pursh (Leiophyllum Pers.) 4369  
*Amomis* Berg (Pimenta Lindl.)  
*Amomophyllum* Engl. (Spathiphyllum Schott) 7773  
*Amomum* L. (Zingiberac.) 7123  
*Amonia* Nestl. (Agrimonia L.) 2062  
*Amora* Roxb. (Meliac.) 1180  
*Amordica* Neck. (Luffa Torr.) 2628  
*Amorea* Moq. (Cycloloma Moq.) 5970  
*Amoreuxia* Moq. et Sess. (Bixin.) 493  
— Moq. (Cycloloma Moq.) 5970  
*Amoria* Presl (Trifolium L.) 1653  
*Amorpha* L. (Legumin.) 1666  
*Amorphophallus* Bl. (Aroid.) 7791  
*Amorphospermum* F. Müll. (Sapot.) 4485  
*Ampacus* Rumph (Evodia Forst.)  
*Ampalis* Boj. (Urtica L.) 6616  
*Ampelanus* Raf. (Enslenia Nutt.)



**Ampelidaceæ p. 76.**

|  |      |
|--|------|
| <i>Ampelocera</i> Kl. (Urtic.)                   | 6587 |
| <i>Ampelocissus</i> Planch. (Ampelid.)           | 1359 |
| <i>Ampelodaphne</i> Meisn. (Laurin.)             | 6183 |
| <i>Ampelodesma</i> P. B. (Gramin.)               | 8203 |
| <i>Ampelopsis</i> Mchx (Ampelid.)                | 1365 |
| — Mchx (Parthenocissus Planch.)                  | 1364 |
| <i>Ampelosicyos</i> Thou. (Cucurbit.)            | 2693 |
| <i>Ampelygonum</i> Lindl. (Polygonum L.)         | 6084 |
| <i>Amperea</i> A. Juss. (Euphorb.)               | 6383 |
| <i>Amphania</i> Banks (Dupinia Scop.)            |      |
| <i>Ampherephis</i> H. B. K. (Centratherum Cass.) | 3397 |
| <i>Amphiachyris</i> DC. (Composit.)              | 3478 |
| <i>Amphianthus</i> Torr. (Scrophul.)             | 5275 |
| <i>Amphibecis</i> Schrank (Centratherum Cass.)   | 3397 |
| <i>Amphiblemma</i> Naud. (Melastom.)             | 2433 |
| <i>Amphibolis</i> Agardh (Naiad.)                | 7883 |
| <i>Amphibromus</i> Nees (Gramin.)                | 8149 |
| <i>Amphicalea</i> Gardn. (Calea L.)              | 3862 |
| <i>Amphicalyx</i> Bl. (Diplycosia Bl.)           | 4334 |
| <i>Amphicarpa</i> DC. (Amphicarpæa Ell.)         |      |
| <i>Amphicarpæa</i> Ell. (Legumin.)               | 1785 |
| <i>Amphicarpum</i> Kth (Gramin.)                 | 8047 |
| <i>Amphicome</i> Royle. (Bignon.)                | 5485 |
| <i>Amphidetis</i> Fourn. (Asclep.)               | 4782 |
| <i>Amphidonax</i> Nees (Arundo L.)               | 8284 |
| — Nees (Zenkeria Trin.)                          | 8136 |
| <i>Amphidora</i> DC. (Composit.)                 | 3610 |
| <i>Amphigenes</i> Janka (Festuca L.)             |      |
| <i>Amphiglossa</i> DC. (Composit.)               | 3673 |
| <i>Amphiglottis</i> Salisb. (Epipendrum L.)      | 6828 |
| <i>Amphilochia</i> Mart. (Qualea Aubl.)          | 559  |
| <i>Amphilophium</i> H. B. K. (Bignon.)           | 5457 |
| <i>Amphinomia</i> DC. (Leptonomis DC.)           | 1621 |
| <i>Amphiolanthus</i> Griseb. (Micranthemum Mchx) | 3267 |
| <i>Amphion</i> Salisb. (Semele Kth)              | 7360 |
| <i>Amphipappus</i> T. et G. (Guttierrezia Lag.)  | 3477 |
| <i>Amphipogon</i> R. Br. (Gramin.)               | 8088 |
| <i>Amphiraphis</i> DC. (Inula L.)                | 3690 |
| — DC. (Solidago L.)                              | 3493 |
| — DC. (Microglossa DC.)                          | 3564 |
| <i>Amphirroz</i> Spreng. (Violar.)               | 473  |
| <i>Amphiscopia</i> Nees (Dianthera L.)           | 5621 |
| — Nees (Justicia L.)                             | 5611 |
| <i>Amphistelma</i> Griseb. (Asclep.)             | 4781 |
| <i>Amphiteina</i> Miers (Crescentia L.)          | 5495 |
| <i>Amphithalca</i> E. et Z. (Legumin.)           | 1607 |
| <i>Amphizoma</i> Miers (Salacia L.)              | 1313 |
| <i>Amphochæta</i> Anderss. (Pennisetum Pers.)    | 8057 |
| <i>Amphodus</i> Lindl. (Kennedyia Vent.)         | 1791 |

|   |      |
|---|------|
| <i>Amphorchis</i> Thou. (Cynorchis Thou.)     | 7069 |
| <i>Amphoricarpus</i> Vis. (Composit.)         | 4071 |
| <i>Amphorocalyx</i> Bak. (Melastom.)          | 2427 |
| <i>Amphymenium</i> H. B. K. (Pterocarpus L.)  | 1837 |
| <i>Amsinckia</i> Lehm. (Boragin.)             | 5029 |
| <i>Amsonia</i> Walt. (Apocyn.)                | 4599 |
| <i>Amydrium</i> Schott (Aroid.)               | 7757 |
| <i>Amygdalophora</i> Neck. (Prunus L.)        |      |
| <i>Amygdalopsis</i> Carrière (Prunus L.)      | 2019 |
| <i>Amygdalus</i> L. (Prunus L.)               | 2019 |
| <i>Amyris</i> L. (Rutac.)                     | 1092 |
| — Willd. (Protium Burm.)                      | 1156 |
| <i>Anabæna</i> A. Juss. (Plukenetia L.)       | 6549 |
| <i>Anabasis</i> L. (Chenopod.)                | 6032 |
| — Moq. (Anabasis L.)                          | 6032 |
| <i>Anabata</i> Willd. (Faramea Aubl.)         | 3280 |
| <i>Anacampteros</i> L. (Portulac.)            | 611  |
| — (Tourn.) Haw. (Sedum L.)                    | 2183 |
| <i>Anacampta</i> Miers (Tabernæmon. tana L.)  | 4612 |
| <i>Anacamptis</i> Rich. (Orchis L.)           | 7055 |
| <b>Anacardiaceæ p. 83.</b>                    |      |
| <i>Anacardium</i> Rottb. (Anacard.)           | 1509 |
| — Lam. (Semecarpus L.)                        | 1560 |
| <i>Anacharis</i> Bab. (Elodea Mchx)           | 6720 |
| — Rich. (Elodea Mchx)                         | 6720 |
| <i>Anacheilum</i> Hoffmsg. (Epipendrum L.)    | 6823 |
| <i>Anachyris</i> Rich. (Paspalum L.)          | 8045 |
| <i>Anacis</i> Schrank (Coreopsis L.)          | 3849 |
| <i>Anacolosa</i> Bl. (Olacin.)                | 1220 |
| <i>Anactinia</i> Remy (Nardophyllum H. et A.) | 3498 |
| <i>Anactis</i> Cass. (Atractylis L.)          | 4073 |
| <i>Anacyclus</i> L. (Composit.)               | 3949 |
| <i>Anadelphia</i> Hack. (Andropogon L.)       | 8020 |
| <i>Anadenia</i> R. Br. (Grevillea R. Br.)     | 6255 |
| <i>Anadendron</i> Schott (Aroid.)             | 7755 |
| <i>Anactocalyx</i> Triana (Melastom.)         | 2458 |
| <i>Anagallidium</i> Griseb. (Swertia L.)      | 4938 |
| <i>Anagallis</i> L. (Primul.)                 | 4454 |
| <i>Anaglyphæ</i> DC. (Composit.)              | 3678 |
| <i>Anagyris</i> (Tourn.) L. (Legumin.)        | 1579 |
| — Lour (Ormosia Jack)                         |      |
| <i>Anagyzanthe</i> Baudo (Inc. sed.) p. 487.  |      |
| <i>Anaitis</i> DC. (Sanvitalia Lam.)          | 3778 |
| <i>Analectis</i> Juss. (Symphorema Roxb.)     | 5721 |
| <i>Anamenia</i> Vent. (Knowltonia Salisb.)    | 5    |
| <i>Anamirta</i> Colebr. (Menisperm.)          | 137  |
| <i>Anamomis</i> Griseb. (Myrtus L.)           | 2318 |
| <i>Anamorpha</i> Karst. et Tr. (Melo-chia L.) | 818  |
| <i>Ananas</i> Adans. (Bromel.)                | 7163 |
| — Gärtn. (Bromelia L.)                        | 7155 |
| <i>Ananasea</i> Lindl. (Ananas Adans.)        | 7163 |

- Anandria* Siegesb. (*Gerbera* Gronov.) 4146  
*Anantherix* Nutt. (*Gomphocarpus* R. Br.) 4739  
*Ananthodium* Less. (*Ichthyothere* Mart.) 3742  
*Ananthopus* Raf. (*Commelina* L.) 7574  
*Anaphalis* DC. (Composit.) 3619  
*Anaphrenium* E. Mey. (*Anacard.*) 1547  
*Anaphyllum* Schott (Aroid.) 7781  
*Anarmodium* Schott (*Dracunculus* Schott) 7850  
*Anarrhinum* Desf. (Scrophul.) 5195  
*Anarthria* R. Br. (Restiac.) 7905  
*Anarthrophyllum* Benth. (Legumin.) 1628  
*Anarthrosyne* E. Mey. (*Pseudarthria* W. et A.) 1764  
*Anartia* Miers. (Apocyn.) 4605  
*Anasser* Juss. (*Geniostoma* Forst.) 4893  
*Anastatica* L. (Crucif.) 263  
*Anastrabe* E. Mey. (Scrophul.) 5206  
*Anastrophea* Wedd. (*Sphærothylax* Bisch.) 6116  
*Anastraphia* Don (Composit.) 4128  
*Anastrophus* Schlecht. (*Paspalum* L.) 8045  
*Anasyllis* R. Mey. (*Loxostylis* Spreng.) 1344  
*Anathallis* Barb. Rodr. (*Pleurothallis* R. Br.) 6743  
*Anatherum* P. B. (*Andropogon* L.) 8020  
*Anatropa* Ehrenb. (*Tetradiclis* Stev.) 1024  
*Anaua* Miq. (*Hemicyclia* W. et A.) 6415  
*Anauxanopetalum* Teijsm. et Binn. (*Swintonia* Griff.) 1511  
*Anavinga* Lam. (*Casearia* Jacq.) 2543  
*Anaxagorea* St-Hil. (Anonac.) 90  
*Anaxeton* Cass. (Composit.) 3640  
— Schrank (*Helipterum* DC.) 3631  
*Ancalanthus* Balf. f. (*Angkalanthus* Balf. f.) 5613  
*Ancana* F. Müll. (*Unona* L.) 83  
*Ancathia* DC. (*Cnicus* L.) 4078  
*Anchietea* St-Hil. (Violar.) 467  
*Anchomanes* Schott (Aroid.) 7789  
*Anchonium* DC. (Crucif.) 414  
*Anchusa* L. (Boragin.) 5042  
*Anchusopsis* Bisch. (*Lindelofia* Lehm.) 5020  
*Ancistrocarphus* A. Gray (*Stylocline* Nutt.) 3603  
*Ancistrocarpus* Oliv. (Tiliac.) 876  
— H. B. K. (*Microtea* Sw.) 6054  
*Ancistrocarya* Maxim. (Boragin.) 5058  
*Ancistrocladus* Wall. (Dipterocarp.) 707  
*Ancistrodesmus* Naud. (*Microlepis* Miq.) 2376  
*Ancistrolobus* Spach (*Cratoxylon* Bl.) 633  
*Ancistrophora* A. Gray (*Verbesina* L.) 3832  
*Ancistrophyllum* Wendl. et Mann (Palm.) 7719  
*Ancistrostigma* Fenzl (*Triantema* L.) 2724  
*Ancistrum* Forst. (*Acæna* L.) 2065  
*Ancrumia* Harv. (Liliac.) 7483  
*Ancylanthus* Desf. (Rubiace.) 3253  
*Ancylocalyx* Tul. (*Pterocarpus* L.) 1837  
*Ancylocladus* Wall. (*Willoughbeia* Roxb.) 4558  
*Ancylogyne* Nees (*Sanchezia* R. et P.) 5541  
*Ancyrostemma* Pöpp. et Endl. (*Sclerothrix* Presl) 2569  
*Anda* A. Juss. (*Joannesia* Vell.) 6454  
*Andersonia* R. Br. (Epacrid.) 4414  
*Andersonia* Roxb. (*Amoora* Roxb.) 1180  
— Schlecht. (*Gaertnera* Lam.) 4914  
*Andicus* Vell. (*Joannesia* Vell.) 6454  
*Andira* Lam. (Legumin.) 1851  
*Andouinia* Rehb. v. *Audouinia*.  
*Andrachne* L. (Euphorb.) 6399  
*Andradea* Allem. (Nyctagin.) 5893  
*Andreoskia* DC. (*Dontostemon* Andr.) 287  
*Andreusia* Dunal (*Hornemannia* Vahl) 4304  
— Vent. (*Myoporum* Banks et Soland.) 5646  
*Andrewsia* Spreng. (*Bartonia* Mühlbg.) 4962  
*Andriapetalum* Pohl (*Panopsis* Salisb.) 6243  
*Andrieuxia* DC. (*Heliopsis* Pers.) 3779  
*Androcentrum* Lem. (Acanth.) 5544  
*Androcera* Nutt. (*Solanum* L.) 5106  
*Androchilus* Liebm. (Orchid.) 6757  
*Androcoma* Nees (*Scirpus* L.) 7934  
*Androcymbium* Willd. (Liliac.) 7521  
*Androglossa* Benth. (*Sabia* Colebr.) 1503  
*Andrographis* Wall. (Acanth.) 3584  
*Androgyne* Griff. (*Panisea* Lindl.) 6776  
*Androlepis* Brongn. (*Lamprococcus* Beer)  
*Andromachia* H. B. K. (*Liabum* Adans.) 3990  
*Andromeda* L. (Ericac.) 4345  
*Andromycia* A. Rich. (*Xanthosoma* Schott) 7825  
*Androphoranthus* Karst. (*Caperonia* St-Hil.) 6481  
*Andropogon* L. (Gramin.) 8020  
*Androsace* L. (Primul.) 4437  
*Androsæmum* All. (*Hypericum* L.) 631  
*Androscepiæ* Brongn. (*Themeda* Forsk.) 8021  
*Androstemma* Lindl. (*Conostylis* R. Br.) 7204  
*Androstephium* Torr. (Liliac.) 7471

- Androstoma* H. f. (*Cyathodes* Labill.) 4396  
*Androstylium* Miq. (*Clusia* L.) 638  
*Androsyne* Salisb. Inc. sed. p. 487  
*Androtichum* Brongn. (*Cyper.*) 7926  
*Androtropis* R. Br. (*Acranthera* Arn.) 3108  
*Andryala* L. (*Composit.*) 4194  
*Andrzejkowskia* Rehb. (*Crucif.*) 258  
*Anechites* Griseb. (*Apocyn.*) 4617  
*Anecio* Neck. (*Senecio* L.) 4025  
*Anecochilus* Bl. (*Alroetochilus* Bl.) 6996  
*Aneilema* R. Br. (*Commelin.*) 7576  
*Anelasma* Miers (*Anemosperrum* Miers) 140  
*Anemagrostis* Trin. (*Apera* Adans.) 8127  
*Anemarrhena* Bge. (*Liliac.*) 7415  
*Anemia* Nutt. (*Anemiopsis* H. et A.) 6139  
*Anemiopsis* H. et A. (*Piperac.*) 6139  
*Anemone* (Tourn.) L. (*Ranuncul.*) 4  
*Anemonella* Spach (*Anemone* L.) 4  
*Anemonopsis* S. et Z. (*Ranuncul.*) 24  
*Anemopaegma* Mart. (*Bignon.*) 5452  
*Anepsans* Schott (*Aroid.*) 7765  
*Anerincleistus* Korth. (*Melastem.*) 2425  
*Anesochiza* Ga. et Schl. (*Umbellif.*) 2874  
*Anetanthus* Hiern (*Cesner.*) 5427  
*Anethum* L. (*Pencedanum* L.) 2886  
*Anetia* Endl. (*Byrsanthus* Guill.)  
*Anethophus* Benth. (*Linac.*) 898  
*Aneuriscus* Presl (*Symphonia* L.) 648  
*Anagadenia* Miers (*Apocyn.*) 4672  
*Angelandra* Endl. (*Engelmannia* T. et G.) 3759  
— Endl. (*Croton* L.) 6460  
*Angelesia* Korth. (*Tricacarya* Miq.) 2012  
*Angelica* L. (*Umbellif.*) 2881  
— Hoffm. (*Angelica* L.)  
*Angelocarpa* Rupr. (*Umbellif.*) 2883  
*Angelonia* H. B. K. (*Scrophul.*) 5188  
*Angelophyllum* Rupr. (*Angelica* L.) 2881  
*Angolanthus* Balf. f. (*Acanth.*) 5613  
*Angioanthus* Wendl. (*Composit.*) 3659  
*Angolara* Wedd. (*Podostem.*) 6111  
*Angophora* Cav. (*Myrtac.*) 2297  
*Angostura* R. et S. (*Galipea* St-Hil.)  
*Angostylis* Benth. (*Euphorb.*) 6547  
*Angraecum* Thou. (*Orchid.*) 6956  
*Anguillaria* R. Br. (*Liliac.*) 7525  
*Anguina* Micheli (*Trichosanthes* L.) 2611  
*Angulou* R. et P. (*Orchid.*) 6867  
*Anguria* (Plum.) L. (*Cucurbit.*) 2662  
*Anhalonium* Lem. (*Mamillaria* Haw.) 2702  
*Ania* Lindl. (*Tainia* Bl.) 6790  
*Anietoclea* Nimmo (*Tetrameles* R. Br.) 2699  
*Anigozanthos* Labill. (*Haemodor.*) 7206  
*Anigosia* Salisb. (*Anigozanthos* Labill.) 7206  
*Anilema* Kth (*Aneilema* R. Br.) 7576  
*Anisacantha* R. Br. (*Chenopod.*) 6002  
*Anisacanthus* Nees (*Acanth.*) 5629  
*Anisadenia* Wall. (*Linac.*) 894  
*Anisandra* Bartl. (*Microcorys* R. Br.) 5856  
*Anisantha* K. Koch (*Bromus* L.) 8257  
*Anisanthera* Griff. (*Adenosma* R. Br.) 5247  
— Raf. (*Caccinia* Savi) 5011  
*Anisanthus* Sweet (*Antholyza* L.) 7276  
— Willd. (*Symphoricarpos* Juss.) 2991  
*Aniseia* Choisy (*Ipomæa* L.) 5077  
*Anisocalyx* Hance (*Herpestis* Gartin.) 5253  
*Anisocarpus* Nutt. (*Madia* Molina) 3870  
*Anisocentra* Turcz. (*Tropæolum* L.) 986  
*Anisocentrum* Turcz. (*Acisanthera* P. Br.) 2369  
*Anisocharta* DC. (*Composit.*) 4132  
*Anisochilus* Wall. (*Labiata.*) 5740  
*Anisocoma* T. et G. (*Composit.*) 4196  
*Anisoderis* Cass. (*Crepis* L.) 4190  
*Anisodonteia* Presl (*Sphæralcea* St-Hil.) 749  
*Anisodus* Link et Otto (*Scopolia* Jacq.) 5143  
*Anisolepis* Steetz (*Helipterum* DC.)  
*Anisolobus* A. DC. (*Odontadenia* Penth.) 4662  
*Anisolotus* Bernh. (*Lotus* L.) 1660  
*Anisomallon* H. Bn (*Olacin.*) 1234  
*Anisomeles* R. Br. (*Labiata.*) 5826  
*Anisomeria* Don (*Chenopod.*) 6060  
*Anisomeris* Presl (*Chomelia* Jacq.) 3222  
*Anisometros* Hassk. (*Pimpinella* L.) 2814  
*Anisonema* A. Juss. (*Phyllanthus* L.) 6404  
*Anisopappus* H. et A. (*Composit.*) 3721  
*Anisopetalum* Hook. (*Bulbophyllum* Thou.) 6767  
*Anisophyllea* R. Br. (*Rhizophor.*) 2247  
*Anisophyllum* Don (*Anisophyllea* R. Br.) 2247  
— Haw. (*Euphorbia* L.) 6370  
*Anisoplectus* (Erst. (*Alloplectus* Mart.) 5386  
*Anisopleura* Fenzl (*Prangos* Lindl.) 2848  
*Anisopogon* R. Br. (*Gramin.*) 8154  
*Anisoptera* Korth. (*Dipterocarp.*) 708  
*Anisoramphus* DC. (*Crepis* L.) 4190  
*Anisosciadium* DC. (*Echinophora* L.) 2768  
*Anisosperma* Manso (*Cucurbit.*) 2690  
*Anisostachya* Nees (*Justicia* L.) 5611



- Anisostemon Turcz. (Connarus L.)** 1571  
**Anisostictus Bur. (Bignon.)** 5446  
**Anisotes Nees (Acanth.)** 5618  
— Lindl. (Lythrum L.) 2497  
— Lindl. (Pleurophora Don) 2498  
**Anisotomaria Presl (Anisotome Fenzl)** 4867  
**Anisotome Fenzl (Asclep.)** 4867  
— H. f. (Aciphylla Forst.) 2873  
**Anisum E. et Z (Pimpinella L.)** 2814  
— Rumph. (Panax L.) 2934  
**Ankænda Herm (Cyminosma Gartn.)**  
**Ankyropetalum Fenzl (Gypsophila L.)** 573  
**Anneslea Wall (Ternstrœm.)** 671  
— Roxb. (Euryale Salisb.) 207  
— Salisb. (Calliandra Benth.) 1999  
**Annesorhiza Ch. et Schl. (Umbellif.)** 2874  
**Annularia Hochst. (Voacanga Thou.)** 4611  
**Anoda Cav. (Malvac.)** 739  
**Anodendron A. DC. (Apocyn.)** 4651  
**Anodiscus Benth. (Gesner.)** 5364  
**Anodopetalum A. Cunn. (Saxifrag.)** 2159  
**Anæctochilus Bl. (Orchid.)** 6996  
**Anogeissus Wall. (Combret.)** 2255  
**Anogra Spach (Oenothera L.)** 2522  
**Anogyna Nees (Lagenocarpus Nees)** 7971  
**Anoiganthus Bak. (Amaryll.)** 7290  
**Anoma Lour. (Moringa Juss.)** 1564  
**Anomalanthus Kl. (Simocheilus Kl.)** 4358  
**Anomalopteris Don (Acridocarpus Guill. et Perr.)** 934  
**Anomalostemon Kl. (Cleome L.)** 425  
**Anomalotis Steud. (Trisetaria Forsk.)** 8129  
**Anomanthodia H. f. (Rubiace.)** 3177  
**Anomatheca Ker (Lapeyrousia Pourr.)** 7265  
**Anomaza Salisb. (Lapeyrousia Pourr.)** 7265  
**Anomianthus Zoll. (Anonac.)** 102  
**Auomocarpus Miers (Calycera Cav.)** 3388  
**Anomochloa Brongn. (Gramin.)** 8079  
**Anomorhegmia Meisn. (Staurogyne Benth.)** 5432  
**Anomosanthes Bl. (Lepis Bl.)** 1393  
**Anomospermum Miers (Menisperm.)** 140  
— Dalz. (Actephila Bl.) 6396  
**Anomostephium DC. (Aspilota Thou.)** 3817  
**Anomotheca Lemr. (Anomatheca Ker.)**  
**Anona L. (Anonac.)** 108
- Anonaceæ p. 5.**  
**Anonis (Tourn.) Mönch (Ononis L.)**  
**Anonymos Walt. (Saururus L.)** 6137  
**Anoplangium Endl. (Phelipæa Desf.)** 5345  
— Endl. (Aphyllon Mitch.) 5348  
**Anoplocaryum Ledeb. (Eritrichium Schrad.)** 5027  
**Anoplophytum Beer (Tillandsia L.)** 7192  
**Anoplon Wallr. (Aphyllon Mitch.)** 5348  
**Anopterus Labill. (Saxifrag.)** 2145  
**Anosmia Bernh. (Smyrniolum L.)** 2785  
**Anosporum Nees (Cyperus L.)** 7923  
**Anotis DC. (Rubiace.)** 3092  
**Anplectrum A. Gray (Melastom.)** 2446  
**Anquetilia Dcne (Skimmia Thunb.)** 1088  
**Anredera Juss. (Chenopod.)** 6047  
**Ansellia Lindl. (Orchid.)** 6836  
**Anstrutheria Gardn. (Weihea Spreng.)** 2242  
**Antagonia Griseb. (Cayaponia Manso)** 2673  
**Antaurea Neck. (Centaurea L.)** 4100  
**Antelaea Gartn. (Inc. sed.)**  
**Antennaria Gartn. (Composit.)** 3614  
**Antenoron Raf. (Polygonum L.)** 6084  
**Anthacantha Lem. (Euphorbia L.)** 6370  
**Anthacanthus Nees (Acanth.)** 5580  
**Anthactinia Bory (Passiflora L.)** 2584  
**Anthadenia Van Houtte (Sesamum L.)** 5507  
**Anthananthia P. B. (Gramin.)** 8046  
**Anteidosorus A. Gray (Myriocephalus Benth.)** 3657  
**Antheischima Korth. (Gordonia Ellis)** 692  
**Anthelia Schott (Inc. sed.) p. 487**  
**Anthemis L. (Composit.)** 3933  
— Cass. (Anthemis L.) 5953  
**Anthephora Schreb. (Gramin.)** 8026  
**Anthericelis Raf. (Tipularia Nutt.)** 6762  
**Anthericum L. (Liliac.)** 7431  
**Antherotoma H. f. (Melastom.)** 2395  
**Antherotriche Turcz. (Anisoptera Korth.)** 708  
**Antherura Lour. (Inc. sed.) p. 486.**  
**Antherygium Rohr et Vahl (Lythrum)** 2508  
**Anthistiria L. (Themeda Forsk.)** 8021  
**Anthobolus R. Br. (Santal.)** 6351  
**Anthocephalus Rich. (Rubiace.)** 3002  
**Anthocerastes A. Gray (Toxanthus Turcz.)** 3650  
**Anthocercis Labill. (Solan.)** 5173  
**Anthochlamys Fenzl (Chenopod.)** 5991  
**Anthochloa Nees (Gramin.)** 8223  
**Anthochortus Kth (Willdenowia Thunb.)** 7921  
**Anthochytrum Richb. (Crepis L.)** 4190

- Anthocleista* Afz. (Logan.) 4906  
*Anthocoma* Zoll. (Gomphostemma Wall.) 5846  
*Anthocometes* Nees (Monothecium Hochst.) 5397  
*Anthodendron* Rchb. (Rhododendron L.) 4375  
*Anthodiscus* G. F. W. Mey. (Ternstroem.) 665  
*Anthodon* R. et P. (Salacia L.) 1313  
— R. et P. (Hippocratea L.) 1312  
*Anthodus* Mart. (Salacia L.) 1313  
*Anthodynates* Kl. (Lamprotis Don) 1313  
*Anthogonium* Lindl. (Orchid.) 6791  
*Antholoma* Labill. (Tiliac.) 885  
*Antholobus* Mart. (Antholobus R. Br.) 1312  
*Antholyza* L. (Irid.) 7276  
*Anthomelis* Röm. (Cratægus L.) 1313  
*Anthonota* P. B. (Macrolobium Schreb.) 1496  
*Anthophyllum* Steud. (Scirpus L.) 7934  
*Anthopogon* Neck. (Gentiana L.) 7934  
— Nutt. (Gymnopogon P. B.) 8163  
*Anthopterus* Hook. (Vaccin.) 4308  
*Anthosachne* Steud. (Agropyrum J. Gärt.) 4308  
*Anthoscladium* Fenzl (Selinum L.) 2876  
*Anthospermum* L. (Rubiace.) 3335  
*Anthostema* A. Juss. (Euphorb.) 6373  
*Anthotium* R. Br. (Gooden.) 4231  
*Anthotroche* Endl. (Solan.) 5174  
*Anthoxanthum* L. (Gramin.) 8086  
*Anthriscus* Hoffm. (Umbellif.) 2829  
*Anthrobotrys* Rchb. (Arthrobotrys Wall.) 2829  
*Anthrostylis* Dietr. (Arthrostylis R. Br.) 2829  
*Anthurium* Schott (Aroid.) 7758  
*Anthyllis* L. (Legumin.) 1654  
— Adans. (Polycarpæa Lam.) 1654  
*Antiaris* Lessch. (Urtic.) 6627  
*Anticharis* Endl. (Scrophul.) 5182  
*Antichorus* L. f. (Corchorus L.) 864  
*Anticlea* Kth (Zygadenus Mchx) 7558  
*Anticoryne* Turcz. (Myrtac.) 2281  
*Antidaphne* Pöpp. et Endl. (Loranth.) 6326  
*Antidesma* L. (Euphorb.) 6433  
*Antigona* Vell. (Casearia Jacq.) 2543  
*Antigonon* Endl. (Polygon.) 6093  
*Antinoria* Parl. (Gramin.) 8141  
*Antiphylla* Haw. (Saxifraga L.) 2092  
*Antiphytum* DC. (Boragin.) 5053  
*Antirhea* Comm. (Antirrhoea Comm.) 5053  
*Antirrhinum* L. (Scrophul.) 5199  
*Antirrhoea* Comm. (Rubiace.) 3214  
*Antistrophe* A. DC. (Myrsin.) 4473  
*Antitaxis* Miers (Menisperm.) 177  
*Antitaxis* Müll. Arg. (Tritaxis H. Bn) 6457  
*Antithrixia* DC. (Composit.) 3687  
*Antitragus* Gärt. (Crypsis Ait.) 8102  
*Antizoma* Miers (Menisperm.) 156  
*Antochortus* Nees (Willdenowia Thunb.) 7921  
*Antodon* Neck. (Leontodon L.) 4198  
*Antomarchia* Colla (Correa Sm.) 4198  
*Antonia* Pohl (Logan.) 4909  
*Antonia* R. Br. (Rhynchoglossum Bl.) 4909  
*Antoniana* Tuss. (Faramea Aubl.) 3280  
*Antopetitia* A. Rich. (Ornithopus L.) 1729  
*Antoschmidtia* Steud. (Schmidtia Steud.) 8186  
*Antrospermum* Sch. Bip. (Vendium Sch. Bip.) 4055  
*Antura* Forsk. (Carissa L.) 4577  
*Anubias* Schott (Aroid.) 7810  
*Anurus* E. Mey. (Lathyrus L.) 1778  
*Anvillea* DC. (Composit.) 3713  
*Anychia* Rich. (Illecebr.) 5904  
*Aopla* Lindl. (Herminium L.) 7059  
*Aotus* Sm. (Legumin.) 1598  
*Apactis* Thunb. (Stixis Lour.?) 1598  
*Apalanthe* Planch. (Elodea Mchx) 6720  
*Apaltoa* Aubl. (Crudia Schreb.) 1963  
*Apalochlamys* Cass. (Cassinia R. Br.) 3637  
*Apalus* DC. (Blennosperma Less.) 3906  
*Apama* Lam. (Bragantia Lour.) 6132  
*Apanxaloe* Hern. (Cuphea P. Br.) 2496  
*Apargia* Scop. (Leontodon L.) 4198  
*Apargidium* T. et G. (Composit.) 4200  
*Aparine* (Tourn.) L. (Galium L.) 4200  
*Aparisthmium* Endl. (Alchornea Sw.) 6311  
*Apartium* Neck. (Spartium L.) 6311  
*Apatanthus* Viv. (Hieracium L.) 4193  
*Apatelia* DC. (Saurauja Willd.) 685  
*Apatemone* Schott (Schismatoglottis Zoll. et Mor.) 7800  
*Apatitia* Desv. (Bellucia Neck.) 2472  
*Apaturia* Lindl. (Pachystoma Bl.) 6783  
*Apegia* Neck. (Ceropegia L.) 875  
*Apeiba* Aubl. (Tiliac.) 875  
*Apenula* Neck. (Specularia Heist.) 4298  
*Apera* Adans. (Gramin.) 8127  
*Aperiphraeta* Nees (Ocotea Aubl.) 6198  
*Aperula* Bl. (Lindera Thunb.) 6212  
*Apetahia* H. Bn (Lobeliace.) 4246  
*Apetalon* Wight (Didymoplexis Griff.) 7046  
*Aphaca* Alef. (Lathyrus L.) 1778  
*Aphænandra* Miq. (Inc. sed.) p. 487.  
*Apherema* Miers (Samyd.) 2553  
*Aphanactis* Wedd. (Composit.) 3787  
*Aphanamixis* Bl. (Amoora Roxb.) 1180  
*Aphananthe* Planch. (Urtic.) 6592  
— Link (Microtea Sw.) 6054  
*Aphanes* L. (Alchemilla L.) 2058  
*Aphania* Bl. (Sapind.) 1388

- Aphanisma* Nutt. (Chenopod.) 5969  
*Aphanocalyx* Oliv. (Legumin.) 1972  
*Aphanochilus* Benth. (Elsholtzia Willd.) 5752  
*Aphanococcus* Radlk. (Sapind.) 1394  
*Aphanodon* Naud. (Henriettella Naud.)  
*Aphanomyrtus* Miq (Inc. sed.) p. 187  
*Aphanopappus* Endl. (Lipochæta DC.) 3818  
*Aphanopetalum* Endl. (Saxifrag.) 2154  
*Aphanopleura* Boiss. (Umbellif.) 2798  
*Aphanorrhynchus* Rchb. (Leptorrhynchos Less.)  
*Aphanostemma* St-Hil. (Ranunculus L.) 10  
*Aphanostephus* DC. (Composit.) 3513  
*Aphantochæta* Gray (Pentachæta Hillebr.) 3481  
*Aphelandra* R. Br. (Acanth.) 5592  
*Aphelexis* Boj. (Helichrysum Gärt.) 3632  
— Don (Helichrysum Gärt.) 3632  
*Aphelia* R. Br. (Centrolepid.) 7898  
*Aphloia* Benn. (Bixin.) 505  
*Aphonina* Neck. (Pariana Aubl.)  
*Aphora* Neck. (Virgilia Lam.).  
— Nutt. (Argithamn'ia Sw.) 6480  
*Aphragmia* Nees (Ruellia L.) 5329  
*Aphragmus* Andr. (Braya Sternb. et Hoppe) 310  
*Aphylax* Salisb. (Aneilema R. Br.) 7576  
*Aphyllanthes* (Tourn.) L. (Liliac.) 7452  
*Aphyllia* Champ. (Sciaphila Bl.) 7861  
*Aphyllocaulon* Lag. (Gerbera Gronov.) 4146  
*Aphyllocladon* Wedd. (Hyalis D. Don) 4110  
*Aphyllon* Mitch. (Orobanch.) 5348  
*Aphyllorchis* Bl. (Orchid.) 7018  
*Aphyteia* Achar. (Hydnora Thunb.) 6129  
*Apiastrum* Nutt. (Umbellif.) 2800  
*Apicra* Willd. (Liliac.) 7394  
*Apinagia* Tul. (Podostem.) 6109  
*Apinella* Neck. (Trinia Hoffm.)  
*Apiocarpus* Montr. (Sapind.) 1485  
*Apiopetalum* H. Bn (Araliac.) 2929  
*Apios* Mönch (Legumin.) 1796  
*Apiospermum* Kl. (Pistia L.) 7857  
*Apirophorum* Neck. (Pyrus L.)  
*Apista* Bl. (Podochilus Bl.) 6970  
*Apium* L. (Umbellif.) 2799  
— DC. (Apium L.) 2799  
*Aplectrocarnos* Boiss. (Sarcocapnos DC.) 237  
*Aplectrum* Nutt. (Orchid.) 6760  
— Bl. (Anplectrum A. Gray) 2446  
*Apleura* Phil. (Umbellif.) 2747  
*Aplexia* Raf. (Leersia Sw.)  
*Aploca* Neck. (Periploca L.)  
*Aplocarya* Lindl. (Dolia Lindl.) 5099  
*Apolophium* Cham. (Haplolophium Endl.) 5455  
*Aplopappus* Cass. (Haplopappus Cass.) 3488  
— DC. (Aster L.) 3544  
*Aplophyllum* Cass. (Mutisia L. f.) 4109  
— A. Juss. (Ruta L.) 1019  
*Aplostellis* Thou. (Pogonia Juss.) 7043  
*Aplostemon* Raf. (Scirpus L.) 7934  
*Aplotaxis* DC. (Saussurea DC.) 4086  
*Apluda* L. (Gramin.) 8016  
*Apoballis* Schott (Schismatoglot-tis Zoll. et Mor.) 7800  
*Apochoris* Duby (Primulac.) 4150  
*Apocopis* Nees (Gramin.) 8014  
**Apocynaceæ** p. 280.  
*Apocyno-Nerium* L. (Inc. sed.)  
*Apocynum* (Tourn.) L. (Apocyn.) 4642  
*Apodanthera* Arn. (Cucurbit.) 2648  
*Apodanthes* Poit. (Cytinac.) 6125  
*Apodocephala* Bak. (Composit.) 3445  
*Apodolirion* Bak. (Amaryll.) 7292  
*Apodostachys* Turcz. (Ercilla A. Juss.) 6059  
*Apodynomene* E. Mey. (Tephrosia Pers.) 1682  
*Apodytes* E. Mey. (Olacin.) 1233  
*Apogandrum* Neck. (Erica L.)  
*Apogeton* Schrad. (Aponogeton Thunb.)  
*Apogon* Ell. (Composit.) 4181  
*Apogonia* Fourn. (Rottboellia L. f.) 8006  
*Apolepsis* Hassk. (Lepidagathis Willd.) 5572  
*Apollonias* Nees (Laurin.) 6179  
*Apomæa* Neck. (Ipomæa L.)  
*Aponogeton* Thunb. (Naiad.) 7879  
*Apophragma* Griseb. (Curtia Ch. et Schl.) 4935  
*Apophyllum* F. Müll. (Capparid.) 447  
*Apoplancia* Presl. (Legumin.) 1663  
*Aporanthus* Bromfield (Trigonella L.) 1650  
*Aporocactus* Lem. (Cereus Haw.) 2708  
*Aporetica* Forst. (Allophylus L.) 1379  
*Aporhiza* Radlk. (Sapind.) 1439  
*Aporosa* Bl. (Euphorb.) 6429  
*Aporum* Bl. (Dendrobium Sw.) 6765  
*Aposeris* Neck. (Hyoseris L.) 4177  
*Apostasia* Bl. (Orchid.) 7090  
*Apoterium* Bl. (Calophyllum L.) 638  
*Apoxyanthera* Hochst. (Raphionacme Harv.) 4707  
*Appella* Adans. (Laurus L.)  
*Appendicula* Bl. (Orchid.) 6971  
*Appendicularia* DC. (Melastom.) 2573  
*Appunia* H. f. (Rubiace.) 3277  
*Apradus* Adans. (Arctopus L.)  
*Aptandra* Miers (Olacin.) 1204  
*Apteranthes* Mik. (Boucerosia W. et A.) 4872  
*Apteria* Nutt. (Burmanniac.) 6737

- Apteuxis** Griff. (Pternandra Juss.)  
**Aptosimum** Burch. (Scrophul.) 5180  
**Aptotheca** Miers (Forsteronia G. F. W. Mey.) 4623  
**Apuleia** Mart. (Legumin.) 1934  
 — Gärtn. (Berkheya Ehrh.) 4060  
**Aquartia** L. (Solanum L.) 5106  
**Aquifolium** Tourn. (Ilex L.)  
**Aquilaria** Lam. (Thymel.) 6304  
**Aquilegia** (Tourn.) L. (Ranuncul.) 23  
**Aquilicia** L. (Leea L.) 1368  
**Arabidium** Spach (Arabis L.) 247  
**Arabidopsis** Schur (Sisymbrium L.) 290  
**Arabis** L. (Crucif.) 247  
**Aracacia** Bauer (Atracacha Bancroft.)  
**Arachidna** (Plum.) Mönch (Arachis L.)  
**Arachis** L. (Legumin.) 1758  
**Arachnanthe** Bl. (Orchid.) 6936  
**Arachne** Neck. (Andrachne L.) 6399  
**Arachnimorpha** Desv. (Rondeletia L.) 3063  
**Arachnis** Bl. (Arachnanthe Bl.) 6936  
**Arachnites** Phil. (Burmaoniace.) 6742  
**Arachnites** F. W. Schm. (Ophrys L.) 7058  
**Arachnopogon** Berg. et Haberl. (Inc. sed.)  
**Arachnotryx** Planch. (Rondeletia L.) 3063  
**Aracium** Monn. (Crepis L.) 4190  
**Aracococcus** Brongn. (Bromel.) 7176  
**Aragallus** Neck. (Astragalus L.)  
**Aragoa** H. B. K. (Scrophul.) 5294  
**Aralia** (Tourn.) L. (Araliac.) 2923  
**Araliaceæ** p. 166.  
**Araliastrum** Vaill. (Panax L.)  
**Aralidium** Miq. (Araliac.) 2927  
**Ararocarpus** Scheff. (Anonac.) 89  
**Ara-scheoolia** Sch. Bip. (Geigeria Griessel) 3709  
**Araucaria** Juss. (Conifer.) 8308  
**Araucasia** Bl. (Araucaria Zipp.) 7636  
**Aranjia** Brot. (Asterace.) 4759  
**Arbutus** (Tourn.) L. (Ericac.) 4329  
**Arcangelisia** Becc. (Menisperm.) 138  
**Arcanthobium** M. B. (Loranthac.) 6317  
 — Griseb. (Dendrophthora Eichl.) 6318  
**Arcantholobium** Steud. (Arceuthobium M. B.)  
**Arcanthos** Ant. et Kotschy (Juniperus L.) 8331  
**Archangelica** Hoffm. (Umbellif.) 2882  
**Archemora** DC. (Peucedanum L.) 2886  
**Archeria** H. f. (Epacrid.) 4409  
**Archidendron** F. Müll. (Legumin.) 2004  
**Archimedeia** Leandro (Lophophytum Schott et Endl.) 6366  
**Archontophœnix** Wendl. et Dr. (Palm.) 7629  
**Archytæa** Mart. (Ternstroem.) 698  
**Arctagrostis** Griseb. (Gramin.) 8118  
**Arctio** Lam. (Berardia Vill.) 4090  
**Arctiodracon** A Gray (Lysichiton Schott) 7775  
**Arctium** L. (Composit.) 4075  
 — Lam. (Berardia Vill.) 4090  
**Arctocalyx** Fenzl (Solenophora Benth.) 5380  
**Arctogeron** DC. (Aster L.) 3544  
**Arctomecon** Torr. et Frem. (Papaverac.) 217  
**Arctophila** Rupr. (Colpodium Trin.) 8248  
**Arctopus** L. (Umbellif.) 2760  
**Arctostaphylos** Adans. (Ericac.) 4330  
 — Kl. (Arctostaphylos Adans.) 4330  
**Arctotheca** Wendl. (Composit.) 4052  
 — Vaill. (Arctotis L.) 4054  
**Arctotis** L. (Composit.) 4054  
**Arcyphyllum** Ell. (Rhynchosia Lour.) 1825  
**Arcynospermum** Turcz. (Malvac.) 757  
**Arcytophyllum** Willd. (Hedyotis L.)  
**Ardernia** Salisb. (Ornithogalum L.) 7537  
**Ardingelia** Comm. (Kirganelia Juss.)  
**Ardisia** Sw. (Myrsin.) 4470  
**Ardisiandra** H. f. (Primul.) 4442  
**Arduina** (Mill.) L. (Carissa L.) 4577  
 — Adans. (Kundmannia Scop.)  
**Areca** L. (Palm.) 7614  
**Arelina** Neck. (Berkheya Ehrh.) 4060  
**Aremonia** Neck. (Agrimonia L.) 2062  
**Arenaria** L. (Caryophyll.) 583  
**Arenbergia** Mart. et Gal. (Eustoma Salisb.) 4948  
**Arenca** Labill. (Palm.) 7684  
**Arethusa** L. (Orchid.) 7011  
**Aretia** Gaudin (Douglasia Lindl.) 4438  
 — Link (Primula L.) 4435  
 — L. (Androsace L.) 4437  
**Argan** Dryand. (Argania R. et S.) 4505  
**Argania** R. et S. (Sapot.) 4505  
**Argelia** Dene. (Solenostemma Hayne) 4724  
**Argemone** (Tourn.) L. (Papaverac.) 219  
**Argenope** Salisb. (Narcissus L.) 7281  
**Argentina** Lam. (Potentilla L.)  
**Argithamnia** Sw. (Euphorb.) 6480  
**Argolasia** Juss. (Lanaria Ait.) 7201  
**Argophyllum** Forst. (Saxifrag.) 2134  
**Argostemma** Wall. (Rubiace.) 3080  
**Argothamnia** Spreng. (Argithamnia Sw.) 6480  
**Argusia** Stev. (Tournefortia L.) 5005  
**Argyllia** Don (Bignon.) 5472

- Argyra* Nor. (*Croton* L.).  
*Argyranthemum* Webb (*Chrysanthemum* L.) 3964  
*Argyranthes* Neck. (*Helipterum* DC.) 5631  
*Argyreia* Lour. (*Convolvul.*) 5071  
*Argyrella* Naud. (*Dissotis* Benth.) 2396  
*Argyrochaeta* Cav. (*Parthenium* L.) 3760  
*Argyrocome* Gärtn. (*Helipterum* DC.) 3631  
*Argyrodendron* Kl. (*Croton* L.) 6460  
— F. Müll. (*Tarrietia* Bl.) 793  
*Argyroglottis* Turcz. (*Helichrysum* Gärtn.) 3632  
*Argyrolobium* E. et Z. (*Legumin.*) 1636  
*Argyrophanes* Schlecht. (*Helichrysum* Gärtn.) 3632  
*Argyrophyton* Hook. (*Argyrophium* DC.) 3869  
*Argyropsis* Röm. (*Zephyranthes* Herb.) 7296  
*Argyrorchis* Bl. (*Orchid.*) 7016  
*Argyrothamnium* Müll. Arg. (*Argithamnia* Sw.) 6180  
*Argyroxiphium* DC. (*Composit.*) 3869  
*Argythamnia* P. Br. (*Argithamnia* Sw.)  
*Aria* Pers. (*Pyrus* L.) 2074  
*Arietinum* Beck. (*Cypripedium* L.) 7088  
*Arillaria* Kurz (*Legumin.*) 1872  
*Ariocarpus* Scheidw. (*Mamillaria* Haw.) 2702  
*Ariopsis* Grah. (*Aroid.*) 7829  
*Arisacontis* Schott (*Inc. sed.*) p. 487.  
*Arisarma* Mart. (*Aroid.*) 7843  
*Arisarum* (Tourn.) Targ. (*Aroid.*) 7844  
*Aristaria* Jungh. (*Themeda* Forsk.) 8021  
*Aristea* Ait. (*Irid.*) 7255  
*Aristega* Miers (*Menisperm.*) 144  
*Aristella* Bertol. (*Stipa* L.) 8090  
*Aristida* L. (*Gramin.*) 8089  
*Aristidium* Endl. (*Bouteloua* Lag.) 8169  
*Aristolochia* L. (*Aristoloch.*) 6135  
**Aristolochiæ** p. 345.  
*Aristomenia* Vell. (*Stiffitia* Mik.) 4127  
*Aristotela* Adans. (*Othonna* L.) 4037  
*Aristotelea* Lour. (*Spiranthes* L. C. Rich.) 6992  
*Aristotelia* L'Hér. (*Tiliac.*) 886  
*Arjona* Cav. (*Santal.*) 6328  
*Arjoona* Endl. (*Arjona* Cav.)  
*Arjuna* Jones (*Lagerstroemia* L.) 2512  
*Arkezostis* Raf. (*Cayaponia* Manso) 2673  
*Armania* Bert. (*Encelia* Adans.) 3829  
*Armeniaca* (Tourn.) Juss. (*Prunus* L.) 2019  
*Armeriastrum* Lem. (*Espadæa* A. Rich.) 5691  
*Armeria* Willd. (*Plumbagin.*) 4429  
*Armeriastrum* Jaub. et Spach (*Acantholimon* Boiss.) 4127  
*Armorum* Breda (*Arachnanthe* Bl.) 6936  
*Armoracia* Fl. Wett. (*Cochlearia* L.) 281  
*Arnebia* Forsk. (*Boragin.*) 5061  
*Arnica* L. (*Composit.*) 4002  
*Arnocrinum* Endl. (*Liliac.*) 7454  
*Arnoglossum* Raf. (*Eupatorium* L.)  
*Arnoldia* Bl. (*Weinmannia* L.) 2166  
— Cass. (*Dimorphotheca* Mönch) 4041  
*Arnopogon* Willd. (*Urospermum* Scop.) 4218  
*Arnoseris* Gärtn. (*Composit.*) 4176  
*Arnottia* A. Rich. (*Orchid.*) 7061  
**Aroideæ** p. 415.  
*Aromadendron* Andr. (*Eucalyptus* L'Hér.) 2298  
— Bl. (*Talauma* Juss.) 57  
*Aromia* Nutt. (*Amblyopappus* H et A.) 3913  
*Aronia* Mitch. (*Orontium* L.)  
— Pers. (*Amelanchier* Lindl.) 2083  
*Aronicum* Neck. (*Doronicum* L.) 4003  
*Aroton* Neck. (*Inc. sed.*) p. 487.  
*Arouna* Aubl. (*Dialium* Aubl.) 1935  
*Arpilium* Neck. (*Neogaya* Meisn.)  
*Arpophyllum* Llav et Lex. (*Orchid.*) 6750  
*Arrabida* DC. (*Bignon.*) 5143  
— DC. (*Bignonia* L.) 5446  
*Arracacia* Bancroft. (*Umbellif.*) 2782  
*Arrhenachne* Cass. (*Baccharis* L.) 3575  
*Arrhenatherum* P. B. (*Gramin.*) 8150  
*Arrhostoxylum* Mart. (*Ruellia* L.) 5529  
*Arrhynchium* L. (*Arachnanthe* Bl.) 6936  
*Arrowsmithia* DC. (*Composit.*) 3688  
*Arrozia* Schrad. (*Luziola* Juss.) 8069  
*Arrudea* St-Hil. (*Clusia* L.) 638  
*Arsis* Lour. (*Grewia* L.) 818  
*Artabotrys* R. Br. (*Anonac.*) 78  
*Artanema* Don (*Scrophul.*) 5260  
*Artanthe* Miq. (*Piper* L.) 6141  
*Artedia* L. (*Umbellif.*) 2906  
*Artemisia* L. (*Composit.*) 3989  
*Arthostema* Neck. (*Thoa* Aubl.)  
*Arthratherum* P. B. (*Aristida* L.) 8089  
*Arthraxon* P. B. (*Gramin.*) 8019  
*Arthrocarpum* Balf. f. (*Legumin.*) 1748  
*Artarochilus* F. Müll. (*Drakæa* Lindl.) 7030  
*Arthrochortus* Lowe (*Lolium* L.) 8262  
*Arthrocnemum* Moq. (*Chenopod.*) 6013  
*Arthroclianthus* H Bn (*Legumin.*) 1762  
*Arthrodactylis* Forst. (*Pandanus* L.)  
*Arthrolepis* Boiss. (*Anacyclus* L.) 3949



- Arthrolobium* Desv. (*Ornithopus* L.) 1729  
*Arthromischus* Thw. (*Paramignya* Wight.) 1100  
*Arthropphyllum* Bl. (*Araliac.*) 2957  
— Boj. (*Phyllarthron* DC.) 5493  
*Arthrophytum* Schrenk. (*Chenopod.*) 6024  
*Arthropodium* R. Br. (*Liliac.*) 7437  
*Arthropogon* Nees (*Gramin.*) 8041  
*Arthrosolen* C. A. Mey. (*Thymel.*) 6281  
*Arthrosprion* Hassk. (*Acacia* Willd.) 1997  
*Arthrostachya* Link (*Gaudinia* P. B.) 8151  
*Arthrostachys* Desv. (*Andropogon* L.) 8020  
*Arthrostemma* R. et P. (*Melastom.*) 2371  
— Naud. (*Pterolepis* Miq.)  
*Arthrostylidium* Rupr. (*Gramin.*) 8282  
*Arthrostylis* R. Br. (*Cyper.*) 7952  
— Böckel. (*Actinoschoenus* Benth.) 7954  
*Arthrotaxis* Auct. (*Athrotaxis* Don.) 8319  
*Arthrothamnus* Kl. et Garcke (*Euphorbia* L.) 6370  
*Arthrotrichium* F. Müll. (*Trichinium* R. Br.) 5941  
*Arthrozamia* Rehb. (*Encephalartos* Lehm.) 8345  
*Artocarpus* Forst. (*Urtic.*) 6639  
*Aruba* Aubl. (*Simaba* Aubl.) 1107  
— Mart. et Nees. (*Raputia* Aubl.) 1012  
*Arum* L. (*Aroid.*) 7848  
*Aruncus* L. (*Spiræa* L.) 2025  
*Arundina* Bl. (*Orchid.*) 6804  
*Arundinaria* Michx (*Gramin.*) 8281  
*Arundinella* Raddi (*Gramin.*) 8037  
*Arundo* L. (*Gramin.*) 8204  
— P. B. (*Phragmites* Trin.) 8205  
*Arungana* Pers. (*Haronga* Thou.) 637  
*Arversia* Camb. (*Polycarpon* L.) 596  
*Arviela* Salisb. (*Zephyranthes* Herb.) 7296  
*Arytera* Bl. (*Sapind.*) 1458  
— Miq. (*Triomma* H. f.) 1153  
*Asæmia* Harv. (*Composit.*) 3983  
*Asagræa* H. Bn (*Légumin.*) 1669  
— Lindl. (*Schænocaulon* A. Gray) 7560  
*Asaphes* DC. (*Toddalia* Juss.)  
— Spreng. (*Morina* L.) 3383  
*Asarca* Lindl. (*Chloræa* Lindl.) 7051  
*Asarina* (Tourn.) Mill. (*Antirrhinum* L.) 5199  
*Asarum* (Tourn.) L. (*Aristoloch.*) 6131  
*Ascaridia* Cass. (*Vernonia* Schreb.) 3405  
*Ascarina* Forst. (*Chloranth.*) 6140  
— Bl. (*Chloranthus* Sw.) 6147  
*Aschamia* Salisb. (*Hippeastrum* Herb.) 7298  
*Aschenbornia* Schau. (*Composit.*) 3446  
*Asciadium* Griseb. (*Inc. sed.*) p. 487.  
*Ascium* Schreb. (*Norantea* Aubl.) 667  
*Asclepiadeæ* p. 266.  
*Asclepias* Tourn.) L. (*Asclep.*) 4742  
*Asclepiodora* A. Gray (*Asclep.*) 4743  
*Ascolepis* Nees (*Cyper.*) 7941  
*Ascra* Schott (*Banara* Aubl.) 2548  
*Ascyrum* (Tourn.) L. (*Hypericin.*) 630  
*Asemnantha* H. f. (*Rubiace.*) 3233  
*Asicaria* Neck. (*Polygonum* L.)  
*Asimia* H. B. K. (*Asimina* Adans.) 85  
*Asimina* Adans. (*Anonac.*) 85  
*Asiphonia* Griff. (*Bragantia* Lour.) 6132  
*Askidiosperma* Steud. (*Restiac.*) 7909  
*Aspalathus* L. (*Legumin.*) 1626  
*Asparagopsis* Kth (*Asparagus* L.) 7362  
*Asparagus* (Tourn.) L. (*Liliac.*) 7362  
*Aspasia* Lindl. (*Orchid.*) 6900  
— Salisb. (*Ornithogalum* L.) 7507  
*Aspegrenia* Popp. et Endl. (*Octomeria* R. Br.) 6751  
*Aspelina* Cass. (*Senecio* L.) 4025  
*Asperugo* (Tourn.) L. (*Boragin.*) 5033  
*Asperula* L. (*Rubiace.*) 3368  
*Asphodeline* Rehb. (*Liliac.*) 7417  
*Asphodeloides* Mönch (*Asphodelus* L.) 7416  
*Asphodelopsis* Steud. (*Chlorophytum* Ker) 7432  
*Asphodelus* (Tourn.) L. (*Liliac.*) 7416  
*Aspicarpa* Lag. (*Malpigh.*) 958  
*Aspidalis* Gartn. (*Berkheya* Ehrh.) 4060  
*Aspidandra* Hassk. (*Inc. sed.*) p. 487.  
*Aspidanthera* Benth. (*Ferdinandusa* Pohl.) 3037  
*Aspideium* Zoll. (*Willemetia* Neck.)  
*Aspidistra* Ker (*Liliac.*) 7382  
*Aspidocarya* H. f. et T. (*Menisperm.*) 123  
*Aspidocarpus* Neck. (*Paliurus* L.)  
*Aspidoglossum* E. Mey. (*Schizoglossum* E. Mey.) 4738  
*Aspidopterys* A. Juss. (*Malpigh.*) 949  
*Aspidosperma* Mart. et Zucc. (*Apocyn.*) 4596  
*Aspidostigma* Hochst. (*Toddalia* Juss.) 1079  
*Aspilua* Thou. (*Composit.*) 3817  
*Asprella* Willd. (*Gramin.*) 8279  
— Schreb. (*Leersia* Sw.) 8075  
*Aspris* Adans. (*Airopsis* Desv.)  
*Assa* Houtt. (*Tetracera* L.)  
*Assaracus* Haw. (*Narcissus* L.) 7281  
*Assonia* Cav. (*Dombeya* Cass.) 810  
*Astartea* DC. (*Myrtac.*) 2282

- Astelia* Banks (Liliac.) 7412  
*Astelma* R. Br. (Helipterum DC.) 3631  
*Astemma* Less. (Composit.) 3774  
*Astemon* Rgl (Bystropogon L'Hér.) 5762  
*Astephananthes* Bory (Passiflora L.) 2584  
*Astephania* Oliv. (Composit.) 3718  
*Astephanocarpa* Bak. (Composit.) 3720  
*Astephanus* R. Br. (Asclep.) 4716  
*Aster* (Tourn.) L. (Composit.) 3544  
*Asteracantha* Nees (Hygrophila R. Br.) 3522  
*Asterandra* Kl. (Phyllanthus L.) 6404  
*Asteranthemum* Kth (Smilacina Desf.) 7375  
*Asteranthera* Hanst. (Gesner.) 5441  
*Asteranthos* Desf. (Myrtac.) 2346  
*Asterias* Borkh. (Gentiana L.) 4955  
*Asteridia* Lindl. (Athraxia Ker.) 3686  
*Asteriscium* Ch. et Schl. (Umbellif.) 2755  
*Asteriscus* (Tourn.) Mönch (Odon-  
 tosperrum Neck.) 3722  
 — Sch. Bip. (Pallenis Cass.) 3723  
*Asterocarpus* E. et Z. (Pterocel-  
 lastrus Meisn.) 1294  
*Asterocephalus* (Vaill.) Lag. (Scabiosa L.) 3386  
*Asterochaete* Nees. (Cyper.) 7960  
*Asterochiton* Turcz. (Thomasia J. Gay) 834  
*Asterochlæna* Garcke (Pavonia L.) 753  
*Asterocytisus* Schur (Genista L.) 1641  
*Asterogeum* Gray (Plantago L.)  
*Asteroogyne* Wendl. (Palm.) 7677  
*Asterolasia* F. Müll. (Rutac.) 1048  
*Asterolinum* Link et Hoffm. (Primul.) 4452  
*Asteromæa* Bl. (Boltonia L'Hér.) 3539  
*Asteromyrtus* Schau. (Melaleuca L.) 2290  
*Asteropeia* Thou. (Samyd.) 2562  
*Asteropsis* Less (Composit.) 3558  
*Asteropterus* Gartn. (Leyssera L.) 362  
*Asteroschoenus* Nees (Rhynchospora Vahl) 7955  
*Asterosperma* Less. (Detris Adans.) 3545  
*Asterostemma* Dcne (Asclep.) 4845  
*Asterostigma* Schott (Staurostigma Scheidw.) 7833  
*Asterostoma* Bl. (Osbeckia L.) 2389  
*Asterothrix* Cass. (Leontodon L.) 4198  
*Asterotrichion* Kl. (Plagianthus Forst.) 737  
*Astetilia* Cass. (Grindelia Willd.) 3479  
*Asthenochloa* Büse (Inc. sed.) p. 487  
*Asthotheca* Miers (Clusia L.) 638  
*Astianthus* Don (Tecoma Juss.) 5474  
*Astilbe* Ham. (Saxifrag.) 2089  
*Astiria* Lindl. (Stercul.) 809  
*Astoma* DC. (Umbellif.) 2787  
*Astorganthus* Endl. (Melicope Forst.) 1055  
*Astræa* Kl. (Croton L.) 6460  
*Astræa* Schau. (Thryptome Endl.) 2276  
*Astradelphus* Remy (Erigeron L.) 3561  
*Astragaloides* (Tourn.) Mönch (Astragalus L.)  
 — Adans. (Phaca L.)  
*Astragalus* (Tourn.) L. (Legumin.) 1720  
*Astranthium* Nutt. (Bellis L.) 3525  
*Astranthus* Lour. (Homalium Jacq.) 2559  
*Astrantia* (Tourn.) L. (Umbellif.) 2761  
*Astrapæa* Lindl. (Dombeya Cav.) 810  
*Astrebla* F. Müll. (Gramin.) 8174  
*Astrephia* Dufr. (Valerian.) 3375  
*Astrocaryus* Neck. (Resed.) 455  
*Astrocaryum* G. W. Mey. (Palm.) 7730  
*Astrococcus* Benth. (Euphorb.) 6546  
*Astroglossus* Rchb. f. (Trichoceros H. B. K.) 6969  
*Astogyne* Benth (Croton L.) 6460  
*Astrolinoides* Baudo (Inc. sed.) p. 487.  
*Astrolobium* DC. (Coronilla L.) 1730  
 — DC. (Ormthopus L.) 1729  
*Astroloma* R. Br. (Epacrid.) 4393  
*Astronia* Bl. (Melastom.) 2420  
*Astronidium* A Gray (Astronia Bl.) 2480  
*Astronium* Jacq. (Anacard.) 1552  
 — L. March. (Parishia H. f.) 1555  
*Astropanax* Seem. (Heptapleurum Gartn.) 2952  
*Astropetalum* Griff. (Swintonia Griff.) 1511  
*Astrophia* Nutt. (Lathyrus L.) 1778  
*Astrophyllum* T. et G. (Rutac.) 1061  
*Astrophytum* Lem. (Echinocactus Link et Otto) 2705  
*Astropus* Spreng. (Waltheria L.) 820  
*Astrostemma* Benth. (Asclep.) 4798  
*Astrolricha* DC. (Araliac.) 2931  
*Astydamia* DC. (Umbellif.) 2863  
*Astylis* Wight (Hemicyclia W. et A.) 6415  
*Asyneuma* Griseb. et Schenk (Podanthum Don).  
*Asystasia* Bl. (Acanth.) 5573  
*Ataccia* Presl (Tacca Forst.) 7342  
*Atænia* H. et A. (Carum L.) 2806  
*Atalanta* Nutt. (Cleome L.) 425  
*Atalanthus* Don (Sonchus L.) 4211  
*Atalantia* Corr. (Rutac.) 1101  
*Atalaya* Bl. (Sapind.) 1380  
*Atamisquea* Miers (Capparid.) 448  
*Atasites* Neck. (Gerbera Gronov.) 4146  
*Ataxia* R. Br. (Hierochloe Gmel.) 8087  
*Ate* Lindl. (Habenaria Willd.) 7066  
*Atelandra* Lindl. (Hemigenia R. Br.) 3855  
 — Bello (Inc. sed.) p. 487.  
*Atelanthera* H. f. et T. (Crucif.) 244  
*Ateleia* Moç. et Sessé (Legumin.) 1884

- Ateleste* Sond. (*Aberia* Hochst.)  
*Atenia* H. et A. (*Carum* L.)  
*Ateramnus* P.Br. (Inc. sed.) p. 487.  
*Athalmus* Neck. (*Pallenis* Cass.) 3723  
*Athamanta* L. (*Umbellif.*) 2832  
*Athamus* Neck. (*Carlina* L.) 4072  
*Athanasia* L. (*Composit.*) 3943  
*Athecia* Gärtn (*Royena* L.) 4321  
*Athenaea* Sendtn. (*Solan.*) 5108  
— Adans. (*Sparganophorus* Gärtn.) 3390  
— Schreb. (*Casearia* Jacq.)  
*Atherandra* Dcne (*Asclep.*) 4699  
*Atheranthera* Mart. (*Passiflor.*) 2599  
*Atherocephala* DC. (*Andersonia* R. Br.) 4414  
*Atherolepis* H. f. (*Asclep.*) 4700  
*Atherophora* Willd. (*Ægopogon* Willd.).  
*Atheropogon* Mühlbg (*Bouteloua* Lag.) 8169  
*Atherosperma* Labill (*Monimiac.*) 6170  
*Atherostemon* Bl. (*Asclep.*) 4701  
*Atherurus* Bl (*Pinellia* Ten.) 7845  
*Athesiandra* Miers (*Ptychopetalum* Benth.) 1210  
*Athlianthus* Endl. (*Justicia* L.) 5611  
*Athrixia* Ker (*Composit.*) 3686  
*Athrodactylis* Forst. (*Pandanus* L.) 7743  
*Athroisma* DC. (*Composit.*) 3598  
— Griff. (*Trigonostemon* Bl.) 6468  
*Athronia* Neck. (*Spilanthus* L.) 3835  
*Athroostachys* Benth. (*Gramin.*) 8284  
*Athrotaxis* Don (*Conifer.*) 8319  
*Athruphyllum* Lour. (*Myrsine* L.) 4460  
*Athyana* Radlk (*Sapind.*) 1376  
*Athymalus* Neck. (*Euphorbia* L.) 6370  
*Athyrocarpus* Schlecht (*Commelin.*) 7573  
*Athyrus* Neck. (*Euphorbia* L.)  
*Athysanus* Greene (*Crucif.*) 373  
*Atimeta* Schott (*Rhodospatha* Pöpp.) 7766  
*Atkinsonia* F. Müll. (*Loranthus* L.) 635  
*Atolaria* Neck. (*Crotalaria* L.)  
*Atomostylis* Steud. (*Cyperus* L.) 7923  
*Atossa* Alef. (*Vicia* L.) 1776  
*Atractocarpa* Franch. (*Gramin.*) 8290  
*Atractylis* L. (*Composit.*) 4073  
*Atractylodes* DC. (*Atractylis* L.) 4073  
*Atragene* L. (*Clematis* L.) 1  
*Atraphaxis* L. (*Polygon.*) 6081  
*Atreina* DC. (*Bifora* Hoffm.) 2911  
*Atrichoseris* A. Gray (*Composit.*) 4175  
*Atriplex* (Tourn.) L. (*Chenopod.*) 5979  
*Atropa* L. (*Solan.*) 5138  
*Atropis* Rupr. (*Gramin.*) 8253  
*Atrutregia* Bedd. (*Anonac.*) 96  
*Attalea* H. B. K. (*Palm.*) 7739  
*Atylosia* W. et A. (*Legumin.*) 1823  
*Atylus* Salisb. (*Petrophila* R. Br.) 6227  
*Aubentonia* Domb. (*Waltheria* L.)  
*Aubertia* Bory (*Evodia* Forst.) 1058  
*Aubletia* Gärtn. (*Sonneratia* L. f.) 2515  
— Lour. (*Paliurus* Juss.) 1220  
— Neck. (*Ruellia* L.)  
— Rich. (*Monnieria* L.) 1018  
— Schreb. (*Apeiba* Aubl.) 875  
*Aubrieta* Adans. (*Crucif.*) 271  
*Aubrya* H. Bn (*Humir.*) 968  
*Auchera* DC. (*Arctium* L.) 4076  
*Aucklandia* Falc. (*Saussurea* DC.) 4086  
*Aucuba* L. (*Cornac.*) 2976  
*Aucubaphyllum* Ahlbg. (*Cornac.*) 2977  
*Aucuparia* Medik. (*Pyrus* L.)  
*Audibertia* Benth. (*Labiata.*) 5796  
— Benth. (*Mentha* L.) 5758  
*Audouinia* Brongn. (*Bruniac.*) 2221  
*Auganthus* Lour. (*Primula* L.) 4435  
*Augca* Thunb. (*Zygophyll.*) 964  
— Retz (*Lanaria* Ait.) 7201  
*Augia* Lour. (Inc. sed.) p. 487.  
*Augusta* Pohl (*Rubiace.*) 3070  
— Leandro (*Stiffia* Mik.) 4127  
*Augustia* Kl. (*Begonia* L.) 2695  
*Augustinea* Karst. (*Bactris* Jacq.) 7828  
— St-Hil. et Naud. (*Miconia* R. et P.) 2462  
*Aulacia* Lour. (*Clausena* Burm.) 1098  
*Aulacidium* Rich. (*Macrocentrum* Raddi.) 2435  
*Aulacanthus* E. Mey. (*Leptononis* DC.) 1521  
*Aulacocalyx* H. f. (*Rubiace.*) 3244  
*Aulacocarpus* Berg. (*Myrtac.*) 2329  
*Aulacodiscus* H. f. (*Rubiace.*) 5129  
*Aulacophyllum* Rgl (*Zamia* L.) 8348  
*Aulacorhynchus* Nees (Inc. sed.) p. 487  
*Aulacospermum* Ledeb. (*Pleurospermum* Hoffm.) 2879  
*Aulacostigma* Turcz. (*Rhynchotheca* R. et P.) 992  
*Aulax* Berg. (*Proteac.*) 6217  
*Aulaxanthus* Ell. (*Anthænantia* P. B.) 8046  
*Aulaxia* Nutt. (*Anthænantia* P. B.) 8046  
*Aulaxis* Haw. (*Saxifraga* L.) 2092  
*Aulaya* Harv. (*Harveya* Hook.) 5300  
*Aulza* Salisb. (*Epidendrum* L.) 6823  
*Aulomyrcia* Berg. (*Myrcia* DC.) 2322  
*Aulonemia* Goudot (*Arthrostylidium* Rupr.) 8282  
*Aulosema* Walp. (*Astragalus* L.) 1720  
*Aurelia* Cass. (*Grindelia* Willd.) 3479  
— J. Gay (*Narcissus* L.) 7281  
*Aureliana* Catesb. (*Panax* L.) 2934  
— Lafit. (*Aralia* L.) 2923  
— Sendtn. (*Bassovia* Aubl.) 5113  
*Aurinia* Desv. (*Alyssum* L.) 274  
*Aurora* Nor. (*Quisqualis* L.)  
*Australina* Gaud. (*Urtic.*) 6690  
*Austrobuxus* Miq. (*Sarcococca* Lindl.) 6387



- Auxemma* Miers (Boragin.) 4996  
*Avellanita* Phil. (Euphorb.) 6452  
*Avellinia* Parl. (Gramin.) 8215  
*Avena* L. (Gramin.) 8148  
*Avenella* Parl. (Deschampsia P. B.) 8145  
*Averrhoa* L. (Geran.) 999  
*Averrhoidium* H. Bn (Sapind.) 1475  
*Avicennia* L. (Verben.) 5724  
*Aviceps* Lindl. (Satyrium Sw.) 7072  
*Avicularia* Gesn. (Specularia Heist.)  
*Axanthes* Bl. (Urophyllum Wall.) 3130  
*Axanthopsis* Korth. (Urophyllum Wall.) 3130  
*Axenfeldia* H. Bn (Mallotus Lour.) 6522  
*Axia* Lour. (Boerhaavia L.)  
*Axillaria* Raf. (Polygonatum Adans.) 7371  
*Axinea* R. et P. (Melastom.) 2412  
*Axinandra* Thw. (Melastom.) 2485  
*Axinanthera* Karst. (Bellucia Neck.) 2472  
*Axiniphyllum* Benth. (Composit.) 3791  
*Axolopha* Alef. (Lavatera L.)  
*Axonopus* P. B. (Paspalum L.) 8045  
*Axonotichium* Fenzl (Orygia Forsk.) 2726  
*Axyris* L. (Chenopod.) 5985  
*Ayapana* Spach (Eupatorium L.)  
*Aydendron* Nees (Laurin.) 6182  
*Ayenia* L. (Stercul.) 828  
*Aylmeria* Mart. (Polycarpæa Lam.) 603  
*Aytonia* L. f. (Aitonia Thunb.)  
*Azadirachta* A. Juss. (Meliac.) 1172  
*Azalea* L. (Rhododendron L.) 4375  
*Azamasa* Hochst. (Allophylus L.) 1379  
*Azanza* Alef. (Thespesia Corr.) 766  
*Azaola* Blanco (Bassia L.) 4511  
*Azara* R. et P. (Bixin.) 510  
*Azarolus* Röm. (Pyrus L.)  
*Azedarach* Medik. (Azadirachta A. Juss.)  
*Azeredia* Arrud. (Cochlospermum Kth.) 492  
*Azima* Lam. (Salvador.) 4555  
*Azophora* Neck. (Rhizophora L.)  
*Azorella* Lam. (Umbellif.) 2746
- B**
- Babactes* DC. (Chirita Ham.)  
*Babbagia* F. Müll. (Chenopod.) 6000  
*Babiana* Ker (Irid.) 7269  
*Babingtonia* Lindl. (Bæckeia L.) 2280  
*Bacazia* R. et P. (Barnadesia Mut.) 4166  
*Baccaurea* Lour. (Euphorb.) 6431  
*Baccharis* L. (Composit.) 3575  
*Baccharoides* Mönch (Vernonia Schreb.) 3405  
*Bachhousia* Hook. et Harv. (Myrtac.) 2309  
*Baconia* DC. (Pavetta L.) 3259  
*Bacopa* Aubl. (Scrophul.) 5255  
*Bactris* Jacq. (Palm.) 7728  
   — Karst. (Bactris Jacq.) 7728  
*Bactrylobium* Willd. (Cassia L.) 1929  
*Bacularia* F. Müll. (Palm.) +7654b  
*Badamia* Gärt. (Terminalia L.) 2249  
*Badaroa* Bert. (Sicyos L.) 2678  
*Badianifera* L. (Illicium L.)  
*Badiera* DC. (Polygal.) 543  
   — Hassk. (Polygala L.) 542  
*Badiusia* Rchb. (Sophora L.) 1871  
*Badula* Juss. (Ardisia Sw.) 4470  
*Badusa* A. Gray (Rubiace.) 3045  
*Bæa* Comm. v. Bœa.  
   — Pers. (Calceolaria L.) 5186  
*Bæckeia* L. (Myrtac.) \*2280  
   — Burm. (Brunia L.) 2216  
*Bæica* Clarke v. Bœica. 5407  
*Bæobotrys* Forst. (Mæsa Forsk.) 4459  
*Bæolepis* Dcne (Cornacchinia Endl.)  
*Bæometra* Salisb. (Liliac.) 7323  
*Bæoterpe* Salisb. (Hyacinthus L.) 7500  
*Bæothryon* Ehrh. (Scirpus L.) 7934  
*Bæria* F. et M. (Composit.) 3889  
*Bæumerta* Fl. Wett. (Nasturtium R. Br.)  
*Bagalatta* Roxb. (Tiliacora Colebr.)  
*Bagassa* Aubl. (Urtic.) 6608  
*Bagnisia* Becc. (Burmanniace.) 6739  
*Bahel* Adans. (Artanema Don)  
*Bahia* Lag. (Composit.) 3901  
*Bahiopsis* Kell. (Viguiera H. B. K.) 3828  
*Baicalia* Stell. (Astragalus L.)  
*Baikiea* Benth. (Legumin.) 1953  
*Baileya* A. Gray (Composit.) 3895  
*Baillieria* Aubl. (Clibadium L.) 3741  
*Baillonia* Bocq. (Verben.) 5681  
*Baissea* A. DC. (Apocyn.) 4650  
*Baitaria* R. et P. (Calandrinia H. B. K.) 614  
*Bajan* Adans. (Amarantus L.)  
*Bakeria* Seem. (Plerandra A. Gray)  
*Balaka* Becc. (Palm.) + 7633c  
*Balangue* Gärt. (Jasminum L.)  
*Balanites* Del. (Simarub.) 1133  
*Balanocarpus* Bedd. (Dipterocarp.) +714b  
*Balanophora* Forst. (Balanophor.) 6336  
**Balanophoreæ** p. 359.  
*Balanops* H. Bn (Balanopseæ) 6581  
**Balanopseæ** p. 375.  
*Balanopteris* Gärt. (Heritiera Dryand) 796  
*Balanostreblus* Kurz. (Urtic.) 6643  
*Balansæa* Boiss. et Reut. (Chærophyllum L.) 2825  
*Balantium* Desv. (Parinarium Juss.) 2011  
*Balardia* Camb. (Spergularia Pers.) 591

- Balaustion* Hook. (Myrtac.) 2284  
*Balbisia* Cav. (Geran.) 994  
— DC. (Rhetinodendron Meisn.) 4010  
— Willd. (Tridax L.) 3866  
*Balboa* Pl. et Tr. (Guttifer.) 645  
— Liebm. (Tephrosia Pers.) 1632  
*Baldellia* Parl. (Alisma L.) 7862  
*Baldingera* Fl. Wett. (Phalaris L.) 8085  
— Dennst. (Premna L.) 5704  
*Baldingera* Neck. (Cotula L.)  
*Balduina* Nutt. (Composit.) 3863  
*Baldwinia* T. et G. (*Balduina* Nutt.)  
*Balessam* Bruce (Balsamodendron Kth)  
*Balexerdia* Comm. (Nanodes Banks)  
*Balfouria* R.Br. (*Wrightia* R.Br.) 4630  
*Balfourodendron* Mello (Rutac.) 1080  
*Balingayum* Blanco (*Erythropalum* Bl.) 1214  
*Baliospermum* Bl. (Euphorb.) 6541  
*Ballardia* Montrouz. (*Cloezia* Brongn.) 2303  
*Ballochia* Balf. f. (Acanth.) 5614  
*Ballosporum* Salisb. (*Gladiolus* L.) 7275  
*Ballota* L. (Labiata.) 5836  
*Balneda* Skan. (*Grewia* L.)  
*Baloghia* Endl. (Euphorb.) 6472  
*Balsamea* Gled. (*Commiphora* Jacq.) 1152  
*Balsamaria* Lour. (*Calophyllum* L.)  
*Balsamina* (Tourn.) Gärtn. (*Impatiens* L.) 1002  
*Balsamita* Desf. (*Chrysanthemum* L.) 3964  
*Balsamocarpon* Clos (*Cæsalpinia* L.) 1910  
*Balsamodendron* Kth (*Commiphora* Jacq.) 1152  
*Balsamona* Vand. (*Cuphea* P. Br.) 2496  
*Balsamophloeos* Berg. (*Commiphora* Jacq.) 1152  
*Balsamorhiza* Hook. (Composit.) 3803  
*Baltimora* L. (Composit.) 3749  
*Bambos* Retz (*Bambusa* Schreb.) 8-89  
*Bambusa* Schreb. (Gramin.) 8289  
*Banalia* Moq. (Amarant.) 5924  
*Banara* Aubl. (Samyd.) 2548  
*Banava* (Camell.) Juss. (*Lagerstroemia* L.) 2512  
*Bancroftia* Macf. (*Tovaria* R. et P.) 454  
*Bandeiræa* Welw. (Legumin.) 1939  
*Banffya* Baumg. (*Gypsophila* L.) 573  
*Banisteria* L. (Malpigh.) 940  
*Bankesia* Bruce (*Brayera* Kth) 2059  
*Bania* Becc. (Menisperm.) 165  
*Banksea* Kön. (*Costus* L.)  
*Banksia* L. f. (Proteac.) 6267  
— Domb. (*Cuphea* P. Br.) 2496  
*Banksia* Forst. (*Pimelea* Banks) 6269  
*Banmanissa* Endl. (*Polanisia* Raf.) 430  
*Baobab* Adans. (*Adansonia* L.)  
*Baphia* Afz. (Legumin.) 1859  
*Baphiopsis* Benth. (Legumin.) 1877  
*Baphorhiza* Link (Alkanna Tausch.) 5047  
*Baptisia* Vent. (Legumin.) 1582  
*Baptistania* Barb. Rodr. (Orchid.) 7092  
*Baratranthus* Miq. (*Loranthus* L.) 6315  
*Barattia* A. Gray et Engelm. (*Encelia* Adans.) 3829  
*Baraultia* Spreng. (*Carallia* Roxb.)  
*Barbacenia* Vand. (Amaryll.) 7341  
*Barba-Jovis* (Tourn.) Adans. (*Anthyllis* L.)  
*Barbarca* R. Br. (Crucif.) 246  
*Barbellina* Cass. (*Stæhelina* L.) 4084  
*Barberetta* Harv. (Hæmodor.) 7199  
*Barberina* Vell. (*Symplocos* L.) 4327  
*Barbenia* Thou. (Chenopod.) 6061  
*Barbieria* DC. (Legumin.) 1677  
*Barbilus* P. Br. (*Trichilia* L.) 1190  
*Barbula* Lour. (*Caryopteris* Bge.) 5716  
*Barcella* Traill. (Palm.) 7734  
*Barcenia* Dugès (Rhamn.) +1335b  
*Barclaya* Wall. (Nymphæac.) 206  
*Bargemontia* Gaud. (Convolvul.) 5100  
*Barhamia* Kl. (*Croton* L.) 6460  
*Barjonia* Dcne (Asclep.) 4832  
*Barkania* Ehrenb. et Hempr. (*Halophila* Thou.) 6732  
*Barkeria* Kn. et Westc. (*Epidendrum* L.) 6823  
*Barkhausia* Mönch (*Crepis* L.) 4190  
*Barkhusenia* Hoppe (*Crepis* L.) 4190  
*Barklya* F. Müll. (Legumin.) 1890  
*Barlæa* Rchb. f. (*Habenaria* Willd.) 7066  
*Barleria* L. (Acanth.) 5565  
*Barleriacanthus* CErst. (*Barleria* L.) 5565  
*Barlerianthus* CErst. (*Barleria* L.) 5565  
*Barleriola* CErst. (Acanth.) 5570  
*Barleriopsis* CErst. (*Barleria* L.) 5563  
*Barleriosiphon* CErst. (*Barleria* L.) 5565  
*Barlerites* CErst. (*Barleria* L.) 5565  
*Barlia* Parl. (*Orchis* L.) 7055  
*Barnadesia* Mut. (Composit.) 4106  
*Barnadia* Rchb. (*Penthea* Don).  
*Barnardia* Lindl. (*Scilla* L.) 7505  
*Barneondia* C. Gay (*Anemone* L.) 4  
*Barola* Adans. (*Barbilus* P. Br.)  
*Barollæa* Neck. (*Pekea* Aubl.)  
*Baronia* Bak. (Anacard.) 1556  
*Barosma* Willd. (Rutac.) 1033  
*Barraldeia* Thou. (*Carallia* Roxb.) 2236  
*Barreliera* Gmel. (*Barleria* L.)  
*Barreria* Willd. (*Poraqueiba* Aubl.) 1240  
*Barringtonia* Forst. (Myrtac.) 2340  
— DC. (*Barringtonia* Forst.) 2340

- Barroetia* A. Gray (Composit.) 3466  
*Barroetia* Brongn. (Pandanus L.) 7743  
— Gaud. (Pandanus L.) 7743  
*Barrowia* Dcne (Asclep.) 4862  
*Barteria* H. f. (Passiflor.) 2595  
*Barthea* H. f. (Melastom.) 2415  
*Barthesia* Comm. (Badula Juss.)  
*Bartholina* R. Br. (Orchid.) 7062  
*Bartlettia* A. Gray (Composit.) 4005  
*Bartlingia* Rchb. (Plocama Ait.) 3321  
— Brongn. (Pultenaea Sm.) 1601  
*Bartolina* Adans. (Tridax L.) 3866  
*Bartonia* Mühl. (Gentian.) 4962  
— Sims (Mentzelia L.) 2571  
*Bartramia* Gärtn. (Triumfetta L.) 858  
*Bartsia* L. (Scrophul.) 5334  
*Barya* Kl. (Begonia L.) 2695  
*Baryosma* Gärtn. (Dipteryx Schreb.) 1853  
— Röm. (Barosma Willd.) 1033  
*Barysoma* Bge (Heracleum L.) 2888  
*Baryxylum* Lour. (Inc. sed.) p. 488.  
*Basaltogeton* Salisb. (Scilla L.) 7505  
*Basanacantha* H. f. (Rubiace.) 3168  
*Basananthe* Peyr. (Passiflor.) 2590  
*Basella* L. (Chenopod.) 6043  
*Basilæa* Juss. (Eucomis L'Hér.) 7504  
*Basileophyta* F. Müll. (Fieldia A. Cunn.) 5436  
*Bisiloxylon* Schum. (Stercul.) 798  
*Basistemon* Turcz. (Scrophul.) 5222  
*Baskervilla* Lindl. (Orchid.) 6993  
*Bassia* L. (Sapot.) \*4511  
— All. (Chenolea Thunb.) \*5996  
*Bassovia* Aubl. (Solan.) 5113  
*Bastardia* H. B. K. (Malvac.) 743  
*Basteria* Houtt. (Berkheya Ehrh.) 4060  
*Batatas* Choisy (Ipomæa L.) 5077  
*Batemannia* Lindl. (Orchid.) 6859  
*Batesia* Spruce (Legumin.) 1902  
*Bathysa* Presl (Rubiace.) 3065  
**Batideæ p. 341.**  
*Batis* L. (Batid.) 6069  
*Batocarpus* Karst. (Urtic.) 6640  
*Batodendron* Nutt. (Vaccin.) 4321  
*Batrachium* Dmrt. (Ranunculus L.) 10  
*Batratherum* Nees (Arthraxon P. B.) 3019  
*Batschia* Gmel. (Lithospermum L.) 5056  
— Mönch (Eupatorium L.) 3460  
— Thunb. (Anomospermum Miers) 140  
— Vahl (Humboldtia Vahl) 1945  
*Baucha* Fourn. (Epicampes Presl) 8112  
*Baudinia* Lesch. (Calothamnus Labill.)  
*Bauera* Banks (Saxifrag.) 2169  
*Bauhinia* L. (Legumin.) 1937  
*Baukea* Vatke (Legumin.) +1819b  
*Baumannia* Spach (Oenothera L.) 2528  
*Baumannia* DC. (Damnacanthus Gärtn.) 3272  
*Baumea* Gaud. (Cladium P. Br.) 7966  
*Baumgartenia* Spreng. (Borya Labill.)  
*Bauschia* Seub. (Aneilema R. Br.) 7576  
*Baxtera* Rchb. (Marsdenia R. Br.) 4835  
*Baxteria* R. Br. (Liliac.) 7403  
*Baziasa* Steud. (Sabazia Cass.) 3794  
*Bdallophyton* Eichl. (Cytinus L.) 6124  
*Bea* Juss. (Boea Clarke) 5411  
*Bealia* Scribn. (Muehlenbergia Schreb.) 8096  
*Beatonia* Herb (Tigridia Ker) 7226  
*Beatsonia* Roxb. (Franken.) 566  
*Beaucarnea* Lem. (Nolina Mchx) 7440  
*Beaudoinia* H. Bn (Legumin.) 1930  
*Beaufortia* R. Br. (Myrtac.) 2292  
*Beauharnoisia* R. et P. (Tovomita Aubl.) 647  
*Beaumaria* Herb. Deless. (Aristol. L'Hér.)  
*Beaumalix* Willd. (Reaumuria L.)  
*Beaumontia* Wall. (Apocyn.) 4655  
*Beauprea* Brongn. et Gris (Proteac.) 6237  
*Beautempsia* Gaud. (Capparid.) 446  
*Bechium* DC. (Vernonia Schreb.) 3405  
*Beautia* Comm. (Hydrangea L.) 2111  
*Bebbia* Greene (Composit.) 3473  
*Becium* Lindl. (Ocimum L.) 5725  
*Beckera* Fresen. (Gramin.) 8043  
*Beckeropsis* Fig. et De Not (Pen. nisetum Pers.) 8057  
*Beckmannia* Host (Gramin.) 8177  
*Beclardia* A. Rich. (Cryptopus Lindl.) 6959  
*Becquerelia* Brongn. (Cyper.) 7977  
*Beddomia* H. f. (Meliac.) 1184  
*Bedfordia* DC. (Composit.) 4028  
*Bedousia* Dennst. (Casearia Jacq.)  
*Beera* P. B. (Hypolytrum Rich.) 7942  
*Beesha* Munro (Ochlandra Thw.) 8303  
*Beesha* Kth (Ochlandra Thw.) 8303  
*Beethovenia* Engelm. (Ceroxylon H. B. K.) 7657  
*Befaria* L. f. (Bejaria Mut.) 4374  
*Begonia* (Tourn.) L. (Begon.) 2695  
— Kl. (Begonia L.) 2695  
— DC. (Begonia L.) 2695  
**Begoniaceæ p. 151.**  
*Begoniella* Oliv. (Begon.) 2697  
*Behaimia* Griseb. (Legumin.) 1840  
*Behen* Hill (Serratula L.)  
— Mönch (Silene L.) 7364  
*Behnia* Didrichs (Liliac.) 7469  
*Behria* Greene (Liliac.) 2407  
*Behuria* Cham. (Melastom.) 7266  
*Beilia* Eckl. (Watsonia Mill.) 6180  
*Beilschmiedia* Nees (Laurin.) 4374  
*Bejaria* Mut. (Ericac.) 4612  
*Bejoua* Gaud. (Tabernæmontana L.)

- Bejuco* Löfl. (*Hippocratea* L.) 1312  
*Belairia* A. Rich. (Legumin.) 1883  
*Belamcanda* Adans. (Irid.) 7244  
*Belangeria* Camb. (Saxifrag.) 2152  
*Belantheria* Nees (*Brillantaisia* P. B.) 5524  
*Belencita* Karst. (Capparid.) +454<sup>b</sup>  
*Belenia* Dcne (*Physochlaina* G. Don) 5145  
*Belis* Salisb. (*Cunninghamia* R. Br.) 8317  
*Belladonna* Sweet (*Amaryllis* L.) 7502  
*Bellardia* All. (*Bartsia* L.) 5334  
— Colla (*Microseris* Don) 4172  
— Schreb. (*Manettia* Mut.) 3025  
*Bellendena* R. Br. (Proteac.) 6235  
*Bellevallia* Lapeyr. (*Hyacinthus* L.) 7500  
*Bellidiastrum* Mich. (*Aster* L.) 3544  
*Bellinia* R. et S. (*Saracha* R. et P.) 5111  
*Belliopsis* Pomel (*Bellium* L.) 3526  
*Bellis* L. (Composit.) 3525  
*Bellium* L. (Composit.) 3526  
*Belloa* Remy (*Gnaphalium* L.) 3626  
*Bellonia* L. (Gesner.) 5360  
*Bellota* C. Gay (*Cryptocarya* R. Br.) 6175  
*Bellucia* Neck. (Meliac.) 2472  
*Bellynckxia* Müll. Arg. (*Appunia* H. f.) 3277  
*Belmontia* E. Mey. (Gentian.) 4921  
*Beloanthera* Hassk. (Inc. sed.) p. 488.  
*Beloere* Shuttl. (*Abutilon* Gärttn.) 747  
*Belonites* E. Mey. (*Pachypodium* Lindl.) 4659  
*Belonophora* H. f. (Rubiace.) 3240  
*Beloperone* Nees (*Acanth.*) 5616  
*Beloperonides* Erst. (*Beloperone* Nees) 5616  
*Belostemma* Wall. (*Tylophora* R. Br.) 4826  
*Belosynapsis* Hassk. (*Cyanotis* Don) 7581  
*Belotia* A. Rich. (Tiliac.) 855  
*Belovia* Moq. (*Suaeda* Forsk.) 6016  
*Belvala* Adans. (*Struthiola* L.) 6291  
*Belvisia* Desv. (*Napoleona* P. B.) 2345  
*Bembicia* Oliv. (Samyd.) 2581  
*Bembix* Lour. (Inc. sed.) p. 488.  
*Bembycodium* Kunze (*Athanasia* L.) 3943  
*Bencomia* Webb (Rosac.) 2067  
*Benevidesia* Sald. et Cogn. (Melastom.) 2406  
*Benincasa* Savi (Cucurbit.) 3635  
*Benitzia* Karst. (*Gymnosiphon* Bl.) 6735  
*Benjaminia* Mart. (Inc. sed.) p. 490.  
— Vell. (*Dictyoloma* DC.) 1123  
*Bennetia* Miq. (Bixin.) 514  
— R. Br. (*Galearia* Zoll. et Mor.) 6444  
*Bennetia* S. F. Gray. (*Saussurea* DC.) 4086  
*Benteca* Adans. (*Ambelania* Aubl.)  
*Benthamia* Lindl. (*Cornus* L.) 2974  
— A. Rich. (*Habenaria* Willd.) 7066  
— Lindl. (*Amsinckia* Lehm.) 5029  
*Benthamidia* Spach (*Cornus* L.).  
*Benthamiella* Spegazz. (Solan.) 5151  
*Bentinckia* Berry (Palm.) 7681  
*Benzoin* Hayne (*Styrax* L.) 4529  
— Nees (*Lindera* Thunb.) 6212  
*Benzonia* Schum. et Thonn. (Inc. sed.) p. 488.  
*Berardia* Vill. (Composit.) 4090  
— Brongn. (*Diberara* H. Bn) 2218  
— Harv. et Sond. (*Raspailia* Brongn.) 2217  
**Berberideæ** p. 9.  
*Berberidopsis* H. f. (Berberid.) 189  
*Berberis* L. (Berberid.) 190  
*Berchemia* Neck. (Rhamn.) 1327  
*Berchtoldia* Presl (*Chaetium* Nees) 8054  
*Berendtia* A. Gray (Scrophul.) 5224  
*Berenice* Tul. (Saxifrag.) 2133  
— Salisb. (*Allium* L.) 7476  
*Bergenia* Mönch (*Saxifraga* L.) 2092  
— Neck. (*Lythrum* L.) 2497  
*Bergera* Kön. (*Murraya* L.) 1097  
*Bergeretia* Desv. (*Clypeola* L.) 371  
*Bergeronia* M. Mich. (Legumin.) 1844  
*Berghausia* Endl. (*Garnotia* Brongn.) 8115  
*Berghesia* Nees (Inc. sed.) p. 488.  
*Bergia* L. (Elatineæ) 629  
*Berginia* Harv. (Acanth.) 5578  
*Bergkias* Sonn (*Gardenia* L.) 3181  
*Bergsmia* Bl. (Bixin.) 521  
*Beriesa* Steud. (*Anredera* Juss.) 6047  
*Beringeria* Neck. (*Ballota* L.) 5836  
*Berinia* Brign. (*Crepis* L.) 4190  
*Berkheya* Ehrh. (Composit.) 4060  
*Berlandiera* DC. (Composit.) 3756  
*Berlinia* Soland. (Legumin.) 1947  
*Bermudiana* Adans. (*Sisyrinchium* L.) 7248  
*Bernardia* P. Br. (Euphorb.) 6493  
*Bernardina* Baudo (Inc. sed.) p. 488.  
*Bernardinia* Planch. (Connar.) 1566  
*Berneuxia* Dcne (Diapens.) 4422  
*Berniera* DC. (*Gerbera* Gronov.) 4146  
*Bernieria* H. Bn (Laurin.) 6185  
*Bernouillea* Oliv. (Stercul.) 792  
*Bernoullia* Neck. (*Geum* L.) 2051  
*Berrebera* Hochst. (*Milletia* W. et A.) 1687  
*Berrya* Roxb. (Tiliac.) 846  
*Bersama* Fresen. (Melianth.) 1498  
*Berteroa* DC. (*Alyssum* L.) 274

- Berthelotia* DC. (*Pluchea* Cass.) 3583  
*Bertholletia* H. et B. (Myrtac.) 2332  
*Bertiera* Aubl. (Rubiace.) 3149  
— DC. (*Adenosacme* Wall.) 3121  
*Bertolonia* Raddi (Melastom.) 2434  
— DC. (*Leuceria* Lag.) 4149  
— Spin. (*Myoporum* Banks et Soland.) 5646  
— Spreng. (*Chrysochlamys* Pöpp. et Endl.) 646  
*Bertya* Planch. (Euphorb.) 6380  
*Berula* Koch (*Sium* L.) 2812  
*Beryllis* Salisb. (*Ornithogalum* L.) 7507  
*Berzelia* Brongn. (Bruniac.) 2213  
— Mart. (*Hermbstædia* Rchb.) 5919  
*Beschorneria* Kth (Amaryll.) 7336  
*Besenna* A. Rich. (*Acacia* Willd.) 1997  
*Besleria* L. (Gesner.) 5438  
*Bessera* Schult. (Liliac.) 7472  
— Spreng. (*Securinega* Juss.) 6406  
— Spreng. (*Xylosma* Forst.) 516  
— Vell. (*Pisonia* L.) 5886  
*Beta* L. (Chenopod.) 5975  
*Betckea* DC. (*Plectritis* DC.) 3380  
*Betencourtia* S<sup>c</sup>Hil. (*Galactia* P. Br.) 1804  
*Bethencourtia* Choisy (*Senecio* L.) 4025  
*Betonica* L. (*Stachys* L.) 5829  
*Betula* L. (Cupulif.) 6702  
*Betulaster* Spach (*Betula* L.) 6702  
*Beurreria* Jacq. (*Bourreria* P. Br.) 4997  
*Beyeria* Miq. (Euphorb.) 6378  
*Beyeriopsis* Müll. Arg. (*Beyeria* Miq.) 6378  
*Beyrichia* Ch. et Schl. (Scrophul.) 5244  
*Beythia* Endl. (*Elæocarpus* L.) 887  
*Bezanilla* Remy (*Psilocarphus* Nutt.) 3601  
*Bhesa* Ham. (*Kurrimia* Wall.) 1292  
*Bia* Kl. (*Tragia* L.) 6552  
*Biancæa* Todaro (*Cæsalpinia* L.) 1910  
*Biarum* Schott (Aroid.) 7847  
*Biaslia* Vand. (*Mayaca* Aubl.) 7570  
*Biasoletia* Koch (*Chærophyl- lum* L.) 2825  
— Bertol. (*Chærophyl- lum* L.) 2825  
*Biatherium* Desv. (*Chloris* Sw.) 8163  
*Bicchia* Parl. (*Habenaria* Willd.) 7066  
*Bichenia* Don (*Trichocline* Cass.) 4145  
*Bicornella* Lindl. (Orchid.) 7065  
*Bicorona* A. DC. (*Melodinus* Forst.) 4572  
*Bidaria* Endl. (*Gymnema* R. Br.) 4824  
*Bidens* L. (Composit.) 3856  
*Bidwillia* Herb. (Inc. sed.) p. 488.  
*Biebersteinia* Stephan. (Geran.) 980  
*Bielzia* Schur (*Centaurea* L.) 4100  
*Bieneria* Rchb. f. (*Chloræa* Lindl.) 7051  
*Bienertia* Bge (*Chenopod.*) 6020  
*Bifolium* G. Gärtn. (*Maianthe- mum* Wigg.) 7377  
*Bifora* Hoffm. (Umbellif.) 2901  
*Biforis* Spreng. (*Bifora* Hoffm.) 2901  
*Bifrenaria* Lindl. (Orchid.) 6860  
*Bigamea* Kön. (*Ancistrocladus* Wall.) 707  
*Bigelovia* DC. (Composit.) 3491  
— Spreng. (*Spermacoce* L.) 3350  
*Bigelowia* Sm. (*Forestiera* Poir.) 4542  
*Biglandularia* Seem. (*Sinningia* Nees) 5379  
— Karst. (*Voyria* Aubl.) 4929  
*Bignonia* L. (Bignon.) 5446  
— Bur. (*Bignonia* L.) 5446  
**Bignoniaceæ p. 307.**  
*Bihania* Meisn. (*Eusideroxylon* Teijsm. et Binn.) 6192  
*Bikha* Reinw. (Rubiace.) 3057  
*Bikkiopsis* Brongn. et Gris (*Bik- kia* Reinw.) 3057  
*Bilabium* Miq. (*Chirita* Ham.) 5403  
*Bilabrella* Lindl. (*Habenaria* Willd.) 7066  
*Bilderdykia* Dmrt. (*Polygonum* L.) 6084  
*Billardiera* Sm. (*Pittospor.*) 534  
*Billbergia* Thunb. (Bromel.) 7164  
— Vahl (*Coussarea* Aubl.) 3279  
— Mönch (*Verbena* L.) 5687  
*Billia* Peyr. (*Hippocastan.*) 1492  
*Billiottia* DC. (Rubiace.) 3156  
— Colla (*Calothamnus* Labill.) 2293  
*Billottia* R. Br. (*Agonis* DC.) 2285  
— Sch. Bip. (*Crepis* L.) 4190  
*Bima* Nor. (*Schleichera* Willd.) 1413  
— Nor. (*Euphoria* Comm.) 1416  
*Binectaria* Forsk. (*Imbricaria* Comm.) 4509  
*Binnendykia* Kurz. (*Leptonychia* Turcz.) 827  
*Bionia* Mart. (*Camptosema* H. et A.) 1806  
*Biophytum* DC. (Geran.) 997  
*Biota* Endl. (*Thuya* L.) 8328  
*Biotia* Cass. (*Madia* Molina) 3870  
— DC. (*Aster* L.) 3544  
*Bipinnula* Juss. (Orchid.) 7052  
*Biporeia* Thou. (*Samandura* L.) 1113  
*Birchea* A. Rich. (*Luisia* Gaud.) 6923  
*Birolia* Bell. (*Elatine* L.) 628  
*Bischofia* Bl. (Euphorb.) 6426  
*Biscutella* L. (Crucif.) 355  
*Biserrula* L. (Legumin.) 1723  
*Bismarckia* Hildebr. et Wendl. (*Medenia* P. Guill. de Wurt.) 7726  
*Bistella* Del. (*Vahlia* Thunb.) 2098  
*Biswarea* Cogn. (Cucurbit.) 2615  
*Bivinia* Tul. (Samyd.) 2556  
*Bivonæa* DC. (Crucif.) 340  
— Raf. (*Jatropha* L.) 6455  
*Bivonia* Spreng. (*Bernardia* P. Br.) 6493



- Bixa* L. (Bixin.) 494  
*Bixagrewia* Kurz (Tiliac.) 855  
**Bixineæ** p. 25.  
*Blaberopus* DC. (Alstonia B. Br.) 4609  
*Blachia* H. Bn (Euphorb.) 6475  
*Blackburnia* Forst. (Zanthoxylum L.) 1067  
*Blackstonia* Huds. (Chlora L.) 4936  
*Blackwellia* Juss. (Homalium Jacq.) 2559  
*Bladhia* Thunb. (Ardisia Sw.) 4470  
*Blæria* L. (Ericac.) 4355  
*Blainvillea* Cass. (Composit.) 3813  
*Blairia* Gärtn. (Priva Adans.) 5685  
*Blakea* L. (Melastom.) 2478  
— Aubl. (Bellucia Neck.) 2472  
— Don (Topobea Aubl.) 2479  
*Blanchetia* DC. (Composit.) 3400  
*Blancoa* Lindl. (Hæmodor.) 7205  
— Bl. (Didymosperma Wendl. et Dr.) 7683  
— Bl. (Harpullia Racb.) 1480  
*Blandfordia* Sm. (Liliac.) 7388  
— Andr. (Galax L.) 4421  
*Blandowia* Willd. (Apinagia Tul.) 6109  
*Blastania* Kotschy et Peyr. (Cucurbit.) 2653  
*Blastemanthus* Planch. (Ochnac.) 1147  
*Blastotrophe* Didrichs (Alafia Thou.) 4646  
*Blastus* Lour. (Melastom.) 2419  
*Blaxium* Cass. (Dimorphotheca Mönch) 4041  
*Blechum* P. Br. (Acanth.) 5537  
*Bleekeria* Hassk. (Ochrosia Juss.) 4591  
— Miq. (Alchornea Sw.) 6511  
*Bleekrodia* Bl. (Urtic.) 6598  
*Blennoderma* Spach (Enothera L.) 2528  
*Blennodia* R. Br. (Crucif.) 307  
*Blennosperma* Less. (Composit.) 3906  
*Blennospora* A. Gray (Calocephalus R. Br.) 3661  
*Blepharacanthus* Nees (Blepharis Juss.) 5559  
*Blepharandra* Griseb (Malpigh.) 925  
*Blepharanthemum* Kl. (Plagianthus Forst.) 737  
*Blepharanthus* Sm. (Modecca Lam.) 2597  
*Blepharidachne* Hack. (Gramin.) 8206  
*Blepharipappus* Hook. (Composit.) 3865  
*Blepharis* Juss. (Acanth.) 5559  
*Blepharispermum* Wight (Composit.) 3597  
*Blepharistemma* Wall. (Rhizophor.) 2244  
*Blepharizonia* Greene (Composit.) 3871  
*Blephorocarya* F. Müll. (Anacard.) +1545b  
*Blepharocalyx* Berg. (Myrtus L.) 2318  
*Blepharochlamys* Presl (Mystroptalon Harv.) 6357  
*Blepharochloa* Endl. (Leersia Sw.) 8075  
*Blepharodon* Dcne (Asclep.) 4756  
*Blepharodus* Griseb. (Blepharodon Dcne) 4756  
*Blepharolepis* Nees (Polpoda Presl) 2735  
— Nees (Scirpus L.) 7934  
*Blepharophyllum* Kl. (Scyphogyne Brongn.) 4360  
*Blephilia* Raf. (Labiata.) 5799  
*Bletia* R. et P. (Orchid.) 6787  
*Bletilla* Rchb. f. (Bletia R. et P.) 6787  
*Blighea* Kön. (Sapind.) 1440  
— Bak. (Phialodiscus Radlk.) 1442  
*Blinkworthia* Choisy (Convolvul.) 5073  
*Blitanthus* Rchb. (Acroglochin Schrad.) 5965  
*Blitum* L. (Chenopodium L.) 5972  
*Blochmannia* Rchb. (Triplaris L.) 6097  
*Blondea* Rich. (Sloanea L.) 882  
*Bloomeria* Kell. (Liliac.) 7473  
*Bluffia* Nees (Panicum L.) 8050  
*Blumea* DC. (Composit.) 3581  
— Nees (Talauma Juss.) 57  
— Rich. (Thespesia Corr.) 766  
*Blumenbachia* Schrad. (Loaseæ) 2573  
— Kol. (Andropogon L.) 8020  
*Blumeodendron* Kurz (Mallotus Lour.) 6522  
*Blumia* Spreng. (Saurauja Willd.) 635  
*Blysmus* Panz. (Scirpus L.) 7934  
*Blyttia* Arn. (Cynanchum L.) 4779  
— Fries (Cinna L.) 8119  
*Blyxa* Thou. (Hydrocharid.) 6723  
*Boaria* DC. (Maytenus Feuill.) 4527  
*Boba* Adans. (Symplocos L.) 4527  
*Bobæa* A. Rich. (Bobea Gaud.) 3217  
*Bobartia* Ker (Irid.) 7247  
— L. (Cyperus L.) 7923  
*Bobea* Gaud. (Rubiace.) 3217  
*Bohea* DC. (Symplocos L.) 4527  
*Bobua* DC. (Symplocos L.) 4527  
*Boca* Vell. (Banara Aubl.) 2548  
*Bocagea* St-Hil. (Anonac.) 120  
*Bocconia* L. (Papaverac.) 225  
*Bockia* Scop. (Mouriria Aubl.) 2484  
*Bocoa* Aubl. (Inocarpus Forst.) 1856  
*Bocquillonia* H. Bn (Euphorb.) 6508  
*Bœa* Comm. (Gesner.) 5411  
*Bœbera* Less. (Adenophyllum Pers.) 3921  
— Willd. (Dysodia Cav.) 3923  
*Bœckia* Kth (Hypodiscus Nees) 7919  
*Bœhmeria* Jacq. (Urtic.) 6667  
*Bœica* Clarke (Gesner.) 5407  
*Bœckleria* Th. Dur. (Cyper.) \*7933  
*Bœlia* Webb. (Genista L.) 1641  
*Bœnninghausenia* Rchb. (Rutac.) 1020  
*Bœnninghausia* Spreng. (Chætotocalyx DC.) 5874  
*Boerhaavia* L. (Nyctagin.) 2581  
*Bohadschia* Presl (Turnera L.) 2528  
*Boisduvalia* Spach (Enothera L.) 2528

- Boissiera* Hochst. (Gramin.) 8258  
*Bojeria* DC. (Composit.) 3692  
*Bolandra* A. Gray (Saxifrag.) 2004  
*Bolanosa* A. Gray (Composit.) 344  
*Bolax* Comm. (Azorella Lam.) 2746  
*Bolbophyllaria* Rchb. f. (Bulbophyllum Thou.) 6767  
*Bolbophyllopsis*, Rchb. f. (Cirrhopetalum Lindl.) 6769  
*Bolbophyllum* Spreng. v. Bulbophyllum Thou. 6767  
*Bolborchis* Zoll. et Mor. (Cœlogyne Lindl.) 6800  
*Boldea* Juss. (Peumus Pers.) 6161  
*Boldoa* Cav. (Nyctagin.) 5885  
*Boldu* Nees (Cryptocarya R. Br.) 6175  
*Boleum* Desv. (Crucif.) 395  
*Bolivaria* Ch. et Schl. (Menodora H. et B.) 4535  
*Bollæa* Parl. (Pancratium L.) 7323  
*Bollea* Rchb. f. (Zygopetalum Hook.) 6851  
*Bolophyta* Nutt. (Parthenium L.) 3760  
*Boltonia* L'Hér. (Composit.) 3339  
*Bolusia* Benth. (Legumin.) +1653b  
*Bomarea* Mirb. (Amaryll) 7331  
*Bombax* L. (Malvac.) 771  
*Bombycodendron* Zoll. (Hibiscus L.) 762  
*Bombycospermum* Presl (Malvac.) 765  
*Bonafouxia* A. DC. (Tabernæmontana L.) 4612  
*Bonamia* Thou. (Convolvul.) 5090  
— A. Gray (Breweria R. Br.) 5088  
*Bonamica* Vell. (Linociera Sw.) 4547  
*Bonania* A. Rich. (Euphorb.) 6368  
*Bonannia* Guss. (Ligusticum L.) 2871  
— Presl. (Brassica L.) 317  
— Raf. (Blighea Kön) 1440  
*Bonaparteia* R. et P. (Tillandsia L.) 7192  
— Willd. (Agave L.) 7337  
*Bonatea* Willd. (Orchid.) 7068  
*Bonaveria* Scop (Securigera DC.)  
*Bonellia* Bert (Jacquinia L.) 4482  
*Bongardia* C. A. Mey. (Berberid.) 191  
*Bonjeania* Rchb. (Dorycnium Vill.) 1659  
*Bonnaya* Link et Otto (Scrophul.) 3266  
*Bonnetia* Mart. et Zucc. (Ternstræm.) 697  
*Bonninia* Planch. (Rutac.) +1086b  
*Bonplandia* Cav. (Polemon.) 4972  
— Willd. (Cusparia Humb.) 1014  
*Bontia* L. (Myoporin.) \*5650  
— L. (Avicennia L.) 5724  
*Bonyunia* Schomb. (Logan.) 4910  
*Boophane* Herb. v. Buphane Herb. 7312  
*Boopis* Juss. (Calycer.) 3387  
*Bootia* Bigel. (Potentilla L.) 2055  
*Bootia* Neck. (Saponaria L.) 574  
*Boottia* Wall. (Hydrocharid.) 6728  
*Bopusia* Presl (Graderia Benth.) 5311  
*Boquila* Dcne (Berberid.) 183  
*Borabora* Steud. (Cyper.) 7923  
**Boragineæ** p. 280.  
*Borago* L. (Boragin.) 5040  
*Borassus* L. (Palm.) 7722  
*Borbonia* L. (Legumin.) 1617  
*Borckhausia* Link (Crepis L.) 4190  
*Borderea* Miégev. (Dioscor.) 7344  
*Boreava* Jaub. et Spach (Crucif.) 380  
*Borellia* Neck. (Cordia L.) 4992  
*Borelta* Neck. (Daboecia Don) 4365  
*Borkhausenia* Roth (Teedia Rudolphi) 5204  
*Borkhausia* Link (Crepis L.) 4190  
*Boronella* H. Bn (Rutac.) 1040  
*Boronia* Sm. (Rutac.) 1039  
*Borraginoides* Mönch (Trichodesma R. Br.) 5009  
*Borrigo* Juss. v. *Borago* L. 5040  
*Borreria* Mey. (Spermacoce L.) 3350  
*Borrichia* Adans. (Composit.) 5809  
*Borsczovia* Bge (Chenopod.) 6019  
*Borya* Labill. (Liliac.) 7458  
— Willd. (Forestiera Poir.)  
*Bosca* Vell. (Funifera Leandro) 6286  
*Boschia* Korth. (Malvac.) 785  
*Boschniakia* C. A. Mey. (Orobanch.) 5353  
*Boscia* Lam. (Capparid.) 444  
— Thunb. (Toddalia Juss.) 1079  
*Bosia* L. (Amarant.) 5921  
*Bosistoa* F. Müll. (Rutac.) 1054  
*Bosquiea* Thou. (Urtic.) 6625  
*Bossiaea* Vent. (Legumin) 1613  
*Bostrychanthera* Benth. (Labiata) 5847  
*Boswellia* Roxb. (Burser.) 1157  
— L. (Triomma H. f.) 1113  
*Botherbe* Steud. (Calydorea Herb) 7239  
*Bothriochilus* Lem. (Cœlia Lindl.) 6780  
*Bothriocline* Oliv. (Composit.) 3399  
*Bothriospermum* Bge (Boragin.) 5036  
*Bothriospora* H. f. (Rubiace.) 3147  
*Botria* Lour (Cissus L.) 1367  
*Botrophys* Raf. (Cimicifuga L) 28  
*Botryadenia* F. et M. (Myriactis Less.) 3516  
*Botryanthe* Kl. (Plukenetia L.) 6349  
*Botryanthus* Kth (Muscari Mill) 7499  
*Botryceras* Willd. (Anacard.) 1545  
*Botrydium* Spach (Chenopodium L.) 5972  
*Botryocarpium* A. Rich. (Ribes L.) 2168  
*Botryodendron* Endl. (Meryta Forst.) 2943  
*Botryolotus* Jaub. et Spach (Trigonella L.) 1650  
*Botryomorus* Miq (Urtic.) 6615

- Botryopanax* Miq. (*Polyscias* Forst.) 2948  
*Botryopsis* Miers (*Chondrodendron* R. et P.) 166  
*Botryoropsis* Presl (*Barringtonia* Forst.) 2340  
*Botryosicyos* Hochst. (*Dioscorea* L.) 7345  
*Botryphile* Salisb. (*Muscari* Mill.) 7499  
*Bottionea* Colla (*Liliac.*) 7435  
*Boucerosia* W. et A. (*Asclep.*) 4872  
*Bouchardatia* H. Bn (*Rutac.*) 1060  
*Bouchea* Cham. (*Verben.*) 5683  
*Bouchetia* DC. (*Solan.*) 5161  
*Bouca* Meisn. (*Anacard.*) 1513  
*Bougainvillaea* Juss. (*Nyctagin.*) 5880  
*Bougueria* Dcne (*Plantagin.*) 5868  
*Boulardia* Schult. (*Orobanche* L.) 5349  
*Bourgæa* Coss. (*Cynara* L.) 4080  
*Bourjotia* Pomel (*Heliotropium* L.) 5006  
*Bourreria* P. Br. (*Boragin.*) 4997  
— Miers (*Bourreria* P. Br.) 4997  
*Boussingaultia* H. B. K. (*Chenopod.*) 6046  
*Bouteloua* Lag. (*Gramin.*) 8169  
*Boutonia* Bojer (*Mallotus* Lour.) 6522  
— DC. (*Periblema* DC.) 5564  
*Bourardia* Salisb. (*Rubiace.*) 3023  
*Bouzetia* Montr. (Inc. sed.) p. 488.  
*Bovea* Dcne (*Lindenbergia* Lehm.) 5243  
*Bowdichia* H. B. K. (*Legumin.*) 1880  
*Bowenia* Hook. (*Cycad.*) 8343  
*Bowiea* Harv. (*Liliac.*) 7426  
— Haw. (*Aloe* L.) 7393  
*Bowkeria* Harv. (*Scrophul.*) 5208  
*Bowlesia* R. et P. (*Umbellif.*) 2751  
*Bowmania* Gardn. (*Trixis* P. Br.) 4156  
*Boweringia* Champ. (*Legumin.*) 1861  
*Boykinia* Nutt. (*Saxifrag.*) 2095  
— Raf. (*Rotala* L.) 2487  
*Boymia* Juss. (*Evdodia* Forst.) 1038  
*Brabeium* L. (*Proteac.*) 6242  
*Brabyla* Lour. (*Brabeium* L.) 6242  
*Brachanthemum* DC. (*Chrysanthemum* L.) 3967  
*Bracheilema* R. Br. (*Vernonia* Schreb.) 3405  
*Brachionidium* Lindl. (*Orchid.*) 6748  
*Brachistus* Miers (*Solan.*) 5115  
*Brachtia* Rehb. f. (*Orchid.*) 6905  
*Brachyachyris* Spreng. (*Gutierrezia* Lag.) 3477  
*Brachyactis* Ledeb. (*Composit.*) 3360  
*Brachyandra* Phil. (*Composit.*) 3456  
— Naud. (*Pterolepis* Miq.) 2382  
*Brachybotrys* Maxim. (*Boragin.*) 5010  
*Brachycarpea* DC. (*Crucif.*) 334  
*Brachycentrum* Meisn. (*Centronia* D. Don) 2414  
*Brachychæta* T. et G. (*Composit.*) 3496  
*Brachycheila* Harv. (*Euclea* L.) 4522  
*Brachychiton* Schott (*Sterculia* L.) 791  
*Brachyclados* Don (*Composit.*) 4142  
*Brachycodon* Prog. (*Pagæa* Gri-sc.) 4953  
*Brachycome* Cass. (*Composit.*) 3521  
*Brachycoris* Schrad. (*Lindenbergia* Lehm.) 5243  
*Brachycorythis* Lindl. (*Orchid.*) 7081  
*Brachyderea* Cass. (*Crepis* L.) 4190  
*Brachyelytrum* P. B. (*Gramin.*) 8097  
*Brachyglottis* Forst. (*Composit.*) 4018  
*Brachylaena* R. Br. (*Composit.*) 3578  
*Brachylepis* W. et A. (*Asclep.*) 4695  
— C. A. Mey. (*Anabasis* L.) 6032  
— H. et A. (*Melinia* Dcne) 4761  
*Brachylobus* Spach (*Nasturtium* R. Br.) 245  
*Brachyloma* Sond. (*Epacrid.*) 4399  
— Hanst. (*Isoloma* Benth.) 5373  
*Brachylophora* Oliv. (*Malpigh.*) 939  
*Brachymeris* DC. (*Marasmodes* DC.) 3981  
*Brachynema* Benth. (*Ebenac.*) 4526  
— Griff. (*Sphenodesma* Jack.) 5722  
— F. Müll. (*Abrophyllum* H. f.) 2136  
*Brochyotum* Triana (*Melastom.*) 2377  
*Brachypappus* Sch. Bip. (*Senecio* L.) 4025  
*Brachypodium* P. B. (*Gramin.*) 8260  
*Brachypterum* Benth. (*Derris* Lour.) 1846  
*Brachypterys* A. Juss. (*Malpigh.*) 936  
*Brachypus* Ledeb. (*Lunaria* L.) 264  
*Brachyrhamphus* DC. (*Lactuca* L.) 4206  
*Brachyrhynchos* Less. (*Senecio* L.) 4025  
*Brachyris* Nutt. (*Gutierrezia* Lag.) 3477  
*Brachyscypha* Bak. (*Lachenalia* Jacq.) 7488  
*Brachysema* R. Br. (*Legumin.*) 1587  
*Brachysiphon* A. Juss. (*Sarcocolla* Kth) 6308  
*Brachyspatha* Schott (*Amorphophallus* Bl.) 7791  
*Brachystachys* Kl. (*Croton* L.) 6460  
*Brachystegia* Benth. (*Legumin.*) 1955  
*Brachystelma* R. Br. (*Asclep.*) 4866  
*Brachystemma* Don (*Caryophyll.*) 582  
*Brachystemum* Mchx (*Pycnanthemum* Mchx.) 5765  
*Brachystephanus* Nees (*Acanth.*) 5600  
*Brachystephium* Less. (*Brachycome* Cass.) 3521  
*Brachytome* H. f. (*Rubiace.*) +3176<sup>b</sup>  
*Brachytropis* Spach (*Polygala* L.) 542  
*Brackenridgea* A. Gray (*Ochnac.*) 1141



- Bracteolaria* Hochst. (*Baphia* Afzel) 1839  
*Bradburia* T. et G. (Composit.) 3483  
*Bradburya* Raf. (Inc. sed.) p. 488.  
*Bradleia* Gärtn. (*Phyllanthus* L.) 6404  
*Braddleya* Vell. (*Amphirrhox* Spreng.) 473  
*Bragantia* Lour. (*Aristoloch.*) 6132  
— Vand. (*Gomphrena* L.) 5960  
*Brahea* Mart. (Palm.) 7699  
*Bramia* Lam. (*Herpestis* Gärtn. f.) 5253  
*Branciona* Salisb. (*Albuca* L.) 7494  
*Brandesia* Mart. (*Telanthera* R. Br.) 5935  
*Brandisia* H. f. (*Scrophul.*) 5210  
*Brandonia* Rchb. (*Pinguicula* L.) 5358  
*Brandtia* Kth (*Arundinella* Raddi) 8037  
*Brandzia* H. Bn (*Legumin.*) 1977  
*Brasenia* Schreb. (*Nymphæac.*) 203  
*Brassaia* Endl. (*Araliac.*) 2954  
*Brassaiopsis* Dcne et Pl. (*Araliac.*) 2960  
*Brassavola* R. Br. (*Orchid*) 6828  
*Brassia* R. Br. (*Orchid.*) 6910  
*Brassica* L. (*Crucif.*) 317  
— DC. (*Brassica* L.) 317  
*Brassilettia* DC. (*Peltophorum* Vog.) 1908  
*Brathydium* Spach (*Hypericum* L.) 631  
*Brathys* Mut. (*Hypericum* L.) 631  
*Braunea* Willd. (*Tiliacora* Colebr.) 142  
*Brauneria* Neck. (*Rudbeckia* L.) 3801  
*Bravaisia* DC. (*Acanth.*) 5545  
*Bravoa* Llav. et Lex. (*Amaryll.*) 7335  
*Braya* Sternb. et Hoppe (*Crucif.*) 310  
*Brayera* Kth (*Roac.*) 2059  
*Brazoria* Engelm. et Gray (*Labiat.*) 5814  
*Brazzeia* H. Bn (*Tiliac.*) 890  
*Brebissonia* Spach (*Fuchsia* L.) 2530  
*Bredemeyera* Willd. (*Polygal.*) 548  
*Bredia* Bl. (*Melastom.*) 2417  
*Breea* Less. (*Cnicus* L.) 4078  
*Brehmia* Harv. (*Strychnos* L.) 4912  
*Bremontiera* DC. (Inc. sed.) p. 488.  
*Breconia* A. Rich. (*Rubiace.*) 3008  
*Brevidens* Miq. (*Cyrtandromœa* Zoll.) 5430  
*Brevoortia* Wood. (*Liliac.*) 7468  
*Breweria* R. Br. (*Convolvul.*) 5088  
*Brewerina* A. Gray (*Arenaria* L.) 583  
*Brewstera* Röm. (*Ixonanthes* Jack.) 904  
*Brexia* Thou. (*Saxifrag.*) 2131  
*Breynia* Forst. (*Euphorb.*) 6409  
— Plum. (*Capparis* L.) 446  
*Brezia* Moq. (*Suæda* Forsk.) 6016  
*Brickellia* Ell. (Composit.) 3465  
— Raf. (*Gilia* R. et P.) 4969  
*Bridelia* Willd. (*Euphorb.*) 6391  
*Bridgesia* Bert. (*Sapind.*) 1375  
— Hook. (*Polyachyrus* Lag.) 4151  
— H. et A. (*Ercilla* A. Juss.) 6059  
*Briedelia* Willd. v. *Bridelia* Willd. 6391  
*Brighamia* A. Gray (*Lobeliac.*) 4242  
*Brignolia* Bertol. (*Kundmannia* Scop.) 2842  
— DC. (*Isertia* Schreb.) 3110  
*Brillantaisia* P. B. (*Acanth.*) 5524  
*Brimeura* Salisb. (*Hyacinthus* L.) 7500  
*Brindonia* Thou. (*Garcinia* L.) 654  
*Brisegnoa* Remy (*Oxytheca* Nutt.) 6071  
*Briseis* Salisb. (*Allium* L.) 7476  
*Brissonia* Desv. (*Indigofera* L.) 1672  
*Britoa* Berg (*Campomanesia* R. et P.) 2312  
*Briza* L. (*Gramin.*) 8236  
*Brizophile* Salisb. (*Ornithogalum* L.) 7507  
*Brizopyrum* Link (*Desmazeria* Dmrt.) 8237  
— Presl (*Distichlis* Raf.) 7899  
*Brizula* Hieron. (*Centrolepid.*) 7899  
*Brocchia* Mauri (*Simmondsia* Nutt.) 6384  
— Vis. (*Cotula* L.) 3968  
*Brocchinia* Schult. (*Bromel.*) 7181  
*Brochosiphon* Nees (*Dicliptera* Juss.) 5640  
*Brodicæa* Sm. (*Liliac.*) 7470  
*Brombya* F. Müll. (*Rutac.*) 1057  
*Bromelia* L. (*Bromel.*) 7155  
**Bromeliaceæ** p. 408.  
*Bromfeldia* Neck. (Inc. sed.) p. 488.  
*Bromheadia* Lindl. (*Orchid.*) 6844  
*Bromidium* Nees (*Agrostis* L.) 8120  
*Bromus* L. (*Gramin.*) 8257  
*Brongniartia* H. B. K. (*Legumin.*) 1674  
— Bl. (*Kibara* Endl.) 6157  
*Brounia* H. B. K. (*Fouquieria* H. B. K.) 627  
*Brookca* Benth. (*Scrophul.*) 5313  
*Brosimum* Sw. (*Urtic.*) 6623  
*Brossæa* L. (*Gaultheria* Kalm) 4332  
*Brossardia* Boiss. (*Crucif.*) 358  
*Brotera* Cav. (*Melbania* Forsk.) 814  
— Spreng. (*Hyptis* Jacq.) 5744  
— Spreng. (*Flaveria* Juss.) 3917  
— Vell. (*Luhea* Willd.) 866  
— Willd. (*Cardopatum* Juss.) 4067  
*Broteroa* DC. (*Flaveria* Juss.) 3917  
*Broughtonia* R. Br. (*Orchid.*) 6824  
*Broussaisia* Gaud. (*Saxifrag.*) 2116  
*Broussonetia* Vent. (*Urtic.*) 6603  
— Orteg. (*Sophora* L.) 1871  
— Rchb. (*Sophora* L.) 1871  
*Browallia* L. (*Solan.*) 5167  
*Brownea* Jacq. (*Legumin.*) 1940  
*Brownleea* Harv. (*Orchid.*) 7079  
*Brownlowia* Roxb. (*Tiliac.*) 840  
*Brucea* Mill. (*Simarub.*) 1119

- Bruckenthalia* Rchb. (Ericac.) 4352  
*Bruckmannia* Nutt. (Beckmannia Host) 8177  
*Bruea* Gaud. (Inc. sed.) p. 488.  
*Brueckea* Karst. (*Ægiphila* Jacq.) 5700  
*Brugmansia* Bl. (Cytin.) 6127  
— Pers. (*Datura* L.) 5142  
*Bruguiera* Lam. (Rhizophor.) 2235  
— Thou. (*Lumnitzera* Willd.) 2237  
*Bruinsmannia* Miq. (Isertia Schreb.) 3110  
*Brunella* L. (Labiata) 5812  
*Brunellia* R. et P. (Simarub.) 1127  
*Brunfelsia* L. (Solan.) 5170  
*Brunia* L. (Bruniac.) 2216  
**Bruniaceæ** p. 121.  
*Bruniera* Franch. (*Wolffia* Hack.) 7859  
*Brunnera* Stev. (*Anchusa* L.) 5042  
*Brunnichia* Banks (Polygon.) 6094  
*Brunonia* Sm. (Goodeniace.) 4241  
*Brunsvia* Neck. (Inc. sed.) p. 488.  
*Brunswigia* Heist. (Amaryll.) 7305  
*Bruschia* Bertol. (*Nyctanthes* L.)  
*Brya* P. Br. (Legumin.) 1745  
— Vell. (*Hirtella* L.)  
*Bryanthus* Gmel. (Ericac.) 4363  
*Bryantia* Brongn. (*Pandanus* L.) 7743  
*Brylkinia* F. Schmidt (Gramin.) 8233  
*Bryobium* Lindl. (*Eria* Lindl.) 6781  
*Bryocarpum* H. f. et T. (Primulac.) 4444  
*Bryocles* Salisb. (*Hosta* Tratt.) 7389  
*Bryodes* Benth. (Scrophul.) 5271  
*Bryomorpha* Kar. et Kir. (*Thylacospermum* Fenzl) 588  
*Bryomorphe* Harv. (Composit.) 3674  
*Bryonia* L. (Cucurbit.) 2631  
*Bryonopsis* Arn. (Cucurbit.) 2632  
*Bryophyllum* Salisb. (Crassul.) 2180  
*Bubania* Gir. (*Limoniasium* Mönch) 4430  
*Bubon* Koch (*Peucedanum* L.) 2886  
— L. (*Seseli* L.) 2835  
*Bubroma* Schreb. (*Guazuma* Plum.) 825  
*Bucanion* Stev. (*Heliotropium* L.) 5006  
*Bucco* Wendl. (*Agathosma* Willd.) 1034  
*Bucculina* Lindl. (*Holothrix* L. C. Rich.) 7064  
*Bucephalandra* Schott (Aroid.) 7803  
*Bucephalon* L. (*Trophis* L.) 6617  
*Buceras* P. Br. (*Bucida* L.) 2250  
*Buchanania* Roxb. (Anacard.) 1507  
— Bl. (*Campnosperma* Thw.) 1537  
*Buchenavia* Eichl. (Combret.) 2251  
*Buchenrædera* E. et Z. (Legumin.) 1627  
*Buchia* H. B. K. (*Perama* Aubl.) 3339  
*Buchingera* Boiss. (Crucif.) 270  
— F. Sch. (*Cuscuta* L.) 5104  
*Buchloe* Engelm. (Gramin.) 8182  
*Buchnera* L. (Scrophul.) 5303  
*Bucholzia* Endl. (Capparid.) 445  
— Mart. (*Telanthera* R. Br.) 5955  
*Buchosia* Vell. (*Heteranthera* R. et P.) 7563  
*Bucida* L. (Combret.) 2250  
*Buckinghamia* F. Müll. (Proteac.) 6259  
*Bucklandia* R. Br. (Hamamelid.) 2208  
*Buckleya* Torr. (Santal.) 6342  
*Bucquetia* DC. (Melastom.) 2357  
*Buddleia* L. (Logan.) 4898  
*Buekia* Nees (*Elynanthus* Nees) 7963  
*Buekia* Giseke (*Alpinia* L.) 7134  
*Buena* Cav. (*Gonzalea* Pers.) 3111  
— Pohl (*Cosmibuena* R. et P.) 2036  
— Wedd. (*Cascarilla* Wedd.) 3010  
*Buergeria* Miq. (Legumin.) 1863  
— S. et Z. (*Talauma* Juss.) 57  
*Buettneria* L. (Stercul.) 829  
*Buffonia* L. (Caryophyll.) 585  
*Buforrestia* Clarke (Commelin.) 7578  
*Buginvillæa* Comm. v. *Bougainvillæa* Comm. 5880  
*Buglossites* Moris (*Borago* L.) 5040  
*Buglossum* Gärtn. (*Anchusa* L.) 5042  
*Bugranopsis* Pomel (*Ononis* L.) 1648  
*Bugula* Mönch (*Ajuga* L.) 5865  
*Buhsia* Bge. (*Cleome* L.) 425  
*Bujacia* E. Mey. (*Glycine* L.) 1788  
*Bulbilis* Raf. (*Buchloe* Engelm.) 8182  
*Bulbillaria* Zucc. (*Gagea* Salisb.) 7513  
*Bulbine* L. (Liliac.) 7421  
*Bulbinella* Kth (Liliac.) 7420  
*Bulbocapnos* Bernh. (*Corydalis* DC.) 236  
*Bulbocastanum* Lag. (*Conopodium* Koch) 2819  
— Schur (*Carum* L.) 2806  
*Bulbocodium* L. (Liliac.) 7518  
*Bulbophyllum* Thou. (Orchid.) 6767  
*Bulbospermum* Bl. (*Peliosanthes* Andr.) 7210  
*Bulbostylis* DC. (*Brickellia* Ell.) 3465  
— Gardn. (*Eupatorium* L.) 3460  
— Raf. (*Heleocharis* R. Br.) 7929  
*Bulliarda* DC. (*Tillæa* L.) 2173  
*Bulnesia* C. Gay (*Zygophyll.*) 978  
*Bulowia* Schum. et Thonn. (*Smeathmannia* Soland.) 2594  
*Bulweria* F. Müll. (*Diplanthera* R. Br.) 5182  
*Bumalda* Thunb. (*Staphylea* L.)  
*Bumelia* Sw. (Sapind.) 4506  
*Bunburia* Harv. (*Cynanchum* L.) 4779  
*Bunburya* Meisn. (*Tricalysia* A. Rich.) 3202  
*Bunchosia* Rich. et Juss. (Malpigh.) 912  
*Bungea* C. A. Mey. (Scrophul.) 5329  
*Bunias* R. Br. (Crucif.) 393  
*Buniotrinia* Stapf (Umbellif.) 2797  
*Bunium* DC. (*Conopodium* Koch) 2819  
— Koch (*Pimpinella* L.) 2814  
— L. (*Carum* L.) 2806

- Bunya F. Müll. (Cyanostegia Turcz.) 5673  
*Bunophila* Willd. (Rubiace.) +3223b  
*Buphane* Herb. (Amaryll.) 7312  
*Bupleurum* L. (Umbellif.) 2792  
*Buprestis* Spreng. (Bupleurum L.) 2792  
*Bupthalmum* L. (Composit.) 3715  
*Buræavia* H. Bn (Euphorb.) 6420  
*Burasaia* Thou. (Menisperm.) 132  
*Burbidgea* H. f. (Zingiberac.) 7130  
*Burcardia* Scop. (Piriqueta Aubl.) 2578  
*Burchardia* R. Br. (Liliac.) 7520  
 — Duham. (Callicarpa L.) 3699  
*Burchellia* R. Br. (Rubiace.) 3170  
*Burdachia* A. Juss. (Malpigh.) 913  
*Bureara* H. Bn (Combretum L.) 2260  
*Burgesia* F. Müll. (Brachysema R. Br.) 1587  
*Burghartia* Neck. (Piriqueta Aubl.) 2578  
*Burgsdorffia* Mönch (Sideritis L.) 5820  
*Burkea* H. f. (Legumin.) 1974  
*Burkhardia* Scop. (Piriqueta Aubl.) 2578  
*Burkhardtia* Aubl. (Piriqueta Aubl.) 6894  
*Burlingtonia* Lindl. (Rodriguezia R. et P.) 6894  
*Burmanna* L. (Burmanniac.) 6733  
**Burmanniaceæ p. 384.**  
*Burmeistera* Karst. (Lobeliace.) 4248  
*Burnatia* M. Micheli (Alism.) 7868  
*Burnettia* Lindl. (Orchid.) 7034  
*Burneya* Ch. et Schl. (Timonius Rumph.) 3220  
 — Ch. et Schl. (Bobea Gaud.) 3217  
*Burrielia* DC. (Composit.) 3887  
*Bursaria* Cav. (Pittospor.) 531  
*Bursera* L. (Burser.) 1155  
**Burseraceæ p. 59.**  
*Bursinopetalum* Wight (Mastixia Bl.) 2975  
*Burtonia* R. Br. (Legumin.) 1593  
 — Spach (Hibbertia Andr.) 44  
*Busbeckea* Mart. (Salpichroa Miers) 5135  
*Busbeckia* Endl. (Capparis L.) 446  
*Busbequia* Salisb. (Hyacinthus L.) 7500  
*Busea* Miq. (Cyrtandromœa Zoll.) 5430  
*Buseria* Th. Dur. (Rubiace.) +3264  
*Busipho* Salisb. (Aloe L.) 7393  
*Bustelma* Fourn. (Asclep.) 4736  
*Bustillosia* Clos (Asteriscium Ch. et Schl.) 2755  
*Butea* Roxb. (Legumin.) 1799  
*Buteræa* Nees (Strobilanthes Bl.) 5534  
*Butinia* Boiss. (Conopodium Koch) 2819  
*Butomissa* Salisb. (Allium L.) 7476  
*Butomopsis* Kth (Alism.) 7872  
*Butomus* L. (Alism.) 7871  
*Butonica* Juss. (Barringtonia Forst.) 2340  
*Butonicoides* R. Br. (Planchonia Bl.) 2342  
*Buttonia* Mac Ken (Scrophul.) 5309  
*Butyrospermum* Kotschy (Sapot.) 4498  
*Buxus* L. (Euphorb.) 6388  
*Byblis* Salisb. (Droser.) 2193  
*Byronia* Endl. (Ilicin.) 1266  
*Byrsanthes* Presl (Siphocampylus Pohl) 4250  
*Byrsanthus* Guillem. (Samyd.) 2560  
*Byrsocarpus* Schum. et Thonn. (Connar.) 1365  
*Byrsonima* Rich. et Juss. (Malpigh.) 910  
*Byrsophyllum* H. f. (Rubiace.) 3164  
*Bystropogon* L'Hér. (Labiata.) 5762  
*Bythophyton* H. f. (Scrophul.) 5268  
*Byttneria* L. v. Buettneria L.
- C**
- Caballeria* R. et P. (Myrsine L.) 4460  
*Cabanisia* Kl. (Eichhornia Kth) 7562  
*Cabomba* Aubl. (Nymphaeac.) 202  
*Cabralea* A. Juss. (Meliace.) 1174  
*Cabrera* Lag. (Paspalum L.) 8045  
*Cacabus* Bernh. (Solan.) 5128  
*Cacalia* L. (Senecio L.) 4025  
*Cacaliopsis* A. Gray (Composit.) 4026  
*Cacao* Gärtn. (Theobroma L.) 823  
*Cacara* Thou. (Pachyrhizus Rich.) 1817  
*Caccinia* Savi (Boragin.) 5011  
*Cachrys* L. (Umbellif.) 2847  
*Caconapea* Cham. (Herpestis Gärtn. f.) 5253  
*Cacosmanthus* Miq. (Paysonia A. DC.) 4514  
*Cacosmia* H. B. K. (Composit.) 3878  
*Cacoucia* Aubl. (Combret.) 2262  
**Cacteæ p. 152.**  
*Cactus* L. (Opuntia Mill.) 2714  
*Cadaba* Forsk. (Capparid.) 443  
*Cadalvena* Fenzl (Kæmpferia L.) 7119  
*Cadamba* Sonn. (Guettarda L.) 3213  
*Cadellia* F. Müll. (Simarub.) 1125  
*Cadetia* Gaud. (Dendrobium Sw.) 6765  
*Cadia* Forsk. (Legumin.) 1891  
*Cadiscus* E. Mey. (Composit.) 3918  
*Cælolepas* Hassk. (Euphorb.) 6507  
*Cæsalpinia* L. (Legumin.) 1910  
*Cæsarea* Camb. (Geran.) 990  
*Cæsia* R. Br. (Liliac.) 7443  
 — Vell. (Cormonema Reiss.) 3656  
*Cæsulia* Roxb. (Composit.) 3656  
*Cætocapnia* Link et Otto (Bravoa Llav. et Lex.) 7335  
*Cagratia* Juss. (Cissus L.) 1967  
*Cahotia* Karst. (Clusia L.) 688  
*Caidbeja* Forsk. (Forskohlea L.) 6688  
*Cailliea* Guill. et Perr. (Dichrostachys DC.) 1991  
*Cainito* Tass. (Chrysophyllum L.) 4499

- Calophora* Presl (Blumenbachia Schrad.) 2574  
*Cajanus* DC. (Legumin.) 1820  
*Cakile* Gärtn. (Crucif.) 403  
*Calabura* Pluk. (Cordia L.)  
*Calacanthus* Miq. (Acanth.) 5556  
*Caladenia* R. Br. (Orchid.) 7036  
*Caladium* Vent. (Aroid.) 7824  
*Calais* DC. (Microseris Don) 4172  
*Calamagrostis* Adans. (Gramin.) 8124  
*Calamina* P. B. (Apluda L.)  
*Calamintha* Mönch (Labiata.) 5780  
*Calamochloa* Fourn. (Gramin.) 8187  
*Calamosagus* Griff. (Korthalsia Bl.) 7710  
*Calampelis* Don (Eccremocarpus R. et P.) 5488  
*Calamus* L. (Palm.) 7708  
— Bl. (Calamus L.) 7708  
*Calanchoe* Pers. v. *Kalanchoe* Adans. 2181  
*Calandrinia* H. B. K. (Portul.) 614  
*Calanthe* R. Br. (Orchid.) 6803  
*Calanthera* Nutt. (Buchloe Engelm.) 8182  
*Calanthus* Erst. (Alloplectus Mart.) 5386  
*Calantica* Tul. (Samyd.) 2534  
*Calathca* G. F. Mey. (Zingiberac.) 7148  
*Calathodes* H. f. et T. (Ranuncul.) 14  
*Calathostelma* Fourn. (Asclep.) 4747  
*Calboa* Cav. (Ipomæa L.) 5077  
*Calcearia* Bl. (Corysanthes R. Br.) 7027  
*Calceolaria* L. (Scrophul.) 5186  
*Calcitraba* Juss. (Centaurea L.)  
*Calcoa* Salisb. (Geitonoplesium A. Cunn.) 7370  
*Caldasia* Mut. (Helosis Rich.) 6363  
— Willd. (Bonplandia Cav.) 4972  
— Lag. (Oreomyrrhis Endl.) 2824  
*Caldcluvia* Don (Saxifrag.) 2162  
*Caldesia* Parl. (Alisma L.) 7862  
*Calea* L. (Composit.) 5862  
— Gärtn. (Neuroleena R. Br.) 3993  
*Caleacte* R. Br. (Calea L.) 3862  
*Caleana* R. Br. (Orchid.) 7029  
*Calebrachys* Cass. (Calea L.) 3862  
*Calectasia* R. Br. (Liliac.) 7404  
*Calendula* L. (Composit.) 4042  
*Calepina* Adans. (Crucif.) 386  
*Caletia* H. Bn (Micrantheum Desf.) 6375  
*Caleya* Endl. (Caleana R. Br.) 7029  
*Calibrachoa* Llav. et Lex. (Petunia Juss.) 5159  
*Calicera* Cav. v. *Calycera* Cav. 3388  
*Calicorema* H. f. (Amarant.) 5945  
*Caligula* Kl. (Agapetes G. Don) 4316  
*Calimeris* Cass. (Aster L.) 3544  
*Calinea* Aubl. (Doliocarpus Roland) 35  
*Calius* Blanco (Pseudostreblus Bur.) 6597  
*Calla* L. (Aroid.) 7778  
*Callæocarpus* Miq. (Castanopsis Spach) 6709  
*Callæolepium* Karst. (Fimbri-stemma Turcz.) 4819  
*Callerya* Endl. (Milletia W. et A.) 1687  
*Calliachyris* T. et G. (Layia H. et A.) 3876  
*Callianassa* Webb (Isoplexis Lindl.) 5283  
*Calliandra* Benth. (Legumin.) 1999  
*Callianira* Miq. (Piper L.) 6141  
*Callianthemum* C. A. Mey. (Ranuncul.) 7  
*Callias* Cass. (Heliopsis Pers.) 3779  
*Callicarpa* L. (Verben.) 5699  
*Callicephalus* C. A. Mey. (Centaurea L.) 4100  
*Callichlamys* Miq. (Bignon.) 5458  
*Callichroa* F. et M. (Layia H. et A.) 3876  
*Callicocca* Brot. (Uragoga L.)  
— Schreb. (Uragoga L.) 3294  
*Callicoma* Andr. (Saxifrag.) 2150  
*Callicore* Link (Amaryllis L.) 7302  
*Callicornia* Burm. (Leyssera L.) 3682  
*Callicysthus* Endl. (Vigna Savi) 1815  
*Callidrynos* Neraud (Molinæa Comm.) 1437  
*Calliglossa* H. et A. (Layia H. et A.) 3876  
*Calligonum* L. (Polygon.) 6079  
*Callilepis* DC. (Composit.) 3717  
*Calliopea* Don (Crepis L.) 4190  
*Calliopsis* Richb. (Coreopsis L.) 3849  
*Callipeltis* Sw. (Rubiace.) 3361  
*Calliphurria* Herb. (Amaryll.) 7318  
*Calliphysa* F. et M. (Calligonum L.) 6079  
*Calliprena* Salisb. (Allium L.) 7476  
*Calliprora* Lindl. (Brodiaea Sm.) 7470  
*Callipsyche* Herb. (Amaryll.) 7316  
*Callirhoe* Nutt. (Malvac.) 733  
*Callisace* Fisch. (Angelica L.) 2881  
*Callisemæa* Benth. (Platypodium Vog.) 1835  
*Callisia* L. (Commelin.) 7589  
*Callista* Lour. (Dendrobium Sw.) 6765  
— Don (Erica L.) 4351  
*Callistachys* Heuff. (Carex L.) 7988  
— Vent. (Oxylobium Andr.) 1588  
*Callistemma* Boiss. (Scabiosa L.) 3386  
— Cass. (Callistephus Cass.)  
*Callistemon* R. Br. (Myrtac.) 2283  
*Callistephus* Cass. (Composit.) 3542  
*Callisthene* Mart. (Vochysiac.) 558  
*Callistroma* Fenzl (Oliveria Vent.) 2805  
*Callithauma* Herb. (Stenomesson Herb.) 7322  
*Callitriche* L. (Halorag.) 2231  
*Callitris* Vent. (Conifer.) 8324  
— Spach (Callitris Vent.) 8324  
*Callixene* Juss. (Luzuriaga R. et P.) 7367  
*Callopisma* Mart. (Dejanira Ch. et Schl.) 4942

- Callostylis* Bl. (Orchid.) 6797  
*Callotropis* G. Don (Galega L.) 1679  
*Calluna* Salisb. (Erica L.) 4349  
*Calobota* E. et Z. (Lebeckia Thunb.) 1624  
*Calobotrya* Spach (Ribes L.) 2168  
*Calocedrus* Kurz (Libocedrus Endl.) 8327  
*Calocephalus* R. Br. (Composit.) 3661  
*Calochilus* R. Br. (Orchid.) 7040  
*Calochlamys* Presl. (Congea Roxb.) 5723  
*Calochortus* Pursh (Liliac.) 7515  
*Calococcus* Kurz (Phyllanthus L.) 6404  
*Calodendron* Thunb. (Rutac.) 1026  
*Calodium* Lour. (Cassytha L.) 6214  
*Calodonta* Nutt. (Tolpis Adans.) 4178  
*Calodracon* Planch. (Cordyline Comm.) 7409  
*Calodryum* Desv. (Quivisia Comm.) 1165  
*Calogyne* R. Br. (Goodeniace.) 4234  
*Calomecon* Spach (Papaver L.) 216  
*Calomeria* Vent. (Humea Sm.) 3652  
*Calonnea* Buchoz (Gaillardia Foug.) 3935  
*Calonyction* Choisy (Ipomæa L.) 5077  
*Calopappus* Mey. (Nassauvia Juss.) 4159  
*Calopetalon* Harv. (Marianthus Hugel) 532  
*Calophaca* Fisch. (Legumin.) 1717  
*Calophanes* Don (Acanth.) 5527  
*Calophylla* Presl (Phylla L.) 1337  
*Calophyllum* L. (Guttifer.) 658  
*Calophysa* DC. (Maieta Aubl.) 2468  
*Caloplectus* CErst. (Alloplectus Mart.) 5386  
*Calopogon* R. Br. (Orchid.) 7042  
*Calopogonium* Desv. (Legumin.) 1801  
*Calopsis* P. B. (Leptocarpus R. Br.) 7911  
*Caloptilium* Lag. (Nassauvia Juss.) 4159  
*Calopyxis* Tul. (Combretum L.) 2260  
*Calorchis* Barb. Rodr. (Orchid.) 7093  
*Calorhabdos* Benth. (Scrophul.) 5291  
*Calorophus* Labill. (Hypolæna R. Br.) 7918  
*Calosacme* Wall. (Chirita Ham.) 5403  
*Calosanthus* Bl. (Oroxylum Vent.) 5462  
*Calosciadium* Endl. (Aciphylla Forst.) 2873  
*Caloscilla* Jord. et Fourn. (Scilla L.) 7505  
*Caloscordum* Herb. (Nothoscordum Kth) 7475  
*Caloseris* Benth. (Onoseris DC.) 4113  
*Calostelma* Don (Liatris Schreb.) 3469  
*Calostemma* R. Br. (Amaryll.) 7328  
*Calostephane* Benth. (Composit.) 3704  
*Calostigma* Dcne (Asclep.) 4735  
*Calostrophus* F. Müll. (Hypolæna R. Br.) 7918  
*Calothamnus* Labill. (Myrtac.) 2295  
*Calotheca* Desv. (Briza L.) 8236  
— Spreng. (Æluropus Trin.) 8239  
*Calothyrsus* Spach (Æsculus L.) 1491  
*Calotis* R. Br. (Composit.) 3532  
*Calotropis* R. Br. (Asclep.) 4741  
*Calpandria* Bl. (Camellia L.) 695  
*Calpicarpum* Don (Kopsia Bl.) 4593  
*Calpidia* Thou. (Pisonia L.) 5886  
*Calpigyne* Bl. (Euphorb.) 6534  
*Calpurnia* E. Mey. (Legumin.) 1865  
*Caltha* L. (Ranuncul.) 13  
— Mönch (Calendula L.) 4042  
*Calucechinus* Hombr. et Jacq. (Fagus L.) 6711  
*Calusparassus* Hombr. et Jacq. (Fagus L.) 6711  
*Calvaria* Comm. (Sapot.) 4519  
*Calvelia* Moq. (Suæda Forsk.) 6016  
*Calvoa* H. f. (Melastom.) 2432  
*Calycadenia* DC. (Hemizonia DC.) 3872  
*Calycampe* Berg. (Myrcia DC.) 2322  
*Calycandra* Lepr. (Cordyla Lour.) 1897  
**Calycanthaceæ p. 4.**  
*Calycanthemum* Kl. (Ipomæa L.) 5077  
*Calycanthus* L. (Calycanth.) 49  
*Calycera* Cav. (Calycer.) 3388  
**Calycereæ p. 188.**  
*Calycium* Ell. (Heterotheca Cass.) 3484  
*Calycobolus* Willd. (Breweria R. Br.) 5088  
*Calycocarpum* Nutt. (Menisperm.) 136  
*Calycocorsus* Schmidt (Chondrilla L.) 4205  
*Calycodon* Nutt. (Muehlenbergia Schreb.) 8096  
*Calycogonium* DC. (Melastom.) 2453  
*Calycolpus* Berg (Myrtac.) 2316  
*Calycomis* R. Br. (Callicoma Andr.) 2150  
— Don (Acrophyllum Benth.) 2138  
*Calycomorpha* Presl (Trifolium L.) 1653  
*Calycopeplus* Planch. (Euphorb.) 6372  
*Calycophyllum* DC. (Rubiace.) 3028  
*Calycophysum* Karst. et Tr. (Cucurbit.) 2640  
*Calycoplectus* CErst. (Alloplectus Mart.) 5386  
*Calycopteris* Lam. (Combret.) 2252  
*Calycorectes* Berg (Myrtac.) 2328  
*Calycoseris* A. Gray (Composit.) 4203  
*Calycosia* A. Gray (Rubiace.) 3281  
*Calycostemma* Hanst. (Isoloma Benth.) 5373  
*Calycothyrix* Meisn (Calythrix Labill.) 2273  
*Calycotome* Link (Legumin.) 1639  
— E. Mey. (Dichilus DC.) 1630  
*Calycotropis* Turcz. (Inc. sed.) p. 488.  
*Calydermos* Lag. (Calea L.) 3862



- Calydermos* R. et P. (*Nicandra* Adans.) 5129  
*Calydorea* Herb. (Irid.) 7239  
*Calydrinos* Meisn. (*Molinæa* Comm.) 1437  
*Calylophus* Spach (*Oenothera* L.) 2528  
*Calymenia* Pers. (*Oxybaphus* Vahl) 5871  
*Calymmandra* T. et G. (*Dia-peria* Nutt.) 3604  
*Calyplectus* R. et P. (*Lafoenzia* Vand.) 2505  
*Calypso* Salisb. (Orchid.) 6759  
— Thou. (*Hippocratea* L.) 1312  
*Calyptocarpus* Less. (*Blainvillea* Cass.) 3813  
*Calyptranthes* Sw. (Myrtac.) 2324  
*Calyptraria* Naud. (*Centronia* Don) 2414  
*Calyptrella* Naud. (Melastom.) 2413  
*Calyptridium* Nutt. (Portul.) 621  
*Calyptrion* Ging. (*Corynostylis* Mart.) 465  
*Calyptrocalyx* Bl. (Palm.) 7651  
*Calyptracarya* Nees (Cyper.) 7976  
*Calyptracoryne* Schott (*Therio-phorum* Bl.) 7852  
*Calyptrogyne* Wendl. (Palm.) 7678  
*Calyptrolepis* Steud. (*Rhyncho-spora* Vahl) 7953  
*Calyptromyrcia* Berg (*Myrcia* DC.) 2322  
*Calyptronoma* Griseb. (*Calyptro-gyne* Wendl.) 7678  
*Calyptroon* Miq. (*Baccaurea* Lour.) 6431  
*Calypdropsidium* Berg (*Psidium* L.) 2314  
*Calyptrospatha* Kl. (*Acalypha* L.) 6302  
*Calyptrospermum* Dietr. (*Meno-dora* H. et B.) 4535  
*Calyptrostegia* C.A. Mey. (*Pimelea* Banks) 6269  
*Calyptrostigma* Trautv. et Mey. (*Diervilla* Tourn.) 2997  
— Kl. (*Beyeria* Miq.) 6378  
*Calyptrostylis* Nees (*Rhyncho-spora* Vahl) 7955  
*Calysaccion* Wight (*Mammea* L.) 662  
*Calysphyrum* Bge (*Diervilla* Tourn.) 2997  
*Calystegia* R. Br. (Convolvul.) 5080  
*Calytrix* Labill. (Myrtac.) 2273  
*Calytridium* Nutt. (Portul.) 621  
*Calytriplex* R. et P. (*Herpestis* Gärt.) 5253  
*Calyxhymenia* Ort. (*Oxybaphus* Vahl) 5871  
*Camarca* St-Hil. (Malpigh.) 959  
*Camaridium* Lindl. (Orchid.) 6886  
*Camarilla* Salisb. (*Allium* L.) 7476  
*Camarotis* Lindl. (*Sarcochilus* R. Br.) 6940  
*Camassia* Lindl. (Liliac.) 7506  
*Cambania* Comm. (*Aglaia* Lour.) 1185  
— Röm. (*Disoxylum* Bl.) 1175  
*Cambessedea* Kth (*Buchanania* Roxb.) 1507  
— W. et A. (*Bouea* Meisn.) 1513  
*Cambessedesia* DC. (Melastom.) 2358  
*Cambogia* L. (*Garcinia* L.) 654  
*Camelina* Crantz (Grucif.) 312  
*Camellia* L. (Ternstroem.) 695  
*Cameraria* L. (Apocyn.) 4594  
*Camforosma* C. A. Mey. v. *Cam-phorosma* L. 5987  
*Camirium* Gärt. (Aleurites Forst.) 6458  
*Camoensia* Welw. (Legumin.) 1882  
*Campana* Dcne (Gesner.) 5376  
*Campanula* L. (Campanul.) 4296  
**Campanulaceæ** p. 239.  
*Campanumæa* Bl. (Campanul.) 4280  
*Campbellia* Wight (Scrophul.) 5301  
*Campderia* Benth. (Polygon.) 6092  
— A. Rich. (*Barbacenia* Vand.) 7341  
— Lag. (*Kundmannia* Scop.) 2842  
*Campecarpus* Wendl. (*Cypho-phoenix* Wendl.)  
*Campelepis* Falc. (*Periploca* L.) 4709  
*Campelia* L. C. Rich. (Commelin.) 7591  
— Griseb. (*Deschampsia* P. B.) 8145  
*Campella* Link (*Deschampsia* P. B.) 8145  
*Camphora* Nees (*Cinnamomum* Bl.) 6193  
*Camphoromæa* Nees (*Ocotea* Aubl.) 6198  
*Camphoromyrtus* Schau. (*Bæc-kea* L.) 2280  
*Camphorosma* L. (Chenopod.) 5937  
*Camphusia* De Vriese (*Scævola* L.) 4237  
*Campnosperma* Thw. (Anacard.) 1337  
*Campomanesia* R. et P. (Myrtac.) 2312  
*Campsiandra* Benth. (Legumin.) 1901  
*Campsidium* Seem. (*Tecoma* Juss.) 5474  
*Campsis* Lour. (*Tecoma* Juss.) 5474  
*Camptocarpus* Dcne (Asclep.) 4703  
— K. Koch (*Alkanna* Tausch) 5047  
*Camptoloma* Benth. (Scrophul.) 5281  
*Camptopus* H. f. (*Uragoga* L.) 3294  
*Camptosema* H. et A. (Legumin.) 1806  
*Camptotheca* Dcne (Cornac.) 2933  
*Camptostemon* Mast. (Malvac.) 787  
*Campuleia* Thou. (*Striga* Lour.) 5304  
*Campuloa* Desv. (*Ctenium* Panz.) 8161  
*Campuloclinium* DC. (*Eupatorium* L.) 3460  
*Campulosus* Desv. (*Ctenium* Panz.) 8161  
*Campydorum* Salisb. (*Polygona-tum* Adans.) 7371

- Campylandra* Bak. (Tupistra Ker) 7383  
*Campylanthera* Hook. (Pronaya Hügel) 535  
*Campylanthera* Schott et Endl. (Eriodendron DC.) 772  
*Campylanthus* Roth (Scrophul.) 5285  
*Campylia* Sweet (Pelargonium L'Hér.) 985  
*Campylobotrys* Less. (Hoffmannia Sw.) 3146  
*Campylocentrum* Benth. (Orchid.) 6963  
*Campylocera* Nutt. (Specularia Heist.) 4298  
*Campylonema* Schult. (Campy-nema Labill.) 7277  
*Campyloptera* Boiss. (Crucif.) 342  
*Campylopus* Spach (Hypericum L.) 631  
*Campylosiphon* Benth. (Burmanniac.) 6734  
*Campylosporus* Spach (Hypericum L.) 631  
*Campylostachys* Kth (Verben.) 5661  
*Campylostemon* Welw. (Hippocrat.) 1311  
— E. Mey. (Justicia L.) 5611  
*Campylotheca* Cass. (Coreopsis L.) 3849  
*Campylotropis* Bge (Lespedeza Mchx) 1774  
*Campynema* Labill. (Amaryll.) 7277  
*Camunium* Rumph. (Aglaia Lour.) 1185  
*Camutia* Bonat. (Melampodium L.) 3751  
*Canahia* Spreng. v. *Kanahia* R. Br. 4281  
*Canala* Pohl. (Spigelia L.) 4888  
*Canalia* F. V. Schmidt (Gnidia L.) 6292  
*Cananga* Rumph (Anonac.) 81  
— Aubl. (Guettaria R. et P.) 75  
*Canaria* L. v. *Canarina* L. 4281  
*Canarina* L. (Campanul.) 4281  
*Canariopsis* Bl. (Cauarium L.) 1161  
*Canarium* L. (Burser.) 1161  
*Canavalia* Adans. (Legumin.) 1811  
*Canbya* Parry (Papaverac.) 218  
*Cancrinia* Kar. (Composit.) 3962  
*Candarum* Rchb. (Amorphophallus Bl.) 7791  
*Candelabria* Hochst. (Bridelia Willd.) 6391  
*Candidia* Ten. (Vernonia Schreb) 3405  
*Candollea* Labill. (Candolleac.) 4225  
— Labill. (Eeldea Th. Dur.) 45  
**Candolleaceæ p. 236.**  
*Canella* P. Br. (Canellac.) \*489  
**Canellaceæ p. 24.**  
*Canephora* Juss. (Rubiace.) 3140  
*Canicidia* Vell. (Connarus L.) \*1571  
*Canidia* Salisb. (Allium L.) 7476  
*Canistrum* E. Morren (Bromel.) 7179  
*Cankrienia* De Vriese (Primula L.) 4435  
*Canna* L. (Zingiberac.) 7149  
*Cannabis* L. (Urtic.) 6196  
*Cannomois* P. B. (Restiac.) 7920  
*Canonanthus* Don (Siphocampylus Pohl) 4250  
*Canotia* Torr. (Rosac.) 2041  
*Canscora* Lam. (Gentian.) 4944  
*Cansjera* Juss. (Olacin.) 1223  
*Cantharospermum* W. et A. (Atylosia W. et A.) 1823  
*Canthiopsis* Seem. (Randia L.) 3179  
*Canthium* Lam. (Plectronia L.) 3247  
*Canthopsis* Miq. (Rubiace.) 3253  
*Cantua* Juss. (Polemon.) 4973  
*Capanea* Fl. des Serres (Campanea Dcne) 5376  
*Capanemia* Barb. Rodr. (Orchid.) 7094  
*Capassa* Kl. (Lonchocarpus H. B. K.) 1843  
*Capellenia* Teijsm. (Endospermum Benth.) 6531  
*Capellia* Bl. (Wormia Rottb.) 40  
*Caperonia* St-Hil. (Euphorb.) 6481  
*Capia* Domb. (Lapageria R. et P.) 7365  
*Capirona* Sprun. (Rubiace.) 3032  
*Capitellaria* Naud. (Clidemia Don) 2470  
*Capnitis* E. Mey. (Leptononis DC.) 1621  
*Capnophyllum* Gartn. (Umbellif.) 2861  
*Capnorchis* Planch. (Dicentra Borkh.) 234  
**Capparideæ p. 20.**  
*Capparis* L. (Capparid.) \*446  
*Capraria* L. (Scrophul.) 5280  
*Caprificus* Gasp. (Ficus L.) 6621  
**Caprifoliaceæ p. 169**  
*Caprifolium* Juss. (Lonicera L.) 2995  
*Capriola* Adans. (Cynodon Pers.) 8157  
*Caproxylon* Juss. (Hedwigia Sw.) 1159  
*Capsella* Mönch (Crucif.) 329  
*Capsicum* L. (Solan.) 5114  
*Capura* Blanco (Otophora Bl.) 1394  
— L. (Wikstroemia Endl.) 6279  
*Caquepiria* Gmel. (Gardenia L.) 3181  
*Caragana* Lam. (Legumin.) 1716  
*Caraguata* Lindl. (Bromel.) 7188  
*Caraipa* Aubl. (Ternstroem.) 700  
*Carajæa* Wedd. (Castelnavia Tul.) 6117  
*Carallia* Roxb. (Rhizophor.) 2236  
*Caralluma* R. Br. (Asclep.) 4869  
*Caramanica* Tineo (Taraxacum Hall.) 4201  
*Carapa* Aubl. (Meliac.) 1192  
— Pöpp. (Guarea L.) 1178  
*Carapichea* Aubl. (Uragoga L.) 3294  
*Carbenia* Adans. (Composit.) 4101  
*Cardamine* L. (Crucif.) 253  
*Cardamomum* Salisb. (Elettaria Maton.) 7127  
*Cardanthera* Ham. (Acanth.) 5521  
*Cardaria* Desv. (Lepidium L.) 336  
*Carderina* Cass. (Senecio L.) 4025

- Cardiaca* Mönch (*Leonurus* L.) 5831  
*Cardiakanthus* Nees (*Jacobinia* Moric.) 5625  
*Cardiandra* S. et Z. (*Saxifrag.*) 2121  
*Cardiocarpus* Reinw. (*Soulamea* Lam.) 1128  
*Cardiochlamys* Oliv. (*Convolvul.*) 5083  
*Cardiogyne* Bur. (*Plecosperrum* Tréc.) 6607  
*Cardiophorus* Griff. (*Herpestis* Gärt.) 5253  
*Cardionema* DC. (*Pentacæna* Bartl.) 5896  
*Cardiopetalum* Schl. (*Duguetia* St-Hil.) 76  
*Cardiophora* Benth. (*Soulamea* Lam.) 1128  
*Cardiopteris* Wall. (*Olacin.*) 1263  
*Cardispermum* Gled. v. *Cardiospermum* L. 1372  
*Cardiostegia* Presl (*Melhania* Forst.) 814  
*Cardiostigma* Bak. (*Sphenostigma* Bak.) 7237  
*Cardopatium* Juss. (*Composit.*) 4067  
*Carduncellus* Adans. (*Composit.*) 4103  
*Carduus* L. (*Composit.*) 4077  
*Cardwellia* F. Müll. (*Proteac.*) 6261  
*Carelia* Less. (*Composit.*) 3444  
— Adans. (*Ageratum* L.) 3448  
*Carex* L. (*Cyper.*) 7988  
*Careya* Roxb. (*Myrtac.*) 2343  
*Cargillia* R. Br. (*Diospyros* L.) 4524  
*Carica* L. (*Passiflor.*) 2605  
*Cariniana* Casar. (*Couratari* Aubl.) 2335  
*Carionia* Naud. (*Melastom.*) 2449  
*Carissa* L. (*Apocyn.*) 4577  
*Carlea* Presl (*Symplocos* L.) 4527  
*Carlemannia* Benth. (*Rubiace.*) 3105  
*Carlina* L. (*Composit.*) 4072  
*Carlowitzia* Mönch (*Carlina* L.) 4072  
*Carlowrightia* A. Gray (*Acanth.*) 5625  
*Carludovica* R. et P. (*Cyclanth.*) 7746  
*Carmelita* C. Gay (*Chætanthera* R. et P.) 4143  
*Carmichaelia* R. Br. (*Legumin.*) 1705  
*Carminatia* Moc. (*Composit.*) 3454  
*Carmona* Cav. (*Ehretia* L.) 4998  
*Carnarvonia* F. Müll. (*Proteac.*) 6258  
*Carolinea* L. f. (*Pachira* Aubl.) 770  
*Caropodium* Stapf et Wettst. (*Umbellif.*) 2807  
*Caropyxis* Tul. (*Combretum* L.) 2260  
*Caroselinum* Griseb. (*Peucedanum* L.) 2886  
*Caroxylon* Thunb. (*Salsola* L.) 6027  
*Carpacoe* Sond. (*Rubiace.*) 3338  
*Carpentaria* Becc. (*Palm.*) + 7617c  
*Carpenteria* Torr. (*Saxifrag.*) 2125  
*Carpesium* L. (*Composit.*) 3708  
*Carpha* R. Br. (*Cyper.*) 7957  
*Carphalea* Juss. (*Rubiace.*) 3073  
*Carphephorus* Cass. (*Composit.*) 3472  
*Carphobolus* Schott (*Piptocarpha* R. Br.) 3409  
*Carphochaete* A. Gray (*Composit.*) 3467  
*Carpholoma* Don (*Lachnospermum* Willd.) 3676  
*Carphopappus* Sch. Bip. (*Iphiona* Cass.) 3698  
*Carphostephium* Cass. (*Tridax* L.) 3866  
*Carpidopteris* Karst. (*Thinouia* Tr. et Pl.) 1373  
*Carpidopteryx* Walp. (*Thinouia* Tr. et Pl.) 1373  
*Carpinus* L. (*Cupulif.*) 6704  
*Carpoceras* Boiss. (*Thlaspi* L.) 359  
— Rich. (*Martynia* L.) 5497  
*Carpodetes* Herb. (*Stenomesson* Herb.) 7322  
*Carpodetus* Forst. (*Saxifrag.*) 2135  
*Carpodinus* R. Br. (*Apocyn.*) 4564  
*Carpodiptera* Griseb. (*Tiliac.*) 847  
*Carpodontos* Labill. (*Eucryphia* Cav.) 2039  
*Carpolobia* Don (*Polygal.*) 553  
— Don (*Baphia* Afz.) 1859  
*Carpolyza* Salisb. (*Amaryll.*) 7287  
*Carponema* E. et Z. (*Crucif.*) 419  
*Carpophora* Kl. (*Silene* L.) 575  
*Carpophyllum* Miq. (*Sterculia* L.) 791  
*Carpopogon* Roxb. (*Mucuna* Adans.) 1797  
*Carpothalis* E. Mey. (*Kraussia* Harv.) 3201  
*Carpotroche* Endl. (*Bixin.*) 499  
*Carpunya* Presl (*Piper* L.) 6141  
*Carradoria* A. DC. (*Globularia* L.)  
*Carregnoa* Boiss. (*Tapeinanthus* Herb.) 7282  
*Carria* Gardn. (*Gordonia* Ell.) 692  
*Carrichtera* Adans. (*Crucif.*) 326  
*Carronia* F. Müll. (*Menisperm.*) 171  
*Carruthersia* Seem. (*Apocyn.*) 4648  
*Carteretia* A. Rich. (*Doritis* Lindl.) 6938  
*Cartesia* Cass. (*Stokesia* L'Hér.) 3418  
*Carthamus* L. (*Composit.*) 4102  
*Cartonema* R. Br. (*Commelin.*) 7583  
*Caruelia* Parl. (*Ornithogalum* L.) 7507  
*Carum* L. (*Umbellif.*) 2806  
*Carumbium* Kurz (*Sapium* P.Br.) 6567  
— Reinw. (*Homalanthus* A. Juss.) 6557  
*Caruncularia* Haw. (*Stapelia* L.) 4882  
*Carya* Nutt. (*Jugland.*) 6695  
*Caryocar* L. (*Ternstroem.*) 664  
*Caryochloa* Spreng. (*Piptochætium* Presl) 8093  
— Trin. (*Luziola* Juss.) 8069  
*Caryococca* Willd. (*Gonzalea* Pers.)  
*Caryodaphne* Nees (*Cryptocarya* R. Br.) 6175  
*Caryodendron* Karst. (*Euphorb.*) 6510  
*Caryolobis* Gärt. (*Dipterocarpus* Gärt. f.)



- Caryolopha* Fisch. et Trautv. (Anchusa L.) 5042  
*Caryophyllaster* Rumph (Antherura Lour.).  
**Caryophylleæ** p. 29.  
*Caryophyllodendron* Vaill. (Caryophyllus L.).  
*Caryophyllus* L. (Eugenia L.) 2327  
*Caryopteris* Bge (Verben.) 5716  
*Caryospermum* Bl. (Celastr.) 1300  
*Caryota* L. (Palm.) 7683  
*Caryotaxus* Zucc. (Torreya Arn.) 8339  
*Casalea* St-Hil. (Ranunculus L.) 10  
*Casarettoa* Walp. (Vitex L.) 5708  
*Casasia* Rich. (Rubiace.) 3168  
*Cascarilla* Wedd. (Rubiace.) 3010  
— Adans (Croton L.) 6460  
*Cascaronia* Griseb. (Legumin.) 1726  
*Casearia* Jacq. (Samyd.) 2543  
*Casia* Tourn. (Osyris L.).  
*Casimira* Scop. (Melicocca L.) 1404  
*Casimiroa* Llav. et Lex. (Rutac.) 1089  
*Casinga* Griseb. (Lætia L.) 503  
*Casparea* v. *Casparia* Kth.  
*Casparia* Kth (Bauhinia L.) 1937  
*Casparya* (A. DC.) Kl. (Begonia L.) 2695  
*Caspia* Scop. (Vismia Vell.).  
*Cassandra* Don (Ericac.) 4335  
*Cassebeeria* Spreng. (Sonerila Roxb.).  
*Casselia* Nees et Mart. (Verben.) 5692  
— Dmrt (Mertensia Roth) 3049  
*Cassia* (Tourn.) L. (Legumin.) 1929  
*Cassida* (Tourn.) Mönch (Scutellaria L.) 5810  
*Cassine* L. (Celastr.) 1284  
— Auct. (Elæodendron Jacq.) 1301  
*Cassinia* R. Br. (Composit.) 3637  
*Cassinopsis* Sond. (Olacin.) 1250  
*Cassiope* Don (Ericac.) 4336  
*Cassiopea* Don (Leuceria Lag.) 4149  
*Cassiopteris* Karst. (Cheiroglossa Presl).  
*Cassiphone* Rchb. (Leucothoe DC.).  
*Cassipourea* Aubl. (Rhizophor.) 2246  
*Cassumbium* Auct. (Schleichera Willd.) 4413  
*Cassumunar* Colla (Zingiber Adans.) 7128  
*Cassupa* H. B. K. (Rubiace.) 3109  
*Cassutha* Desm. (Cuscuta L.).  
*Cassuvium* Lam. (Anacardium Rottb.) 1509  
*Cassytha* L. (Laurin.) 6214  
*Castalia* Salisb. (Nymphæa L.) 205  
*Castalis* Cass. (Dimorphotheca Mönch) 4041  
*Castanea* (Tourn.) Gärt. (Cupulif.) 6710  
*Castanella* Spruce (Paullinia L.) 1370  
*Castanopsis* Spach (Cupulif.) 6709  
*Castanospermum* A. Cunn. (Legumin.) 1874  
*Castanospora* F. Müll. (Sapind.) 1407  
*Castela* Turp. (Simarub.) 1115  
*Castelia* Cav. (Priva Adans.) 5685  
*Castellia* Tin. (Festuca L.) 8254  
*Castelnavia* Wedd. (Podostem.) 6117  
*Castiglioni* R. et P. (Jatropha L.) 6455  
*Castilleja* L. f. (Scrophul.) 5321  
*Castilloa* Cerv. (Urtic.) 6631  
*Castorea* Plum. (Duranta L.).  
*Castra* Vell. (Trixis P. Br.) 4156  
*Castratella* Naud. (Melastom.) 2356  
*Castrea* St-Hil. (Phoradendron Nutt.) 6319  
*Castronia* Nor. (Helicia Lour.) 6252  
*Casuarina* Forst. (Casuarin.) 6701  
**Casuarineæ** p. 380.  
*Catabrosa* P. B. (Gramin.) 8217  
*Catachænia* Griseb. (Miconia R. et P.) 2462  
*Catachætum* Hoffmg v. *Catasetum* Rich. 6875  
*Catacline* Edgew. (Tephrosia Pers.) 1682  
*Catagyna* P. B. (Eriospora Hochst.) 7980  
*Catakidozamia* T. Hill. (Macrozamia Miq.) 8346  
*Cataleuca* Hort. Belg. (Isotypus Kth).  
*Catalium* Ham. (Carallia Roxb.).  
*Catalpa* (Scop.) Juss. (Bignon.) 5464  
*Catalpium* Raf. (Catalpa Juss.).  
*Catamixis* Thoms. (Composit.) 4137  
*Catananche* (Vaill.) L. (Composit.) 4167  
*Catapodium* Link (Gramin.) 8255  
*Catappa* Gärt. (Terminalia L.) 2249  
*Cataria* (Tourn.) Mönch (Nepeta L.) 5802  
*Catasetum* L. C. Rich. (Orchid.) 6875  
*Catatantthera* F. Müll. (Vaccin.) 4318  
*Catatherophora* Steud. (Pennisetum Pers.) 8057  
*Catenaria* Benth. (Desmodium Desv.) 1761  
*Catepha* Leschen. (Trachymene Rudge).  
*Catesbæa* L. (Rubiace.) 3131  
*Catevala* Medik. (Aloe L.) 7393  
*Catha* Forsk. (Celastr.) 1276  
— Endl. (Celastrus L.) 1288  
*Cathanthes* Rich. (Tetroncium Willd.) 7877  
*Catharanthus* G. Don (Vinca L.) 4603  
*Cathartocarpus* Pers. (Cassia L.) 1929  
*Cathartolinum* Rchb. (Linum L.) 892  
*Cathastrum* Turcz. (Celastr.) 1279  
*Cathcartia* H. f. (Papaverac.) 221  
*Cathea* Salisb. (Calopogon R. Br.) 7042  
*Cathedra* Miers (Olacin.) 1219  
*Cathestechum* Presl (Gramin.) 8188  
*Cathetostemma* Bl. (Hoya R. Br.) 4852  
*Cathetus* Lour. (Phyllanthus L.) 6404  
*Cathissa* Salisb. (Ornithogalum L.) 7507  
*Cathormium* Hassk. (Pithecolobium Mart.) 2001  
*Catimbium* Juss. (Alpinia L.) 7134  
*Catinga* Aubl. (Eugenia L.) 2327

- Catoblustus* Wendl. (Palm.) 7652  
*Catocoma* Benth. (Bredemeyera Willd.) 548  
*Catocoryne* H. f. (Melastom.) 2464  
*Catonia* Mönch (Crepis L.) 4190  
— P. Br. (Inc. sed.)  
— Vahl (Erycibe Roxb.) 5069  
*Catopheria* Benth. (Labiata.) 5731  
*Catophractes* D. Don (Bignon.) 5184  
*Catopsis* Griseb. (Bromel.) 7191  
*Catosperma* Benth. (Gooden.) 4236  
*Catostemma* Benth. (Myrtac.) 2349  
*Cattleya* Lindl. (Orchid.) 6825  
*Cattutella* (Rheede) Rchb. (Inc. sed. Rubiac.?).  
*Catu-Adamboe* Adans. (Lagerstroemia L.)  
*Catu-Naregam* Adans. (Limonia L.)  
*Caturus* L. (Acalypha L.) 6502  
— Seem. (Malaisia Blanco) 6004  
*Caucalis* (Tourn.) L. (Umbellif.) 2908  
— Hoffm. (Caucalis L.) 2908  
— Scop. (Torilis Adans.)  
*Caucanthus* Forsk. (Inc. sed.) p. 488  
*Caulanthus* S. Wats. (Crucif.) 252  
*Caulinia* DC. (Posidonia Kön.) 7882  
— Mönch (Kennedyia Vent.) 1791  
— Willd. (Naias L.) 7889  
*Caulophyllum* Mchx (Berberid.) 193  
*Caulotretus* Rich. (Bauhinia L.) 1937  
*Causea* Scop. (Hirtella L.) 2014  
*Caustis* R. Br. (Cyper.) 7968  
*Cautlea* Royle (Roscoea Sm.) 7118  
*Cavalam* (Rheede) Adans. (Southwellia Salisb.)  
*Cavallium* Schott (Sterculia L.) 791  
*Cavanilla* Gmel. (Dombeya Cav.)  
— Thunb. (Adelanthus Endl.)  
— Vell. (Caperonia St-Hil.) 6481  
*Cavanillea* Desr. (Diospyros L.) 4524  
— Medik. (Anoda Cav.)  
*Cavanillesia* R. et P. (Malvac.) 776  
*Cavendishia* Lindl. (Vaccin.) 4314  
*Cavinium* Thou. (Vaccinium L.) 4321  
*Cavoliana* Raf. (Naias L.)  
*Cayaponia* Manso (Cucurbit.) 2673  
*Caylus* a St-Hil. (Resed.) 457  
*Cayratia* Juss. (Cissus L.)  
*Ceanothus* L. (Rhamn.) 1332  
— Raf. (Noltea Rchb.)  
*Cearia* Dmrt. (Pancratium L.)  
*Cebatha* Forsk. (Cocculus DC.) 148  
*Cebipira* (Pison) Juss. (Bowdichia H. B. K.)  
*Cecicodaphne* Nees. (Cinnamomum Bl.) 6193  
*Cecropia* (Löfl.) L. (Urtic.) 6643  
*Cedrela* (P. Br.) L. (Meliac.) 1198  
*Cedronella* (Riv.) Mönch (Labiata.) 5805  
*Cedrota* Schreb. (Aniba Aubl.)  
*Cedrus* Loud. (Conifer.) 8310  
— Mill. (Cedrela L.) 1198  
*Ceiba* Gärtn. (Eriodendron DC.) 772  
— Mart. et Zucc. (Bombax L.)  
**Celastrineæ** p. 65.  
*Celastrinea* Wawra (Serjania L.) 1384  
*Celastrus* L. (Celastr.) 1288  
— Kraus (Embelia Burm.) 4466  
*Celmisia* Cass. (Composit.) 3556  
— Cass. (Alciope DC.) 4001  
*Celosia* L. (Amarant.) 5918  
*Celsia* L. (Scrophul.) 5184  
— Griseb. (Celsia L.) 5184  
*Celtis* (Tourn.) L. (Urtic.) 6588  
*Cenarrhenes* Labill. (Proteac.) 6239  
*Cenchrus* L. (Gramin.) 8056  
*Cenia* Juss. (Composit.) 3969  
*Cenocline* K. Koch (Cotula L.) 3968  
*Cenolophium* Koch (Selinum L.) 2876  
*Cenolophon* Bl. (Alpinia Bl.) 7134  
— Horan. (Amomum L.) 7125  
*Cenosiigma* Tul. (Legumin.) 1904  
*Centaurea* L. (Composit.) 4100  
*Centaurella* Mchx (Bartonia Mühlbg) 4962  
*Centaureidium* T. et G. (Xanthisma DC.) 3487  
*Centaurium* Cass. (Centaurea L.) 4100  
— Mönch (Erythraea Rich.)  
— Pers. (Bartonia Mühlbg) 4962  
*Centaureopsis* Boj. (Composit.) 3408  
*Centella* L. (Umbellif.) 2741  
*Centema* H. f. (Amarant.) 5934  
*Centhriscus* Spreng. (Anthriscus Hoffm.)  
*Centipeda* Lour. (Composit.) 3970  
— Less. (Dichrocephala DC.)  
*Centopodium* Burch. (Emex Neck.) 6089  
*Centotheca* Desv. (Gramin.) 8226  
*Centrachæna* Schott (Chrysanthemum L.) 3967  
*Centradenia* G. Don (Melastom.) 2367  
*Centrandra* Karst. (Julocroton Mart.) 6461  
*Centranthera* R. Br. (Scrophul.) 5308  
— Scheidw. (Pleurothallis R. Br.) 6743  
*Centranthus* DC. (Valerian.) 3378  
*Centrapalus* Cass. (Vernonia Schreb.) 3405  
*Centratherum* Cass. (Composit.) 3397  
*Centrocarcha* Don (Rudbeckia L.) 3801  
*Centrochilus* Schau. (Habenaria Willd.) 7066  
*Centroclinium* Don (Onoseris DC.) 4113  
*Centrodiscus* Müll. Arg. (Caryodendron Karst.) 6510  
*Centroglossa* Barb. Rodr. (Orchid.) 7107

**Centrolepideæ p. 454.**

- Centrolepis* Labill. (Centrolepid.) 7900  
*Centrolobium* Benth. (Legumin.) 1836  
*Centronia* D. Don (Melastom.) 2414  
— Bl. (Æginetia L.) 5343  
*Centronota* DC. (Æginetia L.) 5343  
*Centropappus* H. f. (Senecio L.) 4025  
*Centropetalum* Lindl. (Orchid.) 6931  
*Centrophorum* Trin. (Andropogon L.) 8020  
*Centropogon* Presl (Lobeliac.) 4249  
*Centrosema* DC. (Legumin.) 1781  
*Centrosia* A. Rich. (Calanthe R. Br.)  
*Centrosis* Thou. (Calanthe R. Br.) 6803  
— Sw. (Limodorum L. C. Rich.)  
*Centrosolenia* Benth. (Episcia Mart.) 5384  
*Centrospermum* H. B. K. (Acanthospermum Schrank) 3752  
— Spreng. (Chrysanthemum L.) 3904  
*Centrostachys* Wall. (Achyranthes L.) 5947  
*Centrostegia* A. Gray (Oxytheca Nutt.) 6071  
*Centrostemma* Dcne (Hoya R. Br.) 4852  
*Centrostylis* H. Bn (Adenochlæna H. Bn) 6492  
*Centunculus* (Dill.) L. (Primul.) 4455  
— Adans. (Cerastium L.)  
*Ceodes* Forst. (Pisonia L.) 5886  
*Cepa* (Tourn.) Salisb. (Allium L.) 7476  
*Cephaelis* Sw. (Uragoga L.) 3294  
*Cephalandra* Schrad. (Coccinia W. et A.) 2644  
*Cephalanoplos* Neck. (Cnicus L.) 4078  
*Cephalanthera* Rich. (Orchid.) 7033  
*Cephalanthus* L. (Rubiaceae) 3003  
*Cephalaria* Schrad. (Dipsac.) 3385  
*Cephaleis* Vahl (Uragoga L.) 3294  
*Cephalidium* A. Rich. (Anthocephalus A. Rich.) 3002  
*Cephalina* Thonn. (Sarcocephalus Afz.) 3000  
*Cephalipterum* A. Gray (Composit.) 3663  
*Cephalocarpus* Nees (Cyper.) 7974  
*Cephalocereus* Pfeiff. (Cereus Haw.)  
*Cephalochloa* Coss. et Durieu (Ammochloa Boiss.) 8196  
*Cephalocroton* Hochst. (Euphorb.) 6491  
*Cephaloma* Neck. (Dracocephalum L.)  
*Cephalomappa* H. Bn (Euphorb.) 6532  
*Cephalopappus* Nees et Mart. (Composit.) 4163  
*Cephalophora* Cav. (Composit.) 3933  
*Cephalorhynchus* Boiss. (Lactuca L.) 4206  
*Cephaloschoenus* Nees (Rhynchospora Vahl) 7955  
*Cephaloscirpus* Kurz (Mapania Aubl.) 7944  
*Cephaloseris* Pöpp. (Polyachyrus Lag.)  
*Cephalosorus* A. Gray (Angianthus Wendl.) 3659  
*Cephalostachyum* Munro (Gramin.) 8299  
*Cephalostemon* Schomb. (Rapa-teac.) 7597  
*Cephalostigma* A. DC. (Campanul.) 4271  
*Cephalotaxus* Zucc. (Conifer.) 8338  
*Cephalotomandra* Karst. (Nyc-tagin.) 5391  
*Cephalotos* Adans. (Thymus L.)  
*Cephalotrophis* Bl. (Malaisia Blanco) 6604  
*Cephalotus* Labill. (Saxifrag.) 2170  
*Cephaloxys* Desv. (Juncus L.) 7610  
*Ceradia* Lindl. (Othonna L.) 4037  
*Ceraia* Lour. (Dendrobium Sw.) 6765  
*Ceramanthe* Rchb. (Scrophularia L.) 5209  
*Ceramanthus* Kunze (Philibertia H. B. K.) 4726  
— Hassk. (Phyllanthus L.) 6404  
*Ceramia* Salisb. (Erica L.) 4351  
*Ceramicalyx* Bl. (Osbeckia L.) 2389  
*Ceramiocephalum* Sch. Bip. (Crepis L.) 4190  
*Ceranium* Bl. (Bragantia Lour.) 6132  
*Ceramocarpium* Nees et Meisn. (Ocotea Aubl.) 6198  
*Ceramophora* Nees et Meisn. (Ocotea Aubl.) 6198  
*Ceranthera* Ell. (Labiata) 5783  
— P. B. (Alsodeia Thou.) 476  
— Raf. (Solanum L.)  
*Ceranthus* Schreb (Linociera Sw.) 4547  
*Cerasedos* S. et Z (Prunus L.) 2019  
*Cerasiocarpum* H. f. (Cucurbit) 2668  
*Cerasophora* Neck. (Prunus L.)  
*Cerastium* L. (Caryophyll.) 350  
— Huds. (Holosteum L.)  
— Fenzl (Centunculus Adans.)  
*Cerasus* (Tourn.) Juss. (Prunus L.) 2019  
*Ceratandra* Eckl. (Orchid.) 7087  
*Ceratanthera* (Lestib.) Hornem. (Globba L.) 7115  
*Ceratella* H. f. (Abrotanella Cass.) 3974  
*Ceratia* Adans. (Ceratonia L.)  
*Ceratiola* Mchx (Empetr.) 6717  
*Ceratiosicyos* Nees (Passiflor.) 2604  
*Ceratites* Soland. (Apocyn.) 4567  
*Ceratium* Bl. (Eria Lindl.) 6781  
*Ceratocalyx* Coss. (Orobanche L.) 5349  
*Ceratocarpus* Durieu (Corydalis DC.) 236  
*Ceratocarpus* (Buxb.) L. (Chenopod.) 5983

- Ceratocaryum* Nees (Cyper.) 7922  
*Ceratocaulos* Bernh. (Datura L.) 5142  
*Ceratocephalus* Mönch (Ranunculus L.) 10  
— Vaill. (Bidens L.) 3836  
*Ceratochilus* Bl. (Saccolabium Bl.) 6946  
— Lindl. (Stanhopea Forst.) 6871  
*Ceratochloa* P. B. (Bromus L.) 8257  
*Ceratocnemum* Coss. (Crucifer.) 402  
*Ceratococca* Willd. (Microtea Sw.) 6054  
*Ceratococcus* Meisn. (Plukenetia L.) 6549  
*Ceratogonon* Meisn. (Oxygonum Burch.) 6082  
*Ceratogyne* Turcz. (Composit.) 3975  
*Ceratogynum* Wight (Sauropus Bl.) 6401  
*Ceratolacis* Wedd. (Podostem.) 6114  
*Ceratolobus* Bl. (Palm.) 7711  
— Bl. (Korthalsia Bl.) 7710  
*Ceratonia* L. (Legumin.) 1936  
*Ceratonychia* Edgew. (Cometes L.) 5911  
*Ceratopetalum* Sm. (Saxifrag.) 2156  
*Ceratophorus* Miq. (Gelonium Roxb.) 6540  
— Sond. (Payena A. DC.) 4514  
***Ceratophylleæ* p. 382.**  
*Ceratophyllum* L. (Ceratophyll.) 6718  
*Ceratopsis* Lindl. (Epipogum Gmel.) 7049  
*Ceratopyxis* H. f. (Rubiace.) 3228  
*Ceratosanthes* (Burm.) Juss. (Cucurbit.) 2665  
*Ceratosanthus* Schur (Delphinium L.) 25  
*Ceratoschœnus* Nees (Rhynchospora Vahl) 7955  
*Ceratosepalum* Erst. (Passiflora L.) 2587  
*Ceratospermum* Pers. (Eurotia Adans.) 5982  
*Ceratostachys* Bl. (Nyssa L.) 2982  
*Ceratostemma* Juss. (Vaccin.) 4313  
*Ceratostigma* Bge (Plumbag.) 4432  
*Ceratostylis* Bl. (Orchid.) 6796  
*Ceratotheca* Endl. (Pedalin.) 5508  
*Ceratosamia* Brongn. (Cycad.) 8347  
*Cerbera* L. (Apocyn.) 4589  
— Lour. (Scævola L.) 4237  
— Scop. (Thevetia L.) 7793  
*Cercestis* Schott (Aroid.) 7793  
*Cercidiphyllum* S. et Z. (Magnoliace.) \*52  
*Cercidium* Tul. (Legumin.) 1922  
*Cercis* L. (Legumin.) 1938  
*Cercocarpus* H. B. K. (Rosac.) 2047  
*Cercocoma* Miq. (Rhynchodia Benth.) 4652  
— Wall. (Strophanthus DC.) 4633  
*Cercodia* Murr. (Haloragis Forst.) 2224  
*Cercophora* Miers (Strailia Th. Dur.) 2338  
*Cercostylos* Less. (Gaillardia Foug.) 3935  
*Cerdana* R. et P. (Cordia L.) 4992  
*Cerdia* Moc. et Sessé (Caryophyll.) 599  
*Ceresia* Pers. (Paspalum L.) 8045  
*Cereus* Haw. (Cactæe) 2708  
*Cerinth* (Tourn.) L. (Boragin.) 5067  
*Cerinthopsis* Kotschy (Solenanthus Ledeb.) 5021  
*Cerionanthus* Spach (Cephalaria Schrad.)  
*Ceriops* Arn. (Rhizophor.) 2233  
*Ceriscus* Gärtn. (Randia L.) 3179  
— Nees (Tarenna Gärtn.) 3175  
*Cerium* Lour. (Inc. sed.)  
*Cerocarpus* Hassk. (Eugenia L.) 2327  
*Cerochilus* Lindl. (Hetæria Bl.) 7010  
*Ceropegia* L. (Asclep.) 4863  
*Cerophyllum* Spach (Ribes L.) 2168  
*Ceroxylon* H. et B. (Palm.) 7657  
*Cerquiera* Berg. (Myrcia DC.) 2322  
*Ceruana* Forsk. (Composit.) 3511  
*Ceruchis* Gärtn. (Spilanthes Jacq.)  
*Cervantesia* R. et P. (Santal.) 6332  
*Cervaria* (Riv.) Gärtn. (Peucedanum L.) 2886  
*Cervia* Rodr. (Inc. sed.) p. 488.  
*Cerviana* Minuart (Mollugo L.) 2370  
*Cervicina* Del. (Wahlenbergia Schrad.) 4273  
*Cervispina* (Riv.) Mönch (Rhamnus L.)  
*Cesatia* Endl. (Trachymene Rudge) 2743  
*Cespedezia* Goudot (Ochnac.) 1149  
*Cestrinus* Cass. (Centaurea L.) 4100  
*Cestrum* L. (Solan.) 5149  
*Cevallia* Lag. (Loaseæ.) 2564  
*Chaboissæa* Fourn. (Inc. sed.) p. 488.  
*Chabriæa* Adans. (Peplis L.) 2489  
— DC. (Leuceria Lag.) 4149  
*Chadara* Forsk. (Grewia L.)  
*Chadsia* Boj. (Legumin.) 1689  
*Chælothilus* Neck. (Gentiana L. ?)  
*Chænactis* DC. (Composit.) 3898  
*Chænanthe* Lindl. (Diadenium Pöpp. et Endl.) 6890  
*Chænanthera* L. C. Rich. (Chærianthus Don) 2460  
*Chænesthes* Miers (Iochroma Benth.) 5123  
*Chænocephalus* Griseb. (Composit.) 3839  
*Chænolobium* Miq. (Ind. sed.) p. 488.  
*Chænomeles* Lindl. (Cydonia Tourn.) 2072  
*Chænopleura* Rich. (Miconia R. et P.) 2462  
*Chænorrhinum* Lge (Linaria L.) 5194  
*Chænostoma* Benth. (Scrophul.) 5233

- Chæradodia* Herb. (Inc. sed.) p. 488.  
*Chæradoplectron* Schau. (Habenaria Willd.) 7066  
*Chærophyllum* (Tourn.) L (Umbellif.) 2825  
— Gärtn. (Anthriscus Hoffm.).  
*Chætacanthus* Nees (Calophanes Don) 5527  
*Chætachlæna* D. Don (Onoseris DC.) 4113  
*Chætacme* Planch. (Urtic.) 6394  
*Chætadelpha* A. Gray (Composit.) 4215  
*Chætea* Jacq. (Buettneria L.).  
*Chætanthera* R. et P. (Composit.) 4143  
— Cass. (Chætanthera R. et P.) 4143  
— H. et B. (Perezia Lag)  
— Nutt. (Chætopappa DC.) 3536  
*Chætanthus* R. Br. (Restiac.) 7914  
*Chætaria* P. B. (Aristida L.) 8089  
*Chæthymenia* H. et A. (Jaumea Pers.) 3880  
*Chætium* Nees (Gramin.) 8054  
*Chætobromus* Nees (Danthonia DC.) 8155  
*Chætocalyx* DC. (Legumin.) 1740  
*Chætocapnia* " Sweet " ex Steud. (Liliac. ?)  
*Chætocarpus* Thw. (Euphorb.) 6538  
— Schreb. (Sloanea L.) 882  
*Chætocephala* Barb. Rodr. (Pleurothallis R. Br.) 6743  
*Chætochilus* Vahl (Schwenkia L.) 5171  
*Chætocladius* Senil (Ephedra L.) 8304  
*Chætocrater* R. et P. (Casearia Jacq.) 2543  
*Chætocyperus* Nees (Heleocharis R. Br.) 7929  
*Chætodiscus* Steud. (Eriocaulon L.) 7891  
*Chætogastra* DC. (Tibouchina Aubl.) 2383  
*Chætolepis* Miq. (Melastom.) 2384  
*Chætonychia* Willk. (Paronychia Juss.) 5901  
*Chætopappa* DC. (Composit.) 3536  
*Chætophora* Nutt. (Chætopappa DC.).  
*Chætoptelea* Liebm. (Ulmus L.) 6582  
*Chætosciadium* Boiss. (Caucalis L.) 2908  
*Chætospora* R. Br. (Schœnus L.) 7961  
*Chætostachys* Benth. (Lavandula L.) 5746  
*Chætostoma* DC. (Melastom.) 2361  
*Chætusus* Benth. (Apocyn.) 4576  
*Chætothylax* Nees (Acanth.) 5608  
*Chætothylopsis* CErst. (Chætothylax Nees) 5608  
*Chætotropis* Kth (Gramin.) 8121  
*Chæturus* Link (Gramin.) 8113  
*Chailletia* DC. (Dichapetalum Thou.) 1201  
**Chailletiaceæ v. Dichapetaleæ p. 62.**  
*Chaitæa* Soland. (Tacca Forst.) 7342  
*Chaiturus* Mönch (Leonurus L.) 5831  
*Chaixia* Lapeyr. (Ramondia L.) 5423  
*Chakiatella* Cass. (Wulffia Neck.) 3803  
*Chalarium* Poit. (Ogiera Cass.).  
*Chalcanthus* Boiss. (Hesperis L.) 285  
*Chalcas* Lour. (Murraya L.) 1097  
*Chaldia* Boj. v. Chaldsia Boj. 1684  
*Chalepoa* H. Bn (Pittospor.) 529  
*Chalepophyllum* H. f. (Rubiaceæ) 3068  
*Chalybæa* Naud. (Pachyanthus A. Rich.) 2456  
*Chamabaina* Wight (Urtic.) 6668  
*Chamæbalanus* Rumph (Arachis L.).  
*Chamæbatia* Benth. (Rosac.) 2046  
*Chamæbatiaria* Porter (Spiræa L.) 2025  
*Chamæbuxus* (Tourn.) Spach (Polygala L.) 542  
*Chamæcalamus* Meyen (Agrostis L.) 8120  
*Chamæcistus* S. F. Gray (Loiseleuria Desv.) 4362  
*Chamæcladon* Schott (Aroid.) 7799  
*Chamæclema* Mönch (Nepeta L.) 5802  
*Chamæcnida* Nees et Mart. (Pilea Lindl.).  
*Chamæcrista* E. Mey. (Cassia L.).  
*Chamæcyparis* Spach (Conifer.) 8330  
*Chamæcytistus* Link (Cytisus L.).  
— Vis. (Argyrolobium E. et Z.) 1636  
*Chamædactylis* Nees (Æluropus Trin.) 8239  
*Chamædaphne* (Buxb.) Mönch (Cassandra Don).  
— Mitch. (Mitchella L.).  
*Chamædorea* Willd. (Palm.) 7668  
*Chamædrys* (Tourn.) Mönch (Teucrium L.) 5864  
*Chamæiris* (Rupp.) Medik. (Iris L.).  
*Chamælaucium* Desf. (Myrtac.) 2272  
— F. Müll. (Darwinia Rudge) 2268  
*Chamæle* Miq. (Inc. sed.) p. 488.  
*Chamælea* Tourn. (Cneorum L.).  
*Chamæledon* Link (Loiseleuria Desv.) 4362  
*Chamæleon* Cass. (Atractylis L.) 4073  
*Chamælirium* Willd. (Liliac.) 7531  
*Chamæmeles* Lindl. (Rosac.) 2082  
*Chamæmelum* (Tourn.) Cass. (Anthemis L.) 3953  
— Vis. (Matricaria L.) 3965  
*Chamæmespilus* Medik. (Mespilus L.).  
*Chamænerium* (Tourn.) Spach (Epilobium L.) 2520  
*Chamæorchis* Koch (Herminium L.) 7059



- Chamæpeuce* DC. (Cnicus L.) 4078  
 — Zucc. (Chamæcyparis Spach) 8330  
*Chamæpithys* (Tourn.) Link (Ajuga L.) 5865  
*Chamæplium* Spach (Sisymbrium L.) 290  
*Chamæranthemum* Nees (Acanth.) 5574  
*Chamæraphis* R. Br. (Gramin.) 8059  
*Chamærepes* Spreng. (Hermidium L.) 7039  
*Chamærhododendron* (Tourn.) Gmel. (Anthodendron Rchb.) 2057  
*Chamærhodos* Bge (Rosac.) 2057  
*Chamæriphes* Ponted. (Chamærops L.) 7695  
*Chamærops* L. (Palm.) 7695  
*Chamæsaracha* A. Gray (Solan.) 5110  
*Chamæsciadium* C. A. Mey. (Umbellif.) 2817  
*Chamæscilla* F. Müll. (Liliac.) 7441  
*Chamæspartium* Adans. (Genista L.)  
*Chamæsphacos* Schrenk (Labi-  
 at.) 5824  
*Chamæsphæerion* A. Gray (Chtho-  
 nocephalus Steetz) 3667  
*Chamæstephanum* Willd. (Schku-  
 hria Roth) 3902  
*Chamæxeros* Benth. (Liliac.) 7399  
*Chamæxiphium* Hochst. (Ficinia  
 Schrad.) 7936  
*Chamæzelum* Link (Antennaria  
 Gärtn.)  
*Chamagrostis* Borkh. (Mibora  
 Adans.) 8108  
*Chamarea* E. et Z. (Carum L.) 2806  
*Chamelum* Phil. (Irid.) 7252  
*Chamira* Thunb. (Crucif.) 303  
*Chamissoa* H. B. K. (Amarant.) 3925  
*Chamissonia* Link (Oenothera L.) 2528  
*Chamitea* Kern. (Salix L.) 6712  
*Chamitis* Banks (Azorella Lam) 2746  
*Chamoletta* Adans. (Iris L.) 7220  
*Chamomilla* Godr. (Anthemis L.) 3953  
 — K. Koch (Matricaria L.) 5965  
 — Sch. Bip. (Matricaria L.) 5965  
*Chamorchis* L. C. Rich. (Hermidium L.) 7059  
*Champereia* Griff. (Santal.) 6353  
*Championia* Gardn. (Gesner.) 5406  
 — Clarke (Leptobœa  
 Benth.) 5421  
*Chapeliera* A. Rich. (Rubi-  
 ac.) 3205  
*Chapelliera* Nees (Cladium P. Br.) 7966  
*Chapmannia* T. et G. (Legumin.) 1756  
*Chaptalia* Vent. (Composit.) 4147  
 — Royle (Gerbera Gronov.) 4141  
*Charachera* Forsk. (Inc. sed.)  
*Characias* Gray (Euphorbia L.)  
*Charadra* Scop. (Chadara Forsk.)
- Chardinia* Desf. (Composit.) 4069  
*Charianthus* D. Don (Melastom.) 2460  
*Charidia* H. Bn (Sawia Willd.) 6398  
*Charieis* Cass. (Composit.) 3529  
*Chariessa* Miq. (Villarezia R. et P.) 1248  
*Chariomma* Miers (Apocyn.) 4607  
*Charlvoodia* Sweet (Cordyline  
 Comm.) 7409  
*Charpentiera* Gand. (Amarant.) 5923  
 — Vieill. (Pavetta L.) 3259  
*Chartacalyx* Maing. (Tiliac.) 845  
*Chartocalyx* Rgl (Labi-  
 at) 5807  
*Chartolepis* Cass. (Centaurea L.) 4100  
 — Jaub. et Spach (Cen-  
 taurea L.) 4100  
*Chartoloma* Bge (Isatis L.) 375  
*Chasalia* Comm. (Rubi-  
 ac.) 3290  
*Chascanum* E. Mey. (Bouchea  
 Cham.) 5683  
*Chascolytrum* Desv. (Briza L.) 8236  
*Chasmanthera* Hochst. (Menis-  
 perm.) 127  
*Chasmanthium* Link (Uniola L.) 8234  
*Chasme* Salisb. (Leucadendron  
 R. Br.) 6218  
*Chasmia* Schott (Arrabidaea DC.) 5443  
*Chasmone* E. Mey. (Argyrolobium  
 E. et Z.) 1636  
*Chasmonia* Presl (Molucella L.) 5834  
*Chasseloupia* Vieill. (Symplocos  
 L.) 4527  
*Chastenæa* DC. (Axinæa R. et P.) 2412  
*Chataea* Soland. (Tacca L.) 7342  
*Chatelania* Neck. (Tolpis Adans.) 4178  
*Chaubardia* Rchb. f. (Zygopeta-  
 lum Hook.) 6831  
*Chaulmoogra* Roxb. (Gynocardia  
 R. Br.) 520  
*Chaunochiton* Benth. (Olacin.) 1218  
*Chauvinia* Steud. (Spartina  
 Schreb.) 8158  
*Chavannesia* A. DC. (Urceola  
 Roxb.) 4641  
*Chavica* Miq. (Piper L.) 6141  
*Chayota* Jacq. (Sechium P. Br.) 2680  
*Cheiloclinium* Miers (Salacia L.) 1313  
*Cheilococca* Salisb. (Platylobium  
 Sm.) 1612  
*Cheilodiscus* Triana (Pectis L.) 3931  
*Cheilopsis* Moq. (Acanthus L.) 5561  
*Cheilosa* Bl (Euphorb.) 6530  
*Cheilosandra* Griff. (Rhynchote-  
 chum Bl.) 5435  
*Cheilothea* H. f. (Monotrop.) 4389  
*Cheilyctis* Raf. (Monarda L.) 5798  
*Cheiradenia* Lindl. (Orchid.) 6853  
*Cheiranthra* A. Cunn. (Pittospor.) 537  
*Cheiranthodendron* Larr. (Chei-  
 rostemon H. et B.) 806  
*Cheiranthus* L. (Crucif.) 243  
*Cheirinia* Link (Erysimum L.)  
*Cheirodendron* Nutt. (Panax L.) 2934  
*Cheirolæna* Benth. (Stercul.) 811  
*Cheirolepis* Boiss. (Centaurea L.) 4100

- Cheiroloma* F. Müll. (*Calotis* R. Br.) 3532  
*Cheirolophus* Cass. (*Centaurea* L.) 4100  
*Cheirosia* DC. (*Clematis* L.) 1  
*Cheiropterocephalus* Barb. Rodr. (Orchid.) 7095  
*Cheirostemon* H. et B. (*Stercul.*) 806  
*Cheirostylis* Bl. (Orchid.) 7001  
*Chelidonium* (Tourn.) L. (*Papaverac.*) 228  
*Cheliusia* Sch. Bip. (*Vernonia* Schreb.) 3405  
*Chelonanthera* Bl. (*Cœlogyne* Lindl.) 6800  
 — Bl. (*Pholidota* Lindl.) 6802  
*Chelone* (Tourn.) L. (*Scrophul.*) 5214  
*Chelonopsis* Miq. (*Labiata*) 5816  
*Chenolea* Thunb. (*Chenopod.*) 5996  
**Chenopodiaceae** p. 335.  
*Chenopodina* Moq. (*Suaeda* Forsk.) 6016  
*Chenopodium* (Tourn.) L. (*Chenopod.*) 5972  
*Cheobula* Vell. (Inc. sed.)  
*Cherina* Cass. (*Chaetanthera* R. et P.) 4143  
*Cherleria* (Hall.) L. (*Arenaria* L.) 583  
*Chersydium* Schott (*Dracontium* L.) 7785  
*Chesneya* Lindl. (*Calophaca* Fisch.) 1717  
 — Bertol. (*Pimpinella* L.) 2814  
*Chetastrium* Neck. (*Scabiosa* L.)  
*Chevaliera* Gaud. (*Biomet.*) 7172  
*Chevreulia* Cass. (*Composit.*) 3621  
*Cheynea* J. Drumm. (*Balaustion* Hook.) 2284  
*Chiazospermum* Bernh. (*Hypocoum* L.) 232  
*Chibaca* Bert. (Inc. sed.) p. 492.  
*Chiclusa* Presl (*Sterculia* L.) 791  
*Chicharronia* A. Rich. (*Terminalia* L.) 2249  
*Chickrassia* W. et A. v. *Chukrasia* A. Juss. 1197  
*Chile-anthemum* Erst. (*Acanth.*) 5637  
*Chiliadenus* Cass. (*Jasania* Cass.) 3696  
*Chiliandra* Griff. (*Rhynchotichum* Bl.) 5435  
*Chilianthus* Burch. (*Logan.*) 4897  
*Chiliocephalum* Benth. (*Composit.*) 3611  
*Chiliophyllum* Phil. (*Composit.*) 8500  
 — DC. (*Zalusania* Pers.) 3793  
*Chilotrictium* Cass. (*Composit.*) 3550  
*Chilmoria* Ham. (*Gynocardia* R. Br.) 520  
*Chilocalyx* Kl. (*Polanisia* Raf.) 430  
 — Hassk. (*Polygonum* L.) 6084  
 — Turcz. (*Atalantia* Corr.)  
*Chilocarpus* Bl. (*Apocyn.*) 4559  
*Chilochloa* P. B. (*Phleum* L.) 8115  
*Chilodia* R. Br. (*Prostanthera* Labill.) 5851  
*Chiloglossa* Erst. (*Dianthera* L.) 5621  
*Chiloglottis* R. Br. (Orchid.) 7039  
*Chiloporus* Naud. (*Miconia* R. et P.) 2462  
*Chilopsis* Don (Bignon.) 5465  
*Chiloschista* Lindl. (*Sarcocylus* R. Br.) 6940  
*Chilostigma* Hochst. (*Aptosimum* Burch.) 5180  
*Chimaphila* Miers (Ericac.) 4380  
*Chimarrhis* Jacq. (Rubiace.) 3053  
*Chimonanthus* Lindl. (*Calycanth.*) 50  
*Chinchona* Markh. v. *Cinchona* L. 3009  
*Chinia* Schreb. (Inc. sed.)  
*Chiococca* (P. Br.) L. (Rubiace.) 3229  
*Chiogenes* Salisb. (Vaccin.) 4327  
*Chionachne* R. Br. (Gramin.) 7993  
*Chionanthus* L. (Oleac.) 4346  
 — Gärtn. (*Linociera* Sw.) 4547  
*Chione* DC. (Rubiace.) 3234  
 — Salisb. (*Narcissus* L.) 7281  
*Chionodoxa* Boiss. (Liliac.) 7502  
*Chionographis* Maxim. (Liliac.) 7532  
*Chionolæna* DC. (*Composit.*) 3617  
*Chionopappus* Benth. (*Composit.*) 4108  
*Chionophila* Benth. (*Scrophul.*) 5220  
 — Miers (*Boopis* Juss.)  
*Chionoptera* DC. (*Pachylæna* Don) 4139  
*Chionostemma* Spach (*Leucostemma* Don).  
*Chionothis* H. f. (Amarant.) 5942  
*Chionotria* Jacq. (*Glycosmis* Corr.) 1091  
*Chiratia* Montr. (*Sonneratia* L. f.) 2515  
*Chirita* Ham. (Gesner.) 5403  
*Chirocalyx* Meisn. (*Erythrina* L.) 1793  
*Chirocarpus* A. Braun (*Caylusea* St-Hil.)  
*Chironia* L. (Gentian.) 4923  
*Chiroptalum* A. Juss. (*Argithamnia* Sw.) 6480  
*Chisocheton* Bl. (Meliac.) 1176  
*Chithonanthus* Lehm. (*Acacia* Willd.) 1997  
*Chitonia* Moq. et Sessé (*Zygophyll.*) 976  
 — Don (*Miconia* R. et P.) 2462  
 — Naud. (*Tetrazygia* L. C. Rich.) 2461  
 — Salisb. (*Amianthium* A. Gray) 7559  
**Chlænaceae** p. 38.  
*Chlænandra* Miq. (Olcin.) 1225  
*Chlænobolus* Cass. (*Pterocaulon* Eli.) 3394  
*Chlamidocarya* H. Bn. (Olcin.) 1260  
*Chlamydanthus* Mey. (*Thymelea* Endl.) 6274  
*Chlamydia* Banks (*Phormium* Forst.) 7387  
*Chlamyphora* Ehrenb. (*Cotula* L.) 3903

- Chlamydstyles* Bak. (*Nemastylis* Nutt.) 7241  
*Chlamysperma* Less. (*Villanova* Lag.) 3907  
*Chlamysporum* Salisb. (*Thysanotus* R. Br.) 7436  
*Chlanis* Kl. (*Oncoba* Forsk.) 495  
*Chlidanthus* Herb. (*Amaryll.*) 7294  
*Chloamnia* Raf. (*Festuca* L.).  
*Chloanthes* R. Br. (*Verben.*) 5670  
*Chloerum* Willd. (*Abolboda* H. et B.) 7569  
*Chloidia* Lindl. (*Corymbis* Thou.) 6979  
*Chloopsis* Bl. (*Ophiopogon* Ker) 7211  
*Chloothamnus* Büse (*Schizostachyum* Nees) 8300  
*Chlora* (Renealm) L. (*Gentian.*) 4936  
— Cramer (*Sabbatia* Adans.).  
*Chloradenia* H. Bn (*Euphorb.*) 6506  
*Chloraea* Lindl. (*Orchid.*) 7051  
**Chloranthaceæ** p. 346.  
*Chloranthus* Sw. (*Chloranth.*) 6147  
*Chloraster* Haw. (*Narcissus* L.) 7281  
*Chloridopsis* Gärt. (*Trichloris* Fourn.) 8164  
*Chloris* Sw. (*Gramin.*) 8163  
*Chloriza* Salisb. (*Lachenalia* Jacq.) 7488  
*Chlorocaulon* Kl. (*Argithamnia* Sw.) 6480  
*Chlorochlamys* Miq. (*Marsdenia* R. Br.) 4835  
*Chlorocodon* H. f. (*Asclep.*) 4708  
*Chlorocrepis* Griseb. (*Hieracium* L.) 4193  
*Chlorocyathus* Oliv. (*Asclep.*) 4710  
*Chlorogalum* Kth (*Liliac.*) 7422  
*Chloromyron* Pers. (*Rheedia* L.) 656  
*Chlorophora* Gand. (*Urtic.*) 6609  
*Chlorophytum* Ker (*Liliac.*) 7432  
*Chloropsis* Herb. (*Agave* L.) 7337  
*Chloropyron* Behr (*Orthocarpus* Nutt.) 5322  
*Chlorosa* Bl. (*Orchid.*) 7045  
*Chlorospatha* Endl. (*Aroid.*) 7826  
*Chloroxylon* DC. (*Meliac.*) 1199  
*Chloryllis* E. Mey. (*Dolichos* L.) 1819  
*Chnoanthus* Phil. (*Gomphrena* L.) 5960  
*Chocho* Adans. (*Sechium* P. Br.) 2680  
*Choisya* Kth (*Rutac.*) 1064  
*Chomelia* Jacq. (*Rubiace.*) 3322  
— L. (*Tarenna* Gartn.) 3175  
— Vell. (*Ilex* L.) 1263  
*Chona* D. Don (*Erica* L.) 4351  
*Chonais* Salisb. (*Hippeastrum* Herb.) 7298  
*Chondodendron* R. et P. v. *Chondrodendron* R. et P.  
*Chondrachne* R. Br. (*Lepironia* Richb.) 7947  
*Chondrachyum* Nees (*Melica* L.) 8224  
*Chondrilla* (Tourn.) L. (*Composit.*) 4205  
*Chondrocarpus* Nutt. (*Centella* L.) 2741  
*Chondrochilus* Phil. (*Chaetanthera* R. et P.) 4143  
*Chondrodendron* R. et P. (*Menisperm.*) 166  
— Auct. (*Odontocarya* Miers) 129  
*Chondrolœna* Nees (*Prionanthium* Desv.) 8134  
*Chondrolomia* Nees (*Scleria* Berg) 7981  
*Chondropetalum* Rottb. (*Elegia* L.) 7910  
*Chondrorhyncha* Lindl. (*Orchid.*) 6868  
*Chondrosea* Haw. (*Saxifraga* L.) 2092  
*Chondrosium* Desv. (*Bouteloua* Lag.) 8169  
*Chondrospermum* Wall. (*Myxopyrum* Bl.).  
*Chonemorphia* G. Don (*Apocyn.*) 4654  
*Choretis* Herb. (*Hymenocallis* Salisb.) 7324  
*Choretium* R. Br. (*Santal.*) 6347  
*Choricarpa* Böckel. (*Lepironia* Rich.) 7947  
*Choriceras* H. Bn (*Dissiliaria* F. Müll.) 6418  
*Chorilœna* Endl. (*Rutac.*) 1052  
*Choriophyllum* Benth. (*Euphorb.*) 6421  
*Choripetalum* A. DC. (*Embelia* Burm.) 4466  
*Chorisandra* R. Br. (*Cyper.*) 7918  
*Chorisanthra* (Erst. (*Pentarrhaphia* Lindl.) 5381  
*Chorisia* H. B. K. (*Malvac.*) 773  
*Chorisis* DC. (*Lactuca* L.).  
*Chorisma* D. Don (*Lactuca* L.) 4206  
*Chorispermum* R. Br. (*Chorispora* DC.).  
*Chorispora* DC. (*Crucif.*) 417  
*Choristea* Thunb. (*Didelta* L'Hér.) 4062  
*Choristes* Benth. (*Deppea* Ch. et Schl.) 3072  
*Choristylis* Harv. (*Saxifrag.*) 2138  
*Choritœnia* Benth. (*Umbellif.*) 2860  
*Chorizandra* Wight (*Phyllanthus* L.) 6404  
*Chorizante* R. Br. (*Polygon.*) 6072  
*Chorizema* Labill. (*Legumin.*) 1589  
*Chorizotheca* Müll. Arg. (*Pseudanthus* Sieb.) 6876  
*Chorobanche* Presl (*Orobanche* L.) 5349  
*Chorosema* Brongn. v. *Chorizema* Labill.  
*Chotekia* Opiz et Corda (*Disophylla* Bl.) 5749  
*Choulettia* Pomel (*Guillonia* A. Rich.) 3348  
*Chresta* Vell. (*Eremanthus* L.) 3423  
*Christannia* Presl (*Bannara* Aubl.) 2548  
*Christia* Mönch (*Lourea* Neck.).  
*Christiana* DC. (*Tiliac.*) 844  
*Christisonia* Gardn. (*Orobanch.*) 5344  
*Christolea* Camb. (*Crucif.*) 299  
*Christmannia* Dennst. (*Inc. sed.*) p. 483.



- Christya* Harv. (*Strophanthus* DC.) 4633  
*Chroilema* Bernh. (*Haplopappus* Cass.) 3488  
*Chromanthus* Phil. (Portul.) +622<sup>b</sup>  
*Chromochiton* Cass. (*Cassinia* R. Br.) 3637  
*Chromolaena* DC. (*Eupatorium* L.) 3460  
*Chromolepis* Benth. (Composit.) 3802  
*Chronobasis* DC. (*Ursinia* Gartn.) 4048  
*Chronopappus* DC. (Composit.) 3426  
*Chrosophora* Neck. (Euphorb.) 6486  
*Chrysactinia* A. Gray (Composit.) 3930  
*Chrysactinium* Wedd. (*Liabum* Adans.) 3990  
*Chrysalidocarpus* Wendl. (Inc. sed) p. 438.  
*Chrysangia* Link. (*Musschia* Dmrt.)  
*Chrysanthellina* Cass. (*Chrysanthellum* Rich.) 3860  
*Chrysanthellum* Rich. (Composit.) 3860  
*Chrysanthemoides* (Tourn.) Medik. (*Osteospermum* L.)  
*Chrysanthemum* L. (Composit.) 3967  
 — Sch. Bip. (*Chrysanthemum* L.) 3967  
*Chryseis* Cass. (*Centaurea* L.) 4100  
 — Lindl. (*Eschscholtzia* Cham.) 231  
*Chrysion* Spach (*Viola* L.) 469  
*Chrysiphala* Ker. (*Stenomesson* Herb.) 7922  
*Chrysithrix* L. (Cyper.) 7949  
*Chrysobactron* H. f. (*Bulbinella* Kth.) 7420  
*Chrysobalanus* L. (Rosac.) 2007  
*Chrysobaphus* Wall. (*Anacotichilus* Bl.) 6996  
*Chrysobotria* Spach (*Ribes* L.)  
*Chrysocalyx* Guill. et Perr. (*Grotalaria* L.) 1632  
*Chrysocephalum* Walp. (*Helichrysum* Gärtn.) 3632  
*Chrysochamela* Boiss. (*Cochlearia* L.) 281  
*Chrysochlamis* Pöpp. et Endl. (Outifer.) 646  
*Chrysocoma* L. (Composit.) 3572  
 — L. (Aster L.) 3544  
*Chrysocoptis* Nutt. (*Coptis* Salisb.) 20  
*Chrysocoryne* Endl. (*Angianthus* Wendl.) 3659  
*Chrysocyathus* Falc. (*Adonis* L.) 6  
*Chrysocynis* Rehb. f. (Orchid.) 6878  
*Chrysodendron* Vaill. (*Protea* L.)  
*Chrysodiscus* Steetz. (*Athrixia* Ker) 3686  
*Chrysoglossum* Bl. (Orchid.) 6778  
*Chrysogonum* L. (Composit.) 3755  
 — (Bauh.) A. Juss. (*Bongardia* C. A. Mey.)  
*Chrysoliga* Hb. Wüld. (*Heimia* Gmel.) 2500  
*Chrysoma* Nutt. (*Solidago* L.) 3493  
*Chrysomallum* Thou. (*Vitex* L.) 5708  
*Chrysomelea* Tausch. (*Coreopsis* L.) 3849  
*Chrysophania* H. B. K. (*Zaluzania* Pers.) 5701  
*Chrysophthalmum* Sch. Bip. (Composit.) 3724  
 — Phil. (*Grindelia* Willd.) 3479  
*Chrysophyllum* L. (Sapot.) 4489  
 — Auct. 4484, 4495, 4499, 4500, 4506  
*Chrysopia* Thou. (*Symphonia* L.) 648  
*Chrysopogon* Trin. (*Andropogon* L.) 8020  
*Chrysopsis* Nutt. (Composit.) 3485  
*Chrysorrhoe* Lindl. (*Verticordia* DC.) 2270  
*Chrysoscias* E. Mey. (*Rhynchosia* Lour.) 1825  
*Chrysosplenium* (Tourn.) L. (*Saxifrag.*) 2104  
*Chrysostachya* Pohl. (*Combretum* L.) 2260  
*Chrysostemma* Less. (*Coreopsis* L.) 3849  
 — E. Mey. (*Gorteria* L.)  
*Chrysostemon* Kl. (*Pseudanthus* Sieb.) 6376  
*Chrysostoma* Lilja. (*Mentzelia* L.) 2571  
*Chrysothamnus* Nutt. (*Bigelovia* DC.) 3491  
*Chrysothemis* Dene. (*Tussacia* R. hb.) 5383  
*Chrysoxylon* Wedd. (*Pogonopus* Kl.) 5500  
 — Casarr. (*Platymonium* Benth.) 1081  
*Chrysurus* Pers. (*Lamarekia* Monch) 8243  
*Chthamalia* Dene. (*Asclep.*) 4813  
*Chthonia* Cass. (*Pectis* L.) 3931  
*Chthonocephalus* Steetz. (Composit.) 3667  
*Chukrasia* A. Juss. (Meliac.) 1197  
*Chuncoa* Pav. (*Terminalia* L.) 2249  
*Chupalon* Adans. (*Thibaudia* Pers.)  
*Chuiragua* Juss. (Composit.) 4118  
*Chusquea* Kth. (Gramin.) 8286  
*Chydenanthus* Miers. (*Barringtonia* Forst.) 2340  
*Chylisma* Spach. (*Oenothera* L.) 2528  
*Chylcalyx* Hassk. (*Polygonum* L.) 6084  
*Chylodia* Cass. (*Wulffia* Neck.) 3805  
*Chymocarpus* D. Don. (*Tropaeolum* L.) 986  
*Chymococca* Meisn. (Thymel.) 6284  
*Chymocormus* Harv. (*Fockea* Endl.) 4840  
*Chysis* Lindl. (Orchid.) 5701  
*Chytra* Gartn. (*Buchnera* L.) 5303  
*Chytraculia* P. Br. (*Calyptanthus* Sw.).

- Chytralia* Adans. (*Calyptranthes* Sw.)  
*Chytranthus* H. f. (Sapind.) 1395  
*Chytroglossa* Rehb. f. (Orchid.) 6928  
*Chytroma* Miers (*Lecythis* L.) 2333  
*Cicca* L. (*Phyllanthus* L.) 6404  
*Cicendia* Adans. (Gentian.) 4943  
*Cicer* (Tourn.) L. (Legumin.) 1775  
*Cicerbita* Wallr. (*Lactuca* L.) 4206  
*Cicercula* Alef. (*Lathyrus* L.) 1778  
*Cichorium* (Tourn.) L. (Composit.) 4170  
*Ciconium* Sweet (*Pelargonium* L'Hér.) 985  
*Cicuta* (Tourn.) L. (Umbellif.) 2802  
*Cicutaria* Tourn. (*Cicuta* L.)  
*Cieca* Adans. (*Julocroton* Mart.)  
*Cienfuegia* Willd. (*Fugosia* Juss.) 764  
*Cienfugosia* Cav. (*Fugosia* Juss.) 764  
*Cienkowskia* Rgl et Rach (*Boragin.*) 4993  
— Solms (*Kæmpferia* L.) 7119  
*Ciliaria* Haw. (*Saxifraga* L.) 2092  
*Cimicifuga* L. (Ranuncul.) 28  
*Ciminalis* Adans. (*Gentiana* L.) 4955  
*Cinchona* L. (Rubiace.) 3009  
*Cinclidocarpus* Zoll. (*Cæsalpinia* L.) 1910  
*Cineraria* L. (Composit.) 4022  
— L. (*Senecio* L.) 4025  
*Cinna* L. (Gramin.) 8119  
*Cinnagrostis* Griseb. (Gramin.) 8125  
*Cinnamodendron* Endl. (Canel-lac.) 490  
*Cinnamomum* (Burm.) Bl. (Laurin.) 6193  
— Nees (*Cinnamomum* Bl.) 6193  
*Cinnamosma* H. Bn. (Canellac.) 491  
*Cinnastrum* Tourn. (*Calamagrostis* Roth) 8124  
*Cinogasum* Neck. (Inc. sed.) p. 488.  
*Cionandra* Griseb. (*Cayaponia* Manso) 2673  
*Cionisaccus* Breda (*Goodyera* R. Br.) 7008  
*Cionosicyos* Griseb. (Cucurbit.) 2637  
*Cionura* Griseb. (*Marsdenia* R. Br.) 4833  
*Cipadessa* Bl. (Meliac.) 1164  
*Ciponima* Aubl. (*Symplocos* L.) 4527  
*Cipura* Aubl. (Irid.) 7236  
*Circæa* (Tourn.) L. (Onagrar.) 2540  
*Circæaster* Maxim. (Chloranth.) 6150  
*Circinus* Medik. (*Hymenocarpus* Savi).  
*Cirinosum* Neck. (*Cereus* Haw.).  
*Cirrhaea* Lindl. (Orchid.) 6964  
*Cirrhopetalum* Lindl. (Orchid.) 6769  
*Cirsellium* Gärtn. (*Atractylis* L.) 4073  
*Cirsium* DC. (*Cnicus* L.) 4078  
— (Tourn.) Cass. (*Cnicus* L.) 4078  
*Cissampelopsis* Miq. (*Senecio* L.) 4025  
*Cissampelos* L. (Menisperm.) 155  
*Cissarobryon* L. (*Cæsarea* Camb.) 990  
*Cissus* L. (Ampelid.) 1367  
*Cistanche* Hoffmg et Link (Orbanch.) 5346  
*Cistanthe* Spach (*Calandrinia* H. B. K.) 614  
*Cistella* Bl. (*Geodorum* Jack.) 6840  
**Cistineæ** p. 23.  
*Cistocarpium* Spach (*Vesicaria* Lam.)  
*Cistomorpha* Caley (*Hibbertia* Andr.).  
*Cistus* (Tourn.) L. (Cistin.) 461  
*Citharcloma* Bge (Crucif.) 242  
*Citharexylum* L. (Verben.) 5694  
*Citriobatus* A. Cunn. (Pittospor.) 533  
*Citronella* D. Don (*Villarezia* R. et P.) 1248  
*Citrophorum* Neck. (*Citrus* L.).  
*Citrosma* R. et P. (*Siparuna* Aubl.) 6168  
*Citrullus* (Forsk.) Schrad. (Cucurbit.) 2634  
*Citrus* L. (Rutac.) 1102  
*Citta* Lour. (*Mucuna* Adans.) 1797  
*Cittaronium* Rehb. (*Viola* L.).  
*Cittorhynchus* Willd. (*Gomphia* Schreb.).  
*Cladanthus* Cass. (Composit.) 3955  
*Cladium* P. Br. (Cyper.) 7966  
*Cladobium* Lindl. (*Scaphyglottis* Pöpp.) 6813  
*Cladocaulon* Gardn. (*Pæpalanthus* Mart.) 7893  
*Cladochæta* DC. (*Helichrysum* Cartn.) 3632  
*Cladodes* Lour. (*Alchornea* Sw.) 6514  
*Cladogynos* Zipp. (Euphorb.) 6333  
*Cladolepis* Moq. (Ofaiston Raf.).  
*Cladopogon* Sch. Bip. (*Senecio* L.) 4023  
*Cladoraphis* Franch. (*Eragrostis* P. B.) 8212  
*Cladosicyos* H. f. (*Cucumeropsis* Naud.) 2658  
*Cladostachys* D. Don (*Deeringia* R. Br.) 5915  
*Cladostemon* A. Braun et Vatke (Capparid.) 441  
*Cladostigma* Radlk. (Convolvul.) 5989  
*Cladostyles* H. et B. (*Evolvulus* L.) 5085  
*Cladothamnus* Bong. (Ericac.) 4371  
*Cladotheca* Steud. (*Scleria* Berg).  
*Cladothrix* Nutt. (Amarant.) 5952  
*Cladotrichium* Vog. (*Cæsalpinia* L.) 1910  
*Cladractis* Raf. (Legumin.) 1866  
*Clairisia* Abatt. (*Anredera* Juss.) 6047  
*Clairvillea* DC. (*Cacosmia* H. B. K.) 3878  
*Clambus* Miers (Menisperm.) 157  
*Clandestina* (Tourn.) Endl. (*Lathreia* L.) 5350

- Clandestinaria* Spach (Nasturtium R. Br.) 245  
*Claotrachelus* Zoll. (Vernonia Schreb.) 3475  
*Claoxylon* A. Juss. (Euphorb.) 6496  
*Clappertonia* Melen. (Honckenya Willd.) 863  
*Clappia* A. Gray (Composit.) 3432  
*Clara* Kth (Herreria R. et P.) 7363  
*Clarionea* Lag. (Perezia Lag.) 4154  
— Cass. (Perezia Lag.) 4154  
*Clarisia* R. et P. (Urtic.) 6642  
*Clarkella* H. f. (Rubiace.) 3479  
*Clarkia* Pursh (Onagrar.) 2525  
*Clasta* Comm. (Casearia Jacq.)  
*Clastopus* Boiss. (Vesicaria Lam.) 272  
*Clathrosperrum* Planch. (Anonac.) 119  
*Clausena* L. (Rutac.) 1098  
*Clausia* Trotzky (Hesperis L.) 285  
*Clausonia* Pomel (Asphodelus L.) 7416  
*Clavena* DC. (Carduus L.) 4077  
*Clavenna* Neck. (Ameletia DC.)  
*Clavigera* DC. (Brickellia Ell.) 3465  
*Clavija* R. et P. (Myrsin.) 4480  
*Clavimyrthus* Bl. (Eugenia L.) 2327  
*Clavulium* Desv. (Crotalaria L.) 1632  
*Claytonia* (Gronov.) L. (Portul.) 615  
*Cleachne* Roland (Paspalum L.)  
*Cleanthe* Salisb. (Irid.) 7254  
*Cleanthes* D. Don (Trixis P. Br.) 4156  
*Cleghornia* Wight (Baissea A. DC.) 4650  
*Cleidion* Bl. (Euphorb.) 6524  
*Cleisocratera* Korth. (Rubiace.) 3284  
*Cleisostoma* Bl. (Orchid.) 6950  
*Cleistachne* Benth. (Gramin.) 8024  
*Cleistanthium* Kunze (Gerbera Gronov.) 4146  
*Cleistanthus* H. f. (Euphorb.) 6393  
*Cleistis* R. ch. (Pogonia Juss.) 7043  
*Cleistocactus* Lem. (Cereus Haw.) 2749  
*Cleistocalyx* Bl. (Eugenia L.) 2327  
— Steud. (Calyptralepis Steud.)  
*Cleistochlamys* Oliv. (Anonac.) 74  
*Cletria* Schrad. (Venidium Less.) 4053  
*Clelia* Casarr. (Calliandra Benth.) 1979  
*Clemanthus* Kl. (Modecca Lam.) 2597  
*Clematicissus* Planch. (Ampelid.) 1361  
*Clematis* (Tourn.) L. (Ranuncul.) 1  
*Clematitaria* Bur. (Bignon.) 5446  
*Clemantea* Cav. (Canavalia Adans.) 1811  
*Cleobulia* Mart. (Legumin.) 1809  
*Cleochroma* Miers (Jochroma Benth.) 5123  
*Cleodora* Kl. (Croton L.) 6460  
*Cleome* L. (Capparid.) 425  
*Cleomella* DC. (Capparid.) 427  
*Cleonia* L. (Labiata.) 5813  
*Cleophora* Gartn. (Latania Comm.) 7724  
*Clercia* Vell. (Salacia L.) 1313  
*Clermontia* Gaud. (Lobeliace.) 4247  
*Clerodendron* L. (Verben.) 5712  
*Clethra* L. (Ericac.) 4981  
— Bert. (Viviania Cav.)  
*Clethropsis* Spach (Alnus Gartn.) 6703  
*Clevelandia* Greene (Scrophul.) 5323  
*Cleyera* DC. (Hoferia Scop.) 679  
— Thunb. (Dupinia Scop.) 676  
*Cleyria* Neck. (Dialium L.)  
*Clianthus* Soland. (Legumin.) 1708  
*Clidadium* L. (Composit.) 3741  
— Allem. et Lindl. (Clybates Rehb.)  
*Clidanthera* R. Br. (Glycirrhiza L.)  
*Clidemia* D. Don (Melastom.) 2470  
— DC. (Ossea DC.) 2476  
*Clidemistrum* Naud. (Leandra Raddi) 2454  
*Cliffortia* L. (Rosac.) 2068  
*Cliftonia* Banks (Cyrill.) 1270  
*Climacandra* Miq. (Ardisia Sw.) 4470  
*Climacanthus* Nees (Acanth.) 5601  
*Clinanthus* Herb. (Stenomesson Herb.) 7322  
*Clinogyne* Salisb. (Zingiberac.) 7144  
*Clinopodium* (Tourn.) L. (Calamintha Mönch) 5780  
*Clinostigma* Wendl. (Palm.) 7639  
*Clinostylis* Hochst. (Gloriosa L.) 7544  
*Clintonia* Dougl. (Liliac.) 7590  
— Raf. (Downingia Torr.) 4259  
*Cliocarpus* Miers (Solanum L.) 5106  
*Cliococca* Bab. (Linum L.) 892  
*Clisax* Mart. (Acanth.) 5638  
*Clitandra* Benth. (Apocyn.) 4561  
*Clitantes* Herb. (Stenomesson Herb.) 7322  
*Clitoria* L. (Legumin.) 1783  
*Clivia* Lindl. (Amaryll.) 7310  
*Cloeia* Brongn. et Gris (Myrtac.) 2303  
*Clomena* P. B. (Muehlenbergia Schreb.) 8096  
*Clomenocoma* Cass. (Dysodia Cav.) 3923  
*Clonium* Adans. (Carduus L.)  
*Clompanus* Aubl. (Lonchocarpus H. B. K.) 1843  
*Clonodia* Griseb. (Malpigh.) 920  
*Clonostachys* Kl. (Sebastiania Spreng.) 6570  
*Closaschima* Korth. (Hæmocharis Salisb.) 694  
*Clostia* Remy (Composit.) 3905  
*Closiroperrum* Neck. (Crepis L.) 4190  
*Closterandra* Belang. (Papaver L.) 910  
*Clowesia* Lindl. (Orchid.) 6882  
*Clusia* (Plum.) L. (Guttifer.) 698  
*Clusianthemum* Vieill. (Garcinia L.) 654  
*Clusiella* Pl. et Tr. (Guttifer.)  
*Clusiophyllum* Müll. Arg. (Cunaria H. Bn.)  
*Clutia* (Boerh.) L. v. Cluytia L.

- Chuytia* L. (Euphorb.) 6478  
 — Roxb. (*Briedelia* Willd.).  
*Chuytiandra* Müll. Arg. (Euphorb.) 6402  
*Clybatis* Phil. (Composit.) 4157  
*Clymenum* (Tourn.) Alef. (*Lathyrus* L.) 1778  
*Clynhymenia* A. Rich. (*Cryptarrhena* R. Br.) 6923  
*Clypea* Bl. (*Stephania* Lour.) 154  
*Clypeola* L. (Crucif.) 371  
 — Burm. (*Pterocarpus* L.).  
*Clytostoma* Miers (*Pithecoctenium* Mart.) 5454  
*Cnemidia* Lindl. (*Tropidia* Lindl.) 6980  
*Cnemidostachys* Mart. et Zucc. (*Sebastiania* Spreng.) 6570  
*Cneoridium* H. f. (*Simarub.*) 1124  
*Cneorum* L. (*Simarub.*) 1117  
*Cnesmone* Bl. (Euphorb.) 6553  
*Cnesmosa* Bl. (*Cnesmone* Bl.) 6553  
*Cnestidium* Planch. (*Connar.*) 1573  
*Cnestis* Juss. (*Connar.*) 1574  
*Cnicothamnus* Griseb. (Composit.) 4141  
*Cnicus* (Tourn.) L. (Composit.) 4078  
 — D. Don (*Aplotaxis* DC.).  
 — (Vaill.) Gärtn. (*Carbenia* Adans.) 4101  
*Cnidium* Cusson (*Selinum* L.) 2876  
*Cnidone* E. Mey. (*Kissenia* R. Br.) 2568  
*Cnidoscolus* Pohl (*Jatropha* L.) 6455  
*Coa* Plum. (*Hippocratea* L.) 1312  
*Coatesia* F. Müll. (*Geigeria* Schott) 1069  
*Cobaea* Cav. (*Polemon.*) 4974  
 — Neck. (*Lonicera* L.).  
*Cobamba* Blanco (*Canscora* Lam.) 4944  
*Cobresia* Pers. v. *Kobresia* Willd. 7984  
*Coburgia* Sweet (*Stenomesson* Herb.) 7322  
*Cocarpos* Mart. (*Bactris* Jacq.) 7728  
*Coccanthera* Koch (*Codonanthe* Hanst.) 5391  
*Coccinia* W. et A. (*Cucurbit.*) 2644  
*Cocobryon* Kl. (*Piper* L.) 6141  
*Coccoceras* Miq. (Euphorb.) 6321  
*Cococypselum* P. Br. (*Rubiace.*) 3126  
*Coccoderma* Miers (Inc. sed.) p. 492.  
*Coccoloba* L. (*Polygon.*) 6091  
*Cocomelia* Reinw. (*Baccaurea* Lour.) 6431  
*Cocconerion* H. Bn. (Euphorb.) 6537  
*Cocosperma* Kl. (*Salaxis* Salisb.) 4361  
*Cocculidium* Späth (*Cocculus* DC.) 148  
*Cocculus* (C. Bauh.) DC. (*Menisperm.*) 148  
*Coccyganthe* Schur (*Lychnis* L.).  
*Cochlanthera* Choisy (*Clusia* L.) 638  
*Cochlanthus* Balf. f. (*Asclep.*) 4686  
*Cochlearia* L. (Crucif.) 281  
 — Melx (Tourn.) (*Senebiera* Poir.).  
*Cochleata* (Riv.) Medik. (*Medicago* L.).  
*Cochlia* Bl. (*Bulbophyllum* (Thou.) 6767  
*Cochlianthus* Benth. (*Legumin.*) 1798  
*Cochlioda* Lindl. (*Orchid.*) 6901  
*Cochliopetalum* Beer (*Pitcairnia* L'Hér.) 7182  
*Cochliospermum* Lag. (*Suaeda* Forsk.) 6016  
*Cochliostema* Lem. (*Commelin.*) 7377  
*Cochlospermum* Kth (*Bixin.*) 492  
*Cochranca* Miers (*Boragin.*) 5007  
*Cockburnia* Balf. f. (*Selagin.*) 5654  
*Cocos* L. (*Palm.*) 7736  
*Codariocalyx* Hassk. (*Desmodium* Desv.) 1761  
*Codarium* Soland. (*Dialium* L.) 1935  
*Codazzia* Karst. (*Delostoma* Don) 5472  
*Coddingtonia* Bowdich (Inc. sed.).  
*Codia* Forst. (*Saxifrag.*) 2147  
*Codiaeum* (Rumph) A. Juss. (Euphorb.) 6471  
*Codochonia* Don (*Acnistus* Schott) 3121  
*Codomia* Gaud. (*Helianthemum* Pers.) 462  
*Codon* L. (*Hydrophyll.*) 4987  
*Codonacanthus* Nees (*Acanth.*) 5581  
*Codonandra* Karst. (*Calliandra* Benth.) 1999  
*Codonanthe* Hanst. (*Gesner.*) 5391  
*Codonanthemum* Kl. (*Simocheilus* Kl.) 4358  
*Codonanthus* Don (*Bræweria* R. Br.) 5088  
*Codonema* Miers (*Tabernæmontana* L.) 4612  
*Codonium* Vahl (*Schoepfia* Schreb.) 1221  
*Codonocalyx* Kl. (*Croton* L.) 6460  
 — Miers (*Sutera* DC.) 3300  
*Codonocarpus* A. Cunn. (*Phytolac.*) 6063  
*Codonocephalum* Fenzl (Composit.) 3689  
*Codonophora* Lindl. (*Paliavana* Vand.) 5375  
*Codonoprasum* Rehb. (*Allium* L.) 7476  
*Codonopsis* Wall. (*Campanul.*) 4278  
*Codonorchis* Lindl. (*Pogonia* Juss.) 7043  
*Codonorhaphia* Erst. (*Pentarhaphia* Lindl.) 5381  
*Codonostigma* Kl. (*Scyphogyne* Brongn.) 4360  
*Codylis* Raf. (*Nicotiana* L.).  
*Cœlachne* R. Br. (*Gramin.*) 8138  
*Cœlachyrum* Nees (*Gramin.*) 8180  
*Cœlandria* Pfitzer (*Dendrobium* Sw.) 6765  
*Cœlantha* Borkh. (*Gentian.*) 4955  
*Cœlanthum* E. Mey. (*Ficoid.*) 2733

- Coelanthus* Willd. (*Lachenalia* Jacq.) 7488  
*Coelebogyne* J. Sm. (*Alchornea* Sw.) 6511  
*Coelestina* Cass. (*Ageratum* L.) 3448  
*Cœlia* Lindl. (Orchid.) 6780  
*Cœlidium* Vog. (Legumin.) 1609  
*Cœliopsis* Rchb. f. (Orchid.) 6864  
*Cœlocarpum* Balf. f. (Verben.) 5693  
*Coelochloa* Hochst. (*Coelachyrum* Nees).  
*Coelocline* A. DC. (*Xylopia* L.) 111  
*Coelococcus* Wendl. (*Metroxylon* Rchb.).  
*Cœlodepas* Hassk. (Euphorb.) 6507  
*Cœlodiscus* H. Bn (Euphorb.) 6318  
*Coeloglossum* Hartm. (*Habenaria* Willd.) 7066  
— Lindl. (*Habenaria* Willd.) 7066  
*Cœlogyne* Lindl. (Orchid.) 6800  
*Coelopleurum* Ledeb. (*Archangelica* Hoffm.) 2882  
*Cœlopyrum* Jack. (Inc. sed.).  
*Coelorhachis* Brongn. (*Rottboellia* L.) 8006  
*Cœlospermum* Bl. (Rubiace.) 3274  
*Cœlostegia* Benth. (Malvac.) 789  
*Cœlostelma* Fourn. (Asclep.) 4802  
*Cœlostylis* T. et G. (*Spigelia* L.) 4888  
*Coemansia* E. March. (*Coudenbergia* E. March.) 2924  
*Cœtocapnia* Link et Otto (*Bravoa* Llav. et Lex.).  
*Coffea* L. (Rubiace.) 3261  
*Cogniauxia* H. Bn (Cucurbit.) 2620  
*Cogswellia* Schult. f. (*Ferula* L.).  
*Cogyia* Molina (*Lardizabala* R. et P.).  
*Cohnia* Rchb. f. (Orchid.) 6903  
— Kth (*Cordyline* Comm.) 7409  
*Coilosperma* Raf. (*Deeringia* R. Br.) 5915  
*Coilostigma* Kl. (*Scyphogyne* Brongn.). 4360  
*Coinochlamis* T. Anders. (Logan.) 4886  
*Coinogyne* Less. (*Jaumea* Pers.) 3880  
*Coix* L. (Gramin.) 7995  
*Cola* Schott (Stercul.) 795  
*Colax* Lindl. (*Lycaste* Lindl.) 6866  
*Colbertia* Salisb. (*Dillenia* L.) 41  
*Colchicum* (Tourn.) L. (Liliac.) 7516  
*Coldenia* L. (Boragin.) 5001  
*Colea* Boj. (Bignon.) 5492  
*Coleanthera* Stschegl. (Epacrid.) 4392  
*Coleanthus* Seid. (Gramin.) 8109  
*Colcatœnia* Griseb. (*Panicum* L.) 8050  
*Colebrookia* Sm. (Labiace.) 5750  
— Donn (*Globba* L.) 7113  
*Colensoa* H. f. (Lobeliace.) 4261  
*Coleocoma* F. Müll. (Composit.) 3589  
*Coleogyne* Torr. (Rosac.) 2045  
*Coleonema* Bartl. et Wendl. (Rutac.) 1030  
*Coleonema* Maxim. (*Draba* L.) 277  
*Coleophora* Miers (*Daphnopsis* Mart. et Zucc.) 6273  
*Coleophyllum* Kl. (*Chlidanthus* Herb.) 7294  
*Coleosanthus* Cass. (*Brickellia* Ell.) 3465  
— Cass. (*Eupatorium* L.) 3460  
*Coleostachys* A. Juss. (Malpigh.) 919  
*Coleostephus* Cass. (*Chrysanthemum* L.) 3964  
*Coleostylis* Sond. (*Levenhookia* R. Br.) 4327  
*Coleotrype* Clarke (Commelin.) 7580  
*Coletia* Vell. (*Mayaca* Aubl.) 7370  
*Coleus* Lour. (Labiace.) 5737  
*Colicodendron* Mart. (*Capparis* L.) 446  
*Colinil* Adans. (*Cracca* Benth.)  
*Collabium* Bl. (Orchid.) 6779  
*Colladoa* Cav. (*Ischæmum* L.) 8012  
*Colladonia* Spreng. (*Palicourea* Aubl.) 3288  
— DC. (*Prangos* Lindl.) 2848  
*Collœa* DC. (*Galactia* P. Br.) 1804  
— Spreng. (*Chrysanthellum* Rich.) 3860  
*Collandra* Lem. (*Columnnea* L.) 5338  
*Collania* Herb. (*Bomarea* Mirbel) 7331  
— Schult. (*Urceolina* Rchb.) 7320  
*Collea* Lindl. (*Pelexia* Lindl.).  
*Collema* Anders. (*Goodenia* Sm.).  
*Colletia* Comm. (Rhamn.) 1348  
*Collignonia* Endl. (Nyctagin.) 5884  
*Colliguaja* Mol. (Euphorb.) 6575  
*Collinaria* Ehrh. (*Koeleria* Pers.) 8216  
*Collinia* Mart. (*Chamædorea* Willd.).  
*Collinsia* Nutt. (Scrophul.) 5218  
*Collinsonia* L. (Labiace.) 5754  
*Collomia* Nutt. (Polemon.) 4968  
*Collophora* Mart. (*Couma* Aubl.) 4566  
*Collyris* Vahl (*Dischidia* R. Br.) 4854  
*Colmeiroa* F. Müll. (Saxifrag.) 2140  
— Reut. (*Securinega* Juss.) 6406  
*Colobachne* P. B. (*Alopecurus* L.) 8107  
*Colobandra* Bartl. (*Hemigenia* R. Br.) 5855  
*Colobanthus* Bartl. (Caryophyll.) 587  
— Trin. (*Eatonia* Raf.) 8214  
*Colobium* Roth (*Leontodon* L.) 4198  
*Colobogynium* Schott (*Schismatoglottis* Zoll. et Mor.) 7800  
*Colobotus* E. Mey. (*Buchenroëdera* E. et Z.) 1627  
*Colocasia* Schott (Aroid.) 7822  
*Colocynthis* Tourn. (*Citrullus* Neck.) 2634  
*Cologania* Kth (Legumin.) 1784  
*Colomandra* Neck. (*Ajouca* Aubl.) 6184  
*Colomeria* Vent. (*Humea* Sm.) 3632  
*Colona* Cav. (*Columbia* Pers.) 851  
*Colonnea* Buchoz (*Gaillardia* Foug.) 3935

- Colophonia* Comm. (Canarium L.) 1161  
*Colostephanus* Harv. (Cynoctonum F. Mey.)  
*Colpias* F. Mey. (Scrophul.) 5191  
*Colpodium* Trin. (Gramin.) 8248  
*Colpoon* Berg (Santal.) 6339  
*Colpothrinax* Griseb. et Wendl. (Palm.) 7702  
*Colquhounia* Wall. (Labiata.) 5828  
*Colsmannia* Lehm. (Onosma L.) 5066  
*Colubrina* L. C. Rich. (Rhamn.) 1336  
*Columbaria* S. F. Gray (Scabiosa L.) 3386  
*Columbea* Steud. (Araucaria Juss.) 8308  
*Columbia* Pers. (Tiliac.) 851  
*Columbra* Comm. (Cocculus DC.)  
*Columella* Lour. (Cissus L.) 1367  
— Vell. (Pisonia L.) 5886  
*Columellea* Jacq. (Nestlera Spreng.) 3677  
*Columellia* R. et P. (Columell.) 5339  
**Columelliaceæ** p. 301.  
*Columnea* (Plum.) L. (Gesner.) 5388  
*Coluria* R. Br. (Rosac.) 2053  
*Colutea* (Tourn.) L. (Legumin.) 1714  
*Coluteocarpus* Boiss. (Crucif.) 273  
*Colvillea* Boj. (Legumin.) 1918  
*Colymbea* Salisb. (Araucaria Salisb.) 8308  
*Colythrum* Schott (Esenbeckia Kth) 1076  
*Comacephalus* Kl. (Grisebachia Kl.) 4357  
*Comaclinium* Scheidw. et Pl. (Dysodia Cav.) 3923  
*Comandra* Nutt. (Santal.) 6336  
*Comanthosphace* S. Moore (Labiata.) 5748  
*Comaropsis* Rich. (Waldsteinia Willd.) 2052  
*Comarostaphylis* Zucc. (Arctostaphylos Adans.) 4330  
*Comarum* L. (Potentilla L.) 2055  
*Comatocroton* Karst. (Croton L.) 6460  
*Comatoglossum* Karst. et Tr. (Talisia Aubl.) 1405  
*Combesia* A. Rich. (Tillæa L.) 2173  
**Combretaceæ** p. 124.  
*Combretocarpus* H. f. (Rhizophor.) 2248  
*Combretum* (Löfl.) L. (Combret.) 2260  
— Auct. (Thilsea Eichl.) 2261  
*Comesperma* Labill. (Polygal.) 546  
*Cometes* L. (Illecebr.) 5911  
*Cometia* Thou. (Euphorb.) 6132  
*Comourya* H. Bn (Dracontomelum Bl.) 1516  
*Commelina* (Plum.) L. (Commelin.) 7374  
**Commelinaceæ** p. 433.  
*Commersona* Sonn. (Barringtonia Forst.) 2340  
*Commersonia* Forst. (Stercul.) 831  
— Comm. (Polycardia Juss.)  
*Commia* Lour. (Excoecaria L.) 6571  
*Commianthus* Benth. (Retiniphyl-lum H. et B.) 3209  
*Commidendron* (Burch.) DC. (Composit.) 3553  
*Commilobium* Benth. (Pterodon Vog.) 1854  
*Commiphora* Jacq. (Burser.) 1152  
*Commirhea* Miers (Chrysochlamys Pöpp. et Endl.) 646  
*Comocladia* P. Br. (Anacard.) 1548  
*Comolia* DC. (Melastom.) 2385  
*Comomyrsine* H. f. (Myrsin.) 4464  
*Comostemum* Nees (Androtrichum Brongn.) 7926  
*Comparettia* Pöpp. et Endl. (Orchid.) 6891  
*Comperia* K. Koch (Orchis L.) 7055  
**Compositæ** p. 188.  
*Compsanthus* Spreng. (Tricyrtis Wall.) 7548  
*Compsoa* D. Don (Tricyrtis Wall.) 7548  
*Comptonia* Banks (Myrica L.) 6700  
*Comus* Salisb. (Muscari Mill.)  
*Conami* Aubl. (Phyllanthus L.) 6404  
*Conandron* S. et Z. (Gesner.) 5397  
*Conanthera* R. et P. (Hæmodor.) 7214  
*Conanthodium* A. Gray (Helichrysum Gärtn.) 3632  
*Conanthus* Torr. (Hydrophyll.) 4980  
*Conceveiba* Aubl. (Euphorb.) 6514  
*Conchidium* Griff. (Eria Lindl.) 6781  
*Conchium* Sm. (Hakea Schrad.) 6257  
*Conchocarpus* Mik. (Cusparia Humb.) 1014  
*Conchochilus* Hassk. (Appendicula Bl.) 6971  
*Conchopetalum* Radlk. (Sapind.) 1481  
*Conchophyllum* Bl. (Asclep.) 4853  
*Condalia* Cav. (Rhamn.) 1322  
— R. et P. (Coccocypselum P. Br.) 3136  
*Condaminea* DC (Rubiace.) 3052  
*Condea* Adans. (Hyptis Jacq.)  
*Condyllocarpon* Desf. (Apocyn.) 4593  
*Condyllocarpus* Hoffm. (Tordylium L.) 2895  
*Condyllocarya* Bess. (Rapistrum Desv.)  
*Congdonia* Müll. Arg. (Rubiace.) 3293  
*Congea* Roxb. (Verben.) 5723  
*Coniandra* Schrad. (Kedrostis Medik.) 2657  
**Coniferæ** p. 482.  
*Coniogeton* Bl. (Buchanania Roxb.) 1507  
*Conioselinum* L. (Ligusticum L.) 2871



- Coniothele* DC. (Blennosperma Less.) 3906  
*Conium* L. (Umbellif.) 2776  
**Connaraceæ** p. 86.  
*Connaropsis* Planch. (Geran.) 1000  
*Connarus* L. (Connar.) 1571  
*Conobea* Aubl. (Scrophul.) 5252  
*Conocarpus* Gärtn. (Combret.) 2253  
— Adans. (Leucadendron R. Br.) 6218  
*Conocephalus* Bl. (Urtic.) 6649  
*Conoclinium* DC. (Eupatorium L.) 3460  
*Conohoria* Aubl. (Alsodeia Thou.) 476  
*Conomitra* Fenzl (Glossonema Dcne) 4722  
*Conomorpha* A. DC. (Myrsin.) 4467  
*Conophallus* Schott (Amorphophallus Bl.) 7791  
*Conopharyngia* Don (Tabernaemontana L.) 4612  
*Conopholis* Wallr. (Orobanch.) 5351  
*Conophyta* Schum. (Thonningia Vahl) 6361  
*Conopodium* Koch (Umbellif.) 2819  
*Conosapium* Müll. Arg. (Sapium P. Br.) 6567  
*Conosiphon* Pöpp. et Endl. (Sphinctanthus Benth.) 3167  
*Conospermum* Sm. (Proteac.) 6232  
*Conostegia* D. Don (Melastom.) 2459  
*Conostephiopsis* Stschegl. (Conostephium Benth.) 4394  
*Conostephium* Benth. (Epacrid.) 4394  
*Conostylis* R. Br. (Hæmodor.) 7204  
*Conostylus* Pohl (Conomorpha A. DC.)  
*Conothamnus* Lindl. (Myrtac.) 2291  
*Conotrichia* Rich. (Manettia Mutd) 3025  
*Conradia* Mart. (Pentarhaphia Lindl.) 5381  
— Griseb. (Pentarhaphia Lindl.) 5381  
— Nutt. (Macranthera Torr.) 5315  
— Raf. (Tosfieldia Huds.).  
*Conradina* A. Gray (Labiata) 5782  
*Conringia* Richb. (Crucif.) 292  
*Consolea* Lem. (Opuntia Mill.) 2714  
*Consolida* Lindl. (Delphinium L.) 25  
*Constantia* Barb. Rodr. (Orchid.) 7096  
*Contarena* Adans. (Corymbium L.) 3419  
*Contarenia* Vand. (Inc. sed.) p. 488.  
*Contortuplicata* Medik. (Astragalus L.)  
*Conuleum* L. C. Rich. (Monimiac.) 6167  
*Convallaria* L. (Liliac.) 7378  
**Convolvulaceæ** p. 285.  
*Convolvulus* (Tourn.) L. (Convolvul.) 5082  
*Conyza* Less. (Composit.) 3366  
— Sch. Bip. (Blumea DC.) 3581  
— Sch. Bip. (Pluchea Cass.) 3583  
*Conyzella* Rupr. (Erigeron L.) 3561  
*Cookia* Sonn. (Clausena Burm.) 1098  
— Gmel. (Pimelea Banks.) 6269  
*Cooperia* Herb. (Amaryll.) 7293  
*Copaifera* L. (Legumin.) 1967  
*Copernicia* Mart. (Palm.) 7704  
*Copioglossa* Miers (Ruellia L.) 5529  
*Copisma* E. Mey. (Rhynchosia Lour.) 1825  
*Coppoleria* Tod. (Vicia L.) 1776  
*Coprosma* Forst. (Rubiace.) 3331  
*Coprosmanthus* Kth (Smilax L.) 7357  
*Coptis* Salisb. (Ranuncul.) 20  
*Coptophyllum* Korth. (Rubiace.) 3119  
*Coptosapelta* Korth. (Rubiace.) 3019  
*Coptosperma* H. f. (Rubiace.) 3176  
*Coquebertia* Brongn. (Zollernia Mart.) 1892  
*Corallobotrys* H. f. (Vaccin.) 4322  
*Corallocarpus* Welw. (Cucurbit.) 2658  
*Corallophyllum* H. B. K. (Lennoa Llav. et Lex.) 4425  
*Corallorhiza* R. Br. (Orchid.) 6761  
*Corbularia* Salisb. (Narcissus L.) 7281  
*Corchoropsis* S. et Z. (Tiliac.) 865  
*Corchorus* L. (Tiliac.) 864  
*Cordemoya* H. Bn (Mallotus Lour.) 6522  
*Cordia* (Plum.) L. (Boragin.) 4992  
*Cordia* Rich. (Alibertia A. Rich.) 3159  
*Cordiopsis* Desv. (Cordia L.)  
*Cordyla* Lour (Legumin.) 1697  
— Bl. (Pogonia Juss.) 7043  
*Cordylanthus* Nutt. (Scrophul.) 5324  
— Bl. (Homalium Jacq.) 2559  
*Cordylestylis* Falc. (Goodyera R. Br.) 7008  
*Cordylina* Comm. (Liliac.) 7409  
*Cordyloblaste* Hensch. (Camellia L.) 695  
— Miq. (Symplocos L.) 4527  
— Moritz (Symplocos L.) 4527  
*Cordylocarpus* Desv. (Rapistrum Desf.) 401  
*Cordylogyne* E. Mey. (Asclep.) 4771  
*Corema* Don (Empetr.) 6716  
*Coreocarpus* Benth. (Composit.) 3848  
*Coreopsis* L. (Composit.) 3849  
— Adans. (Coreopsis L.) 3849  
— Benth. (Pugiopappus Gray) 3850  
— Benth. (Leptosyne DC.) 3851  
*Coreopsoides* Münch (Coreopsis L.) 3849  
*Coreosma* Spach (Ribes L.) 2168  
*Coresanthe* Alef. (Iris L.) 7220  
*Corethroedendron* Basin. (Legumin.) 1738  
*Corethrogynae* DC. (Composit.) 3540  
*Corethrostyles* Endl. (Lasiopetalum Endl.) 837  
*Corethrum* Vahl (Bouteloua Lag.) 8160

- Coriandrum* (Tourn.) L. (Umbellif.) 2900  
*Coriaria* L. (Coriar.) 1563  
**Coriariæ** p. 86.  
*Coridochloa* Nees (Panicum L.) 8050  
*Coridothymus* Rchb. (Thymus L.) 3768  
*Corindum* Adans. (Serjania Schum.) 1369  
— Tourn. (Cardiospermum L.) 1372  
*Corion* Link et Hoffmg (Bifora Hoffm.) 2901  
*Coris* (Tourn.) L. (Primul.) 4456  
*Corispermum* L. (Chenopod.) 5990  
*Coristospermum* Bertol (Ligusticum L.) 2871  
*Cormigonus* Raf. (Bikkia Reinw.) 1335  
*Cormonema* Reissek (Rhamn.) 2074  
*Cormus* Spach (Pyrus L.) 2074  
*Cornacchinia* Savi (Clerodendron L.) 5712  
**Cornaceæ** p. 168.  
*Cornelia* Ard. (Ammania Houst.) 2488  
*Cornicina* Boiss. (Anthyllis L.) 1654  
*Cornidia* R. et P. (Hydrangea L.) 2111  
*Corniola* Presl (Genista L.) 1641  
*Cornucopia* Adans (Cornucopiæ L.) 8101  
*Cornucopia* L. (Gramin.) 8101  
*Cornulaca* Del. (Chenopod.) 6022  
*Cornus* (Tourn.) L. (Cornac.) 2974  
— Catesb. (Bumelia Sw.)  
*Cornutia* (Plum.) L. (Verben.) 5706  
— Gärtn. (Hosta Jacq.)  
*Corokia* A. Cunn. (Cornac.) 2973  
*Coronantha* Vieill. (Gesner.) 5425  
*Coronaria* L. (Lychnis L.)  
*Coronilla* (Tourn.) L. (Legumin.) 1730  
*Coronocarpus* Schum. et Thonn. (Aspilia Thou.) 3817  
*Coronopus* Gärtn. (Senebiera Poir.) 333  
*Corothismus* Presl (Genista L.) 1644  
*Correa* Sm. (Rutac.) 1050  
*Correia* Vell. (Ouratea Aubl.) 1140  
*Corrigiola* (Dill.) L. (Illecebr.) 5905  
*Corsia* Becc. (Burmanniac.) 6741  
*Cortesia* Cav. (Boragin.) 4999  
*Cortia* DC. (Umbellif.) 2877  
*Cortusa* L. (Primul.) 4441  
— Plum. (Thalia L.)  
*Cortusina* E. et Z. (Pelargonium L'Hér.) 985  
*Corvisartia* Mérat (Inula L.) 3690  
*Coryanthes* Hook. (Orchid.) 6870  
*Coryanthus* Nutt. (Monarda L.) 5798  
*Corybas* Salisb. (Corysanthes R. Br.) 7027  
*Corycarpus* Zea (Diarrhena Raf.) 8225  
*Corycium* Sw. (Orchid.) 7086  
*Corydalis* DC. (Fumar.) 236  
*Corydandra* Rchb. (Galeandra Lindl.) 6834  
*Corylopsis* S. et Z. (Hamamelid.) 2198  
*Corylus* (Tourn.) L. (Cupulif.) 6707  
*Corymbis* Thou. (Orchid.) 6979  
*Corymbium* L. (Composit.) 3419  
*Corymborchis* Thou. (Corymbis Thou.) 6979  
*Corynæa* H. f. (Balanophor.) 6364  
*Corynandra* Schrad. (Polanisia Raf.) 430  
*Corynanthe* Welw. (Rubiace.) 3021  
*Corynanthes* Karst. (Orchid. inc. sed.)  
*Corynanthelium* Kunze (Mikania Willd.) 3462  
*Corynella* DC. (Legumin.) 1697  
*Corynelobos* R. Röm. (Brassica L.) 317  
*Corynephorus* P. B. (Gramin.) 8144  
*Corynitis* Spreng. (Corynella DC.) 1697  
*Corynocarpus* Forst. (Inc. sed.) p. 492.  
*Corynophallus* Schott (Hydrosme Schott) 7792  
*Corynostigma* Presl (Jussiaea L.) 2522  
*Corynostylis* Mart. et Zucc. (Violar.) 465  
*Corynotheca* F. Müll. (Liliac.) 7445  
*Corynula* H. f. (Rubiace.) 3328  
*Corypha* L. (Palm.) 7691  
*Corysanthera* Wall. (Rhynchoschum Bl.) 5435  
*Corysanthes* R. Br. (Orchid.) 7027  
*Corythacanthus* Nees (Clistax Mart.) 5638  
*Corythea* S. Wats. (Euphorb.) 6564  
*Corytholobium* Benth. (Securidaca L.) 551  
*Corytholoma* DC. (Gesnera Mart.) 5377  
*Corythoplectus* (Erst.) (Alloplectus Mart.) 5386  
*Coryzadenia* Griff. (Illigera Bl.)  
*Cosciniun* Colebr. (Menisperm.) 139  
*Cosmanthus* Nolte (Phacelia Juss.) 4978  
*Cosmea* Willd. (Cosmos Cav.) 3855  
*Cosmelia* R. Br. (Epacrid.) 4412  
*Cosmia* Domb. (Calandrinia H. B. K.)  
*Cosmibuena* R. et P. (Rubiace.) 3036  
— R. et P. (Hirtella L.) 2014  
*Cosmidium* Nutt. (Thelesperma Less.) 3854  
*Cosmophyllum* K. Koch (Podachænium Benth.) 3834  
*Cosmos* Cav. (Composit.)  
*Cosmostigma* R. Br. (Asclep.) 4842  
*Cossignia* Comm. (Sapind.) 1466  
*Cossonia* Durieu (Raffenaldia Godr.) 412  
*Costa* Vell. (Galipea Aubl.) 1011  
*Costea* A. Rich. (Cyrill.) 1271  
*Costia* Willk. (Iris L.) 7220



- Costia* Willk. (*Agropyrum* J. Gärtn.) 8272  
*Costus* L. (Zingiberac.) 7129  
*Cosymba* Tul. (*Sclerolobium* Vog.) 1898  
*Cota* J. Gay (*Anthemis* L.) 3953  
*Cotinus* Tourn. (*Anacard.*) 1543  
*Cotoneaster* Medik. (*Rosac.*) 2077  
*Cotlea* Kth (*Gramin.*) 8188  
*Cottendorfia* Schult. (*Dyckia* Schult.) 7185  
*Cottonia* Wight (*Orchid.*) 6954  
*Cotula* (Tourn.) L. (*Composit.*) 3968  
— Cass. (*Cotula* L.) 3968  
*Cotulina* Pomel. (*Matricaria* L.) 3965  
*Cotylanthera* Bl. (*Gentian.*) 4918  
*Cotyledon* (Tourn.) L. (*Crassul.*) 2182  
— DC. (*Cotyledon* L.) 2182  
*Cotylephora* Meisn. (*Neesia* Bl.) 786  
*Cotyliscus* Desv. (*Cochlearia* L.)  
*Cotylodiscus* Radlk. (*Sapind.*) 1403  
*Cotylopecta* Alef. (*Hibiscus* L.).  
*Coublandia* Aubl. (*Muellera* L. f.) 1849  
*Coudenbergia* E. March. (*Araliac.*) 2924  
*Couepia* Aubl. (*Rosac.*) 2015  
*Coula* H. Bn (*Olacin.*) 1206  
*Coulteria* H. B. K. (*Cæsalpinia* L.) 1910  
*Couma* Aubl. (*Apocyn.*) 4566  
*Coumarouna* Aubl. (*Dipteryx* Schreb.) 1853  
*Coupoui* Aubl. (*Cupirana* Miers) 4569  
*Couralia* Splitg. (*Bignon.*) 5468  
*Courantia* Lem. (*Cotyledon* L.) 2182  
*Couratari* Aubl. (*Myrtac.*) 2335  
— Berg (*Allantoma* Miers) 2336  
*Courbaril* Plum. (*Hymenæa* L.).  
*Courbonia* Brongn. (*Capparid.*) 442  
*Couroudi* Adans. (*Christmannia* Dennst.)  
*Couroupita* Aubl. (*Myrtac.*) 2331  
*Courrantia* Sch. Bip. (*Matricaria* L.).  
*Coursetia* DC. (*Legumin.*) 1701  
*Courtenia* R. Br. (*Cola* Schott) 795  
*Courtoisia* Nees (*Cyper.*) 7925  
— Rchb. (*Collomia* Nutt.) 4968  
*Cousinia* Cass. (*Composit.*) 4076  
*Coussapoa* Aubl. (*Urtic.*) 6648  
*Coussarea* Aubl. (*Rubiace.*) 3279  
*Coutarea* Aubl. (*Rubiace.*) 3043  
*Couthovia* A. Gray (*Logan.*) 4913  
*Coutoubea* Aubl. (*Gentian.*) 4947  
*Covellia* Gasp. (*Ficus* L.) 6621  
*Covilhamia* Korth. (*Inc. sed.*) p. 488.  
*Cowania* Don (*Rosac.*) 2048  
*Coxia* Endl. (*Lysimachia* L.) 4448  
*Crabbea* Harv. (*Acanth.*) 5566  
— Harv. (*Barleria* L.) 5565  
*Cracca* Benth. (*Legumin.*) 1702  
— Gren. et Godr. (*Vicia* L.) 1776  
— L. (*Tephrosia* Pers.).  
*Cræpalia* Schrank (*Lolium* L.) 8262  
*Cræpaloprimum* Karst. (*Xyloma* Forst.) 516  
*Crafordia* Raf. (*Inc. sed.*) p. 488.  
*Crambe* (Tourn.) L. (*Crucif.*) 399  
*Cranichis* Sw. (*Orchid.*) 6983  
*Cranioalaria* L. (*Pedalin.*) 5499  
*Craniospermum* Lehm. (*Boragin.*) 5031  
*Craniotome* Rchb. (*Labiace.*) 5825  
*Cranocarpus* Benth. (*Legumin.*) 1773  
*Crantzia* Nutt. (*Umbellif.*) 2854  
— Scop. (*Alloplectus* Mart.) 5386  
— Sw. (*Buxus* L.) 6388  
— Vell. (*Centratherum* Cass.) 3397  
*Cranzia* Schreb. (*Toddalia* Juss.) 1079  
*Craspedia* Forst. (*Composit.*) 3666  
*Craspedolopsis* Steud. (*Restio* L.) 7907  
*Craspedorhachis* Benth. (*Gramin.*) 8168  
*Craspedum* Lour. (*Elæocarpus* L.) 887  
*Craspidospermum* Boj. (*Apocyn.*) 4574  
*Crassina* Scop. (*Zinnia* L.) 3777  
*Crassocephalum* Mönch (*Composit.*) 4021  
*Crassula* L. (*Crassul.*) 2176  
**Crassulaceæ** p. 119.  
*Cratægus* (Tourn.) L. (*Rosac.*) 2076  
*Cratæva* L. (*Capparid.*) 451  
*Crateria* Pers. (*Casearia* Jacq.) 2543  
*Cratericarpium* Spach (*Ænothera* L.) 2528  
*Craterispermum* Benth. (*Rubiace.*) 3254  
*Craterostigma* Hochst. (*Scrophul.*) 5262  
*Craterotecomia* Mart. (*Lundia* DC.) 5445  
*Cratochwilia* Neck. (*Inc. sed.*) p. 488.  
*Cratoxylon* Bl. (*Hypericin.*) 633  
*Cratylia* Mart. (*Legumin.*) 1807  
*Craufurdia* Wall. (*Gentian.*) 4954  
*Creaghia* Scortech. (*Rubiace.*) 3029  
*Cremanium* D. Don (*Miconia* R. et P.) 2462  
*Cremanthodium* Benth. (*Composit.*) 4000  
*Cremalespora* Benth. (*Rubiace.*) 3238  
*Cremastra* Lindl. (*Orchid.*) 6838  
*Cremastrus* Miers (*Bignonia* L.) 5446  
*Crematostemon* Jacq. (*Olinia* Thunb.) 2517  
*Crematomia* Miers (*Bourreria* P. Br.) 4997  
*Cremocarpum* Boiv. (*Rubiace.*) 3334  
*Cremocephalum* Cass. (*Crassocephalum* Mönch) 4021  
*Cremochilus* Turcz. (*Siphocampylus* Pohl) 4250  
*Cremolobus* DC. (*Crucif.*) 353  
*Cremophyllum* Scheidw. (*Dalechampia* L.) 6555  
*Cremopyrum* Schur (*Triticum* L.).  
*Cremosperma* Benth. (*Besleria* L.) 5438  
*Cremostachys* Tul. (*Galearia* Zoll. et Mor.) 6444

- Crenea* Aubl. (Dodecas L.) 2501  
*Crenias* Spreng. (Mniopsis Mart. et Zucc.) 6115  
*Crenosciadium* Boiss. (Opopanax Koch) 2891  
*Crenularia* Boiss. (Moriera Boiss.) 374  
*Creochiton* Bl. (Melastom.) 2447  
*Creodus* Lour. (Chloranthus Sw.) 6147  
*Crepidaria* Haw. (Pedilanthus Neck.) 6369  
*Crepidium* Bl. (Microstylis Nutt.) 6754  
— Nutt. (Crepis L.) 4190  
— Tausch (Crepis L.) 4190  
*Crepidospermum* H. f. (Burser.) 1158  
— Fries (Hieracium L.) 4193  
*Crepidotropis* Walp. (Dioclea H. B. K.) 1808  
*Crepinella* E. March. (Araliac.) 2937  
*Crepinia* Rchb. (Pterotheca Cass.) 4192  
*Crepis* L. (Composit.) 4190  
— Mönch (Crepis L.) 4190  
*Crepula* Hill (Cnicus L.).  
*Crescentia* L. (Bignon.) 5495  
*Cressa* L. (Convolvul.) 5103  
*Crinipes* Hochst. (Danthonia DC.) 8155  
*Crinissa* Rchb. (Crepis L.).  
*Crinita* Houtt. (Pavetta L.) 3239  
— Mönch (Aster L.) 3544  
*Crinitaria* Cass. (Aster L.) 3544  
*Crinodendron* Molina (Tricuspidaria R. et P.) 889  
*Crinonia* Banks (Hedycarya Forst.)  
— Bl. (Pholidota Lindl.) 6802  
*Crinum* L. (Amaryll.) 7301  
*Criosanthes* Raf. (Cypripedium L.) 7088  
*Cristaria* Cav. (Malvac.) 740  
*Cristatella* Nutt. (Capparid.) 428  
*Critamus* Bess. (Falcaria Host).  
— Hoffm (Apium L.) 2799  
*Critesion* Raf. (Hordeum L.) 8277  
*Crithmum* (Tourn.) L. (Umbellif.) 2851  
*Critho* E. Mey. (Hordeum L.).  
*Crithodium* Link (Triticum L.) 8275  
*Crithopsis* Jaub. et Spach (Hordeum L.) 8277  
*Crithopyrum* Hort. Prag. (Agropyrum J. Gärtn.).  
*Critonia* (P. Br.) DC. (Eupatorium L.) 3460  
*Critoniopsis* Sch. Bip. (Vernonia Schreb.) 3405  
*Crocanthemum* Spach (Helianthemum Pers.) 462  
*Crocanthus* Kl. (Tritonia Ker).  
*Crocidium* Hook. (Composit.) 4004  
*Crociris* Schur (Crocus L.) 7232  
*Crockeria* Greene (Composit.) 4006  
*Crocodilantho* Rchb. f. (Pleurothallis R. Br.) 6743  
*Crocodylium* (Vaill.) Cass. (Centaurea L.) 4100  
*Crocodyloides* Adans. (Berkheya Ehrh.) 4060  
*Crocodylium* Juss. (Centaurea L.).  
*Crococoma* Planch. (Irid.) 7270  
*Crocoxylon* E. et Z. (Elæodendron Jacq.) 1301  
*Crocus* (Tourn.) L. (Irid.) 7232  
*Crocylis* E. Mey. (Rubiace.) 3322  
*Croomia* T. et G. (Stemonac.) 7337  
*Crossandra* Salisb. (Acanth) 5563  
*Crossolepis* Benth. (Angianthus Wendl.) 3659  
— A. Gray (Gnepphosis Cass.) 3660  
— Less. (Gnepphosis Cass.) 3660  
*Crossonephelium* H. Bn (Sapind.) 1401  
*Crossopteryx* Fenzl (Rubiace.) 3040  
*Crossosoma* Nutt. (Dilleniace.) 48  
*Crossostemma* Planch. (Passiflor.) 2596  
*Crossostephium* Less. (Composit.) 3988  
*Crossostigma* Spach (Epilobium L.) 2520  
*Crossostyles* Forst. (Rhizophor.) 2241  
*Crossotoma* De Vriese (Scævola L.) 4237  
*Crossyne* Salisb. (Buphane Herb.) 7312  
*Crotalaria* (Tourn.) L. (Legumin.) 1632  
*Crotalopsis* Mchx (Baptisia Vent.).  
*Croton* L. (Euphorb.) 6460  
*Crotonanthus* Kl. (Croton L.) 6460  
*Crotonogyne* Müll. Arg. (Euphorb.) 6485  
*Crotonopsis* Rich. (Euphorb.) 6462  
*Crocea* Sm. (Rutac.) 1046  
*Crozophora* A. Juss. (Chrozophora Neck.) 6486  
*Crucianella* L. (Rubiace.) 3369  
**Cruciferae** p. 12,  
*Crucita* L. (Iresine L.) 5963  
*Cruckshanksia* H. et A. (Rubiace.) 3207  
— Hook. (Balbisia Cav.) 994  
*Crudia* Schreb. (Legumin.) 1963  
*Crudya* DC v. *Crudia* Schreb. 1963  
*Cruikshanksia* Miers (Solenomelus Miers). 7253  
*Crumenaria* Mart. (Rhamn.) 1354  
*Cruminium* Desv. (Centrosema DC.) 1781  
*Crupina* (Rupp.) Cass. (Composit.) 4095  
*Crusea* Ch. et Schl. (Rubiace.) 3347  
— A. Rich. (Chione DC.) 3234  
*Cruzeta* Löffl. (Iresine L.) 5963  
*Cruzita* Spreng. (Iresine L.) 5963  
*Crybe* Lindl. (Arethusa L.) 7041  
*Cryosophila* Bl. (Palm.) 7700  
*Cryphaea* Ham. (Chloranthus Sw.) 6147  
*Cryphia* R. Br. (Prostanthera Labill.) 5851  
*Cryphiacanthus* Nees (Ruellia L.) 5529  
*Cryphiantha* E. et Z. (Amphithalia E. et Z.) 1607

- Cryphiospermum* P. B. (*Enhydra* Lour.) 3786  
*Crypsinna* Fourn. (*Epicampes* Presl) 8112  
*Crypsis* Ait. (Gramin.) 8102  
*Crypta* Nutt. (Elatine L.) 628  
*Cryptadenia* Meisn. (Thymel.) 6288  
*Cryptadia* Lindl. (*Gymnarrhena* Desf.) 3710  
*Cryptandra* Sm. (Rhamn.) 1347  
*Cryptanqium* Schrad. (Cyper.) 7972  
*Cryptanthe* Lehm. (*Eritrichium* Schrad.) 5027  
*Cryptanthus* Otto et Dietr. (Bromel.) 7159  
— Nutt. (*Aphanisma* Nutt.)  
*Cryptarrhena* R. Br. (Orchid.) 6923  
*Crypteronia* Bl. (Lythrar.) 2510  
*Cryptocalyx* Benth. (*Lippia* L.) 5680  
*Cryptocarpa* Cass. (*Acicarpa* Juss.) 2289  
*Cryptocarpus* H. B. K. (Nyctagin.) 5894  
*Cryptocarya* R. Br. (Laurin.) 6175  
*Cryptocentrum* Benth. (Orchid.) 6889  
*Cryptoceras* Schott (*Corydalis* DC.) 236  
*Cryptochilus* Wall. (Orchid.) 6798  
*Cryptochloris* Benth. (*Tetrapogon* Desf.) 8173  
*Cryptocoryne* Fisch. (Aroid.) 7856  
*Cryptodiscus* Schrenk (Ind. sed.) p. 492.  
*Cryptoglochin* Heuff. (*Carex* L.) 7988  
*Cryptoglottis* Bl. (*Podochilus* Bl.) 6970  
*Cryptogyne* H. f. (Sapot.) 4488  
— Cass. (*Eriocephalus* L.) 3941  
*Cryptolepis* R. Br. (Asclep.) 4685  
*Cryptolobus* Spreng. (*Voandzeia* Thou.) 1816  
— Spreng. (*Amphicar-pæa* Ell.) 1785  
— Wall. ex Lindl. (Inc. sed. Apocyn.?).  
*Cryptoloma* Hanst. (*Isoloma* Benth.) 5373  
*Cryptomeria* D. Don (Conifer.) 8320  
*Cryptonema* Turcz. (*Burmannia* L.) 6733  
*Cryptopetalon* Cass. (*Pectis* L.) 3931  
*Cryptopetalum* H. et A. (*Lepuropetalon* DC.) 2107  
*Cryptophoranthus* Barb. Rodr. (*Pleurothallis* R. Br.) 6743  
*Cryptophragma* Nees (*Gymnostachyum* Nees). 5586  
*Cryptopleura* Nutt. (*Troximon* Nutt.) 4199  
*Cryptopus* Lindl. (Orchid.) 6959  
*Cryptosaccus* Scheidw. (*Leiochilus* Kn. et Westc.) 6912  
*Cryptosanus* Scheidw. v. *Cryptosaccus* Scheidw.  
*Cryptosema* Meisn. (*Jansonia* Kipp.) 1586  
*Cryptosepalum* Benth. (Legumin.) 1965  
*Cryptospermum* Young (*Opercularia* Rich.)  
*Cryptospora* Kar. et Kir. (Crucif.) 413  
*Cryptostachys* Steud. (*Sporobolus* R. Br.) 8111  
*Cryptostegia* R. Br. (Asclep.) 4693  
*Cryptostemma* R. Br. (Composit.) 4053  
*Cryptostemon* F. Müll. (*Darwinia* Rudge) 2268  
*Cryptostephane* Sch. Bip. (*Dicoma* Cass.) 4129  
*Cryptostephanus* Bak. (Amaryll.) 7280  
*Cryptostomum* Schreb. (*Moutabea* Aubl.) 556  
*Cryptostylis* R. Br. (Orchid.) 7024  
*Cryptotænia* DC. (Umbellif.) 2818  
*Cryptotheca* Bl. (*Ammania* Houst.) 2488  
*Crysophila* Bl. v. *Cryosophila* Bl.  
*Crystallopollen* Steetz (*Vernonia* Schreb.) 3405  
*Ctenodaucus* Pomel (*Daucus* L.) 2907  
*Ctenanthe* Eichl. (Zingiberac.) 7140  
*Ctenium* Panz. (Gramin.) 8161  
*Ctenolepis* H. f. (*Blastania* Kotschy et Peyr.) 2653  
*Ctenolophon* Oliv. (Olacin.) 1213  
*Ctenomeria* Harv. (*Tragia* L.) 6552  
*Ctenopsis* De Not. (*Festuca* L.) 8254  
— H. f. (*Blastania* Kotschy et Peyr.) 2653  
*Ctenosperma* H. f. (*Cotula* L.) 3968  
*Cuba* Scop. (*Tachigalia* Aubl.)  
*Cubæa* Schreb. (*Tachigalia* Aubl.) 1957  
*Cubeba* Miq. (*Piper* L.) 6141  
*Cubilia* Bl. (*Litchi* Sonn.) 1419  
*Cubospermum* Lour. (*Jussiaea* L.) 2522  
*Cucifera* Del. (*Hyphæne* Gärtner.) 7725  
*Cucubalus* (Tourn.) L. (*Caryophyll.*) 576  
*Cucullaria* Schreb. (*Vochysia* Juss.) 561  
— Buxb. (*Callipeltis* Stev.).  
*Cucullifera* Nees (*Cannomois* P. B.) 7920  
*Cucumeroides* Gärtner. (*Trichosanthes* L.) 2611  
*Cucumeropsis* Naud. (Cucurbit.) 2638  
*Cucumis* (Tourn.) L. (Cucurbit.) 2633  
*Cucurbita* L. (Cucurbit.) 2646  
— Tourn. (*Lagenaria* L. pr. p.).  
**Cucurbitaceæ** p. 146.  
*Cucurbitella* Walp. (Cucurbit.) 2669  
*Cudicia* Ham. (*Cryptolepis* R. Br.).  
*Cudrania* Trécul (Urtic.) 6636  
*Cudranus* (Rumph) Miq. (*Cudrania* Trécul) 6636  
*Cuellaria* R. et P. (*Clethra* L.) 4381

- Cuervea* Triana (*Hippocratea* L.) 1312  
*Cuiete* (Marcgr) Adans. (*Crescentia* L.).  
*Cuitlauzina* Llav. et Lex. (*Oncidium* Sw.) 6907  
*Cujavus* Rumph (*Psiadium* L.).  
*Cujunia* Alef. (*Vicia* L.) 1776  
*Culcasia* P. B. (Aroid.) 7759  
*Culcitium* H. et B. (Composit.) 4019  
*Cullea* Medik. (*Psoralea* L.).  
*Cullenia* Wight (Malvac.) 782  
*Cullumia* R. Br. (Composit.) 4059  
*Cumbula* Adans. (*Gmelina* L.).  
*Cumingia* Vidal (Malvac.) 788  
— Don (*Conanthera* R. et P.) 7214  
*Cuminia* Colla (Labiata.) 5764  
*Cuminum* L. (Umbellif.) 2902  
*Cuncea* Ham. (*Knoxia* L.) 3224  
*Cunila* L. (Labiata.) 5761  
*Cunina* Clos (*Nertera* Banks et Soland.) 3329  
*Cunninghamia* R. Br. (Conifer.) 8317  
— Schreb. (*Malania* Aubl.) 3223  
*Cunonia* L. (Saxifrag.) 2167  
— Mill. (*Antholyza* L.) 7276  
*Cunuria* H. Bn (*Euphorb.*) 6450  
*Cupameni* Adans. (*Acalypha* L.) 6502  
*Cupania* (Plum.) L. (Sapind.) 1428  
*Cupaniopsis* Radlk. (Sapind.) 1444  
*Cuphea* P. Br. (Lythrar.) 2196  
*Cupheanthus* Seem. (Myrtac.) 2348  
*Cuphocarpus* Dene et Pl. (Araliac.) 2932  
*Cupia* DC. (*Randia* L.) 3179  
*Cupirana* Miers (Apocyn.) 4569  
*Cuprespinnata* Senil (*Taxodium* Rich.) 8321  
*Cupresstellata* Senil (*Fitzroya* H. f.) 5325  
*Cupressus* (Tourn.) L. (Conifer.) 8329  
*Cupularia* Godr. et Gren. (*Inula* L.) 3690  
**Cupulifereæ** p. 380.  
*Curanga* Juss. (Scrophul.) 5261  
*Curatella* L. (Dillen.) 33  
*Curcas* Adans. (*Jatropha* L.) 6455  
*Curculigo* Gärt. (*Amaryll.*) 7279  
*Curcuma* L. (Zingiberac.) 7122  
*Curmeria* Lind. et André (*Homalomena* Schott) 7798  
*Curroria* Planch. (Asclep.) 4687  
*Cursonia* Nutt. (*Onoseris* DC.) 4113  
*Curtia* Ch. et Schl. (Gentian.) 4935  
*Curtisia* Schreb. (Cornac.) 2972  
— Ait. (*Zanthoxylum* L.) 1067  
*Curtogyne* Haw. (*Crassula* L.) 2176  
*Curtopogon* P. B. (*Aristida* L.) 8089  
*Cururu* Plum. (*Paullinia* L.) 1370  
*Cusambium* Rumph (*Schleichera* Willd.) 1413  
*Cuscuaria* Schott (Aroid.) 7772  
*Cuscuta* (Tourn.) L. (Convolvul.) 5104  
*Cuscutina* Pfeiff. (*Cuscuta* L.) 5104  
*Cusparia* Humb. (Rutac.) 1014  
*Cuspidaria* DC. (Bignon.) 5450  
*Cuspidia* Gärt. (*Berkheya* Ehrh.) 4060  
*Cuspidocarpus* Spenn. (*Micromeria* Benth.) 5773  
*Cussonia* Thunb. (Araliac.) 2958  
— Comm. (*Elæa* Camb.)  
*Cussutha* Desm. (*Cuscuta* L.) 5104  
*Cutandia* Willk. (Gramin.) 8219  
*Cuttsia* F. Müll. (Saxifrag.) 2137  
*Cutubea* Mart. (*Coutoubea* Aubl.) 4947  
*Cuveracea* Jones (*Cedrela* L.) 1198  
*Cuviera* DC. (Rubiace.) 3252  
— Köl. (*Hordeum* L.) 8277  
*Cyamopsis* DC. (Legumin.) 1671  
*Cyamus* Sm. (*Nelumbium* Juss.) 209  
*Cyanæorchis* Barb. Rodr. (Orchid.) 7097  
*Cyananthus* Wall. (Campanul.) 4279  
— Griff. (*Stauranthera* Benth.) 5432  
— Miers (*Burmannia* L.) 6733  
*Cyanastrum* Cass. (*Volutarella* Cass.) 4097  
*Cyanea* Gaud. (Lobeliac.) 4244  
*Cyanella* L. (Hæmodor.) 7215  
*Cyanitis* Reinw. (*Dichroa* Lour.) 2115  
*Cyanobotrys* Zucc. (*Muellera* L.) 1849  
*Cyanodaphne* Bl. (Laurin.) 6177  
*Cyanophyllum* Naud. (*Miconia* R. et P.) 2462  
*Cyanopleura* Spach (*Miconia* R. et P.) 2462  
*Cyanopis* Bl. (*Vernonia* Schreb.) 3405  
*Cyanopsis* Cass. (*Volutarella* Cass.) 4097  
*Cyanorchis* Thou. (*Broughtonia* R. Br.).  
*Cyanoseris* Schur (*Lactuca* L.) 4206  
*Cyanospermum* W. et A. (*Rhynchosia* Lour.) 1825  
*Cyanostegia* Turcz. (Verben.) 5673  
*Cyanothamnus* Lindl. (*Boronia* Sm.) 1039  
*Cyanotis* Don (Commelin.) 7581  
— Miers (*Burmannia* L.) 6733  
*Cyanotris* Raf. (*Camassia* Lindl.) 7506  
*Cyanthillium* Bl. (*Vernonia* Schreb.) 3403  
*Cyanus* (Tourn.) Mönch (*Centaurea* L.) 4100  
*Cyathanthera* Pohl (*Miconia* R. et P.) 2462  
*Cyathella* Dene (*Cynanchum* L.) 4779  
*Cyathidium* Lindl. (*Saussurea* DC.) 4086  
*Cyathocalyx* Champ. (Anonac.) 77  
*Cyathocharte* Nees (Cyper.) 7956  
*Cyathocline* Cass. (Composit.) 3509  
*Cyathocnemis* Kl. (*Begonia* L.) 2695  
*Cyathocoma* Nees (*Elynanthus* Nees) 7963

- Cyathodes* Labill. (Epacrid.) 4396  
*Cyathodiscus* Hochst. (Peddiea Harv.) 6298  
*Cyathoglottis* Pöpp. et Endl. (Sobralia R. et P.) 6975  
*Cyathogyne* Müll. Arg. (Euphorb.) 6440  
*Cyathopappus* F. Müll. (Gnephosis Cass.) 3660  
— Sch. Bip. (Elytropappus Cass.) 3671  
*Cyathopsis* Brongn. et Gris (Epacrid.) 4406  
*Cyathorachis* Nees (Polytoca R. Br.) 7992  
*Cyathoselinum* Benth. (Umbellif.) 2872  
*Cyathostelma* Fourn. (Asclep.) 4748  
*Cyathostemma* Griff. (Anonac.) 82  
*Cyathostemon* Turcz. (Anticoryne Turcz.) 2281  
*Cyathostyles* Schott (Cyphomandra Sendtn.) 5107  
*Cyathula* Lour. (Amarant.) 5935  
*Cybbanthera* Ham. (Limnophila R. Br.) 5250  
*Cybele* Falc. (Habenaria Willd.) 7066  
— Salisb. (Stenocarpus R. Br.) 6262  
*Cybelion* Spreng. (Ionopsis H. B. K.) 6922  
*Cybianthus* Mart. (Myrsin.) 4463  
*Cybiostigma* Turcz. (Ayenia L.) 828  
*Cybihstax* Mart (Bignon.) 5469  
**Cycadaceæ** p. 435.  
*Cycas* L. (Cycad.) 8341  
*Cyclachana* Fresen. (Composit.) 3766  
*Cycladenia* Benth. (Apocyn.) 4677  
*Cyclamen* (Tourn.) L. (Primul.) 4447  
*Cyclandrophora* Hassk. (Parinarium Juss.).  
**Cyclanthaceæ** p. 444.  
*Cyclanthera* Schrad. (Cucurbit.) 2676  
*Cyclanthus* Poit. (Cyclanth.) 7750  
*Cyclas* Schreb. (Crudia Schreb.) 1963  
*Cyclea* Arn. (Menisperm.) 158  
*Cyclobalanopsis* Ærst. (Quercus L.) 6708  
*Cyclobalanus* Ærst. (Quercus L.) 6708  
*Cyclobothra* Don (Calochortus Pursh) 7515  
*Cyclocampe* Steud. (Cyper.) 7962  
*Cyclocarpa* Jungh. (Inc. sed.) p. 483.  
*Cyclocodon* Griff. (Campanumæa Bl.) 4280  
*Cyclodiscus* Kl. (Bragantia Lour.) 6132  
*Cyclogyne* Benth. (Swainsona Salisb.) 1712  
*Cyclolepis* Gill. (Composit.) 4125  
— Miq. (Cycloloma Moq.) 5970  
*Cyclolobium* Benth. (Legumin.) 1831  
*Cycloloma* Moq. (Chenopod.) 5970  
*Cyclomorium* Walp. (Desmodium Desv.) 1761  
*Cyclonema* Hochst. (Clerodendron L.) 5712  
*Cyclophyllum* H. f. (Rubiace.) 3256  
*Cyclopia* Vent. (Legumin.) 1584  
*Cyclopis* Guill. (Cyclolepis Gill.) 4125  
*Cyclopogon* Presl (Spiranthes L. C. Rich.) 6992  
*Cyclopterygium* Hochst. (Schouwia DC.) 347  
*Cycloptychis* E. Mey. (Crucif.) 397  
*Cyclosanthes* Pöpp. (Cyclanthus Poit.) 7750  
*Cyclosia* Kl. (Mormodes Lindl.) 6876  
*Cyclospermum* Lag. (Apium L.) 2799  
*Cyclostegia* Benth. (Elsholtzia Willd.) 5752  
*Cyclostemon* Bl. (Euphorb.) 6417  
*Cyclostigma* Kl. (Croton L.) 6460  
— Hochst. (Voacanga Thou.) 4611  
— Phil. (Leptoglossis Benth.) 5163  
*Cyclotaxis* Boiss. (Scandix L.) 2828  
*Cyclothea* Moq. (Gyrostemon Desf.) 6064  
*Cyenia* Griff. (Inc. sed.) p. 488.  
— Lindl. (Prinsepia Royle).  
*Cyenum* E. Mey. (Scrophul.) 5307  
*Cyenoche* Lindl. (Orchid.) 6877  
*Cyenogeton* Endl. (Triglochin L.) 7875  
*Cynopodium* Naud. (Graffenrieda DC.) 2411  
*Cynoseris* Endl. (Hypochæris L.) 4177  
*Cydenis* Salisb. (Narcissus L.) 7281  
*Cydista* Miers (Bignonia L.) 5446  
*Cydonia* Tourn. (Rosac.) 2072  
*Cylactis* Raf. (Rubus L.).  
*Cylbanida* Nor. (Pittosporum Banks).  
*Cylicadenia* Lem. (Odontadenia Benth.) 4662  
*Cylicodaphne* Nees (Litsea Lam.) 6208  
*Cylindria* Lour. (Inc. sed.) p. 488.  
*Cylindrocarpa* Rgl (Campanul.) 4295  
*Cylindrochilus* Bl. (Sarcochilus R. Br.) 6940  
*Cylindrocline* Cass. (Composit.) 3596  
*Cylindrolobus* Bl. (Eria Lindl.) 6781  
*Cylindropus* Nees (Scleria Berg) 7981  
*Cylindrosorus* Benth. (Angianthus Wendl.) 3659  
*Cylista* Ait. (Legumin.) 1824  
*Cylizoma* Neck. (Deguelia Aubl.).  
*Cyllenium* Schott (Biarum Schott) 7847  
*Cymaria* Benth. (Labiata.) 5866  
*Cymation* Spreng. (Ornithogalum L.) 7526  
*Cymatochloa* Schlcht. (Paspalum L.) 8045  
*Cymatoptera* Turcz. (Menonvillea DC.) 351  
*Cymbachne* Retz (Rottboellia L. f.) 8006



- Cymbalaria* Baumg. (*Linaria* L.) 5194  
*Cymbanthus* Salisb. (*Androcymbium* Willd.) 7521  
*Cymbaria* L. (Scrophul.) 5328  
*Cymbidium* Sw. (Orchid.) 6835  
— DC. (*Corallorhiza* Hall.)  
*Cymbocarpa* Miers (*Gymnosiphon* Bl.) 6735  
*Cymbocarpum* DC. (Umbellif.) 2859  
*Cymbonotus* Cass. (Composit.) 4051  
*Cymbopetalum* Benth. (Anonac.) 104  
*Cymbophyllum* F. Müll. (*Veronica* L.) 5293  
*Cymbopogon* Spreng. (*Andropogon* L.) 8020  
*Cymbosema* Benth. (Legumin.) 1802  
*Cymboseris* Boiss. (*Phacadium* Cass.) 4191  
*Cymbostemon* Spach (*Illicium* L.)  
*Cymburus* Salisb. (*Stachytarpheta* Vahl) 5684  
*Cymelocoma* Presl (Inc. sed.) p. 492.  
*Cyminosma* Gärtn. (*Acronychia* Forst.) 1086  
*Cymodocea* Kön. (Naiad.) 7890  
*Cymopterus* Raf. (Umbellif.) 2870  
— A. Gray (*Podistera* S. Wats.) 2815  
*Cynanchum* L. (Asclep.) 4779  
— Dene (*Cynanchum* L.) 4779  
*Cynapium* Nutt. (*Ligusticum* L.) 2871  
— (Riv.) Hall. (*Ethusa* L.)  
*Cynara* L. (Composit.) 4080  
— Thunb. (*Platycarpha* Less.)  
*Cynocardium* Webb (*Lepidium* L.) 336  
*Cynocrambe* (Tourn.) Gärtn. (*The-lygonum* L.) 6691  
*Cynoetum* E. Mey. (*Cynanchum* L.) 4779  
*Cynodon* Pers. (Gramin.) 8157  
*Cynoglossoides* Isnard (*Trichodesma* R. Br.)  
*Cynoglossum* (Tourn.) L. (Boragin.) 5019  
*Cynometra* L. (Legumin.) 1971  
*Cynomorium* L. (Balanophor.) 6355  
— Rumph (*Cynometra* L.)  
*Cynopsole* Endl. (*Balanophora* Forst.) 6359  
*Cynorchis* Thou. (Orchid.) 7069  
*Cynorhiza* E. et Z. (*Peucedanum* L.) 2886  
*Cynorrhynchium* Mitch. (*Minulus* L.)  
*Cynosciadium* DC. (Umbellif.) 2855  
*Cynosorchis* Thou. (*Cynorchis* Thou.) 7069  
*Cynosurus* L. (Gramin.) 8242  
*Cynotis* Hoffm. (*Cryptostemma* R. Br.) 4053  
*Cynotoxicum* Vell. (Inc. sed.)  
*Cynoxylum* Pluk. (*Nyssa* Gronov.)  
*Cynthia* D. Don (*Krigia* Schreb.) 4173  
*Cypella* Herb. (Irid.) 7224  
*Cypellium* Desv. (Inc. sed.) p. 492.  
**Cyperaceæ** p. 456.  
*Cyperorchis* Bl. (Orchid.) 6839  
*Cyperus* (Tourn.) L. (Cyper.) 7923  
*Cyphanthera* Miers (*Anthocercis* Labill.) 5173  
*Cyphia* Berg (Lobeliac.) 4269  
*Cyphocalyx* Presl (*Aspalathus* L.) 1626  
*Cyphocarpus* Miers (Lobeliac.) 4266  
*Cyphokentia* Brongn. (Palm.) 7640  
— Wendl. et Dr. (*Cyphokentia* Brongn.) 7640  
*Cypholophus* Wedd. (Urtic.) 6671  
*Cyphomandra* Sendtn. (Solan.) 5107  
*Cyphomattia* Boiss. (*Rindera* Pall.) 5024  
*Cyphonema* Herb. (*Cyrtanthus* Ait.) 7309  
*Cyphophaenix* Wendl. (Palm.) 7637  
*Cyphosperma* Wendl. et Dr. (*Cyphokentia* Brongn.) 7640  
*Cyphostigma* Benth. (Zingiberac.) 7126  
*Cyprianthe* Spach (*Ranunculus* L.) 10  
*Cypripedium* L. (Orchid.) 7088  
*Cypselea* Turp. (Ficoid.) 2725  
*Cypselocarpus* F. Müll. (Chenopod.) 6004  
*Cypselodontia* DC. (Composit.) 3694  
*Cyrbasium* Endl. (*Cristatella* Nutt.) 428  
*Cyrilla* Gardn. (Cyrill.) 1269  
— L'Hér. (*Achimenes* P. Br.) 5366  
**Cyrilleæ** p. 65.  
*Cyrta* Lour. (*Styrax* L.) 4529  
*Cyrtandra* Forst. (Gesner.) 5437  
*Cyrtandromera* Zoll. (Gesner.) 5430  
*Cyrtanthemum* Erst. (*Besleria* L.) 5438  
*Cyrtanthera* Nees (*Jacobinia* Moric.) 5625  
*Cyrtantherella* Schreb. (*Jacobinia* Moric.) 5625  
*Cyrtanthus* Ait. (Amaryll.) 7309  
— Schreb. (*Posoqueria* Aubl.) 3166  
*Cyrtocarpa* H. B. K. (Anacard.) 1523  
*Cyrtoceras* Benn. (*Hoya* R. Br.) 4852  
*Cyrtochilum* H. B. K. (*Oncidium* Sw.) 6907  
*Cyrtocladon* Griff. (*Homalonema* Schott) 7798  
*Cyrtodeira* Hanst. (*Episcia* Mart.) 5384  
*Cyrtogyne* Rehb. v. *Curtogyne* Haw.  
*Cyrtololepis* Less. (*Anacyclus* L.) 3949  
*Cyrtolobus* R. Br. (*Crypsocalyx* A. Rich.?).

- Cyrtonema* Schrad (Kedrostis Medik.) 2657  
*Cyrtopera* Lindl. (Orchid.) 6848  
*Cyrtophyllum* Bl. (Fagræa Thunb.) 4904  
*Cyrtopodium* R. Br. (Orchid.) 6847  
*Cyrtorhyncha* Nutt. (Ranunculus L.) 10  
*Cyrtosia* Bl. (Galeola Lour.) 6973  
*Cyrtosiphonia* Miq. (Rauwolfia L.) 4580  
*Cyrtospadix* K. Koch (Caladium Vent.) 7824  
*Cyrtosperma* Griff. (Aroid.) 7779  
*Cyrtospermum* Benth. (Campnosperma Thw.) 1537  
— Raf. (Cryptotænia DC.)  
*Cyrtostachys* Bl. (Palm.) 7635  
*Cyrtostemma* Kunze (Cyclonema Hochst.)  
*Cyrtostylis* R. Br. (Orchid.) 7035  
*Cyrtotropis* Wall. (Apios Mönch) 1796  
*Cyssopetalum* Turcz. (Ænanthe L.) 2853  
*Cystacanthus* T. Anders. (Acanth.) 5583  
*Cystanthe* R. Br. (Richea R. Br.) 4415  
*Cysticapnos* Bernh. (Corydalis DC.) 236  
*Cystidianthus* Hassk. (Physostelma Wight) 4853  
*Cystistemon* Balf. f. v. *Cystostemon* Balf. f.  
*Cystocarpum* Spach (Vesicaria Lam.) 272  
*Cystochilum* Barb. Rodr. (Orchid.) 7098  
*Cystogyne* Gasp. (Ficus L.) 6621  
*Cystopus* Bl. (Odontochilus Bl.) 7002  
*Cystorchis* Bl. (Orchid.) 6998  
*Cystostemon* Balf. f. (Boragin.) 5048  
*Cytheræa* W. et A. (Spondias L.) 1514  
*Cytherea* Salisb. (Calypso Salisb.) 6759  
*Cytheris* Lindl. (Nephelaphyllum Bl.) 6789  
**Cytinaceæ** p. 344.  
*Cytinus* (Tourn.) L. (Cytinac.) 6124  
*Cytisopsis* Spach (Legumin.) 1658  
*Cytisus* L. (Legumin.) 1645  
— Webb (Cytisus L.) 1645  
*Czackia* Andr. (Paradisica Mazuc.) 7418  
*Czernaëvia* Turcz. (Archangelica Hoffm.) 2882  
*Czernya* Presl (Phragmites Trin.) 8205  
**D**  
*Daboecia* D. Don (Ericac.) 4365  
*Dachel* Adans. (Elate L.)  
*Dacrydium* Soland. (Conifer.) 8335  
*Dacryodes* Vahl (Burserac.) 1162  
*Dactiphyllum* Raf. (Trifolium L.)  
*Dactylæna* Schrad. (Capparid.) 424  
*Dactylanthus* Haw. (Euphorbia L.) 6370  
*Dactylanthus* H. f. (Balanophor.) 6358  
*Dactyliandra* H. f. (Cucurbit.) 2652  
*Dactylicapnos* Wall. (Dicentra Borkh.) 234  
*Dactyliota* Bl. (Medinilla Gand.) 2450  
*Dactylis* L. (Gramin.) 8241  
*Dactyloctenium* Willd. (Gramin.) 8179  
*Dactylogramma* Link (Muehlenbergia Schreb.)  
*Dactylon* Vill. (Cynodon Pers.) 8157  
*Dactylopetalum* Benth. (Rhizophor.) 2245  
*Dactylophyllum* Benth. (Gilia R. et P.) 4969  
— Spenn. (Potentilla L.) 2055  
*Dactylorhiza* Neck. (Orchis L.)  
*Dactylostalis* Rchb. f. (Cremastra Lindl.) 6838  
*Dactylostegium* Nees (Dicliptera Juss.) 5640  
*Dactylostemon* Kl. (Actinostemon Kl.) 6573  
*Dactylostyles* Scheidw. (Zygostates Lindl.) 6926  
*Dactylus* Forsk. (Diospyros L.) 4524  
*Dadia* Vell. (Inc. sed.) p. 488.  
*Dædalacanthus* T. And. (Eranthemum L.) 5529  
*Dæmia* R. Br. (Asclep.) 4794  
*Dæmonorops* Bl. (Calamus L.) 7708  
*Dahlia* Cav. (Composit.) 3852  
— Thunb. (Trichocladus Pers.) 2201  
*Dais* L. (Thymel.) 6277  
*Dalbergaria* Tuss. (Columnea L.) 5388  
*Dalbergia* L. (Legumin.) 1828  
— Vogel (Triptolemea Mart.)  
*Dalea* L. (Legumin.) 1667  
— Cramer (Petalostemum Mchx.)  
— Gärt. (Microdon Choisy) 5655  
— P. Br. (Critonia P. Br.)  
*Dalechampia* (Plum.) L. (Euphorb.) 6555  
*Dalembertia* H. Bn (Euphorb.) 6576  
*Dalenia* Korth. (Melastom.) 2443  
*Dalhousiea* Wall. (Legumin.) 1858  
*Dalibarda* L. (Rosac.) 2043  
*Dalichya* F. Müll. (Rhamn.) 1325  
*Dalrymplea* Roxb. (Turpinia Vent.) 1501  
*Dalucum* Adans. (Melica L.)  
*Dalzellia* Hassk. (Cyanotis Don) 7581  
— Wight (Terniola Tul.) 6101  
*Damapana* Adans. (Smithia Ait. ?).  
*Damasonium* (Tourn.) Juss. (Alism.) 7870  
— Schreb. (Ottelia Pers.) 6727  
*Damatris* Cass. (Haplocarpha Less.) 4050

- Damironia* Cass. (*Helipterum* DC.) 3631  
*Dammara* (Rumph) Link (*Agathis* Salisb.) 8307  
— Gärtn. (*Protium* Burm.) 1156  
*Damnacanthus* Gärtn. (*Rubiaceae*) 3272  
*Dampiera* R. Br. (*Gooden.*) 4240  
*Danaa* All. (*Physospermum* Cusson) 2770  
— Colla (*Senecio* L.) 4025  
*Danae* Medik. (*Liliac.*) 7361  
*Danaidia* Link (*Danae* Medik.) 7361  
*Danais* Comm. (*Rubiaceae*) 3022  
*Danatophorus* Zipp. (*Harpullia* Roxb.) 1480  
*Danbya* Salisb. (*Bomarea* Mirbel) 7331  
*Dangervilla* Vell. (*Cusparia* Humb.) 1014  
*Daniella* Benn. (*Legumin.*) 1949  
*Danthonia* DC. (*Gramin.*) 8155  
*Dantia* Thou. (*Ludwigia* L.) 2524  
— Lipp. (*Boerhaavia* L.)  
*Danubiunculus* Seiler (*Limosella* L.) 5276  
*Danzleria* Bert. (*Diospyros* L.) 4524  
*Dapania* Korth. (*Geran.*) 1001  
*Daphnandra* Benth. (*Monimiac.*) 6174  
*Daphne* L. (*Thymel.*) 6271  
*Daphnicon* Polil (*Hippocratea* L.)  
*Daphnidium* Nees (*Lindera* Thunb.) 6212  
*Daphnidostaphylis* Kl. (*Arctostaphylos* Adans.) 4330  
*Daphniphylopsis* Kurz (*Nyssa* L.) 2982  
*Daphniphyllum* Bl. (*Euphorb.*) 6430  
*Daphnitis* Spreng. (*Botryceras* Willd.) 1545  
*Daphnobryon* Meisn. (*Drapetes* Banks) 6290  
*Daphnopsis* Mart. et Zucc. (*Thymel.*) 6275  
*Darbya* A. Gray (*Buckleya* Torr.) 6342  
*Dargeria* Dene (*Leptorhabdos* Schrenk) 5313  
*Darlingia* F. Müll. (*Proteac.*) 6260  
*Darlingtonia* Torr. (*Sarracen.*) 211  
— DC. (*Desmanthus* Willd.) 1993  
*Darluca* Raf. (*Tetramerium* Gärtn.)  
*Dartus* Lour. (*Inc. sed.*) p. 488.  
*Darwinia* Rudge (*Myrtac.*) 2268  
— Dennst. (*Litsea* Lam  
— Raf. (*Sesbania* Pers.). 1404  
*Dasurus* Salisb. (*Chamaelirium* Willd.) 7531  
*Dasyanthera* Presl (*Scolopia* Schreb.) 511  
*Dasyanthes* D. Don (*Erica* L.) 4351  
*Dasyaulus* Thw. (*Bassia* L.) 4511  
*Dasycarpus* Erst. (*Sloanea* L.) 882  
*Dasycarya* Liebm. (*Inc. sed.*) p. 492.  
*Dasycephala* DC. (*Rubiaceae*) 3346  
*Dasylepis* Oliv. (*Bixin.*) 523  
*Dasylirion* Zucc. (*Liliac.*) 7411  
*Dasyloma* DC. (*Enanthe* L.) 2853  
*Dasymalla* Endl. (*Pityrodia* R. Br.) 5672  
*Dasynema* Schott (*Sloanea* L.) 882  
*Dasyochloa* Willd. (*Uralespis* Nutt.)  
*Dasyphyllum* H. B. K. (*Chuquiragua* Juss.) 4118  
*Dasypogon* R. Br. (*Liliac.*) 7397  
*Dasystachys* Bak. (*Liliac.*) 7433  
*Dasystemon* DC. (*Crassula* L.) 2176  
*Dasystephana* Borkh. (*Gentiana* L.) 4955  
*Dasystoma* Raf. (*Gerardia* L.) 5318  
*Datisca* L. (*Datisce.*) 2698  
**Datisceae** p. 152.  
*Datura* L. (*Solan.*) 5142  
*Daubenya* L. (*Liliac.*) 7485  
*Daubentonia* DC. (*Sesbania* Pers.) 1704  
*Daucalis* Pomel (*Caucalis* Hoffm.) 2908  
*Dauceria* Dennst. (*Embelia* Burm.)  
*Daucosma* Engelm. et Gray (*Discopleura* DC.) 2856  
*Daucus* (Tourn.) L. (*Umbellif.*) 2907  
*Davidia* H. Bn (*Cornac.*) 2984  
*Davidsonia* F. Müll. (*Saxifrag.*) 2104  
*Daviesia* Sm. (*Legumin.*) 1597  
*Davilla* Vand. (*Dilleniaceae*) 32  
*Davya* DC. (*Meriania* Sw.) 2410  
*Dayenia* Adans. (*Ayenia* L.)  
— Mchx (*Biebersteinia* Steph.)  
*Debræa* R. et S. (*Erisma* Rudge) 560  
*Debregeasia* Gaud. (*Urtic.*) 6678  
*Decabelone* Dene (*Asclep.*) 4879  
*Decaceras* Harv. (*Anisotome* Fenzl.)  
*Decachæna* T. et G. (*Gaylussacia* H. B. K.) 4320  
*Decachaeta* DC. (*Composit.*) 3434  
— Gärtn. (*Ageratum* L.) 3448  
*Decadia* Lour. (*Symplocos* L.) 4527  
*Decadonta* Griff. (*Symphorema* Roxb.) 5721  
*Decagonocarpus* Eichl. (*Rutac.*) 1013  
*Decaisnea* Brongn. (*Prescottia* Lindl.) 6984  
*Decaisnea* H. f. et T. (*Berberid.*) 185  
— Lindl. (*Tropidia* Lindl.) 6980  
*Decalepis* W. et A. (*Asclep.*) 4704  
— Röckel (*Bœckleria* Th. Dur.) 7953  
*Decalophium* Turcz. (*Chamaelaucium* Desf.) 2272  
*Decamerium* Nutt. (*Gaylussacia* H. B. K.) 4320  
*Decanema* Dene (*Asclep.*) 4795  
*Decaneurum* DC. (*Centratherum* Cass.) 3397  
— DC. (*Vernonia* Schreb.) 3405



- Decaneurum* Sch. Bip. (Chrysanthemum L.) 3964  
*Decaptera* Turcz. (Crucif.) 352  
*Decarhapha* Miq. (Miconia R. et P.) 2462  
*Decarinium* Raf. (Croton L.) 6460  
*Decaschistia* W. et A. (Malvac.) 758  
*Decaspermum* Forst. (Myrtac.) 2321  
*Decaspora* R. Br. (Trochocarpa R. Br.) 4398  
*Decastemon* Kl. (Polanisia Raf.) 430  
*Decastrophia* Griff. (Erythropalum Bl.) 1214  
*Decatropis* H. f. (Rutac.) 1071  
*Decazesia* F. Müll. (Composit.) 3662  
*Decemium* Raf. (Hydrophylla Stackh.)  
*Deckenia* Wendl. (Palm.) 7646  
*Deckera* Sch. Bip. (Picris L.) 4189  
*Deckeria* Karst. (Iriartea R. et P.) 7650  
*Declieuxia* H. B. K. (Rubiace.) 3292  
— B. et H. (Congdonia Müll. Arg.) 3293  
*Decodon* Gmel. (Heimia Link et Otto) 2500  
*Decodontia* Haw. (Huernia R. Br.)  
*Decostea* R. et P. (Griselinia Forst.) 2979  
*Decumaria* L. (Saxifrag.) 2118  
*Dedeia* H. Bn (Saxifrag.) 2142  
*Deeringia* R. Br. (Amarant.) 5915  
*Defforgia* Lam. (Forgesia Comm.) 2144  
*Deguelia* Aubl. (Derris Lour.) 1846  
*Dehaasia* Bl. (Laurin.) 6181  
*Deherainia* Dcne (Myrsin.) 4481  
*Deidamia* Thou. (Passiflor.) 5588  
*Deilosma* Spach (Hesperis L.) 285  
*Deinante* Maxim. (Saxifrag.) 2113  
*Deinbollia* Schum. et Thonn. (Sapind.) 1385  
*Dejanira* Ch. et Schl. (Gentian.) 4942  
*Dehinia* Martens et Gal. (Labi-  
 at.) 5787  
*Delabechea* Lindl. (Sterculia L.) 791  
*Delairia* Lem. (Senecio L.) 4025  
*Delarbrea* Vieill. (Araliac.) 2920  
*Delaria* Desv. (Baphia Afz.) 1859  
*Delastrea* A. DC. (Labramia A. DC.) 4491  
*Delaraya* Franch. (Sapind.) 1467  
*Delila* Dmrt. (Spergularia Pers.)  
*Delilia* Spreng. (Elvira Cass.) 3733  
*Delima* L. (Dilleniac.) 36  
*Delimopsis* Link (Tetracera L.) 37  
*Delissea* Gaud. (Lobeliac.) 4245  
*Deloderium* Cass. (Leontodon L.) 4198  
*Delognæa* Cogn. (Cucurbit.) 2612  
*Delostoma* D. Don (Bignon.) 5472  
*Delostylis* Raf. (Trillium L.) 7553  
*Delpechia* Montr. (Inc. sed.)  
 p. 488.  
*Delphiniastrum* Spach (Delphinium L.) 25  
*Delphinium* (Tourn.) L. (Ranuncul.) 25  
*Delucia* DC. (Bidens L.) 3856  
*Dematophyllum* Griseb. (Zygo-  
 phyll.) 973  
*Demazeria* Auct. v. Desmazeria  
 Dmrt.  
*Demetria* Lag. (Grindelia Willd.) 3479  
*Demidium* DC. (Composit.) 3609  
*Demidofia* Gmel. (Dichondra  
 Forst.) 5095  
*Demidovia* Pall. (Tetragonia L.) 2717  
— Hoffm. (Paris L.) 7554  
*Democritea* DC. (Serissa Comm.) 3327  
*Denckea* Raf. (Crossopetalum DC.)  
*Dendragrostis* Nees (Chusquea  
 Kth) 8286  
*Dendrium* Desv. (Leiophyllum  
 Pers.) 4369  
*Dendrobium* Sw. (Orchid.) 6765  
*Dendrocalamus* Nees (Gramin.) 8294  
*Dendrocharis* Miq. (Ecdy:anthera  
 H. et A.) 4635  
*Dendrochilum* Bl. (Orchid.) 6775  
— Bl. (Platyclinis  
 Benth.) 6758  
*Dendrocnide* Miq. (Laportea  
 Gaud.) 6657  
*Dendrocolla* Bl. (Sarcophilus  
 R. Br.) 6940  
*Dendrodaphne* Beurl. (Inc. sed.)  
 p. 488.  
*Dendrolirium* Bl. (Eria Lindl.) 6781  
*Dendrolobium* W. et A. (Desmo-  
 dium Desv.) 1761  
*Dendromecon* Benth. (Papaverac.) 229  
*Dendropanax* Dcne (Gilibertia  
 R. et P.) 2955  
*Dendropemon* Bl. (Loranthus L.) 6315  
*Dendrophila* Bl. (Tecoma Juss.) 5474  
*Dendrophloe* Mart. (Loranthus L.) 6315  
*Dendrophthora* Eichl. (Loranth.) 6318  
*Dendrophylax* Rehb. f. (Orchid.) 6962  
*Dendroseris* Don (Composit.) 4165  
*Dendrosicyos* Balf. f. (Cucurbit.) 1667  
*Dendrospartum* Spach (Genista L.) 2641  
*Dendrostylis* Karst. et Tr. (Bixin.) 500  
*Dendrotrophe* Miq. (Henslowia  
 Bl.) 6345  
*Denckia* Thunb. (Composit.) 3591  
*Denhamia* Meisn. (Celastr.) 1296  
— Schott (Culcasia P. B.) 7759  
*Denira* Adans. (Iva L.) 3763  
*Denisæa* Neck. (Phryma L.)  
*Denisonia* F. Müll. (Verben.) 5674  
*Dentaria* (Tourn.) L. (Cardamine  
 L.) 253  
*Dentella* Forst. (Rubiace.) 3078  
*Dentidia* Lour. (Perilla L.) 5755  
*Deplanchea* Vieill. (Diplanthera  
 R. Br.) 5482  
*Deppea* Ch. et Schl. (Rubiace.) 3072  
*Depresmenilia* F. Müll. (Labi-  
 at.) 5852  
*Deringa* Adan. (Cryptotænia DC.)

- Derderia* Jaub. et Spach (*Jurinea* Cass.) 4089  
*Dermasea* Haw. (*Saxifraga* L.) 2092  
*Dermatocalyx* (Erst. (Scrophul.) 5227  
*Dermatophyllum* Scheele (*Sophora* L.) 1871  
*Dermophylla* Manso (*Cayaponia* Manso) 2673  
*Dercæmeria* Rehb. f. (*Habenaria* Willd.) 7066  
*Derouetia* Boiss. (*Crepis* L.) 4190  
*Derriis* Lour. (*Legumin.*) 1846  
*Descantaria* Schlecht. (*Tradescantia* L.) 7588  
*Deschampsia* P. B. (*Gramin.*) 8145  
*Descliea* Fl. Mex. (*Chiococca* L.) 3229  
*Descurainia* Webb (*Sisymbrium* L.) 290  
*Desfontana* Vell. (*Argithamnia* Sw.) 6480  
*Desfontainea* R. et P. (*Logan.*) 4903  
*Desmanthodium* Benth. (*Composit.*) 3740  
*Desmanthus* Willd. (*Legumin.*) 1993  
*Desmazeria* Dmrt. (*Gramin.*) 8237  
*Desmia* D. Don (*Erica* L.) 4351  
*Desmidorchis* Ehrenb. (*Boucerosia* W. et A.) 4872  
*Desmocarpus* Wall. (*Cababa* Forsk.) 443  
*Desmocephalus* H. f. (*Elvira* Cass.) 3733  
*Desmochæta* DC. (*Pupalia* Juss.) 5936  
*Desmocladius* Nees (*Loxocarya* R. Br.) 7912  
*Desmodium* Desv. (*Legumin.*) 1761  
*Desmoncus* Mart. (*Palm.*) 7729  
*Desmonema* Miers (*Menisperm.*) 145  
*Desmophyllum* Webb (*Ruta* L.) 1019  
*Desmo* Lour. (*Unona* L.) 83  
*Desmoscelis* Naud. (*Melastom.*) 2375  
*Desmoschœnus* H. f. (*Scirpus* L.) 7934  
*Desmostachys* Planch. (*Olaein.*) 1231  
*Desmostemon* Thw. (*Ostodes* Bl.) 6470  
*Desmotrichum* Bl. (*Dendrobium* Sw.) 6765  
*Desplatsia* Bocq. (*Tiliac.*) 849  
*Despretzia* Kth (*Zengites* Schreb.) 8227  
*Destruguezia* Gaud. (*Capparis* L.) 446  
*Desvauxia* R. Br. (*Centrolepis* Labill.) 7900  
*Detandra* Miers (*Sychnosepalum* Eichl.) 168  
*Detarium* Juss. (*Legumin.*) 1966  
*Dethardingia* Nees (*Breweria* R. Br.) 5088  
*Dethawia* Endl. (*Seseli* L.) 2835  
*Detridium* Nees (*Detris* Adans.) 3545  
*Detris* Adans. (*Composit.*) 3545  
*Deutzia* Thou. (*Saxifrag.*) 2117  
*Devauxia* R. Br. v. *Desvauxia* 7900  
*Deverra* DC. (*Pituranthos* Viv.) 2804  
*Devillea* Tul. et Wedd. (*Podostem.*) 6120  
— Bert. (*Caraguata* Endl.)  
*Deweya* T. et G. (*Umbellif.*) 2783  
*Deyeuxia* P. B. (*Calamagrostis* Roth) 8124  
*Diacantha* Less. (*Barnadesia* Mut.) 4106  
*Diachyrium* Griseb. (*Sporobolus* R. Br.) 8111  
*Diacicarpium* Bl. (*Marlea* Roxb.)  
*Diacidia* Griseb. (*Malpigh.*) 916  
*Diaclis* Salisb. (*Hæmanthus* L.) 7311  
*Diacrium* L. (*Orchid.*) 6818  
*Diadenaria* Kl. (*Pedilanthus* Neck.) 6369  
*Diadenum* Pöpp. et Endl. (*Orchid.*) 6890  
*Dialesta* H. B. K. (*Oliganthes* Cass.) 3414  
*Dialissa* Lindl. (*Stelis* Sw.) 6744  
*Dialium* L. (*Legumin.*) 1935  
— Willd. (*Codarium* Soland.)  
*Dialycarpa* Mast. (*Malvac.*) 781  
*Dialypetalum* Benth. (*Lobeliac.*) 4263  
*Diamorpha* Nutt. (*Crassul.*) 2186  
*Diana* Comm. (*Dianella* Lam.)  
*Dianella* Lam. (*Liliac.*) 7449  
*Diania* Nor. (*Dicoryphe* Thou.)  
*Dianthella* Clauson (*Gypsophila* L.) \*573  
*Dianthera* (Gronov.) L. (*Acanth.*) 5621  
— Kl. (*Cleome* L.) 425  
— Soland. (*Dicliptera* Juss.)  
*Dianthoseris* Sch. Bip. (*Composit.*) 4210  
*Dianthus* L. (*Caryophyll.*) 569  
*Diapedium* Kön. (*Dicliptera* Juss.)  
*Diapensia* L. (*Diapensiace.*) 4418  
**Diapensiaceæ** p. 248.  
*Diaperia* Nutt. (*Composit.*) 3604  
*Diaphane* Salisb. (*Iris* L.) 7220  
*Diaphora* Lour. (*Scleria* Berg) 7981  
*Diaphoranthema* Beer (*Tillandsia* L.) 7192  
*Diaphoranthus* Meyen (*Polyachyrus* Lag.) 4151  
— Anders. (*Pringlea* Anders.)  
*Diaphyllum* Hoffm. (*Bupleurum* L.) 2792  
*Diarina* Raf. v. *Diarrhena* Raf.  
*Diarrhena* Raf. (*Gramin.*) 8225  
*Diarthron* Turcz. (*Thymel.*) 6282  
*Diascia* Link et Otto (*Scrophul.*) 5190  
*Diasia* DC. (*Melaspherula* Ker) 7271  
*Diaspananthus* Miq. (*Ainsliæa* DC.) 4133  
*Diaspopsis* R. Br. (*Goodeniace.*) 4238  
*Diastatea* Scheidw. (*Lobelia* L.) 4262  
*Diastella* Salisb. (*Leucospermum* R. Br.) 6220  
*Diastema* (Erst. (Gesner.) 5372  
*Diastemanthe* Steud. (*Stenotaphrum* Trin.) 8061

- Diastemella* Ærst. (*Diastema* Ærst.) 5372  
*Diastrophis* F. et M. (*Æthionema* R. Br.) 341  
*Diatenopteryx* Radlk. (Sapind.) 1377  
*Diatoma* Lour. (*Carallia* Roxb.) 2236  
*Diatropa* Dmrt. (*Bupleurum* L.) 2792  
*Dazeuxis* D. Don (*Lycoseris* Cass.) 4140  
*Diazia* Phil. (*Calandrinia* H.B.K.) 614  
*Diberara* H. Bn (*Bruniac.*) 2218  
*Dibrachia* F. et Z. (*Pelargonium* L'Hér.) 985  
*Dibrachion* Rgl (*Homalanthus* A. Juss.) 6557  
*Dibrachion* Tul. (*Diplostropis* Benth.) 1879  
*Dicælospermum* Clarke (*Cucurbit.*) 2670  
*Dicalymna* Lem. (*Podachænum* Benth.) 3834  
*Dicalyx* Lour. (*Symplocos* L.) 4527  
*Dicarpa* Presl (*Limeum* L.)  
*Dicarpidium* F. Müll. (*Stercul.*) 819  
*Dicella* Griseb. (*Malpigh.*) 915  
*Dicellandra* H. f. (*Melastom.*) 2441  
*Dicellostyles* Benth. (*Malvac.*) 560  
*Dicentra* Borkh. (*Fumar.*) 234  
*Dicentranthera* T. Anders. (*Asystasia* Bl.) 5573  
*Dicera* Forsk. (*Elæocarpus* L.) 887  
*Dicerandra* Benth. (*Ceranthera* Ell.) 5783  
*Diceratella* Boiss. (*Crucif.*) 261  
*Diceratium* Boiss. (*Diceratella* Boiss.) 261  
— Lag. (*Notoceras* R. Br.) 259  
*Dicerma* DC. (*Desmodium* Desv.) 1761  
*Dicerocaryum* Boj. (*Pretrea* J. Gay) 5509  
*Dicerolepis* Bl. (*Gymnanthera* R. Br.) 4694  
*Diceros* Bl. (*Vandellia* L.) 5264  
— Lour. (*Limnophila* R. Br.) 5250  
— Pers. (*Artanema* Don) 5260  
*Dichæa* Lindl. (*Orchid.*) 6887  
*Dichælia* Harv. (*Asclep.*) 4865  
*Dichæsperrum* Wight (*Aneilema* R. Br.) 7576  
*Dicharta* Nutt. (*Bæria* F. et M.) 3889  
— Sch. Bip. (*Schætzellia* Schultz).  
*Dichætandra* Naud. (*Acisanthera* P. Br.) 2369  
*Dichætanthera* Endl. (*Melastom.*) 2398  
*Dichætaria* Nees (*Gymnopogon* P. B.) 8165  
*Dichætophora* A. Gray (*Boltonia* L'Hér.) 3539  
*Dichanthium* Willem. (*Andropogon* L.) 8020  
**Dichapetaleæ** p. 62.  
*Dichapetalum* Thou. (*Dichapetal.*) 1201  
*Dichelachne* Endl. (*Gramin.*) 8128  
*Dichelactina* Hance (*Phyllanthus* L.) 6404  
*Dichelostemma* Kth (*Brodiaea* Sm.) 7470  
*Dichelostylis* Nees (*Fimbristylis* Vahl).  
*Dicheranthus* Webb (*Illecebr.*) 5912  
*Dichilanthæ* Thw. (*Rubiace.*) 3221  
*Dichilus* DC. (*Legumin.*) 1630  
*Dichismus* Raf. (*Scirpus* L.).  
*Dichodon* Bartl. (*Cerastium* L.) 580  
*Dichoglottis* F. et M. (*Gypsophila* L.) 573  
*Dichondra* Forst. (*Convolvul.*) 5095  
*Dichone* Laws. (*Tritonia* Ker) 7272  
*Dichopetalum* F. Müll. (*Azorella* Lam.) 2746  
*Dichopogon* Kth (*Liliac.*) 7438  
*Dichopsis* Thw. (*Palaquium* Thw.) 4610  
*Dichopus* Bl. (*Dendrobium* Sw.) 6765  
*Dichorisandra* Mik. (*Commelin.*) 7586  
*Dichoropetalum* Fenzl (*Johrenia* DC.).  
*Dichosema* Benth. (*Mirbelia* Sm.) 1590  
*Dichostylis* Nees (*Cyperus* L.) 7923  
— P. B. (*Scirpus* L.) 7934  
*Dichotoma* Sch. Bip. (*Sclerocarpus* Jacq.) 3798  
*Dichotomanthus* Kurz (*Lythrar.*) 2513  
*Dichotophyllum* (Dill.) (Mönch) (*Ceratophyllum* L.) 6718  
*Dichroa* Lour. (*Saxifrag.*) 2115  
*Dichroanthus* Webb (*Cheiranthus* L.) 243  
*Dichrocephala* DC. (*Composit.*) 3508  
*Dichroma* Cav. (*Ourisia* Comm.) 5287  
— Pers. (*Dichromena* Mchx) 7930  
*Dichromena* Mchx (*Cyper.*) 7930  
*Dichrophyllum* Kl. (*Euphorbia* L.) 6370  
*Dichrostachys* DC. (*Legumin.*) 1991  
*Dichrotrichum* Reinw. (*Gesner.*) 5393  
*Dicladanthera* F. Müll. (*Acanth.*) 5645  
*Diclemia* Naud. (*Ossæa* DC.) 2476  
*Diclidanthera* Mart. (*St. rac.*) 4533  
*Diclidium* Schrad. (*Cyperus* L.) 7923  
*Diclidocarpus* A. Gray (*Trichospermum* Bl.) 868  
*Diclidostigma* Kunze (*Melothria* L.) 2651  
*Diclinotrys* Raf. (*Chamælirium* Willd.) 7531  
*Dicliptera* Juss. (*Acanth.*) 5640  
*Diclis* Benth. (*Scrophul.*) 5193  
*Diclytra* DC. (*Dicentra* Borkh.) 234  
*Dicneckeria* Vell. (*Euplassa* Salisbury.) 6244  
*Dicocca* Thou. (*Dicoryphe* Thou.).  
*Dicælia* Benth. (*Euphorb.*) 6441  
*Dicolus* Phil. (*Zephyra* Don) 7216  
*Diconia* Cass. (*Composit.*) 4129  
*Dicoria* T. et G. (*Composit.*) 3765  
*Dicorynia* Benth. (*Legumin.*) 1927  
*Dicoryphe* Thou. (*Hamamelid.*) 2199

- Diplacus* Nutt. (*Mimulus* L.) 5239  
*Dipladenia* A. DC. (Apocyn.) 4671  
*Diplandra* H. et A. (Onagrar.) 2535  
— Bert. (*Elodea* Michx.)  
*Diplanthera* R. Br. (Bignon.) 5482  
— Griff. (*Halophila* Thou.)  
— Thou. (*Cymodocea* Kön.) 7890  
*Diplarche* H. f. et T. (Ericac.) 4368  
*Diplaria* Raf. (*Cassandra* Don.)  
*Diplarpea* Triana (*Melastom*) 2437  
*Diplarrhena* Labill. (Irid.) 7242  
*Diplarrhinus* Raf. (*Scirpus* L.) 7934  
*Diplasanthum* Desv. (*Andropogon* L.) 8020  
*Diplasia* Rich. (Cyper.) 7943  
*Diplaspis* H. f. (*Huanaca* Cav.) 2753  
*Diplax* H. f. (*Microtena* R. Br.) 8083  
*Diplecosia* G. Don (*Diplycosia* Bl.) 4334  
*Diplecthrum* Pers. (*Satyrium* Sw.) 7072  
*Diplerisma* Planch. (*Melanthus* L.) 1496  
*Diplesthes* Harv. (*Hippocratea* L.) 1312  
*Diplocalymma* Spreng. (Inc. sed.)  
*Diplocalyx* Presl (*Mitraria* Cav.) 5439  
— A. Rich. (*Schoepfia* Schreb.) 1221  
*Diplocea* Raf. (*Triodia* R. Br.) 8207  
*Diplocentrum* Lindl. (Orchid.) 6955  
*Diploceras* Meisn. (*Parolinia* Webb.)  
*Diplochaeta* Nees (*Rhynchospira* Vahl) 7955  
*Diplochilus* Lindl. (*Diplomeris* Don) 7067  
*Diplochita* DC. (*Miconia* R. et P.) 2462  
*Diplochiton* Spreng. (*Miconia* R. et P.) 2462  
*Diplochlamys* Müll. Arg. (*Mallostus* Lour.) 6522  
*Diplochonium* Fenzl (*Trianthema* L.) 2724  
*Diploclinium* Wight (*Begonia* L.) 2695  
*Diploclesia* Miers (*Cocculus* DC.) 118  
*Diplocoma* Don (*Heterotheca* Cass.) 3484  
*Diploconchium* Schau. (*Agrostophyllum* Bl.) 6795  
*Diplocos* Bur. (*Taxotrophis* Bl.) 6600  
*Diplocrater* H. f. (Rubiace.) 3204  
— Benth. (*Cathedra* Miers) 1219  
*Diplocyatha* N. E. Brown (*Asclep.*) 4883  
*Diplodium* Sw. (*Pterostylis* R. Br.) 7028  
*Diplodiscus* Turcz. (Tiliac.) 842  
*Diplodon* Spreng. (*Diplusodon* Pohl) 2504  
— Pöpp. et Endl. (*Physocalymma* Pohl.) 2506  
*Diplodonta* Karst. (*Heterotrichum* DC.) 2465  
*Diplogastra* Rehb. (*Platylepis* A. Rich.) 7012  
*Diplogenea* Lindl. (*Medinilla* Gaud.) 2450  
*Diploglossum* Meisn. (*Cynanchum* L.) 4779  
*Diploglottis* H. f. (Sapind.) 1448  
*Diplogon* Raf. (*Chrysopsis* Nutt.)  
*Diplokaema* L. Pierre (Sapot.) + 4510<sup>b</sup>  
*Diplolepis* R. Br. (Rutac.) 1053  
*Diplolepis* R. Br. (Asclep.) 4788  
*Diplobolium* Turcz. (*Swainsona* Salisb.) 1712  
*Diploloma* Schrenk (*Craniospermum* Lehm.) 5031  
*Diplolophium* Turcz. (Umbellif.) 2831  
*Diplomeris* D. Don (Orchid.) 7067  
*Diplomorpha* Griff. (*Agyneia* Griff.) 6400  
*Diplomorpha* Meisn. (*Wickstroemia* Endl.) 6279  
*Diplonema* G. Don (*Euclea* L.) 4522  
*Diplonyx* Raf. (*Wistaria* Nutt.) 1689  
*Diplopappus* Less. (Aster L.) 3544  
*Diplopeltis* Endl. (Sapind.) 1470  
*Diplopenta* Alef. (*Pavonia* L.)  
*Diplopetalon* Spreng. (*Guioa* Cav.) 1443  
*Diplophractum* Desf. (Tiliac.) 834  
*Diplophragma* W. et A. (*Hedyotis* L.)  
*Diplophyllum* Lehm. (*Veronica* L.) 5293  
*Diplopogon* R. Br. (Gramin.) 8130  
*Diplopriion* Viv. (*Medicago* L.) 1651  
*Diplopterys* A. Juss. (Malpigh.) 953  
*Diplophyllus* Welw. (Apocyn.) 4601  
*Diplosastera* Tausch (*Coreopsis* L.) 3849  
*Diplosecyphus* Liebm. (*Scleria* Berg) 7981  
*Diplosiphon* Dene (*Blyxa* Thou.) 6723  
*Diplospora* DC. (Rubiace.) 3203  
*Diplostegium* D. Don (*Tibouchina* Aubl.) 2383  
*Diplostelma* A. Gray (*Distasis* DC.) 3533  
— Raf. (*Chaetopappa* DC.) 3536  
*Diplostemma* Hochst. et Steud. (*Geigeria* Griessel) 3709  
*Diplostemon* Miq. (*Ammania* Houst.) 2488  
*Diplostephium* H. B. K. (Composit.) 3548  
— DC. (Aster L.)  
*Diplostylis* Karst. et Tr. (*Rocheffortia* Sw.) 5000  
— Sond. (*Adenocline* Turcz.) 6500  
*Diploaenia* Boiss. (*Peucedanum* L.) 2886  
*Diploaxis* DC. (Crucif.) 318

- Diplotaxis* Lindl. (*Diplopeltis* Endl.) 1470  
*Diplothea* Hochst. (*Astragalus* L.) 1720  
*Diplothemium* Mart. (Palm.) 7735  
*Diplothrix* DC. (*Zinnia* L.) 3777  
*Diplostropis* Benth. (Legumin.) 1879  
*Diplusodon* Pohl (Lythrar.) 2504  
*Diplycosia* Bl. (Ericac.) 4334  
*Dipodium* R. Br. (Orchid.) 6842  
*Dipogon* Liebm. (*Dolichos* L.) 1819  
— Jord. et Fourr. (*Sempervivum* L.) 2184  
*Dipogonia* P. B. (*Diplopogon* R. Br.) 8130  
*Dipoma* Franch. (Crucif.) 345  
*Diporidium* Wendl. (*Ochna* Schreb.) 1139  
*Diposis* DC. (Umbellif.) 2724  
**Dipsaceæ** p. 187.  
*Dipsacozamia* Lehm. (*Ceratozamia* Brongn.) 8347  
*Dipsacus* (Tourn.) L. (Dipsac.) 3384  
*Dipseudochorion* Buchen. (*Limnophyton* Miq.) 7864  
*Diptanthera* Schrank (*Dianthera* Gronov.)  
*Diptera* Borkh. (*Saxifraga* L.)  
*Dipteracanthus* Nees (*Ruellia* L.) 5529  
*Dipteranthemum* F. Müll. (Amarant.) 5940  
*Dipteranthus* Barb. Rodr. (Orchid.) 7108  
*Dipterocalyx* Cham. (*Lippia* L.) 5680  
**Dipterocarpeæ** p. 37.  
*Dipterocarpus* Gärt. (*Dipterocarp.*) 706  
*Dipterocome* F. et M. (Composit.) 4043  
*Dipterosperma* Hassk. (*Stereospermum* Cham.) 5480  
*Dipterospermum* Griff. (*Gordonia* Ell.) 692  
*Dipterothera* Sch. Bip. (*Aspilia* Thou.) 3817  
*Dipterygium* Dcne (Crucif.) 378  
*Dipteryx* Schreb. (Legumin.) 1853  
*Diptychandra* Tul. (Legumin.) 1899  
*Diptychocarpus* Trautv. (Crucif.) 240  
*Diptyrena* Hook. (Verben.) 5686  
*Dirachmia* Balf. f. (Geran.) + 1005<sup>b</sup>  
*Diracodes* Bl. (*Amomum* L.) 7125  
*Dirca* L. (Thymel.) 6273  
*Dircæa* Dcne (*Gesnera* Mart.) 5377  
*Dirhynchosis* Bl. (*Spiræopsis* Miq.) 2165  
*Dirichletia* Kl. (Rubiace.) 3085  
*Disa* Berg (Orchid.) 7074  
*Disadena* Miq. (*Voyria* Aubl.) 4929  
*Disakisperma* Steud. (Inc. sed.) p. 488.  
*Disandra* L. f. (*Sibthorpia* L.) 5277  
*Disanthus* Maxim. (Hamamelid.) 2207  
*Disarrenum* Labill. (*Hierochloa* Gmel.) 8087  
*Discanthera* T. et G. (*Cyclanthera* Schrad.) 2676  
*Discanthus* Spruce (*Cyclanthus* Pers.) 7750  
*Discaria* Hook. (Rhamn.) 1349  
— Miers (*Discaria* Hook.) 1349  
*Dischidia* R. Br. (Asclep.) 4857  
*Dischisma* Choisy (Selagin.) 5652  
*Dischistocalyx* T. And. (Acanth.) 5534  
*Disciphania* Eichl. (Menisperm.) 133  
*Discocactus* Pfeiff. (Cactææ) 2707  
*Discocapnos* Schlecht. (*Fumaria* L.) 238  
*Discocarpus* Kl. (Euphorb.) 6394  
— Liebm. (*Laportea* Gaud.) 6657  
*Discolobium* Benth. (Legumin.) 1754  
*Discomela* Raf. (*Helianthus* L.) 3824  
*Discophora* Miers (Olacin.) 1238  
*Discophytum* Miers (*Calycera* Cav.) 3388  
*Discopleura* DC. (Umbellif.) 2856  
*Discopodium* Hochst. (Solan.) 5116  
— Steud. (*Tricostularia* Nees) 7964  
*Discospermum* Dalz. (*Diplospora* DC.) 3203  
*Discostigma* Hassk. (*Garcinia* L.) 654  
*Discorium* Raf. (Inc. sed.) p. 488.  
*Discurea* Schur. (*Sisymbrium* L.)  
*Diselma* H. f. (*Fitzroya* H. f.) 8325  
*Disemma* Labill. (Passiflor.) 2584  
*Disepalum* H. f. (Anonac.) 87  
*Diserneston* Jaub. et Spach (*Dorrema* Don) 2883  
*Disgrega* Hassk. (*Tradescantia* L.) 7588  
*Disisocactus* Salm Dyck (*Phyllocactus* Lam.) 2710  
*Disocactus* Lindl. (*Phyllocactus* Lam.) 2710  
*Disodea* Pers. (*Lygodisodea* R. et P.) 3314  
*Disomene* Banks et Soland. (*Misandra* Comm.)  
*Disoon* A. DC. (*Myoporum* Banks et Soland.) 5646  
*Disoxylum* Bl. (Meliac.) 1175  
*Disparago* Gärt. (Composit.) 3670  
*Dispeltophorus* Lehm. (*Menonvillea* DC.) 351  
*Disperis* Sw. (Orchid.) 7085  
*Disporocarpa* C. A. Mey (*Tillæa* L.) 2173  
*Disporopsis* Hance (Liliac.) 7372  
*Disporum* Salisb. (Liliac.) 7549  
*Dissanthelium* Trin. (Gramin.) 8210  
*Dissecocarpus* Hassk. (*Commelina* L.) 7574  
*Dissiliaria* F. Müll. (Euphorb.) 6418  
*Dissocarpus* F. Müll. (*Sclerolæna* R. Br.) 6001  
*Dissochæta* Bl. (Melastom.) 2445

- Dissolæna* Lour. (Inc. sed.) p. 489.  
*Dissomeria* Benth. (Samyd.) 2557  
*Dissopetalum* Miers (Antizoma Miers) 156  
*Dissorhynchium* Schau. (Habena-  
 ria Willd.) 7066  
*Dissothrix* A. Gray (Composit.) 3451  
*Dissotis* Benth. (Melastom.) 2396  
*Distasis* DC. (Composit.) 3535  
*Disteganthus* Lem. (Bromel.) 7160  
*Distegocarpus* S. et Z. (Carpinus  
 L.) 6704  
*Distemon* Wedd. (Urtic.) 6670  
 — Bouch. (Canna L.).  
*Distemonanthus* Benth. (Legu-  
 min.) 1933  
*Distephana* Juss. (Tacsonia Juss.).  
*Distephanus* Cass. (Vernonia  
 Schreb.) 3405  
*Distephia* Salisb. v. *Distephana*  
 Juss.  
*Distichia* Nees et Meyen (Juncac.) 7606  
*Distichlis* Raf. (Gramin.) 8235  
*Distichmus* Endl. (Scirpus L.) 7934  
*Distichocalyx* B. et H. (Dischisto-  
 calyx T. And.) 5534  
*Distichostemon* F. Müll. (Sapind.) 1472  
*Distictis* DC. (Bignon.) 5453  
*Distinus* Raf. (Cyperus L.) 7923  
*Distomæa* Spenn. (Neottia L.).  
*Distomanthera* Turcz. (Inc. sed.)  
 p. 489.  
*Distrepta* Miers (Tecophilæa  
 Bert.) 7217  
*Distreptus* Cass. (Elephantopus  
 L.) 3128  
*Distylis* Gaud. (Calogyne R. Br.) 4234  
*Distylium* S. et Z. (Hamamelid.) 2196  
*Disynaphia* DC. (Eupatorium L.) 3460  
*Ditassa* R. Br. (Asclep.) 4760  
*Ditaxis* A. Juss. (Argithamnia  
 Sw.) 6480  
*Dithecæ* Miq. (Rotala L.) 2487  
*Dithricum* DC. (Verbesina L.) 3832  
*Dithyrea* Harv. (Biscutella L.) 355  
*Dithyrocarpus* Kth (Floscopa  
 Lour.) 7584  
*Dithyrostegia* A. Gray (Angian-  
 thus Wendl.) 3659  
*Ditoca* Banks et Soland. (Scleran-  
 thus L.) 5913  
*Ditomostrophe* Turcz. (Guichenotia  
 J. Gay) 836  
*Ditoxia* Raf. (Celsia L.).  
*Ditrichum* Cass. (Verbesina L.) 3832  
*Ditroche* E. Mey. (Semonvillea  
 Gay) 2738  
*Ditrysinia* Raf. (Sebastiania  
 Spreng.) 6570  
*Ditta* Griseb. (Euphorb.) 6561  
*Dittelasma* H. f. (Sapindus L.) 1384  
*Dittmaria* Spreng. (Eriosma  
 Rudge) 560  
*Dittoceras* H. f. (Asclep.) 4843  
*Dittostigma* Phil. (Solan.) 5157  
*Diuris* Sm. (Orchid.) 7022  
*Diuroglossum* Turcz. (Guazuma  
 Plum.) 825  
*Diurospermum* Edgew. (Utricula-  
 ria L.) 5355  
*Dionium* Willd. (Geigeria Gries-  
 sel.) 3709  
*Dizygandra* Meisn. (Ruellia L.) 5529  
*Dobera* Juss. (Salvador.) 4553  
*Dobinea* Ham. (Acerac.) 1495  
*Dobrowskia* Presl (Lobelia L.) 4262  
*Dochafa* Schott (Arisæma Mart.).  
*Docenia* Dcne (Rosac.) 2073  
*Dodartia* (Tourn.) L. (Scrophul.) 5241  
*Dodecadenia* Nees (Laurin.) 6207  
*Dodecadia* Lour. (Inc. sed.) p. 489.  
*Dodecas* L. f. (Lythrar.) 2501  
*Dodecaspermum* Scop. (Inc. sed.).  
*Dodecastemon* Hassk. (Cycloste-  
 mon Bl.) 6417  
*Dodecatheon* L. (Primul.) 4446  
*Dodonæa* (Plum.) L. (Sapind.) 1471  
 — L. f. (Comocladia P. Br.) 1548  
*Dœllia* Sch. Bip. (Blumea DC.) 3581  
*Dœllingeria* Nees (Aster L.) 3544  
*Dœmia* R. Br. v. *Dæmia* Poir.  
*Dœrrienia* Dennst. (Acronychia  
 Forst.).  
 — Rehb. (Genlisea S'-Hil.)  
*Dofia* Adans. (Dirca L.).  
*Dolia* Lindl. (Convolvul.) 5099  
*Dolichandra* Cham. (Macfadyena  
 A. DC.) 5447  
 — Fenzl (Dolichan-  
 drone Fenzl) 5478  
*Dolichandron* Fenzl (Bignon.) 5478  
*Dolichostium* Lag. (Trixis P. Br.) 4156  
*Dolichoderia* Hanst. (Achimenes  
 P. Br.) 5366  
*Dolichogyne* DC. (Nardophyllum  
 H. et A.) 3498  
*Dolicholobium* A. Gray (Rubiace.) 3038  
*Dolichonema* Nees (Moldenhauera  
 Schrad.) 1921  
*Dolicholus* Medik. (Rhynchosia  
 DC.).  
*Dolichos* L. (Legumin.) 1819  
 — Gärtn. (Lablab Adans.).  
*Dolichostylis* Cass. (Barnadesia  
 Mut.) 4106  
 — Turcz. (Stenonema  
 Hook.) 280  
*Dolichotheca* Cass. (Coreopsis L.) 3849  
*Doliocarpus* Roland (Dilleniace.) 35  
*Dollinera* Endl. (Desmodium  
 Desv.) 1761  
*Dollineria* Saut. (Draba L.) 274  
*Dolomiaea* DC. (Jurinea Cass.) 4889  
*Dolophragina* Fenzl (Arenaria L.) 583  
*Dombeya* Cav. (Stercul.) 810  
 — L'Hér. (Tourretia Juss.) 5487  
 — Lam. (Arancaria Juss.) 8308  
*Domcykoa* Phil. (Umbellif.) 2752



- Donacodes* Bl. (Amomum L.) 7125  
*Donaldia* Kl. (Begonia L.) 2695  
*Donatia* Forst. (Saxifrag.) 2086  
— Löffl. (Avicennia L.) 5724  
*Donatophorus* Zipp. (Inc. sed.)  
*Donax* P. B. (Arundo L.) 8204  
*Donckelaaria* Lem. (Guettarda L.) 3213  
*Dondia* Adans. (Suæda Moq.)  
— Spreng (Hacquetia Neck.) 2762  
*Dondisia* Rehb. (Hacquetia Neck.) 2762  
— DC. (Plectronia L.) 3247  
*Donia* G. Don (Clanthus Soland.) 1708  
— R. Br. (Grindelia Willd.) 3479  
*Doniophyton* Wedd. (Composit.) 4119  
*Dontostemon* Andr. (Crucif.) 287  
*Donzella* Ten. (Inc. sed.)  
*Doodia* Roxb. (Uraria Desv.) 1766  
*Doona* Thw. (Dipterocarp.) 715  
*Doornia* De Vriese (Pandanus L.) 7743  
*Dopatrium* Ham. (Scrophul.) 5259  
*Doræna* Thunb. (Mæsa Forsk.) 4459  
*Doranaylum* Neraud (Inc. sed.)  
*Doratanthera* Benth. (Anticharis Endl.) 5182  
*Doratium* Soland. (Curtisia Ait.)  
*Doratometra* Kl. (Begonia L.) 2695  
*Doratomyon* Thun. (Sapind.) 1477  
*Dorcoceras* Bge (Bœa Comm.) 5411  
*Dorema* D. Don (Umbellif.) 2885  
*Doria* (Dill.) Adans. (Solidago L.) 3493  
— Less. (Othonna L.) 4037  
— Thunb. (Senecio L.)  
*Doritis* Lindl. (Orchid.) 6938  
*Dorobæa* Cass. (Senecio L.) 4025  
*Doronicum* (Tourn.) L. (Composit.) 4003  
— Wight (Senecio L.) 4025  
*Dorstenia* (Plum.) L. (Urtic.) 6619  
*Dortmanna* (Rudb.) Neck. (Lobelia L.) 4262  
*Dorvalia* Comm. (Fuchsia L.) 2530  
*Doryanthes* Corr. (Amaryll.) 7339  
*Dorycheile* Rehb. (Cephalanthera Rich.)  
*Dorycnium* Vill. (Legumin.) 1659  
*Dorycnopsis* Boiss. (Anthyllis L.) 1654  
*Dorydium* Salisb. (Asphodeline Rehb.) 7417  
*Doryphora* Endl. (Monimiac.) 6171  
*Dorystachys* Boiss. et Heldr. (Labiata.) 5791  
*Dorystigma* Miers (Jaborosa Juss.) 5133  
— Gaud. (Pandanus L.) 7743  
*Doryxylon* Zoll. (Sumbavia H. Bn) 6483  
*Dossinia* C. Morr. (Orchid.) 7005  
*Donarrea* Montr. (Inc. sed.) p. 489.  
*Donepea* Camb. (Moricandia DC.) 322  
*Douglasia* Lindl. (Primul.) 4438  
— Schreb. (Ajouca Aubl.) 6184  
*Douglassia* Adans. (Volkameria L.)  
*Douma* Poir. (Hyphæne Gärtn.) 7725  
*Dorea* Kth (Restiac.) 7908  
*Dovera* Ehrenb. v. Dobera Juss.  
*Doryalis* E. Mey. (Bixin.) 517  
*Donningia* Torr. (Lobeliac.) 4259  
*Doxantha* Miers (Bignonia L.) 5446  
*Doxomma* Miers (Barringtonia Forst.) 2340  
*Doyerea* De Grosourdy (Corallo-  
carpus Welw.) 2658  
*Draba* L. (Crucif.) 277  
*Drabopsis* K. Koch (Sisymbrium L.) 290  
*Dracæna* (Vand.) L. (Liliac.) 7408  
*Dracænopsis* Planch. (Cordyline Comm.) 7409  
*Dracocephalum* (Tourn.) L. (Labiata.) 5803  
*Dracontium* L. (Aroid.) 7785  
— L. (Monstera Adans.) 7768  
*Dracontomelum* Bl. (Anacard.) 1516  
*Dracophyllum* Labill. (Richea R. Br.) 4415  
*Dracopis* Cass. (Rudbeckia L.) 3801  
*Dracunculus* (Tourn.) Schott (Aroid.) 7850  
*Drakæa* Lindl. (Orchid.) 7030  
*Draparnaudia* Montr. (Xanthostemon F. Müll.) \*2307  
*Draperia* Torr. (Hydrophyll.) 4986  
*Drapetes* Banks (Thymel.) 6290  
*Drapieza* Bl. (Disporum Salisb.) 7549  
*Draytonia* A. Gray (Saurauja Willd.) 685  
*Drebbelia* Zoll. (Spatholobus Hassk.) 1800  
*Dregea* E. Mey. (Asclep.) 4847  
— E. et Z. (Peucedanum L.) 2886  
*Drejera* Nees (Jacobinia Moric.) 5625  
*Drepadenium* Raf. (Croton L.) 6460  
*Drepanandrum* Neck. (Topobea Aubl.) 2479  
*Drepananthus* Maing. (Anonac.) 79  
*Drepania* Juss. (Tolpis Adans.) 4178  
*Drepanocarpus* G. W. Mey. (Legumin.) 1833  
*Drepanometra* Hassk. (Inc. sed.)  
*Drepanophyllum* Hoffm. (Falcaria Host) 2811  
*Drepanospermum* Benth. (Campnosperma Thw.) 1537  
*Driessenia* Korth. (Melastom.) 2418  
*Drimia* Jacq. (Liliac.) 7489  
*Drimiopsis* Lindl. (Liliac.) 7503  
*Drimiphyllum* Burch. (Petrobium R. Br.)  
*Drimophyllum* Nutt. (Umbellaria Nutt.) 6210  
*Drimycarpus* H. f. (Anacard.) 1559  
*Drimys* Forst. (Magnoliac.) \*54  
*Drimyspermum* Reinw. (Phaleria Jack.) 6300  
*Dripax* Nor. (Alsodeia Thun.)  
*Droguetia* Gaud. (Urtic.) 6689  
*Drosanthe* Spach (Hypericum L.) 631  
*Drosanthus* R. Br. (Byblis Salisb.)  
*Drosera* L. (Droser.) 2188

**Droseraceæ** p. 120.

- Drosophyllum* Link (Droser.) 2189  
*Drozia* Cass. (Perezia Lag.) 4154  
*Drudea* Griseb. (Portul.) 609  
*Drummondia* DC. (Mitella DC.) 2101  
*Drummondita* Harv. (Philotheca Rudge) 1047  
*Drujaria* Manso (Cayaponia Manso) 2673  
*Drupatris* Lour. (Symplocos L.) 4527  
*Drupina* L. (Besleria L.)  
*Drusa* DC (Bowlesia R. et P.) 2751  
*Dryadanthë* Endl. (Potentilla L.) 2055  
*Dryandra* R. Br. (Proteac) 6268  
— Thunb. (Aleurites Forst.) 6458  
*Dryas* L. (Rosac.) 2049  
*Drymaria* Willd. (Caryophyll.) 595  
*Drymis* Juss. (Drimys Forst.) 54  
*Drymoda* Lindl. (Orchid.) 6773  
*Drymonia* Mart. (Gesner.) 5385  
*Drymophila* R. Br. (Liliac.) 7374  
*Drymophloeus* Zipp. (Palm.) 7636  
*Drymospartum* Spach (Genista L.) 1641  
*Dryobalanops* Gartn. (Dipterocarpaceae) 705  
*Dryopeia* Thou. (Disperis Sw.) 7085  
*Dryopetalum* A. Gray (Crucif.) 248  
*Drypetes* Vahl (Euphorb.) 6413  
*Drypis* (Michx.) L. (Caryophyll.) 572  
*Drytopetalum* Arn. (Gynotrochse Bl.) 2240  
*Dubautia* Ham. (Lythrar.) 2514  
*Duania* Nor. (Homalanthus A. Juss.) 6557  
*Dubautia* Gaud. (Composit.) 3867  
*Duboisia* R. Br. (Solan.) 5172  
— Karst. (Pleurothallis R. Br.) 6743  
*Dubois-Reymondia* Karst. (Pleurothallis R. Br.) 6743  
*Duboscia* Bocq. (Tiliac.) 850  
*Dubouzetia* Panch. (Tiliac.) 888  
*Dubrenilia* Gaud. (Pilea Lindl.) 6661  
*Dubyæa* DC. (Lactuca L.) 4206  
— DC. (Diplusodon Pohl) 2504  
*Duchartrea* Dene (Pentarrhaphia Lindl.) 5381  
*Duchassaingia* Walp. (Erythrina L.) 1793  
*Duchekia* Kostel (Palisota Rehb.) 7572  
*Duchesnea* Sm. (Fragaria Sm.) 2054  
*Duchesnia* Cass. (Pulicaria Gartn.) 3705  
*Duchola* Adans. (Omphalea L.) 6561  
*Ducoudrea* Bur. (Tecoma Juss.) 5474  
*Ducrosia* Boiss. (Umbellif.) 2893  
*Dufourea* Bory (Tristicha Thou.) 6100  
— Gren. (Cerastium L.) 580  
— H. B. K. (Breweria R. Br.) 5088  
*Dufresnia* DC. (Valerianella Mönch) 3381  
*Dugaldia* Gaud. (Inc. sed.) p. 489.
- Dugaldia* Cass. (Helenium L.) 3934  
*Dugesia* A. Gray (Composit.) 3758  
*Dugesia* Montr. (Inc. sed.) p. 489.  
*Duglassia* Houst. (Volkameria L.)  
*Dugortia* Scop. (Parinarium Juss.) 2011  
*Duguëtia* St-Hil. (Anonac.) 76  
*Duhaldea* DC. (Inula L.) 3890  
*Duhamelia* Domb. (Manglilla Juss.)  
— Pers. (Hamelia Jacq.) 3145  
*Dulacia* Neck. (Moquilea Mart et Zucc.)  
— Vell. (Liriosma Pöpp. et Endl.) 1212  
*Dulia* Adans. (Ledum L.) 4373  
*Dulichium* Pers. (Cyper.) 7927  
*Dulongia* H. B. K. (Phyllonoma Willd.) 2143  
*Dumartroya* Gaud. (Malaisia Blanco) 6604  
*Dumasia* DC. (Legumin.) 1786  
*Dumerilia* Lag. (Jungia L. f.) 4158  
— Less. (Perezia Lag.) 4154  
*Dumreichera* Hochst. (Senra Cav.) 761  
*Dumalia* H. B. K. (Solan.) 5124  
— R. Br. (Torenia L.)  
— Spreng. (Lucya DC.) 3097  
*Dunantia* DC. (Isocarpha R. Br.) 3800  
*Dunbaria* W. et A. (Legumin) 1822  
*Duncania* Rehb. (Toddalia Juss.) 1079  
*Duparquetia* H. Bn (Oligostemon Benth.) 1924  
*Dupatya* Vell. (Pæpalanthus Mart) 7893  
*Duperreya* Gaud. (Porana Burm.) 5086  
*Dupinia* Scop. (Terustrœm.) 676  
*Dupontia* R. Br. (Gramin.) 8249  
*Dupuisia* Rich. (Sorindeia Thou.) 1533  
*Durandea* Planch. (Linac.) 900  
— Delarb. (Raphanus L.) 411  
*Durandea* Pomel (Carthamus L.) 4102  
*Duranta* L. (Verben.) 5697  
*Duretia* Gaud. (Boehmeria Jacq.) 6667  
*Duriana* Méral (Lafuentea Lag.) 5286  
— Boiss. et Reut. (Daucus L.) 2907  
*Durio* L. f. (Malvac.) 783  
*Duroia* L. f. (Rubiace.) 3162  
*Dutaillæa* H. Bn (Rutac.) 1059  
*Duttonia* F. Müll. (Helipterum DC.) 3631  
— F. Müll. (Pholidia R. Br.) 5047  
*Duralia* Haw. (Asclep.) 4878  
*Duvaua* Kth (Schinus L.) 1541  
*Ducaucellia* Bowdich (Inc. sed.)  
*Duvernaya* Desp. (Cuphea P. Br.) 2496  
*Duvernoya* E. Mey. (Adhatoda Nees) 5619  
*Dyckia* Schult. (Bromel.) 7185  
*Dycticia* Raf. (Cletria P. Br.)  
*Dyera* H. f. (Apocyn.) 4610  
*Dymczewiczia* Horan. (Zingiber Adans.) 7128



- Dypsis* Nor. (Palm.) 7665  
*Dyschoriste* Nees (Calophanes Don) 5527  
*Dysemone* Soland. (Gunnera L.)  
*Dysmicodon* Nutt. (Specularia Heist.) 4298  
*Dysoda* Lour. (Serissa Comm.) 3327  
*Dysodia* Cav. (Composit.) 3923  
*Dysodidendron* Gardn. (Saprosma Bl.) 3303  
*Dysodium* Rich. (Melampodium L.) 3751  
*Dysophylla* Bl. (Labiata) 5749  
*Dysopsis* H. Bn (Euphorb.) 6382  
*Dysosmia* Miq. (Saprosma Bl.) 3303  
*Dysosmon* Raf. (Sesamum L.)  
*Dysoxylum* Bl. (Meliac.) 1175  
*Dysphania* R. Br. (Illecebr.) 5897  
*Dyssochroma* Miers (Solan.) 5140  
*Dyssodia* Willd. v. *Dysodia* Cav.
- E**
- Eadesia* F. Müll. (Anthocercis Labill.)  
*Earina* Lindl (Orchid.) 6793  
*Earlia* F. Müll. (Graptophyllum Nees) 5635  
*Eatonella* A. Gray (Composit.) 3888  
*Eatonia* Raf. (Gramin.) 8219  
*Ebelia* Rchb. (Triodon DC.)  
*Ebelingia* Rchb. (Harrisonia R. Br.) 1132  
**Ebenaceæ** p. 257.  
*Ebenidium* Jaub. et Spach (Ebenus L.) 1737  
*Ebenoxylum* Lour. (Maba Forst.)  
*Ebenus* L. (Legumin.) 1737  
*Eberlea* Ridd. (Hygrophyla R. Br.)  
*Ebermaiera* Nees (Acanth.) 5518  
*Eburopetalum* Becc. (Anonac.) 92  
*Ecastaphyllum* Rich. (Legumin.) 1830  
*Ecbalium* A. Rich. (Cucurbit.) 2630  
*Ecbolium* Kurz (Acanth.) 5634  
 — (Riv.) Medik. (Justicia L.)  
*Ecclinusa* Mart (Sapot.) 4486  
*Eccoilopus* Steud. (Miscanthus Anders.) 7998  
*Eccremanthus* Thw. (Pometia Forst.) 1422  
*Eccremis* Willd. (Liliac.) 7450  
*Eccremocarpus* R. et P. (Bignon.) 5488  
*Ecdiocollea* F. Müll. (Restiac.) 7904  
*Ecdysanthera* H. et A. (Apocyn.) 4635  
*Echaltium* Wight (Melodinus Forst.) 4572  
*Echeandia* Ort. (Liliac.) 7434  
*Echenaïs* Cass. (Cnicus L.) 4078  
*Echeveria* DC. (Cotyledon L.) 2182  
*Echidiocarya* A. Gray (Boragin.) 5038  
*Echidnium* Schott (Dracontium L.) 7785  
*Echidnopsis* H. f. (Asclep.) 4868  
*Echinacanthus* Nees (Acanth.) 5533  
*Echinacea* Mönch (Rudbeckia L.) 3801  
*Echinalysium* Trin. (Elytrophorus P. B.) 8201  
*Echinanthus* Cerv. (Inc. sed.) p. 489.  
 — Neck (Echinops L.) 4065  
*Echinaria* Desf. (Gramin.) 8194  
*Echinocactus* Link et Otto (Cact.) 2705  
*Echinocalyx* Benth. (Sindora Miq.) 1964  
*Echinocarpus* Bl. (Tiliac.) 883  
*Echinocaulon* Spach (Polygonum L.)  
*Echinocaulos* Hassk. (Polygonum L.) 6084  
*Echinocephalum* Gardn. (Composit.) 3828  
*Echinocereus* Engelm. (Cereus L.)  
*Echinochloa* P. B. (Panicum L.) 8050  
*Echinocroton* F. Müll. (Mallotus Lour.) 6522  
*Echinocystis* T. et G. (Cucurbit.) 2674  
*Echinodendrum* A. Rich. (Scolosanthus Vahl) 3235  
*Echinodiscus* DC. (Pterocarpus L.) 1837  
*Echinodium* Poir. (Acanthospermum Schrank).  
*Echinodorus* L. C. Rich. (Alism.) 7867  
*Echinolæna* Desv. (Panicum L.) 8050  
*Echinolema* Jacq. (Acicarpa Juss.)  
*Echinolobium* Desv. (Hedysarum L.) 1734  
*Echinolytrum* Desv. (Fimbristylis Vahl) 7932  
*Echinomeria* Nutt. (Helianthus L.) 3824  
*Echinonyctanthus* Lem. (Cereus Haw.) 2708  
*Echinopanax* Dcne et Pl. (Fatsia Dcne et Pl.) 2940  
 — Dcne et Pl. (Horsfieldia Bl.) 2930  
*Echinopepon* Naud. (Echinocystis T. et G.) 2674  
*Echinophora* (Tourn.) L. (Umbellif.) 2768  
*Echinopogon* P. B. (Gramin.) 8106  
*Echinops* L. (Composit.) 4065  
*Echinopsilon* Moq. (Chenolea Thunb.) 5996  
*Echinopsis* Zucc. (Cereus Haw.) 2708  
*Echinopterys* A. Juss. (Malpigh.) 926  
*Echinopus* Tourn. (Echinops L.)  
*Echinoschoenus* Nees (Rhynchospora Vahl) 7955  
*Echinospermum* Sw. (Boragin.) 5027  
*Echinostachys* Brongn. (Bromel.) 7176  
 — E. Mey. (Pycnostachys Hook.) 5741  
*Echinus* Lour. (Mallotus Lour.) 6522  
*Echiochilon* Desf. (Boragin.) 5030

- Echioglossum* Bl. (Cleisostoma Bl.) 6950  
*Echioides* (Tourn.) Desf. (Nonnea Mönch) 5045  
— Rehb. (Lobostemon Lehm.)  
*Echiopsis* Rehb. (Lobostemon Lehm.) 5063  
*Echites* L. (Apocyn.) 4665  
*Echinum* (Tourn.) L. (Boragin.) 5065  
*Echthronema* Herb. (Sisyrinchium L.) 7248  
*Echtrosis* Phil. (Composit.) 3957  
*Echtrus* Lour. (Argemone L.) 219  
*Echyrospermum* Schott v. Achyrospermum Bl.  
*Eckardia* Rehb. (Peristeria Hook.) 6873  
*Eckartia* Rehb. v. *Eckardia* Rehb.  
*Ecklonia* Steud. (Trianoptiles Fenzl) 7969  
*Eclipta* L. (Composit.) 3788  
*Eclupes* Gartn. (Relbania L'Hér.) 3680  
*Ecephymacalyx* Pohl (Pterandra A. Juss.).  
*Eepomanthra* Pohl (Inc. sed.).  
*Ectadiopsis* Benth. (Asclep.) 4689  
*Ectadium* E. Mey. (Asclep.) 4692  
*Ectasis* Don (Erica L.) 4351  
*Ecteinanthus* T. Anders. (Isoglossa Erst.) 5617  
*Ectinocladius* Benth. (Apocyn.) 4647  
*Ectozoma* Miers (Juanulloa R. et P.) 5148  
*Ectrosia* R. Br. (Gramin.) 8220  
*Eddya* Torr. (Coldenia L.) 5001  
*Edgaria* C. B. Clarke (Cucurbit.) 2661  
*Edgacarthia* Meisn. (Thymel.) 6278  
— Falc. (Reptonia A. DC.) 4478  
*Edmondia* Cogn. (Cucurbit.) 2623  
— Cass. (Helichrysum Gärtn.) 3632  
*Edmonstonia* Seem. (Tetrathylacium Pöpp. et Endl.) 479  
*Edosmia* Nutt. (Carum L.) 2806  
*Edraianthus* A. DC. (Wahlenbergia Schrad.)  
*Edusaron* Medik. (Hedysarum L.) 4273  
*Edwardsia* Salisb. (Sophora L.) 1871  
*Edwardsia* Neck. (Bidens L.) 3856  
*Egania* Remy (Chaetanthera R. et P.) 4143  
*Egeria* Neraud (Inc. sed.).  
— Planch. (Elodea Michx) 6720  
*Eggersia* H. f. (Nytagin.) 5887  
*Egletes* Cass. (Composit.) 3512  
*Ehrarhta* Thunb. (Gramin.) 8082  
*Ehrarhtia* Wigg. (Leersia Sw.) 8175  
*Ehrenbergia* Neck. (Tribulus L.) 962  
— Spreng. (Amaioua Aubl.) 3161  
*Ehretia* L. (Boragin.) 4998  
— H. B. K. (Egiphila Jacq.) 5700  
*Ehrhardia* Scop. (Ajouea Aubl.) 6184  
*Eichhornia* Kth (Ponteder.) 7362  
*Eichleria* Prog. (Geran.) 998  
— Hartog (Muriea Hartog) 4515  
*Eichwaldia* Ledeb. (Reanmura L.) 626  
*Eilemanthus* Hochst. (Indigofera L.) 1672  
*Einomeia* Spach (Aristolochia L.) 6133  
*Einomenia* Kl. (Aristolochia L.) 6133  
*Eisenmannia* Sch. Bip. (Blainvillea Cass.) 3813  
*Eizaguirrea* Remy (Leuceria Lag.) 4189  
*Ekebergia* Sparm. (Meliac.) 1188  
*Elacantha* F. Müll. (Liliac.) 7368  
*Elachanthus* F. Müll. (Composit.) 3966  
*Elachia* DC. (Chaetanthera R. et P.) 4143  
*Elachocroton* F. Müll. (Sebastiania Spreng.) 6570  
*Elachopappus* F. Müll. (Myriophthalus Benth.) 3657  
*Elachothamnus* DC. (Minuria DC.) 3531  
*Elaeagin* Wedd. (Rubiaceae) 3066  
**Elæagnaceæ p. 356.**  
*Elaeagnus* L. (Elæagn.) 6311  
*Elaeis* Jacq. (Palm.) 7733  
*Elaeocarpus* L. (Tiliac.) 887  
*Elaeochytris* Feuzl (Peucedanum L.) 2886  
*Elaeococca* A. Juss. (Aleurites Forst.) 6458  
*Elaeodendron* Jacq. (Celastr.) 1301  
*Elaeogene* Miq. (Inc. sed.) p. 489.  
*Elaeoselinum* Koch (Umbellif.) 2914  
*Elaeosticta* Fenzl (Conopodium Koch) 2819  
*Elaphrium* Jacq. (Bursera L.) 1155  
*Elate* L. (Phoenix L.) 7690  
*Elaterium* Jacq. (Cucurbit.) 2677  
— (Eballium A. Rich.) 2630  
*Elatine* L. (Elatin.) 628  
— Cesalp (Specularia Heist.).  
— (Rupp.) Medik. (Linaria Juss.).  
**Elatineæ p. 32.**  
*Elatostema* Forst. (Urtic.) 6665  
*Elatostachys* Radlk. (Sapind.) 1457  
*Electra* Nor. (Sapindus L.) 1384  
— DC. (Coreopsis L.) 3849  
— Panzer (Schismus DC.) 8245  
*Electrosperma* F. Müll. (Eriocaulon L.) 7891  
*Elegia* L. (Restiac.) 7910  
*Eliotis* DC. (Legumin.) 1770  
*Elemi* Adans. (Amyris L.).  
*Eleocharis* R. Br. v. *Heleocharis* R. Br. 7929  
*Eleogenus* Nees (Heleocharis R. Br.) 7929  
*Eleogiton* Link (Scirpus L.) 7934  
*Elephantodon* Salisb. (Dioscorea L.) 7345

- Elephantopus* L. (Composit.) 3428  
*Elephantorhiza* Benth. (Legumin.) 1986  
*Elephantosis* Less. (*Elephantopus* L.) 3428  
*Elephantusia* Willd. (*Phytelephas* R. et P.)  
*Elephas* (Tourn.) Guss. (*Rhynchocorys* Griseb.) 5336  
*Elettaria* Maton (Zingiberac.) 7127  
— Bl. (*Amomum* L.) 7125  
*Eleusine* Gärtn. (Gramin.) 8178  
*Eleutheranthera* Poit (Composit.) 3815  
*Eleutherine* Herb. (Irid.)  
*Eleutherocarpum* Schlcht. (*Osteomeles* Lindl.) 7238  
— 2084  
*Eleutherococcus* Maxim. (Araliac.) 2951  
*Eleutheropetalum* Wendl. (*Chamaedorea* Willd.)  
*Eleutherospermum* K. Koch (Umbellif.) 2771  
*Eleutherostemon* Kl. (*Philippia* Kl.) 4353  
*Eleuthranthes* F. Müll. (Rubiace.) 3341  
*Eliea* Camb. (Hyperic.) 632  
*Elichrysum* (Tourn.) Mönch v. *Helichrysum* DC.  
*Elide* Medik. (*Myrsiphyllum* Willd.)  
*Elidurandia* Buckl. (*Fugosia* Juss.) 764  
*Elionurus* H. et B. (Gramin.) 8018  
*Elisanthe* Fenzl (*Silene* L.) 575  
*Elisarrhena* Miers (*Abuta* Aubl.) 141  
*Elisena* Herb. (Amaryll.) 7325  
*Elisma* Buchen. (Alism.) 7863  
*Elizabetha* Schomb. (Legumin.) 1941  
*Elizaldia* Willk. (*Nonnea* Mönch) 5045  
*Elkaja* Röm. (*Trichilia* L.) 1190  
*Elkania* Schlcht. (*Pouzolzia* Gaud.) 6669  
*Elleanthus* Presl (Orchid.) 6805  
*Ellertonia* Wight (Apocyn.) 4608  
*Ellimia* Nutt. (*Oligomeris* Camb.) 459  
*Elliottia* Mühlb. (Ericac.) 4372  
*Ellipanthus* H. f. (Connar.) 1577  
*Ellipsia* H. f. et T. (Anonac.) 73  
*Ellisia* L. (Hydrophyll.) 4977  
— P. Br. (*Duranta* L.)  
*Ellisiophyllum* Maxim. (Hydrophyll.) 4983  
*Ellobium* Lilja (*Fuchsia* L.) 2530  
*Ellobum* Bl. (*Vandellia* L.) 5264  
*Elmigeria* Rchb. (*Pentstemon* Mchx) 5215  
*Elodea* Mchx (Hydrocharid.) 6720  
— Spach (*Hypericum* L.) 631  
*Elodes* Spach (*Hypericum* L.) 631  
*Elopium* Schott (*Philodendron* Schott) 7806  
*Elphegea* Cass. (*Psiadia* Jacq.) 3568  
— Less. (*Detris* Adans.) 3545  
*Elsholtzia* Willd. (Labiata.) 5352  
— Neck. (*Couroupita* Aubl.)  
*Elsneria* Walp. (*Bowlesia* R. et P.) 2751  
*Elutheria* Röm. (Meliac.) 1196  
— P. Br. (*Trichilia* L.) 1190  
*Elvasia* DC. (Ochnac.) 1142  
*Elvira* Cass. (Composit.) 3733  
*Elwendia* Bolss. (*Carum* L.) 2806  
*Elymus* L. (Gramin.) 8278  
— Mitch. (*Zizania* L.)  
*Elyna* Schrad. (*Kobresia* Willd.) 7984  
*Elynanthus* Nees (Cyper.) 7963  
— P. B. (*Elynanthus* Nees) 7963  
*Elythranthe* Miq. (*Loranthus* L.) 6315  
*Elytraria* Vahl (Acanth.) 5516  
*Elytrigia* Desv. (*Agropyrum* J. Gärtn.) 8272  
*Elytropappus* Cass. (Composit.) 3671  
*Elytrophorus* P. B. (Gramin.) 8201  
*Elytropus* Müll. Arg. (Apocyn.) 4673  
*Elytrospermum* C. A. Mey. (*Scirpus* L.) 7934  
*Elythrostamna* Boj. (*Ipomæa* L.) 5077  
*Embamma* Griff. (*Pterisanthes* Bl.) 1360  
*Embelia* Burm. (Juss.) (Myrsin.) 4466  
*Emblica* Gärtn. (*Phyllanthus* L.) 6404  
*Emblingia* F. Müll. (Capparid.) 435  
*Embothrium* Forst. (Proteac.) 6264  
*Embrygonia* Bl. (*Combretum* L.) 2260  
*Embryopteris* Gärtn. (*Diospyros* L.) 4524  
*Emericia* R. et S. (*Vallaris* Burm.) 4625  
*Emerus* (Tourn.) Scop. (*Coronilla* L.)  
*Emex* Neck. (Polygon.) 6089  
*Emilia* Cass. (Composit.) 4023  
*Eminium* Schott (*Helicophyllum* Schott) 7849  
*Emmenanthe* Benth. (Hydrophyll.) 4985  
*Emmenanthus* H. et A. (*Ixonanthes* Jack.) 904  
*Emmenospermum* F. Müll. (Rhamn.) 1341  
*Emmeorhiza* Pohl (Rubiace.) 3356  
*Emmotum* Desv. (Olacin.) 1241  
*Emorya* Torr. (Logan.) 4899  
*Empedoclea* St-Hil. (Dilleniace.) 31  
— Raf. (*Sideritis* L.) 5820  
**Empetraceæ** p. 381.  
*Empetrum* (Tourn.) L. (Empetr.) 6715  
*Emphysopus* H. f. (*Lagenophora* Cass.)  
*Emplectocladus* Torr. (*Prunus* L.) 2019  
*Empleuridium* Sond. (Rutac.) 1036  
*Empleurosma* Bartl. (*Dodonæa* L.) 1471  
*Empleurum* Soland. (Rutac.) 1035  
*Empodium* Salisb. (*Curculigo* Gärtn.) 7279  
*Empogona* H. f. (Rubiace.) 3199  
*Empusa* Lindl. (*Liparis* L. C. Rich.) 6756  
*Empusaria* Rchb. (*Liparis* L. C. Rich.) 6756

- Enaleida* Cass. (Tagetes L.) 3929  
*Enantia* Oliv. (Anonac.) 105  
— Falc. (Sabia Colebr.) 1503  
*Enantiospartum* K. Koch (Cytisus L.) +1645  
*Enantiotrichum* E. Mey. (Euryops Cass.) 4034  
*Enargea* Banks (Luzuriaga R. et P.) 7367  
*Enarthrocarpus* Labill. (Crucif.) 404  
*Encelia* Adans. (Composit.) 8229  
*Encentrum* Presl (Celastrus L.) 1288  
*Encephalartos* Lehm. (Cycad.) 8345  
*Enchidium* Jack. (Trigonostemon Bl.) 6468  
*Encholirion* Mart. (Bromel.) 7184  
*Enchylona* R. Br. (Chenopod.) 5999  
*Enchysia* Presl (Laurentia Neck.) 4253  
*Enckea* Kth (Piper L.) 6141  
*Enckleia* Griff. (Lasiosiphon Presen.)  
*Encliandra* Zucc. (Fuchsia L.) 2530  
*Encopa* Griseb. (Scrophul.) 5272  
*Encopea* Presl (Faramea Aubl.) 3280  
*Encyelia* Pöpp. et Endl. (Polystachya Hook.) 6845  
— Hook. (Epidendrum L.) 6823  
*Endallax* Raf. (Phalaris L.)  
*Endera* Rgl (Taccarum Brongn.) 7832  
*Endespermum* Bl. (Dalbergia L.) 1828  
*Endiandra* R. Br. (Laurin.) 6187  
*Endlichera* Presl (Emmeorhiza Pohl) 3356  
*Endlicheria* Nees (Ayndendron Nees) 6182  
*Endocles* Salisb. (Amianthium A. Gray) 7559  
*Endodeca* Raf. (Aristolochia L.) 6133  
*Endodermia* Benth. (Hyperic.) 634  
*Endogonia* Turcz. (Trigonotis Stev.) 5050  
*Endolasia* Turcz. (Manettia Mut.) 3025  
*Endolepis* T. et G. (Atriplex L.) 5979  
*Endoleuca* Cass. (Metalasia R. Br.) 3675  
*Endonema* A. Juss. (Penæac.) 6309  
*Endopogon* Nees (Strobilanthes Bl.) 5534  
*Endoptera* DC. (Crepis L.) 4190  
*Endosiphon* T. Anders. (Acanth.) 3550  
*Endospermum* Benth. (Euphorb.) 6531  
*Endosteira* Turcz. (Inc. sed.) p. 489.  
*Endostephium* Turcz. (Ticorea Aubl.) +1016  
*Endotropis* Endl. (Cynanchum L.) 4779  
*Endrachium* Juss. (Humbertia Lam.) 5072  
*Endressia* J. Gay (Ligusticum L.) 2871  
*Endusa* Miers (Olacin.) -1207b  
*Endusia* Alef. (Vicia L.) 1776  
*Endymion* Dmrt. (Scilla L.) 7505  
*Enemion* Raf. (Isopyrum L.) 21  
*Engelhardtia* Lesch. (Jugland.) 6698  
*Engelia* Karst. (Mendoncia Vand.) 5512  
*Engelmannia* T. et G. (Composit.) 3759  
— Kl. (Croton L.) 6460  
— Pfeiff. (Cuscuta L.) 5104  
*Engleria* O. Hoffm. (Composit.) 4039  
*Enhalus* L. C. Rich. (Hydrocharid.) 6730  
*Enhydra* Lour. (Composit.) 3786  
*Enicosanthemum* Becc. (Anonac.) 72  
*Enicostema* Bl. (Gentian.) 4930  
*Enkianthus* Lour. (Ericac.) 4347  
*Enkleia* Griff. (Linostoma Wall.) 6294  
*Enkylia* Griff. (Gynostemma Bl.) 2684  
*Enkylista* Benth. (Calycophyllum DC.) 3028  
*Enneapogon* Desv. (Pappophorum Schreb.) 8184  
*Enodium* Gaudin (Molinia Schrank.) 8211  
*Enourea* Aubl. (Paullinia L.) 1370  
— Auct. (Rourea Aubl.) +1563  
*Enrila* Blanco (Ventilago Gärtn.) +1318  
*Ensete* Bruce (Musa L.) 7151  
*Enslenia* Nutt. (Asclep.) 4959  
*Entada* Adans. (Legumin.) 1780  
*Entaticus* Gray (Gymnadenia R. Br.)  
*Entelea* R. Br. (Tiliac) 850  
*Enterolobium* Mart. (Legumin) 2002  
*Enteropogon* Nees (Gramin.) 8162  
*Enterospermum* Hiern (Rubiace.) 3178  
*Entoganum* Banks (Melicope Forst.) 1055  
*Entosiphon* Bedd. (Parinarium Juss.) 2011  
*Entrecasteauxia* Montr. (Coronanthera Vieill.) 5425  
*Enula* Neck. (Inula L.) 3690  
*Enydra* Lour. v. *Enhydra* Lour.  
*Enydria* Arrab. (Myriophyllum L.)  
*Enymonospermum* Spreng. (Pleurospermum Hoffm.)  
*Eomecon* Hance (Papaverac.) 223  
*Eopepon* Naud. (Trichosanthes L.) 2611  
*Eophyton* A. Gray (Cotylanthera Bl.) 4918  
**Epacrideæ** p. 246.  
*Epacris* Cav. (Epacrid.) 4407  
*Epactium* « Willd. » ex Schultz. (Inc. sed.)  
*Epallage* DC. (Composit.) 3812  
*Epaltis* Cass. (Composit.) 3592  
*Eperua* Aubl. (Legumin.) 1948  
*Ephedra* (Tourn.) L. (Gnetac.) 8304  
*Ephemerum* (Tourn.) Mönch (Tradescantia L.) 7588  
— Rehb. (Lysimachia L.) 4448  
*Ephialis* Schreb. (Matayba Aubl.) 1433  
*Ephielis* Soland. (Vitex L.) 5708  
*Ephippiandra* Dene (Monimiace.) 6158  
*Ephippianthus* Rehb. f. (Liparis L. C. Rich.) 6756  
*Ephippiorhynchium* Nees (Rhynchospora Vahl) 7955

- Ehippium* Bl. (*Cirrhopetalum* Lindl.) 6769  
*Epiandra* Presl (*Gahnia* Forst.) 7967  
*Epibaterium* Forst. (*Cocculus* DC.) 148  
*Epiblema* R. Br. (Orchid.) 7021  
*Epicampes* Presl (Gramin.) 8112  
*Epicarpurus* Bl. (*Streblus* Lour.) 6602  
— Dene (*Phyllochlamys* Bur.) 6601  
*Epicharis* Bl. (*Disoxylum* Bl.)  
*Epichysianthus* Voigt (*Chonemorpha* G. Don) 4654  
*Epicranthes* Bl. (*Bulbophyllum* Thou.) 6767  
*Epidendrum* L. (Orchid.) 6823  
— Salisb. (*Epidendrum* L.) 6823  
*Epifagus* Nutt. v. *Epiphegus* Nutt.  
*Epigaea* L. (*Ericac.*) 4339  
*Epigenia* Vell. (*Styrax* L.) 4529  
*Epigynanthus* Bl. (*Hydrilla* L.) 6719  
*Epigynium* Kl. (*Vaccinium* L.) 4321  
*Epigynum* Wight (*Apocyn.*) 4645  
*Epilasia* Bge (*Composit.*) 4220  
*Epilatoria* "Comm. " ex Wittst. (Inc. sed.)  
*Epilepis* Benth. (*Coreopsis* L.) 3819  
*Epilinella* Pfeiff. (*Cuscuta* L.) 5104  
*Epilithes* Bl. (*Serpicula* L.) 2226  
*Epilobium* L. (*Onagrar.*) 2520  
*Epimedium* (Tourn.) L. (*Berberid.*) 196  
*Epimeredi* Adans. (*Stachys* L.)  
*Epipactis* R. Br. (Orchid.) 7054  
*Epipetrum* Phil. (*Borderea* Mieg.) 7344  
*Epiphanes* Bl. (*Gastrodia* R. Br.) 7047  
— Rehb. f. (*Didymoplexis* Griff.) 7046  
*Epiphegus* Nutt. (*Orobanch.*) 5354  
*Epiphora* Lindl. (*Polystachya* Hook.) 6845  
*Epiphyllum* Pfeiff. (*Cactææ*) 2711  
— Haw. (*Phyllocactus* Link) 2710  
*Epiphystis* Trin. (Inc. sed.) p. 489.  
*Epipogium* Lindl. v. *Epipogum* Gmel. 7049  
*Epipogum* Gmel. (Orchid.) 7049  
*Epipremum* Schott (*Aroid.*) 7770  
*Epiprinus* Griff. (*Euphorb.*) 6343  
*Epirhizanthus* Bl. (*Salomonina* Lour.) 541  
*Episcia* Mart. (*Gesner.*) 5384  
*Epistemum* Walp. (*Amphithalea* E. et Z.) 1607  
*Epistephium* Kth (Orchid.) 6977  
*Epistylum* Sw. (*Phyllanthus* L.) 6404  
*Epithecium* Kn. et Westc. (*Epidendrum* L.) 6823  
*Eptthema* Bl. (*Gesner.*) 5428  
*Epithinia* Jack (*Scyphiphora* Gartn.) 3211  
*Epitrachys* K. Koch (*Cnicus* L.) 4078  
*Epitriche* Turcz. (*Angianthus* Wendl.) 3659  
*Eraclissa* Forsk. (*Andrachne* L.) 6399  
*Eragrostis* P. B. (Gramin.) 8212  
*Eranthemum* T. Anders. (*Pseud-eranthemum* Radlk.) 5579  
*Eranthemum* L. (*Acanth.*) 5539  
*Eranthis* Salisb. (*Ranuncul.*) 19  
*Erasmia* Miq. (*Peperomia* R. et P.) 6145  
*Erato* DC. (*Liabum* Adans.) 3990  
*Eratobotrys* Fenzl (*Scilla* L.) 7505  
*Erblichia* Seem. (*Piriqueta* Aubl.) 2578  
*Ercilla* A. Juss. (*Phytolac.*) 6059  
*Erebennus* Alef. (*Hibiscus* L.)  
*Erebinthus* Mitch. (*Clitoria* L.)  
*Erechthites* Raf. (*Composit.*) 4016  
*Eremæa* Lindl. (*Myrtac.*) 2296  
*Eremanthe* Spach (*Hypericum* L.) 631  
*Eremanthus* Less. (*Composit.*) 3423  
*Eremia* D. Don (*Ericac.*) 4356  
— Kl. (*Eremia* Don) 4356  
*Eremiastrum* A. Gray (*Composit.*) 3541  
*Eremites* Döll (*Pariana* Aubl.) 8280  
*Eremobium* Boiss. (*Malcolmia* R. Br.) 286  
*Eremocallis* Salisb. (*Erica* L.)  
*Eremocarpus* Benth. (*Euphorb.*) 6463  
*Eremocharis* Phil. (*Asteriscium* Ch. et Schl) 1755  
*Eremochloa* Büse (Gramin.) 8013  
*Eremochloe* Wats. (*Blepharidachne* Hack., 8206  
*Eremocosmus* F. Müll. (*Eremophila* R. Br.)  
*Eremodaucus* Bge (*Umbellif.*) 2781  
*Eremodendron* A. DC. (*Eremophila* R. Br.) 5648  
*Eremogone* Fenzl (*Arenaria* L.) 583  
*Eremolæna* H. Bn (*Chlænac.*) 673  
*Eremolepis* Griseb. (*Loranth.*) 6322  
*Eremopanax* H. Bn (*Araliac.*) 2945  
*Eremophila* R. Br. (*Myoporin.*) 5648  
*Eremopyxis* H. Bn (*Thryptomene* Endl.) 2276  
*Eremopyrum* Jaub. et Spach (*Agropyrum* J. Gärtn.) 8272  
*Eremosparton* F. et M. (*Legumin.*) 1711  
*Eremospatha* Wendl. et Mann (*Palm.*) 7718  
*Eremosporus* Spach (*Hypericum* L.) 631  
*Eremostachys* Bge. (*Labiata.*) 5844  
*Eremosyne* Endl. (*Saxifrag.*) 2087  
*Eremothamnus* O. Hoffm. (*Composit.*) 4038  
*Eremurus* M. B. (*Liliac.*) 7429  
*Eresda* Spach (*Reseda* L.) 453  
*Eresia* Plum. (*Clavija* R. et P.)  
*Eria* Lindl. (Orchid.) 6781  
*Eriachænium* Sch. Bip. (*Composit.*) 4047  
*Eriachne* R. Br. (Gramin.) 8135  
— Nees (*Achneria* Munro) 8143  
— Phil. (*Panicum* L.) 8050  
*Eriadenia* Miers (*Apocyn.*) 4679  
*Eriandrostachys* H. Bn (*Sapind.*) 1409

- Erianthera** Benth. (*Lamium* L.) 5833  
 — Nees (*Andrographis* Wall.) 5584  
*Erianthus* Mehx (Gramin.) 8000  
*Eriaxis* Rehb. f. (*Galeola* Lour.) 6973  
*Erica* L. (*Ericac.*) 4351  
 — D. Don (*Erica* L.) 4351  
**Ericaceæ** p. 242.  
*Ericala* D. Don (*Gentiana* L.) 4955  
*Ericameria* Nutt. (*Composit.*) 3492  
*Ericiella* Kl. (*Ericac.*) 4354  
*Ericoila* Borkh. (*Gentiana* L.) 4955  
*Ericoma* H. B. K. (*Montanoa* Llav. et Lex.) 3799  
*Ericomyrtus* Turcz. (*Baekea* L.) 2280  
*Erigenia* Nutt. (*Umbellif.*) 2790  
*Erigera* L. (*Composit.*) 3561  
*Erigone* Salisb. (*Crinum* L.) 7301  
*Erimatalia* R. et S. (*Lycibe* Roxb.) 5069  
*Erinacca* Boiss. (*Legumin.*) 1643  
*Erinia* Noulet (*Campanula* L.) 4296  
*Erioma* Phil. (*Liliac.*) 7180  
*Eriocarpus* Nimmo (*Liliac.*) 856  
*Erinosma* Herb. (*Leucoium* L.) 7284  
*Erius* L. (*Scrophul.*) 5284  
*Eriobotrya* Lindl. (*Photinia* Lindl.) 2078  
*Eriocachrys* DC. (*Magydaris* Koch.)  
*Eriocaulum* H. f. (*Sapind.*) 1141  
*Eriocalia* Sm. (*Actinotus* Labill.) 2765  
*Eriocarpæa* Bertol. (*Onobrychis* Gartn.) 1763  
*Eriocarpha* Cass. (*Montanoa* Llav. et Lex.) 3799  
*Eriocarpum* Nutt. (*Haplopappus* Cass.) 3488  
**Eriocauleæ** p. 454.  
*Eriocaulon* L. (*Eriocaul.*) 7891  
*Eriocephalus* L. (*Composit.*) 3941  
*Eriochaeta* Fig. et De Not. (*Pennisetum* Pers.) 8057  
*Eriochilus* R. Br. (*Orchid.*) 7032  
*Eriochiton* F. Müll. (*Chenolea* Thunb.) 5996  
*Eriochlamys* Sond. et F. Müll. (*Composit.*) 3651  
*Eriochloa* Kth (*Gramin.*) 8048  
*Eriochrysis* P. B. (*Saccharum* L.) 7999  
*Eriocladium* Lindl. (*Angianthus* Wendl.) 3659  
*Eriocline* Cass. (*Osteospermum* L.) 4046  
*Eriocnema* Naud. (*Melastom.*) 2354  
*Eriococcus* Hassk. (*Phyllanthus* L.) 6404  
*Eriocoma* Nutt. (*Oryzopsis* Mehx) 8095  
*Eriocyela* Lindl. (*Pituranthos* Viv.) 2801  
*Eriocylax* Neck. (*Aspalathus* L.)  
*Eriodendron* DC. (*Malvac.*) 772  
*Eriodesmia* Don (*Erica* L.) 4351  
*Eriodictyon* Benth. (*Hydrophyll.*) 4989  
*Erioglossum* Bl. (*Sapind.*) 1387  
*Eriogonum* Rich. (*Polygon.*) 6070  
*Eriogynia* Hook. (*Rosac.*) 2024  
*Eriolæna* DC. (*Stercul.*) 805  
*Eriolepis* Cass. (*Cnicus* L.) 4078  
*Erione* Schott et Endl. (*Eriodendron* DC.) 772  
*Eriopappus* Arn. (*Layia* H. et A.) 3876  
*Eriops* H. et B. (*Labiât.*) 5745  
*Eriopetalum* Wight (*Asclep.*) 4860  
*Eriophorum* L. (*Cyper.*) 7935  
*Eriophorus* Vaill. (*Aspalathus* L.)  
*Eriophyllum* Lag. (*Bahia* Lag.) 3901  
*Eriospermum* Jacq. (*Liliac.*) 7428  
*Eriospora* Hochst. (*Cyper.*) 7980  
*Eriosynaphe* DC. (*Ferula* L.) 2684  
*Eriopsis* Lindl. (*Orchid.*) 6856  
*Eriophyton* Benth. (*Labiât.*) 5845  
*Eriorhaphe* Miq. (*Pentapetes* L.) 813  
*Eriosema* DC. (*Legumin.*) 1826  
*Eriosolenia* Bl. (*Daphne* L.) 6271  
*Eriosphaera* Less. (*Composit.*) 3665  
*Eriostemon* Sm. (*Rutac.*) 1042  
 — Less. (*Saussurea* DC.) 4096  
*Eriostomum* Hoffmg et Link (*Stachys* L.) 5829  
*Eriosyce* Phil. (*Cactææ*) 2706  
*Eriotheca* Schott (*Bombax* L.) 771  
*Eriothrix* Cass. (*Composit.*) 4013  
*Eriothymus* J. A. Schmidt (*Keithia* Benth.) 5775  
*Eriphia* P. Br. (*Besleria* L.) 5438  
*Eriphilema* Herb. (*Sisyrinchium* L.) 7248  
*Erisma* Rudge (*Vochysiac.*) 560  
*Erismanthus* Wall. (*Euphorb.*) 6542  
*Erithalis* (P. Br.) L. (*Rubiæ.*) 3227  
 — Forst. (*Timonius* Rumph.) 3220  
*Eritheis* S. F. Gray (*Inula* L.) 3690  
*Eritrichium* Schrad. (*Boragin.*) 5027  
*Eriudaphus* Nees (*Scolopia* Schreb.) 511  
*Eriungua* Sch. Bip. (*Composit.*) 3395  
*Eriannia* Cham. (*Parrya* R. Br.) 241  
*Eriodia* Giseke (*Curcuma* L.) 7122  
*Eriestia* DC. (*Melastom.*) 2372  
*Eriodea* Sw. (*Rubiæ.*) 3343  
*Ernstingia* Scop. (*Matayba* Aubl.) 1433  
*Erobathos* Spach (*Nigella* L.) 22  
*Erochloe* Raf. (*Eragrostis* P. B.)  
*Erodendron* Salisb. (*Protea* L.) 6219  
*Erodiphyllum* F. Müll. (*Composit.*) 3523  
*Erodium* L'Hér. (*Geran.*) 984  
*Erophaca* Boiss. (*Astragalus* L.) 1720  
*Erophila* DC. (*Crucif.*) 278  
*Eroteum* Sw. (*Freziera* Sw.) 680  
*Erpetina* Naud. (*Medinilla* Gaud.) 2480  
*Erpetion* DC. (*Viola* L.) 469  
*Erazarisia* Phil. (*Legumin.*) 1678  
*Ertela* Adans. (*Monnieria* L.)  
*Erica* (Tourn.) DC. (*Crucif.*) 319  
*Erucago* (Tourn.) Desv. (*Bunias* R. Br.) 393  
*Erucaria* Gartn. (*Crucif.*) 406  
 — Cerv. (*Inc. sed.* p. 489.)  
*Erucastrum* Presl (*Brassica* L.) 317



- Ervilia* (Link) Gr. et Godr. (*Vicia* L.) 1776  
*Ervum* (Tourn.) L. (*Vicia* L.) 1776  
*Erylebia* Medik. (*Commelina* L.) 7574  
*Erycibe* Roxb. (*Convolvul.*) 5069  
*Erycina* Lindl. (*Orchid.*) 6914  
*Eryngium* (Tourn.) L. (*Umbellif.*) 2758  
*Erysimum* L. (*Crucif.*) 295  
*Erythea* S. Wats. (*Palm.*) 7703  
*Erythracanthus* Nees (Ebermaiera Nees) 5518  
*Erythraea* DC. (*Gentian.*) 4937  
*Erythranthe* Spach (*Mimulus* L.) 5239  
*Erythranthus* (Erst. (*Alloplectus* Mart.) 5386  
*Erythremia* Nutt. (*Lygodesmia* Don) 4214  
*Erythrina* L. (*Legumin.*) 1793  
*Erythrobulbus* Pluk. (*Wachendorfia* Vahl).  
*Erytrocarpus* Bl. (*Gelonium* Roxb.) 6540  
— Röm. (*Modecca* L.).  
*Erythrocephalum* Benth. (*Composit.*) 4116  
*Erythrochaete* S. et Z. (*Senecio* L.) 4025  
*Erythrochilus* Reinw. (*Claoxylon* A. Juss.) 6496  
*Erythrochiton* Nees et Mart. (*Rutac.*) \*1008  
— Griff. (*Dupinia* Scop.) 676  
*Erythrocoeca* Benth. (*Euphorb.*) 6494  
*Erythrodanum* Thou. (*Nertera* Banks et Soland.) 3329  
*Erythrodes* Bl. (*Physurus* Rich.) 6995  
*Erythrogyne* Vis. (*Ficus* L.) 6621  
*Erythrolæna* Don (*Cnicus* L.) 4078  
*Erythronium* L. (*Liliac.*) 7512  
*Erythropalla* Hassk. v. *Erythropalum* Bl. 1214  
*Erythropalum* Bl. (*Olacin.*) 1214  
*Erythrophlaeum* Afzel (*Legumin.*) 1976  
*Erythrophila* Arn. v. *Erythrophysa* E. Mey.  
*Erythrophysa* E. Mey. (*Sapind.*) 1465  
*Erythropogon* DC. (*Metalasia* R. Br.) 3675  
*Erythropsis* Lindl. (*Sterculia* L.) 791  
*Erythrorchis* Bl. (*Galeola* Lour.) 6973  
*Erythrorhiza* Mchx (*Galax* L.) 4421  
*Erythrospermum* Lam. (*Bixin.*) 512  
*Erythrostaphyle* Hance (*Iodes* Bl.) + 1262  
*Erythrostemon* Kl. (*Cæsalpinia* L.) 1910  
*Erythrostictus* Schlecht. (*Androcymbium* Willd.) 7521  
*Erythrostigma* Hassk. (*Connarus* L.) 1571  
*Erythrotis* H. f. (*Cyanotis* Don) 7581  
*Erythroxydon* L. (*Linac.*) 897  
*Escallonia* L. (*Saxifrag.*) 2117  
*Eschenbachia* Monch (*Conyza* Less.) 3566  
*Escheria* Rgl (*Gloxinia* L'Hér.) 5865  
*Eschscholtzia* Cham. (*Papaverac.*) 231  
*Eschweilera* Zipp. (*Araliac.*) 2949  
— Mart. (*Lecythis* L.) 2333  
*Escobedia* R. et P. (*Scrophul.*) 5295  
*Esdra* Salish. (*Trillium* L.) 7553  
*Esenbeckia* H. B. K. (*Rutac.*) 1076  
— Bl. (*Neesia* Bl.) 786  
— B. et H. (*Metrodorea* St-Hil) 1077  
*Esera* Neck. (*Drosera* L.).  
*Esmarckia* Rehb. (*Cerastium* L.) 580  
*Esmeralda* Rehb. f. (*Arachnanthe* Bl.) 6936  
*Esmeraldia* Fourn. (*Asclep.*) 4753  
*Esopon* Raf. (*Prenanthes* L.) 4208  
*Espadæa* A. Rich. (*Verben.*) 5691  
*Espejoa* DC. (*Jaumea* Pers.) 3880  
*Espeletia* H. et B. (*Composit.*) 3745  
— Nutt. (*Balsamorhiza* Hook.) 3803  
*Espeletopsis* Sch. Bip. (*Helenium* L.) 3934  
*Espera* Willd. (*Berrya* Roxb.) 846  
*Espinosa* Lag. (*Eriogonum* Rich.).  
*Esterhasia* Mik. (*Scrophul.*) 5316  
*Esula* Haw. (*Euphorbia* L.) 6370  
*Etaballia* Benth. (*Inocarpus* Forst.) 1856  
*Etæria* Bl. v. *Hetæria* Bl. 7010  
*Etericius* Desv. (*Inc. sed., Rubiac. ?*).  
*Ethanium* Salisb. (*Renealmia* L. f.) 7136  
*Etheiranthus* Kost. (*Muscari* Tourn.).  
*Ethulia* L. (*Composit.*) 3393  
— Gärtn. (*Epaltes* Cass.).  
*Ethuliopsis* F. Müll. (*Epaltes* Cav.) 3592  
*Etlingera* Giseke (*Amomum* L.) 7125  
*Euadenia* Oliv. (*Capparid.*) 458  
*Eubotrys* Nutt. (*Leucothoe* Don) 4337  
*Eubrachion* H. f. (*Loranth.*) 6323  
*Eucalia* Räusch (*Encelia* Adans.?).  
*Eucaliptus* L'Hér. (*Myrtac.*) 2298  
*Eucapnos* S. et Z. (*Dicentra* Borkh.) 234  
*Eucarya* Mitch. (*Fusanus* L.) 6338  
*Eucephalus* Nutt. (*Aster* L.) 3544  
*Euceraea* Mart. (*Samyd.*) 2545  
*Euchætis* Bartl. (*Rutac.*) 1027  
*Eucharidium* F. et M. (*Onagrar.*) 2529  
*Eucharis* Planch. (*Amaryll.*) 7317  
*Euchilopsis* F. Müll. (*Legumin.*) 1611  
*Euchilus* R. Br. (*Pultenæa* Sm.) 1601  
*Euchiton* Cass. (*Gnaphalium* L.).  
*Euchlæna* Schrad. (*Gramin.*) 7989  
*Euchlora* E. et Z. (*Legumin.*) 1619  
*Euchloris* Don (*Helichrysum* Gärtn.) 3632  
*Euchresta* Benn. (*Legumin.*) 1850  
*Euchroma* Nutt. (*Castilleja* L.) 5321  
*Euclea* L. (*Ebenac.*) 4522  
*Euclidium* R. Br. (*Crucif.*) 391

- Eucnemis* Lindl. (*Govenia* Lindl.) 6849  
*Eucnide* Zucc. (*Mentzelia* L.) 2571  
*Eucobum* Salisb. (*Gloxinia* L'Hér. ?).  
*Eucodonia* Hanst. (*Achimenes* P. Br.) 5366  
*Eucomis* L'Hér. (Liliac.) 7504  
*Eucosia* Bl. (Orchid.) 7014  
*Eucrinum* " Nutt. " ex Lindl. (*Crinum* L.).  
*Eucrosia* Ker (Amaryll.) 7314  
*Eucryphia* Cav. (Rosac.) 2039  
*Eucrypta* Nutt. (*Ellisia* L.) 4977  
*Eucycla* Nutt. (*Eriogonum* Rich.) 6070  
*Eudema* H. et B. (*Braya* Sterab. et Hoppe) 310  
*Eudesmia* R. Br. (*Eucalyptus* L'Hér.) 2298  
*Eudianthe* Rehb. (*Lychnis* L.) 577  
*Eudolon* Salisb. (*Strumaria* Jacq.) 7307  
*Eudonax* Fries (*Arundo* L.).  
*Eudopappus* Sch. Bip. (*Chrysanthemum* L.) 3964  
*Eudorus* Cass. (*Senecio* L.) 4025  
*Eudoxia* G. Don (*Gentiana* L.) 4955  
*Eufragia* Griseb. (*Bartsia* L.) 5334  
*Eugeissonia* Griff. (Palm.) \*7714  
*Eugenia* (Mich.) L. (*Myrtac.*) 2327  
— Griseb. (*Eugenia* L.) 2327  
*Eugeniastrum* Griseb. (*Eugenia* L.) 2327  
*Eugenioides* L. (*Symplocos* L.) 4527  
*Eugeniopsis* Berg (*Marlieria* Camb.) 2323  
*Euklastaxon* Steud. (*Andropogon* L.) 8020  
*Eulalia* Kth (*Pollinia* Trin.) 8001  
— Trin. (*Miscanthus* Anders.) 7998  
*Euleucum* Raf. (*Corema* Don) 6716  
*Eulobus* Nutt. (*Onagrar.*) 2527  
*Eulophia* R. Br. (Orchid.) 6832  
*Eulophus* Nutt. (Umbellif.) 2786  
— R.Br.v.*Eulophia* R.Br. 2886  
— Nutt. (*Peucedanum* L.) 2709  
*Eulychnia* Phil. (Cactææ) 3257  
*Eumachia* DC. (*Ixora* L.) 6370  
*Eumecanthus* Kl. (*Euphorbia* L.) 985  
*Eumorpha* E. et Z. (*Pelargonium* L'Hér.) 3947  
*Eumorphia* DC. (Composit.) 5239  
*Eunanus* Benth. (*Mimulus* L.) 343  
*Eunomia* DC. (Crucif.)  
*Euonymoides* L. (Inc. sed.).  
*Euosma* Andr. (*Logania* R. Br.) 4892  
*Euosmia* H. et B. (Rubiace.) 3128  
*Euosmus* Nutt. (*Lindera* Thunb.) 6212  
*Euothonæa* Rehb. f. (*Hexisia* Lindl.) 6812  
*Euparea* Banks et Soland. (*Anagallis* L.) 4454  
*Eupatoriophalacron* Vaill. (*Eclipta* DC.).  
*Eupatorium* (Tourn.) L. (Composit.) 3460  
*Eupetalum* Lindl. (*Begonia* L.) 2695  
*Euphorbia* L. (*Euphorb.*) 6370  
**Euphorbiaceæ p. 367.**  
*Euphorbiastrum* Kl. et Garcke (*Euphorbia* L.) 6370  
*Euphoria* Comm. (Sapind.) 1416  
*Euphorianthus* Radlk. (Sapind.) 1449  
*Euphoriopsis* Radlk. (*Euphorianthus* Radlk.) 1449  
*Euphrasia* (Tourn.) L. (Scrophul.) 5332  
*Euphronia* Mart. (Rosac.) 2040  
*Euphorona* Arrab. (Inc. sed.).  
*Euphrosyne* DC. (Composit.) 3767  
*Euplassa* Salisb. (Proteac.) 6244  
*Euploca* Nutt. (*Heliotropium* L.) 5006  
*Eupomatia* R. Br. (Anonac.) 124  
*Euproboscis* Griff. (*Thelasis* Bl.) 6972  
*Euptelea* S. et Z. (Magnoliac.) 51  
*Eupteron* Miq. (*Polyscias* Forst.) 2948  
*Eupyrena* W. et A. (*Timonius* Rumph.) 3220  
*Eureiandra* H. f. (Cucurbit.) 2619  
*Eurhaphis* Trin. (*Boissiera* Hochst.) 8258  
*Eurhotia* Neck. (*Uragoga* L.) 3294  
*Euriosma* Desv. v. *Eriosema* DC. 1826  
*Euroschinus* H. f. (Anacard.) 1538  
— Oliv. (*Sorindeia* Thou.) 1533  
*Eurostorhiza* Steud. (*Caustis* R. Br.) 7968  
*Eurotia* Adans. (Chenopod.) 5982  
*Eurya* Thunb. (Ternstroem.) 682  
*Euryale* Salisb. (Nymphæac.) 207  
*Euryandra* Forst. (Tetracera L.) 37  
*Euryangium* Kauffm. (*Ferula* L.) 2884  
*Euryanthe* Ch. et Schl. (*Amoreuxia* Moç. et Sessé) 493  
*Eurybia* Cass. (*Olearia* Mönch) 3551  
*Eurybiopsis* DC. (*Vittadinia* A. Rich.) 2562  
*Eurychænia* Griseb. (*Miconia* R. et P.) 2462  
*Eurychanes* Nees (*Ruellia* L.) 5529  
*Eurychiton* Grah. (*Statice* L.) 4428  
*Eurycles* Salisb. (Amaryll.) 7327  
*Eurycoma* Jack. (Simarub.) 1122  
*Eurydice* Herb. (*Ixia* L.).  
*Eurygania* Kl. (Vaccin.) 4307  
*Eurylepis* D. Don (*Erica* L.) 4351  
*Eurylobium* Hochst. (Verben.) 5664  
*Euryloma* D. Don (*Erica* L.) 4351  
— G. Don (*Fremia* Don) 4356  
*Eury nema* Endl. (*Hermannia* L.) 815  
*Eury nome* DC. (*Marquisia* A. Rich.).  
*Euryomyrtus* Schau. (*Bæckeia* L.) 2280  
*Euryops* Cass. (Composit.) 4034  
*Euryptera* Nutt. (*Peucedanum* L.) 2886  
*Eurystegia* D. Don (*Erica* L.) 4351  
*Euryspermum* Salisb. (*Leucadendron* R. Br.) 6218





- Fabago* Tourn. (Mönch) (Zygophyllum L.) 969  
*Fabera* Sch. Bip. (Hypochaeris L.) 4197  
*Fabiiana* R. et P. (Solan.) 5155  
*Fabria* E. Mey. (Ruella L.) 5529  
*Fabricia* Adans. (Lavandula L.) 5746  
— Gärtn. (Leptospermum Forst.) 2286  
— Scop. (Alysicarpus Neck.)  
— Thunb. (Cureuligo Gärtn.) 7279  
*Facchinia* Rehb. (Arenaria L.) 583  
*Facelis* Cass. (Composit.) 3622  
*Fadogia* Schweinf. (Rubiace.) 3219  
*Fadyenia* Endl. (Garrya Dougl.)  
*Fagara* L. (Zanthoxylum L.) 1067  
— Lam. (Tobinia Desv.)  
*Fagarastrum* G. Don (Clausena Burm.) 1098  
*Fagelia* Neck. (Legumin.) 1821  
— Schwenck (Calceolaria L.)  
*Fagonia* (Tourn.) L. (Zygophyll.) 971  
*Fagopyrum* (Tourn.) Gärtn. (Polygon.) 6085  
*Fagura* Thunb. (Legumin.) 4904  
*Faguetia* L. March. (Anacard.) 1532  
*Fagus* (Tourn.) L. (Cupulif.) 6711  
*Fahrenheitia* Rehb. et Zoll. (Ostodes Bl.) 6170  
*Falcaria* Host (Umbellif.) 2811  
*Falcata* (Riv.) Dill. (Medicago L.)  
— Gmel. (Amphicarpæa DC.)  
*Falcatula* Brot. (Trigonella L.) 1650  
*Falconera* Salisb. (Albucca L.) 7494  
*Falconeria* H. f. (Scrophul.) 5342  
— Royle (Sapium P. Br.) 6567  
*Faldermannia* Trautv. (Ziziphora L.) 5800  
*Falimiria* Bess. (Arthrostachys Link.)  
*Falkia* L. f. (Convolvul.) 5094  
*Fallopia* Adans. (Brunnichia Banks)  
— Lour. (Inc. sed.) 6094  
*Fallugia* Endl. (Rosac.) 2050  
*Falona* Adans. (Cynosurus L.) 8242  
*Fanninia* Harv. (Asclep.) 4772  
*Faradaya* F. Müll. (Verben.) 5710  
*Faramea* Aubl. (Rubiace.) 3280  
*Farfara* Dmrt. (Tussilago L.)  
*Farfugium* Lindl. (Senecio L.) 4025  
*Farnesia* Gasp. (Acacia Willd.) 1997  
*Farou* Welw. (Gentian.) 4926  
*Farobæa* Schrank (Senecio L.) 4023  
*Farquharia* Hilsenb. et Roj. (Crataeva L.)  
*Farsetia* (Turra) Desv. (Crucif.) 267  
*Fartis* Adans. (Zizania L.)  
*Faterna* Nor. (Vahea Lam.)  
*Fatoua* Bl. (Lagerstroemia L.) 2512  
*Fatoua* Gaud. (Urtic.) 6599  
*Fatræa* Juss. (Terminalia L.) 2249  
*Fatsia* Dene et Pl. (Araliac.) 2940  
*Faujasia* Cass. (Composit.) 4015  
*Faura* Harv. (Proteac.) 6221  
*Fauria* Franch. (Saxifrag.) 2106  
*Faustula* Cass. (Helichrysum Gärtn.) 3632  
*Favonium* Gärtn. (Didelta L'Hér.) 4062  
*Fauzettia* F. Müll. (Menisperm.) +1306  
*Faya* Webb. (Myrcia L.) 6700  
*Fecia* Spreng. (Selloa H. B. K.) 3790  
*Fedia* Mönch (Valerian.) 3379  
— Adans. (Patrinia Juss.) 3373  
— Gärtn. (Valerianella Mönch) 3331  
*Fedtschenkoa* Rgl (Crucif.) +2876  
*Feijoa* Berg. (Myrtac.) 2311  
*Felicia* Cass. (Detris Adans.) 3545  
*Feliciania* Camb. (Myrrhinium Schott) 2326  
*Fendlera* Engelm. et Gray (Saxifrag.) 2124  
*Fendleria* Steud. (Oryzopsis Michx.) 8091  
*Fenzlia* Endl. (Myrtac.) 2320  
— Benth. (Gilia R. et P.) 4969  
*Ferdinanda* Lag. (Zaluzania Pers.) 3793  
— Welw. (Heterophragma DC.) 5479  
*Ferdinandea* Pohl (Ferdinandusa Pohl) 3037  
*Ferdinandusa* Pohl (Rubiace.) 3037  
*Fereiria* Vand. (Hillia Jacq.) 3034  
*Feretia* Del. (Rubiace.) 3200  
*Fergusonia* H. f. (Rubiace.) 3311  
*Fernandezia* R. et P. (Dichæa Lindl.) 6837  
— Lindl. (Lockhartia Hook.) 6930  
*Ferelia* Comm. (Rubiace.) 8192  
*Ferolia* Aubl. (Parinarium Juss. ?)  
*Feronia* Corr. (Rutac.) 1104  
*Ferrandia* Gaud. (Cocculus DC.)  
*Ferraria* L. (Irid.) 7229  
*Ferreira* Allem. (Legumin.) 1885  
*Ferreola* Roxb. (Maba Forst.) 4523  
*Ferula* (Moris) L. (Umbellif.) 2884  
*Ferulago* Koch (Ferula L.) 2884  
*Fessonia* Fl. Mex. (Pieramnia Sw.)  
*Festuca* L. (Gramin.) 8254  
*Festucaria* Link (Festuca L.) 8254  
*Feuillea* L. (Cucurbit.) 2691  
*Fevillea* L. v. Feuillea L. 2691  
*Fibichia* Köl. (Cynodon Pers.) 8157  
*Fibigia* Medik. (Parsetia Desv.) 267  
*Fibraurea* Lour. (Menisperm.) 135  
*Ficaria* Dill. (Roth) (Ranunculus L.) 10  
*Fichtea* Sch. Bip. (Microseris Don) 4172  
*Ficinia* Schrad. (Cyper.) 7936

**Ficoideæ** p. 154.

|   |      |
|---|------|
| <i>Ficoides</i> Tourn. (Mesembryanthemum L.).       |      |
| <i>Ficus</i> (Tourn.) L. (Urtic.)                   | 6621 |
| <i>Fidelia</i> Sch. Bip. (Leontodon L.).            |      |
| <i>Fiedleria</i> Rchb. (Tunica Scop.)               | 570  |
| <i>Fieldia</i> A. Cunn. (Gesner.)                   | 5436 |
| — Gand. (Stauroopsis Rchb. f.)                      | 6935 |
| <i>Figaræa</i> Viv. (Neurada L.).                   |      |
| <i>Figuieria</i> Montr. (Inc. sed.) p. 489.         |      |
| <i>Filaginopsis</i> T. et G. (Diaperia Nutt.)       | 3604 |
| <i>Filago</i> (Tourn.) L. (Composit.)               | 3606 |
| — Cass. (Evax Gärtn.)                               | 3600 |
| <i>Filetia</i> Miq. (Acanth.)                       | 5589 |
| <i>Filicium</i> Thw. (Sapind.)                      | 1479 |
| <i>Filipendula</i> (Tourn.) L. (Spiræa L.)          | 2025 |
| <i>Fillæa</i> Guill. et Perr. (Erythrophloeum Afz.) | 1976 |
| <i>Fimbriaria</i> A. Juss. (Schwannia Endl.)        | 961  |
| <i>Fimbrillaria</i> Cass. (Conyza Less.)            | 3566 |
| <i>Fimbristemma</i> Turcz. (Asclep.)                | 4819 |
| <i>Fimbristylis</i> Vahl (Cyper.)                   | 7932 |
| <i>Finckea</i> Kl. (Grisebachia Kl.)                | 4357 |
| <i>Findlaya</i> H. f. (Vaccin.)                     | 4310 |
| <i>Fingalia</i> Schrank (Eleutheranthera Poit.)     | 3815 |
| <i>Fingerhuthia</i> Nees (Gramin.)                  | 8200 |
| <i>Finlaysonia</i> Wall. (Asclep.)                  | 4697 |
| <i>Fintemannia</i> Kth (Cyper.)                     | 7973 |
| <i>Fiorinia</i> Parl. (Aira L.)                     | 8140 |
| <i>Firensia</i> Neck. (Cordia L.)                   | 4092 |
| <i>Firmiana</i> Marsigl. (Sterculia L.)             | 791  |
| <i>Fischeria</i> Spreng. (Siebera Rchb.)            | 2744 |
| — Sw. (Leiophyllum Pers.)                           | 4369 |
| <i>Fischeria</i> DC. (Asclep.)                      | 4727 |
| <i>Fisquetia</i> Gaud. (Pandanus L.)                | 7743 |
| <i>Fissenia</i> R. Br. v. <i>Kissenia</i> R. Br.    | 2568 |
| <i>Fissicalyx</i> Benth. (Legumin.)                 | 1855 |
| <i>Fissilia</i> Comm. (Olax L.)                     | 1211 |
| <i>Fissistigma</i> Griff. (Inc. sed.) p. 489.       |      |
| <i>Fitchia</i> H. f. (Composit.)                    | 4166 |
| — Meisn. (Molloya Meisn.)                           |      |
| <i>Fittonia</i> E. Coemans (Acanth.)                | 5631 |
| <i>Fitzalanina</i> F. Müll. (Uvaria L.)             | 67   |
| <i>Fitzroya</i> H. f. (Conifer.)                    | 8325 |
| <i>Fitzgeraldia</i> F. Müll. (Anonac.)              | +83b |
| — Rchb. f. (Lyperanthus R. Br.)                     | 7033 |
| <i>Fiwa</i> Gmel. (Litsea Lam.)                     | 6208 |
| <i>Flabellaria</i> Cav. (Malpigh.)                  | 794  |
| <i>Flacourtia</i> Comm. (Bixin.)                    | 513  |
| <i>Flagellaria</i> L. (Flagellar.)                  | 7603 |
| <b>Flagellariæ</b> p. 436.                          |      |
| <i>Flagenium</i> H. Bn (Rubiæ.)                     | 3172 |
| <i>Flaveria</i> Juss. (Composit.)                   | 3917 |
| <i>Fleischeria</i> Steud. (Sida L.)                 | 742  |

|  |       |
|--|-------|
| <i>Fleischeria</i> Hochst. et Steud. (Scorzonera L.) | 4219  |
| <i>Fleischmannia</i> Sch. Bip. (Composit.)           | 3452  |
| — Rchb. f. (Enothera L.)                             |       |
| <i>Flemingia</i> Roxb. (Legumin.)                    | 1827  |
| <i>Flemmingia</i> Ham. (Thunbergia Retz.)            |       |
| <i>Fleurotia</i> Rchb. (Siebera Gay).                |       |
| <i>Fleurya</i> Gaud. (Urtic.)                        | 6655  |
| <i>Flindersia</i> R. Br. (Meliac.)                   | 1200  |
| <i>Flærkea</i> Willd. (Geran.)                       | 988   |
| — Spreng. (Adenophora Fisch.)                        | 4299  |
| <i>Florestina</i> Cass. (Composit.)                  | 3908  |
| <i>Florinda</i> Nor. (Polycardia Juss.)              | 1291  |
| <i>Floscopa</i> Lour. (Commelin.)                    | 7584  |
| <i>Flotovia</i> Spreng. (Chuquiragua Juss.)          | 4118  |
| <i>Flourensia</i> DC. (Helianthus L.)                | 3824  |
| — Camb. (Thylacospermum Fenzl)                       | 588   |
| <i>Floyeria</i> Neck. (Exacum L.)                    |       |
| <i>Fluegia</i> L. C. Rich. (Ophiopogon Ker)          | 7211  |
| <i>Fluggea</i> Willd. (Euphorb.)                     | 6408  |
| <i>Flumina</i> Fries (Scolochloa Link)               | 8250  |
| <i>Fluvialis</i> Michéli (Naïas L.)                  | 7889  |
| — Pers. (Naïas L.)                                   | 7889  |
| <i>Fockea</i> Endl. (Asclep.)                        | 4840  |
| <i>Fœniculum</i> (Tourn.) Adans. (Umbellif.)         | 2840  |
| <i>Fœnum græcum</i> (Tourn.) Mönch (Trigonella L.).  |       |
| <i>Fœrsteria</i> Scop. (Phyllanthus L.).             |       |
| <i>Fœtataxus</i> Senil (Torreya Arn.)                | 8339  |
| <i>Fortidia</i> Comm. (Myrtac.)                      | 2347  |
| <i>Folliculigera</i> Pasq. (Trigonella L.)           | 1650  |
| <i>Fonkla</i> Phil. (Gratiola L.)                    | 3258  |
| <i>Foutainea</i> Heckel (Euphorb.)                   | 6474  |
| <i>Fontanesia</i> Labill. (Oleac.)                   | 4541  |
| <i>Fontenellea</i> St-Hil. et Tul. (Quilaja Molina)  | 2034  |
| <i>Fontilapathum</i> Lobel (Potamogeton L.)          |       |
| <i>Forbesia</i> Eckl. (Curculigo Gärtn.)             | 7279  |
| <i>Forchhammeria</i> Liebm. (Capparid.)              | *444b |
| <i>Fordia</i> Hemsl. (Legumin.)                      | 1690  |
| <i>Forestiera</i> Poir. (Oleac.)                     | 4542  |
| <i>Forficaria</i> Lindl. (Orchid.)                   | 7080  |
| <i>Forgerouxia</i> Neck. (Rhamnus L.).               |       |
| <i>Forgesia</i> Comm. (Saxifrag.)                    | 2144  |
| <i>Forgetina</i> Bocq. (Sloanea L.)                  | 882   |
| <i>Fornasinia</i> Bertol. (Milletia W. et A.)        | 1687  |
| <i>Forneum</i> Adans. (Andryala L.)                  | 4194  |
| <i>Fornicium</i> Cass. (Centaurea L.)                | 4100  |
| <i>Forrestia</i> A. Rich. (Commelin.)                | 7579  |
| — Raf. (Ceanothus L.).                               |       |
| <i>Forsgardia</i> Vell. (Combretum L.)               | 2260  |
| <i>Forskalea</i> Juss. v. <i>Forskohlea</i> L.       | 6688  |

- Forskohlea* L. (Urtic.) 6688  
*Forstera* L. f. (Candolleac.) 4228  
— Gärtn. (Royena L.) 4521  
*Forsteronia* G. F. W. Mey. (Apo-  
cyn.) 4623  
*Forsteropsis* Sond. (Candolleac.) 4225  
*Forsythia* Vahl (Oleac.) 4538  
— Walt. (Decumaria L.) 2118  
*Forsythiopsis* Bak. (Acanth.) 5530  
*Fortunæa* Lindl. (Platycaria  
S. et Z.) 6699  
*Fortuynia* Shutlw. (Crucif.) 408  
*Fothergilla* L. f. (Hamamelid.) 2195  
— Aubl. (Miconia R. et P.) 2462  
*Fougeria* Mönch (Baltimora L.) 3749  
*Fougerouxia* DC. (Baltimora L.) 3749  
*Fouha* Pomel (Colchicum L.) 7516  
*Fouilloya* Gaud. (Pandanus L.) 7743  
*Fouquiera* Spreng. v. *Fouquiera*  
H. B. K.  
*Fouquiera* H. B. K. (Tamariscin.) 627  
*Fouquieria* Schult. (Amaryll.) 7338  
*Foreolaria* A. DC. (Styrac.) 4530  
— Meisn. (Sloanea L.) 852  
— R. et P. (Styrax L.) 4529  
*Foxia* Parl. (Hyacinthus L.) 7500  
*Fracastora* Adans. (Sideritis L.).  
*Fradinia* Pomel (Mecomischus  
Cass.).  
*Fraga* Lapeyr. (Potentilla L.).  
*Fragaria* (Tourn.) L. (Rosac.) 2054  
*Fragariastrum* Schur (Potentilla  
L.) 2055  
*Fragariopsis* St-Hil. (Plukenetia  
L.) 6549  
*Frageria* DC. (Lasiorhiza Lag.).  
*Fragosa* R. et P. (Azorella Lam.) 2746  
*Franchetia* H. Bn (Saxifrag.) 2149  
*Franciscea* Pohl (Brunfelsia L.) 5170  
*Francisia* Endl. (Darwinia  
Rudge) 2268  
*Francoa* Cav. (Saxifrag.) 2109  
*Franeœuria* Cass. (Pulicaria  
Gärtn.) 3705  
*Frangula* (Tourn.) Brongn. (Rham-  
nus L.) 1329  
*Frankenia* L. (Frankeniace.) 565  
**Frankeniaceæ p. 28.**  
*Frankia* Steud. (Gymnarrhena  
Desf.) 3710  
*Franklandia* R. Br. (Proteac.) 6233  
*Franklinia* Marsh. (Gordonia Ell.) 692  
*Franquevillia* Salisb. (Microcala  
Link et Hoffing) 4927  
*Franseria* Cav. (Composit.) 3770  
*Frappieria* Cordemoy (Psiadia  
Jacq.) 3568  
*Fraseria* Walt. (Gentian.) 4959  
*Fraunhoferia* Mart. (Celastr.) 1298  
*Fraxinella* (Tourn.) Gärtn. (Dic-  
tamnus L.).  
*Fraxinus* (Tourn.) L. (Oleac.) 4540  
— Michéli (Ornus Neck.).  
*Fredolia* Coss. et Durieu (Anaba-  
sis L.) 6032  
*Frecmania* Boj. (*Helichrysum*  
Gärtn.).  
*Frecsia* Klatt (Irid.) 7264  
— Eckl. (*Ixia* L.) 7263  
*Fregea* Rchb. f. (Orchid.) 6976  
*Fregirardia* Dun. (*Brachistus*  
Miers) 5115  
*Freisea* Gaud. (*Parietaria* L.) 6683  
*Fraireodendron* Müll. Arg. (*Dry-*  
*petes* Vahl) 6413  
*Fremontia* Torr. (Stercul.) 807  
— Torr. (*Sarcobatus* Nees) 6042  
*Fremya* Brongn. et Gris (*Xan-*  
*thostemon* F. Müll.) 2307  
*Frenela* Mirb. (*Callitris* Vent.) 8324  
— Spach. (*Callitris* Vent.) 8324  
*Frerca* Dalz. (Asclep.) 4874  
*Fresenia* DC. (Composit.) 3502  
*Frenchenia* Eckl. (*Moræa* L.) 7222  
*Freycinetia* Gaud. (Pandanus) 7744  
*Freyera* Rchb. (*Chærophylum* L.) 2825  
*Freyeria* Scop. (*Linociera* Sw.) 4547  
*Freylinia* Pangelli (Scrophul.) 5205  
*Freziera* Sw. (Ternstroëm.) 680  
*Friedericia* Mart. (Bignon.) 5444  
*Friedlandia* Ch. et Schl. (*Diplu-*  
*sodon* Pohl) 2504  
*Friedrichsthalia* Fenzl (*Tricho-*  
*desma* R. Br.) 5009  
*Friesia* DC. (*Aristotelia* L'Hér.) 886  
— Spreng. (*Crotonopsis*  
*Melx*) 6462  
*Fritillaria* (Tourn.) L. (Liliac.) 7510  
*Fritschia* Cham. (Melastom.) 2386  
*Frivaldia* Endl. (*Microglossa* DC.) 3564  
*Frœbelia* Rgl (*Acrotriche* R. Br.) 4403  
*Frœlichia* Mönch (Amarant.) 5961  
— Vahl (*Coussarea* Aubl.) 3279  
— Wulf. (*Kobresia* Willd.) 7984  
*Frolovia* Ledeb. (*Saussurea* DC.) 4086  
*Fropiera* H. f. (Myrtac.) 2350  
*Froreipia* K. Koch (Umbellif.) 2808  
*Frostia* Bert. (*Apodanthes* Poit.) 6125  
*Fructesca* DC. (*Gærtnera* Lam.) 4914  
*Fuchsia* (Plum.) L. (Onagrar.) 2530  
— Spach (*Fuchsia* L.) 2530  
— Sw. (*Schradera* Vahl) 3113  
*Fugosia* Juss. (Malvac.) 764  
*Fuirena* Rottb. (Cyper.) 7938  
*Fulcaldea* Poir. (*Barnadesia*  
*Mut.*) 4106  
*Fulchironia* Lestib. (*Phoenix* L.) 7690  
*Fullartonia* DC. (*Doronicum* L.) 4003  
*Fumana* Dun. (*Helianthemum*  
*Pers.*) 462  
*Fumanopsis* Pomel (*Helianthe-*  
*num* Pers.) 462  
*Fumaria* (Tourn.) L. (Fumar.) 238  
**Fumariaceæ p. 12.**  
*Funastrum* Fourn. (*Metastelma*  
*R. Br.*) 4745

- Funkia* Dennst. (*Lumnitzera* Willd.)  
*Funifera* Leandro (Thymel.) 6286  
*Funium* Willem. (*Fourcroya* Schult.) 7338  
*Funkia* Spreng. (*Hosta* Tratt.) 7389  
— Willd. (*Astelia* Banks et Soland) 7412  
*Furcraea* Vent v. *Fourcroya* Schult.) 7338  
*Furcrohria* K. Koch (Umbellif.) 2899  
*Fusanus* R. Br. (Santal.) 6338  
— Miers (Colpoon Berg) 6339  
*Fussia* Schur (Aira L.) 8140
- G**
- Gabertia* Gaud. (*Grammatophyl- lum* Bl.) 6841  
*Gærdtia* Kl. (*Begonia* L.) 2696  
*Gærtnera* Lam. (Logan.) 4914  
— Retz (*Sphenoclea* Gärtn.) 4291  
— Schreb. (*Hiptage* Gärtn.) 945  
*Gagea* Salisb. (Liliac.) 7513  
*Gagnebina* DC. (Legumin.) 1988  
*Gagnedi* Bruce (*Protea* L.)  
*Gahnia* Forst. (Cyper.) 7967  
*Gaidendron* G. Don (*Loranthus* L.) 6315  
*Gaillardia* Foug. (Composit.) 3935  
*Gaillonia* A. Rich. (Rubiace.) 3348  
*Gamarda* Gaud. (Centrolepid.) 7901  
*Gaissenia* Raf. (*Trollius* L.)  
*Gajate* Adans. (*Æschynomene* L.)  
*Galactia* P. Br. (Legumin.) 1804  
*Galactites* Mönch (Composit.) 4082  
*Galactodendron* H. B. K. (*Brosi- mum* Sw.) 6623  
*Galanga* Salisb. (*Alpinia* L.) 7134  
*Galanthus* L. (Amaryll.) 7283  
*Galapagoa* H. f. (*Coldenia* L.) 5001  
*Galardia* Lam. (*Gaillardia* Foug.) 3935  
*Galarhœus* Haw. (*Euphorbia* L.) 6370  
*Galasia* Less. (*Scorzonera* L.) 4219  
*Galatea* Cass. (Aster L.) 3544  
— Herb. (*Nerine* Herb.) 7306  
— Salisb. (*Eleutherine* Herb.) 7238  
*Galatella* Cass. (Aster L.) 3544  
*Galathenium* Nutt. (*Lactuca* L.) 4206  
*Galax* L. (*Diapens*) 4421  
*Galaxia* Thunb. (Irid.) 7234  
*Galbanophora* Neck. (*Bubon* Koch).  
*Galbanum* Don (*Polylophium* Boiss.) 2910  
*Galdicia* Neraud (Inc. sed., *Rhamn.* f.)  
*Gale* (Tourn.) Spach (*Myrica* L.) 6700  
*Galeana* Llav. et Lex. (Composit.) 3912  
*Galcandra* Lindl. (Orchid.) 6834  
*Galcaria* Zoll. et Mor. (*Euphorb.*) 6444  
— Presl (*Trifolium* L.) 1653  
*Galedragon* S. F. Gray (*Dipsacus* L.) 3384  
*Galedupa* Lam. (*Pongamia* Vent.) 1847  
*Galega* (Tourn.) L. (Legumin.) 1679  
*Galenia* L. (Ficoid.) 2719  
*Galeobdolon* (Dill.) Mönch (*Lamium* L.) 5833  
*Galeoglossum* A. Rich. (*Prescot- tia* Lindl.) 6984  
*Galeola* Lour. (Orchid.) 6973  
*Galeopsis* (Tourn.) L. (Labiata.) 5830  
— Mönch (*Stachys* L.) 5829  
*Galcottia* Nees (*Glockeria* Nees) 5603  
— A. Rich. (*Zygopetalum* Hook.) 6851  
*Galera* Bl. (*Epipogon* Gmel.) 7049  
*Galianthe* Griseb. (*Spermacoce* L.) 3350  
*Galiba* H. Bn (*Antitaxia* Miers) 177  
*Galilea* Parl. (*Cyperus* L.) 7923  
*Galpinera* Del. (Rubiace.) 3188  
*Galinsoga* R. et P. (Composit.) 3861  
— Cav. (*Tridax* L.) 3866  
*Galinsogea* H. B. K. (*Tridax* L.) 3806  
*Galinsogeopsis* Sch. Bip. (*Peri- come* A. Gray) 3911  
*Galipea* Aubl. (Rutac.) \*1011  
— B. et H. (*Cusparia* Humb.) 1014  
— DC. (*Raputia* Aubl.) 1012  
*Gahum* L. (Rubiace.) 3365  
*Gallaria* Schrank (*Medinilla* Gaud.)  
*Gallasia* Mart. (*Miconia* R. et P.) 2462  
*Gallesia* Casar. (Phytolac.) 6057  
*Gallesia* Röm. (*Clausena* Burm.) 1098  
*Gallitrichum* Jord. et Four. (*Sal- via* L.) 5793  
*Galloa* Korth. (*Cocculus* DC.) 148  
*Galoglychia* Oasp (*Ficus* L.) 6681  
*Galophthalmum* Nees et Mart. (*Blainvillea* Cass.) 3813  
*Galopina* Thunb. (Rubiace.) 3383  
*Galphimia* Cav. (Malpigh.) 924  
*Galtonia* Dene (Liliac.) 7498  
*Galumpita* Bl. (*Girouneria* Gaud.) 6593  
*Galurus* Spreng. (*Acalypha* L.) 6502  
*Galvania* Vand. (*Palicourea* Aubl.) 3288  
*Galvesia* Juss. (Scrophul.) 5197  
*Galvezia* R. et P. (*Pitavia* Molina) 1083  
*Gamanthus* Bge. (*Halanthium* K. Koch) 6037  
*Gambelia* Nutt. (*Antirrhinum* L.) 5199  
*Gamblea* C. B. Clarke (*Arallac.*) 2965  
*Gamelythrum* Nees (*Amphipogon* R. Br.) 8088  
*Gamelytrum* Steud. v. *Gamely- thrum* Nees.  
*Gamocarpa* DC. (*Boopis* Juss.) 3387  
*Gamochaeta* Wedd. (*Gnaphalium* L.) 3626  
*Gamochilum* Walp. (*Argyrola- bium* R. et Z.) 1686  
*Gamochilus* Lestib. (*Hedychium* Kön.)  
*Gamochlamys* Bak. (*Spathan- theum* Schott)  
*Gamogyne* N. E. Brown (*Aroid.*)  
*Gamolepis* Less. (Composit.)

- Garnoplexis* Falc. (Gastrodia R. Br.) 7047  
*Garnopoda* Bak. (Menisperm.) 170  
*Garnozygis* Turcz. (Angianthus Wendl.) 3659  
*Garnphocalyx* Bak. (Spermacoce L.) 3350  
*Gampsoceras* Stev. (Ranunculus L.) 10  
*Gandola* Moq. (Melloca Lindl.)  
*Gandriloa* Steud. (Chenopodium L.) 5972  
*Gangila* Bernh. (Sesamum L.) 5507  
*Ganitrus* Gärtn. (Elaeocarpus L.) 887  
*Ganophyllum* Bl. (Sapind.) 1478  
*Ganymedes* Salisb. (Narcissus L.) 7281  
*Gansbium* Adans. (Erophila DC.)  
*Garapatica* Karst. (Alibertia A. Rich.) 3159  
*Garberia* A. Gray (Composit.) 3170  
*Garcia* Rohr (Euphorb.) 6459  
*Garciana* Lour. (Philydrum Banks) 7565  
*Garcilassa* Pöpp. et Endl. (Composit.) 3840  
*Garcinia* L. (Guttifer.) 654  
*Gardenia* L. (Rubiace.) 3181  
*Gardinia* Bert. (Allium L.)  
*Gardeniola* Cham. (Alibertia A. Rich.) 3159  
*Gardeniopsis* Miq. (Rubiace.) 3266  
*Gardneria* Wall. (Logan.) 4916  
*Gardoquia* R. et P. (Labiata.) 5777  
*Garhadiolus* Jaub. et Spach (Rhagadiolus Juss.) 4183  
*Garidella* (Tourn.) L. (Nigella L.) 22  
*Garnieria* Brongn. et Gris (Proteace.) 6240  
*Garnotia* Brongn. (Gramin.) 8115  
*Garosmos* Mitch. (Inc. sed.)  
*Garretia* Welw. (Khaya A. Juss.) 1193  
*Garrielia* Gaud. (Dyckia Schult.) 7185  
*Garrya* Dougl. (Cornac.) 2978  
*Garuga* Roxb. (Burserac.) 1151  
— B. et H. (Thyrsodium Benth.) 1531  
*Garugandra* Griseb. (Inc. sed.) p. 489.  
*Garuleum* Cass. (Composit.) 3519  
*Garumbium* Reinw. (Inc. sed.)  
*Gaslonidia* Vieill. (Myrtac.) 2351  
*Gasoul* Adans. (Mesembryanthemum L.)  
*Gasparinia* Endl. (Eginetia Bl.) 5243  
— Bertol. (Foeniculum Adans.) 2840  
*Gasteranthopsis* (Erst. (Besleria L.) 5438  
*Gasteranthus* Benth. (Besleria L.) 5438  
*Gasteria* Duval (Liliac.) 7392  
*Gastonia* Comm. (Araliac.) 2947  
— Röper (Polyscias Forst.) 2948  
*Gastranthus* Moritz (Acanth.) 5607  
— F. Müll. (Parsonsia R. Br.) 4627  
*Gastridium* P. B. (Gramin.) 8122  
— Bl. (Dendrobium Sw.)  
*Gastrocarpha* Don (Moscharia R. et P.) 4161  
*Gastrochilus* Wall. (Zingiberac.) 7120  
— Don (Saccolabium Bl.) 6946  
*Gastrocotyle* Bge (Boragin.) 5037  
*Gastrodia* R. Br. (Orchid.) 7047  
*Gastroglottis* Bl. (Liparis L. C. Rich.) 6756  
*Gastrolobium* R. Br. (Legumin.) 1600  
*Gastrolychnis* Fenzl (Lychnis L.) 577  
*Gastromeria* D. Don (Melasma Berg) 5297  
*Gastronema* Herb. (Cyrtanthus Ait.) 7309  
*Gastropodium* Lindl. (Diothonea Lindl.) 6809  
*Gastrostylum* Sch. Bip. (Matri-caria L.) 3965  
*Gastrosulum* Sch. Bip. v. Gastro-stylum Sch. Bip. 3965  
*Gatesia* A. Gray (Acanthac.) 5622  
— Bertol. (Petalostemon Melx) 1670  
*Gattenhoffia* Neck. (Dimorpho-thea Mönch) 4041  
*Gattenhoffia* Medik. (Iris L.)  
*Gatyona* Cass. (Crepis L.) 4190  
*Gaudichaudia* H. B. K. (Malpigh.) 957  
*Gaulinia* P. B. (Gramin.) 8151  
— Gay (Limeum L.) 2739  
*Gaultheria* (Kalm) L. (Ericac.) 4132  
*Gaura* L. (Onagrar.) 2536  
*Gauridium* Spach (Gaura L.) 2536  
*Gauropsis* Presl (Clarkia Pursh) 2525  
*Gaussia* Wendl. (Palm.) 7673  
*Gararretia* H. Bn (Euphorb.) 6515  
*Gaya* H. B. K. (Malvac.) 741  
— Gaud. (Ligusticum L.) 2871  
— Spreng. (Seringia J. Gay) 832  
*Gaylussacia* H. B. K. (Vaccin.) 4320  
*Gayophytum* A. Juss. (Onagrar.) 2526  
*Gaytania* Münt. (Pimpinella L.) 2814  
*Gazonia* Gärtn. (Composit.) 4057  
*Geanthia* Raf. (Weldenia Schult. f.)  
*Geanthus* Phil. (Liliac.) 7508  
— Reinw. (Amomum L.)  
*Geatum* N. E. Brown (Aroid.) 7835  
*Geblera* F. et M. (Securinega Juss.) 6106  
*Geeria* Bl. (Eurya Thunb.) 682  
— Neck. (Paullinia L.) 1370  
*Geigera* Schott (Rutac.) 1069  
*Geigeria* Griessel. (Composit.) 3709  
*Geiseleria* Kl. (Croton L.) 6460  
*Geissanthus* H. f. (Myrsin.) 4461  
*Geissaspis* W. et A. (Legumin.) 1753  
*Geissois* Labill. (Saxifrag.) 2151  
*Geissoloma* Lindl. (Pentac.) 6310  
*Geissomeria* Lindl. (Acanth.) 5593  
*Geissopappus* Benth. (Composit.) 3879  
*Geissorhiza* Ker (Irid.) 7260  
*Geissospermum* Allem. (Apocyn.) 4616



*Geitonoplesium* A. Cunn. (Liliac.) 7370  
*Gela* Lour. (Acronychia Forst.)  
*Gelala* Rumph. (Erythrina L.)  
*Gelasia* Cass. (Scorzonera L.) 4219  
*Gelasine* Herb. (Irid.) 7240  
*Gelesnoria* Turcz. (Rutac.) 1045  
*Gelonium* Roxb. (Euphorb.) 6540  
— Gärtn. (Molinæa Comm.) 1437  
— Thou. (Tina R. et S.) 1435  
— Thou. (Tinospora Radlk.) 1436  
*Gelpkea* Bl. (Eugenia L.) 3327  
*Gelsemium* Juss. (Logan) 4884  
*Gembanga* Bl. (Corypha L.) 7691  
*Gemella* Lour. (Allophyllus L.) 1379  
*Geminaria* Raf. (Phyllanthus L.) 6404  
*Gemmaria* Salisb. (Hessea Herb.) 7286  
*Gendarussa* (Rumph.) Nees (Justicia L.) 5611  
*Genersichia* Henff. (Carex L.) 7988  
*Genesiphylla* L'Hér. (Phyllanthus L.) 6404  
*Genetyllis* DC. (Darwinia Rudge) 2268  
*Genianthus* H. f. (Asclep.) 4714  
*Geniosporum* Wall. (Labiata) 5726  
*Geniostemon* Engelm. (Gentian.) 4938  
*Geniostoma* Forst. (Logan.) 4893  
*Genipa* (Tourn.) L. (Rubiace.) 3183  
*Genista* L. (Legumin.) \*1641  
*Genistella* Mönch (Genista L.)  
*Genistoides* Mönch (Genista L.)  
*Genlisea* A. St-Hil. (Lentibular.) 5357  
— Rehb. (Aristea Ait.) 7255  
*Gennaria* Parl. (Habenaria Willd.) 7066  
*Genoplesium* R. Br. (Prasophyllum R. Br.) 7025  
*Genoria* Pers. (Ginora L.) 2502  
*Genosiris* Labill. (Patersonia R. Br.) 7250  
*Gentiana* (Tourn.) L. (Gentian.) 4955  
**Gentianeæ p. 276**  
*Gentianella* Borkh. (Gentiana L.) 4955  
*Geocalis* Horan. (Amomum L.) 7125  
*Geocaryum* Coss. et Durieu (Carum L.) 2806  
*Geochorda* Ch. et Schl. (Scrophul.) 5256  
*Geococcus* J. Drumm. (Crucif.) 311  
*Geodorum* Jack (Orchid.) 6840  
*Geoffræa* L. (Legumin.) 1852  
*Geoffroya* Auct. (Geoffræa L.) 1852  
*Geoherpum* « Willd. » ex Schult. (Mitchella L.)  
*Geomitra* Becc. (Burmanniac.) 6740  
*Geonoma* Willd. (Palm.) 7676  
*Geophila* D. Don (Rubiace.) 3287  
— Bergeret (Merendera Ram.) 7519  
*Georchis* Lindl. (Goodyera R. Br.) 7008  
*Georgina* Willd. (Dahlia Cav.) 3852  
*Geracium* Rehb. (Crepis L.) 4190  
*Geræa* T. et G. (Encelia Adans.) 3829

**Geraniaceæ p. 50.**

*Geranium* (Tourn.) L. (Geran.) 983  
*Gerardia* (Plum.) L. (Scrophul.) 5318  
*Gerardianella* Kl. (Micrargeria Benth.) 5312  
*Gerascanthus* P. Br. (Cordia L.) 4992  
*Gerbera* Gronov. (Composit.) 4146  
— Less. (Gerbera Gronov.) 4146  
*Gerdaria* Presl (Sopubia Ham) 5310  
*Germainia* Bal. et Poitrass. (Gramin.) 8022  
*Germanea* Lam. (Plectranthus L'Hér.) 5735  
*Germaria* Presl (Pygeum Gärtn.) 2021  
*Gerontogea* Ch. et Schl. (Oldenlandia L.) 3089  
*Geropogon* L. (Tragopogon L.) 4217  
*Gerrardanthus* Karst. (Cucurbit.) 2690  
*Gerrardina* Oliv. (Samyd.) 2555  
*Geruma* Forsk. (Inc. sed.) p. 492.  
*Gersinia* Neraud (Bulbophyllum Thou.) 6767  
*Geryonia* Schrank (Bergenia Mönch).  
*Gesnera* Mart. (Gesner.) 5377  
— Plum. (Conradia Mart.?).

**Gesneraceæ p. 301.**

*Gesneria* L. (Pentarhaphia Lindl.)  
*Gesnouinia* Gaud. (Urtic.) 6684  
*Gestrea* Becc. (Violar.) 487  
*Gethosyne* Salisb. (Asphodelus L.) 7416  
*Gethyllis* L. (Amaryll.) 729  
*Gethyra* Salisb. (Renealmia L.) 7136  
*Gethyum* Phil. (Liliac.) 7482  
*Getonia* Banks et Soland. (Cyrandra Forst.)  
— Roxb. (Calycopteris Lam.) 2252  
*Geum* L. (Rosac.) 2051  
— (Tourn.) Mönch (Saxifraga L.)  
*Geunsia* Bl. (Verben.) 5698  
— Fl. Mex. (Calandrinia H. B. K.)  
— Neck. (Justicia L.)  
*Ghesæmbilla* (Herm.) Adans. (Embelia Juss.)  
*Ghiesbreghtia* A. Gray (Scrophul.) 5178  
— A. Rich. (Calanthe R. Br.) 6803  
*Ghinia* Schreb. (Tamonea Aubl.) 5688  
*Gibbaria* Cass. (Osteospermum L.) 4046  
*Giesekia* Endl. v. Gisekia L. 2737  
*Giesleria* Rgl (Isoloma Benth.) 5373  
*Gifola* Cass. (Filago L.) 3606  
*Gigalobium* P. Br. (Entada Adans.)  
*Gigantabies* Senil. (Sequoia Endl.) 8318  
*Gigantochloa* Kurz (Gramin.) 8291  
*Gigliolia* Becc. (Palm.) 7656  
— Barb. Rodr. (Octomeria R. Br.) 6751  
*Gilberta* Turcz. (Myriocephalus Benth.) 3657

- Gilesia* F. Müll. (Stercul.) + 815b  
*Gilia* R. et P. (Polemon.) 4969  
*Gilibertia* R. et P. (Araliac.) 2955  
— *Gmel.* (Quivisia Comm.) 1165  
*Gilbeea* F. Müll. (Saxifrag.) 2161  
*Gillena* Adans. (Clethra L.)  
*Gillenia* Monch (Rosac.) 2029  
*Gilliesia* Lindl. (Liliac.) 7477  
*Gimbernatea* R. et P. (Terminalia L.) 2249  
*Ginallou* Korth. (Loranth.) 6321  
*Ginannia* Scop. (Palovea Aubl.) 1943  
*Gingidium* Forst. (Angelica L.) 2881  
— F. Müll. (Aciphylla Forst.) 2873  
*Ginginsia* DC. (Pharnaceum L.) 2732  
*Ginkgo* (Kämpf.) L. (Conifer.) 8337  
*Ginora* L. (Lythrar.) 2502  
*Ginorea* Fl. Mex. (Heimia Link et Otto) 2500  
*Ginoria* Jacq. v. *Ginora* L.  
*Ginnania* Röm. (Quivisia Comm.) 1165  
*Ginsen* Adans. (Panax L.)  
*Girardinia* Gaud. (Urtic.) 6660  
*Gircoudia* Kl. (Begonia L.) 2695  
*Girgensohnia* Bge (Chenopod.) 6031  
*Gironniera* Gaud. (Urtic.) 6593  
*Girtanneria* Neck. (Rhamnus L.)  
*Giskia* L. (Ficoid.) 2737  
*Gissantho* Salisb. (Costus L.) 7129  
*Gissonia* Salisb. (Leucadendron R. Br.) 6218  
*Githago* Desf. (Lychnis L.) 577  
*Githopsis* Nutt. (Campanul.) 4286  
*Girotia* Griff. (Euphorb.) 6464  
*Glabraria* Miq. (Litsea Lam.) 6208  
*Gladiolus* (Fourn.) L. (Irid.) 7275  
— Gärtn. (Antholyza L.)  
*Glandonia* Griseb. (Malpigh.) 914  
*Glandularia* Gmel. (Verbena L.) 5687  
*Glandulifolia* Wendl. (Adenandra Willd.) 1032  
*Glaphyria* Jack (Leptospermum Forst.) 2286  
*Glastaria* Boiss. (Texera Jaub. et Spach) 385  
*Glaucidium* S. et Z. (Ranuncul.) 15  
*Glaucium* (Tourn.) Juss. (Papaverac.) 226  
*Glaucoides* (Rupp.) Hall. (Glaux L.)  
— Micheli (Peplis L.)  
*Glaux* (Tourn.) L. (Primul.) 4453  
*Glazioselma* Fourn. (Asclep.) 4750  
*Glaziova* Mart. (Cocos L.) 7736  
*Glaziovia* Bur. (Bignon.) 5456  
*Glebionis* Cass. (Chrysanthemum L.) 3964  
*Glechoma* L. (Nepeta L.) 5802  
*Glechon* Spreng. (Labiata) 5785  
*Gleditschia* L. (Legumin.) 1915  
*Glehnia* F. Schmidt (Phellopterus Benth.) 2849  
*Glennia* H. f. (Sapind.) 1406  
*Glia* Sond. (Anesorrhiza Ch. et Schl.) 2874  
*Glinus* Löff. (Ficoid.) 2731  
*Gliricidia* H. B. K. (Legumin.) 1652  
*Glischrocaryon* Endl. (Loudonia Lindl.) 2223  
*Glischrocolla* A. DC. (Endonema A. Juss.) 6379  
*Globba* L. (Zingiberac.) 7115  
*Globifera* Gmel. (Micranthemum Rich.)  
*Globularia* (Tourn.) L. (Selagin.) 5659  
*Globulea* Haw. (Crassula L.) 2176  
*Glochidion* Forst. (Phyllanthus L.) 6404  
*Glochidionopsis* Bl. (Phyllanthus L.) 6404  
*Glochidotheca* Fenzl (Caucalis L.) 2903  
*Glochisandra* Wight (Phyllanthus L.) 6404  
*Glockeria* Nees (Acanth.) 5503  
*Gloiospermum* Tr. et Pl. (Violar.) 478  
*Glomera* Bl. (Orchid.) 6791  
*Glomeraria* Cav. (Amarantus L.) 5923  
*Gloneria* Lind. et André (Psychotria L.) 3235  
*Gloriosa* L. (Liliac.) 7544  
*Glossanthus* Kl. (Klugia Schlecht.) 5417  
*Glossarrhen* Mart. (Schweiggeria Spreng.) 463  
*Glossaspis* Spreng. (Glossula Lindl.) 7071  
*Glossocalyx* Benth. (Monimiaceae) 6169  
*Glossocardia* Cass. (Composit.) 3845  
*Glossocarya* Wall. (Verben.) 5718  
*Glossocentrum* Crüg. (Miconia R. et P.) 2462  
*Glossochilus* Nees (Acanth.) 5567  
*Glossocomia* D. Don (Codonopsis Wall.) 4278  
*Glossodia* R. Br. (Orchid.) 7037  
*Glossogyne* Cass. (Composit.) 3858  
*Glossoloma* Hanst. (Alloplectus Mart.) 5386  
*Glossoma* Schreb. (Votomita Aubl.)  
*Glossonema* Dene (Asclep.) 4722  
*Glossopappus* Kunze (Chrysanthemum L.)  
*Glossopetalum* A. Gray (Celastr.) 1305  
*Glossospermum* Wall. (Melochia L.) 818  
*Glossostemon* Desf. (Stercul.) 821  
*Glossostephanus* E. Mey. (Asclep.) 4769  
*Glossostigma* Arn. (Scrophul.) 5274  
*Glossostylis* Ch. et Schl. (Alectra Thunb.) 5298  
*Glossula* Lindl. (Orchid.) 7071  
— Raf. (Aristolochia L.) 6135  
*Glottidium* Desv. (Sesbania Pers.) 1704  
*Gloxinia* L'Hér. (Gesner.) 5365  
— Hortula (Sinningia Nees) 5379  
*Glumosa* Herb. (Sisyrinchium L.) 7248  
*Gluta* L. (Anacard.) 1510  
*Glutago* Comm. (Loranthus L.)  
*Glyce* Lindl. (Alyssum L.) 274  
*Glyceria* R. Br. (Gramin.) 8252



- Glyceria* Nutt. (Centella L.) 2741  
*Glycicarpus* Dalz. (Nothopegia Bl.) 1557  
*Glycideras* Cass. (Composit.) 3505  
*Glycine* L. (Legumin.) 1788  
— W. et A. (Teramnus Sw.) 1789  
*Glyciphylla* Raf. (Chiogenes Salisb.)  
*Glycosma* Nutt. (Myrrhis Scop.) 2823  
*Glycosmis* Corr. (Rutac.) 1091  
*Glycoxylum* Capel. (Dicoryphe Thou.)  
*Glycyrrhiza* (Tourn.) L. (Legumin.) 1725  
*Glycyrrhizopsis* Boiss. et Bal. (Glycyrrhiza L.) 1725  
*Glyphæa* H. f. (Tiliac.) 874  
*Glyphia* Cass. (Glycideras Cass.) 3505  
*Glyphosperma* S. Wats. (Liliac.) 7439  
*Glyphospermum* G. Don (Gentiana L.) 4555  
*Glyptopetalum* Thw. (Celastr.) 1274  
*Glyptopleura* Eaton (Composit.) 4204  
*Glyptostrobilus* Endl. (Conifer.) 8322  
*Gmelina* L. (Verben.) 5707  
*Gnaphalium* L. (Composit.) 3226  
— (Tourn.) Adans. (Diotis Desf.)  
*Gnaphalodes* A. Gray (Composit.) 3664  
— Adans. (Micropus L.) 3602  
*Gnaphalon* Lowe (Phagnalon Cass.) 3624  
*Gnaphalopsis* DC. (Hymenatherum Cass.) 3926  
*Gnephosis* Cass. (Composit.) 3660  
**Gnetaceæ p. 482.**  
*Gnetum* L. (Gnetac.) 8305  
*Gnidia* L. (Thymel.) 6292  
*Gochnatia* H. B. K. (Composit.) 4123  
*Godetia* Spach (Eriogonum L.) 4448  
*Godmannia* Hemsl. (Bignon.) 5470  
*Godoya* R. et P. (Ochnac.) 1146  
— Mart. et Zucc. (Blastemanthus Planch.)  
*Godwinia* Seem (Dracontium L.) 7785  
*Gœbelia* Bge (Sophora L.) 1871  
*Gœppertia* Griseb. (Gentian.) 4934  
— Nees (Maranta L.) 7138  
— Nees (Calathea G. F. W. Mey.) 7148  
— Nees (Aydendron Nees) 6182  
*Gœthea* Nees et Mart. (Malvac.) 754  
*Gœtzea* Wydl. (Solan.) 5150  
— Richb. (Rothia Pers.)  
*Goldbachia* DC. (Crucif.) 415  
— Trin. (Arundinella Raddi) 8037  
*Goldfussia* Nees (Strobilanthes Bl.) 5554  
*Golia* Adans. (Soldanella L.)  
*Golownia* Maxim. (Crawfordia Wall.) 4954  
*Gomara* R. et P. (Scrophul.) 5217  
*Gomesia* Llav. (Inc. sed.) p. 489.  
*Gomezia* R. Br. (Orchid.) 6915  
*Gomidezia* Berg (Myrcia DC.) 2322  
*Gomosia* Mut. (Rubiace.) 3330  
*Gomortega* R. et P. (Laurin.) + 6216b  
*Gomotriche* Turcz. (Trichinium R. Br.) 5941  
*Gomphandra* Wall. (Olacine.) 1230  
*Gomphia* Schreb. (Ouratea Aubl.) 1140  
*Gomphichis* Lindl. (Orchid.) 6988  
*Gomphocalyx* Bak. (Rubiace.) + 3342b  
*Gomphocarpus* R. Br. (Asclep.) 4739  
*Gomphogyne* Griff. (Cucurbit.) 2687  
*Gompholobium* Sm. (Legumin.) 1592  
*Gomphopetalum* Turcz. (Angelica L.) 2881  
*Gomphosia* Wedd. (Fernandusa Pohl) 3037  
*Gomphostemma* Wall. (Labiata.) 5846  
*Gomphostigma* Turcz. (Logan) 4895  
*Gomphrena* L. (Amarant.) 5960  
*Gomutus* Spreng. (Arenga Labill.) 7684  
*Gonatandra* Schlecht. (Campelia L. C. Rich.) 7591  
*Gonatanthus* Kl. (Aroid.) 7818  
*Gonatocarpus* Willd. (Haloragis Forst.) 2224  
*Gonatogyne* Kl. (Savia Willd.) 6398  
*Gonatopus* Engl. (Aroid.) 7761  
*Gongora* R. et P. (Orchid.) 6869  
*Gongrodiscus* Radlk. (Sapind.) 1460  
*Gongronema* DC. (Asclep.) 4825  
*Gongrothamnus* Steetz (Composit.) 3994  
*Gongylocarpus* Ch. et Schl. (Onagrar.) 2539  
*Gongylolepis* Schomb. (Stiffia Mikan) 4127  
*Gonianthes* Rich. (Inc. sed.) p. 489.  
*Goniocaulon* Cass. (Composit.) 4088  
*Goniochiton* Bl. (Disoxylum Bl.) 1175  
*Goniogyne* DC. (Heylandia DC.) 1631  
*Goniolimon* Boiss. (Statice L.) 4428  
*Gonioma* E. Mey. (Apocyn.) 4602  
*Goniopogon* Turcz. (Calotis R. Br.) 3532  
*Gonioscypha* Bak. (Liliac.) 7385  
*Gonistemma* Wight (Toxocarpus W. et A.) 4713  
*Goniothalamus* Bl. (Anonac.) 95  
*Goniotriche* Turcz. (Trichinium R. Br.) 5941  
*Goniurus* Presl (Pothos L.)  
*Gonocalyx* Pl. et Lindl. (Vaccin.) 4328  
*Gonocarpus* Ham. (Combretum L.) 2260  
— Thunb. (Haloragis Forst.) 2224  
*Gonocaryum* Miq. (Olacine.) 1239  
*Gonocitrus* Kurz (Rutac.) 1103  
*Gonocytisus* Spach (Genista L.) 1641  
*Gonogona* Link (Goodyera R. Br.) 7008  
*Gonolobus* Mchx (Asclep.) 4801  
*Gonoptera* Turcz. (Bulnesia C. Gay) 978  
*Gonopyrum* C. A. Mey. (Polygonella Mchx) 6083  
*Gonospermum* Less. (Composit.) 3944

- Gonostegia* Turcz. (Pouzolzia Gaud.) 6669  
*Gonostemon* Haw. (Stapelia L.) 4882  
*Gonothea* Bl. (Oldenlandia L.) 3089  
*Gontarella* Gilib. (Isopyrum L.)  
*Gouanera* Korth. (Rubiace.) 3142  
*Goupanthes* Bl. (Burmanna L.) 6733  
*Gongstylus* Teijsm. et Binn. (Thymel.) 6306  
*Gonzalagunia* R. et P. (Gonzalea Pers.) 3111  
*Gonzalea* Pers. (Rubiace.) 3111  
*Gondallia* Benth. (Thymel.) 6285  
— (Bowd.) Rehb. (Inc. sed.)  
*Goodenia* Sm. (Goodeniace.) 4233  
**Goodeniaceæ** p. 236.  
*Goodia* Salisb. (Legumin.) 1616  
*Goodyera* R. Br. (Orchid.) 7008  
*Goreciaria* Bak. (Composit.) 3116  
*Gordonia* Ell. (Ternstroem.) 692  
*Gorgonidium* Schott (Aroid.) 7834  
*Gorskia* Bolle (Copaifera L.) 1967  
*Gorteria* L. (Composit.) 4058  
— Lam. (Berkheya Ehrh.) 4060  
*Gosela* Choisy (Selagin.) 5656  
*Gossampinus* Schott et Endl. (Eriodendron DC.) 772  
*Gossypiothous* Hook. (Amarant.) 5957  
*Gossypium* L. (Malvac.) 768  
*Gothofreda* Vent. (Oxypetalum R. Br.) 1355  
*Gouania* (Jacq.) L. (Rhamn.) 4734  
*Goudotia* Dene (Distichia Nees et Meyen.) 7606  
*Gouffea* Rob. et Cast. (Arenaria L.) 583  
*Goughia* Wight (Daphniphyllum Bl.) 6430  
*Gouinia* Fourn. (Festuca L.) 8254  
*Gouldia* A. Gray (Rubiace.) 3150  
*Goupia* Aubl. (Celastr.) 1309  
*Goudia* Gill. (Legumin.) 1870  
*Govania* Wall. (Givotia Griff.) 6164  
*Gocenia* Lindl. (Orchid.) 6849  
*Govindovia* Wight (Tropidia Lindl.) 6980  
*Grabowskia* Schlecht. (Solan.) 5136  
*Graderia* Benth. (Scrophul.) 5311  
*Græffea* Seem. (Tiliac.) 869  
*Grællsia* Boiss. (Crucif.) 269  
*Grænia* Hook. (Cephalophora Cav.) 3933  
*Græffaria* DC. (Melastom.) 2411  
— Mart. (Miconia R. et P.) 2462  
*Gratia* Rehb. (Hladnikia Koch.)  
*Grabowia* Gill. (Portul.) 608  
*Gramerium* Desv. (Panicum L.) 8059  
**Gramineæ** p. 462.  
*Grammadenia* Benth. (Myrsin.) 4165  
*Grammangis* Rehb. f. (Orchid.) 6837  
*Grammanthes* DC. (Crassul.) 2177  
*Grammarthron* Cass. (Doronicum L.) 4963  
*Grammatocarpus* Presl (Loasæ.) 2575  
*Grammatophyllum* Bl. (Orchid.) 6841  
*Grammatothera* Presl (Lobelia L.) 4862  
*Grammica* Lour. (Cuscuta L.) 5101  
*Grammocarpus* Gasp. (Trigonella L.)  
*Grammosciadium* DC. (Chærophyllum L.) 2825  
*Granadilla* (Tourn.) Gärtn. (Passiflora L.)  
*Grandidiera* Jauh. (Bixin.) 497  
*Grangea* Adans. (Composit.) 3510  
*Grangeria* Comm. (Rosac.) 2010  
*Graniera* Mandon et Wedd. (Abatia R. et P.) 2551  
*Grantia* Boiss. (Composit.) 3695  
— Griff (Wolffia Horkel) 7859  
*Græphephorum* Desv. (Gramin.) 8251  
*Graphiosa* Alef. (Lathyrus L.) 1778  
*Graphistemma* Champ. (Asclep.) 4776  
*Graptophyllum* Nees (Acanth.) 5035  
*Grastidium* Bl. (Dendrobium Sw.) 6763  
*Gratiola* (Rupp.) L. (Scrophul.) 5258  
*Graumuellera* Rehb. (Amphibolis Agardh) 7883  
*Gravenhorstia* Nees (Lonchostoma Wickstr.) 2222  
*Græsia* Naud. (Melastom.) 2431  
*Graya* Nees (Isachne R. Br.) 8049  
— Rehb. v. Grayia H. et A.  
*Grayia* H. et A. (Chenopod.) 5980  
*Greena* W. et A. (Rubiace.) 3071  
— Nutt (Thurberia Benth.) 8116  
*Greenella* A. Gray (Composit.) 3475  
*Greenovia* Webb (Sempervivum L.) 2184  
*Greenwaya* Giseke (Amomum L.) 7125  
*Greevesia* F. Müll. (Pavonia L.) 753  
*Greggia* A. Gray (Crucif.) 297  
— Engelm. (Cowania Don) 2048  
— Gärtn. (Eugenia L.) 2327  
*Gregoria* Duby (Dyonisia Vand.) 4439  
*Greigia* Rgl (Bromel.) 7138  
— Duby (Douglasia Lindl.) 4438  
*Greniera* Gay (Arenaria L.) 583  
*Grenvillea* Sw. (Pelargonium L'Hér.) 985  
*Greslania* Balansa (Gramin.) 8298  
*Greea* H. Bn (Saxifrag.) 2172  
*Grevillea* R. Br. (Proteac.) 6255  
*Grevia* L. (Tiliac.) 848  
*Gregia* Hook. et Harv. (Melianth.) 1497  
*Gries* L. (Myrtac.) 2337  
*Griehia* L. (Rosac.) 2071  
*Grieffia* Ker (Amaryll.) 7300  
*Grilitha* W. et A. (Randia L.) 3179  
*Grieffia* H. f. (Rosac.) 2016  
*Grimaldia* Schrank (Cassia L.) 1929  
*Grindelia* Willd. (Composit.) 3479  
*Grindeliopsis* Sch. Bip. (Xanthocephalum Willd.) 3476

- Gripidea* Miers (Blumenbachia Schrad.) 2574  
*Grischovia* Karst (Monochastum Naud.) 2102  
*Grisebachia* Kl. (Ericac.) 4357  
*Grisebachella* Lorenz (Apocyn.) 4624  
*Griselinia* Forst. (Cornac.) 2979  
— Scop. (Pterocarpus L.)  
*Grisia* Brongn. (Bikkia Reinw.) 2057  
*Gristea* Lofl. (Lythrac.) 2194  
*Grisollea* H. Bn (Olacac.) 1251  
*Grobyle* Lindl. (Orchid.) 6852  
*Groenlandia* J. Gay (Potamogeton L.) 7880  
*Grona* Lour. (Legumin.) 1803  
*Gronophyllum* Scheff (Palm) \*7620  
*Gronovia* (Houst.) L. (Loaseae) 2563  
— Blanco (Illigera Bl.) 2264  
*Grosourdya* Rehb. f (Sarcocochilus R. Br.) 6940  
*Grossularia* (Tourn.) A. Rich. (Ribes L.) 2168  
*Grotefendia* Seem. (Polyscias Forst.) 2948  
*Groutia* Guill. et Perr. (Opilia Roxb.) 1227  
*Grubbia* Berg (Santal.) 6354  
*Grunulea* Gartin. (Psychotria L.) 3285  
*Gruvelia* A. DC (Pectocarya DC.) 5015  
*Grymania* Presl (Parinarium Juss.) 2011  
*Guachamacaca* DeGrosourdy (Pres-tonia R. Br.) 4621  
*Guaco* Liebm. (Aristolochia L.) 6135  
*Guadella* Franch. (Bambusa Schrad.) 8289  
*Guadua* Kth (Bambusa Schrad.) 8289  
*Guaiacum* (Plum.) L. (Zygophyll.) 974  
— Forst (Guioa Cav.) 1443  
*Guagnehina* Vell (Manettia Mut.) 3023  
*Gualtheria* Scop. v. *Gaultheria* Kalm. 4332  
*Guapeba* Gomez (Pouteria Aubl.) 4495  
*Guapira* Aubl (Inc. sed) p 4-9.  
*Guapurum* Juss (Eugenia L.) 2327  
*Guarana* H. Bn (Richeria Vahl) 6438  
*Guardiola* H. et B. (Composit.) 3748  
*Guayva* L. (Meliac.) 1178  
*Guariruma* Cass (Mutisia L. f.) 4109  
*Guatteria* R. et P. (Anonac.) 75  
*Guazuma* Plum. (Juss.) (Stercul.) 825  
*Gubleria* Gand. (Nolana L.) 5097  
*Guldinistrædia* Fisch. (Legumin.) 1718  
— Neck. (Eurotia Adans.) 5962  
*Guenthera* Rgl (Xanthocephalum Willd.) 3476  
*Guettarda* L. (Rubiace.) 3213  
*Guettarda* la Champ. (Antirrhoea Comm.) 3214  
*Gurcina* Molina (Proteac.) 6245  
*Gurbourtia* J. Benn (Copaifera L.) 1967  
*Guichenotia* J. Gay (Stercul.) 836  
*Guidonia* Griseb (Casearia Jacq.) 2543  
— (Plum.) Rehb. (Samyda L.)  
*Guienza* Sonder (Stylochiton Leprieur) 7830  
*Guiera* Adans. (Combret.) 2256  
*Guina* Crölg v. *Quina* Aubl.  
*Guilandina* L. (Cesalpinia L.) 1910  
*Guldingia* Hook. (Mouriria Aubl.) 2484  
*Guilfoylia* F. Müll (Cadellia F. Müll.) 1125  
*Guilleima* Mart. (Bactris Jacq.) 7728  
*Guillainia* Vieill. (Zingiberac.) 7116  
*Guilleminia* H. B. K. (Amarant.) 5951  
*Guilleminia* Neck. (Votomita Aubl.)  
*Guillonea* Cass. (Laserpitium L.) 2911  
*Guindelia* Gill (Valenzuelia Bert.) 1374  
*Guinnalda* Sessé (Gelsemium Juss.)  
*Guioa* Cav. (Sapind.) 1443  
*Gutera* Cass. (Crucif.) 407  
*Gutzotia* Cass. (Composit.) 3841  
*Gulubia* Becc. (Palm.) +7617b  
*Gumilica* R. et P. (Saxifrag.) 2155  
*Gumira* (Rumph.) Hassk. (Premna L.) 5704  
*Gumteolis* Ham. (Centranthera R. Br.)  
*Gundelia* (Tourn.) L. (Composit.) 4063  
*Gundelsheimera* Cass. (Gundelia L.) 4063  
*Gundlackia* A. Gray (Composit.) 3495  
*Gunnera* L. (Halorag.) 2229  
*Gunneropsis* Oerst. (Gunnera L.) 2229  
*Gunna* P. Müll. (Ficoid.) 2722  
— Lindl. (Sarcocochilus R. Br.) 6940  
*Gunisanthus* A. DC. (Diospyros L.) 4524  
*Guntheria* Spreng. (Gaillardia Foug.) 3935  
*Gurania* Cogn. (Cucurbit.) 2663  
*Gurllia* Kl. (Begonia L.) 2695  
*Gurua* Ham. (Pintaysonia Wall.) 4697  
*Gusmania* Remy (Erigeron L.) 3561  
*Gussonea* Presl (Fimbristylis Vahl) 7932  
*Gussonia* A. Rich. (Mystacidium Lindl.) 6961  
— Spreng. (Sebastiania Spreng.) 6570  
*Gustavia* L. (Myrtac.) 2330  
— Bl (Planchonia Bl.) 2342  
*Gutenbergia* Sch. Bip. (Composit.) 3394  
*Guthnickia* Rgl (Achimenes P. Br.) 5366  
*Guthrica* Bolus (Passiflor.) 2608  
*Gutierrezia* Lag. (Composit.) 2477  
— Benth. (Amphiachyris T. et G.)  
*Guttenbergia* Zoll. (Moriada L.)

- Guttiferæ p. 33.**
- Gutzlaffia* Hance (*Strobilanthes* Bl.) 5554  
*Guyonia* Naud. (*Melastom.*) 2391  
*Guzmania* R. et P. (*Bromel.*) 7190  
*Gyas* Salisb. (*Bletia* R. et P.) 6787  
*Gyaxis* Salisb. (*Hæmanthus* L.) 7311  
*Gymnacanthus* Nees (*Sclerocalyx* Nees) 5542  
— *Ærst.* (*Ruellia* L.) 5529  
*Gymnachæna* Rehb. (*Perotriche* Cass.) 3668  
*Gymnadenia* R. Br. (*Habenaria* Willd.) 7066  
*Gymnagathis* Schau. (*Melaleuca* L.) 2296  
*Gymnalypha* Griseb. (*Acalypha* L.) 6502  
*Gymnandra* Pall. (*Lagotis* Gärtn.) 5658  
*Gymnanthelia* Anders. (*Andropogon* L.) 8020  
*Gymnanthemum* Cass. (*Vernonia* Schreb.) 3405  
*Gymnanthera* R. Br. (*Asclep.*) 4691  
*Gymnanthes* Sw. (*Euphorb.*) 6572  
*Gymnanthus* Juagh. (*Trochodendron* S. Z.) 53  
*Gymnarrhena* Desf. (*Composit.*) 3710  
*Gymnaema* R. Br. (*Asclep.*) 4824  
— Raf. (*Pluchea* Cass.) 3583  
*Gymnobalanus* Nees (*Ocotea* Aubl.) 6198  
*Gymnobotrys* Wall. (*Falconeria* Royle.)  
*Gymnocalycium* Pfeiff. (*Echinocactus* Link et Otto) 2705  
*Gymnocampus* Lesch. (*Levenhookia* R. Br.)  
*Gymnocarpus* Forsk. (*Illecebr.*) 5906  
— Thou. (*Uapaca* H. Bn.)  
*Gymnocaulis* Nutt. (*Aphyllon* Mitch.) 5318  
*Gymnocaulus* Phil. (*Calycera* Cav.) 3388  
*Gymnochæta* Steud. (*Schœnus* L.) 7961  
*Gymnochilus* Bl. (*Orchid.*) 7015  
*Gymnocladus* Lam. (*Legumin.*) 1914  
*Gymnocline* Cass. (*Chrysanthemum* L.) 3964  
*Gymnococca* F. et M. (*Pimelea* Banks) 6269  
*Gymnocoronis* DC. (*Composit.*) 3437  
*Gymnodiscus* Less. (*Composit.*) 4036  
*Gymnogyne* Steetz (*Cotula* L.) 3963  
*Gymnolaema* Benth. (*Asclep.*) 4682  
*Gymnoleima* Dene (*Lithospermum* L.) 5056  
*Gymnolomia* H. B. K. (*Composit.*) 3797  
*Gymnomesium* Schott (*Arum* L.) 7848  
*Gymnonychium* Bartl. (*Agathosma* Willd.) 1034  
*Gymnopentzia* Benth. (*Composit.*) 3984  
*Gymnopetalum* Arn. (*Cucurbit.*) 2613
- Gymnophyton* Clos (*Astericum* Ch. et Schl.) 2755  
*Gymnopogon* P. B. (*Gramin.*) 8165  
— Scop. (*Inc. sed.*)  
*Gymnopsis* DC. (*Gymnolomia* H. B. K.) 3797  
— DC. (*Sclerocarpus* Jacq.) 3798  
*Gymnoschoenus* Nees (*Mesome-læna* Nees) 7958  
*Gymnosciadium* Hochst. (*Pimpinella* L.) 2814  
*Gymnosiphon* Bl. (*Burmanniace.*) 6735  
*Gymnosperma* Less. (*Composit.*) 3474
- Gymnospermæ p. 482.**
- Gymnospermium* Spach (*Leontice* L.) 192  
*Gymnosporia* W. et A. (*Celastrus* L.) 1288  
*Gymnostachys* R. Br. (*Aroid.*) 7763  
*Gymnostachyum* Nees (*Acanth.*) 5586  
*Gymnostephium* Less. (*Composit.*) 3528  
*Gymnostichum* Schreb. (*Asprella* Willd.) 8279  
*Gymnostillingia* Müll. Arg. (*Stillingia* L.) 6566  
*Gymnostyles* Juss. (*Soliva* R. et P.) 3973  
*Gymnoterpe* Salisb. (*Tapeinanthus* Herb.) 7282  
*Gymnotheca* Dene (*Houttuynia* Thunb.) 6138  
*Gymnothrix* P. B. (*Pennisetum* Pers.) 8057  
*Gynactis* Cass. (*Glossogyne* Cass.) 3858  
*Gynaion* A. DC. (*Cordia* L.) 4992  
*Gynamblosis* Torr. (*Croton* L.) 6460  
*Gynandiris* Parl. (*Iris* L.) 7220  
*Gynandropsis* DC. (*Capparid.*) 431  
*Gynaphanez* Steetz (*Epaltes* Cass.) 3592  
*Gynastrum* Neck. (*Inc. sed.*) p. 489.  
*Gyncerium* H. et B. (*Gramin.*) 8202  
*Gynestum* Poit. (*Geonoma* Willd.) 7676  
*Gyneteria* Spreng. (*Tessaria* R. et P.) 3586  
*Gynheteria* Willd. v. *Gyneteria* Spreng. 3586  
*Gynocardia* R. Br. (*Bixin.*) 520  
*Gynocephalum* Bl. (*Phytocrene* Wall.) 1254  
*Gynochthodes* Bl. (*Rubiace.*) 3275  
*Gynoon* A. Juss. (*Phyllanthus* L.) 6104  
*Gynopachys* Bl. (*Randia* L.) 3179  
*Gynopleura* Cav. (*Passiflor.*) 2583  
*Gynopogon* Forst. (*Alyxia* R. Br.) 4581  
*Gynostemma* Bl. (*Cucurbit.*) 2684  
*Gynotrix* Alef. (*Sida* L.)  
*Gynotroches* Bl. (*Rhizophor.*) 2240  
*Gynoxis* Cass. (*Composit.*) 4027  
— DC. (*Senecio* L.) 4025  
*Gynura* Cass. (*Crassocephalum* Mönch) 4021

*Gypothamnium* Phil. (Composit.) 4112  
*Gypsocallis* D. Don (Erica L.) 4351  
*Gypsophila* L. (Caryophyll.) \*573  
*Gyptis* Sch. Bip. (Eupatorium L.) 3460  
*Gyrandra* Griseb. (Erythræa DC.) 4937  
— Wall. (Daphniphyllum Bl.).  
*Gyrinops* Gärtn. (Thymel.) 6302  
*Gyrinopsis* Dcne (Thymel.) 6303  
*Gyrocarpus* Jacq. (Combret.) 2265  
*Gyromia* Nutt. (Medeola L.) 7552  
*Gyrostachis* Pers. (Spiranthes L. C. Rich.) 6992  
*Gyrostelma* Fourn. (Asclep.) 4755  
*Gyrostemon* Desf. (Phytolac.) 6064  
*Gyrostephium* Turcz. (Chtonoccephalus Steetz) 3667  
*Gyrotænia* Griseb. (Urtic.) 6659  
*Gyrotheca* Salisb. (Lachnanthes Ell.) 7198

## H

*Haagea* Kl. (Begonia L.) 2695  
*Haasia* Nees (Dehaasia Bl.) 6181  
*Haastia* H. f. (Composit.) 3566  
*Habenaria* Willd. (Orchid.) 7067  
*Haberlea* Friwald. (Gesner.) 5424  
— Pohl (Lomatozoma Bak.) 3447  
*Haberlia* Dennst. (Odina Roxb.).  
*Hablitzia* M. B. (Chenopod.) 5966  
*Habracanthus* Nees (Acanth.) 5602  
*Habrianthus* Herb. (Hippeastrum Herb.) 7298  
*Habrosia* Fenzl (Illecebr.) 5914  
*Habrothamnus* Endl. (Cestrum L.) 5149  
*Habsburgia* Mart. (Skytanthus Meyen) 4606  
*Habzelia* H. f. et T. (Anonac.) 113  
— A. DC. (Xylopia L.) 111  
*Hachettca* H. Bn (Balanophor.) +6368<sup>b</sup>  
*Hacquetia* Neck. (Umbellif.) 2762  
*Hacub* Vaill. (Gundelia L.).  
*Hadestaphyllum* Dennst. (Holgarna Ham.) 1561  
*Hæckeria* F. Müll. (Humea Sm.) 3652  
*Hæmadictyon* Lindl. (Prestonia R. Br.) 4621  
*Hæmanthus* (Tourn.) L. (Amaryll.) 7311  
*Hæmaria* Lindl. (Orchid.) 7004  
*Hæmatobanche* Presl (Hyobanche L.) 5302  
*Hæmatocarpus* Miers (Menisperm.) 176  
*Hæmatolepis* Presl (Cytinus L.).  
*Hæmatorchis* Bl. (Galeola Lour.) 6973  
*Hæmatospermum* Wall. (Homonoia Lour.) 6527  
*Hæmatostaphis* Hook. f. (Anacard.) 1524  
*Hæmatostrobis* Endl. (Thonnigia Vahl) 6361  
*Hæmatoxylon* L. (Legumin.) 1912

*Hæmax* E. Mey. (Astephanus R. Br.) 4716  
*Hæmocarpus* Nor. (Haronga Thou.).  
*Hæmocharis* Salisb. (Ternstroem.) 694  
**Hæmodoraceæ** p. 410.  
*Hæmodorum* Sm. (Hæmodor.) 7193  
*Hæmospermum* Reinw. (Geniostoma Forst.) 4893  
*Hænelia* Walp. (Amellus L.) 3527  
*Hænianthus* Griseb. (Linociera Sw.) 4547  
*Hænkea* R. et P. (Schœpfia Schreb.) 1221  
— Salisb. (Portulacaria Jacq.).  
— Schmidt (Adenandra Willd.).  
*Hænslera* Lag. (Physospermum Cusson) 2770  
*Hænsleria* Boiss. (Composit.) 4169  
*Hagæa* Vent. (Polycarpæa Lam.) 603  
*Hagenbachia* Nees et Mart. (Hæmodor.) 7196  
*Hagenia* Willd. (Brayera Kth) 2059  
— Mönch (Dichoglottis F. et M.).  
*Hagidryas* Griseb. (Prunus L.).  
*Hagioseris* Boiss. (Picris L.) 4189  
*Hahnia* Medik. (Cratægus L.)  
*Hakea* Schrad. (Proteac.) 6257  
*Halanthium* K. Koch (Chenopod.) 6037  
*Halarchon* Bge (Chenopod.) 6038  
*Halea* T. et G. (Tetragonotheca L.).  
*Halenia* Borkh. (Gentian.) 4960  
*Halesia* L. (Styrac.) 4528  
— P. Br. (Guettarda L.) 3213  
*Halgania* Gaud. (Boragin.) 5004  
*Halianthus* Fries (Arenaria L.) 583  
*Halimium* Dun. (Helianthemum Pers.) 462  
— Spach (Cistus L.) 461  
*Halimocnemis* C. A. Mey. (Chenopod.) 6036  
*Halimodendron* Fisch. (Legumin.) 1715  
*Halimolobos* Tausch (Inc. sed.) p. 489.  
*Halimus* Wallr. (Atriplex L.) 5979  
*Hallackia* Harv. (Huttonæa Harv.) 7063  
*Halleria* L. (Scrophul.) 5203  
*Halfordia* F. Müll. (Rutac.) 1087  
*Hallia* Thunb. (Legumin.) 1772  
— Dmrt. (Arenaria L.).  
— J. St-Hil. (Alysicarpus Neck.).  
*Halmyra* Parl. (Pancratium L.) 7323  
*Halocharis* Moq. (Chenopod.) 6035  
— M. B. (Centaurea L.) 4100  
*Halochloa* Griseb. (Monanthochloa Engelm.) 8192  
*Halocnemum* M. B. (Chenopod.) 6010

- Halocnemum* Spreng. v. *Halocnemum* M. B. 6010  
*Halodendron* Thou. (*Avicennia* L.) 5724  
 — DC. (*Halimodendron* Fisch.)  
*Halodula* Endl. (*Gymnoloea* Kbn.) 7890  
*Haloptera* C. A. Mey. (*Chenopod.*) 6040  
*Haloptilus* Bge. (*Chenopod.*) 6009  
*Halophila* Thou. (*Hydrocharid.*) 6732  
**Haloragaceae** p. 122.  
*Haloragis* Forst. (*Halorag.*) 2224  
*Haloscleranthus* Nees (*Rhynchospora* Vahl) 7955  
*Haloscleranthus* Fries (*Ligusticum* L.) 2571  
*Halostachys* C. A. Mey. (*Chenopod.*) 6006  
*Halostemma* Wall. (*Mapania* Aubl.) 7944  
*Halothamnus* F. Müll. (*Magianthus* Forst.) 737  
 — Jaub. et Spach (*Salsola* L.) 6027  
*Halothus* Bge. (*Halimocnemis* C. A. Mey.) 6036  
*Haloxylon* Bge. (*Chenopod.*) 6026  
*Hameloglossum* Conon. (*Ranuncul.*) 11  
**Hamamelidaceae** p. 121.  
*Hamamelis* L. (*Hamamelid.*) 2200  
*Hamatris* Salisb. (*Bioscarea* L.) 7345  
*Hamelia* Jacq. (*Rubiace.*) 3145  
*Hanchina* A. Rich. (*Astelia* Banks et Soland.) 7412  
*Hanchina* Roxb. (*Rubiace.*) 3316  
 — Harv. (*Colpoen* Berg.) 6339  
 — Mühlbg. (*Pyrularia* Meisn.) 6334  
 — Spreng. (*Comandra* Nutt.) 6336  
*Hanumatocaulis* Tausch. (*Ferula* L.) 2484  
*Hanumatobolus* Fenzl. (*Legumin.*) 1724  
*Hanqua* Schlecht. (*Malvac.*) 774  
*Hanculium* Cass. (*Verbesina* L.) 3832  
*Hanchura* Swen. (*Chenopod.*) 2675  
*Hancea* Seem. (*Mallotus* Lour.) 6522  
*Hancea* Gomez. (*Apocyn.*) 4565  
*Hanchia* Pohl. (*Thunbergia* Tr. et Pl.) 1573  
*Hanchina* Bl. (*Astelia* Banks et Soland.) 7412  
 — Bl. (*Sesum* Bl.) 7605  
*Hanchfordia* F. Müll. (*Stereul.*) 835  
*Hanchia* Planch. (*Simarub.*) 1108  
*Hanchia* Schott. (*Hydrosm.* Schott.) 7792  
*Hanchia* Turcz. (*Ligusticum* L.) 2871  
*Hanchia* West. (*Acanth.*) 5606  
*Hanchia* Jacq. (*Callisia* L.) 7589  
*Hanchia* Schott. (*Hanchia* Schott.) 7821  
*Hanchia* Schott. (*Arond.*) 7823  
*Hanchia* Miq. (*Ammania* Houst.) 2482  
*Hanchia* W. et A. (*Polycarpon* L.) 596  
*Hanchia* Don (*Crepis* L.) 419  
*Hanchia* Presl. (*Dimera* R. Br.) 7996  
*Hanchia* Hochst. (*Rutya* Harv.) 5509  
*Hanchia* Nees. (*Acanth.*) 5555  
 — Ben Radlk. (*Sapind.*) 1414  
 — Naud. (*Chaeto-* Endl. (*Bignon.*) 5455  
 — Gray (*Composit.*) 4007  
*Hanchia* Mart. v. *Aplolophium* Choisy.  
*Hanchia* Cass. (*Composit.*) 3483  
*Hanchia* A. Gray (*Rhizophor.*) 2238  
*Hanchia* Rehb. (*Ruta* L.) 1019  
*Hanchia* A. DC. (*Apocyn.*) 4640  
*Hanchia* Engl. (*Anacard.*) 1527  
*Hanchia* Hochst. (*Trachydium* Lindl.) 2779  
*Hanchia* Endl. (*Pogonia* Juss.) 7043  
*Hanchia* Endl. (*Cynanchum* L.) 4779  
*Hanchia* Raf. (*Scirpus* L.) 7334  
*Hanchia* Mart. 3420  
*Hanchia* Phil. 4025  
*Hanchia* F. Müll. (*Loxocarya* R. Br.) 7912  
*Hanchia* Nees (*Rhynchospora* Vahl) 7955  
*Hanchia* Walp. (*Saussurea* DC.) 4086  
*Hanchia* Neck. (*Tococa* Aubl.) 2466  
*Hanchia* Benth. (*Legumin.*) 1790  
*Hanchia* Roxb. (*Legumin.*) 1969  
*Hanchia* Greene et Parry (*Polygon.*) 6078  
*Hanchia* C. A. Mey. (*Daphnopsis* Mart. et Zucc.) 7682  
*Hanchia* Ham. (*Wallachia* Roxb.) 7682  
*Hanchia* (Adans.) DC. (*Rhipsalis* Gartin.) 2712  
*Hanchia* Hance (*Melothria* L.) 2651  
*Hanchia* (Tourn.) Monch. (*Pegannum* Link.) 2280  
*Hanchia* Schan. (*Baccha* L.) 5611  
*Hanchia* Solms (*Justicia* L.) 637  
*Hanchia* Thon. (*Hyperic.*) 637  
*Hanchia* Lams. (*Haronga* Thou.)  
*Hanchia* Bge. (*Acanthocephalus* Kar. et Kar.) 4185  
*Hanchia* Hochst. (*Gutierrezia*) 8221  
*Hanchia* Nutt. (*Medicago*) 3870  
*Hanchia* A. Gray (*Boragin.*) 5014  
*Hanchia* DC. (*Viguiera* H. B. K.) 3823  
 — Cass. (*Helianthus* L.) 3824

- Harpalyce* Moç. et Sessé (Legu-  
min.) 1673  
 — D. Don (Prenanthes L.) 4208  
*Harpagophytum* DC. (Pedalin.) 5502  
*Harpinema* Dene (Asclep.) 4698  
*Harpechloa* Kth (Gramin.) 8160  
*Harpelema* Jacq. f. (Rothia Pers.)  
*Harpephora* Endl. (Aspilia Thou.) 3817  
*Harpephyllum* Bernh. (Anacard.) 1526  
*Harpocarpus* Endl. (Acanthoce-  
phalus Kar. et Kir.) 4185  
*Harpochilus* Nees (Acanth.) 5626  
*Harpullia* Roxb. (Sapind.) 1480  
*Harrachia* Jacq. f. (Crossandra  
Salisb.) 5563  
*Harrera* Maefad. (Tetrazygia  
L. C. Rich.) 2461  
*Harrisonia* R. Br. (Simarub.) 1132  
 — Hook. (Marsdenia  
R. Br.) 4835  
 — Neck. (Xeranthemum  
L.) 4068  
*Hartighsea* A. Juss. (Disoxylum  
Bl.) 1175  
*Hartigia* Mey. (Miconia R. et P.) 2462  
*Hartmannia* DC. (Hemizonia DC.) 3872  
 — Spach (Eriothera L.) 2528  
*Hartogia* (L. f.) Thunb. (Celastr.) 1282  
*Hartwegia* Lindl. (Orchid.) 6822  
 — Nees (Chlorophytum  
Ker) 7432  
*Harveya* Hook. (Scrophul.) 5300  
*Hasseltia* H. B. K. (Tiliac.) 878  
 — Bl. (Kickxia Bl.) 4657  
*Hasselquistia* L. (Tordylium L.) 2895  
*Hasskarlia* H. Bn (Euphorb.) 6495  
 — Meisn. (Turpinia  
Vent. ?).  
 — Walp. (Pandanus L.) 7743  
*Hastingsia* Sm. (Holmskioldia  
Retz) 5713  
*Hastingsia* S. Wats. (Liliac.) 7425  
*Hausmannia* F. Müll. (Bignon.) 5463  
*Hausknechtia* Boiss. (Umbellif.) 2837  
*Haya* Moç. et Sessé (Onagrar.) 2531  
*Haretia* H. B. K. (Guttif.) 641  
*Havetiopsis* Pl. et Tr. (Guttif.) 643  
*Haworthia* Duval (Liliac.) 7395  
*Haxtonia* Caley (Olearia Mönch) 3551  
*Haya* Balf. f. (Illecebr.) 5899  
*Hayeckea* Pohl (Paullinia L.) 1370  
*Haylockia* Herb. (Amaryll.) 7295  
*Haynaldia* Kanitz (Lobeliac.) 4263  
 — Schur (Dasypyrum  
Coss. et Durien) 8273  
*Haynea* Willd. (Pacourina Aubl.) 3391  
 — Rehb. (Modiola Mönch).  
 — Schum. et Thonn. (Inc.  
sed.) p. 489.  
*Hazardia* Greene (Composit.) 3549  
*Hearnia* F. Müll. (Meliac.) 1186  
*Hebanthe* Mart. (Amarant.) 5962  
*Hebe* Juss. (Veronica L.) 5293  
*Hebea* Pers. (Gladiolus L.) 7275  
*Hebeandra* Bonpl. (Monnina  
R. et P.) 554  
*Hebecladus* Miers (Solan.) 5122  
*Hebeclinium* DC. (Eupatorium L.) 3460  
*Hebecocca* Beurl. (Omphalea L.) 6561  
*Hebecoccus* Radlk. (Sapind.) 1390  
*Hebelia* Gmel. (Tofieldia Huds.) 7538  
*Hebenaster* Rumph. (Diospyros  
L.).  
*Hebenstreitia* L. (Sclagin.) 5651  
*Hebepetalum* Benth. (Linac.) 899  
*Heberdenia* Banks (Myrsine L.) 4460  
*Hebradendron* Grah. (Garcinia L.) 654  
*Hecastocleis* A. Gray (Composit.) 4130  
*Hecastophyllum* H. B. K. v. Eca-  
staphyllum Rich. 1830  
*Hecatea* Thou. (Omphalea L.) 6561  
*Hecaterium* Kunze (Hecatea  
Thou. ?).  
*Hecaton* Lour. (Ranunculus L.) 10  
*Hecatrix* Salisb. (Asparagus L.) 7362  
*Hechtia* Kl. (Bromel.) 7186  
*Heckeria* Kth (Piperac.) 6143  
*Hectorea* DC. (Chrysopsis Sch.  
Bip.) 3485  
*Hectorella* H. f. (Portul.) 619  
*Hecubaea* DC. (Composit.) 3894  
*Hedaroma* Lindl. (Darwinia  
Rudge) 2268  
*Hedeoma* Pers. (Labiata) 5774  
*Hedera* (Tourn.) L. (Araliac.) 2963  
*Hederopsis* Clarke (Araliac.) 2964  
*Hedona* Lour. (Lychnis L.).  
*Hedraeanthus* Griseb. v. Edraian-  
thus A. DC.  
*Hedraianthera* F. Müll. (Denha-  
mia Meisn.) 1296  
*Hedraiostylus* Hassk. (Plukenetia  
L.) 6549  
*Hedioigia* Sw. (Burser.) 1159  
 — H. Bn (Trattinickia  
Willd.) 1160  
 — Medik. (Commelina L.) 7574  
*Hedycapnos* Planch. (Dicentra  
Borkh.) \* 234  
*Hedycarpus* Jack (Baccaurea  
Lour.).  
*Hedycaria* Murr. v. Hedycarya  
Forst.  
*Hedycarya* Forst. (Monimiac.) 6160  
*Hedychium* Kön. (Zingiberac.) 7121  
*Hedychloa* Raf. (Kyllinga Rottb.) 7924  
*Hedycraea* Schreb. (Licania Aubl.) 2008  
*Hedyosmum* Sw. (Chloranth.) 6149  
*Hedyotis* L. (Rubiaceae) 3086  
 — Ch. et Schl. (Hedyotis L.) 3086  
 — A. Gray (Hedyotis L.) 3086  
*Hedypnois* (Tourn.) Schreb.  
(Rhagadiolus Juss.) 4183  
 — Scop. (Taraxacum  
Hall.).  
*Hedysarum* (Tourn.) L. (Legu-  
min.) 1734  
*Hedyscepe* Wendl. et Dr. (Palm.) 7624



- Hedystachys* Dmrt. (*Veronica* L. ?) 2370  
*Heeria* Schlecht. (*Melastom.*) 2370  
— Meisn. (*Anaphrenium* E. Mey.) 1547  
*Hegemone* Bge (*Trollius* L.) 17  
*Hegetschweilera* Rgl (*Alysicarpus* Neck.) 1768  
*Heimia* Link et Otto (*Lythrar.*) 2500  
*Heinekenia* Webb (*Lotus* L.) 1660  
*Heinsia* DC. (*Rubiace.*) 3148  
*Heintzia* Karst (*Alloplectus* Mart.) 5386  
*Heinzelia* Nees (*Charotothylax* Nees) 5608  
*Hemzelmannia* Neck. (*Spigelia* L.) 4888  
*Heisteria* L. (*Olaeum*) 1207  
— Spruce (*Diospyros* L.) 4524  
*Hekaterosachne* Steud. (*Oplismenus* P. B.) 8053  
*Hekistocarpa* H. f. (*Rubiace.*) 3099  
*Hekorima* Kth (*Streptopus* Mehx) 7373  
*Heladeno* A. Juss. (*Malpigh.*) 921  
*Helanthium* Engelm. (*Alisma* L.) 7862  
*Helcia* Lindl. (*Orchid.*) 6898  
*Heldreichia* Boiss. (*Crucif.*) 356  
*Heleastrum* DC. (*Aster* L.) 3541  
*Helena* Haw. (*Narcissus* L.) 7281  
*Helenia* L. v. *Helenium* L.  
*Helenium* L. (*Composit.*) 3934  
— (Rupp.) Adans. (*Inula* L.) 3690  
*Helechcharis* R. Br. (*Cyper.*) 7929  
*Helochloa* Host (*Gramin.*) 8103  
*Heleogiton* Schult. v. *Eleogiton* Link.  
*Heleophila* P. B. (*Scirpus* L.)  
*Heleophylax* Less. b. (*Scirpus* L.) 7934  
*Helia* Mart. (*Lisianthus* Aubl.) 4952  
— Rom. (*Atalantia* Corr.) 1101  
*Heliamphora* Benth. (*Sarracen.*) 212  
*Helianthella* T. et G. (*Composit.*) 3830  
*Helianthemoides* Medik. (*Portulaca* L.)  
*Helianthemum* (Tourn.) Pers. (*Cistin.*) 462  
*Helianthostylis* H. Bn (*Urtic.*) 6635  
*Helianthus* L. (*Composit.*) 3824  
— H. B. K. (*Viguiera* H. B. K.) 3823  
*Helichroa* Raf. (*Rudbeckia* L.) 3801  
*Helichrysoides* Vaill. (*Steebe* L.)  
*Helichrysom* Gartn. (*Composit.*) 3632  
*Helicia* Lour. (*Proteac.*) 6252  
— Pers. (*Helixanthera* Lour.)  
*Helicilla* Moq. (*Chenopod.*) 6028  
*Helicodea* Lem. (*Billbergia* Thunb.) 7164  
*Helicodieros* Schott (*Aroid.*) 7851  
*Heliconia* L. (*Musac.*) 7150  
— Gartn. (*Strelitzia* Banks ?)  
*Heliconiopsis* Miq. (*Heliconia* L.) 7150  
*Helicophyllum* Schott (*Aroid.*) 7849  
*Helicostylis* Trée. (*Urtic.*) 6632  
*Helicotrichum* Bess. (*Avena* L.) 8148  
*Helicta* Cass. (*Borrighia* Adans.) 3809  
— Less. (*Epallage* DC.) 3812  
*Helicteres* L. (*Stercul.*) 803  
*Helietta* Tul. (*Rutac.*) 1084  
*Heligma* Bl. (*Parsonsia* R. Br.) 4627  
*Helinus* E. Mey. (*Rhamn.*) 1356  
*Heliocarpus* L. (*Tiliac.*) 859  
*Heliocarya* Bge (*Boragin.*) 5012  
*Heliogenes* Benth. (*Aganippea* DC.) 3780  
*Heliomeris* Nutt. (*Gymnolomia* H. B. K.) 3797  
*Heliophila* (Burm.) L. (*Crucif.*) 302  
*Heliosperma* Rchb. (*Silene* L.) 575  
*Heliophthalmum* Raf. (*Rudbeckia* L.) 3801  
*Heliophytum* DC. (*Heliotropium* L.) 5006  
*Heliopsis* Pers. (*Composit.*) 3779  
*Heliotropium* (Tourn.) L. (*Boragin.*) 5006  
— Cæsalp. (*Croton* L.)  
*Helipterum* DC. (*Composit.*) 3631  
*Helittophyllum* Bl. (*Helicia* Lour.) 6252  
*Helix* Mitch. (*Hedera* L. ?)  
*Helixanthera* Lour. (*Loranthus* L.) 6315  
*Helixyra* Salisb. (*Moræa* L.) 7222  
*Helleborine* (Tourn.) Pers. (*Serapias* L.) 7056  
*Helleboroides* Adans. (*Eranthis* Salisb.)  
*Helleborus* (Tourn.) L. (*Ranuncul.*) 18  
— Mönch (*Eranthis* Salisb.)  
*Hellenia* Willd. (*Alpinia* L.) 7134  
— Retz (*Costus* L.) 7129  
*Helleria* Nees et Mart. (*Vantanea* Aubl.) 906  
*Hellmuthia* Steud. (*Scirpus* L.) 7934  
*Helmboltzia* F. Müll. (*Philydr.*) 7567  
*Helma* Kth (*Dioscorea* L.) 7345  
*Helminthia* DC. (*Picris* L.) 4189  
— Juss. (*Picris* L.) 4189  
*Helminthocarpum* A. Rich. (*Legumin.*) 1655  
*Helminthospermum* Thw. (*Gironniera* Gaud.) 6593  
— Torr. (*Phacelia* Juss.) 4978  
*Helmontia* Cogn. (*Cucurbit.*) 2664  
*Helogyne* Nutt. (*Composit.*) 3435  
— Benth. (*Hofmeisteria* Walp.) 3453  
*Helonias* L. (*Liliac.*) 7537  
— Willd. (*Tofieldia* Huds.)  
*Heloniopsis* A. Gray (*Liliac.*) 7535  
*Helophyllum* H. f. (*Phyllachne* Forst.) 4229  
*Helophytum* E. et Z. (*Tillæa* L.) 2173  
*Helopus* Trin. (*Eriochloa* Kth) 8048  
*Heloseradium* Koch (*Apium* L.) 2799  
*Helosis* Rich. (*Balanophor.*) 6363  
*Helospora* Jack. (*Timonius* Rumph.) 3220  
*Helothrix* Nees (*Schœnus* L.) 7961  
*Helcingia* Willd. (*Araliac.*) 2942  
*Helcinæ* Req. (*Urtic.*) 6685



- Helygia* Bl. (*Parsonsia* R. Br.) 4627  
*Hemarthria* R. Br. (*Rottboellia* L. f.) 8006  
*Hemerocallis* L. (Liliac.) 7386  
*Hemesotria* Raf. (*Astrephia* DC.)  
*Hemiachyris* DC. (*Gutierrezia* Lag.) 3477  
*Hemiadelphis* Nees (*Hygrophila* R. Br.) 5522  
*Hemiambrosia* Delpino (*Franseria* Cav.) 3770  
*Hemiandra* R. Br. (Labiata) 5854  
*Hemiandrina* H. f. (*Agelæa* Soland.) 1567  
*Hemianthus* Nutt. (*Micranthemum* Melx) 5267  
*Hemiarrhena* Benth. (Scrophul.) 5325  
*Hemibromus* Steud. (*Brachypodium* P. B.) 8260  
*Hemicarex* Benth. (Cyper.) 7945  
*Hemicarpha* Nees (Cyper.) 7939  
*Hemicarpurus* Nees (*Pinellia* Tin.) 7845  
*Hemicarpus* F. Müll. (*Trachymene* Rudge) 2743  
*Hemichama* Benth. (Scrophul.) 5225  
*Hemichlora* Schrad. (Cyper.) 7937  
*Hemichoriste* Nees (*Justicia* L.) 5611  
*Hemichroa* R. Br. (Chenopod.) 5994  
*Hemicicca* H. Bn (*Phyllanthus* L.) 6404  
*Hemielidia* R. Br. (*Dryandra* R. Br.)  
*Hemicrambe* Webb (Crucif.) 405  
*Hemicyclia* W. et A. (Euphorb.) 6415  
*Hemidesmus* R. Br. (Aclep.) 4683  
*Hemidioidia* Schum. (Rubiace.) + 3345<sup>b</sup>  
*Hemigenia* R. Br. (Labiata) 5855  
*Hemigraphis* Nees (Acanth.) 5551  
*Hemigymnia* Griff. (*Cordia* L.) 4992  
*Hemigyrosa* Bl. 1385, 1393, 1413  
*Hemilepis* Kunze (*Leontodon* L.) 4198  
*Hemimeris* Thunb. (Scrophul.) 5189  
— H. B. K. (*Alonsoa* R. et P.) 5187  
*Hemiorchis* Kurz (Zingiberac.) 7117  
*Hemipappus* K. Koch (*Tanacetum* L.) 5986  
*Hemiphraetum* Turcz. (*Vateria* L.) 718  
*Hemiphragma* Wall. (Scrophul.) 5278  
*Hemiphora* F. Müll. (Verben.) 5671  
*Hemiphues* H. f. (*Actinotus* Labill.) 2765  
*Hemiphylacus* S. Wats. (Liliac.) 7423  
*Hemipilia* Lindl. (Orchid.) 7070  
*Hemipogon* Dene (Aclep.) 4718  
*Hemiptelea* Planch. (*Zelkova* Spach) 6586  
*Hemisacris* Steud. (*Schismus* P. B.) 8245  
*Hemisandra* Scheidw. (*Aphelandra* R. Br.) 5592  
*Hemiscleria* Lindl. (*Diothonea* Lindl.) 6809  
*Hemispadon* Endl. (*Indigofera* L.) 1672  
*Hemisteirus* F. Müll. (*Trichinium* R. Br.) 5941  
*Hemistemon* R. Br. (*Hibbertia* Andr.) 44  
*Hemistephus* Dr. et Harv. (*Hibbertia* Andr.) 44  
*Hemistepta* Bge (Composit.) 4087  
*Hemistoma* Ehrenb. (*Leucas* R. Br.) 5839  
*Hemistylis* Benth. (Urtic.) 6687  
*Hemithrinax* H. f. (*Thrinax* L. f.) 7707  
*Hemitome* Nees (*Aphelandra* R. Br.)  
*Hemitomes* A. Gray (*Newberrya* Torr.) 4385  
*Hemitomus* L'Hér. (*Alonsoa* R. et P.)  
*Hemixanthidium* Delpino (*Franseria* Cav.) 3770  
*Hemizonella* A. Gray (Composit.) 3873  
*Hemizonia* DC. (Composit.) 3872  
*Hemprichia* Ehrenb. (*Commiphora* Jacq.) 1152  
*Henanthus* Less. (*Pteronia* L.) 3503  
*Henckelia* Spreng. (*Chirita* Ham.) 5403  
— Spreng. (*Didymocarpus* Wall.) 5400  
*Hendecandra* Eschsch. (*Croton* L.) 6460  
*Henfeya* Lindl. (*Asystasia* Bl.) 5573  
*Henicostemma* Endl. v. *Enicostema* Bl. 4930  
*Henlea* Karst. (*Rustia* Kl.) 3054  
— Griseb. (*Henleophytum* Karst.) 933  
*Henleophytum* Karst. (Malpigh.) 933  
*Hennecartia* Poisson (Monimiac) 6156  
*Henningia* Kar. et Kir. (*Eremurus* M. B.) 7429  
*Henonia* Moq. (Amarant.) 5917  
— Coss. et Durieu (*Henophyton* Coss. et Durieu) 324  
*Henoonia* Griseb. (Sapot.) 4520  
*Henophyton* Coss. et Durieu (Crucif.) 324  
*Henriettea* DC. (Melastom.) 2474  
*Henriettella* Naud. (Melastom.) 2475  
*Henricea* Lem. Lis. (*Swertia* L.) 4958  
*Henricia* Cass. (Composit.) 3552  
*Henriquezia* Spruce (Rubiace.) 3050  
*Henrya* Nees (*Tetramerium* Nees) 5641  
*Henschelia* Presl (*Illigera* Bl.) 2264  
*Henslowia* Bl. (Santal.) 6345  
— Wall. (*Crypteronia* Bl.) 2510  
*Hepatica* Dill. (*Anemone* L.) 4  
*Hepetis* Sw. (*Pitcairnia* L'Hér.) 7182  
*Hephestionia* Naud. (*Tibouchina* Aubl.) 2383  
*Heppiella* Rgl (Gesner.) 5368  
*Heptaca* Lour. (*Oncoba* Forsk.) 495  
*Heptallon* Raf. (*Croton* L.) 6460  
*Heptanthus* Griseb. (Composit.) 3730  
*Heptapleurum* Gärtn. (Araliac.) 2952  
*Heptaptera* Marg. et Reut. (*Prangos* Lindl.) 2840

- Heptas Meisn.* (*Herpestis* Gärtn. f.) 5253  
*Heracantha* Link. (*Carthamus* L.) 4102  
*Heracleum* L. (Umbellif.) 2888  
*Herbertia* Sweet. (*Alouphia* Herb.) 7228  
*Herbichia* Zawadski. (*Senecio* L.) 4025  
*Herderia* Cass. (Composit.) 3410  
*Herinequia* Dene. (*Pentarrhaphia* Lindl.) 5381  
*Herisantia* Medik. (*Abutilon* Gärtn.)  
*Heritiera* Dryand. (Stercul.) 796  
— Gmel. (*Lachnanthes* Ell.) 7198  
— Retz. (*Alpinia* L.) 7134  
— Schrank. (*Toffieldia* Huds.) 7538  
*Hermannia* L. (Stercul.) 815  
*Hernus* L. (Umbellif.) 2757  
*Hernstedtia* Rehb. (Amarant.) 5919  
*Hermesia* H. et B. (*Alchornea* Sw.) 6511  
*Hernidiolum* S. Wats. (Nyctagin.) 5879  
*Herniaria* Guill. et Perr. (Legumin.) 1749  
*Hernandaria* L. (Orchid.) 7059  
*Hermione* Salisb. (*Narcissus* L.) 7281  
*Hernedactylon* Parl. (Iris L.) 7220  
*Hernedactylus* Adans. (Irid.) 7221  
*Hernupora* Lott. (*Steriphoma* Spreng.) 437  
*Hernandezia* Hoffmg. (*Hernandia* L.)  
*Hernandia* (Plum.) L. (Laurin.) 6215  
*Hernandiopsis* Meisn. (*Hernandia* L.) 6215  
*Hernandia* L. (Illecebr.) 5902  
*Herodium* Rehb. v. *Erodium* L'Hér.  
*Herpestes* Popp. (*Cuphea* P. Br.) 2496  
*Herpestis* Gärtn. f. (*Scrophul.*) 5255  
— Auct. (*Boyrachia* Ch. et Schle.) 5244  
*Herpetocathus* Nees. (*Acanth.*) 5575  
*Herpetospermum* Wall. (*Cucurbit.*) 2616  
*Herpolirion* H. f. (Liliac.) 7446  
*Herpysma* Lindl. (Orchid.) 6999  
*Herpyza* Sauv. (Legumin.) + 1661b  
*Herrera* Goudot. (Stercul.) 821  
*Herrera* Adans. (*Eritalis* L.) 3227  
*Herreria* R. et P. (Liliac.) 7363  
*Herschelia* Lindl. (Orchid.) 7076  
*Hersilea* Kl. (Aster L.) 3544  
*Hertelia* Neck. (*Hernandia* L.) 6215  
*Hertia* Less. (*Othomopsis* Jaub. et Spich.) 4031  
— Neck. (*Euryops* Cass.)  
*Hesioda* Vell. (*Heisteria* L.) 1207  
*Hesiodia* Mönch. (*Sideritis* L.) 3820  
*Hesperaloe* Engelm. (Liliac.) 7406  
*Hesperantha* Ker. (Irid.) 7259  
*Hesperanthes* S. Wats. (*Anthericum* L.) 7431  
*Hesperclava* A. Gray (Oleac.) 4545  
*Hesperethusa* Röm. (*Limonia* L.) 1096  
*Hesperovax* A. Gray (Eragrost.)  
*Hesperis* L. (Crucif.) 235  
*Hesperocallis* A. Gray (Liliac.) 7406  
*Hesperochiron* S. Wats. (Hydrophyll.) 4981  
*Hesperocles* Salisb. (*Nothoscordum* Kth.) 7475  
*Hesperoide* T. et G. (Urtic.) 6652  
*Hesperomannia* A. Gray (Composit.) 4220  
*Hesperomeles* Lindl. (*Osteomeles* Lindl.) 2084  
*Hesperoscordum* Lindl. (*Brodiaea* Sm.) 7470  
*Hesperoxiphion* Bak. (*Cypella* Herb.) 7224  
*Hessea* Herb. (Amaryll.) 7286  
— Berg. (*Carpolyza* Salisb.) 7287  
*Heteria* Bl. (Orchid.) 7010  
— Endl. (*Pritzelia* F. Müll.) 7566  
*Heterachna* Fresen. (Composit.) 4207  
— Zoll. (*Pimpinella* L.) 2514  
*Heterachne* Benth. (Gramin.) 8222  
*Heterachthia* Kunze (*Tradescantia* L.) 7533  
*Heterachtia* Walp. v. *Heterachthia* Kunze.  
*Heteracia* F. et M. (Composit.) 4194  
*Heteractes* DC. (*Gymnostephium* Less.) 3528  
*Heterandra* P. P. (*Heteranthera* R. et P.) 7563  
*Heteranthelium* Hochst. (Gramin.) 8276  
*Heteranthemis* Schott. (*Chrysanthemum* L.) 3964  
*Heteranthera* R. et P. (Ponteder.) 7563  
*Heteranthia* Nees et Mart. (Scrophul.) 5177  
*Heteropithonos* Turcz. (Inc. sed.) p. 189.  
*Heteranthus* Bonpl. (*Homoianthus* DC.)  
*Heterelytron* Jungh. (*Themeda* Forsk.) 8021  
*Heterocanescora* Clarke. (*Canscora* Lam.) 4944  
*Heterocarpaea* Scheele. (*Galactia* P. Br.) 1804  
*Heterocarpus* Pail. (Crucif.) 421  
— Wight. (*Commelina* L.) 7574  
*Heterocaryum* A. DC. (*Echinoppermum* Sw.) 3026  
*Heterocentron* H. f. et A. (*Heeria* Schlecht.) 2370  
*Heterochorda* A. DC. (Campanul.) 4276  
*Heterochia* DC. (*Erigeron* L.) 3561  
— DC. (Aster L.) 3544  
*Heterochlamys* Turcz. (*Julocroton* Mart.) 6461  
*Heterochloa* Desv. (*Andropogon* L.) 8020  
*Heterochroa* Bge. (*Gypsophila* L.) 573

- Heterocladus* Turcz. (*Coriaria* L.) 1563  
*Heterocodon* Nutt. (*Campanula* L.) 4296  
*Heteroconia* DC. (Composit.) 3392  
*Heterodendron* Desf. (Sapind.) 1424  
*Heteroderis* Boiss. (*Crepis* L.) 4190  
*Heterodon* Meisn. (*Berzelia* Brongn.) 2213  
*Heterodonta* Nutt. (*Coreopsis* L.) 3849  
*Heterodraba* Greene (Crucif.) 276  
*Heterogaura* Rothrock (*Onagrar.*) 2538  
*Heterolæna* F. et M. (*Pimelea* Banks) 6269  
— Sch. Bip. (*Eupatorium* L.) 3460  
*Heterolathus* Presl (*Aspalathus* L.) 1626  
*Heterolepis* Cass. (Composit.) 3685  
— Bert. (*Senecio* L.)  
*Heterolophus* Cass. (*Centaurea* L.) 4100  
*Heteromeles* Röm. (*Photinia* Lindl.) 2078  
*Heteromera* Pomel (*Chrysanthemum* L.) 3964  
*Heteromeris* Spach (*Helianthemum* Pers.) 462  
*Heteromma* Benth. (Composit.) 3573  
*Heteromorpha* Ch. et Schl. (Umbellif.) 2793  
— Cass. (*Heterolepis* Cass.) 3685  
*Heteronoma* DC. (*Arthrostemma* R. et P.) 2371  
— Endl. (*Pachyloma* DC.) 2403  
*Heteroneuron* H. f. (*Loreya* DC.) 2473  
*Heteropanax* Seem. (Araliac.) 2959  
*Heteropappus* Less. (Composit.) 3538  
*Heteropetalum* Benth. (Anonac.) 103  
*Heterophragma* DC. (Bignon.) 5479  
*Heterophyllaea* H. f. (Rubiace.) 3024  
*Heterophylleia* Turcz. (*Coriaria* L.) 1563  
*Heterophyllum* Boj. (*Buettneria* L.)  
*Heteropleura* Sch. Bip. (*Hieracium* L.) 4193  
*Heteropogon* Pers. (*Andropogon* L.) 8020  
*Heteropsis* Kth (Aroid.) 7756  
— Harv. (*Heteromma* Benth.)  
— Miq. (*Monstera* Adans.) 7763  
*Heteropterys* Kth (Malpigh.) 932  
*Heteroptilis* E. Mey. (*Selinum* L.) 2876  
*Heteropyxis* Harv. (Lythrar.) 2518  
— Griff. (*Boschia* Korth.) 785  
*Heterorachis* Sch. Bip. (*Berkheya* Ehrh.) 4060  
*Heterosciadium* DC. (*Petagnia* Guss.)  
*Heterosicyos* Welw. (*Trochome-  
ria* H. f.) 2614  
*Heterosmilax* Kth (Liliac.) 7356  
*Heterospatha* Scheff. (Palm.) 7660  
*Heterosperma* Cav. v. *Heterospermum* Cav.  
*Heterospermum* Cav. (Composit.) 3844  
*Heterostachys* Ung. (Chenopod.) 6008  
*Heterostalis* Schott (*Typhonium* Schott) 7853  
*Heterosteca* Desv. v. *Heterostega* Desv.  
*Heterostega* Desv. (*Bouteloua* Lag.) 8169  
*Heterostemma* W. et A. (Asclep.) 4844  
*Heterostemon* Desf. (Legumin.) 1952  
*Heterostigma* Gaud. (*Pandanus* L.) 7743  
*Heterostylus* Hook. (*Lilæa* H. et B.) 7878  
*Heterotænia* Boiss. (*Conopodium* Koch) 2819  
*Heterotaxis* Lindl. (*Maxillaria* R. et P.) 6885  
*Heterothalamus* Less. (Composit.) 3576  
*Heterotheca* Cass. (Composit.) 3184  
*Heterothrix* Müll. Arg. (*Echites* L.) 4665  
*Heterotis* Benth. (*Dissotis* Benth.) 2396  
*Heterotoma* Zucc. (Lobeliac.) 4264  
*Heterotrichum* DC. (Melastom.) 2465  
— M. B. (*Saussurea* DC.) 4086  
*Heterotropa* Morr. et Dcne (*Asarum* L.) 6131  
*Heterozygia* Bge (*Tribulus* L.) 962  
*Heteryta* Raf. (*Eutoca* R. Br.)  
*Hettlingeria* Neck. (*Rhamnus* L.)  
*Heuchera* L. (Saxifrag.) 2102  
*Heudelotia* A. Rich. (*Commiphora* Jacq.) 1152  
*Heudusa* E. Mey. (*Lathriogyne* E. et Z.) 1608  
*Heuffelia* Schur (*Avena* L.) 8148  
*Heurckia* Müll. Arg. (*Rauwolfia* L.) 4580  
*Heurnia* Auct. v. *Huernia* R. Br.  
*Hevea* Aubl. (Euphorb.) 6453  
*Hewardia* Hook. (Liliac.) 7534  
*Hewittia* W. et A. (Convolvul.) 5079  
*Hexacentris* Nees (*Thunbergia* L. f.) 5515  
*Hexachlamys* Berg (*Eugenia* L.) 2327  
*Hexactinia* Willd. (*Amaioua* Aubl.) 3161  
*Hexadenia* Kl. (*Pedilanthus* Neck.) 6369  
*Hexadesmia* Brongn. (Orchid.) 6814  
*Hexadica* Lour. (Inc. sed.) p. 489.  
*Hexaglottis* Vent. (Irid.) 7231  
*Hexagonotheca* Turcz. (*Berrya* Roxb.) 846  
*Hexalectris* Raf. (Orchid.) 6764  
*Hexalepis* Böckel. (*Gahnia* Forst.) 7967  
*Hexalobus* A. DC. (Anonac.) 80  
*Hexameria* T. et G. (*Echinocystis* T. et G.) 2674  
— R. Br. (*Podochilus* Bl.)  
*Hexanthus* Lour. (*Litsea* Lam.) 6208  
*Hexapora* H. f. (*Micropora* H. f.) 6188

- Heraptera* Hook. (Crucif.) 350  
*Hexarrhena* Presl (Hilaria H. B. K.) 8027  
*Hexasepalum* Bartl. (Rutac.) 3349  
*Hexastemon* Kl. (Eremia Don) 4356  
*Hexatheca* Clarke (Gesner.) 5434  
— Sond. (Lepilena J. Drumm.) 7886  
*Hexisia* Lindl. (Orchid.) 6812  
*Hexonychia* Salisb. (Allium L.) 7476  
*Hexopia* Batem. (Hexadesmia Brongn.)  
*Hexorima* Raf. (Streptopus Mehx) 7373  
*Hexuris* Miers (Friuris Miers) 7860  
*Heyderia* K. Koch (Libocedrus Endl.) 8327  
*Heyfelderia* Sch. Bip. (Chrysopsis Nutt.) 3485  
*Heylandia* DC. (Legumin.) 1631  
*Heymassoli* Aubl. (Ximenia L.) 1208  
*Heynea* Roxb. (Meliac.) 1191  
— A. Juss. (Walsura Roxb.) 1187  
*Heynichia* Kth (Inc. sed.) p. 492.  
*Hibbertia* Andr. (Dilleniac.) 44  
— DC. (Hibbertia Andr.) 44  
*Hibiscus* L. (Malvac.) 762  
*Hicksbechia* F. Müll. (Proteac.) 6248  
*Hicoria* Raf. (Carya Nutt.) 6695  
*Hidalgua* Llav. et Lex. (Composit.) 3853  
*Hidrosia* E. Mey. (Rhynchosia Lour.) 1825  
*Hieracium* (Tourn.) L. (Composit.) 4193  
*Hieracotis* Adans. Anastatica Gärtn.)  
*Hierua* S. Moore (Acanth.) 5520  
*Hierochloa* Gmel. (Gramin.) 8087  
*Hieronia* Vell. (Davilla Vand.) 32  
*Higginsia* Bl. (Petunga DC.) 3194  
— Pers. Hoffmannia Sw.) 3146  
*Hilaria* DC. (Isotypus Kth.)  
*Hilaria* H. B. K. (Gramin.) 8027  
*Hildebrandia* Vathek (Convolvul.) 5102  
*Hildegardia* Schott (Stereulia L.) 791  
*Hillebrandia* Oliv. (Begon.) 2695  
*Hillera* Vell. (Mohlana Mart.) 6051  
*Hillia* Jacq. (Rubiace.) 3934  
*Hilsenbergia* Bej. (Dombeya Cav.) 810  
— Tausch (Ehretia L.) 4998  
*Himantochilus* T. And. (Acanth.) 5630  
*Himantoglossum* Spreng. (Orchis L.) 7055  
*Himantophyllum* Spreng. (Clivia Lindl.) 7310  
*Himantostemma* A. Gray (Asclep.) 1804  
*Himas* Salisb. (Lachenalia Jacq.) 7488  
*Himatanthus* Willd. (Plumeria L.) 4694  
*Himeraanthus* Endl. (Solan.) 5132  
*Hindsia* Benth. (Rubiace.) 3926  
*Hingstonia* Raf. (Siegesbeckia L.)  
*Hingtsha* Roxb. (Enhydra Lour.) 3786  
*Hinterhubera* Sch. Bip. (Composit.) 3547  
— Sch. Bip. (Chrysanthellum Rich.) 3860  
*Hiorthia* Neck. (Anacyclus L.) 3949  
*Hippagrostis* Rumph. (Orthopogon R. Br.)  
*Hippeastrum* Herb. (Amaryll.) 7396  
*Hippia* L. (Composit.) 3987  
— H. B. K. (Plagiocheilus Arn.) 3973  
*Hippion* Schmidt (Gentiana L.) 4955  
— Spreng. (Enicostema Bl.) 4930  
*Hippobroma* G. Don (Isotoma Lindl.) 4952  
*Hippobromus* F. et Z. (Sapind.) 1476  
**Hippocastanaceæ p. 82.**  
*Hippocastanum* (Tourn.) Gärtn. (Esculus L.) 1491  
*Hippocentaurea* J. A. Schultes (Erythraea DC.) 4937  
*Hippocratea* L. (Hippocrat.) 1312  
— Miers (Hippocratea L.) 1313  
**Hippocrateaceæ p. 67.**  
*Hippocrepania* Müll. Arg. (Monotaxis Brongn.) 6387  
*Hippocrepis* L. (Legumin.) 1732  
*Hippodamia* Dene (Solenophora Benth.) 5384  
*Hippodium* Gaud. (Didymochlæna Desv.)  
*Hippoglossum* Breda (Cirrhopetalum Lindl.) 6769  
— Hartm. (Mertensia Roth)  
*Hippomatne* L. (Euphorb.) 6563  
*Hippomarathrum* Link (Umbellif.) 2775  
— Fl. Wett. (Seseli L.) 2835  
*Hippophae* L. (Eleagn.) 6312  
*Hippophaestum* S. F. Gray (Centauria L.) 4100  
*Hipposeris* Cass. (Onoseris DC.) 4113  
*Hippotis* R. et P. (Rubiace.) 3125  
*Hippuris* L. (Halorag.) 2228  
*Hiptage* Gärtn. (Malpigh.) 945  
*Hiraea* Jacq. (Malpigh.) 952  
*Hirculus* Haw. (Saxifraga L.) 2092  
*Hirnellia* Cass. (Myriocephalus Benth.) 3657  
*Hirpicium* Cass. (Composit.) 4058  
*Hirschfeldia* Mönch (Brassica L.) 217  
*Hirtella* L. (Rosac.) 2014  
*Hirtellina* Cass. (Stachelina L.) 4084  
*Hir-banche* Sparrm. (Cytinus L.)  
*Hisingera* Hellen. (Xylosma Forst.) 516  
*Hispotele* Barnad. (Composit.) 4179  
*Hisutsua* DC. (Boltonia L'Hér.) 3539  
*Hitchcockia* Wall. (Zingiberac.) 7123  
*Hitchcockia* Kl. (Commiphora Jacq.) 1152  
*Hitchcockia* Koch (Pleurospermum Hoffm.) 2879  
— Rehb. (Carum L.) 2806  
*Hoarea* Sw. (Pelargonium L'Hér.) 985  
*Hochbergia* Pohl (Inc. sed.)  
*Hochstetteria* DC. (Composit.) 4131

- Hockea* Lindl. (*Fockea* Endl.) 4840  
*Hockinia* Gardn. (Gentian.) 4932  
*Hocquartia* Dmrt. (*Aristolochia* L.) 6135  
*Hodgkinsonia* F. Müll. (Rubiace.) 3232  
*Hodgsonia* H. f. et T. (Cucurbit.) 2609  
— F. Müll. (*Hodgsoniola* F. Müll.) 7442  
*Hodgsoniola* F. Müll. (Liliac.) 7442  
*Hoefnagelia* Neck. (*Trigonias* Aubl.)  
*Hoepfneria* Vatke (Legumin.) 1682  
*Hofria* Scop. (Ternstroem.) 679  
*Hoffmannia* Sw. (Rubiace.) 3146  
*Hoffmanseggia* Cav. (Legumin.) 1911  
*Hofmeisterella* Rehb. f. (Orchid.) 6929  
*Hofmeisteria* Walp. (Composit.) 3453  
*Hohenackeria* F. et M. (Umbellif.) 2791  
*Hohenbergia* Schult. f. (Bromel.) 7173  
— Bak. (*Echmea* R. et P.) 7167  
*Hohenwartha* West. (*Carthamus* L.) 4102  
*Hoheria* A. Cunn. (Malvac.) 738  
*Hoiriri* Adans. (*Bromelia* L. ?).  
*Hoitzia* Juss. (*Loeselia* L.) 4971  
*Holacantha* A. Gray (Simarub.) 1116  
*Holargidium* Turcz. (*Draba* L.) 277  
*Holarrhena* R. Br. (Apocyn.) 4618  
*Holboellia* Wall. (Berberid.) 187  
— Wall. (*Lopholepis* Dcne) 8031  
*Holcus* L. (Gramin.) 8133  
*Holigarna* Ham. (Anacard.) 1561  
*Hollandæa* F. Müll. (Proteac.) 6253  
*Hollisteria* S. Wats. (Polygon.) 6073  
*Holmskioldia* Retz (Verben.) 5713  
*Holocalyx* M. Micheli (Legumin.) 1895  
*Holocarya* Bak. (Rubiace.) 3324  
*Holochlamys* Engl. (Aroid.) 7774  
*Holocheilus* Cass. (*Trixis* P. Br.) 4156  
*Holochiloma* Hochst. (*Premna* L.) 5704  
*Holochilus* Dalz. (*Maba* Forst.) 4523  
*Holodiscus* Maxim. (*Spiræa* L.) 2025  
*Hologamium* Nees (*Ischæmum* L.) 8012  
*Holographis* Nees (Acanth.) 5595  
*Hologymne* Bartl. (*Lasthenia* Cass.) 3892  
*Hololachne* Ehrenb. (Tamarisc.) 625  
*Hololepis* DC. (*Vernonia* Schreb.) 3405  
*Holopeira* Miers (Cocculus DC.) 148  
*Holopetalum* Turcz. (*Oligomeris* Camb.) 459  
*Holophyllum* Less. (*Athanasia* L.) 3943  
*Holopleura* Rgl et Schmalh. (Umbellif.) 2915  
*Holoptelea* Planch. (Urtic.) 6583  
*Holoregmia* Nees (*Martynia* L.) 5497  
*Holoschænus* Link (*Scirpus* L.) 7934  
*Holosetum* Steud. (*Panicum* L.) 8050  
*Holostemma* R. Br. (Asclep.) 4774  
*Holosteum* (Dill.) L. (Caryophyll.) 579  
*Holostigma* G. Don (*Lobelia* L.) 4262  
— Spach (*Eurothera* L.) 2528  
*Holostyla* Endl. v. *Olostyla* DC. 3112  
*Holostylis* Duchartre (*Aristoloch.*) 6134  
*Holothrix* L. C. Rich. (Orchid.) 7064  
*Holotome* Endl. (*Actinotus* Labill.) 2765  
*Holozonia* Greene (Composit.) 3875  
*Holubia* Oliv. (Pedalin.) 5503  
*Holtzendorffia* Kl. et Karst. (*Ruellia* L.) 5529  
*Homaid* Adans. (*Biarum* Schott).  
*Homalanthus* Juss. (Euphorb.) 6557  
*Homalium* Jacq. (Samyd.) 2559  
*Homalobus* Nutt. (*Astragalus* L.) 1720  
*Homalocalyx* F. Müll. (Myrtac.) 2275  
*Homalocarpus* H. et A. (*Bowlesia* R. et P.) 2751  
— Schur (*Anemone* L.) 4  
*Homalocenchrus* Mieg. (*Leersia* Sw.) 8075  
*Homaloclados* H. f. (*Faramea* Aubl.) 3280  
*Homalocline* Rehb. v. *Omalocline* Cass.  
*Homalodenia* Miers (*Dipladenia* A. DC.) 4671  
*Homalodiscus* Bge (*Ochradenus* Delile) 460  
*Homalolepis* Turcz. (*Simaba* Aubl.) 1107  
*Homalomena* Schott v. *Homalomena* Schott 7798  
*Homalonema* Schott (Aroid.) 7798  
*Homalospermum* Schau. (*Leptospermum* Forst.) 2286  
*Homalostoma* Stschgl. (*Andersonia* R. Br.) 4414  
*Homalotes* Endl. (*Tanacetum* L.) 3986  
*Homanthis* H. B. K. (*Perezia* Lag.) 4154  
*Hombak* Adans. (*Sodada* Forsk.).  
*Hombronia* Gaud. (*Pandanus* L.) 7743  
*Homeria* Vent. (Irid.) 7230  
*Homocentria* Naud. (*Oxyspora* DC.) 2416  
*Homochaete* Benth. (Composit.) 3691  
*Homochroma* DC. (Composit.) 3501  
*Homocnemia* Miers (*Stephania* Lour.) 154  
*Homoeanthus* Less. (*Homanthis* H. B. K.).  
*Homoeatherum* Nees (*Andropogon* L.) 8020  
*Homoglossum* Salisb. (*Antholyza* L.) 7276  
*Homogyne* Cass. (Composit.) 3999  
*Homoianthus* DC. (*Perezia* Lag.) 4154  
*Homoiceltis* Bl. (*Aphananthe* Planch.) 6592  
*Homonoia* Lour. (Euphorb.) 6527  
*Homonoma* Bello (*Nepsera* Naud.) 2374  
*Homopappus* Nutt. (*Haplopappus* Cass.) 3488  
*Homoplitis* Trin. (*Pogonatherum* P. Br.) 8004  
*Homoranthus* A. Cunn. (Myrtac.) 2269  
*Homostylium* Nees (*Aster* L.) 3544  
*Homotropium* Nees (*Ruellia* L.) 5529  
*Honckenia* Willd. (Tiliac.) 863

- Honckeya* Ehrh. (*Arenaria* L.) 583  
*Hondbessem* Adans. (*Pæderia* L.) 3313  
*Honorius* S. F. Gray (*Ornithogalum* L.) 7507  
*Hoodia* Sweet (Asclep.) 4875  
*Hookeria* Salisb. (*Brodiaea* Sm.) 7470  
*Hookia* Neck. (*Centaurea* L.) 4100  
*Hoopesia* Buckl. (*Cercidium* Tul.) 1922  
*Hoorebekia* Cornelissen (*Haplopappus* Cass.) 3488  
*Hopoa* Roxb. (*Dipterocarp.*) 714  
— Gartn. f. (*Symplocos* L.) 4527  
— L. (*Symplocos* L.) 4527  
— Vahl v. *Hoppea* Willd. 4925  
*Hopkirkia* Spreng. (*Salmea* DC.) 3836  
— DC. (*Schkuhria* Roth) 3902  
*Hoplophyllum* Bl. (Composit.) 3407  
*Hoplophytum* E. Morren (Bromel.) 7174  
*Hoplotheca* Spreng. (*Froelichia* Mönch) 5961  
*Hoppea* Willd. (*Gentian.*) 4925  
— Rehb. (*Senecio* L.) 4025  
*Hoppia* Nees (Cyper.) 7978  
*Horaninoria* F. et M. (*Chenopod.*) 6025  
*Horau* Adans. (*Laguncularia* Gartn.)  
*Hordeum* (Tourn.) L. (*Gramin.*) 8277  
*Horkelia* Ch. et Schl. (*Potentilla* L.) 2055  
— Rehb. (*Wollfia* Horkel) 7859  
*Hormidium* Lindl. (*Orchid.*) 6811  
*Horminum* L. (*Labiata.*) 5789  
— (Tourn.) Mönch (*Salvia* L.) 5793  
*Hornophloe* A. DC. (*Sapot.*) 4504  
*Hormosciadium* Endl. v. *Ormosciadium* Boiss. 2897  
*Hornea* Bak. (*Sapind.*) 1386  
*Hornemannia* Vahl (*Vaccin.*) 4304  
— Benth. (*Sibthorpia* L.) 5277  
— Jacq. (*Vandellia* L.) 5264  
— Link et Otto (*Vandellia* L.) 5264  
— Willd. (*Mazus* Lour.) 5240  
*Hornera* Jungh. Inc. sed. p. 489.  
— Neck. (*Mucuna* Adans.)  
*Hornschuchia* Nees (*Menisperm.*) 1816  
— Bl. (*Cratoxylum* Bl.)  
*Hornstedtia* Retz (*Amomum* L.) 7125  
*Hornungia* Bernh. (*Gagea* Salisb.) 7513  
— Rehb. (*Hutchinsia* R. Br.) 364  
*Horsfieldia* Bl. (*Araliac.*) 2930  
— Willd. (*Myristica* L.) 6151  
*Horsfordia* A. Gray (*Malvac.*) 7359  
*Horta* Vell. (*Clavija* R. et P.) 4480  
*Hortensia* Comm. (*Hydrangea* L.) 2111  
*Hortia* Vand. (*Rutac.*) 1082  
*Hortonia* Wight (*Monimiace.*) 6142  
*Hortsmannia* Miq. (*Condylocarpum* Desf.) 4595  
*Hosackia* Dougl. (*Legumin.*) 1661  
*Hosakia* Grah. (*Westonia* Spreng.)  
*Hosangia* Neck. (*Maieta* Aubl.) 2468  
*Hoshondia* Vahl (*Labiata.*) 5734  
*Hosta* Tratt. (*Liliac.*) 7359  
— Jacq. (*Cornutia* L.) 5706  
*Hostana* Pers. (*Cornutia* L.)  
*Hostea* Willd. (*Matelea* Aubl.) 4806  
*Hostia* Mönch (*Crepis* L.) 4190  
*Hostmannia* Planch. (*Elvasia* DC.) 1142  
— Steud. (*Comolia* DC.) 2335  
*Hoteia* Morren et Dene (*Astilbe* Ham.) 2889  
*Hottonia* (Boerb.) L. (*Primul.*) 4434  
— Burm. (*Limnophila* R. Br.)  
— Vahl (*Myriophyllum* L.)  
*Houlletia* A. Brongn. (*Orchid.*) 6872  
*Hounea* H. Bn (*Passiflor.*) 2593  
*Houstonia* L. (*Rubiace.*) 3493  
*Houttea* Dene (*Gesner.*) 5374  
*Houttuynia* Thunb. (*Piperac.*) 6138  
— Houtt. (*Acidanthera* Hochst.) 7268  
*Horea* R. Br. (*Legumin.*) 1615  
*Horenia* Thunb. (*Rhamn.*) 1331  
*Horerdenia* Nees (*Acanth.*) 5027  
*Howardia* Kl. (*Aristolochia* L.) 6135  
— Wedd. (*Pogonopus* Kl.) 3060  
*Howea* Becc. (*Palm.*) 7655  
*Howellia* A. Gray (*Lobeliace.*) 4257  
*Howea* Becc. v. *Howea* Becc. 7655  
*Horvittia* F. Müll. (*Malvac.*) 744  
*Hoya* R. Br. (*Asclep.*) 4852  
*Hualania* Phil. (*Polygal.*) 549  
*Huanaca* Cav. (*Umbellif.*) 2753  
*Huberia* DC. (*Melastom.*) 2405  
*Hubertia* Bory (*Senecio* L.) 4025  
*Hudsonia* L. (*Cistin.*) 453  
— Robins. (*Terminalia* L.)  
*Huebneria* Rehb. (*Webbia* Spach).  
*Huepelia* R. Br. (Inc. sed.) p. 489.  
— Benth. (*Gilia* R. et P.) 4960  
— Rehb. (*Trachymene* Rudge) 2743  
*Huenefeldia* Walp. (*Calotis* R. Br.) 3532  
*Huerria* R. Br. (*Asclep.*) 4888  
*Huerziopsis* N. E. Brown (*Asclep.*) 4881  
*Huerta* R. et P. (*Staphyl.*) 1502  
*Huesemannia* F. Müll. (*Menisperm.*) 172  
*Huetia* Boiss. (*Carum* L.) 2806  
*Hutelandia* Nees (*Beilschmiedia* Nees) 6180  
*Hugelera* Steud. (*Sphaerolobium* Sm.)  
*Hugonia* L. (*Linac.*) 895  
*Hugueninia* Rehb. (*Sisymbrium* L.) 290  
*Huidobria* C. Gay (*Loasa* Juss.) 2572  
*Hulsea* T. et G. (*Composit.*) 3897



- Hulthemia* Dmrt. (Rosa L.) 2069  
*Humbertia* Lam. (Convolvul.) 5072  
*Humblotia* H. Bn (Euphorb.) 6423  
*Humboldtia* Vahl (Legumin.) 1945  
— Neck. (Voyria Aubl.) 4929  
— R. et P. (Pleurothallis R. Br.) 6743  
*Humea* Sm. (Composit.) 3652  
— Roxb. (Brownlowia Roxb.) 840  
*Humiria* Aubl. (Humiriaceae) 907  
**Humiriaceae** p. 47.  
*Humirium* Aubl. v. *Humiria* Aubl.  
*Humulus* L. (Urtic.) 6595  
*Hunnemannia* Sweet (Papaverac.) 230  
*Hunteria* Roxb. (Apocyn.) 4582  
*Huntleya* Batem. (Zygopetalum Hook.) 6851  
*Huonia* Montr. (Acronychia Forst.).  
*Hura* L. (Euphorb.) 6577  
— Kön. (Globba L.) 7115  
*Husnotia* Fourn. (Asclep.) 4746  
*Hussonia* Boiss. (Enarthrocarpus Labill.) 404  
*Huszia* Kl. (Begonia L.) 2695  
*Hutchinia* W. et A. (Boucerosia W. et A.) 4872  
*Hutchinsia* R. Br. (Crucif.) 364  
*Huttonæa* Harv. (Orchid.) 7063  
*Huttia* Drum. et Harv. (Pachynema R. Br.) 47  
*Huttum* Adans. (Barringtonia Forst.).  
*Hyacinthella* Schur (Hyacinthus L.) 7500  
*Hyacinthorchis* Bl. (Cremastra Lindl.) 6838  
*Hyacinthus* L. (Liliac.) 7500  
— (Tourn.) Medik. (Hyacinthus L.).  
*Hyænachne* Lamb. (Toxicodendron Thunb.) 6422  
*Hyalæa* Jaub. et Spach (Centaurea L.) 4100  
*Hyalis* D. Don (Composit.) 4110  
— Salisb. (Ixia L.) 7263  
*Hyalisma* Champ. (Sciaphila Bl.) 7861  
*Hyalocalyx* Rolfe (Turnerac.) 2580  
*Hyalochlamys* A. Gray (Angianthus Wendl.) 3659  
*Hyalolæna* Bge (Selinum L.) 2876  
*Hyalolepis* DC. (Myriocephalus Benth.) 3657  
*Hyaloseris* Griseb. (Composit.) 4152  
*Hyalospermum* Steetz (Helipterum DC.) 3631  
*Hyalostemma* Wall. (Miliusa Lesch.) 114  
*Hyas* Dmrt. (Caulinia Willd.).  
*Hybantheca* Endl. (Tylophora R. Br.) 4826  
*Hybanthus* Jacq. (Violar.) 471  
*Hybridella* Cass. (Zaluzania Pers.) 3793  
*Hydastylus* Salisb. (Sisyrinchium L.) 7248  
*Hydnocarpus* Gärtn. (Bixin.) 525  
*Hydnophytum* Jack (Rubiaceae) 3305  
*Hydnora* Thunb. (Cytin.) 6129  
*Hydnostachyon* Liebm. (Spathiphyllum Schott) 7773  
*Hydrangea* L. (Saxifrag.) 2111  
*Hydranthelium* H. B. K. (Scrophul.) 5269  
*Hydrastis* L. (Ranuncul.) 16  
*Hydriastele* Wendl. et Dr. (Palm.) 7618  
*Hydrobryum* Endl. (Podostem.) 6112  
*Hydrocalyx* Triana (Juanullos R. et P.).  
*Hydrocera* Bl. (Geran.) 1004  
*Hydroceratophyllum* Vaill. (Ceratophyllum L.).  
*Hydrocharella* Spruce (Limnobium L. C. Rich.) 6725  
**Hydrocharideae** p. 383.  
*Hydrocharis* L. (Hydrocharid.) 6726  
*Hydrochloa* P. B. (Gramin.) 8065  
— Hartm. (Glyceria R. Br.) 8252  
*Hydrocleis* L. C. Rich. (Alism.) 7873  
*Hydrocotyle* (Tourn.) L. (Umbellif.) 2740  
— Auct. (Centella L.) 2741  
*Hydrogeton* Lour. (Potamogeton L.).  
— Pers. (Aponogeton Thunb.).  
*Hydrolea* L. (Hydrophyll.) 4991  
*Hydrolia* Thou. v. *Hydrolea* L. 4991  
*Hydrolithrum* H. f. (Lythrar.) 2491  
*Hydromestes* Scheidw. (Aphelandra R. Br.) 5592  
*Hydromystria* C. F. Mey. (Limnobium L. C. Rich.) 6725  
*Hydropeltis* Mchx (Brasenia Schreb.) 203  
*Hydrophaca* Hall. (Lemna L.)  
**Hydrophyllaceae** p. 279.  
*Hydrophyllax* L. f. (Rubiaceae) 3342  
*Hydrophyllum* L. (Hydrophyll.) 4975  
*Hydropityon* Gärtn. (Limnophila R. Br.) 5250  
*Hydropyrum* Link (Zizania L.) 8071  
*Hydropyxis* Raf. (Inc. sed.) p. 489.  
*Hydroschœnus* Zoll. et Mor. (Cyperus L.) 7923  
*Hydrosme* Schott (Aroid.) 7792  
*Hydrospondylus* Hassk. (Hydrilla L. C. Rich.) 6719  
*Hydrostachys* Thou. (Podostem.) 6121  
*Hydrotænia* Lindl. (Tigridia Ker) 7226  
*Hydrothrix* H. f. (Ponteder.) +7564<sup>b</sup>  
*Hydrotriche* Zucc. (Scrophul.) 5251

- Hydrotrophus* Clarke (Hydrocharid.) 6724  
*Hyeronyma* Allem. (Euphorb.) 6434  
*Hygera* Hanst. (Inc. sed.) p. 492.  
*Hygrocharis* Hochst. (Nephrophyllum A. Rich.) 5087  
— Nees (Rhynchospora Vahl)  
*Hygrophila* R. Br. (Acanth.) 5522  
*Hygropiza* Nees (Gramin.) 8078  
*Hylaeum* P. B. (Psychotria L.) 3285  
*Hylenea* Miers (Hippocratea L.) 1312  
*Hyline* Herb. (Amaryll.) 7313  
*Hylocharis* Miq. (Oxyspora DC.) 2416  
*Hylococcus* R. Br. (Petalostigma F. Müll.) 6110  
*Hylogeton* Salisb. (Allium L.) 7476  
*Hylogyne* Salisb. (Telopea R. Br.) 6265  
*Hylomecon* Maxim. (Stylophorum Nutt.) 222  
*Hylomenes* Salisb. (Scilla L.) 7505  
*Hylonome* Bak. (Behnia Didrichs.) 7364  
— Webb (Behnia Didrichs.) 7364  
*Hylophila* Lindl. (Orchid.) 7007  
*Hymenachne* P. B. (Panicum L.) 8050  
*Hymenara* L. (Legumin.) 1959  
*Hymenandra* A. DC. (Myrsin.) 4174  
*Hymenanthe* Bl. (Rhododendron L.) 4373  
*Hymenanthera* R. Br. (Violar.) 481  
*Hymenatherum* Cass. (Composit.) 3926  
*Hymenella* Moc. et Sessé (Caryophyll.) 587  
*Hymenesthes* Miers (Bourreria P. Br.) 4997  
*Hymenetron* Salisb. (Strumaria Jacq.) 7307  
*Hymenidium* Lindl. (Pleurospermum Hoffm.) 2879  
*Hymenocallis* Salisb. (Amaryll.) 7324  
*Hymenocalyx* Zenk. (Hibiscus L.) 762  
*Hymenocardia* Wall. (Euphorb.) 6437  
*Hymenocarpus* Savi (Legumin.) 1656  
*Hymenocentron* Cass. (Centaurea L.) 4100  
*Hymenocephalus* Jaub. et Spach (Centaurea L.) 4100  
*Hymenochaeta* P. B. v. Hymenochaete Nees 7934  
*Hymenochaete* Nees (Scirpus L.) 7934  
*Hymenocharis* Salisb. (Ischnosiphon Körn.) 7137  
*Hymenoclea* T. et G. (Composit.) 3768  
*Hymenocnemis* H. f. (Logan.) 4917  
*Hymenocrater* F. et M. (Labiata.) 5806  
*Hymenodictyon* Wall. (Rubiace.) 3920  
*Hymenogyne* Haw. (Mesembryanthemum L.)  
*Hymenolepis* Cass. (Athanasia L.) 3943  
— Sch. Bip. (Gonospermum Less.) 3944  
*Hymenolobium* Benth. (Legumin.) 1841  
*Hymenolobus* Nutt. (Capsella Mönch) 329  
*Hymenolytrum* Nees (Scleria Berg) 7981  
*Hymenonema* Cass. (Composit.) 4168  
*Hymenopappus* L'Hér. (Composit.) 3899  
*Hymenopholis* Gardn. (Oligandra Less.) 3616  
*Hymenophysa* C. A. Mey. (Crucif.) 337  
*Hymenopogon* Wall. (Rubiace.) 3015  
*Hymenopyramis* Wall. (Verben.) 5719  
*Hymenosporum* F. Müll. (Pittospor.) 530  
*Hymenospron* Spreng. (Dioclea H. B. K.) 1808  
*Hymenostemma* Kunze (Chrysanthemum L.) 3964  
*Hymenostephium* Benth. (Composit.) 3836  
*Hymenostigma* Hochst. (Moræa L.) 7222  
*Hymenotheca* F. Müll. (Codonocarpus A. Cunn.) 6063  
— Salisb. (Ottelia Pers.) 6727  
*Hymenothecium* Lag. (Ægopogon H. et B.) 8023  
*Hymenothrix* A. Gray (Composit.) 3903  
*Hymenoxys* Cass. (Composit.) 3938  
— T. et G. (Actinolepis DC.) 3890  
*Hyobanche* Thunb. (Scrophul.) 5302  
*Hyophorbe* Gartn. (Palm.) 7474  
*Hyoseyanus* (Tourn.) L. (Solan.) 5146  
*Hyoseris* L. (Composit.) 4177  
— (Rupp.) Dill. (Arnoseris Gärtn.)  
*Hyospatha* Mart. (Palm.) 7647  
*Hypelytrum* Vahl (Hypolytrum Rich.) 7942  
*Hypanthera* Manso (Feuillea L.) 2691  
*Hypaphorus* Hassk. (Erythrina L.) 1793  
*Hyparcte* Raf. (Hermbstædtia Rehb.) 5919  
*Hyparrhenia* Anders. (Andropogon L.) 8020  
*Hypechusa* Alef. (Vicia L.) 1776  
*Hypecoum* L. (Fumar.) 232  
*Hypelate* P. Br. (Sapind.) 1473  
*Hypolytrum* Link v. Hypolytrum Rich. 7942  
*Hypenanthia* Bl. (Medinilla Gaud.) 2450  
*Hyperanthera* Forsk. (Moringa Juss.) 1564  
*Hyperbarna* Miers (Menisperm.) 161  
**Hypericineae** p. 32.  
*Hypericoides* Plum. (Ascyrum L.)  
*Hypericophyllum* Steetz (Jaumea Pers.) 3880  
*Hypericopsis* Boiss. (Frankenia L.) 505  
*Hypericum* (Tourn.) L. (Hypericin.) 631  
— Spach (Hypericum L.) 631



- Hyperogyne* Salisb. (*Paradisica* Mazzuc.) 7418  
*Hypertelis* E. Mey. (*Pharnaceum* L.) 2732  
*Hyperum* Presl (*Wendtia* Meyen) 993  
*Hypphaene* Gärtn. (Palm.) 7725  
*Hyphydra* Schreb. (*Tonina* Aubl.) 7896  
*Hypnoticum* Rodrig. (*Withania* Pauq.) 5119  
*Hypobathrum* Bl. (*Rubiaceae*) 3193  
*Hypobrichia* M. C. Curtis (*Didiplis* Raf.) 2490  
*Hypocalymna* Endl. (*Myrtaceae*) 2283  
*Hypocalyptus* Thunb. (*Leguminosae*) 1646  
*Hypocarpus* A. DC. (*Liriosma* Pöpp. et Endl.) 1212  
*Hypochæris* L. (*Compositae*) 4197  
*Hypochæris* Less. v. *Hypochæris* L. 4197  
*Hypocylix* Woloczak (*Chenopodiaceae*) 6017  
*Hypocyrtia* Mart. (*Gesneriaceae*) 5390  
*Hypodematum* A. Rich. (*Rubiaceae*) 3351  
— A. Rich. (*Lissoschilus* R. Br.) 6833  
*Hypodiscus* Nees (*Restiaceae*) 7919  
*Hypoelytrum* Lestib. v. *Hypolytrum* Rich.  
*Hypoestes* R. Br. (*Acanthaceae*) 5643  
*Hypogomphia* Bge (*Labiatae*) 5808  
*Hypogynium* Nees (*Andropogon* L.) 8020  
*Hypolaena* R. Br. (*Restiaceae*) 7918  
*Hypolepis* P. B. (*Ficinia* Schrad.) 7936  
— Pers. (*Cytinus* L.) 6124  
*Hypolobus* Fourn. (*Asclepiadaceae*) 4810  
*Hypolytrum* Rich. (*Cyperaceae*) 7942  
*Hypophialium* Nees (*Ficinia* Schrad.) 7936  
*Hypophyllanthus* Rgl (*Erythrochiton* Nees et Mart.) \*1008  
*Hypopithys* Scop. (*Monotropaceae*) 4388  
*Hypopogon* Turcz. (*Symplocos* L.) 4527  
*Hypoporum* Nees (*Scleria* Berg) 7981  
*Hypopteron* Hassk. (*Liebigia* Endl.)  
*Hypopterygium* Schlcht. (*Juliania* Schlcht.) 1562  
*Hypothronia* Schrank (*Hypytis* Jacq.) 5744  
*Hypoxanthus* L. C. Rich. (*Miconia* R. et P.) 2462  
*Hypoxis* L. (*Amaryllidaceae*) 7271  
*Hypsela* Presl (*Lobeliaceae*) 4258  
*Hypsecharis* Remy (*Geraniaceae*) 995  
*Hypsepodes* Miq. (*Menispermaceae*) +153b  
*Hypserpa* Miers. (*Limacia* Lour.) 147  
*Hypsophila* F. Müll. (*Celastraceae*) 1273  
*Hyptiandra* H. f. (*Simarubaceae*) 1114  
*Hyptianthera* W. et A. (*Rubiaceae*) 3196  
*Hyptis* Jacq. (*Labiatae*) 5744  
*Hyptissa* Salisb. (*Gladiolus* L.) 7275  
*Hypudæurus* Hochst. (*Anthe-phora* Schreb.) 8026  
*Hyrtanandra* Miq. (*Pouzolzia* Gaud.) 6669  
*Hyssopus* (Tourn.) L. (*Labiatae*) 5771  
*Hysteria* Reinw. (*Corymbis* Thou.) 6979  
*Hystericina* Steud. (*Echinopogon* P. B.) 8106  
*Hysterionica* Willd. (*Compositae*) 3486  
*Hysterophorus* Vaill. (*Parthenium* L.) 3760  
*Hystrix* Mönch (*Asprella* Willd.) 8279
- I**
- Ian-Raia* Plum. (*Rajania* L.)  
*Iantha* Hook. (*Ionopsis* H. B. K.) 6922  
*Ianthe* Salisb. (*Hypoxis* L.) 7278  
*Ibatia* Dcne (*Asclepiadaceae*) 4814  
*Ibbetsonia* Sims (*Cyclopia* Vent.) 1584  
*Iberidella* Boiss. (*Cruciferae*) 366  
*Iberis* L. (*Cruciferae*) 361  
*Ibidium* Salisb. (*Spiranthes* L. C. Rich.) 6992  
*Ibira* Marcgr. (*Xylopia* L.)  
*Ibiriba* Marcgr. (*Lecythis* L.) 2333  
*Icacina* A. Juss. (*Olinaceae*) 1242  
*Icaco* Plum. (*Chrysobalanus* L.)  
*Icacorea* Aubl. (*Ardisia* Sw.) 4470  
*Icaranda* Pers. (*Jacaranda* Juss.) 5489  
*Ichnanthus* P. B. (*Gramineae*) 8051  
*Ichnocarpus* R. Br. (*Apocynaceae*) 4643  
*Ichthyomethia* P. Br. (*Piscidia* L.)  
*Ichthyosme* Schlcht. (*Sarcophyte* Sparrm.) 6356  
*Ichthyothere* Mart. (*Compositae*) 3742  
*Icica* Aubl. (*Protium* Burm.) 1156  
*Icicariba* Plum. (*Icica* Aubl.)  
*Icicopsis* Engl. (*Protium* Burm.) 1156  
— Planch. (*Santiria* Bl.) 1163  
*Icma* Phil. (*Compositae*) 4107  
*Icosandra* Phil. (*Laurin*) 6178  
*Icotorus* Raf. (*Spiraea* L.)  
*Ictinus* Cass. (*Gorteria* L.) 4056  
*Ictodes* Bigel. (*Symplocarpus* Salisb.) 7776  
*Ideleria* Kth (*Elynanthus* Nees) 7963  
*Idesia* Maxim. (*Bixia*) 515  
*Idianthes* Desv. (*Phacelium* Cass.) 4191  
*Idicium* Neck. (*Gerbera* Gronov.) 4146  
*Idothea* Kth (*Drimia* Jacq.) 7489  
*Idothearia* Presl (*Drimia* Jacq.) 7489  
*Ildregia* Steud. (*Sciothamnus* Endl.)  
*Ifloga* Cass. (*Compositae*) 3607  
*Ignatia* L. f. (*Strychnos* L.) 4912  
*Ignatiana* Lour. (*Strychnos* L.)  
*Iguanura* Bl. (Palm.) 7662  
*Ilalium* Cæsalp. (*Phyllirea* Tourn.)  
*Ileocarpus* Miers (*Stephania* Lour.) 154  
*Ilex* L. (*Illiciaceae*) \*1265  
— Tourn. (*Quercus* L.)  
*Ildefonsia* Gardn. (*Scrophulaceae*) 5257  
*Illicineæ* p. 65.  
*Illa* Adans. (*Tomex* L.).

- Illairia* Lenne et Koch (Loaseæ) 2573  
**Illecebraceæ** p. 352.  
*Illecebrum* (Rupp.) L. (Illecebr.) 5395  
*Illicium* L. (Magnoliac.) 56  
*Illicium* Bl. (Combret.) 2264  
*Illus* Haw. (Narcissus L.) 7281  
*Ilma* Adans. (Crocus L.)  
*Ilyogeton* Endl. (Vandellia L.) 5264  
*Ilysanthes* Raf. (Scrophul.) 5285  
*Imatophyllum* Hook. (Clivia Lindl.) 7310  
*Imbricaria* Comm. (Sapot.) 4509  
— Pers. (Mimusops L.) 4508  
— Sm. (Backea L.) 2280  
*Imantina* H. f. (Rubiace.) 3278  
*Imantophyllum* Hook. v. *Imatophyllum* Hook.  
*Imbricaria* Comm. (Sapot.) 4509  
— Pers. (Mimusops L.) 4508  
— Sm. (Backea L.) 2280  
*Imhoffia* Herb. (Hessea Herb.) 7286  
*Impatiens* L. (Geran.) 1002  
*Imperata* Cyr. (Gramin.) 7997  
*Imperatoria* L. (Peucedanum L.) 2886  
*Imperialis* (Adans.) Juss. (Fritillaria L.) 7510  
*Impia* (Dodon.) Bluff et Fing. (Filago L.) 3606  
*Incarrilla* Juss. (Bignon.) 5186  
*Indigastrium* Jaub. et Spach (Indigofera L.) 1672  
*Indigo* Adans. (Indigofera L.)  
*Indigofera* L. (Legumin.) 1672  
*Infantea* Remy (Amblyopappus H. et A.) 3913  
*Inga* (Maregr.) Willd. (Legumin.) 2005  
*Ingenhousia* Moq. et Sessé (Thurberia A. Gray) 767  
*Ingenhoussia* E. Mey. (Amphitelea E. et Z.)  
*Ingenhouzia* Bert. (Balbisia DC.)  
— Vell. (Trichocline Cass.) 4145  
*Ingenhusia* Vell. v. *Ingenhouzia* Vell. 4145  
*Inocarpus* Forst. (Legumin.) 1856  
*Inodaphnis* Miq. (Inocarpus Forst.) 1856  
*Inopteryx* Kl. (Begonia L.) 2695  
*Intsia* Thou. (Afzelia Sm.) 1951  
*Intybellia* Cass. (Pterotheca Cass.) 4192  
— Monn. (Crepis L.) 4190  
*Intybus* Fries (Crepis L.) 4190  
*Inula* L. (Composit.) 3690  
*Inulaster* Sch. Bip. (Inula L.) 3699  
*Involucraria* Ser. (Trichosanthes L.) 2611  
*Iocaste* E. Mey. (Phymaspermum Less.) 3959  
*Iochroma* Benth. (Solan.) 5123  
*Iodanthus* T. et G. (Crucif.) 255  
*Iodes* Bl. (Olacin.) \*1262  
*Iodina* H. et A. (Santal.) 6333  
*Ion* Medik. (Viola L.)  
*Iondraba* Medik. v. *Jondraba* E. Mey.  
*Ione* Lindl. (Bulbophyllum Thou.) 6767  
*Ionidiopsis* Presl (Noisettia H. B. K.) 466  
*Ionidium* Vent. (Violar.) 470  
*Ioniris* Klatt (Iris L.) 7220  
*Ionopsidium* Rehb. (Crucif.) 332  
*Ionopsis* H. B. K. (Orchid.) 6922  
*Iostephane* Benth. (Composit.) 3808  
*Ioxylon* Raf. (Maclura Nutt.)  
*Iozoste* Nees (Actinodaphne Nees) 6206  
*Ipecacuanha* Arrud. (Uragoga L.) 324  
*Iphigenia* Kth (Liliac.) 7527  
*Iphia* Cass. (Composit.) 3698  
*Iphia* Wight (Tylophora R. Br.) 4826  
*Ipinum* Phil. (Gramin.) 8213  
*Ipo* (Camell.) Pers. (Antiaris Lesch.)  
*Ipomoea* L. (Convolvul.) 5077  
*Ipomeria* Nutt. (Gilia R. et P.) 4969  
*Ipomopsis* Mchx (Gilia R. et P.) 4969  
*Ipsa* Lindl. (Pachystoma Bl.) 6783  
*Ireneis* Moq. (Iresine L.) 5963  
*Ireon* Burm. (Roridula L.) 2:92  
*Iresine* L. (Amarant.) 5963  
*Iria* Rich. (Abildgaardia Vahl).  
*Iriarte* R. et P. (Palm.) 7650  
— Wendl. (Iriarte R. et P.) 7650  
*Iriartella* Wendl. (Iriarte R. et P.) 7650  
**Irideæ** p. 412.  
*Iridorchis* Bl. (Cymbidium Sw.) 6835  
*Irina* Bl. (Pometia Forst.) 1422  
*Iripa* Adans. (Cynometra L.)  
*Iris* L. (Irid.) 7220  
*Irlbachia* Mart. (Lisianthus Aubl.) 4952  
*Irmischia* Schlecht. (Metastelma R. Br.) 4745  
*Iron* P. Br. (Sauvagesia L.)  
*Ironcana* Aubl. (Casearia Jacq.) 2543  
*Irsiola* P. Br. (Cissus L.) 1367  
*Irringia* H. f. (Simarub.) 1130  
— F. Müll. (Hedera L.) 2963  
*Isabella* Barb. Rodr. (Orchid.) 7099  
*Isacanthus* Nees (Sclerochiton Harv.) 5562  
*Isachne* R. Br. (Gramin.) 8049  
*Isandra* Salisb. (Thysanotus R. Br.) 7436  
*Isanthera* Nees (Gesner.) 5483  
*Isanthus* Mchx (Labiata.) 5859  
— DC. (Homoeanthus DC.)  
*Isatis* L. (Crucif.) 375  
*Isaura* Comm. (Stephanotis Thou.)  
*Isanxis* Arn. (Vatica L.) 710  
*Ischaemon* Hall. v. *Ischaemum* L.)  
*Ischaemopogon* Griseb. (Ischaemum L.) 8012  
*Ischaemum* L. (Gramin.) 8012

- Ischarum* Bl. (Biarum Schott) 7847  
*Ischnia* DC. (Tamonea Aubl.) 5688  
*Ischnosiphon* Körn. (Zingiberac.) 7137  
*Ischnurus* Balf. f. (Gramin.) 8268  
*Ischurochloa* Büse (Bambusa Schreb.) 8289  
*Ischyranthera* Steud. (Bellucia Neck.) 2472  
*Ischyrolepis* Steud. (Restio L.) 7907  
*Iseilema* Anders. (Gramin.) 8023  
*Isertia* Schreb. (Rubiaceae) 3110  
*Isias* De Not. (Serapias L.) 7056  
*Isidorea* A. Rich. (Rubiaceae) 3056  
*Isidrogalvia* R. et P. (Tofieldia Huds.) 7538  
*Isika* Adans. (Lonicera L.)  
*Isis* Tratt. (Iris L.)  
*Ismelia* Cass. (Chrysanthemum L.) 3964  
— Sch. Bip. (Chrysanthemum L.) 3964  
*Ismene* Salisb. (Hymenocallis Salisb.) 7324  
*Isnardia* L. (Ludwigia L.) 2524  
*Isocarpha* R. Br. (Composit.) 3800  
— Gardn. (Alomia H.B.K.) 3441  
*Isochilus* R. Br. (Orchid.) 6819  
*Isochoriste* Miq. (Acanth.) 5590  
*Isocoma* Nutt. (Bigelovia DC.) 3491  
*Isodendrion* A. Gray (Violar.) 475  
*Isodesmia* Gardn. (Legumin.) 1746  
*Isodon* Schrad. (Plectranthus L'Hér.)  
*Isoetopsis* Turcz. (Composit.) 3978  
*Isoglossa* Erst. (Acanth.) 5617  
*Isolepis* R. Br. (Scirpus L.) 7934  
*Isolobus* A. DC. (Lobelia L.) 4262  
*Isoloma* Benth. (Gesner.) 5373  
*Isolophus* Spach (Polygala L.) 542  
*Isomeris* Nutt. (Capparid.) 429  
*Isonandra* Wight (Sapot.) 4513  
*Isonema* R. Br. (Apocyn.) 4629  
— Cass. (Vernonia Schreb.) 3405  
*Isopappus* T. et G. (Haplopappus Cass.) 3488  
*Isopetalum* E. et Z. (Pelargonium L'Hér.)  
— Sweet (Erodium L'Hér.) 984  
*Isophyllum* Hoffm. (Bupleurum L.) 2792  
*Isophyllum* Spach (Ascyrum L.) 630  
*Isoplexis* Lindl. (Scrophul.) 5283  
*Isopogon* R. Br. (Proteac.) 6228  
*Isoptera* Scheff. (Dipterocarp.) + 719<sup>b</sup>  
*Isopteris* Wall. (Trigoniasium Miq.) 552  
*Isopteryx* Kl. (Begonia L.) 2695  
*Isopyrum* L. (Ranuncul.) 21  
*Isora* (Plum.) Schott (Helicteres L.) 803  
*Isoschoenus* Nees (Schœnus L.) 7961  
*Isostigma* Less. (Composit.) 3859  
*Isotomia* Lindl. (Lobeliaceae) 4252  
*Isotria* Raf. (Pogonia Juss.) 7043  
*Isotropis* Benth. (Legumin.) 1591  
*Isotypus* H. B. K. (Onoseris DC.) 4113  
*Itea* L. (Saxifrag.) 2139  
— Andr. (Bursaria Cav.)  
*Iteadaphne* Bl. (Laurin.) 6211  
*Ittnera* Gmel. (Naias L.) 7889  
*Iulus* Salisb. (Allium L.) 7476  
*Iva* L. (Composit.) 3763  
*Ivesia* Torr. (Potentilla L.) 2055  
*Ivira* Aubl. (Sterculia L.) 791  
*Ivonla* Vell. (Inc. sed.)  
*Ixalum* Forst. (Spinifex L.)  
*Ixandra* F. Müll. (Solan.) 5176  
*Ixanthus* Griseb. (Gentian.) 4941  
*Ixauchenus* Cass. (Lagenophora Cass.) 3518  
*Ixerba* A. Cunn. (Saxifrag.) 2130  
*Ixeris* Cass. (Lactuca L.) 4206  
*Ixia* L. (Irid.) 7263  
*Ixianthes* Benth. (Scrophul.) 5207  
*Ixidium* Eichl. (Eremolepis Griseb.) 6322  
*Ixine* Hill (Cnicus L.)  
*Ixioclamys* F. Müll. (Podopappus H. et A.) 3557  
*Ixiolæna* Benth. (Composit.) 3642  
*Ixiolirion* Fisch. (Amaryll.) 7329  
*Ixiosporum* F. Müll. (Citriobatus A. Cunn.) 533  
*Ixodia* R. Br. (Composit.) 3655  
*Ixonanthes* Jack (Lineæ) 904  
*Ixophorus* Schlecht. (Setaria P. B.) 8055  
*Ixora* L. (Rubiaceae) 3257

## J

- Jaborandi* Pison (Ottonia Spreng.?).  
*Jaborosa* Juss. (Solan.) 5133  
*Jabotapita* (Plum.) Adans. (Gomphia Schreb.)  
*Jacapucaya* Marcgr. (Lecythis L.) 2333  
*Jacaranda* (Marcgr.) Juss. (Bignon.) 5489  
*Jacaratia* DC. (Passiflor.) 2606  
*Jacea* (Tourn.) Cass. (Centaurea L.) 4100  
*Jackia* Vahl (Rubiaceae) 3212  
— Bl. (Xanthophyllum Roxb.) 555  
— Spreng. (Eriolæna DC.) 805  
*Jacksonia* R. Br. (Legumin.) 1594  
— Raf. (Polanisia Raf.)  
*Jacobæa* (Tourn.) Thunb. (Senecio L.) 4025  
*Jacobæastrum* Vaill. (Othonna L.)  
*Jacobæoides* Vaill. (Solidago L.)  
*Jacobinia* Moric. (Acanth.) 5625  
*Jacosta* E. Mey. (Phymaspermum Less.) 3959  
*Jacquemontia* Choisy (Convolvul.) 5081  
— Belang. (Gamolepis Less.) 4035  
*Jacquinia* L. (Myrsin.) 4482  
— Mut. (Trilix L.)  
*Jacquiniotia* Hombr. (Lebetanthus Endl.) 4411

- Jacouanga* Lestib. (*Costus* L.) 7129  
*Jacularia* Raf. (Belis Salisb.)  
*Jagera* Giseke (*Zingiber* Adans.) 7128  
*Jageria* H. B. K. (Composit.) 3785  
*Jarschkea* Kurz (Gentian.) 4956  
*Jagera* Bl. (Sapind.) 1452  
*Jalambicea* Llav. et Lex. (Limnium L. C. Rich.) 6725  
*Jalapa* (Tourn.) Mönch (*Mirabilis* L.) 5870  
*Jaltomata* Schlecht. (*Saracha* R. et P.) 5111  
*Jamacaru* Pison (Cactus L.)  
*Jambolana* (Rumph.) Adans. (*Jambolifera* L.)  
*Jambolifera* L. (*Acronychia* Forst.) 1086  
*Jambosa* (Rumph.) DC. (*Eugenia* L.) 2327  
*Jamesia* T. et G. (*Saxifrag.*) 2122  
— Nees (*Stephanomeria* Nutt.) 4223  
*Jancea* Boiss. (*Ramondia* L. C. Rich.) 5423  
*Jania* Schult. (*Baometra* Salisb.) 7523  
*Janipha* H. B. K. (*Manihot* Adans.) 6488  
*Jankaea* Boiss. (*Ramondia* L. C. Rich.) 5423  
*Jansonia* Kipp. (Legumin.) 1586  
*Janthe* Griseb. (*Celsia* L.) 5184  
*Janusia* A. Juss. (Malpigh.) 960  
*Jaracatia* Maregr. (*Carica* L.)  
*Jararea* Scop. (*Microlicia* Don.) 2362  
*Jarava* R. et P. (*Stipa* L.) 8090  
*Jardinea* Steud. (*Rhytachne* Desv.) 8008  
*Jardinia* Sch. Bip. (*Erlangea* Sch.) 3395  
*Jasione* L. (Campanul.) 4270  
*Jasminanthes* Bl. (*Stephanotis* Thou.) 4837  
*Jasminoides* (Nissolet) Mönch (*Lycium* L.)  
*Jasminum* L. (Oleac.) 4534  
— Burm. (Tourn.) (*Ixora* L.)  
*Jasonia* Cass. (Composit.) 3696  
*Jatcorhiza* Miers (Menisperm.) 131  
*Jatropha* L. (Euphorb.) 6455  
*Jaubertia* Guill. (*Gaillonia* A. Rich.) 3318  
— Spach (*Dipterocome* F. et M.) 4013  
*Jaumca* Pers. (Composit.) 3889  
*Jeanneretia* Gaud. (*Pandanus* L.) 7743  
*Jeffersonia* Bartl. (Berberid.) 199  
*Jehlia* Hort. Germ. (*Lopezia* Cav.)  
*Jeniparandiba* Maregr. (*Gustavia* L.) 2330  
*Jenkinsia* Griff. (*Miquelia* Meisn.) 1255  
*Jenkinsonia* Sw. (*Pelargonium* L'Hér.) 985  
*Jerdonia* Wight (*Gesner.*) 5419  
*Jessenia* Karst. (Palm.) 7644  
*Jezabel* Banks (*Freycinetia* Gaud.) 7744  
*Jirasekia* W. Schmidt (*Anagallis* L.) 4454  
*Joachimea* Ten. (*Beckmannia* Host.) 8177  
*Joannea* Spreng. (*Chuquiragua* Juss.) 4118  
*Joannesia* Vell. (Euphorb.) 6454  
— Pers. (*Chuquiragua* Juss.) 4118  
*Jobaphes* Phil. (*Hyalis* D. Don) 4110  
*Jobinia* Fourn. (Asclep.) 4829  
*Jocaste* DC. (*Oligoglossa* DC.)  
— Kth (*Smilacina* Desf.) 7375  
*Johannesia* Vell. v. *Joannesia* Vell.)  
*Johannia* Willd. (*Chuquiragua* Juss.) 4118  
*Johnia* Roxb. (*Hippocratea* L.) 1312  
— W. et A. (*Glycine* L.) 1788  
*Johnsonia* R. Br. (Liliac.) 7453  
— Adans. (*Cedrela* L.)  
— Catesb. (*Callicarpa* L.)  
— Neck. (*Lycium* L.)  
*Johrenia* DC. (Umbellif.) 2396  
*Joinvillea* Gaud. (Flagellar.) 7604  
*Joliffia* Boj. (*Telfairea* Hook.) 2610  
*Jonequetia* Schreb. (*Odina* Roxb.)  
*Jondraba* Webb (*Biscutella* L.) 355  
*Jonesia* Roxb. (*Saraca* L.) 1962  
*Jonghea* Lem. (*Billbergia* Thunb.) 7164  
*Jonquilla* Haw. (*Narcissus* L.) 7281  
*Jonsenia* Adans. (*Cedrela* L.) 1198  
*Joosia* Karst. (*Ladenbergia* Kl.) 3017  
*Jordania* Boiss. (*Acanthophyllum* C. A. Mey.) 571  
*Josephia* Wight (Orchid.) 6792  
— Vell. (*Bougainvillea* Comm.) 5880  
*Josephia* Salisb. (*Dryandra* R. Br.) 6208  
*Josephinia* Vent. (Pedalin.) 5511  
*Jossinia* Comm. (*Eugenia* L.) 2327  
*Jourca* Fourn. (Gramin.) 8265  
*Jovellana* Cav. (*Calceolaria* L.) 5186  
*Jozoste* Nees (*Actinodaphne* Nees).  
*Juana* Drude (Palm.) 7658  
*Juapullat* R. et P. (Solan.) 5148  
*Jubara* H. B. K. (Palm.) 7738  
*Jubelina* A. Juss. (Malpigh.) 954  
*Juchia* Neck. (*Lobelia* L.) 4262  
— Röm. (*Melothria* L.) 2651  
*Jucunda* Cham. (*Miconia* R. et P.) 2162  
*Jugastrum* Miers (Myrtac.) 2334  
**Juglandæ** p. 379.  
*Juglans* L. (Jugland.) 6696  
*Jujuba* Burm. (*Ziziphus* L.)  
*Juliana* Llav. et Lex. (*Choisya* Kth) 1064  
*Juliania* Schlecht. (Anacard.) 1562  
*Julocroton* Mart. (Euphorb.) 6461  
*Julostyles* Thw. (Malvac.) 759  
**Juncaceæ** p. 436.  
*Juncago* Tourn. (*Triglochin* L.).

*Juncella* F. Müll. (*Trithuria* H. f.) 7897  
*Juncoides* (Dill.) Adans. (*Luzula* DC.) 7611  
*Juncus* (Tourn.) L. (*Juncac.*) 7610  
*Junghuhnia* Miq. (*Codiæum* Rumph.) 6471  
*Jungia* L. f. (*Composit.*) 4158  
— Gartn. (*Bæckeia* L.) 2280  
— Löffl. (*Ayenia* L.)  
— Mönch (*Salvia* L.).  
*Juniperus* L. (*Conifer.*) 8331  
*Juno* Tratt. (*Iris* L.) 7220  
*Jurgensenia* Turcz. (*Bejaria* Mut.) 4374  
*Jurgensia* Spreng. (*Alsodeia* Thou.) 476  
*Jurinea* Cass. (*Composit.*) 4089  
*Jurinella* Jaub. et Spach (*Jurinea* Cass.) 4089  
*Jussiaea* L. (*Onagrar*) 2522  
— Forsk. (*Antichorus* L.).  
*Jussieuia* Auct. v. *Jussiaea* L. 2522  
*Jussievia* Houst. (*Jatropha* L.) 6455  
*Justicia* L. (*Acanth.*) 5611  
— Nees (*Ecbolium* Kurz) 5624

## K

*Kabbe* Herm. (*Ornitrophe* Cass.).  
*Kadali* Adans. (*Osbeckia* L.).  
*Kadsura* Kæmpf. (*Magnoliac.*) 63  
*Kadua* Ch. et Schl. (*Rubiace.*) 3098  
*Kæmpferia* Houst. (*Tamonea* Aubl.) 5688  
*Kæmpferia* L. (*Zingiberac.*) 7119  
*Kageneckia* R. et P. (*Rosac.*) 2035  
*Kahiria* Forsk. (*Ethulia* L.) 3393  
*Kakosmanthus* Hassk. (*Payena* A. DC.) 4514  
*Kalanchoe* Adans. (*Crassul.*) 2181  
*Kalawæl* Adans. (*Connarus* L.).  
*Kalbfussia* Sch. Bip. (*Leontodon* L.) 4198  
*Kaleniczenkia* Turcz. (*Brachy-  
sema* R. Br.) 1587  
*Kaleria* Adans. (*Silene* L.).  
*Kali* (Tourn.) Adans. (*Salsola* L.).  
*Kalidium* Moq. (*Chenopod.*) 6005  
*Kalimeris* Cass. (*Aster* L.) 3544  
*Kaliphora* H. f. (*Cornac.*) 2981  
*Kallias* Cass. (*Heliopsis* Pers.) 3779  
*Kalliphyllon* Pohl (Symphyo-  
pappus Turcz.) 3459  
*Kallstroemia* Scop. (*Tribulus* L.) 962  
*Kalmia* L. (*Ericac.*) 4366  
*Kalomikta* Rgl (*Actinidia* Lindl.).  
*Kolopanax* Miq. (*Acanthopanax* Dcne et Pl.) 2939  
*Kalosanthos* Haw. (*Rochea* DC.) 2178  
— Haw. (*Crassula* L.) 2176  
*Kampmania* Raf. (*Zanthoxylum* L.).  
*Kampmannia* Steud. (*Inc. sed.*) p. 489.  
*Kamptzia* Nees (*Syncarpia* Ten.) 2301

*Kanahia* R. Br. (*Asclep.*) 4773  
*Kandelia* W. et A. (*Rhizophor.*) 2324  
*Kandis* Adans. (*Lepidium* L.).  
*Kamilia* Bl. (*Bruguiera* Lam.) 2235  
*Kanimia* Gardn. (*Composit.*) 3463  
*Kaniram* Thou. (*Strychnos* L.).  
*Kantuffa* Bruce (*Pterolobium* R. Br.).  
*Kara-Angolam* Adans. (*Alangium* L.).  
*Karamischewia* F. et M. (*Rubiace.*) 3090  
*Karatas* (Plum.) Adans. (*Bromel.*) 7150  
— B. et H. (*Nidularium* Lem.) 7157  
*Kardanoglyphos* Schlcht. (*Carda-  
mine* L.) 253  
*Kare-Kandel* Adans. (*Carallia* Roxb.).  
*Karelinia* Less. (*Pluchea* Cass.) 3583  
*Karpaton* Raf. (*Inc. sed.*) p. 489.  
*Karivia* Arn. (*Melothria* L.) 2651  
*Karwinskia* Zucc. (*Rhamn.*) 1328  
*Kasailo* Dennst. (*Ambelania* Aubl.).  
*Kastnera* Sch. Bip. (*Liabum* Adans.) 3990  
*Katontheka* Adans. (*Ardisia* Sw.).  
*Katon-Tsjeroe* Adans. (*Holigarna* Roxb.).  
*Katubala* Adans. (*Canna* L.).  
*Kaufmannia* Rgl (*Primul.*) 4436  
*Kaulfussia* Nees (*Charlieis* Cass.) 3529  
*Kayea* Wall. (*Guttifer.*) 659  
*Kedrostis* Medik. (*Cucurbit.*) 2657  
*Keenania* H. f. (*Rubiace.*) 3138  
*Keerlia* A. Gray (*Composit.*) 3514  
— DC. (*Aphanostephus* DC.) 3513  
*Kefersteinia* Rchb. f. (*Zygopeta-  
lum* Hook.) 6851  
*Kegelia* Rchb. f. (*Orchid.*) 6865  
— Sch. Bip. (*Eleutheran-  
thera* Poit.) 3815  
*Keiria* Bowd. (*Inc. sed.*).  
*Keiskea* Miq. (*Labiata.*) 5753  
*Keithia* Benth. (*Labiata.*) 5775  
— Spreng (*Inc. sed.*).  
*Keitia* Rgl (*Irid.*) 7246  
*Kellaua* A. DC. (*Euclea* L.) 4522  
*Kelleria* Endl. (*Drapetes* Banks) 6290  
*Kelletia* Seem. (*Prockia* L.) 877  
*Kellogia* Torr. (*Rubiace.*) 3326  
*Kempferia* Adans. v. *Kæmpferia* Houst.  
*Kendrickia* H. f. (*Melastom.*) 2424  
*Kennedya* Vent. (*Legumin.*) 1791  
*Kennedynella* Steud. (*Glycine* L.).  
*Kentia* Bl. (*Palm.*) \*7617  
— Adans. (*Trigonella* L.).  
— Kl. (*Melodorum* Dun.) 110  
— Steud. (*Fagraea* Thunb.) 4904  
*Kentiopsis* Brongn. (*Palm.*) 7622  
*Kentranthus* Neck. v. *Centranthus* DC. 3378  
*Kentrophyllum* Neck. (*Carthamus* L.) 4102

- Kentrophyta Nutt. (Astragalus L.) 1720  
 Kentropsis Moq. (Sclerolæna R. Br.) 6001  
 Keppleria Mart. (Bentinckia Berry) 7681  
 — Meisn. (Oncosperma Bl.) 7641  
 Keramantus H. f. (Passiflor.) 2598  
 Keramocarpus Fenzl (Coriandrum L.) 2900  
 Keranthus Lour. (Dendrobium Sw.)  
 Keraselma Neck. (Euphorbia L.) 6370  
 Keratephorus Hassk. (Payson A. DC.) 4514  
 Kermadrenia J. Gay (Stercul.) 833  
 Kerbera Fourn. (Asclep.) 4762  
 Kerinozoma Steud. (Gramin.) 8266  
 Kerchovea Jorissenno (Stromanthe Sond.) 7139  
 Kermadecia Brongn. et Gris (Proteac.) 6216  
 Kerneria Medik (Cochlearia L.) 281  
 — Willd. (Posidonia Kön.) 7882  
 Kerneria Mönch (Bidens L.) 3856  
 Kerria DC. (Rosac.) 2030  
 Keteleeria Carr. (Abies Juss.) 8315  
 Ketmia (Tourn.) L. (Hibiscus L.)  
 Keulia Molina (Gomortega R. et P.) 6216b  
 Keura Forsk. (Pandanus L.)  
 Keyserlingia Bge (Sophora L.) 1871  
 Khaya A. Juss. (Meliac.) 1193  
 Kibara Endl. (Monimiac.) 6157  
 Kibatalia G. Don (Kickxia Bl.) 4657  
 Kibera Adans. (Sisymbrium L.)  
 Kibessia DC. (Melastom.) 2481  
 Kickxia Bl. (Apocyn.) 4657  
 — Dmrt. (Linaria Juss.) 5191  
 Kielboul Adans. (Aristida L.)  
 Kielmeyera Mart. (Ternstroem.) 699  
 Kiesera Reinw. (Tephrosia Pers.) 1682  
 Kieseria Nees (Bonnetia Mart. et Zucc.) 697  
 Kigelia DC. (Bignon.) 5496  
 Kiggelaria L. (Bixin.) 526  
 — Auct. (Pappea E. et Z.) 1126  
 Kiliania Sch. Bip. (Vicia Cass.) 3702  
 Kingia R. Br. (Liliac.) 7402  
 Kingsboroughia Liebm. (Meliosma Bl.) 1504  
 Kingstonia H. f. (Anonac.) 122  
 — Gray (Saxifraga L.) 2092  
 Kinkina Adans. v. Cinchona L. 3009  
 Kippistia Miers (Salacia L.) 1313  
 — F. Müll. (Minuria DC.) 3531  
 Kirganelia A. Juss. (Phyllanthus L.) 6404  
 Kiriloria Bge (Chenopod.) 5989  
 Kirkia Oliv. (Simarub.) 1131  
 Kirschlegeria Spach (Fuchsia L.) 2530  
 Kissenia R. Br. (Loasæ) 2568  
 Kissodendron Seem. (Hedera L.) 2963  
 Kitaibelia Willd. (Malvac.) 728  
 Kitchingia Bak. (Crassul.) 2179  
 Kittelia Rehb. (Cyanea Gaud.) 424  
 Kladnia Schur (Hesperis L.) 285  
 Klanderia F. Müll. (Prostanthera Labill.) 3851  
 Klaprothia H. B. K. (Loasæ) 2570  
 Klasea Cass. (Serratula L.) 409  
 Klattia Bak. (Irid.) 725  
 Kleinhoria L. (Stercul.) 804  
 Kleinia Haw. (Senecio L.) 402  
 — Jacq. (Porophyllum Vaill.) 391  
 — Juss. (Jaumea Pers.) 388  
 Kleistocalyx Steud. (Rhynchospora Vahl)  
 Klenzea Sch. Bip. (Athrixia Ker) 368  
 Klopstockia Karst (Ceroxylon H. B. K.) 765  
 Klotzschia Cham. (Umbellif.) 276  
 Klotzschiphytum H. Bn (Croton L.) 646  
 Klugia Schlecht. (Gesner.) 541  
 Klukia Andr. (Sisymbrium L.)  
 Knappia F. Bauer (Rhynchoglossum Bl.)  
 — Sm. (Mibora Adans.) 810  
 Knautia L. et Auct. (Scabiosa L.) 338  
 — Lag. (Scabiosa L.) 338  
 Knavel (Riv.) Adans. (Scleranthus L.)  
 Kneidia Spach (Oenothera L.) 252  
 Knema Bl. (Myristica L.) 615  
 Knesebeckia Kl. (Begonia L.) 269  
 Knifa Adans. (Hypericum L.)  
 Knightia R. Br. (Proteac.) 626  
 Kniphofia Salisb. (Liliac.) 739  
 Knorrea Moq. et Sessé (Hedwigia Sw.)  
 Knowlesia Hassk. (Tradescantia L.) 7588  
 Knorrtonia Salisb. (Ranuncul.) 5  
 Knuxia L. (Rubiace.) 3224  
 Koutophyllum Arrud. (Inc. sed.)  
 Kobresia Willd. (Cyper.) 7984  
 Kochia Roth (Chenopod.) 5997  
 Kodda-Pail Adans. (Pistia L.)  
 Koerberlinia Zucc. (Simarub.) 1138  
 Koeberia Endl. (Composit.) 4085  
 Kœhleria Rgl (Isoloma Benth.) 5373  
 Kœlera Willd. (Roumea Poit.)  
 Kœleria Pers. (Gramin.) 8216  
 Kœllea Biria (Eranthis Salisb.)  
 Kœllensteinia Rehb. f. (Aganisia Lindl.) 6854  
 Kœllia Mönch (Pycnanthemum Melix) 5765  
 Kœllikeria Rgl (Gesner.) 5370  
 Kœlpinia Pall. (Composit.) 4182  
 Kœhreuteria Laxm. (Sapind.) 1463  
 — Medik. (Marsdenia R. Br.)  
 Kœnigia R. Br. (Alyssum L.) 274  
 Kœnigia L. (Polygon.) 6077  
 Kœrniekea Kl. (Paullinia L.) 1370  
 Kœrniekia Rgl (Achimenes P. Br.) 5366



- Kohautia** Ch. et Schl. (*Oldenlandia* L.) 3089  
**Kohlrauschia** Kth (*Tunica* Scop.) 570  
**Koiledepas** Hassk. v. *Cælolepas* Hassk. 6507  
**Kokera** Adans. (*Chamissoa* H. B. K.)  
**Kokoona** Thw. (*Celastr*) 1280  
**Kokoschkinia** Turcz. (*Tecoma* Juss.) 5474  
**Kolbea** Schlcht. (*Bæometra* Salisb.) 7523  
**Kolbia** P. B. (*Modecca* Lam.) 2597  
**Kolleria** Presl (*Galenia* L.) 2719  
**Kolowratia** Presl (*Alpinia* L.) 7134  
**Kolpakowskia** Rgl (*Ixiolirion* Fisch.) 7329  
**Komana** Adans. (*Hypericum* L.)  
**Koompassæa** Maing. (*Legumin*). +1936b  
**Koon** Gartn. (*Schleichera* Willd.) 1413  
**Kopsia** Bl. (*Apocyn*) 4593  
— *Dmrt.* (*Orobanche* L.)  
**Kordelestris** Arrud. (*Jacaranda* Juss.) 5489  
**Korolkowia** Rgl (*Fritillaria* L.) 7510  
**Korosvel** Adans. (*Delima* L.)  
**Korthalsia** Bl. (*Palm*) \*7710  
**Korycarpus** Zea (*Diarrhena* Raf.) 8225  
**Kosaria** Forsk. (*Dorstenia* L.) 6619  
**Kosteletzkya** Presl (*Malvac*) 758  
**Kotchubæa** Fisch. (*Rubiace*) 3210  
**Kotschya** Endl. (*Smithia* Ait.) 1752  
**Kotsjiletti** Adans. (*Xyris* L.)  
**Kowalewskia** Turcz. (*Clethra* L.) 4381  
**Kralikia** Coss. et Durieu (*Gramin*.) 8263  
— *Sch. Bip.* (*Chiliocephalum* Benth.) 3611  
**Krameria** (Löfl.) L. (*Polygal*) 557  
**Krapfia** DC. (*Ranunculus* L.) 10  
**Krascheninikovia** Max (*Stellaria* L.)  
**Krascheninikowia** Turcz. (*Stellaria* L.) 581  
**Krascheninnikovia** Güld. (*Eurotia* Adans.) 5982  
**Kraunhia** Raf. (*Wisteria* Nutt.)  
**Kraussia** Harv. (*Rubiace*) 3201  
— *Sch. Bip.* (*Amellus* L.) 3527  
**Krebsia** E. et Z. (*Leptononis* DC.) 1621  
— *Harv.* (*Gomphocarpus* R. Br.) 4739  
**Kreidek** Adans. (*Scoparia* L.)  
**Kremeria** Coss. (*Muricaria* Desv.) 400  
— *Durieu* (*Chrysanthemum* L.) 3964  
**Kreysigia** Rchb. (*Liliac*) 7542  
**Krigia** Schreb. (*Composit*) 4173  
**Krockeria** Neck. (*Habzelia* A. DC.)  
**Krombholzia** Fourn. (*Zeugites* Schreb.) 8227  
**Kruberia** Hoffm. (*Capnophyllum* Gärt.) 2861  
**Kruegeria** Scop. (*Macrolobium* Schreb.)  
**Kruksea** Rgl (*Streptopus* Mchx) 7373  
**Krynitzkia** F. et M. (*Eritrichium* Schrad.) 5027  
**Ktenosachne** Steud. (*Prionanthium* Desv.) 8134  
**Ktenospermum** Lehm. (*Pectocarya* DC) 5015  
**Kua** Rheede (*Curcuma* L.)  
**Kuala** Karst. (*Esenbeckia* Kth) 1076  
**Kugia** Bert. (*Inc. sed.*)  
**Kuhlia** H. B. K. (*Samyd*) 2549  
— *Bl.* (*Fagræa* Thunb.) 4904  
**Kuhnia** L. (*Composit*) 3468  
— *DC.* (*Trichogonia* Gardn.)  
**Kuhnistera** Lam. (*Petalostemon* Mchx) 1670  
**Kumara** Medik. (*Aloe* L.) 7393  
**Kumlienia** Greene (*Ranunculus* L.) \*10  
**Kummeria** Mart. (*Discophora* Miers) 1238  
**Kundmannia** Scop. (*Umbellif*) 2842  
**Kunthia** H. et B. (*Palm*) 7670  
— *Dennst.* (*Garuga* Roxb.) 1151  
**Kunzea** Rchb. (*Myrtac*) 2287  
**Kunzia** Spreng. (*Purshia* DC.) 2044  
**Kurria** Hochst. (*Hymenodictyon* Wall.) 3020  
**Kurrimia** Wall. (*Celastr*) 1292  
**Kuschakewiczia** Rgl et Smirn. (*Boragin*) 5022  
**Kustera** Rgl (*Beloperone* Nees) 5616  
**Kutchubæa** Fisch. v. *Kotchubæa* Fisch. 3210  
**Kyberia** Neck. (*Bellis* L.) 3525  
**Kydia** Roxb. (*Malvac*) 745  
**Kyllinga** Rottb. (*Cyper*) 7924  
**Kyllingia** Auct v. *Kyllinga* Rottb. 7924  
**Kymapleura** Nutt. (*Troximon* Nutt.) 4199  
**Kyrstenia** Neck. (*Eupatorium* L.) 3460  
**Kyrtanthus** Gmel. (*Posoqueria* Aubl.) 3165
- L**
- Labatia** Sw. (*Sapot*) 4496  
— *Auct.* 4495, 4496  
**Labiatae** p. 323.  
**Labichea** Gaud. (*Legumin*) 1932  
**Labillardiera** R. et S. v. *Billardiera* Sm. 534  
**Labisia** Lindl. (*Myrsin*) 4468  
**Lablab** Savi (*Dolichos* L.) 1819  
**Lablavia** Don (*Dolichos* L.) 1819  
**Labordia** Gaud. (*Logan*) 4894  
**Laboucheria** F. Müll. (*Erythrophloeum* Afz.) 1976  
**Labourdonnaisia** Boj. (*Sapot*) 4490  
— *Auct.* (*Muriea* Hartog) 4515

- Labradia* Swed. (*Mucuna* Adans.) 4491  
*Labramia* A. DC. (Sapot.) 4491  
*Laburnum* (Bauh.) Griseb. (Legumin.) 1638  
*Lacæna* Lindl. (Orchid.) 6862  
*Lacara* Spreng. (*Bauhinia* L.) 1937  
*Lacathea* Salisb. (*Gordonia* Ell.) 692  
*Laccodiscus* Radlk. (Sapind.) 1438  
*Laccospadix* Wendl. et Dr. (*Calyptrocalyx* Bl.) 7651  
*Laccosperma* Wendl. et Mann (Ancestrorphyllum Wendl. et Mann) 7719  
*Lacellia* Viv. (*Volutarella* Cass.) 4097  
*Lacepedea* H. B. K. (*Turpinia* Vent.) 1501  
*Lacerdæa* Berg (*Campomanesia* R. et P.) 2312  
*Lachanodendron* Reinw. (Inc. sed.)  
*Lachanodes* DC. (*Senecio* L.) 4025  
*Lachenalia* Jacq. (Liliac.) 7488  
*Lachnæa* L. (Thymel.) 6289  
*Lachnagrostis* Trin. (*Calamagrostis* Roth) 8124  
*Lachnanthes* Ell. (*Hæmodor.*) 7198  
*Lachnocapsa* Balf. f. (Crucif.) 335  
*Lachnocaulon* Kth (*Eriocaul.*) 7895  
*Lachnocephalus* Turcz. (*Mallophora* Endl.) 5668  
*Lachnochloa* Steud. (Inc. sed.) p. 492.  
*Lachnolepis* Miq. (*Gyrinops* Gärtn.) 6302  
*Lachnoloma* Bge (Crucif.) 396  
*Lachnopetalum* Turcz. (*Lepidopetalum* Bl.) 1461  
*Lachnophyllum* Bge (Composit.) 3559  
*Lachnopodium* Bl. (*Otanthera* Bl.) 2392  
*Lachnopylis* Hochst. (*Nuxia* Lam.) 4896  
*Lachnorhiza* A. Rich. (Composit.) 3406  
*Lachnosiphonium* Hochst. (*Randia* L.) 3179  
*Lachnospermum* Willd. (Composit.) 3676  
*Lachnostachys* Hook. (Verben.) 5665  
*Lachnostoma* H. B. K. (Asclep.) 4808  
— Korth. (*Nostolachma* Th. Dur.) 3260  
*Lachnostylis* Turcz. (Euphorb.) 6395  
*Lachnothalamus* F. Müll. (*Chthonocephalus* Steetz) 3667  
*Lacis* Lindl. (Podostem.) 6105  
— Schreb. (*Mourera* Aubl.) 6103  
*Lacistema* Sw. (Lacistem.) 6714  
**Lacistemaceæ** p. 381.  
*Lacmellia* Karst. (Apocyn.) 4570  
*Lactaria* Hassk. (*Ochrosia* Juss.) 4591  
*Lactoris* Phil. (Piperac.) 6136  
*Lactuca* (Tourn.) L. (Composit.) 4206  
*Lactucopsis* Sch. Bip. (*Lactuca* L.) 4206  
*Ladanium* Spach (*Cistus* L.) 461  
*Ladenbergia* Kl. (Rubiace.) 3017  
— Kl. (*Cascarilla* Wedd.) 3010  
*Lælia* Lindl. (Orchid.) 6829  
— (Adans.) Desv. (*Bunias* R. Br.) 393  
— Pers. (*Calepina* Adans.)  
*Læliopsis* Lindl. (Orchid.) 6826  
*Lænnecia* Cass. (*Conyza* Less.) 3566  
*Læstadia* Kth. (Composit.) 3506  
*Lætia* (Löfl.) L. (Bixin.) 503  
*Lævigia* Karst. et Tr. (*Monochætum* Naud.) 2402  
*Lafoensia* Vand. (Lythrar.) 2505  
*Lafuentea* Lag. (Scrophul.) 5286  
*Lagarinthus* E. Mey. (*Schizoglossum* E. Mey.) 4738  
*Lagaropyxis* Miq. (*Stereospermum* Cham.) 5480  
*Lagarosiphon* Harv. (*Hydrocharid.*) 6721  
*Lagascea* Cav. (Composit.) 3729  
*Lagenandra* Dalz. (Aroid.) 7855  
*Lagenaria* Ser. (Cucurbit.) 2621  
*Lagenia* Fourn. (Asclep.) 4731  
*Lagenias* E. Mey. (*Sebæa* R. Br.) 4920  
*Lagenifera* Cass. (*Lagenophora* Cass.)  
*Lagenocarpus* Nees (Cyper.) 7971  
— Kl. (*Salaxis* Salisb.) 4361  
*Lagenophora* Cass. (Composit.) 3518  
*Lagenula* Lour. (*Santalum* L.?).  
*Lagerstræmia* L. (Lythrar.) 2512  
*Lagetta* Juss. (Thymel.) 6887  
*Laggera* Sch. Bip. (Composit.) 3582  
*Lagoa* Th. Dur. (Asclep.) 4752  
*Lagochilium* Nees (*Aphelandra* R. Br.) 5592  
*Lagochilus* Bge (Labiata.) 5835  
*Lagoecia* L. (Umbellif.) 2766  
*Lagonychium* M. B. (*Prosopis* L.) 1989  
*Lagophylla* Nutt. (Composit.) 3874  
*Lagopsis* Bge (*Marrubium* L.) 5821  
*Lagopus* (Dod.) Rupp. (*Trifolium* L.)  
*Lagoseris* Link (*Crepis* L.) 4190  
— M. B. (*Pterotheca* Cass.) 4192  
*Lagothamnus* Nutt. (*Tetradymia* DC.) 4030  
*Lagotis* Gärtn. (Selagin.) 5658  
— E. Mey. (*Carpacoe* Sond.) 3338  
*Lagowskia* Trautw. (*Coluteocarpus* Boiss.) 273  
*Lagrezia* Moq. (*Celosia* L.) 5918  
*Lagunæa* Cav. (*Hibiscus* L.) 762  
*Lagunaria* G. Don (Malvac.) 763  
*Laguncularia* Gärtn. f. (Combret.) 2259  
*Lagunea* Lour. (*Polygonum* L.) 6084  
*Lagunezia* Scop. (*Homalium* Jacq.)  
*Lagurostemon* Cass. (*Saussurea* DC.) 4086  
*Lagurus* L. (Gramin.) 8132  
*Lagynias* E. Mey. (*Cuviera* DC.) 3252



- Lahaya** R. et S. (Polycarpæa Lam.) 603  
**Lahia** Hassk. (Malvac.) 784  
**Lais** Salisb. (Hippeastrum Herb.) 7298  
**Lalage** Lindl. (Bossiæa Vent.) 1613  
**Lallemantia** F. et M. (Labiata.) 5804  
**Lamanonia** Vell. (Belangera Camb.) 2152  
**Lamarckia** Gaud. (Myrtac.) 2289  
**Lamarkea** Pers. (Markeia L. C. Rich.) 5147  
**Lambertia** Sm. (Rosac.) 6250  
**Lamium** (Tourn.) L. (Labiata.) 5833  
**Lamottea** Pomel (Carduncellus Adans.) 4103  
**Lamourouxia** H. B. K. (Scrophul.) 5335  
**Lampetia** Röm. (Atalantia Corr.) 1101  
**Lampocarya** R. Br. (Gahnia Forst.) 7967  
**Lampra** Benth. (Weldenia Schult.) 7596  
— Lindl. (Didiscus DC.)  
**Lamprachænum** Benth. (Composit.) 3398  
**Lamprocapnos** Endl. (Dicentra Borkh.)  
**Lamprocarpus** Bl. (Pollia Thunb.) 7571  
**Lamprocaulos** Mast. (Elegia L.) 7910  
**Lamprochæna** F. Müll. (Myriocephalus Benth.) 3657  
**Lamprococcus** Beer (Bromel.) 7171  
**Lamproconus** Lem. (Pitcairnia L'Hér.) 7182  
**Lamprodithyros** Hassk. (Aneilema R. Br.) 7576  
**Lamprolobium** Benth. (Legumin.) 1675  
**Lamprophyllum** Miers (Rheedia L.) 656  
**Lamprospermum** Kl. (Matayba Aubl.) 1433  
**Lamprostachys** Boj. (Achyrosperrum Bl.)  
**Lamprothamnus** Hiern (Rubiace.) 3242  
**Lamprotis** D. Don (Erica L.) 4351  
**Lampsana** (Tourn.) Juss. (Lapsana L.) 4180  
**Lamyra** Cass. (Cnicus L.) 4078  
**Lanaria** Ait. (Hæmodor.) 7201  
— Adans. (Gypsophila L.)  
**Lancea** H. f. et T. (Scrophul.) 5242  
**Lancisia** Gärtn. (Cenia Juss.) 3969  
— Lam. (Lidbeckia Berg) 3960  
— (Ponted.) Adans. (Cotula L.)  
**Lancretia** Del. (Bergia L.) 629  
**Landersia** Macfad. (Melothria L.) 2651  
**Landolphia** P. B. (Apocyn.) 4562  
**Landtia** Less. (Composit.) 4049  
**Landukia** Planch. (Ampelid.) 1363  
**Laneasagum** Bedd. (Cyclostemon Bl.) 6417  
**Lanessania** H. Bn (Urtic.) 6644  
**Langeveldia** Gaud. (Elatostema Forst.) 6665  
**Langia** Endl. (Hermbstædia Richb.) 5919  
**Langleia** Scop. (Casearia Jacq.)  
**Langsdorffia** Mart. (Balanophor.) 6360  
— Raddi (Cocos L.) 7736  
**Langsdorfia** Leandro (Zanthoxylum L.) 1067  
**Languas** Kön. (Alpinia L.) 7134  
**Lanigerostemma** Chap. (Eliæa Camb.)  
**Lanipila** Burch. (Lascospermum Lag.) 3942  
**Lanium** Lindl. (Orchid.) 6806  
**Lankesteria** Lindl. (Acanth) 5540  
**Lannea** A. Rich. (Odina Roxb.) 1522  
**Lanneoma** Del. (Odina Roxb.) 1522  
**Lansbergia** De Vriese (Trimezia Salisb.) 7225  
**Lansium** Rumph. (Jack) (Meliac.) 1183  
**Lantana** L. (Verben.) 5679  
**Lantanopsis** C. Wright (Composit.) 3734  
**Lanthorus** Presl (Loranthus L.) 6315  
**Lapageria** R. et P. (Liliac.) 7365  
**Lapasathus** Presl (Aspalathus L.)  
**Lapathum** (Tourn.) Scop. (Rumex L.)  
**Lapeyrouisia** Pourr. (Irid.) 7265  
— Thunb. (Peyrousea DC.) 3979  
**Laphamia** A. Gray (Composit.) 3884  
**Lapiedra** Lag. (Amaryll.) 7285  
**Lapitheia** Griseb. (Sabbatia Adans.) 4939  
**Laplacea** H. B. K. (Hæmocharis Salisb.) 694  
**Laportea** Gaud. (Urtic.) 6657  
**Lappa** (Tourn.) Juss. (Arctium L.) 4075  
**Lappago** Schreb. (Tragus Hall.) 8029  
**Lappagopsis** Steud. (Paspalum L.) 8045  
**Lappula** Münch (Echinosperrum Sw.) 5026  
**Lappularia** Pomel (Caucalis L.) 2908  
**Lapsana** L. (Composit.) 4180  
**Larbrea** St-Hil. (Stellaria L.) 581  
**Lardizabala** R. et P. (Berberid.) \*182  
**Larentia** Klatt (Alophia Herb.) 7228  
**Laretia** Gill. et Hook. (Umbellif.) 2749  
**Larix** (Tourn.) Mill. (Conifer.) 8311  
**Larnax** Miers (Athenæa Sendtn.) 5108  
**Larochea** Pers. (Crassula L.) 2176  
**Larrea** Cav. (Zygophyll.) 972  
**Larysacanthus** Ærst. (Ruellia L.) 5529  
**Lascodium** Raf. (Inc. sed.) p. 489.  
**Laseguea** A. DC. (Apocyn.) 4668  
**Laser** Baumg. (Laserpitium L.) 2911  
**Laserpitium** (Tourn.) L. (Umbellif.) 2911  
**Lasia** Lour. (Aroid.) 7780  
**Lasiadenia** Benth. (Thymel.) 6276  
**Lasiagrostis** Link (Stipa L.) 8090  
**Lasiandra** DC. (Tibouchina Aubl.) 2383  
**Lasianthæa** DC. (Zexmenia Llav. et Lex.) 3819  
**Lasianthemum** Kl. (Talisia Aubl.) 1405  
**Lasianthera** P. B. (Olacin.) 1228  
**Lasianthus** Jack (Rubiace.) 3296

- Lasianthus* Zucc. (*Zexmenia* Llav. et Lex.)  
*Lasierpa* Torr. (*Chiogenes* Salisb.) 4327  
*Lasimorpha* Schott (*Cyrtosperma* Griff.) 7779  
*Lasiobema* Miq. (*Bauhinia* L.) 1937  
*Lasiocarpus* Liebm. (Malpigh.) 927  
*Lasiocephalus* Schlcht. (*Culcitium* H. et B.) 4019  
*Lasiochloa* Kth (Gramin.) 8240  
*Lasiocladus* Boj. (Acanth.) 5644  
*Lasiococca* H. f. (Euphorb.) 6528  
*Lasiocorys* Benth. (Labi.) 5840  
*Lasiocroton* Griseb. (Euphorb.) 6516  
*Lasiodiscus* H. f. (Rhamn.) 1339  
*Lasiogyne* Kl. (*Croton* L.) 6460  
*Lasiolipsis* Böckel. (*Pæpalanthus* Mart.) 7893  
— Böckel. (*Eriocaulon* L.) 7891  
— Benn. ( *Harrisonia* R. Br.) 1132  
*Lasiolytrum* Steud. (*Arthraxon* P. B.) 8019  
*Lasionema* D. Don (*Macrocnemum* P. Br.) 3018  
*Lasiopera* Hoffmg et Link (*Bartisia* L.) 5334  
*Lasiopetalum* Sm. (Stercul.) 837  
*Lasiophyton* H. et A. (*Micropsis* DC.) 3605  
*Lasiopogon* Cass. (Composit.) 3623  
*Lasiopus* Cass. (*Gerbera* Gronov.) 4146  
— D. Don (*Taraxacum* Hall.) 4201  
*Lasiorrhiza* Lag. (*Leuceria* Lag.) 4149  
*Lasiosiphon* Fresen. (Thymel.) 6293  
*Lasiospermum* Lag. (Composit.) 3942  
— Fisch. (*Scorzonera* L.) 4219  
*Lasiospora* Cass. (*Scorzonera* L.) 4219  
*Lasiostelma* Benth. (Asclep.) 4849  
*Lasiostemon* Schott (*Esterhazia* mik.).  
*Lasiostemum* Nees et Mart. (*Cusparia* Humb.) 1014  
*Lasiostoma* Benth. (Rubi.) 3141  
— Schreb. (*Strychnos* L.) 4912  
*Lasiostyles* Presl (*Cleidion* Bl.) 6524  
*Lasiotriche* Lehm. (*Fingerhuthia* Nees).  
*Lasiurus* Boiss. (*Elionurus* H. et B.).  
*Lassia* H. Bn (*Tragia* L.) 6552  
*Lastarriæa* Remy (Polygon.) 6075  
*Lasthenia* Cass. (Composit.) 3892  
*Lastila* Alef. (*Lathyrus* L.) 1778  
*Latania* Comm. (Palm.) 7724  
*Lathræa* L. (Orobanch.) 5350  
*Lathræophila* Leandro (*Helosis* Rich.) 6363  
*Lathriogyne* E. et Z. (Legumin.) 1608  
*Lathrisia* Sw. (*Bartholina* R. Br.) 7062  
*Lathrophytum* Eichl. (*Balanophor.*) 6368  
*Lathyrus* L. (Legumin.) 1778  
*Latipes* Kth (Gramin.) 8030  
*Latourea* Bl. (Orchid.) 6766  
*Latouria* De Vriese (*Leschenaultia* R. Br.) 4230  
*Latreillea* DC. (*Ichthyothere* Mart.) 3742  
*Latrobea* Meisn. (Legumin.) 1602  
*Latua* Phil. (Solan.) 5125  
*Laubertia* A. DC. (Apocyn.) 4663  
*Lauchea* Kl. (*Begonia* L.) 2695  
*Laugeria* Vahl (Rubi.) 3215  
*Laugieria* Jacq. (*Guetarda* L.) 3213  
*Launæa* Cass. (*Microhynchus* Less.) 4212  
*Laurea* Gaud. (*Bagassa* Aubl.) 6608  
*Laurelia* Juss. (Monimi.) 6173  
*Laurembergia* Berg (*Serpicula* L.) 2226  
*Laurencella* Lindl. (*Helichrysum* Gärt.) 3632  
*Laurentia* Neck. (Lobeli.) 4253  
*Laureola* Röm. (*Skimmia* Thunb.) 1088  
*Laureria* Schlcht. (*Juanulloa* R. et P.) 5148  
*Lauridia* E. et Z. (Celastr.) 1285  
**Laurineæ** p. 348.  
*Laurocerasus* Tourn. (*Prunus* L.) 2019  
*Laurophyllus* Thunb. (*Botryceras* Willd.) 1545  
*Laurus* (Tourn.) L. (Laurin.) 6213  
*Lautembergia* H. Bn (*Alchornea* Sw.) 6511  
*Lavallea* H. Bn (*Strombosia* Bl.) 1215  
*Lavandula* (Tourn.) L. (Labi.) 5746  
*Lavanga* Miers v. Luvunga Ham. 1099  
*Lavatera* L. (Malvac.) 731  
*Lavauxia* Spach (*Eriothera* L.) 2528  
*Lavenia* Sw. (*Adenostemma* Forst.) 3438  
*Lavoisiera* DC. (Melastom.) 2364  
*Lavrada* Vell. (Violar.) 485  
*Lawia* Tul. (*Terniola* Tul.) 6101  
— Wight (*Adenosacme* Wall.) 3121  
*Lawrencella* Lindl. (*Helichrysum* Gärt.) 3632  
*Lawrencia* Hook. (*Plagianthus* Forst.) 737  
*Lawsonia* L. (Lythrar.) 2507  
*Laxmannia* R. Br. (Liliac.) 7456  
— Fisch. (*Coluria* R. Br.) 2053  
— Forst. (*Petrobium* R. Br.) 3772  
*Layia* H. et A. (Composit.) 3876  
— H. et A. (*Ormosia* Jack) 1876  
*Leachia* Cass. (*Coreopsis* L.) 3849  
*Leæba* Forsk. (*Cocculus* DC.) 148  
*Leandra* Raddi (Melastom.) 2454  
— Schult. (*Clitoria* L.) 1783  
*Learosa* Rchb. (*Doryphora* Endl.) 6171  
*Leavenworthia* Torr. (Crucif.) 256  
*Lebeckia* Thunb. (Legumin.) 1624  
*Lebetanthus* Endl. (Epacrid.) 4411

- Lebetina** Cass. (*Adenophyllum* Pers.) 3921  
**Lebidiera** H. Bn (*Cleistanthus* H. f.) 6393  
**Lebidieropsis** Müll. Arg. (*Cleistanthus* H. f.) 6393  
**Lebretonia** Schrank (*Pavonia* L.) 753  
**Lecananthus** Jack (*Rubiaceae*) 3137  
**Lecaniodiscus** Planch. (*Sapind.*) 1408  
**Lecanocarpus** Nees (*Acroglochin* Schrad.) 5965  
**Lecanocnide** Bl. (*Maoutia* Wedd.) 6680  
**Lecanorchis** Bl. (*Orchid.*) 7017  
**Lecanthus** Wedd. (*Urtic.*) 6663  
**Lechea** L. (*Cistin.*) 464  
— *Lour.* (*Commelina* L.) 7574  
**Lechenaultia** R. Br. v. *Leschenaultia* R. Br. 4230  
**Lechidium** Spach (*Lechea* L.) 464  
**Lecheoides** Dun. (*Helianthemum* Pers.) 462  
**Lechlera** Miq. (*Inc. sed.*) p. 492.  
— *Griseb.* (*Solenomelus* Miers) 7253  
— *Steud.* (*Relchela* Steud.) 2753  
**Lechleria** Phil. (*Huanaca* Cav.) 2753  
**Lecocarpus** Dcne (*Composit.*) 3750  
**Lecokia** DC. (*Umbellif.*) 2774  
**Lecontea** A. Rich. (*Syphomeris* Boj.) 3315  
**Lecontia** Torr. (*Peltandra* Raf.) 7814  
**Lecostemon** Moç. et Sessé (*Rosac.*) 2017  
**Lecythis** (Löfl.) L. (*Myrtac.*) 2333  
— *Auct.* (*Jugastrum* Miers) 2334  
**Lecythopsis** Schrank (*Couratari* Aubl.) 2335  
**Ledebouria** Roth (*Scilla* L.) 7505  
**Ledeburia** Link (*Pimpinella* L.) 2814  
**Ledenbergia** Kl. (*Phytolac.*) 6050  
**Ledgeria** F. Müll. (*Galeola* *Lour.*) 6973  
**Ledocarpum** Desf. (*Balbisia* Cav.) 994  
**Ledonia** Spach (*Cistus* L.) 461  
**Ledothamnus** Meisn. (*Ericac.*) 4370  
**Ledum** (Rupp.) L. (*Ericac.*) 4373  
— *Micheli* (*Rhododendron* L.)  
**Lœa** L. (*Ampelid.*) 1368  
**Leersia** Sw. (*Gramin.*) 8075  
**Leeuwenhoekia** DC. v. *Levenhookia* R. Br. 4227  
**Lefeburia** A. Rich. (*Umbellif.*) 2887  
**Lefebvrea** A. Rich. (*Lefeburia* A. Rich.)  
**Legendrea** Webb (*Convolvul.*) 5076  
**Legnephora** Miers (*Cocculus* DC.) 148  
**Legnotis** Sw. (*Cassipourea* Aubl.) 2246  
**Legouxia** Müll. Arg. (*Epigynium* Wight) 4645  
**Legouzia** Durieu (*Specularia* Heist.) 4298  
**Leguminaria** Bur. (*Adenocalymna* Mart.) 5451  
**Leguminosæ** p. 87.  
**Lehmannia** Jacq. f. (*Moschosma* Rchb.) 5730  
— *Spreng.* (*Nicotiana* L.) 5158  
— *Tratt.* (*Potentilla* L.) 2055  
**Leianthostemon** Miq. (*Voyria* Aubl.) 4929  
**Leianthus** Griseb. (*Gentian.*) 4931  
**Leibnitzia** Cass. (*Gerbera* Gronov.) 4146  
**Leiboldia** Schlecht. (*Vernonia* Schreb.) 3405  
**Leichardtia** F. Müll. (*Menisperm.*) + 151<sup>b</sup>  
— *R. Br.* (*Marsdenia* R. Br.) 4835  
— *Sheph.* (*Callitris* Vent.)  
**Leidesia** Müll. Arg. (*Euphorb.*) 6499  
**Leighia** Cass. (*Viguiera* H. B. K.) 3823  
**Leimanthium** Willd. (*Melanthium* L.) 7555  
**Leiocarpus** Bl. (*Aporosa* Bl.) 6429  
**Leiocarya** Hochst. (*Trichoderma* R. Br.) 5009  
**Leioclusia** H. Bn (*Guttifer.*) + 638<sup>b</sup>  
**Leiochilus** Kn. et Westc. (*Orchid.*) 6942  
— *H. f.* (*Buseria* Th. Dur.) \*3264  
**Leiobolium** Rchb. (*Nasturtium* R. Br.) 245  
**Leiophyllum** Pers. (*Ericac.*) 4369  
**Leiopogon** Bertol. (*Rubiaceae*) 3372  
**Leiopyxis** Miq. (*Cleistanthus* H. f.) 6393  
**Leiospermum** Wall. (*Psilotrichum* Bl.) 5937  
— *D. Don* (*Weinmannia* L.) 2166  
**Leiospora** C. A. Mey. (*Parrya* R. Br.) 241  
**Leiostegia** Benth. (*Comolia* DC.) 2385  
**Leiothamnus** Griseb. (*Lisianthus* Aubl.) 4952  
**Leiotulus** Ehrenb. (*Malabaila* Hoffmg) 2892  
**Leiphaimos** Ch. et Schl. (*Voyria* Aubl.) 4929  
**Leitgebia** Eichl. (*Violar.*) 484  
**Leitneria** Chapm. (*Leitner.*) 6693  
**Leitnerieæ** p. 379.  
**Lejica** Hill (*Zinnia* L.) 3777  
**Leloutria** Gaud. (*Dolia* Lindl.) 5099  
**Lemairea** De Vriesæ (*Inc. sed.*) p. 489.  
**Lembotropis** Griseb. (*Cytisus* L.) 1645  
**Lemia** Vand. (*Portulaca* L.)  
**Lemmatium** DC. (*Calea* L.) 3862  
**Lemmonia** A. Gray (*Hydrophyll.*) 4979  
**Lemna** L. (*Lemnac.*) 7858  
**Lemnaceæ** p. 451.  
**Lemniscia** Schreb. (*Vantanea* Aubl.) 906

- Lemnopsis* Zipp. (*Halophila* Thou.)  
*Lemonia* Lindl. (*Ravenia* Vell.) 1017  
 — (Pers.) Pourr. (*Watsonia* Mill.) 7266  
*Lencymmaea* Presl (Inc. sed.) p. 489.  
*Lenidia* Thou. (*Wormia* Rottb.) 40  
*Lennea* Kl. (Legumin.) 1695  
*Lennoa* Llav. et Lex. (Lennoac.) 4425  
**Lennoaceæ** p. 248.  
*Lens* (Tourn.) Gren. et Godr. (Legumin.) 1777  
*Lentibularia* Vaill. (*Utricularia* L.) 5355  
**Lentibulariæ** p. 300.  
*Lenticula* Dill. (*Lemna* L.)  
*Lentiscus* Tourn. (*Pistacia* L.) 1528  
*Lenzia* Phil. (Inc. sed.) p. 489.  
*Leobordea* Del. (*Leptononis* DC.) 1621  
*Leochilus* Kn. et Westc. v. *Leiochilus* Kn. et Westc.  
*Leonia* R. et P. (*Violar.*) 477  
 — Llav. et Lex. (*Salvia* L.) 5793  
 — Mut. (*Citrosma* R. et P.).  
*Leonicenia* Scop. (*Miconia* R. et P.) 2462  
*Leonotis* Pers. (*Labi.*) 5841  
*Leontice* L. (*Berberid.*) 192  
*Leontochir* Phil. (*Amaryll.*) 7332  
*Leontodon* L. (*Composit.*) 4198  
 — Adans. (*Taraxacum* Hall.) 4201  
*Leontoglossum* Hance (*Delima* L.) 36  
*Leontonyx* Cass. (*Composit.*) 3635  
*Leontophthalmum* Willd. (*Calea* L.) 3862  
*Leontopodium* R. Br. (*Composit.*) 3618  
*Leonurus* L. (*Labi.*) 5831  
 — Tourn. (*Leonotis* Pers.).  
*Leopardanthus* Bl. (*Dipodium* R. Br.) 6842  
*Leopoldia* Herb. (*Hippeastrum* Herb.) 7298  
 — Parl. (*Muscari* Mill.) 7499  
*Leopoldinia* Mart. (*Palm.*) 7689  
*Lepachys* Raf. (*Rudbeckia* L.) 3801  
*Lepanthes* Sw. (*Orchid.*) 6746  
*Lepargyræa* Raf. (*Elæagnus* L.) 6311  
*Lepargyreia* Raf. (*Shepherdia* Nutt.) 6313  
*Lepechinia* Willd. (*Labi.*) 5786  
*Lepeocercis* Trin. (*Andropogon* L.) 8020  
*Leperiza* Aubl. (*Urceolina* Rchb.) 7320  
*Lepia* Desv. (*Lepidium* L.) 336  
*Lepicaune* Lapeyr. (*Crepis* L.) 4190  
*Lepicephalus* Lag. (*Cephalaria* Schrad.) 3385  
*Lepicline* Cass. (*Helichrysum* Gärt.) 3632  
*Lepidacanthus* Presl (*Ruellia* L.).  
*Lepidadenia* Nees (*Litsea* Lam.) 6208  
*Lepidagathis* Willd. (*Acanth.*) 5572  
*Lepidanche* Engelm. (*Cuscuta* L.) 5104  
*Lepidanthemum* Kl. (*Dissotis* Benth.) 2396  
*Lepidanthus* Nees (*Hypodiscus* Nees) 7919  
 — Nutt. (*Andrachne* L.) 6399  
 — Nutt. (*Matricaria* L.) 3965  
*Lepidaploa* Cass. (*Vernonia* Schreb.) 3405  
*Lepideilema* Trin. (*Streptochaeta* Schrad.) 8081  
*Lepidinella* Spach (*Cynocardium* Webb).  
*Lepiderema* Radlk. (*Sapind.*) 1446  
*Lepidium* (Tourn.) L. (*Crucif.*) 336  
*Lepidobolus* Nees (*Restiac.*) 7913  
*Lepidocarya* Korth. (*Parinarium* Juss.) 2011  
*Lepidocarpodendron* Boerh. (*Protea* L.).  
*Lepidocaryum* Mart. (*Palm.*) 7721  
*Lepidoceras* H. f. (*Loranth.*) 6325  
*Lepidocline* Cass. (*Lepicline* Less.).  
*Lepidococca* Turcz. (*Caperonia* St-Hil.) 6481  
*Lepidococcus* Wendl. et Dr. (*Mauritia* L. f.) 7720  
*Lepidocoma* Jungh. (*Flemingia* Roxb.) 1827  
*Lepidocroton* Presl (*Chrozophora* Neck.) 6486  
*Lepidogonum* Wimm. (*Spergularia* Pers.)  
*Lepidogyne* Bl. (*Orchid.*) 7009  
*Lepidonema* F. et M. (*Microseris* Don) 4172  
*Lepidopappus* Fl. Mex. (*Florestina* Cass.).  
*Lepidopelma* Kl. (*Sarcococca* Lindl.) 6387  
*Lepidopetalum* Bl. (*Sapind.*) 1461  
*Lepidophorum* Neck. (*Anthemis* L.) 3953  
*Lepidophyllum* Cass. (*Composit.*) 3499  
*Lepidophyton* H. f. (*Lophophytum* Schott et Endl.) 6366  
*Lepidopironia* A. Rich. (*Gramin.*) 8172  
*Lepidopogon* Tausch (*Cylindrocline* Cass.) 3596  
*Lepidosparton* A. Gray (*Composit.*) 4029  
*Lepidosperma* Labill. (*Cyper.*) 7965  
*Lepidostachys* Wall. (*Aporosa* Bl.) 6429  
*Lepidostemon* H. f. et T. (*Crucif.*) 288  
*Lepidostephanus* Bartl. (*Achyra-chaena* Schau.) 3877  
*Lepidostephium* Oliv. (*Composit.*) 3958  
*Lepidothamnus* Phil. (*Dacrydium* Soland.) 8335  
*Lepidotheca* Nutt. (*Matricaria* L.) 3965  
*Lepidosperma* R. et S. (*Lepidosperma* Labill.).  
*Lepidoturus* H. Bn (*Euphorb.*) 6513  
*Lepidozamia* Rgl (*Macrozamia* Miq.) 8346  
*Lepigonum* Fries (*Spergularia* Pers.) 594

- Lepilena* Drumm. (Naiad.) 7886  
*Lepintia* Dcne (Apocyn.) 4584  
*Lepionurus* Bl. (Olcac.) 1226  
*Lepiostegeres* Miq (Loranthus L.) 6315  
*Lepironia* Rich. (Cyper.) 7947  
*Lepisanthes* Bl. (Sapind.) 1893  
*Lepiscline* Cass. (Helichrysum Gärtn.) 3632  
*Lepisia* Presl (Elyanthus Nees) 7963  
*Lepisiphon* Turcz. (Osteospermum L.) 4046  
*Lepismum* Pfeiff. (Rhipsalis Gärtn.) 2712  
*Lepistemon* Bl. (Convolvul.) 5078  
*Lepistoma* Bl. (Cryptolepis R. Br.) 4685  
*Lepitoma* Torr. (Pleuropogon R. Br.) 4685  
*Leposma* Bl. (Cryptolepis R. Br.) 4685  
*Lepostegeria* Spach v. *Lepiostegeres* Miq. 1058  
*Lepsia* Kl. (Begonia L.) 2695  
*Lepta* Lour. (Erodia Forst.) 1058  
*Leptacanthus* Nees (Strobilanthes Bl.) 5554  
*Leptactinia* H. f. (Rubiace.) 3173  
*Leptadenia* R. Br. (Asclep.) 4856  
*Leptalea* Don (Facelis Cass.) 305  
*Leptaleum* DC. (Crucif.) 305  
*Leptamnium* Raf. (Epiphegus Spreng.) 5293  
*Leptandra* Nutt. (Veronica L.) 5082  
*Leptanthe* Kl. (Macrotomia DC.) 7563  
*Leptanthus* Mchx (Heteranthera R. et P.) 2088  
*Leptarrhena* R. Br. (Saxifrag.) 2092  
*Leptasea* Haw. (Saxifraga L.) 8068  
*Leptaspis* R. Br. (Gramin.) 8001  
*Leptatherum* Nees (Pollinia Trin.) 1232  
*Leptaulus* Benth. (Olcac.) 6462  
*Leptemon* Raf. (Crotonopsis Mchx) 4100  
*Lepteranthis* Neck. (Centaurea L.) 3968  
*Leptinella* Cass. (Cotula L.) 3968  
*Leptis* F. et Z. (Leptononis DC.) 5421  
*Leptobea* Benth. (Gesner.) 6552  
*Leptobothrys* H. Bn (Tragia L.) 5077  
*Leptocallis* G. Don (Ipomæa L.) 290  
*Leptocarpæa* DC. (Sisymbrium L.) 3789  
*Leptocarpus* DC. (Composit.) 7911  
*Leptocarpus* R. Br. (Restiac.) 5688  
*Leptocarydion* Hochst. (Triodia P. B.) 8207  
*Leptocaulis* Nutt. (Apium L.) 2799  
*Leptoceras* Lindl. (Caladenia R. Br.) 7036  
*Leptochloa* P. B. (Gramin.) 8181  
*Leptocladus* Oliv. (Mostuca Driedrichs.) 4885  
*Leptoclinium* Gardn. (Composit.) 3457  
*Leptoclinium* A. Gray (Garberia A. Gray).  
*Leptocnide* Bl. (Pouzolzia Gaud.) 6669  
*Leptocodon* H. f. et T. (Camp-nul) 4277  
*Leptocoma* Less. (Rhynchospermum Reinw.) 4287  
*Leptocoryphium* Nees (Anthænantia P. B.) 3517  
*Leptocyamus* Benth. (Glycine L.) 8046  
*Leptocytisus* Meisn. (Latrobea Meisn.) 1788  
*Leptodactylon* H. et A. (Gilia R. et P.) 1602  
*Leptodaphne* Nees (Ocotea Nees) 4969  
*Leptodermis* Wall. (Rubiace.) 6198  
*Leptodesmia* Benth. (Legumin.) 3317  
*Leptoglossus* Benth. (Solan.) 1769  
*Leptoglottis* DC. (Schranksia Willd.) 5163  
*Leptogonum* Benth. (Polygon.) 1995  
*Leptogyne* Fill. (Pluchea Cass.) 6095  
*Leptolæna* Thou. (Chlænac.) 3383  
*Leptolobium* Benth. (Glycine L.) 721  
*Leptomeria* R. Br. (Santal.) 1788  
*Leptonema* A. Juss. (Euphorb.) 1889  
*Leptonema* Hook. (Stenonema Hook.) 6348  
*Leptonium* Griff. (Lepionurus Bl.) 280  
*Leptononis* DC. (Legumin.) 1226  
*Leptonychia* Turcz. (Stercul.) 1621  
*Leptopætia* Haw. (Pentopetia Dcne.) 827  
*Leptopetalum* H. et A. (Hedyotis L.) 3036  
*Leptopetion* Schott (Biarum Schott) 7847  
*Leptophœnia* Becc. (Palm.) \*7625b  
*Leptophragma* R. Br. et Benn. (Inc. sed.) p. 489.  
*Leptophytus* Cass. (Leyssera L.) Benth. (Petunia Juss.) 5159  
*Leptophora* Raf. (Helenium L.) 3682  
*Leptopoda* Nutt. (Helenium L.) 3934  
*Leptopteris* Bl. (Gelsemium Juss.) 4884  
*Leptopus* Dcne (Andrachne L.) 6399  
*Leptopyrum* Raf. (Avena L.) 6370  
*Leptorhabdas* Schrenk (Scrophul.) 21  
*Leptorhachis* Kl. (Tragia L.) 5313  
*Leptorhaphis* Müll. Arg. (Tragia L.) 6552  
*Leptorhæo* Hemsl. (Commelin.) 6552  
*Leptorhynchus* Less. (Composit.) 7594  
*Leptorhynchus* Steetz (Waitzia Wendl.) 3629  
*Leptormus* E. et Z. (Heliophila L.) 301  
*Leptosella* H. f. (Rubiace.) 3091

- Leptoschoenus* Nees (*Fimbristylis* Vahl) 7932  
*Leptosema* Benth. (*Brachysema* R. Br.) 1587  
*Leptoseria* Nutt. (*Malacothrix* DC.) 4195  
*Leptosiphon* Benth. (*Gilia* R. et P.) 4969  
*Leptosiphonium* F. Müll. (*Acanth.*) 5552  
*Leptosolena* Presl (*Zingiberac.*) 7132  
*Leptosomus* Schlcht. (*Eichhornia* Kth) 7562  
*Leptospermum* Forst (*Myrtac.*) 2286  
— Labill (*Agonis* DC.) 2285  
*Leptostachya* Mitch. (*Phryma* L.) 5660  
— Nees (*Dianthera* L.) 5621  
— Nees (*Justicia* L.) 5611  
*Leptostachys* Meyer (*Leptochloa* P. B.)  
*Leptostelma* Don (*Erigeron* L.) 3561  
*Leptostemma* R. Br. (*Dischidia* R. Br.) 4854  
*Leptostigma* Arn. (*Nertera* Banks et Soland.) 3329  
*Leptostylis* Benth. (*Sapot.*) 4487  
*Leptosyne* DC. (*Composit.*) 3851  
*Leptotaenia* Nutt. (*Umbellif.*) 2889  
*Leptotes* Lindl. (*Tetramicra* Lindl.) 6827  
*Leptothamnus* DC. (*Nolletia* Cass.) 3571  
*Leptothrium* Kth (*Gramin.*) 8034  
*Leptothyrsa* H. f. (*Rutac.*) 1007  
*Leptotriche* Turcz. (*Gnephosis* Cass.) 3660  
*Leptrina* Raf. (*Montia* L.) 618  
*Lepturopsis* Steud. (*Inc. sed.*) p. 492.  
*Lepturus* R. Br. (*Gramin.*) 8269  
*Lepurandra* Grah. (*Antiaris* Lesch.) 6627  
*Lepuropetalon* DC. (*Saxifrag.*) 2107  
*Lepusa* Alef. (*Phaseolus* L.) + 1813  
*Lepyrodia* R. Br. (*Restiac.*) 7906  
*Lepyrodiclis* Fenzl (*Arenaria* L.) 583  
*Lerchea* L. (*Rubiace.*) 3076  
*Lerchenfeldia* Schur (*Deschampsia* P. B.) 8145  
*Lereschia* Boiss. (*Pimpinella* L.) 2814  
*Leretia* Vell. (*Olacin.*) 1237  
*Leria* Adans. (*Sideritis* L.)  
— DC. (*Chaptalia* Vent.) 4147  
*Lerouxia* Mérat (*Lysimachia* L.) 4448  
*Lescaillea* Griseb. (*Composit.*) 3920  
*Leschenaultia* R. Br. (*Gooden.*) 4230  
— De Vriese (*Leschenaultia* R. Br.) 4230  
*Lesourdia* Tourn. (*Scleropogon* Phil.) 8190  
*Lespedeza* Mchx (*Legumin.*) 1774  
*Lesquereuxia* Boiss. et Reut. (*Siphonostegia* Benth.) 5327  
*Lessertia* DC. (*Legumin.*) 1710  
*Lessingia* Cham. (*Composit.*) 3497  
*Lessonia* Bert. (*Eryngium* L.) 2578  
*Lestadia* DC. v. *Læstadia* Kth.  
*Lestibodea* Neck. (*Dimorphotheca* Mönch) 4041  
*Lestibudesia* Thou. (*Celosia* L.) 5918  
*Lethea* Nor. (*Drapieza* Bl.).  
*Lethedon* Spreng. (*Tetranthera* Jacq. ?).  
*Lettsomia* Roxb. (*Convolvul.*) 5075  
— R. et P. (*Freziera* Sw.) 680  
*Leucadendron* (Herm.) R. Br. (*Proteac.*) 6218  
— L. (*Protea* L.) 6219  
— Salisb. (*Leucospermum* R. Br.) 6220  
*Leucadenium* Kl. (*Croton* L.) 6460  
*Leucaena* Benth. (*Legumin.*) 1996  
*Leucampyx* A. Gray (*Composit.*) 3956  
*Leucandra* Kl. (*Tragia* L.) 6532  
*Leucandrum* Neck. (*Leucadendron* R. Br.) 6218  
*Leucantha* S. F. Gray (*Centaurea* L.) 4100  
— Scheele (*Bouchetia* DC.) 5161  
*Leucanthemum* (Tourn.) DC. (*Chrysanthemum* L.) 3964  
*Leucas* (Burm.) R. Br. (*Labiata.*) 5839  
*Leucaster* Choisy (*Nyctagin.*) 5892  
*Leuceria* Lag. (*Composit.*) 4149  
*Leucheria* Lag. v. *Leuceria* Lag. 4149  
*Leuchtenbergia* Hook. (*Cactææ*) 2704  
*Leucoblepharis* Arn. (*Blepharisperrum* Wight) 3597  
*Leucocarpon* A. Rich. (*Denhamia* Meisn.) 1296  
*Leucocarpus* Don (*Scrophul.*) 5226  
*Leucocasia* Schott (*Colocasia* Schott) 7822  
*Leucocephala* Roxb. (*Eriocaulon* L.) 7891  
*Leucocera* Turcz. (*Calycera* Cav.) 3888  
*Leucochlamys* Pöpp. (*Spathiphyllum* Schott) 7773  
*Leucocnide* Miq. (*Debrøgeasia* Gaud.) 6678  
*Leucococcus* Liebm. (*Pouzolzia* Gaud.) 6669  
*Leucocodon* Gardn. (*Rubiace.*) 3117  
*Leucocoryne* Lindl. (*Liliac.*) 7464  
*Leucocrinum* Nutt. (*Liliac.*) 7448  
*Leucocroton* Griseb. (*Euphorb.*) 6505  
*Leucocyclus* Boiss. (*Anacyclus* L.) 3949  
*Leucodermis* Planch. (*Ilex* L.) 1265  
*Leucodictyon* Dalz. (*Galactia* P. Br.) 1804  
*Leucoglochin* Heuff. (*Carex* L.) 7988  
*Leucohyle* Kl. (*Trichopilia* Lindl.) 6897  
*Leucoium* (Rupp.) L. (*Amaryll.*) 7284  
— (Tourn.) Mönch (*Matthiola* R. Br.).  
*Leucolæna* R. Br. (*Xanthosia* Rudge) 2745



- Leucomalla* Phil. (*Evolvulus* L.) 5085  
*Leucomeris* D. Don (Composit.) 4122  
*Leucomphalus* Benth. (Legumin.) 1860  
*Leuconotis* Jack (Apocyn.) 4557  
*Leuconymphæa* Boerh. (*Nymphæa* L.).  
*Leucophaea* Webb (*Sideritis* L.) 5820  
*Leucophoba* Ehrh. (*Luzula* DC.) 7511  
*Leucopholis* Gardn. (Composit.) 3634  
*Leucophyllum* H. et B. (*Scrophul.*) 5179  
*Leucophyta* R. Br. (*Calocephalus* R. Br.) 3661  
*Leucoploëus* Nees (*Hypodiscus* Nees) 7919  
*Leucopoa* Griseb. (*Festuca* L.) 8254  
*Leucopodium* Gardn. (*Chevreulia* Cass.) 3621  
*Leucopogon* R. Br. (*Epacrid.*) 4402  
*Leucopsidium* DC. (*Aphanostephus* DC.) 3513  
*Leucopsis* Bak. (Composit.) 3490  
*Leucorchis* Bl. (*Didymoplexis* Griff.) 7046  
— E. Mey. (*Habenaria* Willd.) 7066  
*Leucorhaphis* Nees (*Brillantaisia* P. B.) 5524  
*Leucosceptum* Sm. (*Labiata.*) 5863  
*Leucoseris* Nutt (*Malacothrix* DC.) 4195  
*Leucosia* Thou. (*Dichapetalum* Thou.) 1201  
*Leucosidea* E. et Z. (*Rosac.*) 2060  
*Leucosmia* Benth. (*Thymel.*) 6299  
*Leucospermum* R. Br. (*Proteac.*) 6220  
*Leucospora* Nutt. (*Conobea* Aubl.) 5252  
*Leucostachys* Hoffmg (*Goodyera* R. Br.) 7008  
*Leucostemma* Don (*Helichrysum* Gärtn.) 3632  
— Benth. (*Stellaria* L.) 581  
*Leucosyke* Zoll. et Mor. (*Urtic.*) 6679  
*Leucothamnus* Lindl. (*Thomasia* J. Gay) 834  
*Leucothoe* D. Don (*Ericac.*) 4337  
*Leucoxyllum* Bl. (*Diospyros* L.) 4524  
*Leucoxyllum* G. Don (*Leucoxyllum* Bl.).  
*Leunisia* Phil. (Composit.) 4155  
*Leuzea* DC. (Composit.) 4099  
— Cass. (*Rhacoma* DC.).  
*Levenhookia* R. Br. (*Candolleac.*) 4227  
*Levieria* Becc. (*Monimiace.*) 6163  
*Levina* Adans. (*Prasium* L.).  
*Levisanus* Schreb. (*Staavia* Thunb.) 2219  
*Levisticum* Koch (Umbellif.) 2880  
*Lewisia* Pursh (Portul.) 622  
*Lexarsa* Ilav. (*Myrodia* Sw.) 799  
*Leycesteria* Wall. (*Caprifol.*) 2996  
*Leymus* Hochst. (*Elymus* L.).  
*Leyssera* L. (Composit.) 3682  
*L'Heritiera* H. B. K. (*Heritiera* Dryand.).  
*Lhotzkyia* Schau. (*Myrtac.*) 2274  
*Liabum* Adans. (Composit.) 3990  
*Liatris* Schreb. (Composit.) 3469  
— Gardn. (*Leptoclinium* Gardn.).  
*Libanothamnus* Ernst (*Espeletia* H. et B.) 3745  
*Libanotis* (Riv.) Crantz (*Seseli* L.) 2835  
*Libanus* Colebr. (*Boswellia* Roxb.) 1154  
*Libertia* Spreng. (*Irid.*) 7243  
— Dmrt. (*Hosta* Tratt.) 7389  
— Lej. (*Bromus* L.) 8257  
*Libidibia* Cham. (*Cæsalpinia* L.) 1910  
*Libocedrus* Endl. (*Conifer.*) 8327  
*Libonia* K. Koch (*Jacobinia* Moric.) 5625  
— Lem. (*Billbergia* Thunb.) 7164  
*Licania* Aubl. (*Rosac.*) 2008  
*Licaria* Aubl. (Inc. sed.) p. 489.  
— Benth. (*Moquilea* Aubl.) 2009  
*Lichenora* Wight (*Eria* Lindl.) 6781  
*Lichtensteinia* Ch. et Schl. (Umbellif.) 2795  
— Wendl. (*Loranthus* L.) 6315  
— Willd. (*Ornithoglossum* Salisb.) 7526  
*Licuala* Wurm. (*Palm.*) 7706  
— Bl. (*Licuala* Wurm.) 7706  
*Lidbeckia* Berg (Composit.) 3960  
*Lieberkuhnia* Cass. (*Chaptalia* Vent.) 4147  
*Liebigia* Endl. (*Chirita* Ham.) 5403  
— Endl. (*Dichrotrichum* Reinw.) 5393  
*Lietzia* Rgl (*Gesner.*) 5378  
*Lievena* Rgl (*Quesnelia* Gaud.) 7165  
*Ligea* Tul. (*Podostem.*) 6108  
*Ligeria* Dcne (*Sinningia* Nees) 5379  
*Lightfootia* L'Hér. (*Campanul.*) 4272  
— Schreb. (*Rondeletia* L.) 3063  
— Sw. (*Lætia* L.) 503  
*Lightia* Schomb. (*Vochys.*) 564  
*Lignonia* Scop. (*Paypayrola* Aubl.).  
*Ligtu* Adans. (*Alstroemeria* L.).  
*Ligularia* Cass. (*Senecio* L.) 4025  
— Duval (*Saxifraga* L.) 2092  
— E. et Z. (*Pelargonium* L'Hér.) 985  
*Ligusticum* L. (Umbellif.) 2871  
*Liguistrina* Rupr. (*Syringa* L.) 4539  
*Ligustrum* (Tourn.) L. (*Oleac.*) 4551  
*Lijndenia* Zoll. et Mor. (*Memecylon* L.) 2486  
*Lilac* (Tourn.) Juss. (*Syringa* L.).  
*Lilæa* H. et B. (*Naiad.*) 7878  
*Lilenia* Bert. (*Azara* R. et P.).  
**Liliaceæ** p. 420.  
*Liliago* Salisb. (*Anthericum* L.) 7431  
*Liliastrum* (Tourn.) Link (*Paradisica* Mazzuc.) 7418  
*Liliorhiza* Kell. (*Fritillaria* L.) 7510  
*Lilium* (Tourn.) L. (*Liliac.*) 7508  
*Limacia* Lour. (*Menisperm.*) 147  
— Dietr. (*Xylosma* Forst.) 516  
*Limatodes* Bl. (*Phajus* Lour.) 6786

- Limbarda* Adans. (*Inula* L.) 3690  
*Limeum* L. (Ficoid.) 2739  
*Limia* Vand. (*Vitex* L.) 5708  
*Limnanthemum* Gmel. (Gentian.) 4965  
*Limnanthes* R. Br. (Geran.) 987  
— Stokes (*Limnanthemum* Gmel.).  
*Limnas* Trin. (Gramin.) 8117  
*Limnetis* Pers. (*Spartina* Schreb.) 8158  
*Limnobiium* Rich. (Hydrocharid.) 6725  
*Limnocharis* H. B. K. (Alism.) 7874  
*Limnochloa* Nees (*Heleocharis* R. Br.) 7929  
*Limnogenneton* Sch. Bip. (*Siegesbeckia* L.) 3783  
*Limnogeton* Edgew. (*Aponogeton* Thunb.) 7879  
*Limnonesis* Kl. (*Pistia* L.) 7857  
*Limnophila* R. Br. (Scrophul.) 5250  
*Limnophyton* Miq. (Alism.) 7864  
*Limnoseris* Peterm. (*Crepis* L.).  
*Limnosipania* H. f. (Rubiace.) 3075  
*Limnostachys* F. Müll. (*Monochoria* Presl) 7564  
*Limodorum* (Tourn.) Rich. (Orchid.) 7050  
*Limonia* L. (Rutac.) 1096  
*Limoniastrum* Mönch (Plumbagin.) 4430  
*Limosella* L. (Scrophul.) 5276  
*Linagrostis* (Tourn.) Adans. (*Eriophorum* L.) 7935  
*Linanthus* Benth. (*Gilia* R. et P.) 4969  
*Linaria* (Tourn.) Pers. (Scrophul.) 5194  
*Linariopsis* Welw. (Pedalin.) 5510  
*Linconia* L. (Bruniac.) 2220  
*Lindackeria* Presl (*Mayna* Aubl.) 496  
*Lindblomia* Fries (*Habenaria* Willd.) 7066  
*Lindelofia* Lehm. (Boragin.) 5020  
*Lindenbergia* Lehm. (Scrophul.) 5243  
*Lindenia* Benth. (Rubiace.) 3069  
— Martens et Gal. (*Senkenbergia* Schau.) 5875  
*Lindera* Thunb. (Laurin.) 6212  
*Lindernia* All. (*Vandellia* L.) 5264  
— R. Br. (*Ilyogeton* Endl.).  
*Lindheimera* A. Gray (Composit.) 3757  
*Lindleya* H. B. K. (Rosac.) 2038  
— H. B. K. (*Casearia* Jacq.) 2543  
— Kth (*Casearia* Jacq.) 2543  
— Nees (*Hæmocharis* Salisb.) 694  
**Lineæ** p. 46.  
*Linkia* Cav. (*Persoonia* Sm.) 6241  
— Pers. (*Desfontainea* R. et P.) 4903  
*Linnæa* Gronov. (Caprifol.) 2994  
*Linochilus* Benth. (*Diplostephium* H. B. K.) 3548  
*Linociera* Sw. (Oleac.) 4547  
— Gärtn. f. (*Linociera* Sw.) 4547  
*Linociria* Neck. (*Gonocarpus* Thunb.).  
*Linodendron* Griseb. (Thymel.) + 6276<sup>b</sup>  
*Linopsis* Rchb. (*Linum* L.) 892  
*Linospadix* Wendl. et Dr. (Palm.) 7654  
— Becc. (*Linospadix* Wendl. et Dr.) 7654  
*Linosparton* Adans. (*Lygeum* Löffl.).  
*Linostachys* Kl. (*Acalypha* L.) 6502  
*Linostigma* Kl. (Geran.) 991  
*Linostoma* Wall. (Thymel.) 6294  
*Linostyles* Fenzl (*Calophanes* Don) 5527  
*Linosyris* Cass. (*Aster* L.) 3544  
— T. et G. (*Bigelovia* DC.) 3491  
*Linschotenia* De Vriese (*Dampiera* R. Br.) 4240  
*Linscotia* Adans. (*Limeum* L.).  
*Linseconia* Rchb. (*Helianthus* L.) 3824  
*Linum* (Tourn.) L. (Lineæ) 892  
*Linzia* Sch. Bip. (*Vernonia* Schreb.) 3405  
*Lloydia* Neck. (*Inula* L.).  
*Lipandra* Moq. (*Chenopodium* L.) 5972  
*Liparia* L. (Legumin.) 1605  
*Liparis* L. C. Rich. (Orchid.) 6756  
*Liparophyllum* H. f. (Gentian.) 4966  
*Lipocarpa* R. Br. (Cyper.) 7940  
*Lipochæta* DC. (Composit.) 3818  
— DC. (*Zexmenia* Llav. et Lex.) 3819  
*Lipophragma* Schott et Kostchy (*Moriera* Boiss.) 374  
*Lipophyllum* Miers (*Clusia* L.) 638  
*Lipostoma* D. Don (*Coccocypselum* P. Br.) 3136  
*Lipotactes* Bl. (*Loranthus* L.) 6315  
*Lipotriche* R. Br. (*Melanthera* Rohr.) 3827  
— Less. (*Lipochæta* DC.).  
*Lipozygis* E. Mey. (*Leptononis* DC.) 1621  
*Lippaya* Endl. (*Dentella* Forst.) 3078  
*Lippia* L. (Verben.) 5680  
*Liquidambar* L. (Hamamelid.) 2210  
*Liquiritia* Pers. (*Glycyrrhiza* L.) 1725  
*Lirianthe* Spach (*Magnolia* L.) 58  
*Liriodendron* L. (Magnoliac.) 61  
*Liriope* Lour. (*Hæmodor.*) 7212  
— Herb. (*Elisena* Herb.) 7325  
— Salisb. (*Reineckea* Kth) 7381  
*Liriopsis* Rchb. (*Elisena* Herb.) 7325  
— Spach (*Magnolia* L.) 58  
*Liriosma* Pöpp. et Endl. (Olacin.) 1212  
*Lisæa* Boiss. (*Caucalis* L.) 2908  
*Lisianthus* Aubl. (Gentian.) 4952  
— Hook. (*Eustoma* Don).  
*Lissanthe* R. Br. (Epacrid.) 4401  
*Lissocarpa* Benth. (Styrac.) 4532  
*Lissochilus* R. Br. (Orchid.) 6833  
*Listera* R. Br. (Orchid.) 6991  
— Adans. (*Genista* L.).  
*Listia* E. Mey. (Legumin.) 1622  
*Listrotachys* Rchb. f. (Orchid.) 6957  
*Lita* Schreb. (*Voyria* Aubl.) 4929



- Litanthus* Harv. (Liliac.) 7491  
*Litchi* Sonn. (Sapind.) 1419  
*Lithachne* P. B. (Olyra L.) 8065  
*Lithagrostis* Gärt. (Coix L.) 7995  
*Lithobium* Bong. (Melastom.) 2354  
*Lithocarpus* Bl. (Quercus L.) 6708  
— Targ. (Cocos L.) 7736  
*Lithodora* Griseb. (Lithospermum L.) 5056  
*Lithophila* Sw. (Alternanthera Forsk.) 5956  
*Lithophragma* T. et G. (Tellima R. Br.) 2100  
*Lithosanthus* Bl. v. *Litosanthus* Bl. 3304  
*Lithosciadium* Turcz. (Selinum L.) 2876  
*Lithospermum* L. (Boragin.) 5056  
*Lithoxylon* Endl. (Actephila Bl.) 6396  
*Lithræa* Miers (Anacard.) 1542  
*Litogyne* Harv. (Epaltes Cass.) 3592  
*Litosanthus* Bl. (Rubiaceae) 3304  
*Litsæa* Nees (Tetradenia Nees) 6209  
*Litsea* Lam. (Laurin.) 6208  
*Littæa* Brign. (Agave L.) 7337  
*Littonia* Hook. (Liliac.) 7546  
*Littorella* L. (Plantagin.) 5869  
*Livistona* R. Br. (Palm.) + 7706<sup>b</sup>  
*Llagunoa* R. et P. (Sapind.) 1468  
*Llanosia* Blanco (Ternstroem.) + 676<sup>b</sup>  
*Llaupanke* Feuill. (Francoa Cav.)  
*Llavea* Liebm. (Hippocrateaceae) 1315  
— Planch. (Kingsboroughia Liebm.)  
*Llerasia* Triana (Vernonia Schreb.) 3405  
*Lloydia* Salisb. (Liliac.) 7514  
— Neck. (Printzia Cass.) 3697  
*Loasa* (Adans.) Juss. (Loaseæ) 2572  
**Loaseæ p. 143.**  
*Loasella* H. Bn (Loaseæ) 2567  
*Lobadium* Raf. (Turpinia Raf.)  
*Lobaria* Harv. (Saxifraga L.) 2092  
*Lobbia* Planch. (Thottea Rottb.) 6133  
*Lobelia* L. (Lobeliaceae) 4262  
— (Plum.) Gärt. (Scævola L.)  
— Presl (Siphocampylus Pohl) 4250  
**Lobeliaceæ p. 237.**  
*Lobocarpus* W. et A. (Phyllanthus L.) 6404  
*Lobophyllum* F. Müll. (Coldenia L.) 5001  
*Lobopogon* Schlcht. (Brachyloma Sond.) 4399  
*Loboptera* Colla (Columnea L.)  
*Lobostemon* Lehm (Boragin.) 5063  
*Lobularia* Desv. (Alyssum L.) 274  
*Locandi* Adans. (Samandura L.) 1113  
*Lochemia* Arn. (Melochia L.) 818  
*Locheria* Neck. (Verbesina L.) 3832  
— Rgl (Achimenes P. Br.) 5366  
*Lochia* Balf. f. (Illecebr.) 5908  
*Lochmocydia* Mart. (Saldanhæa Bur.) 5449  
*Lochnera* Rchb. (Vinca L.) 4603  
*Lochneria* Scop. (Elæocarpus L.)  
*Lockhartia* Hook. (Orchid.) 6930  
*Loddigesia* Sims (Legumin.) 1647  
*Lodhra* Guill. (Symplocos L.) 4527  
— Dcne (Symplocos L.) 4527  
*Lodicularia* P. B. (Rottboellia L.) 8006  
*Lodoicea* Labill. (Palm.) 7723  
*Lœfflingia* Neck. v. *Lœfflingia* L.  
*Lœfflingia* L. (Caryophyll.) 598  
*Loeselia* L. (Polemon.) 4971  
*Lœvigia* Karst. et Tr. (Monochæ-tum Naud.)  
*Logania* R. Br. (Logan.) 4892  
**Loganiaceæ p. 274.**  
*Logfia* Cass. (Filago L.) 3606  
*Loghania* Scop. (Ruyschia Jacq.)  
*Loiseleuria* Desv. (Ericac.) 4362  
*Lolium* L. (Gramin.) 8262  
*Lomandra* Labill. (Liliac.) 7400  
*Lomatia* R. Br. (Proteac.) 6263  
*Lomatium* Raf. (Ferula L.?)  
*Lomatocarum* F. et M. (Selinum L.) 2876  
— F. et M. (Carum L.) 2806  
*Lomatogonium* A. Braun (Pleurogyne Eschsch.) 4957  
*Lomatolepis* Cass. (Microrhynchus Less.) 4212  
*Lomatophyllum* Willd. (Liliac.) 7396  
*Lomatopodium* F. et M. (Seseli L.) 2835  
*Lomatozoma* Bak. (Composit.) 5447  
*Lomenia* Pourr. (Watsonia Mill.) 7266  
*Lonas* Adans. (Composit.) 3945  
*Lonchestigma* Dun. (Jaborosa Juss.) 5133  
*Lonchocarpus* H. B. K. (Legumin.) 1843  
*Lonchomera* H. f. (Anonac.) 123  
*Lonchophora* Durieu (Crucif.) 262  
*Lonchostephus* Tul. (Melastom.) 6104  
*Lonchostoma* Wikstr. (Bruniac.) 2222  
*Londesia* F. et M. (Chenolea Thunb.) 5996  
*Longchampia* Willd. (Leyssera L.) 3682  
*Longetia* H. Bn (Euphorb.) 6419  
*Lonicera* L. (Caprifol.) 2995  
— (Plum) Raf. (Loranthus L.)  
*Lontarus* Gärt. (Borassus L.) 7722  
*Lopadocalyx* Kl. (Olax L.) 1211  
*Lopezia* Cav. (Onagrar.) 2533  
*Lophandra* D. Don (Erica L.) 4351  
*Lophanthera* A. Juss. (Malpigh.) 929  
*Lophanthus* Benth (Labiata) 5801  
— Forst. (Waltheria L.) 820  
*Lophatherum* Brongn. (Gramin.) 8229  
— Bak. (Poecilostachys Hack.) 8230  
*Lophia* Desv. (Alloplectus Mart.) 5386  
*Lophiocarpus* Turcz. (Chenopod.) 5968  
— Micheli (Lophotocarpus Th. Dur.) 7866

- Lophiola* Ker (Hæmodor.) 7208  
*Lophiolepis* Cass. (Cnicus L.) 4078  
*Lophion* Spach (Viola L.) 469  
*Lophira* Banks (Dipterocarp.) 711  
*Lophocachrys* Bert. (Hippomara-  
 thrum Link) 2775  
*Lophochlæna* Nees (Pleuropogon  
 R. Br.) 8232  
*Lophochloa* Rchb. (Kœleria Pers.) 8216  
*Lophoclinium* Endl. (Podotheca  
 Cass.) 3643  
*Lophogyne* Tul. (Podostem.) 6110  
*Lopholæna* DC. (Composit.) 4008  
*Lopholepis* Dene (Gramin.) 3031  
*Lopholoma* Cass. (Centaurea L.) 4100  
*Lophopetalum* Wight (Celastr.) 1278  
*Lophophyllum* Griff. (Menisperm.) 159  
*Lophophytum* Schott et Endl.  
 (Balanophor.) 6366  
*Lophopogon* Hack. (Gramin.) 8015  
*Lophopterys* A. Juss. (Malpigh.) 931  
*Lophopyxis* H. f. (Euphorb.) 6580  
*Lophosciadium* DC. (Umbellif.) 2850  
*Lophospermum* D. Don (Mauran-  
 dia Ort.) 5200  
*Lophostachys* Pohl (Acanth.) 5571  
*Lophostemon* Schott (Tristania  
 R. Br.) 2300  
*Lophostephus* Harv. (Anisotome  
 Fenzl) 4867  
*Lophostoma* Meisn. (Linostoma  
 Wall.) 6294  
*Lophostylis* Hochst. (Securidaca  
 L.) 551  
*Lophotænia* Griseb. (Malabaila  
 Hoffmg) 2392  
*Lophoxera* Raf. (Celosia L.) 5918  
*Lophozonia* Turcz. (Fagus L.) 6711  
*Lopimia* Nees et Mart. (Pavonia  
 L.) 753  
**Loranthaceæ** p. 356.  
*Loranthus* L. (Loranth.) 6315  
 — Vaill. (Lonicera L.)  
*Lorentea* Lag. (Pectis L.) 3931  
 — Less. (Pectis L.)  
 — Ort. (Sanvitalia Lam.) 3778  
*Lorentzia* Griseb. (Composit.) 3816  
*Lorenzeana* Liebm. (Meliosma  
 Bl.) 1504  
*Loretia* Duv. Jouv. (Festuca L.)  
*Loreya* DC. (Melastom.) 2473  
*Loricaria* Wedd. (Tafalla Don) 3612  
*Loroglossum* L. C. Rich. (Orchis  
 L.) 7055  
*Loropetalum* R. Br. (Hamamelid.) 2202  
*Lorostelma* Fourn. (Asclep.) 4749  
*Lotea* Webb (Lotus L.) 1660  
*Lotononis* E. et Z. (Leptononis  
 DC.) 1621  
*Lotus* L. (Legumin.) 1660  
*Loudetia* Hochst. (Trichopteryx  
 Nees) 8153  
*Loudonia* Lindl. (Halorag.) 2223  
*Louichea* L'Hér. (Pteranthus  
 Forsk.) 5910  
*Lourea* Neck. (Legumin.) 1767  
*Loureira* Meisn. (Inc. sed.) p. 489.  
 — Cav. (Jatropha L.) 6455  
*Lowea* Lindl. (Rosa L.) 2069  
*Lowellia* A. Gray (Thymophyl-  
 lum Lag.) 3927  
*Loxanthera* Bl. (Loranthus L.) 6315  
*Loxanthes* Herb. (Nerine Herb.) 7306  
*Loxanthus* Nees (Phlogacanthus  
 Nees) 5587  
*Loxocarpus* R. Br. (Didymocar-  
 pus Wall.) 5400  
*Loxocarya* R. Br. (Restiac.) 7912  
*Loxococcus* Wendl. et Dr.  
 (Palm.) +7633c  
*Loxodiscus* H. f. (Sapind.) 1469  
*Loxodon* Cass. (Chaptalia Vent.) 4147  
*Loxonia* Jack (Gesner.) 5413  
*Loxophyllum* Bl. (Loxonia Jack) 5415  
*Loxopterygium* H. f. (Anacard.) 1353  
*Loxospermum* Hochst. (Trifo-  
 lium L.) 1653  
*Loxostemon* H. f. et T. (Crucif.) 254  
*Loxostigma* Clarke (Gesner.) 5396  
*Loxostylis* Spreng. (Anacard.) 1544  
*Loxotis* R. Br. (Rhynchoglossum  
 Bl.) 5418  
*Lozania* Mut. (Inc. sed.) p. 489.  
*Lubinia* Vent. (Lysimachia L.) 4448  
*Lucæa* Kth (Arthraxon P. Br.) 8019  
*Lucilia* Cass. (Composit.) 3627  
*Luciliopsis* Wedd. (Composit.) 3615  
*Lucinæa* DC. (Rubiace.) 3116  
*Luciola* Sm. (Luzula DC.)  
*Luculia* Sweet (Rubiace.) 3047  
*Lucuma* Molina (Sapot.) 4494  
 — Auct. 4483, 4484, 4485, 4500, 4503  
*Lucya* DC. (Rubiace.) 3097  
*Ludia* Lam. (Bixin.) 504  
*Ludisia* A. Rich. (Hæmaria  
 Lindl.) 7004  
*Ludolfia* Adans. (Tetragonia L.)  
 — Willd. (Arundinaria  
 Mchx) 8281  
*Ludovia* Brongn. (Cyclanth.) 7749  
 — Pers. (Carludovica R et P.) 7746  
*Ludovicica* Cass. (Hammatolobium  
 Fenzl.)  
*Ludwigia* L. (Onagrar.) 2524  
 — Ell. (Isnardia L.)  
*Luedemannia* Rchb. f. (Cynoches  
 Lindl.) 6877  
*Luederitzia* Schum. (Malvac.) +735b  
*Luetkea* Bong. (Eriogynia Hook.)  
*Luffa* (Tourn.) L. (Cucurbit.) 2628  
*Lugou* DC. (Gonospermum  
 Less.)  
*Lugonia* Wedd. (Asclep.) 4763  
*Luhca* Willd. (Tiliac.) 866  
 — W. Schmidt (Stilbe Berg) 5662  
*Luina* Benth. (Composit.) 3996  
*Luisa* Endl. v. *Luisia* Gaud.

- Luisia* Gaud. (Orchid.) 6933  
*Luma* A. Gray (Myrtus L.) 2318  
*Lumanaja* Blanco (Homonoia Lour.) 6527  
*Lumbricidia* Vell. (Andira Lam.) 1851  
*Lumnitzera* Willd. (Combret.) 2257  
— Spreng. (Moschosma Rehb.) 5730  
*Lunanea* DC. (Cola Schott) 795  
*Lunania* Hook. (Samyd.) 2546  
*Lunaria* (Tourn.) L. (Crucif.) 264  
*Lunasia* Blanco (Rutac.) 1074  
*Lundia* DC. (Bignon.) 544  
— Schum. et Thonn. (Onco-bea Forst.) 495  
*Luntia* Neck. (Inc. sed.) p. 489.  
*Lupinaster* (Buxb.) Presl (Trifolium L.) 1653  
*Lupinus* (Tourn.) L. (Legumin.) 1635  
*Lupsia* Neck. (Galactites Mönch) 4082  
*Lupulus* (Tourn.) Gärt. (Humulus L.)  
*Lussacia* Spreng. (Gaylussacia H. B. K.) 4320  
*Luthera* Sch. Bip. (Krigia Schreb.) 4173  
*Lutrostylis* G. Don (Rochefortia Sw.) 5000  
*Luutia* Neck. (Croton L.)  
*Luvunga* Ham. (Rutac.) 1099  
*Luxemburgia* St-Hil (Ochnac.) 1145  
*Luziola* Juss. (Gramin.) 8069  
*Luzula* DC. (Juncac) 7611  
*Luzuriaga* R. et P. (Liliac.) 7367  
— R. Br. (Geitonoplesium A. Cunn.) 7370  
*Lyallia* H. f. (Pycnophyllum Remy) 600  
*Lycapsus* Phil. (Alomia H. B. K.) 3441  
*Lycaste* Lindl. (Orchid.) 6866  
*Lychnanthus* Gmel. (Cucubalus L.) 576  
*Lychnis* L. (Caryophyll.) 577  
*Lychnocephalus* Mart. (Lychnophora Mart.) 3421  
*Lychnodiscus* Radlk. (Sapind.) 1398  
*Lychnophora* Mart. (Composit.) 3421  
*Lychnophoriopsis* Sch. Bip. (Composit.) 3422  
*Lycimnia* Hance (Melodinus Forst.) 4572  
*Lycioplesium* Miers (Acnistus Schott) 5121  
*Lyciopsis* Spach (Fuchsia L.) 2530  
*Lycium* L. (Solan.) 5137  
*Lycomormium* Rehb. f. (Orchid.) 6858  
*Lycopersicum* Mill. (Solan.) 5105  
*Lycopsis* L. (Boragin) 5043  
*Lycopus* (Tourn.) L. (Labiata) 5760  
*Lycoris* Herb. (Amaryll.) 7304  
*Lycoseris* Cass. (Composit.) 4140  
*Lycurus* H. B. K. (Gramin.) 8099  
*Lygeum* (Löfl.) L. (Gramin.) 8080  
*Lygia* Pasano (Thymelæa Endl.) 6274  
*Lyginia* R. Br. (Restiac.) 7903  
*Lygisma* H. f. (Asclep.) 4827  
*Lygistum* Lam. (Gonzalea Pers.) 3111  
— P. Br. (Manettia Mut.) 3025  
*Lygodesmia* D. Don (Composit.) 4214  
*Lygodisodea* R. et P. (Rubiaceae) 3314  
*Lyncea* Ch. et Schl. (Melasma Berg) 5297  
*Lyonia* Nutt. (Ericac.) 4343  
— Ell. (Cynanchum L.)  
— Raf. (Polygonella Mchx) 6083  
*Lyonothamnus* A. Gray (Saxifrag.) 2123  
*Lyonnetia* Cass. (Anthemis L.) 3953  
*Lyonsia* R. Br. (Apocyn.) 4626  
*Lyperanthus* R. Br. (Orchid.) 7033  
*Lyperia* Benth. (Scrophul.) 5234  
— Salisb. (Fritillaria L.) 7510  
*Lyprolepis* Steud. (Ascolepis Nees) 7941  
*Lyræa* Lindl. (Bulbophyllum Thou.) 6767  
*Lyrocarpa* Harv. (Crucif.) 367  
*Lysanthe* Salisb. (Grevillea R. Br.) 6255  
*Lysias* Salisb. (Habenaria Willd.) 7066  
*Lysicarpus* F. Müll. (Myrtac.) 2302  
*Lysichitum* Schott (Aroid.) 7775  
*Lysidice* Hance (Legumin.) +1942b  
*Lysiloma* Benth. (Legumin.) 1998  
*Lysimachia* L. (Primul.) 4448  
— Spach (Lysimachia L.) 4418  
*Lysinema* R. Br. (Epacrid.) 4408  
*Lysionotus* D. Don (Gesner.) 5395  
*Lysiosepalum* F. Müll. (Stercul.) 839  
*Lysistyles* Benth. (Convolvul.) 5092  
*Lysipoma* H. B. K. (Lobeliac.) 4256  
*Lysistemma* Steetz (Vernonia Schreb.) 3405  
*Lysistigma* Schott (Taccarum Brongn.) 7832  
**Lythraieæ** p. 138.  
*Lythrum* L. (Lythrar.) 2497  
— Medik. (Cuphea P. Br.)  
**M**  
*Maackia* Rupr. (Cladrastis Raf.)  
*Maba* Forsk. (Ebenac.) 4523  
*Mabea* Aubl. (Euphorb.) 6556  
*Maburnia* Thou. (Burmannia L.) 6733  
*Macadamia* F. Müll. (Proteac.) 6247  
*Macaglia* Vahl (Aspidospermum Mart. et Zucc.) 4596  
*Macahanea* Aubl. (Inc. sed.) p. 489.  
*Macanea* Juss. v *Macahanea* Aubl.  
*Macairea* DC. (Melastom.) 2379  
*Macaranga* Thou. (Euphorb.) 6525  
*Macarisia* Thou. (Rhizophor.) 2243  
*Macarthuria* Endl. (Ficoid.) 2727  
*Macbridea* Ell. (Labiata) 5817  
*Maccoya* F. Müll. (Rochelia Rehb.) 5032

- Macdonaldia* Lindl. (*Thelymitra* Forst.) 7020  
*Macella* Koch (*Jægeria* H. B. K.) 3785  
*Macfadyena* A. DC. (Bignon.) 5447  
*Macgregoria* F. Müll. (Stackhous.) 1317  
*Machadoa* Welw. (Passiflor.) 2601  
*Machæranthera* Nees (Aster L.) 3544  
*Machærina* Vahl (*Cladium* P. Br.) 7966  
*Machærium* Pers. (Legumin.) 1832  
*Machærophorus* Schlcht. (*Mathewsia* Hook.) 304  
*Machaonia* H. et B. (Rubiace.) 3219  
*Machilus* Nees (Laurin) 6194  
*Machlis* DC. (*Cotula* L.) 3968  
*Macielia* Vand. (*Cordia* L.) 4992  
*Macintyria* F. Müll. (*Xanthophyllum* Roxb.) 555  
*Mackaya* Arn. (*Erythralium* Bl.) 1214  
— Harv. (*Asystasia* Bl.) 5573  
*Mackenia* Harv. (*Schizoglossum* E. Mey.) 4738  
*Mackenzia* Nees (*Strobilanthes* Bl.) 5554  
*Mackinlaya* F. Müll. (Araliac.) 2928  
*Macklottia* Korth. (*Lophospermum* Forst.) 2286  
*Macleania* Hook. (Vaccin.) 4302  
*Macleaya* Montr. (Cassia L.) 1929  
*Macleodium* Cass. (*Dicoma* Cass.) 4129  
*Maclellandia* Wight (*Pemphis* Forst.) 2503  
*Macleya* R. Br. (*Bocconia* L.) 225  
*Maclura* Nutt. (Urticac.) 6610  
*Macnabia* Benth. (Ericac.) 4348  
*Macodes* Bl. (Orchid.) 7006  
*Macoubea* Aubl. (Apocyn.) 4571  
*Macoucoua* Aubl. (*Ilex* L.) 1265  
*Macowania* Oliv. (Composit.) 3683  
*Macphersonia* Bl. (Sapind.) 1410  
*Macrachænum* H. f. (Composit.) 4148  
*Macradenia* R. Br. (Orchid.) 6965  
*Macræa* H. f. (*Lipochæta* DC.) 3818  
— Lindl. (*Viviania* Cav.) 989  
— Wight (*Phyllanthus* L.) 6404  
*Macranthera* Torr. (Scrophul.) 5315  
*Macranthus* Lour. (*Mucuna* Adans.) 1797  
*Macreightia* A. DC. (*Maba* Forst.) 4523  
*Macria* Ten. (*Cordia* L.) 4992  
*Macroblopharus* Phil. (*Eragrostis* P. B.) 8212  
*Macrocapnos* Royle (*Dicentra* Borkh.) 234  
*Macrocarphus* Nutt. (*Chænactis* DC.) 3898  
*Macrocentrum* H. f. (*Melastom.*) 2135  
— H. f. (*Habenaria* Willd.) 7066  
*Macroceratides* Raddi (*Mucuna* Adans.) 1797  
*Macrochætium* Steud. (*Elynanthus* Nees) 7963  
*Macrochilus* Kn. et Westc. (*Miltonia* Lindl.) 6909  
*Macrochilus* Presl (*Cyanea* Gaud.) 4244  
*Macrochlamys* Dene (*Alloplectus* Mart.) 5386  
*Macrochloa* Kth (*Stipa* L.) 8090  
*Macrochordium* De Vriese (Bromel.) 7178  
*Macrocladus* Griff. (*Orania* Zipp.) 7686  
*Macroclinidium* Maxim. (Composit.) 4135  
*Macroclinium* Barb. Rodr. (Orchid.) 7109  
*Macrocnemum* P. Br. (Rubiace.) 3018  
— Vand. (*Remijia* DC.) 3011  
*Macrococculus* Becc. (Menisperm.) 163  
*Macrocymbium* Walp. (*Erythrina* L.) 1793  
*Macrodiscus* Bur. (*Distictis* DC.) 5453  
*Macrogyne* Link et Otto (*Aspidistra* Ker) 7382  
*Macrolenes* Naud. (*Marumia* Bl.) 2444  
*Macrolinum* Kl. (*Simocheilus* Kl.) 4358  
— Rchb. (*Reinwardtia* Dmrt.) 893  
*Macrolobium* Schreb. (Legumin.) 1946  
*Macrolomia* Schrad. (*Scleria* Berg) 7981  
*Macromeria* D. Don (Boragin.) 5054  
*Macromerum* Burch. (*Cadaba* Forsk.) 443  
*Macromiscus* Turcz. (*Æschynomene* L.) 1750  
*Macromyrtus* Miq. (*Eugenia* L.) 2327  
*Macronax* Raf. (*Arundinaria* Mchx) 8281  
*Macronema* Nutt. (*Chrysopsis* Nutt.) 3485  
*Macronyx* Dalz. (*Tephrosia* Pers.) 1682  
*Macropanax* Miq. (Araliac.) 2961  
*Macropetalum* Burch. (Asclep.) 4858  
*Macrophthalmum* Gasp. (*Ficus* L.) 6621  
*Macropidia* Drumm. (*Hæmodor.*) 7207  
*Macropiper* Miq. (Piperac.) 6142  
*Macroplacis* Bl. (*Kibessia* DC.) 2481  
*Macropodium* R. Br. (Crucif.) 249  
— Hook. (*Thelypodium* Endl.) 251  
*Macropsidium* Bl. (*Myrtus* L.) 2318  
*Macropteranthes* F. Müll. (Combr.) 2258  
*Macrorhamnus* H. Bn. (Rhamn.) + 1357b  
*Macrorhynchium* Rchb. v. *Macrorhynchus* Less.  
*Macrorhynchus* Less. (*Troximon* Nutt.) 4199  
*Macroscapa* Kell. (*Brodiaea* Sm.) 7470  
*Macroscepis* H. B. K. (Asclep.) 4728  
*Macroselinum* Schur (*Peucedanum* L.) 2886  
*Macrosepalum* Rgl. (Crassul.) 2174  
*Macrosiphon* Hochst. (*Rhamphicarpa* Benth.) 5306

- Macrosiphon* Miq. (*Hindsia* Benth.) 3026  
*Macrosiphonia* Müll. Arg. (Apo-  
cyn.) 4670  
*Macrosolen* Miq. (*Loranthus* L.) 6315  
*Macrosphyra* H. f. (Rubiace.) 3174  
*Macrosporum* DC. (*Sobolewschia*  
M. B.)  
*Macrostegia* Nees (Acanth.) 5516  
— Turcz. (*Pimelea*  
Banks) 6269  
*Macrostema* Pers. (*Ipomæa* L.) 5077  
*Macrostemma* Sweet (*Fuchsia* L.)  
*Macrostigma* Hook. (*Stylobasium*  
Desf.) 2018  
— Kth (*Tupistra* Ker) 7383  
*Macrostomum* Bl. (*Dendrobium*  
Sw.) 6765  
*Macrostylis* Bartl. et Wendl.  
(Rutac.) 1028  
— Breda (*Corymbis*  
Thou.) 6979  
*Macrosyphonia* Duby (*Dionysia*  
Vand.) 4439  
*Macrothyrsus* Spach (*Æsculus* L.) 1491  
*Macrotomia* DC. (Boragin.) 5062  
*Macrotropis* DC. (*Ormosia* Jack) 1876  
*Macrotys* Raf. (*Cimicifuga* L.) 28  
*Macrozamia* Miq. (Cycad.) 8346  
— Rgl (*Macrozamia*  
Miq.) 8346  
*Macuna* (Marcgr.) Scop. (*Stizolo-*  
**bium** P. Br.).  
*Madablota* Senn. (*Hiptage*  
Gärtn.).  
*Madacarpus* Wight (*Senecio* L.) 4025  
*Madaractis* DC. (*Senecio* L.) 4025  
*Madaria* DC. (*Madia* Molina) 3870  
*Madariopsis* Nutt. (*Madia* Molina) 387  
*Madaroglossa* DC. (*Layia* H. et A.) 3876  
*Madarosperma* Benth. (*Asclep.*) 4757  
*Maddenia* H. f. et T. (Rosac.) 2020  
*Madea* Soland. (*Boltonia* L'Hér.).  
*Madia* Molina (Composit.) 3870  
*Madorella* Nutt. (*Madia* Molin.) 3870  
*Madvigia* Liebm. (*Cryptanthus*  
Otto et Dietr.) 7159  
*Mælenia* Dmrt. (*Cattleya* Lindl.) 6825  
*Mærlensia* Vell. (*Corchorus* L.) 864  
*Mærua* Forsk. (Capparid.) 440  
— R. Br. (*Mærua* Forsk.) 440  
— Auct. (*Saheria* Fenzl) +442  
*Mæsa* Forsk. (Myrsin.) 4459  
*Mæsia* Gärtn. f. (*Walkera* Schreb.)  
*Mæsobotrya* Benth. (*Euphorb.*) 6435  
*Mafureira* Bertol. (*Trichilia* L.) 1190  
*Magallana* Cav. (*Tropæolum* L.) 986  
*Magnolia* L. (Magnoliac.) 58  
— Plum. (*Talauma* Juss.).  
**Magnoliaceæ** p. 4.  
*Magnusia* Kl. (*Begonia* L.) 2695  
*Magonia* St-Hil. (Sapind.) 1482  
— Vell. (*Ruprechtia* Mey.).  
*Magostan* Adans. (*Garcinia* L.).  
*Magydaris* Koch (Umbellif.) 2846  
*Mahagoni* Adans. (*Swietenia* L.).  
*Maharanga* A. DC. (*Onosma* L.) 5066  
*Mahernia* L. (Stercul.) 816  
*Mahometa* DC. (*Monarrhenus*  
Cass.).  
*Mahonia* Nutt. (*Berberis* L.) 190  
*Mahuria* Aubl. (Ternstroem.) 701  
*Maia* Salisb. (*Maianthemum*  
Wigg.) 7377  
*Maianthemum* Wigg. (Liliac.) 7377  
*Maieta* Aubl. (Melastom.) 2468  
*Mailelou* Adans. (*Vitex* L.?).  
*Maillardia* Frapp. et Duch.  
(Urtic.) 6603  
*Maillea* Parl. (Gramin.) 8104  
*Mainea* Vell. (*Trigonia* Aubl.) 563  
*Maingaya* Oliv. (Hamamelid.) 2203  
*Mairania* Neck. (*Arctostaphylos*  
Adans.) 4330  
*Maireana* Moq. (*Kochia* Roth) 5997  
*Maireria* Scop. (*Maripa* Aubl.) 5074  
*Mairia* Nees (Composit.) 3530  
*Maja* Wedd. (*Pterygopappus*  
H. f.) 3620  
— Kl. (*Cuphea* P. Br.) 2496  
*Majeta* Mart. v. *Maieta* Aubl. 2468  
*Majidea* Kirk (*Harpullia* Roxb.) 1480  
*Majorana* (Tourn.) Gled. (*Origa-*  
**num** L.) 5767  
*Makokoa* H. Bn (Ternstroem.) 704  
*Malabaila* Hoffm. (Umbellif.) 2892  
— Tausch (*Pleurosper-*  
**mum** Hoffm.) 2879  
*Malachadenia* Lindl. (*Bulbophyl-*  
**lum** Thou.) 6767  
*Malachium* Fries (*Stellaria* L.) 581  
*Malachochæte* Nees (*Scirpus* L.) 7934  
*Malachodendron* Cav. (*Stuartia*  
L.) 687  
*Malachra* L. (Malvac.) 751  
*Malacmæa* Griseb. (*Bunchosia*  
Rich. et Juss.)  
*Malacocarpus* F. et M. (*Peganum*  
L.) 1022  
— Salm Dyck (*Echi-*  
**nocactus** Link et Otto) 2705  
*Malacocephalus* Tausch (*Centau-*  
**rea** L.) 4100  
*Malacoides* (Tourn.) Adans.  
(*Malope* L.).  
*Malacomeris* Nutt. (*Malacothrix*  
DC.) 4195  
*Malacothrix* DC. (Composit.) 4195  
*Malaisia* Blanco (Urtic.) 6604  
*Malanea* Aubl. (Rubiace.) 3223  
*Malaparius* Miq. (Inc. sed.) p. 490.  
*Malaspinæa* Presl (*Ægiceras*  
Gärtn.) 4477  
*Malaxis* Sw. (Orchid.) 6753  
*Malbrancia* Neck. (*Rourea* Aubl.).  
*Malcolmia* R. Br. (Crucif.) 286  
*Malesherbia* R. et P. (Passiflor.) 2582  
*Malinvaudia* Fourn. (*Asclep.*) 4812

|                                |               |          |                                  |      |
|--------------------------------|---------------|----------|----------------------------------|------|
|                                | Bl.)          | 1164     | Manisuris L. (Rottboellia L. f.) | 8006 |
|                                | L.)           |          | Mani                             | 7115 |
|                                | notro-        |          | Manila                           | 7487 |
|                                |               | 2734     | Manna                            | 3724 |
|                                | )             | 5668     |                                  | 1109 |
|                                | .)            | 3094     |                                  | 7013 |
|                                | (Com-         |          |                                  |      |
|                                |               | 3461     |                                  | 6466 |
|                                |               | 6522     |                                  | 3703 |
| Malocchia Savi (Canavalia      |               |          | ixim. (Composit.)                |      |
| Adans.)                        |               | 1811     | l. Bip. (Helichry-               |      |
| Malope L. (Malvac.)            |               | 727      | (Connar.)                        | 3632 |
| Malortica Wendl. (Reinhardtia  |               |          |                                  | 1572 |
|                                |               | 7659     |                                  | 4575 |
|                                | DC. (Apocyn.) | 4620     |                                  |      |
| Malpighia L. (Malpigh.)        |               | 911      |                                  | 4100 |
| — Plum. (Valentia Sw.).        |               |          |                                  | 7114 |
|                                | 47.           |          |                                  |      |
| Maltebrunia Kth (Gramin.)      |               | 8073     | L.)                              |      |
| Malulueban Blanco (Champereia  |               |          | Manulea L phul.)                 | 5236 |
| Griff.)                        |               | 6353     |                                  | 1113 |
| Malus L. (Tourn.) (Pyrus L.)   |               | 2074     | M                                | 6680 |
| Malva (Tourn.) L. (Malvac.)    |               | 732      | —                                | 5711 |
| Malvaceæ p. 38.                |               |          | Maps Vol 5                       | 6053 |
| Malvastrum A. Gray (Malvac.)   |               | 736      | Maponia                          | 7944 |
| Malvaviscus Dill. (Malvac.)    |               | 755      | Mapouria                         | 3286 |
| — Gartn. (Thespesia            |               |          | Mappa A. Juss. (Macaranga        |      |
| Corr                           |               |          | Thou.)                           | 6525 |
| Malvella                       |               | 742      | Mappia Jacq. (Olacin.)           | 1236 |
| Mamboga Blanco                 |               |          | — Adans. (Canila L.).            |      |
| (Mitrageyne Korth. f.)         |               |          | — Schreb. (Dollocarpus           |      |
| Mamei (Plum.) Adans. (Mammea   |               |          | Roland)                          | 35   |
| L.)                            |               |          | Maprounea Aubl.                  | 6565 |
| Manullaria Haw. (Cactææ.)      |               | 2702     | Maqueria Adans.                  |      |
| Manneia L. (Guttifer.)         |               | 662      | et Mart.).                       |      |
| Manabea Aubl. (Egiphila Jacq.) |               | 5700     |                                  | 6632 |
| Managa Aubl. (Inc. sed.)       |               |          |                                  | 2674 |
| Mancinella                     |               | 6563     |                                  | 2934 |
| Mancoa W                       |               | 330      |                                  | 7138 |
| Mandelorn                      |               |          |                                  | 2011 |
| L.)                            |               | 8020     |                                  | 7138 |
| Mandevilla Lindl. (Apocyn.)    |               | 4674     |                                  | 7732 |
| Mandioeca Link (Mamhot Adans.) |               | 6488     |                                  |      |
| Mandirola Dene (Achimenes      |               |          | Scop.)                           |      |
| P. Br                          |               | 5366     | Marasmodes DC. (Composit.)       | 3981 |
| —                              |               | L.) 7588 | Marathrum H. et B. (Podostem.)   | 6106 |
| —                              |               | L.) 4193 | Marcanthus Lour. (Mucuna         |      |
| —                              |               | 3866     | Adans.)                          | 1797 |
| Mandragora (Tourn.) Juss. (So- |               |          | (Anthemis L.)                    | 3953 |
| lan.)                          |               | 5139     | Bn (Anarant.)                    | 5932 |
| Manettia Mut. (Rubiæc.)        |               | 3025     | — Choisy (Ipomæa L.)             | 5077 |
| .)                             |               | 7337     | Marcetia DC. (Melastom.)         | 2387 |
|                                |               | 1508     | Marcgravia (Plum.) L. (Tern-     |      |
|                                | R. Br.)       | 6255     | strom.)                          | 666  |
|                                | R Br.)        |          | Marckea L. C. Rich. v. Markea    |      |
| (Magnoliæc.)                   |               | 59       | L. C. Rich.                      |      |
| Manghill                       |               | 4460     | (Anonac.)                        | 71   |
| Mangoni                        |               | 7831     | Marenteria Thou. (Anonac.)       | 98   |
| Mangosti                       |               | L.) 654  | Maresia Pomel (Sisymbrium L.)    | 290  |
| Manicari                       |               | 7688     | Mareya H. Bn (Euphorb)           | 6503 |
| Manihot                        |               | 6488     | Margacola Buckl. (Trichocoronis  |      |
| Manisuri                       |               | 8007     | A. Gray)                         | 3442 |



- Margaranthus* Schlcht. (Solan.) 5118  
*Margaretta* Oliv. (Asclep.) 4770  
*Margaris* DC. (Chiococca L.) 3229  
— Griseb. (Margaritopsis Sauv.) 3312  
*Margarita* Gaudin (Aster L.) 3544  
*Margaritaria* L. f. (Inc. sed.) p. 490.  
*Margaritopsis* Sauv. (Rubiaceae) 3312  
— Wright (Inc. sed.) p. 490.  
*Margarocarpus* Wedd. (Pouzolzia Gaud.) 6669  
*Margarospermum* Dcne (Lithospermum L.) 5056  
*Margotia* Boiss. (Elæoselinum Koch) 2914  
*Margyricarpus* R. et P. (Rosaceae) 2063  
*Maria-Antonia* Parl. (Crotalaria L.) 1632  
*Marialva* Vand. (Tovomita Aubl.) 647  
*Mariana* Hill (Silybum Vaill.).  
*Marianthemum* Schrank (Campanula L.) 4296  
*Marianthus* Hüg. (Pittospor.) 532  
*Marica* Ker (Irid.).  
— Schreb. (Cipura Aubl.) 7236  
*Marignia* Comm. (Protium Burm.) 1156  
*Marila* Sw. (Ternstroem.) 702  
*Marina* Liebm. (Legumin.) 1664  
*Maripa* Aubl. (Convolvul.) 5074  
*Mariscus* Vahl (Cyperus L.) 7923  
*Markea* L. C. Rich. (Solan.) 5147  
*Markhamia* Seem. (Dolichandrone Fenzl) 5478  
*Marlea* Roxb. (Stylidium Lour.) 2971  
*Marlieria* Camb. (Rutac.) 2323  
*Marlothia* Engl. (Rhamn.) + 1357d  
*Marmorites* Benth. (Nepeta L.) 5802  
*Marogna* Salisb. (Amomum L.) 7125  
*Maropsis* Pomel (Marrubium L.) 5821  
*Marotti* Rheede (Hydnocarpus Gärtn.).  
*Marottia* Raf. (Marottia Rheede?).  
*Marquartia* Hassk. (Pandanus L.) 7743  
— Vog. (Milletia W. et A.) 1687  
*Marquisia* A. Rich. (Coprosma Forst.) 3331  
*Marrubiastrum* (Tourn.) Mönch (Sideritis L.) 5820  
*Marrubium* (Tourn.) L. (Labiata) 5821  
*Marsana* Sonn. (Murraya Kön.).  
*Marsdenia* R. Br. (Asclep.) 4835  
*Marsea* Adans. (Fimbrillaria Cass.).  
*Marshallia* Schreb. (Composit.) 3864  
— Gmel. (Homalium Jacq.).  
*Marsippospermum* Desv. (Juncaceae) 7608  
*Marssonina* Karst. (Napeanthus Gardn.) 5420  
*Marsypianthes* Mart. (Labiata) 5743  
*Marsypocarpus* Neck. (Thlaspi L.).  
*Marsypopetalum* Scheff. (Anonac.) 107  
*Martagon* Salisb. (Lilium L.) 7509  
*Martensia* Giseke (Alpinia L.) 7134  
— Rchb. (Otaria Kth).  
*Martia* Benth. (Legumin.) 1925  
— Leandro (Clitoria L.) 1783  
— Spreng. (Hypericum L.).  
— Valetton (Valettonia Th. Dur.) 1253  
*Martinesia* R. et P. (Palm.) 7732  
*Martiniera* Guill. (Wendtia Meyen) 993  
*Martiniera* Vell. (Kielmeyera Mart.) 699  
*Martinsia* Godr. (Boreava Jaub. et Spach) 380  
*Martusia* Benth. (Martia Benth.) 1925  
— Schult. (Clitoria L.) 1783  
*Martrasia* Lag. (Jungia L. f.) 4158  
*Martynia* L. (Pedalin.) 5497  
— Glox. (Vatkea O. Hoffm.) 5498  
*Marumia* Bl. (Melastom.) 2444  
— Reinw. (Saurauja Willd.) 685  
*Marupa* Miers (Simarub.) + 1138b  
*Maruta* Cass. (Anthemis L.) 3953  
*Mascagnia* Bert. (Hiræa Jacq.) 952  
*Mascarenhasia* A. DC. (Apocyn.) 4656  
*Maschalanthe* Bl. (Axanthes Bl.).  
*Masdevallia* R. et P. (Orchid.) 6749  
*Massangea* E. Morr. (Caraguata Lindl.) 7188  
*Massoia* Becc. (Laurin.) 6216  
*Massonia* Thunb. (Liliac.) 7484  
*Massowia* Koch (Spathiphyllum Schott) 7773  
*Mastacanthus* Endl. (Caryopteris Bge) 5716  
*Mastersia* Benth. (Legumin.) 1805  
*Mastichodendron* Jacq. (Bumelia Sw.).  
*Mastigophorus* Cass. (Nassarvia Juss.) 4159  
*Mastigoscleria* Nees (Scleria Berg) 7981  
*Mastostigma* Stocks (Glossonema Dcne) 4722  
*Mastixia* Bl. (Cornac.) 2975  
*Mastrucium* Cass. (Serratula L.) 4093  
*Matamoria* Llav. et Lex. (Elephantopus L.) 3428  
*Mataxa* Spreng. (Lasiospermum Lag.) 3942  
*Matayba* Aubl. (Sapind.) 1433  
*Mateatia* Vell. (Sterculia L.) 791  
*Matelea* Aubl. (Asclep.) 4806  
*Mathea* Vell. (Schwenkia L.) 5171  
*Mathewsia* Hook. (Crucif.) 304  
*Mathieua* Kl. (Eucharis Planch.) 7317  
*Mathurina* Balf. f. (Turnerac.) 2579  
*Matisia* H. et B. (Malvac.) 777  
*Matourea* Aubl. (Stemodia L.) 5248  
*Matrella* Pers. (Zoysia Willd.) 8035  
*Matricaria* (Tourn.) L. (Composit.) 3965  
— Cass. (Matricaria L.) 3965  
*Matthæa* Bl. (Monimiaceae) 6159  
*Matthiola* R. Br. (Crucif.) 239  
— (Plum.) L. (Guettarda L.) 3213

- Matthisonia* Raddi (*Schwenkia* L.) 5171  
*Mattia* Schult. (*Rindera* Poll.) 5024  
*Mattonia* Sm. (*Elettaria* Rheede).  
*Mattuschkæa* Schreb. (*Perama* Aubl.) 3359  
*Mattuschkia* Gmel. (*Saururus* L.) 6137  
*Mauchartia* Neck. (*Apium* L.) 2799  
*Mauduyta* Comm. (*Samandura* L.) 1113  
*Mauhlia* Dahl. (*Agapanthus* L'Hér.) 7461  
*Maukschia* Heuff. (*Carex* L.) 7988  
*Maundia* F. Müll. (*Triglochin* L.) 7875  
*Maurandia* Ort. (*Scrophul.*) 5200  
*Mauria* Kth (*Anacard.*) 1540  
— Oliv. (*Sorindeia* Thou.) 1533  
*Mauritia* L. f. (*Palm.*) 7720  
*Maurocenia* L. (*Cassine* L.) 1284  
*Mavia* Bertol. (*Erythrophloeum* Afz.) 1976  
*Maxillaria* R. et P. (*Orchid.*) 6885  
*Maximiliana* Mart. (*Palm.*) 7737  
— Mart. (*Cochlospermum* Kth) 492  
*Maximovitzia* Rupr. (*Schizandra* Mchx) 62  
*Maximowiczia* Cogn. (*Cucurbit.*) 2666  
*Maxwellia* H. Bn (*Stercul.*) + 833<sup>b</sup>  
*Mayaca* Aubl. (*Mayacac.*) 7570  
**Mayacaceæ** p. 433.  
*Maycockia* A. DC. (*Condylocarpon* Desf.) 4595  
*Mayepea* Aubl. (*Linociera* Sw.) 4547  
*Mayeta* Juss. v. *Maieta* Aubl. 2468  
*Mayna* Aubl. (*Bixin.*) 496  
*Mayodendron* Kurz (*Bignon.*) 5476  
*Mays* (Tourn.) Gärt. (*Zea* L.) 7990  
*Maytenus* Feuill. (*Celastr.*) 1290  
*Mayz* Micheli (*Zea* L.).  
*Mazeutoxeron* Labill. (*Correa* Sm.) 1050  
*Mazus* Lour. (*Scrophul.*) 5240  
*Meadia* Catesb. (*Dodecatheon* L.) 4446  
*Meborea* Aubl. (*Phyllanthus* L.) 6404  
*Mecardonia* R. et P. (*Herpestis* Gärt. f.) 5253  
*Meckelia* Mart. (*Spachea* A. Juss.) 928  
*Meclatis* Spach (*Clematis* L.) 1  
*Mecomischus* Cass. (*Composit.*) 3948  
*Meconella* Nutt. (*Platystigma* Benth.) 214  
*Meconopsis* Vig. (*Papaverac.*) 220  
*Mecopus* Benn. (*Legumin.*) 1763  
*Mecosa* Bl. (*Habenaria* Willd.) 7066  
*Mecostylis* Kurz (*Macaranga* Thou.) 6525  
*Mecranium* H. f. (*Melastom.*) 2471  
*Medea* Kl. (*Croton* L.) 6460  
*Medemia* P. Guill. v. Wurt. et Braun. (*Palm.*) 7726  
*Medeola* L. (*Liliac.*) 7552  
*Medica* Coth. (*Tourretia* Juss.) 5487  
*Medicago* (Tourn.) L. (*Legumin.*) 1651  
*Medicia* Gardn. (*Gelsemium* Juss.) 4884  
*Medicosma* H. f. (*Rutac.*) 1062  
*Medicusia* Mönch (*Picris* L.) 4189  
*Medinilla* Gaud. (*Melastom.*) 2450  
*Medium* Spach (*Campanula* L.).  
*Medora* Kth (*Smilacina* Desf.) 7375  
*Medusa* Lour. (*Alsodeia* Thou.) 476  
*Medusagyne* Bak. (*Ternstroem.*) 674  
*Medusanthera* Seem. (*Lasianthera* P. B.) 1228  
*Medusea* Haw. (*Euphorbia* L.) 6370  
*Meerburgia* Mönch (*Pollichia* Soland.) 5898  
*Megabotrya* Hance (*Evodia* Forst.) 1058  
*Megacarpæa* DC. (*Crucif.*) 357  
*Megacarpa* Hochst. (*Oxyanthus* DC.) 3186  
*Megacaryon* Boiss. (*Boragin.*) 5064  
*Megaclinium* Lindl. (*Orchid.*) 6770  
*Megadendron* Miers (*Barringtonia* Forst.) 2340  
*Megadenus* Raf. (*Scirpus* L.).  
*Megalachne* Steud. (*Gramin.*) 8239  
— Thw. (*Eriachne* R. Br.) 8135  
*Megalotheca* F. Müll. (*Restio* L.) 7907  
*Megaphyllæa* Hemsl. (*Meliac.*) + 1176<sup>b</sup>  
*Megapterium* Spach (*Oenothera* L.) 2528  
*Megarhiza* Torr. (*Echinocystis* T. et G.) 2674  
*Megasea* Haw. (*Saxifraga* L.) 2092  
*Megastachya* P. B. (*Eragrostis* P. B.) 8212  
— Fourn. (*Eragrostis* P. B.) 8212  
*Megastegia* G. Don (*Brongniartia* H. B. K.) 1674  
*Megastigma* H. f. (*Rutac.*) 1073  
*Megastoma* Coss. et Durieu (*Eritrichium* Schrad.) 5027  
*Meibomia* Heist. (*Legumin. inc. sed.*).  
*Meineckia* H. Bn (*Securinega* Juss.) 6406  
*Meiogyne* Miq. (*Unona* L.) 83  
*Meionectes* R. Br. (*Halorag.*) 2225  
*Meiracyllium* Rehb. f. (*Orchid.*) 6752  
*Meisarlhena* R. Br. (*Anticharis* Endl.) 5182  
*Meissneria* DC. (*Siphanthera* Pohl) 2366  
*Meistera* Giseke (*Amomum* L.) 7125  
*Meisteria* Scop. (*Poraqueiba* Aubl.) 1240  
— S. et Z. (*Enkianthus* Lour.) 4347  
*Melachne* Schrad. (*Gahnia* Forst.) 7967  
*Meladenia* Turcz. (*Psoralea* L.) 1662  
*Melalema* H. f. (*Composit.*) 4014  
*Melaleuca* L. (*Myrtac.*) 2290  
*Melampodium* L. (*Composit.*) 3751  
*Melampyrum* (Tourn.) L. (*Scrophul.*) 5339  
*Melananthera* Rich. v. *Melanthera* Rohr.  
*Melananthus* Walp. (*Inc. sed.*) p. 490.  
*Melanchrysum* Cass. (*Gazania* Gärt.) 4057



- Melancium* Naud. (Cucurbit.) 2659  
*Melanocranis* Vahl (Ficinia Schrad.) 7936  
*Melandrium* Röhl. (Lychnis L.) 577  
*Melanium* P. Br. (Cuphea P. Br.) 2496  
— Rich. (Arthrostemma Pav.).  
*Melanocarpum* H. f. (Pleuropetalum H. f.) 5916  
*Melanocarya* Turcz. (Evonymus L.) 1272  
*Melanocenchris* Nees (Gramin.) 8170  
*Melanochyla* H. f. (Anacard.) 1558  
*Melanococca* Bl. (Rutac.) 1068  
*Melanodendron* DC. (Composit.) 3554  
*Melanodiscus* Radlk. (Sapind.) 1400  
*Melanolepis* Rchb. et Zoll. (Mal-lotus Lour.) 6522  
*Melanoloma* Cass. (Centaurea L.) 4100  
*Melanophylla* Bak. (Cornac.) 2980  
*Melanopsidium* Poit. (Alibertia Rich.).  
*Melanorrhœa* Wall. (Anacard.) 1512  
*Melenoselinum* Hoffm. (Thapsia L.) 2913  
*Melanoseris* Dene (Lactuca L.) 4206  
*Melenosinapis* Schimp. et Spenn. (Brassica L.) 317  
*Melanosticta* DC. (Hoffmanseggia Cav.) 1911  
*Melanoxydon* Schott (Legumin.) 1903  
*Melanthera* Rohr (Composit.) 3827  
— Benth. (Echinocephalum Gardn.) 3828  
*Melanthesa* Bl. (Breynia Forst.) 6409  
*Melanthesiopsis* Müll. Arg. (Breynia Forst.) 6409  
*Melanthium* L. (Liliac.) 7555  
— Kth (Dipidax Salisb.) 7524  
*Melarhiza* Kell. (Wyethia Nutt.) 3821  
*Melasanthus* Pohl (Stachytarpheta Vahl) 5684  
*Melasma* Berg (Scrophul.) 5297  
*Melasphaerula* Ker (Irid.) 7271  
*Melastoma* (Burm.) L. (Melastom.) 2397  
— Raddi (Miconia R. et P.) 2462  
**Melastomaceæ** p. 130.  
*Melastomastrum* Naud. (Dissotis Benth.) 2396  
*Melcagrinx* Arrud. (Inc. sed.).  
*Melhania* Forsk. (Stercul.) 814  
*Melia* L. (Meliac.) 1171  
**Meliaceæ** p. 60.  
**Meliantaceæ** p. 83.  
*Melanthus* (Tourn.) L. (Melianth.) 1496  
*Melica* L. (Gramin.) 8224  
*Melicho* Salisb. (Hæmanthus L.) 7311  
*Melichrus* R. Br. (Epacrid.) 4395  
*Melicocca* L. (Sapind.) 1404  
*Melicope* Forst. (Rutac.) 1055  
*Melicytus* Forst. (Violar.) 480  
*Melicopsidium* H. Bn (Cossignia Comm.) 1466  
*Melidora* Salisb. (Enkianthus Lour.) 4347  
*Melilotus* (Tourn.) Juss. (Legumin.) 1652  
*Melinia* Dene (Asclep.) 4761  
*Melinis* P. B. (Gramin.) 8038  
*Melinonia* Brongn. (Pitcairnia L'Hér.) 7182  
*Melinospermum* Walp. (Dichilus DC.) 1630  
*Melinum* Link (Zizania L.) 8071  
— Medik. (Salvia L.).  
*Melioblastes* Griff. (Cryptocoryne Fisch.).  
*Meliocarpus* Boiss. (Prangos Lindl.) 2848  
*Meliosma* Bl. (Sabiace.) 1504  
*Meliotis* Sw. (Sarcostemma R. Br.).  
*Meliphlea* Zucc. (Sphæralcea S'-Hil.) 749  
*Melissa* L. (Labiata.) 5781  
— Hall. (Melittis L.).  
*Melissitus* Medik. (Pocockia Ser.).  
*Melissopsis* Sch. Bip. (Ageratum L.) 3448  
*Melissophyllum* (Riv.) Adans. (Melittis L.).  
*Melistaureum* Forst. (Casearia Jacq.) 2543  
*Melittis* L. (Labiata.) 5819  
*Mella* Vand. (Herpestis Gärtn. f.). 5253  
*Mellera* S. Moore (Acanth.) 5525  
*Mellichampia* A. Gray (Asclep.) 4787  
*Mellissia* H. f. (Solan.) 5112  
*Melloa* Bur. (Bignon.) 5448  
*Mellocia* Lindl. (Ullucus Lozano) 6045  
*Melo* Tourn. (Cucumis L.) 2633  
*Melocactus* Link et Otto (Cactaceæ) 2701  
— Tourn. (Cactus L.).  
*Melocalamus* Benth. (Gramin.) 8295  
*Melocanna* Trin. (Gramin.) 8302  
*Melochia* (Dill.) L. (Stercul.) 818  
— Medik. (Riedlea Vent.).  
*Melodinus* Forst. (Apocyn.) 4572  
*Melodorum* Dun. (Anonac.) 110  
*Melolobium* E. et Z. (Legumin.) 1629  
*Melopepo* Tourn. (Cucurbita L.) 2646  
*Melosperma* Benth. (Scrophul.) 5238  
*Melothria* L. (Cucurbit.) 2651  
— Pöpp. et Endl. (Selysia Cogn.) 2671  
*Melvilla* Anders. (Cuphea P. Br.) 2496  
*Memecylon* L. (Melastom.) 2486  
*Memora* Miers (Adenocalymma Mart.) 5451  
*Memoralis* Ham. (Pouzolzia Gaud.) 6669  
*Menais* (Löffl.) L. (Inc. sed.) p. 490.  
*Menarda* A. Juss. (Phyllanthus L.) 6404

- Mendezia* DC. (*Spilanthus* L.) 3835  
*Mendoncia* Vand. (*Acanth.*) 5512  
*Mendoni* Adans. (*Methonica* Herm.).  
*Mendozia* R. et P. v. *Mendoncia* Vand. 5512  
*Meneghinia* Endl. (*Arnebia* Forsk.) 5061  
*Meneritaria* Herm. (*Isachne* R. Br.).  
*Menestoria* DC. (Inc. sed.) p. 490.  
*Menestrata* Vell. (*Persea* Gärtn. f.) 6195  
*Mengea* Schau. (*Amarantus* L.) 5928  
*Menichea* Sonn. (*Barringtonia* Forst.) 2340  
*Meninia* Fua (*Cystacanthus* T. Anders.) 5583  
*Meniocus* Desv. (*Alyssum* L.) 274  
*Meniscosta* Bl. (*Sabia* Colebr.) 1503  
**Menispermaceæ** p. 7.  
*Menispermum* (Tourn.) L. (*Menisperm.*) 152  
*Menkea* Lehm. (*Crucif.*) 315  
*Menoanthes* Hall. v. *Menyanthes* L.  
*Menodora* H. et B. (*Oleac.*) 4535  
*Menomphalus* Pomel (*Centaurea* L.) 4100  
*Menonvillea* DC. (*Crucif.*) 351  
*Menotriche* Steetz (*Wedelia* Jacq.) 3814  
*Mentha* (Tourn.) L. (*Labi.*) 5758  
*Menthella* Pérard (*Mentha* L.) 5758  
*Mentzelia* (Plum.) L. (*Loasæ*) 2571  
— DC. (*Mentzelia* L.) 2571  
*Menyanthes* (Tourn.) L. (*Gentian.*) 4963  
— Medik. (*Limnanthemum* Gmel.).  
*Menziesia* Sm. (*Ericac.*) 4376  
*Meoschium* P. B. (*Ischæmum* L.) 8012  
*Mephitidia* Reinw. (*Lasianthus* Jack) 3296  
*Merathrepta* Raf. (*Avena* L.).  
*Meratia* Cass. (*Elvira* Cass.) 3733  
— A. DC. (*Moritzia* DC.) 5052  
— Nees (*Chimonanthus* Lindl.) 50  
*Merciera* A. DC. (*Campanul.*) 4289  
*Merckia* Fisch (*Arenaria* L.) 583  
*Mercklinia* Rgl (*Hakea* Schrad.) 6257  
*Mercurialis* (Tourn.) L. (*Euphorb.*) 6498  
*Merendera* Röm. (*Liliac.*) 7519  
*Meretricia* Neraud (*Rubiac.* ?).  
*Meriana* Trew (*Watsonia* Mill.) 7266  
— Vell. (*Evolvulus* L.) 5085  
— Vent. (*Tibouchina* Aubl.) 2383  
*Meriandra* Benth. (*Labi.*) 5792  
*Meriania* Sw. (*Melastom.*) 2410  
*Mericarpæa* Boiss. (*Rubiac.*) 3366  
*Merida* Neck. (*Portulaca* L.).  
*Meridiana* Hill (*Gazania* Gärtn.).  
— L. f. (*Portulaca* L.).  
*Merimea* Camb. (*Bergia* L.) 629  
*Meriolyx* Raf. (*Oenothera* L.) 2528  
*Merione* Salisb. (*Dioscorea* L.) 7345  
*Merisachne* Steud. (*Triodia* R. Br.).  
*Meristostigma* Dietr. (*Lapeyrousia* Pourr.) 7265  
*Meristostylus* Kl. (*Kalanchoe* Adans.).  
*Meristotropis* F. et M. (*Glycyrrhiza* L.) 1725  
*Merizadenia* Miers (*Tabernæmontana* L.) 4612  
*Merkusia* De Vriese (*Scævola* L.) 4237  
*Merope* Röm. (*Atalantia* Corr.) 1101  
— Wedd. (*Gnaphalium* L.) 3626  
*Merostachys* Spreng. (*Gramin.*) 8285  
*Merremia* Dennst. (*Convolvulus* L.).  
*Merrettia* Soland. (*Corynocarpus* Forst.).  
*Mertensia* Roth (*Boragin.*) 5049  
— H. B. K. (*Celtis* L.) 6588  
*Meryta* Forst. (*Araliac.*) 2943  
*Mesadenia* Raf. (*Conophora* DC. ?).  
*Mesanthemum* Körn. (*Eriocaul.*) 7892  
*Mesanthus* Nees (*Cannomois* P. B.) 7920  
*Mesechites* Müll. Arg. (*Echites* L.) 4665  
*Mesembryanthemum* (Dill.) L. (*Ficoid.*) 6933  
*Mesocentron* Cass. (*Centaurea* L.).  
*Mesoclastes* Lindl. (*Luisia* Gaud.) 6933  
*Mesodetra* Raf. (*Helenium* L.) 3934  
*Mesogramma* DC. (*Senecio* L.) 4025  
*Mesomelæna* Nees (*Cyper.*) 7958  
*Mesona* Bl. (*Labi.*) 5727  
*Mesoneuris* A. Gray (*Composit.*) 4028  
*Mesoptera* H. f. (*Rubiac.*) 3302  
*Mesosetum* Steud. (*Panicum* L.) 8050  
*Mesospinidium* Rchb. f. (*Odontoglossum* H. B. K.) 6906  
*Mesotricha* Stschgl. (*Astroloma* R. Br.) 4393  
*Mesotriche* Steetz (*Wedelia* Jacq.).  
*Mespilodaphne* Nees (*Laurin.*) 6199  
*Mespilophora* Neck. (*Mespilus* L.) 2075  
*Mespilus* (Tourn.) L. (*Rosac.*) 2075  
*Messerschmidia* Gärtn. f. (*Tournefortia* L.) 5005  
*Messersmidia* L. v. *Messerschmidia* Gärtn. f. 5005  
*Mesua* L. (*Guttifer.*) 660  
*Metabasis* DC. (*Hypochæris* L.) 4197  
*Metabolos* Bl. (*Hedyotis* L.) 3086  
*Metachilum* Lindl. (*Appendicula* Bl.) 6971  
*Metagnathus* Endl. (*Athanasia* L.) 3943  
*Metagonia* Nutt. (*Vaccinium* L.) 4321  
*Metalsia* R. Br. (*Composit.*) 3675  
*Metalepis* Griseb. (*Asclep.*) 4805  
*Metanarthecium* Maxim. (*Liliac.*) 7530  
*Metaplexis* R. Br. (*Asclep.*) 4793  
*Metastelma* R. Br. (*Asclep.*) 4745

- Metazanthus* Meyen (Senecio L.) 4025  
*Meteorina* Cass. (Dimorphotheca Mönch) 4041  
*Meteor* Lour. (Barringtonia Forst.) 2340  
*Methonica* (Herm.) Juss. (Gloriosa L.) 7544  
*Methorium* Schott (Helicteres L.) 803  
*Methyscophyllum* E. et Z. (Catha Forsk.) 1276  
*Metopium* P. Br. (Anacard.) 1549  
*Metrocynea* Thou. (Cynometra L.) 1971  
*Metrodorea* S<sup>t</sup>-Hil. (Rutac.) 1077  
*Metrosideros* Banks (Myrtac.) 2306  
*Metroxylon* Rottb. (Palm.) 7713  
— Spreng. (Raphia P. B.) 7716  
*Mettenia* Griseb. (Euphorb.) 6539  
*Metternichia* Miq. (Solan.) 5153  
*Meum* (Tourn.) Jacq. (Umbellif.) 2869  
*Meyenia* Nees (Thunbergia L. f.) 5515  
— Schlicht. (Cestrum L.) 5149  
*Meyera* Adans. (Holosteum L.)  
— Schreb. (Enhydra Lour.) 3786  
*Meyeria* DC. (Calea L.) 3862  
*Meynia* Link (Vangueria Juss.) 3248  
*Mezereum* C. A. Mey. (Daphne L.) 6271  
*Mezierea* Gaud. (Begonia L.)  
— A. DC. (Begonia L.) 2695  
*Mezleria* Presl (Lobelia L.) 4262  
*Mezoncurum* Desf. (Legumin.) 1909  
*Mezzettia* Becc. (Anonac.) 118  
*Mibora* Adans. (Gramin.) 8108  
*Micadania* R. Br. (Butyrospermum Kotschy) 4498  
*Micagrostis* d'Anth. (Mibora Adans.)  
*Micambe* Adans. (Cleome L.)  
*Michauxia* L'Hér. (Campanul.) 4293  
— Neck. (Relhania L'Hér.) 3630  
*Michelaria* Dmrt. (Bromus L.) 8257  
*Michelia* L. (Magnoliac.) 60  
— Amman (Gmelina L.)  
— Th. Dur. (Lophotocarpus Th. Dur.)  
*Michiea* F. Müll. (Coleanthera Stschgl.) 4392  
*Michoxia* Vell. (Inc. sed.) p. 490.  
*Miconia* R. et P. (Melastom.) 2462  
*Miconiastrum* Naud. (Tetrazygia L. C. Rich.) 2461  
*Micractis* DC. (Composit.) 3795  
*Micradenia* Miers (Dipladenia A. DC.) 4671  
*Micræa* Miers (Inc. sed.) p. 490.  
*Micraira* F. Müll. (Gramin.) 8137  
*Micrampelis* Raf. (Sicyos L.) 2678  
*Micrandra* Benth. (Euphorb.) 6451  
— R. Br. (Hevea Adans.) 6453  
*Micranthea* A. Juss. v. *Micrantheum* Desf.  
*Micranthella* Naud. (Tibouchina Aubl.) 2383  
*Micranthemum* Mchx (Scrophul.) 5267  
*Micranthera* Choisy (Tovomita Aubl.) 647  
*Micranthes* Bertol. (Hoslundia R. et S.) 5734  
*Micrantheum* Desf. (Euphorb.) 6375  
— Presl (Trifolium L.) 1653  
*Micranthus* Pers. (Irid.) 7267  
— Wendl. (Phaylopsis Willd.) 5536  
*Micrargeria* Benth. (Scrophul.) 5312  
*Micraster* Harv. (Brachystelma R. Br.) 4866  
*Micrechites* Miq. (Apocyn.) 4634  
*Micrelum* Forsk. (Eclipta L.) 3788  
*Microcachrys* H. f. (Conifer.) 8333  
*Microcala* Link et Hoffmg (Gentian.) 4927  
*Microcalia* A. Rich. (Lagenophora Cass.) 3518  
*Microcarpæa* R. Br. (Scrophul.) 5270  
*Microcasia* Becc. (Aroid.) 7805  
— Engl. (Bucephalandra Schott).  
*Microchæta* Nutt. (Lipochæta DC.) 3818  
*Microchæte* Benth. (Senecio L.) 4025  
*Microcharis* Benth. (Legumin.) 1703  
*Microchilus* Presl (Physurus L. C. Rich.) 6995  
*Microchlæna* Spreng. v. *Microchlæna* R. Br.  
*Microchloa* R. Br. (Gramin.) 8156  
*Microclisia* Benth. (Pleogyne Miers) 175  
*Microcnemum* Ung. et Sternb. (Chenopod.) 6015  
*Micrococca* Benth. (Euphorb.) 6497  
*Micrococos* Phil. (Jubæa H. B. K.) 7738  
*Microcodon* A. DC. (Campanul.) 4274  
*Microcœcia* H. f. (Elvira Cass.) 3733  
*Microcœlia* Lindl. (Mystacidium Lindl.) 6961  
*Microcorys* R. Br. (Labiata) 5856  
*Microcos* L. (Grewia L.) 848  
*Microcybe* Turcz. (Rutac.) 1044  
*Microcycas* Miq. (Cycad.) 8349  
*Microderis* DC. (Picris L.) 4189  
*Microdesmis* Planch. (Euphorb.) 6145  
*Microdon* Choisy (Selagin.) 5656  
*Microdonta* Nutt. (Heterosperma Cav.) 3844  
*Microelus* W. et A. (Bischofia Bl.) 6426  
*Microgenetes* A. DC. (Phacelia Juss.) 4978  
*Microglossa* DC. (Composit.) 3564  
*Microgyne* Less. (Vittadinia A. Rich.) 3562  
*Microgynæcium* H. f. (Chenopod.) 5986  
*Microjambosa* Bl. (Eugenia L.) 2327  
*Microkentia* Wendl. et Dr. (Cyphokentia Brongn.) 7240  
*Microlæna* R. Br. (Gramin.) 8083  
— Wall. (Eriolæna DC) 805

- Microlecanthe* Sch. Bip. (Composit.) 3846  
*Microlepidium* F. Müll. (Capsella Mönch) 329  
*Microlepis* DC. (Melastom.) 2376  
*Microlicia* D. Don (Melastom.) 2362  
*Microlobium* Liebm. (Apoplane-sia Presl) 1663  
*Microlobius* Presl (Inc. sed.) p. 490  
*Microlooma* R. Br. (Asclep.) 4715  
*Microlonchus* Cass. (Centaurea L.) 4100  
*Microlophus* Cass. (Centaurea L.) 4100  
*Micromeles* Dene (Pyrus L.) 2074  
*Micromelum* Bl. (Rutac.) 1094  
*Micromeria* Benth. (Labiata) 5773  
*Micromyrtus* Benth. (Myrtac.) 2277  
*Micronoma* Wendl. (Inc. sed.) p. 490.  
*Micronychia* Oliv. (Anacard.) 1555  
*Micropeplis* Bge (Halogeton C. A. Mey.) 6040  
*Micropera* Dalz. (Sarcochilus R. Br.) 6940  
— Lindl. (Sarcochilus R. Br.) 6940  
*Micropetalon* Pers. (Stellaria L.) 581  
*Microphyes* Phil. (Caryophyll.) 601  
*Microphysa* Schrenk (Galium L.) 3365  
— Naud. v. *Micraphysca* Naud. 2467  
*Microphysca* Naud. (Melastom.) 2467  
*Micropiper* Miq. (Peperomia R. et P.) 6145  
*Micropleura* Lag. (Umbellif.) 2742  
*Micropora* H. f. (Laurin.) 6188  
*Micropsis* DC. (Composit.) 3605  
*Microptelea* Spach (Ulmus L.) 6582  
*Micropteryx* Walp. (Erythrina L.) 1793  
*Micropus* L. (Composit.) 3602  
*Micropyrum* Link (Festuca L.) 8254  
*Micropyxis* Duby (Centunculus L.) 4455  
*Microrhamnus* A. Gray (Rhamn.) 1323  
*Microrhynchus* Less. (Composit.) 4212  
*Microsaccus* Bl. (Orchid.) 6954  
*Microschwenkia* Benth. (Solan.) 5168  
*Microsciadium* Boiss. (Umbellif.) 2810  
— H. f. (Azorella Lam.) 2746  
*Microsechium* Naud. (Cucurbit.) 2683  
*Microsemma* Labill. (Ternstroem.) 696  
*Microsepala* Miq. (Baccaurea Lour.) 6431  
*Microseris* Don (Composit.) 4172  
*Microsperma* Hook. (Mentzelia L.) 2571  
*Microspermum* Lag. (Composit.) 3915  
*Microsplenium* H. f. (Caprifol.) 2989  
*Microstachys* A. Juss. (Sebastiania Spreng.) 6570  
*Microstegium* Nees (Pollinia Trin.) 8001  
*Microsteira* Bak. (Malpigh.) 948  
*Microstemma* R. Br. (Asclep.) 4859  
*Microstemon* Engl. (Anacard.) 1530  
*Microstephium* Less. (Cryptostemma R. Br.) 4053  
*Microstigma* Trautv. (Matthiola R. Br.) 239  
*Microstylis* Nutt. (Orchid.) 6754  
*Microsyphus* Presl (Striga Lour.) 5304  
*Microtea* Sw. (Phytolac.) 6054  
*Microthuareia* Thou. (Thuarea Pers.) 8063  
*Microtinus* Erst. (Viburnum L.) 2988  
*Microtis* R. Br. (Orchid.) 7026  
*Microtrema* Kl. (Erica L.) 4351  
*Microtrichia* DC. (Composit.) 3567  
*Microtropis* Wall. (Celastr.) 1275  
— E. Mey. (Euchlora E. et Z.).  
*Microula* Benth. (Boragin.) 5034  
*Mida* A. Cunn. (Fusanus R. Br.) 6338  
*Middendorffia* Trautv. (Lythrum L.) 2497  
*Miegea* Pers. (Arundinaria Mchx) 8281  
*Miegia* Schreb. (Remirea Aubl.) 7951  
— Neck. (Hieracium L.)  
*Mieria* Llav. et Lex. (Schkubria Roth) 3902  
*Miersia* Lindl. (Liliac.) 7478  
*Mikania* Willd. (Composit.) 3462  
*Mildea* Griseb. (Verhuellia Miq.) 6144  
— Miq. (Paranephelium Miq.) 1462  
*Milhanian* Neck. (Ipomæa L.)  
*Miliarium* Mönch (Miliun L.) 8094  
*Miliun* L. (Gramin.) 8094  
*Miliusa* Lesch. (Anonac.) 114  
*Milla* Cav. (Liliac.) 7465  
*Millegrana* Adans. (Radiola Dill.)  
*Milleria* L. (Composit.) 3736  
*Milletia* W. et A. (Legumin.) 1687  
*Milligania* H. f. (Liliac.) 7413  
— H. f. (Gunnera L.) 2229  
*Millina* Cass. (Leontodon L.) 4198  
*Millingtonia* L. f. (Bignon.) 5461  
— Roxb. (Meliosma Bl.) 1504  
*Millotia* Cass. (Composit.) 3644  
*Milnea* Roxb. (Aglaia Lour.) 1185  
*Miltianthus* Bge (Zygophyll.) 968  
*Miltitzia* A. DC. (Emmenanthe Benth.) 4985  
*Miltonia* Lindl. (Orchid.) 6909  
*Miltus* Lour. (Gisekia L.) 2737  
*Mimelanthe* Greene (Scrophul.) 5254  
*Mimelea* Phil. (Inc. sed.) p. 490.  
*Mimetes* Salisb. (Proteac.) 6223  
*Mimosa* (Tourn.) L. (Legumin.) 1994  
*Mimulopsis* Schweinf. (Acanth.) 5532  
*Mimulus* L. (Scrophul.) 5239  
— Benth. (Mimulus L.) 5239  
*Mimusops* L. (Sapot.) 4508  
— Auct. 4490, 4504, 4509  
*Mina* Llav. et Lex. (Ipomæa L.) 5077  
*Minea* Lojac. (Crucif.) 360  
*Mindium* Juss. (Michauxia L'Hér.) 4293  
*Minkelersia* Martens et Gal. (Legumin.) 1814  
*Minuartia* L. (Arenaria L.) 583

- Minuria* DC. (Composit.) 3531  
*Minurothamnus* DC. (Composit.) 3693  
*Minutalia* Fenzl (Antidesma L.) 6433  
*Minutia* Vell. (Linociera Sw.) 4547  
*Minyranthes* Turcz. (Siegesbeckia L.) 3783  
*Minythodes* Phil. (Chætanthera R. et P.) 4143  
*Miocarpus* Naud. (Acisanthera P. Br.) 2369  
*Mionandra* Griseb (Malpigh.) 922  
*Miquelia* Meisn. (Olacin.) 1255  
— Bl. (Stauranthera Benth.) 5132  
— Nees (Garnotia Brongn.) 8115  
*Mirabellia* Bert. (Dysopsis H. Bn.)  
*Mirabilis* (Riv.) L. (Nyctagin.) 5870  
— Choisy (Mirabilis L.) 5870  
*Miradoria* Sch. Bip. (Microspermum Lag.) 3915  
*Mirasolia* Sch. Bip. (Composit.) 3807  
*Mirbelia* Sm. (Legumin.) 1590  
*Misandra* Comm. (Gunnera L.) 2229  
— Dietr. (Bonaparteia R. et P.)  
*Misandropsis* Erst. (Gunnera L.) 2229  
*Misanteca* Ch. et Schl. (Laurin.) 6191  
*Miscanthus* Anders. (Gramin.) 7998  
*Mischocarpus* Bl. (Sapind.) 1459  
*Mischodon* Thw. (Euphorb.) 6424  
*Mischospora* Böckel. (Fimbristylis Vahl) 7932  
*Mischophlæus* Scheff. (Palm.) 7615  
*Miscolobium* Vog. (Dalbergia L.) 1828  
*Miscopetalum* Haw. (Saxifraga L.) 2092  
*Misocentron* Cass. (Centaurea L.) 4100  
*Misodendron* DC. v. *Myzodendron* Banks et Soland. 6350  
*Missiessia* Gaud. (Leucosyke Mor.) 6679  
*Mistyllus* Presl (Trifolium L.) 1653  
*Mitchella* L. (Rubiace.) 3325  
*Mitella* (Tourn.) L. (Saxifrag.) 2101  
*Mitellopsis* Meisn. (Mitella L.) 2101  
*Mithridatea* Schreb. (Tambourissa Sonn.) 6153  
*Mithridatium* Adans. (Erythronium L.)  
*Mitina* Adans. (Carlina L.) 4072  
*Mitolepis* Balf. f. (Asclep.) 4690  
*Mitopetalum* Bl. (Tainia Bl.) 6790  
*Mitostemma* Mast. (Passiflor.) 2587  
*Mitostigma* DCne (Asclep.) 4719  
— Bl. (Habenaria Willd.) 7066  
*Mitozus* Miers (Apocyn.) 4667  
*Mitra* Houst. (Mitreola L.)  
*Mitracarpum* Zucc. (Rubiace.) 3357  
*Mitragyne* Korth. (Stephegyne Korth.) 3005  
— R. Br. (Mitrasacme Labill.)  
*Mitrantes* Berg (Calyptranthes Berg) 2324  
*Mitranthus* Hochst. (Vandellia L.) 5264  
*Mitraria* Cav. (Gesner.) 5439  
— Gmel. (Barringtonia Forst.) 2340  
*Mitrasacme* Labill. (Logan.) 4890  
*Mitrastigma* Harv. (Plectronia L.) 3247  
*Mitrella* Miq. (Melodorum Dun.) 110  
*Mitreola* L. (Logan.) 4889  
*Mitrephora* Bl. (Anonac.) 97  
*Mitriostigma* Hochst. (Rubiace.) 3184  
*Mitrophora* Neck. (Fedia Mönch).  
*Mitrosicyos* Maxim. (Actinostemma Griff.) 2686  
*Mitrospora* Nees (Rhynchospora Vahl) 7955  
*Mitscherlichia* Kl. (Begonia L.) 2695  
— Kth (Neea R. et P.) 5889  
*Mnasion* Schreb. (Rapatea Aubl.) 7598  
*Mnemion* Spach (Viola L.) 469  
*Mnemosilla* Forsk. (Hypecoum L.) 232  
*Mnesiteon* Raf. (Eclipta L. f.)  
*Mnesithea* Kth (Rottbœllia L. f.) 8006  
*Mnianthus* Walp. (Terniola Tul.) 6101  
*Mniarum* Forst. (Scleranthus L.) 5913  
*Mniodes* A. Gray (Composit.) 3613  
*Mniopsis* Mart. et Zucc. (Podostem.) 6115  
*Moacurra* Roxb. (Dichapetalum Thou.) 1201  
*Mocanera* Juss. (Visnea L. f.) 672  
*Mocinna* Lag. (Calea L.) 3862  
*Modanthes* Alef. (Modiola Mönch).  
*Modecca* L. (Passiflor.) 2597  
*Modeccopsis* Griff. (Erythropalum Bl.) 1214  
*Modiola* Mönch (Malvac.) 750  
*Mœhnia* Neck. (Gazania Gärtn.) 4057  
*Mœhringia* L. (Arenaria L.) 583  
*Mœnchia* Ehrh. (Cerastium L.) 580  
— Medik. (Allium L.) 7476  
— Wender. (Panicum L.)  
*Mœrenhoutia* Bl. (Orchid.) 7011  
*Mœsslera* Rehb. (Tittmannia Brongn.) 2215  
*Moghania* J. St-Hil. (Flemingia Roxb.) 1827  
*Mogiphanes* Mart. (Amarant.) 5954  
*Mogorium* Juss. (Jasminum L.) 4534  
*Mohavea* A. Gray (Scrophul.) 5198  
*Mohlana* Mart. (Phytolac.) 6051  
*Mokokf* Kæmpf. (Cleyera Thunb.)  
*Moldavica* (Tourn.) Mönch (Dracoccephalum L.) 5803  
*Moldenhauera* Schrad. (Legumin.) 1921  
— Spreng. (Pyrenacantha Hook.) 1261  
*Molina* Cav. (Hiptage Gärtn.) 945  
— C. Gay (Dysopsis H. Bn) 6382  
— R. et P. (Baccharis L.) 3575  
*Molinæa* Comm. (Sapind.) 1437  
— Bert. (Jubæa H. B. K.) 7738  
*Molineria* Parl. (Gramin.) 8142  
— Colla (Curculigo Gärtn.) 7279  
*Molinia* Schrank (Gramin.) 8211  
*Molkenbæria* De Vriese (Scævola L.) 4237  
*Mollia* Mart. (Tiliac.) 867  
— Gmel. (Bæckeia L.) 2280



- Mollia* Gmel. (*Escallonia* L.) 2127  
 — Willd. (*Polycarpæa* Lam.) 603  
*Mollinedia* R. et P. (Monimiaceae) 6155  
*Molloya* Meisn. (*Strangoa* Meisn.) 6256  
*Mollugo* L. (Ficoid.) 2730  
 — B. et H. (*Glinus* Löfl.) 2731  
*Molopantha* Turcz. (Rubiaceae) 3042  
*Molopospermum* Koch (Umbellif.) 2772  
*Molpadia* Cass. (*Telekia* Baumg.) 5716  
*Moltkia* Lehm. (Boragin.) 5059  
*Molucca* (Tourn.) Mönch (*Moluccella* L.) 5834  
*Moluccella* L. (Labiata) 5834  
*Moluchia* Medik. (*Melochia* L.)  
*Moly* (Rupr.) Mönch (*Allium* L.) 7476  
*Molyza* Salisb. (*Allium* L.) 7476  
*Momisia* Dmrt. (*Celtis* L.) 6588  
*Momordica* (Tourn.) L. (*Cucurbit.*) 2627  
 — (Tourn.) Pöpp. et Endl. (*Cyclanthera* Schrad.) 2676  
*Monachanthus* Lindl. (*Catasetum* L. C. Rich.)  
*Monachather* Steud. (*Danthonia* DC.) 8155  
*Monachne* P. B. (*Eriochloa* Kth) 8048  
*Monachochlamys* Bak. (Acanth.) 5513  
*Monachyron* Parl. (*Tricholæna* Schrad.) 8052  
*Monactinerna* Bory (*Passiflora* L.) 2584  
*Monactis* H. B. K. (Composit.) 3781  
*Monadelphanthus* Karst. (Rubiaceae) 3030  
*Monadenia* Lindl. (Orchid.) 7077  
*Monadenus* Salisb. (*Zygadenus* Mchx) 7558  
*Monandraira* Desv. (*Deschampsia* P. B.) 8145  
*Monanthemum* Griseb. (*Piptocarpha* R. Br.) 3409  
*Monanthes* Haw. (Crassul.) 2185  
*Monanthochloe* Engelm. (Gramin.) 8192  
*Monarda* L. (Labiata) 5798  
*Monardella* Benth. (Labiata) 5766  
*Monarrhenus* Cass. (Composit.) 3595  
*Monathera* Raf. (*Ctenium* Panz.)  
*Monechma* Hochst. (*Justicia* L.) 5611  
*Monella* Herb. (*Cyrtanthus* Ait.) 7309  
*Monencyanthes* A. Gray (*Helipterum* DC.) 3631  
*Monenteles* Labill. (*Pterocaulon* Ell.) 3504  
*Monerma* P. B. (Gramin.) 8267  
*Moneses* Salisb. (Ericac.) 4379  
*Monetaria* Bronne (*Ecastaphylum* P. Br.)  
*Monetia* L'Hér. (*Azima* Lam.) 4555  
*Mongesia* Vell. (*Symplocos* L.) 4527  
*Monguia* Chapel. (*Croton* L.) 6460  
*Monilifera* Vaill. (*Osteospermum* L.)  
*Monimia* Thou. (Monimiaceae) 6152  
**Monimiaceae** p. 347.  
*Monizia* Lour. (*Thapsia* L.) 2913  
*Monniera* P. Br. (*Herpestis* Gärt. f.) 5253  
*Monnieria* L. (Rutac.) 1018  
*Monnina* R. et P. (Polygal.) 551  
*Monobothrium* Hochst. (*Swertia* L.) 4958  
*Monocallis* Salisb. (*Scilla* L.) 7505  
*Monocarpia* Miq. (Anonac.) 84  
*Monocaryum* R. Br. (*Colchicum* L.) 7516  
*Monocera* Ell. (*Ctenium* Panzer) 8161  
 — Jack (*Elæocarpus* L.) 887  
*Monochaete* Döll (Gramin.) 8166  
*Monochaetum* Naud. (Melastom.) 2402  
*Monochasma* Maxim. (Scrophul.) 5330  
*Monochilus* F. et M. (Verben.) 5689  
 — Wall. (*Zeuxine* Lindl.) 7000  
*Monochlæna* Cass. (*Erioccephalus* L.) 3941  
*Monochoria* Presl (Ponteder.) 7564  
*Monococcus* F. Müll. (Phytolac.) 6055  
*Monocodon* Salisb. (*Fritillaria* L.) 7510  
*Monocosmia* Fenzl (Portul.) 617  
*Monocystis* Lindl. (*Alpinia* L.) 7134  
*Monodora* Dun. (Anonac.) 99  
*Monodynamis* Gmel. (*Usteria* Willd.) 4907  
*Monodynamus* Pohl (*Anacardium* Rottb.) 1509  
*Monoestes* Salisb. (*Lachenalia* Jacq.)  
*Monographidium* Presl (*Cliffortia* L.) 2068  
*Monogynella* Desmoul. (*Cuscuta* L.) 5104  
*Monolena* Triana (Melastom.) 2488  
*Monolepis* Schrad. (Chenopod.) 5971  
*Monolophus* Wall. (*Kæmpferia* L.) 7119  
*Monolopia* DC. (Composit.) 3893  
*Monomeria* Lindl. (Orchid.) 6774  
*Monou* Miq. (*Polyalthia* Bl.) 88  
*Monopanax* Rgl. (*Oreopanax* Dcne et Pl.) 2962  
*Monophyllæa* R. Br. (Gesner.) 5429  
*Monophyllea* Endl. v. *Monophyllæa* R. Br.  
*Monoplectrum* Raf. (*Sesbania* Pers.) 1704  
*Monoploca* Bge (*Lepidium* L.) 336  
*Monopogon* Presl (*Tristachya* Nees) 8152  
*Monoporandra* Thw. (Dipterocarpaceae) 719  
*Monoporus* A. DC. (*Ardisia* Sw.) 4470  
*Monopsis* Salisb. (*Lobelia* L.) 4262  
*Monoptera* Sch. Bip. (*Chrysanthemum* L.) 3964  
*Monopteris* Kl. (*Matayba* Aubl.) 1433  
*Monopteryx* Spruce (Legumin.) 1857  
*Monoptilon* T. et G. (Composit.) 3533  
*Monopyle* Moritzi (Gesner.) 5363  
*Monorchis* Ehrh. (*Herminium* L.) 7059  
*Monosis* DC. (*Vernonia* Schreb.) 3405  
*Monosoma* Griff. (*Amoora* Roxb.) 1180

- Monospora* Hochst. (*Trimeria* Harv.) 518  
*Monostemma* Turcz. (*Asclep.*) 4791  
*Monostiche* Körn. (*Calathea* G. F. W. Mey.) 7148  
*Monostylis* Tul. (*Apinagia* Tul.) 6109  
*Monotassa* Salisb. (*Ornithogalum* L.) 7507  
*Monotaxis* Brongn. (*Euphorb.*) 6381  
*Monotes* A. DC. (*Dipterocarp.*) 716  
*Monothea* A. DC. (*Reptonia* A. DC.) 4478  
*Monothecium* Hochst. (*Acanth.*) 5597  
*Monothrix* Torr. (*Laphamia* A. Gray) 3884  
*Monothylacium* Don (*Hoodia* Sweet) 4875  
*Monotoca* R. Br. (*Epacrid.*) 4404  
*Monotrema* Körn. (*Stegolepis* Kl.) 7600  
*Monotris* Lindl. (*Holothrix* L. C. Rich.) 7064  
*Monotropa* L. (*Monotrop.*) 4387  
— L. (*Hypopithys* Scop.) 4388  
**Monotropeæ** p. 246.  
*Monotropsis* Schwein. (*Schweinitzia* Ell.) 4384  
*Monoxora* Wight (*Rhodamnia* Jack) 2319  
*Monroa* Torr. v. Munroa Torr. 8193  
*Monsonia* L. (*Geran.*) 981  
*Monstera* Adans. (*Aroid.*) 7768  
*Montagnæa* DC. (*Montanoa* Llav. et Lex.) 3799  
*Montanoa* Llav. et Lex. (*Composit.*) 3799  
*Montbretia* DC. (*Tritonia* Ker) 7272  
*Montelia* A. Gray (*Acnida* L.) 5929  
*Monteverdia* A. Rich. (*Maytenus* Feuill.) 1290  
*Montezuma* (Moç. et Sessé) DC. (*Malvac.*) 779  
*Montia* L. (*Portul.*) 618  
— *Houst.* (*Heliocarpus* L.)  
*Montinia* L. f. (*Onagrar.*) 2542  
*Montira* Aubl. (*Spigelia* L.) 4888  
*Montolivæa* Rchb. f. (*Habenaria* Willd.) 7066  
*Montrichardia* Crüg. (*Aroid.*) 7797  
*Montrousiera* Planch. (*Guttifer.*) 649  
*Monttea* C. Gay (*Scrophul.*) 5237  
*Moonia* Arn. (*Chrysogonum* L.) 3755  
*Moorcroftia* Choisy (*Lettsomia* Roxb.) 5075  
*Mooria* Montr. (*Cloezia* Brongn.) 2303  
*Moquilea* Aubl. (*Rosac.*) 2009  
*Moquinia* DC. (*Composit.*) 4124  
— Spreng. (*Loranthus* L.) 6315  
*Mora* Schomb. (*Dimorphandra* Schott) 1975  
*Moræa* (Mill.) L. (*Irid.*) 7222  
*Morelia* A. Rich. (*Rubiace.*) 3180  
*Morelosia* Llav. et Lex. (*Bourreria* P. Br.) 4997  
*Morelotia* Gaud. (*Gahnia* Forst.) 7967  
*Morella* Lour. (*Myrica* L.) 6700  
*Morenia* R. et P. (*Palm.*) 7669  
*Morenoa* Llav. et Lex. (*Ipomæa* L.) 5077  
*Morettia* DC. (*Crucif.*) 257  
*Morgagnia* Bubani (*Simethis* Kth) 7419  
*Morgania* R. Br. (*Scrophul.*) 5249  
*Moricandia* DC. (*Crucif.*) 322  
*Moriera* Boiss. (*Crucif.*) 374  
*Morierina* Vieill. (*Rubiace.*) 3058  
*Morilandia* Neck. (*Cliffortia* L.) 2068  
*Morina* (Tourn.) L. (*Dipsac.*) 3383  
*Morinda* (Vaill.) L. (*Rubiace.*) 3269  
*Morindopsis* H. f. (*Rubiace.*) 3195  
*Moringa* (Burm.) Juss. (*Moring.*) 1564  
**Moringeæ** p. 86.  
*Morisia* J. Gay (*Crucif.*) 410  
— Nees (*Rhynchospora* Vahl) 7955  
*Morisonia* L. (*Capparid.*) 438  
*Moritzia* DC. (*Boragin.*) 5052  
— Sch. Bip. (*Podocoma* Cass.) 3557  
*Mormodes* Lindl. (*Orchid.*) 6876  
*Mormolyce* Fenzl (*Orchid.*) 6883  
*Mormorphis* Jack (*Panax* L.)  
*Morna* Lindl. (*Waitzia* Wendl.) 3620  
*Morobatindum* Vaill. (*Lantana* L.)  
*Morocarpus* S. et Z. (*Debregeazia* Gaud.) 6678  
— (Adans.) Mönch (*Che-  
nopodium* L.) 5972  
*Moronoa* Hort. (*Corynanthelium* Kunze).  
*Moronobea* Aubl. (*Guttifer.*) 650  
*Morphorum* Neck. (*Morus* L.)  
*Morphixia* Ker (*Ixia* L.) 7263  
*Morrenia* Lindl. (*Asclep.*) 4777  
*Morstdorffia* Steud. (*Chirita* Ham.) 5403  
*Mortonia* A. Gray (*Celastr.*) 1303  
*Morus* (Tourn.) L. (*Urtic.*) 6614  
*Morysia* Cass. (*Athanasia* L.) 3943  
*Moscatella* Adans. (*Adoxa* L.)  
*Moscharia* R. et P. (*Composit.*) 4161  
— Salisb. (*Muscari* Mill.) 7499  
*Moschatellina* (Tourn.) Scop. (*Adoxa* L.)  
*Moschifera* Molina (*Moscharia* R. et P.)  
*Moschkowitzia* Kl. (*Begonia* L.) 2695  
*Moschosma* Rchb. (*Labiata.*) 5730  
*Moschoxylum* A. Juss. (*Trichilia* L.) 1190  
*Mosigia* Spreng. (*Moscharia* R. et P.) 4161  
*Mosina* Adans. (*Ortegia* Löffl.)  
*Mosla* Ham. (*Labiata.*) 5756  
*Mostuca* Didrichs. (*Logan.*) 4885  
*Motandra* A. DC. (*Apocyn.*) 4639  
*Motherwellia* F. Müll. (*Araliac.*) 2936  
*Mouffetta* Neck. (*Patrinia* Juss.) 3373  
*Mougeotia* H. B. K. (*Melochia* L.) 818  
*Moulinsia* Camb. (*Erioglossum* Bl.) 1387

- Moulinsia* Raf. (*Chætaria* P. B.).  
*Moullava* Adans. (Inc. sed.).  
*Mourera* Aubl. (Podostem.) 6103  
*Mouricou* Adans. (*Erythrina* L.).  
*Mouriria* Aubl. (Melastom.) 2484  
*Mouroucoa* Aubl. (Maripa Aubl.) 5074  
*Moussonia* Rgl (*Isoloma* Benth.) 5373  
*Moutabea* Aubl. (Polygal.) 556  
*Moutan* Lindl. (*Pæonia* L.) 30  
*Moutouchi* Aubl. (*Pterocarpus* L.) 1837  
*Moya* Griseb. (Celastr.) 1289  
*Mozinna* Ort. (*Jatropha* L.) 6455  
*Mozula* Raf. (*Lythrum* L.) 2497  
*Mucronea* Benth. (*Chorizanthe* R. Br.) 6072  
*Mucuna* (Marcgr.) Adans. (Legumin.) 1797  
*Muchlenbeckia* Meisn. (Polygon.) 6090  
*Muehlenbergia* Schreb. (Gramin.) 8096  
*Mucllera* L. f. (Legumin.) 1849  
*Muellerargia* Cogn. (Cucurbit.) 2654  
*Muenteria* Walp. (*Picræna* Lindl.) 1120  
— Seem. (*Dolichandrone* Fenzl) 5478  
*Muilla* S. Wats. (Liliac.) 7474  
*Mukia* Arn. (Meloethria L.) 2651  
*Muldera* Miq. (Piper L.) 6141  
*Mulgedium* Cass. (*Lactuca* L.) 4206  
*Mulinum* Pers. (Umbellif.) 2756  
*Munbya* Boiss. (*Macrotomia* DC.) 5062  
— Pomel (*Psoralea* L.) 1662  
*Munchausia* L. (*Lagerstroemia* L.) 2512  
*Mundtia* Kth (Polygal.) 545  
*Mundubi* (Marcgr.) Adans. (*Arachis* L.).  
*Mundulea* DC. (Legumin.) 1685  
*Mungos* Adans. (*Mitreola* L.).  
*Munnickia* Rchb. (*Bragantia* Lour.) 6132  
*Munnozia* R. et P. (*Liabum* Adans.) 3990  
*Munroa* Torr. (Gramin.) 8193  
*Munronia* Wight (Meliac.) 1170  
*Muntingia* (Plum.) L. (Tiliac.) 871  
*Munychia* Cass. (*Detris* Adans.) 3545  
*Muralta* Adans. (*Clematis* L.).  
*Muraltia* Neck. (Polygal.) 544  
*Murdannia* Royle (*Aneilema* R. Br.) 7576  
*Muretia* Boiss. (Umbellif.) 2816  
*Murex* L. (*Pedaliium* L. ?).  
*Muricaria* Desv. (Crucif.) 400  
*Muricia* Lour. (*Momordica* Tourn.) 2627  
*Muriea* Hartog (Sapot.) 4515  
*Murraya* L. (Rutac.) 1097  
*Murrithia* Zoll. (*Pimpinella* L.) 2814  
*Murucuja* Pers. (*Passiflora* L.) 2584  
*Musa* (Plum.) L. (Musac.) 7151  
**Musaceæ** p. 407.  
*Musanga* R. Br. (Urtic.) 6647  
*Muscari* Mill. (Liliac.) 7499  
*Muscaria* Haw. (*Saxifraga* L.) 2092  
*Musenium* Nutt. (Umbellif.) 2778  
*Mussaenda* L. (Rubiace.) 3107  
*Mussaendopsis* H. Bn (Rubiace.) 3039  
*Musschia* Dmrt. (Campanul.) 4292  
*Mussinia* Willd. (*Gazania* Gärtn.) 4057  
*Mustelia* Spreng. (*Stelia* Cav.).  
*Mutisia* L. f. (Composit.) 4109  
*Myagrurn* L. (Crucif.) 388  
*Myanthe* Salisb. (*Ornithogalum* L.) 7507  
*Myanthus* Lindl. (*Catasetum* L. C. Rich.).  
*Myaris* Presl (*Claussena* Burm.) 1098  
*Mycaranthus* Bl. (*Eria* Lindl.) 6781  
*Mycelis* Cass. (*Lactuca* L.) 4206  
*Mycetanthus* Rchb. (*Brugmansia* Bl.) 6127  
*Myconia* Lapeyr. (*Ramondia* L. C. Rich.) 5423  
— Neck. (*Chrysanthemum* L.) 3964  
*Mygalurus* Link (*Festuca* L.).  
*Myginda* L. (Celastr.) 1297  
*Myranche* Wallr. (*Epiphegus* Nutt.) 5354  
*Mylinum* Gaud. (*Selinum* L.) 2876  
*Mylocaryum* Willd. (*Cliftonia* Banks) 1270  
*Myoda* Lindl. (*Hæmaria* Lindl.) 7004  
*Myodium* Salisb. (*Ophrys* L.) 7058  
*Myodocarpus* Brongn. et Gris (*Araliac.*) 2919  
*Myogalum* Link (*Ornithogalum* L.) 7507  
*Myonima* Comm. (Rubiace.) 3263  
*Myopordon* Boiss. (Composit.) 4092  
**Myoporineæ** p. 318.  
*Myoporum* Banks et Soland. (*Myoporin.*) 5646  
*Myopsis* Presl (*Heteroloma* Zucc.) 4264  
*Myoschilos* R. et P. (Santal.) 6341  
*Myoseris* Link (*Pterotheca* Cass.) 4192  
*Myosotidium* H. f. (Boragin.) 5023  
*Myosotis* (Rupp.) L. (Boragin.) 5051  
*Myostemma* Salisb. (*Hippeastrum* Herb.) 7298  
*Myostoma* Miers (*Thismia* Griff.) 6738  
*Myosurandra* H. Bn (*Myrothamnus* Welw.) 2211  
*Myosurus* L. (Ranuncul.) 8  
*Myotoca* Griseb. (*Collomia* Nutt.).  
*Myoxanthus* Pöpp. et Endl. (*Pleurothallis* R. Br.) 6743  
*Myracodruon* Allem. (*Astronium* Jacq.) 1552  
*Myrcogenia* Berg (*Myrtus* L.) 2318  
*Myrcia* DC. (Myrtac.) 2322  
*Myrcianthes* Berg (*Myrtus* L.) 2318  
*Myrciaria* Berg (*Eugenia* L.) 2327  
*Myriachaeta* Zoll. et Mor. (*Thysanolaena* Nees) 8042  
*Myriactis* Less. (Composit.) 3516  
*Myriadenus* Cass. (*Jasania* Cass.) 3696  
— Desv. (*Zornia* Gmel.) 1759  
*Myriandra* Spach (*Hypericum* L.) 631



- Myriantheia* Thou. (Homalium Jacq.) 2559  
*Myrianthus* P. B. (Urtic.) 6646  
*Myriaspora* DC. (Melastom.) 2477  
*Myrica* L. (Myricac.) 6700  
**Myricaceæ p. 380.**  
*Myricaria* Desv. (Tamarisc.) 624  
*Myrinia* Lilja (Fuchsia L.) 2530  
*Myrioblastus* Wall. (Cryptocoryne Fisch.) 7856  
*Myriocarpa* Benth. (Urtic.) 6681  
*Myriocephalus* Benth. (Composit.) 3657  
*Myriogomphus* Didrichs. (Croton L.) 6460  
*Myriogyne* Less. (Centipeda Lour.) 3970  
*Myrioneuron* R. Br. (Rubiace.) 3122  
*Myriophyllum* L. (Halorag.) 2230  
*Myriopteris* Griff. (Asclep.) 4703  
*Myriotriche* Turcz. (Abatia R. et P.) 2551  
*Myripnois* Bge (Composit.) 4136  
*Myristica* L. (Myristic.) 6151  
**Myristiceæ p. 347.**  
*Myrmecis* Bl. (Orchid.) 7003  
*Myrmecia* Schreb. (Tachia Aubl.) 4950  
*Myrmecodia* Jack (Rubiace.) 3306  
*Myrmedoma* Becc. (Rubiace.) 3307  
*Myrmedone* Mart. (Melastom.) 2469  
*Myrmephytum* Becc. (Rubiace.) 3308  
*Myrobalanus* Gärtn. (Terminalia L.) 2249  
*Myrobroma* Salisb. (Vanilla Sm.) 6974  
*Myrocarpus* Allem. (Legumin.) 1888  
*Myrodendron* Schreb. (Humiria Aubl.) 907  
*Myrodia* Sw. (Stercul.) 799  
*Myrosma* L. f. (Zingiberac.) 7142  
— Auct. 7140, 7143  
*Myrosmodes* Richb. f. (Altensteinia H. B. K.)  
*Myrospermum* Jacq. (Legumin.) 1886  
*Myrotamnus* Welw. (Hamamelid.) 2211  
*Myroxylon* L. f. (Legumin.) 1887  
— Forst. (Xylosma Forst.) 516  
*Myrrhidium* E. et Z. (Pelargonium L'Hér.) 985  
*Myrrhinium* Schott (Myrtac.) 2326  
*Myrrhis* Scop. (Umbellif.) 2823  
— H. B. K. (Caldasia Lag.)  
*Myrsine* L. (Myrsin.) 4460  
**Myrsineæ p. 251.**  
*Myrsiphyllum* Willd. (Asparagus L.) 7362  
*Myrstiphyllum* P. Br. (Psychotria L.) 3285  
**Myrtaceæ p. 125.**  
*Myrtella* F. Müll. (Anticoryne Turcz.) 2281  
*Myrteola* Berg (Myrtus L.) 2318  
*Myrtobium* Miq. (Lepidoceras H. f.) 6325  
*Myrtophyllum* Turcz. (Azara R. et P.) 510  
*Myrtopsis* O. Hoffm. (Myrtac.) 2339  
*Myrtus* (Tourn.) L. (Myrtac.) 2318  
— Berg (Myrtus L.) 2318  
— Lindl. (Eugenia L.) 2327  
*Myscolus* Cass. (Scolymus L.) 4164  
*Mystacidium* Lindl. (Orchid.) 6961  
*Mystropetalon* Harv. (Balanophor.) 6357  
*Mystroxylon* E. et Z. (Elæodendron Jacq.) 1301  
*Mystyllus* (err. Myrtyllus) Presl (Trifolium L.) 1653  
*Mytilococcus* Zoll. (Lunasia Blanco) 1074  
*Myxopyrum* Bl. (Oleac.) 4552  
*Myxospermum* Röm. (Glycosmis Corr.) 1091  
*Myzodendron* Banks et Soland. (Santal.) 6350  
*Myzorrhiza* Phil. (Aphyllon Mitch.) 5348  

**N**

*Nabalus* Cass. (Prenanthes L.) 4208  
*Nabea* Lehm. (Macnabia Benth.) 4348  
*Nablonium* Cass. (Composit.) 3727  
*Nacibea* Aubl. (Manettia Mut.) 3025  
*Nægelia* Rgl (Gesner.) 5367  
— Zoll. et Mor. (Gouania L.) 1355  
*Nagassari* (Rumph.) Adans. (Mesua L.)  
*Nagatampo* Adans. (Mesua L.)  
*Nageia* Gärtn. (Podocarpus L'Hér.) 8334  
— Gärtn. (Myrica L.) 6700  
— Roxb. (Putranjiva Wall.) 6411  
*Nagelia* Lindl. (Cotoneaster Medik.) 2077  
*Naghas* Mirb. (Mesua L.)  
*Nahusia* Schneevgt. (Fuchsia L.) 2530  
**Naiadaceæ p. 452.**  
*Naias* L. (Naiad.) 7889  
*Nalaga* Adans. (Aralia L.)  
*Nama* L. (Hydrophyll.) 4990  
*Nananthea* DC. (Composit.) 3966  
*Nanari* Rumph. (Canarium L.) 1161  
*Nandina* Thunb. (Berberid.) 194  
*Nangha* Zipp. (Inc. sed.)  
*Nania* Miq. (Metrosideros Banks) 2306  
*Nannorrhops* Wendl. (Palm.) 7693  
*Nonocnide* Bl. (Urtic.) 6653  
*Nanodea* Banks (Santal.) 6340  
*Nanodes* Lindl. (Epidendrum L.) 6823  
*Nanolirion* Benth. (Liliac.) 7447  
*Nanopetalum* Hassk. (Cleistanthus H. f.) 6393

- Nanophytum* Less. (Chenopod.) 6033  
*Nanothamnus* T. Thoms. (Composit.) 3590  
*Napaea* L. (Malvac.) 735  
*Napcanthus* Gardn. (Gesner.) 5420  
*Napimoga* Aubl. (Homalium Jacq.) 2559  
*Napolcena* P. B. (Myrtac.) 2345  
— Rob. (Nelumbium Juss.).  
*Napus* Sch. et Spenn. (Brassica L.) 317  
*Naravelia* (Tourn.) DC. (Ranuncul.) 2  
*Narcissus* (Tourn.) L. (Amaryll.) 7281  
*Narda* Vell. (Strychnos L.) 4912  
*Nardophyllum* H. et A. (Composit.) 3498  
*Nardosmia* Cass. (Petasites Gärtn.) 3998  
*Nardostachys* DC. (Valerian.) 3374  
*Nardurus* Rich. (Festuca L.) 8254  
*Nardus* L. (Gramin.) 8261  
*Naregamia* W. et A. (Meliac.) 1168  
*Nargedia* Bedd. (Rubiace.) 3197  
*Naron* Medik. (Moræa L.).  
*Narthecium* Möhr. (Liliac.) 7529  
— Gerard (Tofieldia Huds.).  
*Narthex* Falc. (Ferula L.) 2884  
*Narukila* Adans. (Pontederia L.).  
*Narvalina* Cass. (Composit.) 3857  
*Nasella* Desv. (Gramin.) 8092  
*Nasmythia* Huds. (Eriocaulon L.) 7891  
*Nasonia* Lindl. (Centropetalum Lindl.) 6931  
*Nassauia* Juss. (Composit.) 4159  
— Cass. (Nassauvia Juss.) 4159  
*Nassavia* Vell. (Allophylus L.) 1379  
*Nassovia* Batsch v. Nassauvia Juss. 4159  
*Nastanthus* Miers (Boopis Juss.) 3387  
*Nasturtioides* Medik. (Lepidium L.).  
*Nasturtium* Medik. (Senebiera Poir.).  
*Nasturtiopsis* Boiss. (Nasturtium R. Br.) 245  
*Nasturtium* R. Br. (Crucif.) 245  
*Nastus* Juss. (Gramin.) 8288  
*Natalanthe* Sond. (Tricalysia A. Rich.) 3202  
*Natalia* Hochst. (Bersama Fresen.) 1498  
*Nathusia* A. Rich. (Schrebera Roxb.) 4537  
*Natsiatopsis* Kurz (Celastr.) 1258  
*Natsiatum* Ham. (Celastr.) 1257  
*Nauclea* Descourt. (Clitoria L.) 1783  
*Nauclea* L. (Rubiace.) 3006  
*Naucleopsis* Miq. (Noyera Tréc.) 6634  
*Naudinia* Pl. et Lindl. (Rutac.) 1009  
— Dene (Astronia Bl.) 2480  
— A. Rich. (Tetrazygia L. C. Rich.) 2461  
*Nauenburgia* Willd. (Flaveria Juss.) 3917  
*Nauenia* Kl. (Lacæna Lindl.).  
*Naumburgia* Mönch (Lysimachia L.) 4448  
*Nauplius* Cass. (Odontospermum Neck.) 3722  
*Nautilocalyx* Lind. (Episcia Mart.) 5384  
*Nautonia* Dcne (Asclep.) 4717  
*Navæa* Webb (Lavatera L.) 731  
*Navarretia* R. et P. (Gilia R. et P.) 4969  
*Navenia* Kl. (Lacæna Lindl.) 6862  
*Navia* Schult. (Dyckia Schult.) 7185  
*Navicularia* Raddi (Ichnanthus P. B.) 8051  
*Navidura* Alef. (Lathyrus L.) 1778  
*Nazia* Adans. (Lappago Schreb.).  
*Neæra* Salisb. (Stenomesson Herb.) 7322  
*Nebelia* Neck. (Brunia L.).  
*Nebra* Nor. (Neea R. et P.).  
*Nechamandra* Pl. (Lagarosiphon Harv.) 6721  
*Neckeria* Gmel. (Pollichia Soland.) 5898  
*Neckia* Korth. (Violar.) 488  
*Nectandra* Roland (Laurin.) 6201  
— Roxb. (Linostoma Wall.) 6294  
*Nectarobothrium* Ledeb. (Lloydia Salisb.) 7514  
*Nectaroscilla* Parl. (Scilla L.) 7505  
*Nectaroscordum* Lindl. (Allium L.) 7476  
*Nectouxia* H. B. K. (Solan.) 5134  
*Nectris* Schreb. (Cabomba Aubl.).  
*Neea* R. et S. (Nyctagin.) 5889  
*Needhamia* R. Br. (Epacrid.) 4400  
— Cass. (Narvalina Cass.) 3857  
— Scop. (Tephrosia Pers.).  
*Neerija* Roxb. (Elæodendron Jacq.) 1301  
*Neesia* Bl. (Malvac.) 786  
*Negretia* R. et P. (Mucuna Adans.) 1797  
*Negria* F. Müll. (Gesner.) 5429  
*Negundo* Mönch (Acerac.) 1494  
*Neillia* D. Don (Rosac.) 2026  
*Neilreichia* Fenzl (Schistocarpha Less.) 3992  
*Neippergia* E. Morren (Acineta Lindl.) 6874  
*Neja* D. Don (Hysterionica Willd.) 3486  
*Nelitris* Gärtn. (Timonius Rumph.) 3220  
— Auct. (Decaspermum Forst.) 2321  
*Nelsonia* R. Br. (Acanth.) 5517  
*Nelumbium* Juss. (Nymphaeac.) 209  
*Nelumbo* (Tourn.) Gärtn. v. Nelumbium Juss. 209  
*Nemacaulis* Nutt. (Polygon.) 6074  
*Nemaconia* Kn. et Westc. (Ponera Lindl.) 6820  
*Nemacladus* Nutt. (Lobeliac.) 4268

- Nematophyllum* F. Müll. (*Templetonia* R. Br.) 1614  
*Nematopus* A. Gray (*Gnephosis* Cass.) 3660  
*Nematopyxis* Miq. (*Ludwigia* L.) 2524  
*Nemastachys* Steud. (*Pollinia* Trin.) 8001  
*Nemastylis* Nutt. (Irid.) 7241  
*Nematanthera* Miq. (*Piper* L.) 6141  
*Nematanthus* Mart. (*Gesner*.) 5389  
— Nees (*Willdenowia* Thunb.) 7921  
*Nematolepis* Turcz. (Rutac.) 1051  
*Nematospermum* Rich. (*Lacistema* Sw.) 6714  
*Nematostigma* A. Dietr. (*Libertia* Spreng.) 7243  
— Planch. (*Gironniera* Gand.) 6593  
*Nematoceras* H. f. (*Corysanthes* R. Br.) 7027  
*Nematostylis* H. f. (Rubiaceae) 3246  
*Nematuris* Turcz. (*Enslenia* Nutt.) 4759  
*Nemauchenes* Cass. (*Crepis* L.) 4190  
*Nemodra* A. Juss. (*Aglaia* Lour.) 1185  
*Nemesia* Vent. (Scrophul.) 5192  
*Nemexia* Raf. (*Smilax* L.) 7357  
*Nemia* Berg (*Manulea* L.) 5236  
*Nemochloa* Nees (*Rhynchospora* Vahl) 7955  
*Nemodaphne* Meisn. (*Ocotea* Aubl.)  
*Nemopantes* Raf. (Ilicin.) 1267  
*Nemophila* Nutt. (Hydrophyll.) 4976  
*Nemostigma* Planch. v. *Nemostigma* Planch. 6593  
*Nemostyles* Stev. (*Crucianella* L.)  
*Nemostylis* Herb. v. *Nemastylis* Nutt. 7241  
*Nemuaron* H. Bn (*Monimiac*.) 6172  
*Nemum* Desv. (*Scirpus* L.) 7934  
*Nenax* Gärtner. (Rubiaceae) 3337  
*Nenga* Wendl. et Dr. (Palm.) \*7625  
*Nengella* Becc. (Palm.) \*7621  
*Nenuphar* Link (*Nuphar* Sm.).  
*Neobaronia* Bak. (Legumin.) 1845  
*Neoboutonia* Müll. Arg. (Euphorb.) 6517  
*Neoceis* Cass. (*Erechthites* Raf.) 4016  
*Neodryas* Rchb. f. (Orchid.) 6917  
*Neogaya* Meisn. (*Ligusticum* L.) 2871  
*Neogyne* Rchb. f. (*Cœlogyne* Lindl.) 6800  
*Neohallia* Hemsl. (Acanth.) 5624  
*Neolacis* Wedd. (*Apinagia* Tul.) 6109  
*Neolexis* Salisb. (*Smilacina* Desf.) 7375  
*Neolitsea* B. et H. (*Tetradenia* Nees) 6209  
*Neorœpera* Müll. Arg. (Euphorb.) 6407  
*Neosparton* Griseb. (Verben.) 5682  
*Neotinea* Rchb. f. (*Habenaria* Willd.) 7066  
*Neottia* L. (Orchid.) 6990  
— Rebert. (*Goodyera* R. Br.).  
*Neottidium* Schlcht. (*Neottia* L.) 6990  
*Neovedia* Schrad. (*Ruellia* L.) 5529  
*Nepenthes* L. (Nepenthac.) 6123  
*Nepeta* L. (Labiata) 5802  
*Nephelaphyllum* Bl. (Orchid.) 6789  
*Nephelium* L. (Sapind.) 1421  
*Nephelochloa* Boiss. (Gramin.) 8246  
*Nephradenia* Dene (Asclep.) 4831  
*Nephrandra* Willd. (*Vitex* L.) 5708  
*Nephranthera* Hassk. (*Renanthera* Lour.) 6944  
*Nephrocodium* Walp. v. *Nephrocoelium* Turcz. 6733  
*Nephrocoelium* Turcz. (*Burmannia* L.) 6733  
*Nephroia* Lour. (*Cocculus* DC.) 148  
*Nephroica* Miers v. *Nephroia* Lour. 148  
*Nephromischus* Kl. (*Begonia* L.) 2695  
*Nephrophyllum* A. Rich. (Convulvul.) 5087  
*Nephrosis* Rich. (*Drepanocarpus* E. Mey.).  
*Nephrosperma* Balf. f. (Palm.) 7661  
*Nephrostigma* Griff. (Inc. sed.) p. 490.  
*Nephtytis* Schott (Aroid.) 7795  
*Nepsera* Naud. (Melastom.) 2374  
*Neptunia* Lour. (Legumin.) 1992  
*Neraudia* Gaud. (Urtic.) 6675  
*Neriacanthus* Benth. (Acanth.) 5577  
*Neriandra* A. DC. (*Skytanthus* Meyen) 4606  
*Nerine* Herb. (Amaryll.) 7306  
*Nerissa* Salisb. (*Hæmanthus* L.) 7311  
*Nerium* L. (Apocyn.) 4631  
*Nerophila* Naud. (Melastom.) 2390  
*Nertera* Banks et Soland. (Rubiaceae) 3329  
*Nervilia* Gaud. (*Pogonia* Juss.) 7043  
*Nesœa* Comm. (Lythrar.) 2499  
— B. et H. (*Heimia* Link et Otto) 2500  
*Nescidia* A. Rich. (*Myonima* Comm.) 3263  
*Nesodaphne* H. f. (*Beilschmiedia* Nees) 6180  
*Nesogenes* A. DC. (Verben.) 5676  
*Nesogordonia* H. Bn (*Tersnstroem*.) 693  
*Nesiota* H. f. (Rhamn.) 1338  
*Neslia* Desv. (Crucif.) 381  
*Nesopanax* Seem. (*Plerandra* A. Gray).  
*Nestlera* Spreng. (Composit.) 3677  
*Nestronia* Raf. (*Buckleya* Torr.) 6342  
*Nettoa* H. Bn (Tiliac.) 862  
*Neubeckia* Alef. (Iris L.) 7220  
*Neuberia* Eckl. (*Watsonia* Mill.) 7266  
*Neuburgia* Bl. (Apocyn.) 4592  
*Neudorfla* Adans. (*Nolana* L.) 5097  
*Neumannia* Brongn. (*Pitcairnia* L'Hér.) 7182  
— A. Rich. (*Aphloia* Benn.) 505

- Neumayera* Rchb. (*Arenaria* L.) 583  
*Neuracanthus* Nees (*Acanth.*) 5568  
*Neurachne* R. Br. (*Gramin.*) 8032  
*Neuractis* Cass. (*Chrysanthellum* Rich.) 3860  
*Neurada* L. (*Rosac.*) 2070  
*Neurocalyx* Hook. (*Rubiace.*) 3081  
*Neurocarpæa* R. Br. (*Pentastemon* B. et H.) 3082  
*Neurocarpum* Desv. (*Clitoria* L.) 1783  
*Neuroctola* Raf. (*Uniola* L.)  
*Neurolena* R. Br. (*Composit.*) 3993  
*Neurolepis* Meisn. (*Chusquea* Kth.)  
*Neuroloma* Andr. (*Parrya* R. Br.) 241  
*Neuropeltis* Wall. (*Convolvul.*) 5091  
*Neurophyllum* T. et G. (*Peucedanum* L.) 2886  
*Neuroscapha* Tul. (*Lonchocarpus* H. B. K.) 1843  
*Neurosperma* Raf. (*Momordica* Tourn.) 2627  
*Neurotheca* Salisb. (*Gentian.*) 4946  
*Neustanthus* Benth. (*Pueraria* DC.) 1810  
*Neuwiedia* Bl. (*Orchid.*) 7091  
*Nerviua* A. Gray (*Rosac.*) 2032  
*Newberrya* Torr. (*Monotrop.*) 4385  
*Newbouldia* Seem. (*Bignon.*) 5475  
*Newcastlia* F. Müll. (*Verben.*) 5666  
*Newtonia* H. Bn (1) (*Legumin.*) 1957b  
*Nhandiroba* Plum. (*Feuillea* L.) 2691  
*Nicandra* Adans. (*Solan.*) 5129  
— Schreb. (*Potalia* Aubl.) 4905  
*Nicodemia* Ten. (*Logan.*) 4902  
*Nicolaia* Horan. (*Amomum* L.) 7125  
*Nicolletia* A. Gray (*Composit.*) 3922  
*Nicolsonia* DC. (*Desmodium* Desv.) 1761  
*Nicotiana* (Tourn.) L. (*Solan.*) 5158  
*Nicotidendron* Griseb. (*Nicotiana* L.) 5158  
*Nidorella* Cass. (*Composit.*) 3565  
*Nidularium* Lem. (*Bromel.*) 7157  
*Nidus-Avis* Tourn. (*Neottia* L.)  
*Niebuhria* DC. (*Capparid.*) 439  
— Neck. (*Wedelia* Jacq.) 3814  
— Scop. (*Baltimora* L.)  
*Niederleinia* Hieron. (*Franke-  
niace.*) 567  
*Niemeyera* F. Müll. (*Sapot.*) 4484  
— F. Müll. (*Apostasia* Bl.) 7090  
*Nierembergia* R. et P. (*Solan.*) 5162  
*Nietneria* Kl. (*Liliac.*) 7528  
*Nietoia* Schaffner (*Hanburia* Seem.) 2675  
*Nigella* (Tourn.) L. (*Ranuncul.*) 22  
*Nigellastrum* Mönch (*Nigella* L.)  
*Nigrina* Thunb. (*Chloranthus* Sw.) 6147  
— Thunb. (*Melasma* Berg) 5297  
*Nigritella* L. C. Rich. (*Habenaria* Willd.) 7066  
*Nil* Medik. (*Pharbitis* Choisy).  
*Nima* Ham. (*Brucea* Mill.) 1119  
*Nimbo* Dennst. (*Bergera* Kön.).  
*Nimmonia* Wight (*Amoora* Roxb.) 1180  
(1) *Bull. Soc. Linn. Paris.* 721 (1888). — Sp. 1. Afr. trop.  
*Nimmoia* Wight (*Rotala* L.) 2487  
*Nintooa* Sweet (*Lonicera* L.) 2995  
*Niobe* Salisb. (*Hosta* Tratt.) 7389  
*Niobeia* Willd. (*Hypoxis* L.) 7278  
*Niota* Adans. (*Ceropegia* L.)  
— Lam. (*Samandura* L.) 1113  
*Nipa* Wurmb. (*Palm.*) 7742  
— Webb (*Ulex* L.) 1644  
*Niphaea* Lindl. (*Gesner.*) 5361  
— Hanst. (*Phinæa* Benth.) 5362  
*Niphogeton* Schlecht. (*Oreoscia-  
dium* Wedd.) 2801  
*Nirurothamnus* Balf.f. (*Umbellif.*) 2788  
*Nirbisia* G. Don (*Aconitum* L.) 26  
*Nisa* Nor. (*Homalium* Jacq.).  
*Nissolia* Jacq. (*Legumin.*) 1741  
— (Tourn.) Mönch (*Anurus* Presl).  
*Nitelium* Cass. (*Dicoma* Cass.) 4129  
*Nitraria* L. (*Zygophyll.*) 966  
*Nitrophylla* S. Wats. (*Chenopod.*) 5995  
*Nivaria* Mönch (*Leucoium* L.) 7284  
*Nivenia* R. Br. (*Proteac.*) 6225  
— Vent. (*Aristea* Ait.) 7255  
*Noaa* Moq. (*Chenopod.*) 6030  
*Nobula* Adans. (*Phyllis* L.)  
*Nocca* Cav. (*Lagascea* Cav.) 3729  
*Noccea* Rchb. (*Crucif.*) 331  
— Jacq. (*Lagascea* Cav.) 3729  
*Nodocarpæa* A. Gray (*Rubiace.*) 3352  
*Noisettia* H. B. K. (*Violar.*) 466  
*Nolana* L. (*Convolvul.*) 5097  
*Nolina* Mchx (*Liliac.*) 7410  
*Nolletia* Cass. (*Composit.*) 3571  
*Noltea* Rchb. (*Rhamn.*) 1340  
— Eckl. (*Selago* L.)  
*Noltia* Schum. et Thonn. (*Dios-  
pyros* L.) 4524  
*Nomaphila* Bl. (*Acanth.*) 5523  
*Nomismia* W. et A. (*Rhynchosia* Lour.) 1825  
*Nomochloa* Nees (*Rhynchospora* Vahl) 7955  
— P. B. (*Scirpus* L.) 7934  
*Nonatelia* Aubl. (*Palicourea* Aubl.) 3288  
*Nonnea* Mönch (*Boragin.*) 5045  
*Nopalea* Salm Dyck (*Cactææ*) 2713  
*Norantea* Aubl. (*Ternstroem.*) 667  
*Normanbya* F. Müll. (*Palm.*) + 7633d  
*Nordmannia* F. et M. (*Daphnopsis* Mart. et Zucc.) 6275  
— Ledeb. (*Trachyste-  
mon* Don) 5041  
*Normandia* H. f. (*Rubiace.*) 3332  
*Normania* Lowe (*Solanum* L.) 5106  
*Norna* Wahlbg (*Calypso* Salisb.) 6759  
*Noronhia* Stadm. (*Oleac.*) 4549  
*Norrisia* Gardn. (*Logan.*) 4908  
*Norta* (Adans.) Schur (*Sisym-  
brium* L.) 290  
*Nortenia* Thou. (*Torenia* L.) 5263  
*Northea* H. f. (*Sapot.*) 4492  
*Norysca* Spach (*Hypericum* L.) 631

- Nostolachma* Th. Dur. (Rubiaceae) 3260  
*Notanthera* G. Don (Loranthaceae) 6315  
*Notaphoebe* Bl. (Persea Gärtn. f.) 6195  
*Notelæx* Vent. (Oleaceae) 4548  
*Noterophila* Mart. (Acisanthera P. Br.) 2369  
*Nothapodytes* Bl. (Apodytes E. Mey.) 1233  
*Nothites* Cass. (Stevia Cav.) 3450  
— DC. (Ophryosporus Meyen).  
*Nothocalais* Greene (Compositae) 4171  
*Nothoestrum* A. Gray (Solanaceae) 5120  
*Nothocnestis* Miq. (Leguminosae?) 6676  
*Nothocnide* Bl. (Pipturus Wedd.) 6711  
*Nothofagus* Bl. (Fagus L.) 7509  
*Notholirion* Boiss. (Lilium L.) 2934  
*Nothopanax* Miq. (Panax L.) 1557  
*Nothopegia* Bl. (Anacardaceae) 1529  
*Nothoprotium* Miq. (Pentaspadon H. f.) 5943  
*Nothosæra* Wight (Amarantaceae) 7475  
*Nothoscordum* Kth (Liliaceae) 2784  
*Nothosmyrnium* Miq. (Umbelliferae) 3544  
*Nothria* Berg (Frankenia L.) 7012  
*Noticastrum* DC. (Aster L.) 4078  
*Notiophrys* Lindl. (Platylepis A. Rich.) 6386  
*Notobasis* Cass. (Cnicus L.) 2410  
*Notobuxus* Oliv. (Euphorbia) 259  
*Notocentrum* Naud. (Meriania Sw.) 5843  
*Notoceras* R. Br. (Cruciferae) 7527  
*Notochæte* Benth. (Labiatae) 4585  
*Notocles* Salisb. (Iphigenia Kth) 4024  
*Notonerium* Benth. (Apocynaceae) 1788  
*Notonia* DC. (Compositae) 1349  
— W. et A. (Glycine L.) 4305  
*Notophæna* Miers (Discaria Hook.) 7391  
*Notopora* H. f. (Vaccinaceae) 1706  
*Notosceptrum* Benth. (Liliaceae) 349  
*Notospartium* H. f. (Leguminosae) 736  
*Notothlaspi* H. f. (Cruciferae) 6320  
*Nototriche* Turcz. (Malvastrum A. Gray) 6966  
*Notothixos* Oliv. (Loranthaceae) 4146<sup>b</sup>  
*Notylia* Lindl. (Orchidaceae)  
*Novelia* Franch. (Compositae) +  
*Nowacka* Pohl (Inc. sed.)  
*Nowodworskyia* Presl (Polypogon Desf.) 8114  
*Noyera* Tréc. (Urticaceae) 6634  
*Nummularia* Riv. (Lysimachia L.)  
*Nunnezharia* R. et P. (Chamædorea Willd.) 7668  
*Nunnezia* Willd. (Chamædorea Willd.) 7668  
*Nuphar* Sm. (Nymphaeaceae) 204  
*Nuttalia* T. et G. (Rosaceae) 2023  
— Bert. (Callirhoe Nutt.) 733  
— DC. (Nemopantes Raf.) 1267  
*Nux* Tourn. (Juglans L.)  
*Nuxia* Lam. (Loganiaceae) 4896
- Nuytsia* R. Br. (Loranthaceae) 6314  
**Nyctagineæ** p. 331.  
*Nyctaginia* Choisy (Nyctaginaceae) 5872  
*Nyctago* Juss. (Mirabilis L.) 5870  
*Nyctanthus* L. (Oleaceae) 4536  
*Nyctelea* Scop. (Ellisia L.) 4977  
*Nycterinia* D. Don (Zaluzianskia J. W. Schmidt) 5229  
*Nycterisition* R. et P. (Chrysophyllum L.) 4489  
*Nycterium* Vent. (Solanum L.) 5106  
*Nyctocalos* Teijsm. et Binn. (Bignoniaceae) 5460  
*Nyctophylax* Zipp. (Inc. sed.) p. 490.  
*Nylandtia* Dmrt. (Mundtia Kth) 545  
*Nymphæa* (Tourn.) L. (Nymphaeaceae) 205  
— Lour. (Nelumbium Juss.).  
**Nymphaeaceæ** p. 10.  
*Nymphaeanthe* Richb. (Villarsia Vent.)  
*Nymphanthus* Lour. (Phyllanthus L.) 6404  
*Nymphoides* (Tourn.) Vent. (Limnanthemum Gmel.)  
*Nyrophylla* Neck. (Inc. sed.) p. 490.  
*Nyssa* L. (Cornaceae) 2982  
*Nyssanthus* R. Br. (Amarantaceae) 5950
- O**
- Oakesia* Tuck. (Corema Don) 6716  
— S. Wats. (Uvularia L.) 7543  
*Obæjaca* Cass. (err. Oræjæca) (Senecio L.)  
*Obbea* H. f. (Rubiaceae) 3218  
*Obelanthera* Turcz. (Saurauja Willd.) 685  
*Obeliscaria* Cass. (Rudbeckia L.) 3801  
*Obeliscotheca* Vaill. (Rudbeckia L.)  
*Obentonia* Vell. (Galipea Aubl.)  
*Oberna* Adans. (Silene L.)  
*Obæronia* Lindl. (Orchidaceae) 6755  
*Obesia* Haw. (Podanthes Haw.) 4877  
*Obetia* Gaud. (Urticaceae) 6654  
*Obione* Gärtn. (Atriplex L.) 5979  
*Obletia* Rozier (Lippia L.)  
*Obolaria* L. (Gentianaceae) 4961  
— Siegesb. (Linnæa Gronov.)  
*Ocalia* Kl. (Croton L.) 6460  
*Ocampoia* A. Rich. et Gal. (Prescottia Lindl.) 6984  
*Ochagavia* Phil. (Bromelaceae) 7162  
*Ochanostachys* Mast. (Olinaceae) 1209  
*Ochetophila* Pöpp. (Discaria Hook.) 1349  
*Ochlandra* Thw. (Gramineae) 8303  
*Ochna* Schreb. (Ochnaceae) 1139



- Oncosporum* Putterl. (Marianthus Hügel) 532  
*Oncostemon* A. Juss. (Myrsin.) 4476  
*Oncostylis* Nees (Fimbristylis Vahl) 7932  
*Oncus* Lour. (Dioscor.) 7351  
*Ondetia* Benth. (Composit.) 3714  
*Onobroma* DC. (Carthamus L.) 4102  
— Gärtn. (Carduncellus Adans.) 4103  
*Onobrychis* (Tourn.) Gärtn. (Legumin.) 1735  
*Onochilis* Mart. (Nonnea Mönch).  
*Onoctonia* Naud. (Poteranthera Bong.) 2368  
*Onœa* Franch. et Sav. (Diarrhena Raf.) 8225  
*Ononis* L. (Legumin.) 1648  
*Onopordon* L. (Composit.) 4079  
*Onoseris* DC. (Composit.) 4113  
*Onosma* L. (Boragin.) 5066  
*Onosmodium* Mchx (Boragin.) 5055  
*Onosuris* Raf. (Inc. sed.) p. 490.  
*Onotrophe* Cass. (Cnicus L.) \*4078  
*Onuris* Phil. (Crucif.) 422  
*Onychacanthus* Nees (Bravaisia DC.) 5545  
*Onychium* Bl. (Dendrobium Sw.) 6765  
*Onychosepalum* Steud. (Restiac.) 7915  
*Onyx* Medik. (Astragalus L.).  
*Oocarpon* M. Micheli (Onagrar.) 2523  
*Ooclinium* DC. (Eupatorium L.).  
*Opa* Lour. (Eugenia L.).  
*Opalatoa* Aubl. (Crudia Schreb.) 1963  
*Opercularia* Gärtn. (Rubiace.) 3339  
*Operculina* Manso (Ipomœa L.) 5077  
*Opetiola* Gärtn. (Cyperus L.) 7933  
*Ophelia* D. Don (Swertia L.) 4958  
*Ophelus* Lour. (Adansonia L.) 769  
*Ophianthe* Hanst. (Pentarrhaphia Lindl.) 5381  
*Ophiocaryon* Schomb. (Sabiace.) 1506  
*Ophiocaulon* H. f. (Passiflor.) 2600  
*Ophiolyza* Salisb. (Gladiolus L.) 7275  
*Ophiomeris* Miers (Thismia Griff.) 6738  
*Ophione* Schott (Aroid.) 7784  
*Ophiopogon* Ker (Hæmodor.) 7211  
— Kth (Liriope Lour.) 7212  
*Ophioprason* Salisb. (Asphodelus L.) 7416  
*Ophiorhiza* L. (Rubiace.) 3102  
*Ophiorhizophyllum* Kurz (Acanth.) 5519  
*Ophioscorodon* Wallr. (Allium L.) 7476  
*Ophiostachys* Red. (Chamælorium Willd.) 7531  
*Ophioxylon* L. (Rauwolfia L.) 4580  
— Pers. (Ochrosia Juss.)  
*Ophira* L. (Grubbia Berg) 6354  
*Ophiria* Becc. (Pinanga Bl.) \*7617  
*Ophispermum* Lour. (Aquilaria Lam.) 6304  
*Ophiurinella* Desv. (Monerma P. B.) 8267  
*Ophiurus* Gärtn. (Rottboellia L. f.) 8006  
*Ophryococcus* Erst. (Rubiace.) 3127  
*Ophryoscleria* Nees (Scleria Berg) 7981  
*Ophryosporus* Meyen (Composit.) 3435  
*Ophrys* (Rupp.) L. (Orchid.) 7058  
*Ophthalmacanthus* Nees (Ruellia L.) 5529  
*Ophthalmoblapon* Allem. (Euphorb.) 6562  
*Opilia* Roxb. (Olacin.) 1227  
*Opisthocentra* H. f. (Melastom.) 2408  
*Opizia* Presl (Gramin.) 8183  
*Oplismenus* P. B. (Gramin.) 8053  
*Oplopanax* Miq. (Fatsia Dcne et Pl.) 2940  
*Oplotheca* Nutt. (Frœlichia Mönch) 5961  
*Opoidia* Lindl. (Umbellif.) 2918  
*Opopanax* Koch (Umbellif.) 2891  
*Opopanax* Endl. v. *Opopanax* Koch. 2891  
*Oporanthus* Herb. (Sternbergia W. et K.) 7288  
*Oporinia* D. Don (Leontodon L.) 4198  
*Opsianthes* Lilja (Clarkia Pursh) 2525  
*Opsieston* Bge v. Ofaiston Raf.  
*Opsopœa* Neck. (Helicteres L.).  
*Opulus* (Tourn.) L. (Viburnum L.)  
*Opuntia* (Tourn.) Mill. (Cactææ) 2714  
*Orania* Zipp. (Palm.) 7686  
*Oraoma* Turcz. (Amoora Roxb.) 1180  
*Orbea* Haw. (Stapelia L.) 4882  
*Orbicularia* H. Bn (Phyllanthus L.) 6404  
*Orbignya* Mart. (Palm.) 7740  
— Bert. (Lagunoa R. et P.) 1468  
*Orchiastrum* Lem. (Lachenalia Jacq.) 7488  
— (Micheli) Hall. (Spiranthes L. C. Rich.).  
*Orchidantha* N. E. Brown (Muscac.) 7154  
**Orchideæ** p. 385.  
*Orchidion* Mitch. (Arethusa L.).  
*Orchidium* Sw. (Calypso Salisb.) 6759  
*Orchidocarpum* Mchx (Asiminia Adans.) 85  
*Orchidofunkia* A. Rich. (Cryptarrhena R. Br.) 6923  
*Orchiops* Salisb. (Lachenalia Jacq.) 7488  
*Orchipeda* Bl. (Voacanga Thou.) 4611  
*Orchipedum* Breda (Physurus L. Rich.) 6995  
— Kuhl et Hass. (Ancetochilus Bl.).  
*Orchis* (Tourn.) L. (Orchid.) 7055  
*Orcuttia* Vasey (Gramin.) 8195  
*Orcya* Vell. (Acanthospermum Schrank) 3752  
*Oreacanthus* Benth. (Acanth.) 5598

- Oreamunoa* Erst. v. *Oreomunnea* Erst.  
*Oreanthus* Benth. (Vaccin.) 4311  
*Oreanthus* Raf. (Tiarella L.).  
*Oreas* Ch. et Schl. (Braya Sternb. et Hoppe) 310  
*Oreinotinus* Erst. (Viburnum L.) 2988  
*Oreithales* Schlcht. (Anemone L.).  
*Orelia* Aubl. (Allamanda L.) 4558  
*Orentonia* Vell. (Cusparia Humb.) 1014  
*Oreobliton* Durieu et Moq. (Chenopod.) 5976  
*Oreobolus* R. Br. (Cyper.) 7950  
*Oreocallis* R. Br. (Embothrium Forst.) 6264  
*Oreocharis* Benth. (Gesner.) 5398  
— Dcne (Mertensia Roth) 5049  
*Oreochloa* Link (Gramin.) 8199  
*Oreocnide* Miq. (Villebrunea Gaud.) 6677  
*Oreocome* Edgew. (Selinum L.) 2876  
*Oreocosmus* Naud. (Tibouchina Aubl.) 2383  
*Oreodaphne* Nees (Ocotea Aubl.) 6198  
*Oreodoxa* Willd. (Palm.) 7649  
*Oreomunnea* Erst. (Engelhardtia Lesch.) 6698  
*Oreomyrrhis* Endl. (Umbellif.) 2824  
*Oreopanax* Dcne et Pl. (Araliac.) 2962  
*Oreophila* D. Don (Hypochæris L.) 4197  
— Nutt. (Pachystima Raf.) 1277  
*Orcopolus* Schlcht. (Rubiace.) 3208  
*Oreorchis* Lindl. (Orchid.) 6763  
*Oreosciadium* Wedd. (Umbellif.) 2801  
*Oreoselinum* (Tourn.) M. B. (Peucedanum L.) 2886  
*Oreoseris* DC. (Gerbera Gronov.) 4146  
*Oreosolen* H. f. (Scrophul.) 5341  
*Oreosphacus* Phil. (Labiata.) 5763  
*Oreosplenium* Zahlbr. (Zahlbrucknera Rehb.).  
*Oreostylidium* Berggren (Candolleac.) 4226  
*Oreosyce* H. f. (Cucurbit.) 2649  
*Oreoxis* Raf. (Inc. sed.).  
*Orescia* Reinw. (Inc. sed.).  
*Oresigonia* Less. (Culcitium H. et B.) 4019  
*Oresitrophe* Bge (Saxifrag.) 2105  
*Orestion* Kunze (Myrteola Berg).  
*Orexia* Salisb. (Lycoris Herb.) 7304  
*Orflea* H. Bn (Alchornea Sw.) 6511  
*Oriastrum* Pöpp. et Endl. (Chætanthera R. et P.) 4143  
*Oriba* Adans. (Anemone L.).  
*Oribasia* Schreb. (Palicourea Aubl.) 3288  
— Fl. Mexic. (Werneria H. B. K.).  
*Origanum* (Tourn.) L. (Labiata.) 5767  
*Orimaria* Raf. (Bupleurum L.).  
*Orites* R. Br. (Proteac.) 6254  
*Orithia* Bl. v. *Orithalia* Bl.
- Orithalia* Bl. (Agalmys Bl.) 5394  
*Orithya* D. Don (Tulipa L.) 7511  
*Oritina* R. Br. (Orites R. Br.) 6254  
*Orium* Desv. (Clypeola L.) 371  
*Oriza* Thunb. (Rutac.) + 1078  
*Orlaya* Hoffm. (Daucus L.) 2907  
*Orleanesia* Barb. Rodr. (Orchid.) 7100  
*Ormenis* Cass. (Anthemis L.) 3953  
*Ormiscus* E. et Z. (Heliophila L.) 302  
*Ormocarpum* P. B. (Legumin.) 1747  
*Ormosciadium* Boiss. (Umbellif.) 2897  
*Ormosia* Jack (Legumin.) 1876  
*Ormosolenia* Tausch (Peucedanum L.) 2886  
*Ormycarpus* Neck. (Raphanus L.).  
*Ornitharium* Lindl. (Sarcochilus R. Br.) 6940  
*Ornithidium* Salisb. (Orchid.) 6888  
*Ornithobæa* Clarke (Gesner.) 5412  
*Ornithocephalochloa* Kurz. (Thurarea Pers.) 8063  
*Ornithocephalus* Hook. (Orchid.) 6924  
*Ornithochilus* Wall. (Orchid.) 6952  
*Ornithogalum* (Tourn.) L. (Liliac.) 7507  
*Ornithoglossum* Salisb. (Liliac.) 7526  
*Ornithophora* Burb. Rodr. (Orchid.) 7410  
*Ornithopodium* Burm. (Bremontiera DC.)  
— Cav. (Coronilla L.) 1730  
— Tourn. (Ornithopus L.)  
*Ornithopus* L. (Legumin.) 1729  
*Ornithorynchium* Röhl. (Euclidium R. Br.).  
*Ornithosperma* Raf. (Ipomæa L.).  
*Ornithoxanthemum* Link (Gagea Salisb.) 7513  
*Ornitrophe* Comm. (Allophylus L.) 1379  
*Ornus* Pers. (Fraxinus Pers.) 4540  
**Orobanchaceæ p. 300.**  
*Orobanche* (Tourn.) L. (Orobanch.) 5349  
*Orobella* Presl (Vicia L.) 1776  
*Orobium* Rehb. (Braya Sternb. et Hoppe) 310  
— Schrad. (Lagenocarpus Nees).  
*Orobus* (Tourn.) L. (Lathyrus L.) 1778  
*Orogenia* S. Wats. (Umbellif.) 2789  
*Orollanthus* E. Mey. (Æolanthus Mart.).  
*Orontium* L. (Aroid.) 7777  
— Pers. (Antirrhinum L.) 5199  
*Oropetium* Trin. (Gramin.) 8264  
*Oropheia* Bl. (Anonac.) 116  
*Orophoma* Drude (Mauritia L. f.) 7720  
*Oropogon* Neck. (Andropogon L.).  
*Orostachys* Fisch. (Cotyledon DC.).  
*Orothamnus* Pöpp. (Mimetes Salisb.) 6223  
*Oroxylum* Vent. (Bignon.) 5462

- Orphanidesia* Boiss. (Ericac.) 4340  
*Orphium* E. Mey. (Gentian.) 4924  
*Orsidice* Rchb. f. (*Sarcochilus* R. Br.) 6940  
*Orsina* Bertol. (*Jasonia* Cass.) 3696  
*Orsinia* Bert. (*Alomia* H. B. K.) 3441  
— DC. (*Clibadium* L.) 3741  
*Ortachne* Nees (*Aristida* L.) 8089  
*Ortega* Rchb. (*Sophora* L.) 1871  
*Ortegiu* (Löfl.) L. (*Caryophyll.*) 597  
*Ortegioides* Soland. (*Rotala* L.) 2487  
*Ortgiesia* Rgl (*Bromel.*) 7169  
*Orthæa* Kl. (*Vaccin.*) 4309  
*Orthanthera* Wight (*Asclep.*) 4857  
*Orthocarpus* Nutt. (*Scrophul.*) 5322  
*Orthocentron* Cass. (*Cnicus* L.) 4078  
*Orthoceras* R. Br. (*Orchid.*) 7023  
*Orthochilus* Hochst. (*Eulophia* R. Br.) 6832  
*Orthoclada* P. B. (*Gramin.*) 8228  
*Orthodanum* E. Mey. (*Rhynchosia* Lour.) 1825  
*Orthodon* Benth. et Oliv. (*Mosla* Ham.) 5756  
*Orthogynium* H. Bn (*Menisperm.*) 128  
*Ortholoma* Hanst. (*Columnea* L.) 5388  
*Orthopetalum* Beer (*Pitcairnia* L'Hér.) 7182  
*Orthophytum* Beer (*Pitcairnia* L'Hér.) 7182  
*Orthopogon* R. Br. (*Oplismenus* P. B.) 8053  
— A. Spreng. (*Echinochloa* P. B.).  
*Orthoraphium* Nees (*Stipa* L.) 8090  
*Orthorhiza* Stapf (*Crucif.*) 423  
*Orthoselis* Spach (*Heliophila* L.) 302  
*Orthosia* Dcne (*Asclep.*) 4780  
*Orthosiphon* Benth. (*Labiata.*) 5732  
*Orthospermum* Schur (*Chenopodium* L.).  
*Orthosporum* Nees (*Chenopodium* L.) 5972  
*Orthostemma* Wall. (*Pentas* B. et H.) 3082  
*Orthostemon* Berg (*Feijoa* Berg) 2311  
— R. Br. (*Canscora* Lam.) 4944  
*Orthotactus* Nees (*Dianthera* L.) 5621  
*Orthothecium* Schott (*Helicteres* L.) 803  
*Orthotropis* Benth. (*Chorizema* Labill.) 1580  
*Orthrosanthus* Sweet (*Irid.*) 7245  
*Orucaria* Clus. (*Drepanocarpus* G. F. W. Mey.).  
*Orvala* L. (*Lamium* L.) 5033  
*Orychophragmus* Bge (*Crucif.*) 323  
*Oryctanthus* Eichl. (*Loranthus* L.) 6315  
*Oryctes* S. Wats. (*Solan.*) 5117  
*Orygia* Forsk. (*Ficoid.*) 2726  
*Oryza* (Tourn.) L. (*Gramin.*) 8074  
*Oryzopsis* Mchx (*Gramin.*) 8091  
*Osbeckia* L. (*Melastom.*) 2384  
*Osbeckia* DC. (*Pterolepis* Miq.) 2382  
*Osbeckiastrum* Naud. (*Dissotis* Benth.) 2396  
*Osbornia* F. Müll. (*Myrtac.*) 2310  
*Oscaria* Lilja (*Primula* L.) 4435  
*Oschatzia* Walp. (*Azorella* Lam.) 2746  
*Oscrya* Tul. (*Podostem.*) 6118  
*Osiodendron* Pohl (Inc. sed.).  
*Oskampia* Mönch (*Nonnea* Mönch) 5045  
*Osmadenia* Nutt. (*Hemizonia* DC.) 3872  
*Osmanthus* Lour. (*Oleac.*) 4544  
*Osmelia* Thw. (*Samyd.*) 2544  
*Osmia* Sch. Bip. (*Eupatorium* L.) 3460  
*Osmine* Salisb. (*Ornithogalum* L.) 7507  
*Osmiles* L. (*Composit.*) 3725  
*Osmitopsis* Cass. (*Composit.*) 3726  
*Osmodium* Raf. (*Onosmodium* Mchx) 5055  
*Osmorhiza* Raf. (*Umbellif.*) 2822  
*Osmothamnus* DC. (*Rhododendron* L.) 4375  
*Osmoxylon* Miq. (*Araliac.*) 2956  
*Ossæa* DC. (*Melastom.*) 2476  
*Osteocarpum* F. Müll. (*Threlkeldia* R. B.) 6003  
*Osteocarpus* Phil. (*Convolvul.*) 5098  
*Osteomeles* Lindl. (*Rosac.*) 2084  
*Osteospermum* L. (*Composit.*) 4046  
*Osterdamia* Neck. (*Zoysia* Willd.) 8035  
*Osterdikia* Burm. (*Cunonia* L.).  
*OstERICUM* Hoffm. (*Angelica* L.) 2881  
*Ostodes* Bl. (*Euphorb.*) 6470  
*Ostrearia* H. (*Hamamelid.*) 2212  
*Ostrowskia* Rgl (*Campanul.*) 4297  
*Ostrya* (Micheli) Scop. (*Cupulifer.*) 6706  
*Ostryocarpus* H. f. (*Legumin.*) 1842  
*Ostryodium* Desv. (*Flemingia* Roxb.) 1827  
*Ostryopsis* Dcne (*Cupulifer.*) 6705  
*Ostreocarpus* L. C. Rich. (*Aspidosperma* Mart. et Zucc.).  
*Ostruthium* Link (*Peucedanum* L.).  
*Oswalda* Cass. (*Clibadium* L.) 3741  
*Osyridicarpus* DC. (*Santal.*) 6331  
*Osyricera* Bl. (*Orchid.*) 6772  
*Osyris* L. (*Santal.*) 6343  
*Otacanthus* Lindl. (*Acanth.*) 5526  
*Otachyrium* Nees (*Panicum* L.) 8050  
*Otandra* Salisb. (*Geodorum* Jacks.) 6840  
*Otanthera* Bl. (*Melastom.*) 2392  
*Otanthus* Link (*Diotis* Desf.) 3952  
*Otaria* Kth (*Asclepias* L.) 4742  
*Oteiza* Ilav. (*Calea* L.) 3862  
*Othera* Thunb. (Inc. sed.) p. 490.  
*Othlis* Schott (*Doliocarpus* Roland) 35  
*Orthocallis* Salisb. (*Scilla* L.) 7505  
*Othonna* L. (*Composit.*) 4037  
*Othonnopsis* Jaub. et Spach (*Composit.*) 4031  
*Othrys* Nor. (*Cratæva* L.) 451  
*Otiophora* Zucc. (*Rubiace.*) 3323  
*Otidia* Sw. (*Pelargonium* L'Hér.) 985



- Otites* (Tabern.) Adans. (*Silene* L.)  
*Otocarpus* Durieu (*Rapistrum* Desv.) 401  
*Otochilus* Lindl. (Orchid.) 6801  
*Otochlamys* DC. (Composit.) 3967  
*Otoglyphis* Pomel (*Cotula* L.) 3968  
*Otolepis* Turcz. (*Otiophora* Bl.) 1394  
*Otomeria* Benth. (Rubiace.) 3084  
*Otonephelium* Radlk. (Sapind.) 1417  
*Otonychium* Bl. (*Harpullia* Roxb.) 1480  
*Otopappus* Benth. (Composit.) 3833  
*Otopetalum* Miq. (Apocyn.) 4560  
*Otophora* Bl. (Sapind.) 1394  
*Otophylla* Benth. (*Gerardia* L.) 5318  
*Otoptera* DC. (*Vigna* Savi) 1815  
*Otosema* Benth. (*Milletia* W. et A.) 1687  
*Otospermum* Willk. (*Chrysanthemum* L.) 3964  
*Otostegia* Benth. (Labiata.) 5838  
*Otostemma* Bl. (*Hoya* R. Br.) 4852  
*Ototropis* Nees (*Desmodium* Desv.) 1761  
*Ottel-Ambel* Rheede (*Ottelia* Pers.)  
*Ottelia* Pers. (Hydrocharid.) 6727  
*Ottalis* Gärtn. (*Leca* L.) 1368  
*Ottoa* H. B. K. (Umbellif.) 2830  
*Ottonia* Spreng. (*Piper* L.) 6141  
*Oudemansia* Miq. (*Helicteres* L.) 803  
*Oudneya* R. Br. (*Moricandia* DC.) 322  
*Ougeinia* Benth. (Legumin.) 1760  
*Ouragoga* L. v. *Uragoga* L.  
*Ouratea* Aubl. (Ochnace.) 1140  
*Ouret* Adans. (*Ærua* Forsk.)  
*Ourisia* Comm. (Scrophul.) 5287  
*Ourouparia* Aubl. (*Uncaria* Schreb.) 3007  
*Oustropis* G. Don (*Indigofera* L.) 1672  
*Outea* Aubl. (*Macrolobium* Schreb.) 1946  
*Outreya* Jaub. et Spach (*Jurinea* Cass.) 4089  
*Ouvirandra* Thou. (*Aponogeton* Thunb.) 7879  
*Overstratia* Deschamps (*Saurauja* Willd.)  
*Ovieda* L. (*Clerodendron* L.) 5712  
— Spreng. (*Lapeyrouzia* Pourr.) 7265  
*Ovidia* Meisn. (Thymel.) 6272  
*Ovilla* Adans. (*Jasione* L.) 4270  
*Owenia* F. Müll. (Meliace.) 1182  
— Hilsenb. (*Ceratogonon* Meisn.)  
*Oxalis* L. (Geran.) 996  
*Oxandra* A. Rich. (Anonac.) 121  
*Oxanthera* Montr. (Citrus L.) 1102  
*Oxera* Labill. (Verben.) 5711  
*Oxleya* A. Cunn. (*Flindersia* R. Br.) 1200  
*Oxyanthe* Steud. (*Arundo* L.) 8204  
*Oxyanthera* Brongn. (*Thelasis* Bl.) 6972  
*Oxyanthus* DC. (Rubiace.) 3186  
*Oxybaphus* Vahl (Nyctagin.) 5871  
*Oxybasis* Kar. et Kir. (*Chenopodium* L.) 5972  
*Oxycarpus* Lour. (*Garcinia* L.) 654  
*Oxycaryum* Nees (*Scirpus* L.) 7934  
*Oxyceros* Lour. (*Randia* L.) 3179  
*Oxychloe* Phil. (Juncace.) 7607  
*Oxycladium* F. Müll. (*Mirbelia* Sm.) 1590  
*Oxycladus* Miers (*Monttea* C. Gay) 5237  
*Oxycoccoides* L. (Inc. sed.)  
*Oxycoccus* (Tourn.) Pers. (*Vaccin.*) 4323  
*Oxydendron* DC. (Ericace.) 4338  
*Oxydenia* Nutt. (*Leptochloa* P. B.) 8181  
*Oxydiastrum* Bello (Myrtace.) 2353  
*Oxydium* Benn. (*Desmodium* Desv.) 1761  
— Benth. (*Leptononis* DC.) 1621  
*Oxydon* Less. (*Chaptalia* Vent.) 4147  
*Oxygonum* Burch. (Polygon.) 6082  
*Oxygraphis* Bge (Ranuncul.) 12  
*Oxylæna* Benth. (*Anaglypha* DC.) 3678  
*Oxylepis* Benth. (*Helenium* L.) 3934  
*Oxylobium* Andr. (Legumin.) 1588  
*Oxylobus* Moç. (*Ageratum* L.) 3448  
*Oxymeris* DC. (*Leandra* Raddi) 2454  
*Oxymyrrhine* Schau. (*Bæckea* L.)  
*Oxymitra* Bl. (Anonac.) 94  
*Oxymitus* Presl (*Argyria* Don) 5473  
*Oxynepeta* Bge (*Nepeta* L.) 5802  
*Oxyodon* DC. (*Chaptalia* Vent.)  
*Oxypappus* Benth. (Composit.) 3886  
*Oxypetalum* R. Br. (Asclep.) 4734  
*Oxypheria* Hort. (*Humea* Sm.)  
*Oxyphyllum* Phil. (Composit.) 4150  
*Oxypogon* Raf. (*Vicia* L.)  
*Oxypolis* Raf. (*Archemora* DC.)  
*Oxyramphis* Wall. (*Lespedeza* Mchx) 1774  
*Oxyria* Hill (Polygon.) 6087  
*Oxys* (Tourn.) Scop. (*Oxalis* L.)  
*Oxysepalum* Wight (*Bulbophyllum* Thou.) 6767  
*Oxyspermum* E. et Z. (*Galopina* Thunb.) 3333  
*Oxyspora* DC. (Melastom.) 2416  
*Oxystelma* R. Br. (Asclep.) 4725  
*Oxystemon* Pl. et Tr. (*Clusia* L.) 638  
*Oxystophyllum* Bl. (*Dendrobium* Sw.) 6765  
*Oxystylis* Torr. et Frem. (Capparid.) 434  
*Oxytandrum* Neck. (*Apeiba* Aubl.)  
*Oxytenanthera* Munro (Gramin.) 8292  
*Oxytenia* Nutt. (Composit.) 3764  
*Oxytheca* Nutt. (Polygon.) 6071  
*Oxythece* Miq. (Sapot.) 4483  
*Oxytropis* DC. (Legumin.) 1722  
*Oxyura* Lindl. (*Layia* H. et A.) 3876  
*Oyedæa* DC. (Composit.) 3820  
*Ozodia* W. et A. (*Foeniculum* Adans.) 2840  
*Ozophyllum* Sch. (*Ticorea* Aubl.) 1016

Ozoroa Del. (Anaphrenium  
E. Mey.) 1547  
Ozothamnus R. Br. (Helichrysum  
Gärtn.) 3632  
Ozuba Plum. (Maclura Nutt.).

## P

- Pachila Raf. (Erucaria Gärtn.).  
Pachira Aubl. (Malvac.) 770  
Pachites Lindl. (Orchid.) 7073  
Pachyanthus A. Rich. (Mela-  
stom.) 2456  
Pachycalyx Kl. (Simocheilus Kl.) 4358  
Pachycarpus E. Mey. (Gompho-  
carpus R. Br.) 4739  
Pachycentria Bl. (Melastom.) 2451  
Pachychilus Bl. (Pachystoma Bl.) 6783  
Pachycladon H. f. (Crucif.) 328  
Pachycornia H. f. (Chenopod.) 6012  
Pachydendron Haw. (Aloe L.) 7393  
Pachyderis Cass. (Pteronia L.) 3503  
Pachyderma Bl. (Olea L.) 4550  
Pachygone Miers (Menisperm.) 160  
Pachylæna Don (Composit.) 4139  
Pachylepis Brongn. (Callitris  
Vent.) 8324  
— Less. (Rodigia Spreng.) 4187  
Pachylobus G. Don (Canarium  
L.) 1161  
Pachyloma DC. (Melastom.) 2403  
— Spach (Ranunculus L.) 10  
Pachylophus Spach (Eriocaul.) 2528  
Pachymeria Benth. (Meriania Sw.) 2410  
Pachyne Salisb. (Phajus Lour.) 6786  
Pachynema R. Br. (Dilleniace.) 47  
Pachyneurum Bge (Parrya  
R. Br.) 241  
Pachynocarpus H. f. (Diptero-  
carp.) 709  
Pachyphyllum H. B. K. (Orchid.) 6932  
Pachyphytum Kl. (Cotyledon L.) 2182  
Pachypleurum Ledeb. (Ligusti-  
cum L.) 2871  
— Rchb. (Neogaya  
Meisn.).  
Pachypodium Lindl. (Apocyn.) 4659  
— Nutt. (Thelypo-  
dium Endl.) 251  
— Webb (Sisym-  
brium L.) 290  
Pachyptera DC. (Adenocalymma  
Mart.) 5451  
Pachypteris Kar. et Kir. (Pa-  
chypterygium Bge) 376  
Pachypterygium Bge (Crucif.) 376  
Pachyraphea Presl (Aspalathus  
L.) 1626  
Pachyrrhizus Rich. (Legumin.) 1817  
Pachyrrhynchus DC. (Composit.) 3636  
Pachysa D. Don (Erica L.) 4351  
Pachysandra Mchx (Euphorb.) 6389  
Pachysanthus Presl (Rudgea  
Salisb.) 3289  
Pachystachys Nees (Jacobinia  
Moric.) 5625  
Pachystemon Bl. (Macaranga  
Thou.) 6525  
Pachystigma Hochst. (Fadogia  
Schweinf.) 3249  
— Hook. (Peltostigma  
Walp.) 1078  
Pachystima Raf. (Celastr.) 1277  
Pachystoma Bl. (Orchid.) 6783  
Pachystroma Kl. (Euphorb.) 6490  
Pachystylum E. et Z. (Heliophila  
L.) 302  
Pachysurus Steetz (Calocephalus  
A. Gray) 3661  
Pachythelia Steetz (Epaltes Cass.) 3592  
Pachytrophe Bur. (Urtic.) 6611  
Pacouria Aubl. (Landolphia  
P. Br.) 4562  
Pacourina Aubl. (Composit.) 3391  
Pacourinopsis Cass. (Pacourina  
Aubl.) 3391  
Padbruggea Miq. (Milletia  
W. et A.) 1687  
Padia Zoll. et Mor. (Oryza L.) 8074  
Pæderia L. (Rubiace.) 3313  
Pæderota L. (Scrophul.) 5292  
Padus L. (Prunus L.).  
Pæonia (Tourn.) L. (Ranuncul.) 30  
Pæpalanthus Mart. (Eriocaul.) 7893  
Pagæa Griseb. (Gentian.) 4953  
Pagamea Aubl. (Logan.) 4915  
Pagesia Raf. (Scrophul. inc. sed.).  
Pagetia F. Müll. (Rubiace.) 1066  
Pahudia Miq. (Legumin.) 1950  
Paiva Vill. (Sabicea Aubl.).  
Pairava Berg (Myrtac.) 2313  
Pairæusa Welw. (Burser.) 1157  
Pajanelia DC. (Bignon.) 5481  
Pala Juss. (Alstonia R. Br.) 4609  
Palafoxia Lag. (Composit.) 3909  
Palamostigma Mart. (Croton L.) 6460  
Palaquium Blanco (Sapot.) 4510  
Palara Cav. (Malvac.) 729  
— R. et P. (Saurauja Willd.) 685  
Palavia Cav. et Ort. (Oxybaphus  
L'Hér.).  
Palenga Thw. (Putranjiva Wall.) 6411  
Paleolaria Cass. (Palafoxia Lag.) 3909  
Paletuviera Thou. (Bruguiera  
Lam.).  
Paleya Cass. (Crepis L.) 4190  
Paliavana Vand. (Gesner.) 5375  
Palicourea Aubl. (Rubiace.) 3288  
Palimbria Bess. (Peucedanum L.) 2886  
Palindan Blanco (Palm. inc. sed.).  
Palinetes Salisb. (Ammocharis  
Herb.) 7303  
Palisota Rchb. (Commelin.) 7572  
Palissya H. Bn (Alchornea Sw.) 6511  
Paliurus (Tourn.) Juss. (Rhamn.) 1320  
Palladia Lam. (Homalium Jacq.).  
— Mönch (Lysimachia L.) 4448  
Pallasia Kl. (Rubiace.) 3062

- Pallasia* Houtt. (*Calodendron* Thunb.) 1026  
 — L'Hér. (*Encelia* Adans.) 3829  
 — L. f. (*Calligonum* L.) 6079  
 — Scop. (*Crypsis* Ait.) 8102  
*Pallastema* Salisb. (*Albuca* L.) 7494  
*Pallavia* Vell. (*Pisonia* L.) 5886  
*Pallavicinia* De Not. (*Cyphomandra* Sendtn.) 5107  
*Pallenis* Cass. (Composit.) 3723  
*Palma* Plum. (*Cocos* L.).  
**Palmæ** p. 437 et 503.  
*Palmerella* A. Gray (Lobeliac.) 4254  
*Palmeria* F. Müll. (Monimiac.) 6154  
*Palmia* Endl. (*Hewittia* W. et A.).  
*Palmijuncus* Rumph. (*Calamus* L.).  
*Palmorchis* Barb. Rodr. (Orchid.) 7101  
*Palmstruckia* Sond. (Crucif.) 384  
*Paloue* Aubl. v. *Palovea* Juss.  
*Palovea* Aubl. (Legumin.) 1943  
*Paltoria* R. et P. (*Ilex* L.) 1265  
*Paludana* Giseke (*Amomum* L.) 7125  
*Paludaria* Salisb. (*Colchicum* L.) 7516  
*Palumbina* Rchb. f. (Orchid.) 6908  
*Palura* G. Don (*Symplocos* L.) 4527  
*Pamea* Aubl. (*Terminalia* L.) 2249  
*Pamphalea* Lag. (Composit.) 4162  
*Pamphilia* Mart. (Styrac.) 4531  
*Panætia* Cass. (*Podolepis* Labill.) 3684  
*Panargyrum* (DC.) Don v. *Panargyrus* Lag. 4159  
*Panargyrus* Lag. (*Nassauvia* Lag.) 4159  
*Panax* L. (Araliac.) 2934  
*Pancaseolus* Caesalp. (*Carum* L.).  
*Pancheria* Brongn. et Gris (*Saxifrag.*) 2148  
*Pancheria* Montr. (*Ixora* L.) 3257  
*Panciatica* Picciv. (*Cadia* Forst.) 1891  
*Pancicia* Vis. (*Pimpinella* L.) 2814  
*Pancovia* Willd. (Sapind.) 1396  
 — Adans. (*Comarum* L.).  
*Pancratium* L. (Amaryll.) 7323  
*Pandaca* Thou. (*Tabernæmontana* L.) 4612  
**Pandaneæ** p. 444.  
*Pandanophyllum* Hassk. (*Manipania* Aubl.) 7944  
*Pandanus* L. f. (Pand.) 7743  
*Pandera* F. et M. (Chenopod.) 5988  
*Pandiaka* Moq. (Amarant.) 5948  
*Pandora* Nor. (*Rhodolæna* Thou.)  
*Pandorea* Seem. (*Tecoma* Juss.) 5474  
*Panel* Adans. (*Gmelina* L.).  
*Panetos* Raf. (*Houstonia* L.).  
*Pangium* Reinw. (Bixin.) 519  
*Panicastrella* Mönch (*Echinaria* Desf.) 8194  
*Panicum* (Tourn.) L. (Gramin.) 8050  
*Panios* Adans. (*Erigeron* L.).  
*Panisea* Lindl. (Orchid.) 6776  
*Pankeia* Erst. (*Gunnera* L.) 2229  
*Panoe* Adans. (*Vateria* L.).  
*Panopia* Nor. (err. *Pankopia*) (*Macaranga* Thou.) 6525  
*Panopsis* Salisb. (Proteac.) 6243  
*Panslowia* Wight (*Kadsura* Juss.).  
*Pantathera* Phil. (*Megalachne* Steud.) 8259  
*Panterpa* Miers (*Bignonia* L.) 5446  
*Pantocsekia* Griseb. (*Convolvulus* L.) 5082  
*Panurea* Spruce (Legumin.) 1862  
*Panza* Salisb. (*Narcissus* L.) 7281  
*Panzeria* Willd. (*Eperua* Aubl.) 1948  
*Panzeria* Mönch (*Leonurus* L.) 5831  
*Papaver* (Tourn.) L. (Papaverac.) 216  
**Papaveraceæ** p. 11.  
*Papaya* (Tourn.) Juss. (*Carica* L.) 2605  
*Papeda* Hassk. (Citrus L.) 1102  
*Paphia* Seem. (*Agapetis* G. Don) 4316  
*Paphinia* Lindl. (*Lycaste* Lindl.) 6866  
*Papia* Micheli (*Lamium* L.)  
*Papiria* Thunb. (*Gethyllis* L.) 7291  
*Pappea* E. et Z. (Sapind.) 1426  
 — Harv. et Sond. (*Choritænia* Benth.) 2860  
*Papperitzia* Rchb. f. (Orchid.) 6896  
*Pappophorum* Schreb. (Gramin.) 8184  
*Papularia* Forsk. (*Trianthema* L.) 2724  
*Papyrus* Willd. (*Cyperus* L.) 7923  
*Paquerina* Cass. (*Brachycome* Cass.) 3521  
*Parabæna* Miers (Menisperm.) 126  
*Parabesleria* Erst. (*Besleria* L.) 5438  
*Parabouchetia* H. Bn (Solan.) 5160  
*Paracaryum* Boiss. (Boragin.) 5025  
*Paracelastrus* Miq. (*Microtropis* Wall.) 1275  
*Paracelsia* Zoll. (*Exacum* L.) 4919  
*Paracephaelis* H. Bn (Rubiace.) 3001  
*Paracroton* Miq. (Euphorb.) 6469  
*Paractænium* P. B. (*Panicum* L.) 8050  
*Paradenocline* Müll. Arg. (*Adenocline* Turcz.)  
*Paradigma* Miers (*Cordia* L.) 4992  
*Paradisanthus* Rchb. f. (Inc. sed.) p. 492.  
*Paradisia* Mazzuc. (Liliac.) 7418  
*Paradrymonia* Hanst. (*Episcia* Mart.) 5384  
*Paragenipa* H. Bn (*Randia* L.) 3179  
*Paragnathis* Spreng. (*Diplomeris* Don) 7067  
*Paralea* Aubl. (*Diospyros* L.) 4524  
*Paragonia* Bur. (*Bignonia* L.) 5446  
*Parallosa* Alef. (*Vicia* L.) 1776  
*Parameria* Benth. (Apocyn.) 4636  
*Paramesus* Presl (*Trifolium* L.) 1653  
*Paramignya* Wight (Rutac.) 1100  
*Paranephelium* Miq. (Sapind.) 1462

- Paranephelium* Pöpp. et Endl. (Liabum Adans.) 3990  
*Paranomus* Salisb. (Nivenia R. Br.) 6225  
*Parapanax* Miq. (Eschweilleria Zipp.) 2949  
*Parapetalifera* Wendl. (Barosma Willd.) 1033  
*Parapodium* E. Mey. (Asclep.) 4723  
*Parapottsia* Miq. (Pottsia H. et A.) 4628  
*Parapyrola* Miq. (Epigæa L.) 4339  
*Parartabotrys* Miq. (Xylopia L.) 111  
*Parartocarpus* H. Bn (Urtic.) 6638  
*Parashorea* Kurz (Dipterocarp.) 713  
*Paraspalathus* Presl (Aspalathus L.) 1626  
*Parasponia* Miq. (Urtic.) 6591  
*Parastemon* A. DC. (Rosac.) 2013  
*Parastranthus* G. Don (Lobelia L.) 4262  
*Parastrephia* Nutt. (Composit.) 3574  
*Paratheria* Griseb. (Chamæraphis R. Br.) 8059  
*Parathesis* H. f. (Myrsin.) 4469  
*Paratrophis* Bl. (Urtic.) 6612  
*Paratropia* DC. (Heptapleurum Gärtn.) 2952  
*Pardanthus* Ker (Belamcanda Adans.) 7244  
*Pardisium* Burm. (Gerbera Gronov.) 4146  
*Parduyna* Salisb. (Schelhammera R. Br.) 7541  
*Parechites* Miq. (Trachelospermum Lem.) 4653  
*Parenticellia* Viv. (Bartsia L.) 5334  
*Pariana* Aubl. (Gramin.) 8280  
*Pariation* Adans. (Nyctanthes L.)  
*Parietaria* (Tourn.) L. (Urtic.) 6683  
*Parilia* Dennst. (Elæodendron Jacq.)  
*Parilium* Gärtn. (Nyctanthes L.)  
*Parillax* Raf. (Smilax L.) 7357  
*Parinaria* Aubl. v. *Parinarium* Juss. 2011  
*Parinarium* Juss. (Rosac.) 2011  
*Paripon* Voigt (Palm. inc. sed.)  
*Paris* (Rupp.) L. (Liliac.) 7554  
*Parishella* A. Gray (Lobeliac.) 4267  
*Parishia* H. f. (Anacard.) 1535  
*Paritium* St.-Hil. (Hibiscus L.) 762  
*Parivoa* Aubl. (Eperua Aubl.) 1948  
*Parkia* R. Br. (Legumin.) 1979  
*Parkinsonia* (Plum.) L. (Legumin.) 1923  
*Parlatoria* Barb. Rodr. (Orchid.) 7102  
*Parlatoria* Boiss. (Crucif.) 416  
*Parmentiera* DC. (Bignon.) 5491  
*Parnassia* (Tourn.) L. (Saxifrag.) 2108  
*Parochetus* Ham. (Legumin.) 1649  
*Parolinia* Webb (Crucif.) 260  
— Endl. (Callitris Vent.) 8324  
*Paronychia* (Tourn.) Juss. (Illecebr.) 5901  
*Parophiorhiza* Clarke (Rubiace.) 3103  
*Paropsia* Nor. (Passiflor.) 2591  
*Parosella* Cav. (Dalea L.)  
*Parqui* Adans. (Cestrum L.)  
*Parrotia* C. A. Mey. (Hamamelid.) 2194  
*Parrya* R. Br. (Crucif.) 241  
*Parryella* T. et G. (Legumin.) 1668  
*Parsonsia* R. Br. (Apocyn.) 4627  
— P. Br. (Cuphea P. Br.) 2496  
— Wall. (Pottsia W. et A.)  
*Partheniastrum* Nissole (Bolophyta Nutt.)  
*Parthenice* T. et G. (Composit.) 3762  
*Parthenium* L. (Composit.) 3760  
— Micheli (Matricaria L.)  
*Parthenocissus* Planch. (Ampelid.) 1364  
*Parthenopsis* Kell. (Venegasia DC.) 3881  
*Parthenoxylon* Bl. (Cinnamomum Bl.) 6193  
*Parvatia* Dcne (Berberid.) 184  
*Paryphantha* Schau. (Thryptomene Endl.) 2276  
*Paryphosphæra* Karst. (Parkia R. Br.) 1979  
*Pasania* Erst. (Quercus L.) 6708  
*Pascalina* Ort. (Composit.) 3810  
*Paschanthus* Burch. (Modecca Lam.) 2597  
*Pasina* Adans. (Horminum L.)  
*Pasithea* D. Don (Liliac.) 7440  
*Paspalanthium* Desv. (Paspalum L.) 8045  
*Paspalum* L. (Gramin.) 8045  
*Passæa* Adans. (Ononis L.)  
— H. Bn (Bernardia P. Br.) 6493  
*Passalia* Soland. (Alsodeia Thou.)  
*Passaveria* Mart. et Eichl. (Ecclinusa Mart.) 4486  
*Passerina* (Trag.) L. (Thymel.) 6283  
*Passiflora* L. (Passiflor.) 2584  
**Passifloraceæ** p. 145.  
*Passoura* Aubl. (Alsodeia Thou.) 476  
*Passowia* Karst. (Loranthus L.) 6315  
*Pastinaca* L. (Peucedanum L.) 2886  
*Pastorea* Todaro (Ionopsidium Rchb.) 332  
*Patabea* Aubl. (Mapouria Aubl.) 3286  
*Patagonica* (Dill.) Adans. (Patagonula L.)  
*Patagonium* E. Mey. (Æschynomene L.) 1750  
*Patagonula* L. (Boragin.) 4994  
*Patagua* H. Bn (Orites R. Br.) 6254  
*Patersonia* R. Br. (Irid.) 7250  
*Patima* Aubl. (Rubiace.) 3135  
*Patonia* Wight (Xylopia L.) 111  
— Wight (Diospyros L.) 4524  
*Patrinia* Juss. (Valerian.) 3373  
— D. Don (Nardostachys DC.)  
— Raf. (Sophora L.)  
*Patrisia* Rich. (Ryana Vahl) 502  
— Rohr (Dichapetalum Thou.).

- Patrocles* Salisb. (*Narcissus* L.) 7281  
*Pattonia* Wight (*Grammatophyllum* Bl.) 6841  
*Patya* Neck. (*Verbena* L.)  
*Pauletia* Cav. (*Bauhinia* L.) 1937  
*Paulo-Wilhelmia* Hochst. (Acanth.) 5531  
— Auct. (Mellera S. Moore) 5525  
*Paulownia* S. et Z. (Scrophul.) 5212  
*Paullinia* L. (Sapind.) 1370  
— Löffl. (*Urvillea* H. B. K.) 1371  
*Pauridia* Haw. (Hæmodor.) 7219  
*Pauridiantha* H. f. (Rubiace.) 3124  
*Pausandra* Radlk. (Euphorb.) 6467  
*Pautsauvia* Juss. (*Marlea* Roxb.)  
*Pavetta* L. (Rubiace.) 3259  
*Pavia* Poir. (*Æsculus* L.) 1491  
*Pavinda* Thou. (Audouinia Brongn.)  
*Paronia* L. (Malvac.) 753  
— Domb. (*Cordia* L.)  
— R. et P. (*Laurelia* Juss.) 6173  
*Paxtonia* Lindl. (*Spathoglottis* Bl.) 6784  
*Payena* A. DC. (Sapot.) 4514  
*Payeria* H. Bn (Rubiace.) 3123  
*Paypayrola* Aubl. (Violar.) 474  
*Payrola* Juss. v. *Paypayrola* Aubl.)  
*Pearcea* Rgl. (*Isoloma* Benth.) 5373  
*Pechea* Pourr. (*Heleochoa* Host) 8103  
*Pecheya* Scop. (*Coussarea* Aubl.) 3279  
*Peckia* Vell. (*Cybianthus* Mart.) 4463  
*Peckoltia* Fourn. (Asclep.) 4807  
*Pectenaria* Hack. (*Eremochloa* Büse) 8013  
*Pectidium* Less. (*Pectis* L.) 3931  
*Pectidopsis* DC. (*Pectis* L.) 3931  
*Pectinaria* Haw. (*Piранthus* R. Br.) 4870  
*Pectinastrum* Cass. (*Centaurea* L.) 4100  
*Pectinea* Gartn. (Inc. sed.)  
*Pectis* L. (Composit.) 3931  
*Pectocarya* DC. (Boragin.) 5015  
*Pectophytum* H. B. K. (*Azorella* Lam.) 2746  
**Pedalineæ** p. 310.  
*Pedaliium* L. (Pedalin.) 5500  
— Adans. (*Atraphaxis* L.)  
*Peddica* Harv. (Thymel.) 6298  
*Pedicellea* Lour. (*Mischocarpus* Bl.) 1459  
*Pedicularis* (Tourn.) L. (Scrophul.) 5337  
*Pedilanthus* Neck. (Euphorb.) 6369  
— Kl. (Pedilanthus Neck.) 6369  
*Pedilea* Lindl. (*Microstylis* Nutt.) 6754  
*Pedilonia* C. B. Presl (*Wachendorfia* L.) 7194  
*Pedilonum* Bl. (*Dendrobium* Sw.) 6756  
*Pedrosia* Lowe (*Lotus* L.) 1660  
*Peganum* L. (Rutac.) 1022  
*Pegesia* Raf. (*Dasystoma* Benth.)  
*Pegia* Colebr. (*Phlebochiton* Wall.) 1521  
*Pegolettia* Cass. (Composit.) 3701  
*Peirescia* Zucc. (*Pereskia* Mill.) 2715  
*Peixotoa* A. Juss. (Malpigh.) 941  
*Pekea* Aubl. (*Caryocar* L.) 654  
*Pelagodendron* Seem. (Rubiace.) 3190  
*Pelaphia* Soland. (*Coprosma* Forst.)  
*Pelargonium* L'Hér. (Geran.) 985  
*Pelea* A. Gray (*Melicope* Forst.) 1055  
*Pelecinus* (Tourn.) Mönch (*Biserula* L.)  
*Pelecynthis* E. Mey. (*Rafnia* Thunb.) 1618  
*Pelicyphora* Ehrenb. (Cactææ) 2703  
*Pellexia* Lindl. (Orchid.) 6994  
*Peliosanthes* Andr. (Hæmodor.) 7210  
*Peliostomum* E. Mey. (Scrophul.) 5181  
*Pella* Gartn. (Inc. sed.)  
*Pellacalyx* Korth. (Rhizophor.) 2237  
*Pelletiera* St-Hil. (*Asterolinum* Link et Hoffmsg) 4452  
*Pelliciera* Planch. et Tr. (Ternstroëm.) 691  
*Pellinia* Molina (*Eucryphia* Cav.)  
*Pellionia* Gaud. (Urtic.) 6667  
*Pelonastes* H. f. (*Myriophyllum* L.) 2230  
*Peltandra* Raf. (Aroid.) 7814  
— Wight (*Phyllanthus* L.) 6404  
*Peloria* L. (*Linaria* Juss.)  
*Pelou* Rheede (*Careya* Roxb.)  
*Peltanthera* Benth. (Logan.) 4911  
— Roth (*Vallaris* Burm.) 4625  
*Peltaria* (Jacq.) L. (Crucif.) 369  
— Burm. (*Pterocarpus* L.)  
*Pelticalyx* Griff. (Inc. sed.) p. 490.  
*Peltidium* Zoll. (*Chondrilla* L.) 4205  
*Peltobryon* Kl. (*Piper* L.) 6141  
*Peltocarpus* Zipp. (Inc. sed.)  
*Peltodon* Pohl (Labiæ.) 5742  
*Peltogyne* Vog. (Legumin.) 1958  
*Peltophorum* Vog. (Legumin.) 1908  
*Peltophorus* Desv. (*Rottboellia* L. f.) 8006  
*Peltophyllum* Gardn. (*Triuris* Miers) 7860  
*Peltopsis* Raf. (*Potamogeton* L.) 7880  
*Peltospermum* Benth. (*Hedyotis* L.) 3086  
— DC. (*Aspidosperma* Mart. et Zucc.) 4596  
*Peltostegia* Turcz. (Inc. sed.) p. 492.  
*Peltostigma* Walp. (Rutac.) 1078  
*Pemphis* Forst. (Lythrar.) 2503  
*Penæa* L. (Penæac.) 6307  
**Penæaceæ** p. 356.  
*Pendalina* Willk. (*Diploaxis* DC.) 318  
*Penianthus* Miers (*Menisperm.*) 174



- Penicillanthemum* Vieill. (*Hugonia* L.) 895  
*Penicillaria* Willd. ( *Pennisetum* Pers.) 8057  
*Pennantia* Forst. (Olacin.) 1235  
*Pennisetum* Pers. (Gramin.) 8057  
— Kth ( *Pennisetum* Pers.) 8057  
*Penstemon* Mitch. v. *Pentstemon* Mitch. 5215  
*Pentabothra* H. f. (Asclep.) 4765  
*Pentabrachion* Müll.Arg. (*Microdesmis* Planch.) 6445  
*Pentacæna* Bartl. (Illecebr.) 5896  
*Pentacalia* Cass. (Senecio L.) 4025  
*Pentacarya* DC. (*Heliotropium* L.) 5006  
*Pentace* Hassk. (Tiliac.) 841  
*Pentaceras* H. f. (Rutac.) 1070  
*Pentaceros* G. F. W.Mey. (*Buettneria* L.) 829  
*Pentachæta* Nutt. (Composit.) 3481  
*Pentachondra* R. Br. (Epacrid.) 4397  
*Pentaclothra* Auct. (*Polyclathra* Bertol.) 2694  
*Pentaclethra* Bertol. (Legumin.) 1978  
*Pentacme* A. DC. (Dipterocarp.) 717  
*Pentacocca* Turcz. (*Phyllocosmus* Kl.) 903  
*Pentacœlium* S. et Z. (*Myoporum* Banks et Soland.) 5646  
*Pentacraspedon* Steud. (*Amphipogon* R. Br.) 8088  
*Pentacrophys* A. Gray (*Acleisanthes* A. Gray) 5876  
*Pentacrypta* Lehm. ( *Arracacia* Bancroft) 2782  
*Pentadactylon* Gärt. (*Persoonia* Sm.) 6241  
*Pentadenia* Planch. (*Columnnea* L.) 5388  
*Pentadesma* Sabine (Guttifer.) 652  
*Pentadiplandra* H. Bn (Tiliac.) 852  
*Pentadynamis* R. Br. (Legumin.) 1634  
*Pentaglossum* Forsk. (*Lythrum* L.) 2497  
*Pentaglottis* Tausch (*Anchusa* L.) 5042  
— Wall. (*Melhania* Forst.) 814  
*Pentagonaster* Kl. (*Kunzea* Rchb.) 2287  
*Pentagonia* Benth. (Rubiace.) 3153  
— Schau. (*Philibertia* H. B. K.) 4726  
*Pentagonion* Tabern. (*Specularia* Heist.)  
*Pentagonium* Schau. (*Cynanchum* L.)  
*Pentagonotheca* Vaill. (*Pisonia* L.)  
*Pentalinon* Voigt (*Echites* L.) 4665  
*Pentaloba* Lour. (*Alsodeia* Thou.) 476  
*Pentaloncha* H. f. (Rubiace.) 3134  
*Pentalophus* A. DC. (*Lithospermum* L.) 5056  
*Pentameris* P.B. (*Danthonia* DC.) 8155  
*Pentamorphia* Scheidw. (*Erythronchiton* Nees et Mart.) 1008  
*Pentanema* Cass. (*Vicoa* Cass.) 3702  
*Pentanisia* Harv. (Rubiace.) 3226  
*Pentanome* Moç. et Sessé (*Ochroxyllum* Nees et Mart.)  
*Pentanthus* H. et A. (Senecio L.) 4025  
— Less. (*Nassauvia* Juss.) 4159  
*Pentanura* Bl. (Asclep.) 4681  
*Pentapanax* Seem. (Araliac.) 2926  
*Pentapeltis* Endl. (*Xanthosia* Rudge) 2745  
*Pentapera* Kl. (Ericac.) 4350  
*Pentapetes* L. (Stercul.) 813  
*Pentaphiltrum* Rchb. (*Physalis* L.) 5109  
*Pentaphorus* D. Don (*Gochnatia* H. B. K.) 4123  
*Pentaphragma* Wall. (Composit.) 4283  
— Zucc. (*Araujia* Brot.) 4729  
*Pentaphyllax* Gardn. et Champ. (Ternstroem.) 683  
*Pentaphyllon* Pers. (*Trifolium* L.) 1653  
*Pentaphyllum* Gärt. (*Potentilla* L.)  
*Pentaple* Rchb. (*Cerastium* L.) 580  
*Pentaplelion* Turcz. (*Leucopogon* R. Br.) 4402  
*Pentapogon* R. Br. (Gramin.) 8131  
*Pentaptera* Roxb. (*Terminalia* L.) 2249  
*Pentapteris* Hall. (*Myriophyllum* L.)  
*Pentapterophyllum* Dill. v. *Pentapteris* Hall.  
*Pentapterygium* Kl. (Vaccin.) 4317  
*Pentapyxis* H. f. (Caprifol.) 2998  
*Pentarhaphia* Lindl. (Gesner.) 5381  
*Pentarhaphis* H. B. K. (Inc. sed.) p. 490.  
*Pentarhinum* E. Mey. (Asclep.) 4767  
*Pentas* Benth. (Rubiace.) 3082  
*Pentasacme* Wall. (Asclep.) 4823  
*Pentaschme* Wall. v. *Pentasacme* Wall. 4823  
*Pentaspadon* H. f. (Anacard.) 1529  
— H. f. (*Microstemon* Engl.) 1530  
*Pentascyphus* Radlk. (Sapind.) 1432  
*Pentasticha* Turcz. (Cyper.) 7933  
*Pentataphrus* Schlecht. (*Astrolooma* R. Br.) 4393  
*Pentataxis* D. Don (*Helichrysum* Gärt.) 3632  
*Pentatropis* R. Br. (Asclep.) 4792  
*Pentheia* Lindl. (*Disa* Berg) 7074  
*Penthorum* L. (Saxifrag.) 2171  
*Pentlandia* Herb. (*Urceolina* Rchb.) 7320  
*Pentodon* Hochst. (Rubiace.) 3087  
*Pentopetia* Dcne (Asclep.) 4691  
*Pentrias* Raf. (Amarantus L.) 5928  
*Pentstemon* Mitch. (Scrophul.) 5215  
*Pentstemonacanthus* Nees (Acanth.) 5538  
*Pentsteria* Griff. (*Torenia* L.) 5263  
*Pentzia* Thunb. (Composit.) 3985

- Peperidia* Rchb. (*Chloranthus* Sw.) 6147  
*Peperidium* Lindl. (*Renealmia* L.) 7136  
*Peperomia* R. et P. (*Piperac.*) 6145  
*Pepinia* Brongn. (*Pitcairnia* L'Hér.) 7182  
*Peplidium* Del. (*Scrophul.*) 5273  
*Peplis* L. (*Lythrar.*) 2489  
*Peplonia* Dcne (*Asclep.*) 4789  
*Pepo* Tourn. (*Forsk.*) (*Cucurbita* L.) 2646  
*Peponia* Naud. (*Cucurbit.*) 2617  
*Peponopsis* Naud. (*Cucurbit.*) 2645  
*Pera* Mut. (*Euphorb.*) 6579  
— Kl. (*Pera* Mut.) 6579  
*Peracarpa* H. f. et T. (*Campanul.*) 4282  
*Peraltea* H. B. K. (*Brongniartia* H. B. K.) 1674  
*Perama* Aubl. (*Rubiace.*) 3359  
*Peramibus* Raf. (*Coreopsis* L.) 3849  
*Peranium* Salisb. (*Goodyera* R. Br.) 7008  
*Peraphora* Miers (*Lophophyllum* Griff.) 159  
*Peraphyllum* Nutt. (*Amelanchier* Lindl.) 2083  
*Perchepier* Hall. (*Alchemilla* L.)  
*Perdiciu* L. (*Trixis* P. Br.) 4156  
— L. (*Gerbera* Gronov.) 4146  
*Perebea* Aubl. (*Urtic.*) 6633  
*Pereilema* Presl (*Agrostis* L.)  
*Pereiria* Lindl. (*Coscinium* Colebr.)  
*Pereskia* (Plum.) Mill. (*Cactææ*) 2715  
— Vell. (*Hippocratea* L.) 1312  
*Pereuphora* Hoffmg. (*Serratula* L.) 4093  
*Perezia* Lag. (*Composit.*) 4154  
— Llav. et Lex. (*Acourtia* Don).  
*Pergularia* L. (*Asclep.*) 4839  
*Periandra* Mart. (*Legumin.*) 1782  
— Camb. (*Thylacospermum* Fenzl) 588  
*Perianthopodus* Manso (*Cayaponia* Manso) 2673  
*Periballanthus* Franch. et Sav. (*Polygonatum* Adans.) 7371  
*Periballia* Trin. (*Aira* L.)  
*Periblema* DC. (*Acanth.*) 5564  
*Peribœa* Kth (*Hyacinthus* L.) 7500  
*Pericalia* Cass. (*Senecio* L.) 4025  
*Pericallis* Webb (*Senecio* L.) 4025  
*Pericalymna* Endl. (*Leptospermum* Forst.) 2286  
*Pericampylus* Miers (*Menisperm.*) 149  
*Perichasma* Miers (*Stephania* Lour.) 154  
*Periclistia* Benth. (*Paypayrola* Aubl.) 474  
*Periclymenum* Tourn. (*Lonicera* L.)  
*Perictenia* Miers (*Apocyn.*) 4673  
*Pericome* A. Gray (*Composit.*) 3911  
*Pericopsis* Thw. (*Legumin.*) 1878  
*Pericycla* Bl. (*Licuala* Wurmbr.) 7706  
*Perideræa* Webb (*Anthemis* L.) 3953  
*Perideridia* Rchb. (*Eulophus* Nutt.) 2786  
*Peridiscus* Benth. (*Bixin.*) 509  
*Peridium* Schott (*Pera* Mut.) 6579  
*Perieilema* Presl (*Gramin.*) 8100  
*Periglossum* Dcne (*Cordylogyne* E. Mey.) 4771  
*Perijia* Tul. (*Zanthoxylum* L.)  
*Perilla* L. (*Labiace.*) 5755  
*Perillula* Maxim. (*Labiace.*) 5757  
*Perilomia* H. B. K. (*Labiace.*) 5811  
*Perinkara* Adans. (*Elæocarpus* L.)  
*Periomphale* H. Bn (1) (*Gesner.* inc. sed.) +5541b  
*Periphanes* Salisb. (*Hessea* Herb.) 7286  
*Periphragmos* R. et P. (*Cantua* Juss.) 4973  
*Periplexis* Wall. (*Hemicyclia* W. et A.) 6415  
*Periploca* (Tourn.) L. (*Asclep.*) 4709  
*Periptera* DC. (*Malvac.*) 748  
*Peripterygium* Hassk. (*Cardiopteris* Wall.) 1263  
*Peristera* E. et Z. (*Pelargonium* L'Hér.) 985  
*Peristeria* Hook. (*Orchid.*) 6873  
*Peristrophe* Nees (*Acanth.*) 5642  
*Peristylis* Bl. (*Habenaria* Willd.) 7066  
*Peritassa* Miers (*Salacia* L.) 1313  
*Peritoma* DC. (*Cleome* L.) 425  
*Perittium* Vog. (*Melanoxydon* Schott) 1903  
*Perityle* Benth. (*Composit.*) 3885  
*Perlebia* DC. (*Prangos* Lindl.) 2848  
— Mart. (*Bauhinia* L.) 1937  
*Pernettya* Gaud. (*Ericac.*) 4331  
— Scop. (*Canarina* L.) 4281  
*Peroa* Pers. (*Leucopogon* R. Br.) 4402  
*Perobachne* Presl (*Themeda* Forsk.) 8021  
*Perojoa* Cav. (*Leucopogon* R. Br.) 4402  
*Peronema* Jack (*Verben.*) 5720  
*Peronia* DC. (*Thalia* L.) 7141  
*Perotis* Ait. (*Gramin.*) 8033  
*Perotriche* Cass. (*Composit.*) 3668  
*Perowskia* Kar. (*Labiace.*) 5790  
*Perpensum* Burm. (*Gunnera* L.)  
*Perralderia* Cosson (*Grantia* Boiss.) 3695  
*Perreymondia* Barn. (*Schizopetalon* Sims).  
*Perrottetia* H. B. K. (*Celastr.*) 1302  
— DC. (*Desmodium* Desv.) 1761  
*Persea* (Plum.) Gärtn. f. (*Laurin.*) 6195  
*Persica* Tourn. (*Prunus* L.) 2019  
*Personaria* Lam. (*Gorteria* L.) 4056  
*Persoonia* Sm. (*Proteac.*) 6241  
(1) *Bull. Soc. Linn. Paris*, 731 (1888). — Sp. 2° N. Calcd.

- Persoonia* Mchx (Marshallia Schreb.) 3864  
 — Willd. (Carapa Aubl.) 1192  
*Pertya* Sch. Bip. (Composit.) 4134  
*Perula* Schreb. (Pera Mut.) 6579  
*Perularia* Lindl. (Habenaria Willd.) 7066  
*Pervillœa* Dcne (Asclep.) 4841  
*Pervinca* (Tourn.) Adans. (Vinca L.)  
*Perymenium* Schrad. (Composit.) 3826  
*Pescatorea* Rchb. f. (Zygopetalum Hook.) 6851  
*Peschiera* A. DC. (Tabernæmontana L.) 4612  
*Pesomeria* Lindl. (Phajus Lour.) 6786  
*Pessularia* Salisb. (Anthericum L.) 7431  
*Pestalozzia* Zoll. (Gynostemma Bl.) 2684  
*Petagna* Raf. (Inc. sed.)  
*Petagnana* Gmel. (Smithia Ait.)  
*Petagnia* Guss. (Umbellif.) 2767  
*Petalacte* D. Don (Composit.) 3641  
*Petalandra* Hassk. (Hopea Roxb.) 714  
*Petalanthera* Nees (Ocotea Aubl.) 6198  
 — Torr. (Cevallia Lag.) 2564  
*Petalidium* Nees (Acanth.) 5535  
*Petalinia* Becc. (Ochanostachys Mast.) 1209  
*Petalodiscus* H. Bn (Savia Willd.) 6398  
*Petalolepis* Cass. (Helichrysum Gärtn.) 3632  
 — Less. (Petalacte Don) 3641  
*Petaloma* Raf. (Euphorbia L.) 6370  
 — Roxb. (Lumnitzera Willd.) 2257  
 — Sw. (Mouriria Aubl.) 2484  
*Petalonyx* A. Gray (Loaseæ) 2565  
*Petalopogon* Reissek (Phyllica L.) 1337  
*Petalostelma* Fourn. (Asclep.) 4830  
*Petalostemon* Mchx (Legumin.) 1670  
*Petalostigma* F. Müll. (Euphorb.) 6410  
*Petalostyles* R. Br. (Legumin.) 1931  
*Petalotoma* DC. (Carallia Roxb.) 2236  
*Petamenes* Salisb. (Antholyza L.) 7276  
*Petasites* (Tourn.) Gärtn. (Composit.) 3998  
*Petasostylis* Griseb. (Leianthus Griseb.) 4931  
*Petastoma* Miers (Bignonia L.) 5446  
*Peteria* A. Gray (Legumin.) 1676  
*Petermannia* F. Müll. (Dioscor.) 7352  
 — Kl. (Begonia L.) 2695  
 — Rchb. (Cycloloma Moq.)  
*Petersia* Welw. (Myrtac.) 2344  
 — Kl. (Capparis L.) 446  
*Petesia* P. Br. (Rondeletia L.) 3063  
*Petesioides* Jacq. (Wallenia Sw.)  
*Petilium* L. (Fritillaria L.) 7510  
*Petitia* Jacq. (Verben.) 5701  
 — J. Gay (Xatardia Meisn.) 2841  
 — H. B. K. (Ægiphila Jacq.)  
*Petitia* Neck. (Hibiscus L.)  
*Petiveria* (Plum.) L. (Phytolac.) 6053  
*Petola* Rumph. (Luffa Tourn.) 2628  
*Petracanthus* Nees (Gymnostachyum Nees) 5586  
*Petræa* L. (Verben.) 5693  
*Petræoviteæ* Oliv. (Verben.) 5709  
*Petranthe* Salisb. (Scilla L.) 7505  
*Petrobium* R. Br. (Composit.) 3772  
 — Bong. (Lithobium Bong.)  
*Petrocallis* R. Br. (Draba L.) 277  
*Petrocarvi* Tausch (Athamanta L.) 2832  
*Petrocarya* Schreb. (Parinarium Juss.) 2011  
*Petrocodon* Hance (Gesner.) 5401  
*Petrocoptis* A. Braun (Lychnis L.) 577  
*Petroscosmea* Oliv. (Gesner.) +5399b  
*Petrogeton* E. et Z. (Crassula L.) 2176  
*Petromarula* A. DC. (Phyteuma L.) 4294  
*Petronia* Barb. Rodr. (Orchid.) 7103  
*Petrophila* R. Br. (Proteac.) 6227  
*Petrophytes* Webb et Berth. (Monanthes Haw.) 2185  
*Petrosavia* Becc. (Liliac.) 7539  
*Petrosciadium* Edgew. (Pimpinella L.) 2814  
*Petroselinum* Koch (Carum L.) 2806  
*Petrosimonia* Bge (Chenopod.) 6034  
*Petrusia* H. Bn (Inc. sed.) p. 490.  
*Pettera* Rchb. (Arenaria L.) 583  
*Petteria* Presl (Legumin.) 1640  
*Petunga* DC. (Rubiace.) 3194  
*Petunia* Juss. (Solan.) 5159  
*Peucedanum* (Tourn.) L. (Umbellif.) 2886  
*Peucephyllum* A. Gray (Composit.) 3995  
*Peumus* Pers. (Monimiac.) 6161  
 — Molina (Peumus Pers.) 6161  
*Pevræa* Comm. (Combretum L.) 2260  
*Peyritschia* Fourn. (Deschampsia P. B.) 8145  
*Peyrousea* DC. (Composit.) 3979  
*Peyrousia* Sweet (Lapeyrousia Pourr.) 7265  
*Peyrusa* Rich. (Hornemannia Vahl)  
*Peyssonelia* Boiv. (Teline Medik.)  
*Pfaffia* Mart. (Amarant.) 5953  
*Pfeiffera* Salm Dyck. (Rhipsalis Gärtn.) 2712  
*Pfeifferia* Buching. (Cuscuta L.) 5104  
*Phaca* L. (Astragalus L.) 1720  
*Phacelia* Juss. (Hydrophyll.) 4978  
*Phacellanthus* S. et Z. (Orobanch.) 5347  
*Phacellaria* Benth. (Santal.) 6349  
 — Willd. (Chloris Sw.)  
*Phacelothrix* F. Müll. (Composit.) 3647



- Phacelurus* Griseb. (*Rottboellia* L. f.) 8006  
*Phacocapnos* Bernh. (*Corydalis* DC.) 236  
*Phæanthus* H. f. et T. (*Anonac.*) 100  
*Phæcasium* Cass. (*Composit.*) 4191  
*Phædra* Kl. (*Bernardia* P. Br.) 6493  
*Phædranassa* Herb. (*Amaryll.*) 7321  
*Phædranthus* Miers (*Bignonia* L.) 5446  
*Phænixopus* Cass. (*Lactuca* L.) 4206  
*Phænocodon* Salisb. (*Lapageria* R. et P.) 7365  
*Phænocoma* D. Don (*Composit.*) 3638  
*Phænopoda* Cass. (*Podotheca* Cass.) 3843  
*Phænopus* DC. (*Lactuca* L.) 4206  
*Phænopyrum* Röm. (*Cratægus* L.)  
— Schrad. (*Lagenocarpus* Röm.).  
*Phænosperma* Munro (*Gramin.*) 8039  
*Phæocarpus* Mart. (*Magonia* St-Hil.) 1482  
*Phæocles* Salisb. (*Ornithogalum* L.) 7507  
*Phæocordylis* Griff. (*Rhopalocnemis* Jungh.) 6365  
*Phæomeria* Lindl. (*Amomum* L.) 7125  
*Phæopappus* Boiss. (*Centaurea* L.) 4108  
*Phæoptilum* Radlk. (*Nyctagin.*) 5880  
*Phæostemma* Fourn. (*Asclep.*) 4811  
*Phæosphærium* Hassk. (*Athyrocarpus* Schlecht.) 7573  
*Phæostoma* Spach (*Clarkia* Pursh) 2525  
*Phæthusa* Gartn. (*Verbesina* L.) 3822  
*Phagnalon* Cass. (*Composit.*) 3624  
*Phajus* Lour. (*Orchid.*) 6786  
*Phalacræa* DC. (*Piqueria* Cav.) 3431  
*Phalacrocarpum* Willk. (*Chrysanthemum* L.) 3964  
*Phalacroderis* DC. (*Composit.*) 4188  
*Phalacrodiscus* Less. (*Chrysanthemum* L.) 3964  
*Phalacroloma* Cass. (*Erigeron* L.) 3561  
*Phalacromesus* Cass. (*Tessaria* R. et P.) 3586  
*Phalacros* Wenzig (*Cratægus* L.) 2076  
*Phalacroscris* A. Gray (*Composit.*) 4174  
*Phalænopsis* Bl. (*Orchid.*) 6937  
*Phalangium* Kth (*Anthericum* L.) 7431  
*Phalaridium* Nees (*Dissanthelium* Trin.) 8210  
*Phalaris* L. (*Gramin.*) 8085  
*Phaleria* Jack (*Thymel.*) 6300  
*Phalerocarpus* Don (*Chiogenes* Salisb.) 4327  
*Phallaria* Schum. et Thonn. (*Plectronia* L.) 5247  
*Phalocallis* Herb. (*Cypella* Herb.) 7224  
*Phalacroloma* DC. (*Erigeron* L.) 3561  
*Phalolepis* Cass. (*Centaurea* L.) 4100  
*Phalona* Dmrt. (*Cynosurus* L.) 8242  
*Phanera* Lour. (*Bauhinia* L.) 1937  
*Phanerandra* Stschgl. (*Leucopogon* R. Br.) 4402  
*Phaneranthera* DC. (*Nonnea* Mönch) 5045  
*Phania* DC. (*Composit.*) 3432  
*Pharbitis* Choisy (*Ipomæa* L.) 5077  
*Pharetranthus* F. W. Klatt (*Composit.*) 3847  
*Pharetrella* Salisb. (*Cyanella* L.) 7215  
*Pharium* Herb. (*Bessera* Schult.) 7472  
*Pharmacosycea* Miq. (*Ficus* L.) 6621  
*Pharnaceum* L. (*Ficoid.*) 2732  
*Parseophora* Miers (*Macfadyena* A. DC.) 5447  
*Pharus* L. (*Gramin.*) 8067  
*Phaseolus* L. (*Legumin.*) \*1813  
*Phaulothamnus* A. Gray (*Phytolac.*) 6052  
*Phayloopsis* Willd. (*Acanth.*) 5536  
*Phebalium* Vent. (*Rutac.*) 1043  
*Phelipæa* Desf. (*Orobanch.*) 5345  
— Reut. (*Aphyllon* Mitch.) 5348  
— Reut. (*Orobanche* L.) 5349  
*Phelipanche* Pomel (*Orobanche* L.) 5349  
*Phellandrium* L. (*Ænanthe* L.) 2853  
*Phelline* Labill. (*Rutac.*) 1090  
*Phellocarpus* Benth. (*Pterocarpus* L.) 1837  
*Phellodendron* Rupr. (*Rutac.*) 1081  
*Phelloderma* Miers (*Priva* Adans.) 5685  
*Phellolophium* Bak. (*Umbellif.*) 2839  
*Phellopterus* Benth. (*Umbellif.*) 2849  
*Phelypea* Thunb. (*Cytinus* L.) 6124  
*Phenacospermum* Endl. (*Ravenala* Adans.) 7153  
*Phenax* Wedd. (*Urtic.*) 6682  
*Pherosphæra* Arch. (*Dacrydium* Soland.) 8335  
*Pherotrichis* Dcne (*Asclep.*) 4809  
*Phialacanthus* Benth. (*Acanth.*) 5591  
*Phialanthus* Griseb. (*Rubiace.*) 3230  
*Phialis* Spreng. (*Bahia* Lag.) 3901  
*Phialodiscus* Radlk. (*Sapind.*) 1442  
*Philactis* Schrad. (*Composit.*) 3776  
*Philadelphus* L. (*Saxifrag.*) 2119  
*Philagonia* Bl. (*Evodia* Forst.) 1058  
*Philastræa* L. Pierre (*Meliace.*) 1169  
*Philenoptera* Fenzl (*Lonchocarpus* H. B. K.) 1843  
*Phileozero* Buckl. (*Actinella* Nutt.) 3936  
*Philesia* Comm. (*Liliac.*) 7366  
*Philetæria* Liebm. (*Fouquieria* H. B. K.) 627  
*Philhydrum* Link v. *Philydrum* Vahl.  
*Philibertia* H. B. K. (*Asclep.*) 4726  
*Philippia* Kl. (*Ericac.*) 4353  
*Philippodendron* Rupr. (*Plagianthus* Forst.) 737  
*Phillyrea* L. (*Oleac.*) 4543  
*Philocrena* Bong. (*Tristicha* Thou.) 6100  
*Philodendron* Schott (*Aroid.*) 7806  
*Philodice* Mart. (*Eriocaul.*) 7894

- Philoglossa* DC. (Composit.) 3746  
*Philogyne* Salisb. (Narcissus L.) 7281  
*Philomeda* Nor. (Ouratea Aubl.) 1140  
*Philonotion* Schott (Aroid.) 7808  
*Philostizus* Cass. (Centaurea L.) 4100  
*Philotheca* Rudge (Rutac.) 1047  
*Philoxerus* R. Br. (Amarant.) 5959  
**Philydraceæ** p. 433.  
*Philydrella* Caruel (Pritzelia F. Müll.) 7566  
*Philydrum* Banks (Philydr.) 7565  
*Philyra* Kl. (Argithamnia Sw.) 6480  
*Phinæa* Benth. (Gesner.) 5362  
*Phippsia* R. Br. (Gramin.) 8110  
*Phitopsis* H. f. (Rubiace.) 3169  
*Phleboanthe* Tausch (Ajuga L.) 5865  
*Phlebocalymna* Griff. (Olacin.) 1243  
*Phlebocarya* R. Br. (Hæmodor.) 7202  
*Phlebochiton* Wall. (Anacard.) 1521  
*Phlebolithis* Gärtner. (Mimusops L.) 4508  
*Phlebophyllum* Nees (Strobilanthes Bl.) 5554  
*Phlebosporium* Jungh. (Lespedeza Mchx) 1774  
*Phlebotænia* Griseb. (Polygal.) 550  
*Phledinium* Spach (Delphinium L.) 85  
*Phleum* L. (Gramin.) 8105  
*Phloga* Nor. (Palm.) 7666  
*Phlogacanthus* Nees (Acanth.) 5587  
*Phloiodicarpus* Turcz. (Johrenia DC.) 2896  
*Phlomidopsis* Link (Phlomis L.) 5842  
*Phlomis* L. (Labiata.) 5842  
*Phlomoides* Mönch (Phlomis L.) 5842  
*Phlomostachys* R. Br. (Pitcairnia L'Hér.) 7182  
*Phlox* L. (Polemon.) 4967  
*Phlyarodoxa* S. L. Moore (Ligustrum L.) 4551  
*Phoberos* Lour. (Scolopia Schreb.) 511  
*Phocæa* Seem. (Celastr.) 1310  
*Phœbe* Nees (Laurin.) 6197  
*Phœnicanthemum* Miq. (Loranthus L.) 6315  
*Phœnicaulis* Nutt. (Cheiranthus L.) 243  
*Phœnicophorium* Wendl. (Palm.) 7663  
*Phœnicospermum* Miq. (Tiliac.) 884  
*Phoenix* L. (Palm.) 7690  
*Phoenixopus* Endl. (Lactuca L.) 4206  
*Pholacilia* Griseb. (Trichilia L.) 1190  
*Pholidandra* Neck. (Raputia Aubl.) 1012  
*Pholidia* R. Br. (Myopor.) 5647  
*Pholidiopsis* F. Müll. (Pholidia R. Br.) 5647  
*Pholidocarpus* Bl. (Palm.) 7727  
*Pholidophyllum* Vis. (Cryptanthus Otto et Dietr.)  
*Pholidostachys* Wendl. (Calyptrogyne Wendl.) 7678  
*Pholidota* Lindl. (Orchid.) 6802  
*Pholisma* Nutt. (Lennoac.) 4423  
*Pholistoma* Lilja (Nemophila Nutt.?) 4976  
*Pholiurus* Trin. (Rottboellia L. f.) 8006  
— Trin. (Lepturus R. Br.) 8269  
*Phoniphora* Neck. (Phoenix L.) 7690  
*Phonus* Neck. (Carthamus L.)  
*Phoradendron* Nutt. (Loranth.) 6319  
*Phormium* Forst. (Liliac.) 7387  
*Phornothamnus* Bak. (Melastom.) 2426  
*Phosanthus* Raf. (Isertia Schreb.)  
*Photinia* Lindl. (Rosac.) 2078  
*Phoxanthus* Benth. (Sabiace.) 1505  
*Phragmites* Trin. (Gramin.) 8205  
— Adans. (Saccharum L.)  
*Phreatia* Lindl. (Orchid.) 6782  
*Phrissocarpus* Miers (Tabernaemontana L.) 4612  
*Phrodus* Miers (Solan.) 5127  
*Phryganocydia* Mart. (Macfadyena A. DC.)  
*Phrygia* S. F. Gray (Centaurea L.) 4100  
*Phrygilanthus* Eichl. (Loranthus L.) 6315  
*Phryma* L. (Verben.) 5660  
*Phrynium* Willd. (Zingiberac.) 7147  
*Phthiросpermum* Bge. (Scrophul.) 5331  
*Phthirusa* Mart. (Loranthus L.) 6315  
*Phu* Rupp. (Valeriana L.)  
*Phucagrostis* Willd. (Cymodocea Kön.) 7890  
*Phuopsis* Griseb. (Rubiace.) 3370  
*Phycella* Lindl. (Hippeastrum Herb.) 7298  
*Phyganthus* Pöpp. et Endl. (Tecophilæa Bert.) 7217  
*Phygelius* E. Mey. (Scrophul.) 5202  
*Phyla* Lour. (Lippia L.) 5680  
*Phylacanthus* Benth. (Angelonia H. B. K.)  
*Phylacium* Benn. (Legumin.) 1771  
*Phylax* Nor. (Polygala L.) 542  
*Phylca* L. (Rhamn.) 1337  
*Phylidrum* Vahl v. *Philydrum* Banks.  
*Phyllacantha* H. f. (Rubiace.) 3152  
*Phyllachne* Forst. (Candolleac.) 4229  
*Phyllactinia* Benth. (Composit.) 4117  
*Phyllactis* Pers. (Valerian.) 3376  
*Phyllagathis* Bl. (Melastom.) 2429  
*Phyllamphora* Lour. (Nepenthes L.) 6123  
*Phyllanthera* Bl. (Asclep.) 4680  
*Phyllantherum* Raf. (Trillium L.)  
*Phyllanthidea* Didrichs. (Andrachne L.) 6399  
*Phyllanthus* L. (Euphorb.) 6404  
*Phyllarthron* DC. (Bignon.) 5493  
*Phyllarthus* Neck. (Phyllocactus Link).  
*Phyllaurea* Lour. (Codium Rumph.) 6471  
*Phyllepidum* Raf. (Inc. sed.) p. 490.

- Phyllis* L. (Rubiaceae) 3336  
*Phyllobæa* Benth. (Gesner.) 5410  
— Benth. (Tetraphyllum Griff.) 5408  
— Benth. (Trisepalum Clarke) 5409  
*Phyllobotryum* Müll. Arg. (Bixin.) 527  
*Phyllobryon* Miq. (Peperomia R. et P.) 6145  
*Phyllocactus* Link (Cactaceae) 2710  
*Phyllocalymna* Benth. (Angianthus Wendl.) 3659  
*Phyllocalyx* Berg (Eugenia L.) 2327  
— Hochst. (Crotalaria L.) 1632  
*Phyllocarpus* Ried. (Legumin.) \*1907  
*Phyllocephalum* Bl. (Centratherum Cass.) 3397  
*Phyllocereus* Miq. (Phyllocactus Link) 2710  
*Phyllochlamys* Bur. (Urtic.) 6601  
*Phyllocladus* Rich. (Conifer.) 8336  
*Phyllocoryne* H. f. (Scybalium Schott et Endl.) 6362  
*Phyllocosmus* Kl. (Lineæ) 903  
*Phyllocyclus* Kurz (Canscora Lam.) 4944  
*Phyllodes* Lour. (Phrynium Willd.) 7147  
*Phyllodium* Desv. (Desmodium Desv.) 1761  
*Phyllodoce* Salisb. (Ericac.) 4364  
— Link (Schranksia Willd.?).  
*Phyllodolon* Salisb. (Allium L.) 7176  
*Phylloglottis* Salisb. (Eriospermum Jacq.) 7428  
*Phyllolobium* Fisch. (Sphærophysa DC.) 1713  
*Phylloma* Ker (Lomatophyllum Willd.) 7396  
*Phyllomelia* Griseb. (Rubiaceae) 3267  
*Phyllon* Magnol (Mercurialis L.).  
*Phyllonoma* Willd. (Saxifrag.) 2143  
*Phyllopappus* F. Müll. (Microseris Don) 4172  
— Walp. (Leontodon L.?).  
*Phyllopodium* Benth. (Scrophul.) 5231  
*Phyllopus* Mart. (Henriettea DC.) 2474  
*Phyllorhachis* Trin. (Gramin.) 8062  
*Phyllospadix* Hook. (Naiad.) 7888  
*Phyllostachys* S. et Z. (Gramin.) 8283  
*Phyllostegia* Benth. (Labiata) 5848  
*Phyllostema* Neck. (Simaba Aubl.).  
*Phyllostylon* Capanema (Urtic.) 6584  
*Phyllota* DC (Legumin.) 1599  
*Phyllotænum* André (Xanthosoma Schott) 7825  
*Phylloxylon* H. Bn (Inc. sed.) p. 490.  
*Phymaspermum* Less. (Composit.) 3959  
*Phymatanthus* Sweet (Pelargonium L'Hér.) 985  
*Phymatidium* Lindl. (Orchid.) 6927  
*Phymatocarpus* F. Müll. (Myrtac.) 2294  
*Phymosia* Desv. (Sphæralcea St-Hil.) 749  
*Physa* Thou. (Glinus Löff.) 2731  
*Physacanthus* Benth. (Acanth.) 5549  
*Physalidium* Fenzl (Crucif.) 339  
*Physalis* L. (Solan.) 5109  
— Nor. (Cardiospermum L.).  
*Physanthemum* Kl. (Saheria Fenzl) \*442  
*Physanthera* Spreng. (Inc. sed.) p. 490.  
*Physanthyllis* Boiss. (Anthyllis L.) 1654  
*Physaria* Nutt. (Vesicaria Lam.) 242  
*Physedra* H. f. (Cucurbit.) 2642  
*Physena* Nor. (Passiflor.) 2607  
*Physetobasis* Hassk. (Holarrhena R. Br.) 4618  
*Physianthus* Mart. (Araujia Brot.) 4729  
*Physichilus* Nees (Hygrophila R. Br.) 5522  
*Physidium* Schrad. (Angelonia H. B. K.) 5188  
*Physinga* Lindl. (Epidendrum L.) 6823  
*Physiphora* Soland. (Alsodeia Thou.) 470  
*Physkium* Lour. (Vallisneria L.) 6722  
*Physocalycium* Vent. (Bryophyllum Salisb.) 2180  
*Physocalymma* Pohl (Lythrar.) 2506  
*Physocalyx* Pohl (Scrophul.) 5296  
*Physocarpum* Neck. (Lychnis L.).  
*Physocarpum* Spach (Thalictrum L.) 3  
*Physocarpus* Camb. (Neillia Don) 2026  
*Physocaulis* Tausch (Chærophyl- lum L.) 2825  
*Physochlaina* G. Don (Solan.) 5145  
*Physocodon* Turcz. (Melochia L.) 818  
*Physodeira* Hanst. (Episcia Mart.) 5387  
*Physodia* Salisb. (Urginea Steinh.) 7496  
*Physodium* Presl (Stercul.) 817  
*Physogeton* Jaub. et Spach (Halanthium K. Koch) 6037  
*Physolepidium* Schrenk (Lepidium L.) 336  
*Physoleucas* Jaub. et Spach (Leucas R. Br.) 5839  
*Physolobium* Hügel (Kennedyia Vent.) 1791  
*Physophora* Hoffmsg et Link (Physospermum Cusson).  
*Physoplexis* Schur (Phyteuma L.) 4294  
*Physopodium* Desv. (Inc. sed.) p. 490  
*Physopsis* Turcz. (Verben.) 5667  
*Physoptychis* Boiss. (Vesicaria Lam.) 272  
*Physorhynchus* Hook. (Crucif.) 409  
*Physosiphon* Lindl. (Orchid.) 6745  
*Physospermum* Cusson (Umbellif.) 2770  
— Cusson (Pleurospermum Hoffm.) 2879

- Physostegia* Benth. (Labiata.) 5815  
*Physostelma* Wight (Asclep.) 4853  
*Physostemon* Mart. (Capparid.) 426  
*Physostigma* Balf. (Legumin.) 1812  
*Physotrichia* Hance (err. Hiern) (Umbellif.) 2836  
*Physurus* Rich. (Orchid.) 6995  
*Phytarhiza* Vis. (Tillandsia L.) 7192  
*Phytelephas* R. et P. (Palm.) 7741  
*Phyteuma* L. (Campanul.) 4294  
— Lour. (Sambucus L.).  
*Phytocrene* Wall. (Olacin.) 1254  
*Phytolacca* L. (Phytolac.) 6058  
**Phytolaccaceæ** p. 340.  
*Phytoxis* Spreng. (Sphacele Benth.) 5788  
*Piarranthus* R. Br. (Asclep.) 4870  
*Piccia* Neck. (Moronobea Aubl.)  
*Picconia* DC. (Notelæa Vent.)  
*Picea* Link (Conifer.) 8313  
— Don (Abies Juss.) 8315  
*Pichleria* Stapf et Wetts. (Umbellif.) 2820  
*Pickeringia* Nutt. (Legumin.) 1583  
— Nutt. (Ardisia Sw.) 4470  
*Picnomon* (Lobel) Adans. (Cnicus L.) 4078  
*Picotia* R. et S. (Omphalodes Mönch) 5016  
*Picradenia* Hook. (Actinella Nutt.) 3936  
*Picræna* Lindl. (Simarub.) 1120  
*Picramnia* Sw. (Simarub.) \*1136  
*Picrasma* Bl. (Simarub.) 1118  
*Picrella* H. Bn (Simarub.) 1135  
*Picria* Lour. (Curanga Juss.) 5261  
— Schreb. (Coutoubea Aubl.) 4947  
*Picridium* Desf. (Composit.) 4209  
*Picris* L. (Composit.) 4189  
*Picrococcus* Nutt. (Vaccinium L.) 4321  
*Picrodendron* Planch. (Simarub.) 1137  
*Picrolemma* H. f. (Simarub.) 1121  
*Picrophloeum* Bl. (Fagraea Thunb.) 4904  
*Picrophyta* F. Müll. (Goodenia Sm.) 4233  
*Picrorhiza* Royle (Scrophul.) 5288  
*Picrosia* D. Don (Composit.) 4216  
*Picrothamnus* Nutt. (Artemisia L.) 3989  
*Pictetia* DC. (Legumin.) 1744  
— Hochst. (Ormocarpum P. B. ?).  
*Piddingtonia* A. DC. (Pratia Gaud.) 4260  
*Pierardia* Roxb. (Baccaurea Lour.) 6431  
*Piercea* Mill. (Rivina L.) 6048  
— Raf. (Villamilla R. et P.).  
*Pieridia* Rehb. (Pieris D. Don).  
*Pieris* D. Don (Ericac.) 4346  
*Pierotia* Bl. (Ixnanthes Jack) 904  
*Pierrea* Hance (Samyd.) 2558  
*Pigafetta* Becc. (Palm.) 7712  
*Pigea* DC. (Ionidium Vent.) 470  
*Pilderia* Kl. (Begonia L.) 2695  
*Pilea* Lindl. (Urtic.) 6661  
*Pileanthus* Labill. (Myrtac.) 2271  
*Pileocalyx* Gasp. (Cucurbita L.) 2646  
*Pileostegia* H. f. et T. (Saxifrag.) 2114  
— Turcz. (Ilex L.) 1265  
*Pileostigma* Hochst. (Bauhinia L.) 1937  
*Piletocarpus* Hassk. (Aneilema R. Br.) 7576  
*Pilinophytum* Kl. (Croton L.) 6460  
*Piliocalyx* Brongn. et Gris (Myrtac.) 2352  
*Pilitis* Lindl. (Richea R. Br.) 4415  
*Pillera* Endl. (Mucuna Adans.) 1797  
*Pilocarpus* Vahl (Rutac.) 1075  
*Pilocereus* Lem. (Cereus Haw.) 2708  
*Pilogyne* Schrad. (Melothria L.) 2651  
*Pilophora* Jacq. (Manicaria Gärtn.) 7688  
*Pilosella* Sch. Bip. (Hieracium L.) 4193  
— Kostel. (Arabis L.).  
*Pilospermum* Pl. et Tr. (Guttifer.) 642  
*Pilostyles* Guill. (Apodanthes Poit.) 6125  
*Pilumna* Lindl. (Trichopilia Lindl.) 6897  
*Pimela* Lour. (Canarium L.) 1161  
*Pimelandra* A. DC. (Myrsin.) 4471  
*Pimelca* Banks (Thymel.) 6269  
*Pimeleodendron* Hassk. (Euphorb.) 6558  
*Pimenta* Lindl. (Myrtac.) 2325  
*Pimentelia* Wedd. (Rubiace.) 3012  
*Pimia* Seem. (Stercul.) 838  
*Pimpinella* L. (Umbellif.) 2814  
— Tourn. (Poterium L.).  
*Pinalia* Lindl. (Eria Lindl.) 6781  
*Pinanga* Bl. (Palm.) \*7616  
*Pinarda* Vell. (Micranthemum Mchx) 5267  
*Pinardia* Cass. (Chrysanthemum L.) 3964  
— Neck (Aster L.).  
*Pinaropappus* Less. (Composit.) 4213  
*Pincenectetia* Hort. (Nolina Mchx) 7410  
*Pinckneya* Rich. (Rubiace.) 3059  
*Pineda* R. et P. (Banara Aubl.) 2548  
*Pinelia* Lindl. (Orchid.) 6821  
*Pinellia* Ten. (Aroid.) 7845  
*Pingræa* Cass. (Baccharis L.) 3575  
*Pinguicula* (Tourn.) L. (Lentibular.) 5358  
*Pinguin* Dill. (Bromelia L.)  
*Pinillosia* Ossa (Composit.) 3731  
*Pinknea* Pers. v. *Pinckneya* Rich. 3059  
*Pintoa* C. Gay (Zygophyll.) 979  
*Pinus* (Tourn.) L. (Conifer.) 8309  
*Pinzona* Mart. et Zucc. (Dilleniace.) 34

- Pionandra* Miers (Cyphomandra Sendtn.) 5107  
*Piparea* Aubl. (Casearia Jacq.) 2543  
*Piper* L. (Piperac.) 6141  
**Piperaceæ p. 345.**  
*Piperella* Presl (Micromeria Benth.) 5773  
*Piptadenia* Benth. (Legumin.) 1982  
*Piptandra* Turcz. (Scholtzia Schau.)  
*Piptanthus* D. Don (Legumin.) 1580  
*Piptatherum* P. B. (Oryzopsis Mchx.) 8091  
*Piptocalyx* Oliv. (Monimiace.) 6165  
— Torr. (Eritrichium Schrad.) 9027  
*Piptocarpa* R. Br. (Composit.) 3409  
— H. et A. (Chuquiragua Juss.) 4118  
*Piptocelus* Presl (Inc. sed.) p. 490.  
*Piptocephalum* Sch. Bip. (Catananche L.) 4167  
*Piptoceras* Cass. (Centaurea L.) 4100  
*Piptochaetium* Presl (Gramin.) 8093  
*Piptochlamys* C. A. Mey. (Thymelæa Endl.) 6074  
*Piptoclaina* G. Don (Heliotropium L.) 5006  
*Piptocoma* Cass. (Composit.) 3415  
— Less. (Lychnophora Mart.) 3421  
*Piptolæna* Harv. (Voacanga Thou.) 4611  
*Piptolepis* Sch. Bip. (Composit.) 5413  
— Benth. (Forestiera Poir.) 4542  
*Piptomeris* Turcz. (Jacksonia R. Br.) 1594  
*Piptopogon* Cass. (err. Piptogon) (Hypochæris L.) 4197  
*Piptoptera* Bge (Chenopod.) 6039  
*Piptosaccos* Turcz. (Inc. sed.) p. 490.  
*Piptospatha* N. E. Brown (Aroid.) 7801  
*Piptostegia* Hoffmsg (Ipomæa L.) 5077  
*Piptostemma* Turcz. (Angianthus Wendl.) 3659  
*Piptostigma* Oliv. (Anonac.) 101  
*Piptostylis* Dalz. (Clausena Burm.) 1068  
*Piptothrix* A. Gray (Composit.) 3440  
*Pipturus* Wedd. (Urtic.) 6676  
*Piqueria* Cav. (Composit.) 3431  
*Piranhea* H. Bn (Euphorb.) 6427  
*Pirarda* Adans. (Ethulia L.) 3393  
*Piratinera* Aubl. (Brosimum Sw.) 6623  
*Pircunia* Moq. (Phytolacca L.) 6058  
*Pirea* Th. Dur. (Crucif.) + 253b  
*Pirigara* Aubl. (Gustavia L.) 2330  
*Piringa* Juss. (Gardenia L.) 3181  
*Piripea* Aubl. (Buchnera L.) 5303  
*Piriqueta* Aubl. (Turnerac.) 2578  
*Pirophorum* Neck. (Pyrus L.)  
*Pirus* Cæsalp. v. *Pyrus* L.  
*Pironneara* Gaud. (Bromel.) 7180  
*Pisaura* Bonat. (Lopezia Cav.) 2533  
*Piscidia* L. (Legumin.) 1848  
*Pisonia* (Plum.) L. (Nyctagin.) 5886  
— Rottb. (Maba Forst.)  
*Pisosperma* Sond. (Cucurbit.) 2655  
*Pistacia* L. (Anacard.) 1528  
*Pistia* L. (Aroid.) 7857  
*Pistolochia* Raf. (Aristolochia L.) 6135  
*Pistorinia* DC. (Cotyledon L.) 2182  
*Pisum* (Tourn.) L. (Legumin.) 1779  
*Pitavia* Molina (Rutac.) 1063  
— Nutt. (Cneoridium H. f.) 1124  
*Pitcairnia* L'Hér. (Bromel.) 7182  
— Forst. (Pennantia Forst.)  
*Pitcheria* Nutt. (Rhynchosia Lour.) 1825  
*Pithecoctenium* Mart. (Bignon.) 5454  
*Pithecolobium* Mart. (Legumin.) 2001  
*Pithecoseris* Mart. (Composit.) 3424  
*Pithocarpa* Lindl. (Composit.) 3654  
*Pithecurus* Willd. (Trachypogon Nees).  
*Pithosillum* Cass. (Senecio L.) 4025  
*Pitræa* Turcz. (Priva Adans.) 5685  
*Pittonia* Plum. (Tournefortia L.)  
*Pittoniotis* Griseb. (Antirrhoea Comm.) 3214  
**Pittosporæ p. 26.**  
*Pittosporum* Banks (Pittospor.) 528  
*Pitumba* Aubl. (Casearia Jacq.) 2543  
*Pituranthos* Viv. (Umbellif.) 2804  
*Pityopsis* Nutt. (Chrysopsis Nutt.) 3483  
*Pityranthe* Thw. (Tiliac.) 843  
*Pityrodia* R. Br. (Verben.) 5672  
*Pityrophyllum* Beer (Tillandsia L.) 7192  
*Pityrosperma* S. et Z. (Cimicifuga L.) 28  
*Placra* Miers (Amaryll.) 7299  
*Placocarpa* H. f. (Rubiace.) 3236  
*Placodiscus* Radlk. (Sapind.) 1398  
*Placodium* Pers. (Plocama Ait.) 334  
*Placolobium* Miq. (Inc. sed.) p. 490.  
*Placoma* Gmel. v. *Plocama* Ait. 3321  
*Placopoda* Balf. f. (Rubiace.) 3041  
*Placostigma* Bl. (Podochilus Bl.) 6970  
*Placus* Lour. (Blumea DC.) 3581  
*Pladaroxylon* H. f. (Senecio L.) 4025  
*Pladera* Griseb. (Hoppea Willd.) 4925  
— Soland. (Canscora Lam.) 4944  
*Plæsiantha* H. f. (Rhizophor.) 2239  
*Plagiacanthus* Nees (Dianthera L.) 5621  
*Plagianthera* Rehb. f. et Zoll. (Mallotus Lour.) 6522  
*Plagianthus* Forst. (Malvac.) 737  
*Plagiobasis* Schrenk (Composit.) 4096  
*Plagiobotrys* F. et M. (Eritrichium Schrad.) 5027  
*Plagiocarpa* Benth. (Legumin.) + 1616b  
*Plagiocaryum* Willd. (Inc. sed.)  
*Plagiocheilus* Arn. (Composit.) 3972



- Plagiolirion* Bak. (Amaryll.) 7315  
*Plagiolobium* Sw. (Hovea R. Br.) 1615  
*Plagiolytrum* Nees (Tripogon Roth) 8171  
*Plagiophyllum* Schlecht. (Centradenia G. Don) 2367  
*Plagiopteron* Griff. (Tiliac.) 879  
*Plagioscyphus* Radlk. (Sapind.) 1402  
*Plagiospermum* Oliv. (Umbellif.) 1304  
*Plagiorhegma* Maxim. (Jeffersonia Bartl.) 199  
*Plagiosetum* Benth. (Gramin.) 8058  
*Plagiostemon* Kl. (Simocheilus Kl.) 4358  
*Plagiostigma* Zucc. (Inc. sed.) p. 490.  
— Presl (Aspalathus L.) 1626  
*Plagiotaxis* Wall. (Chukrasia A. Juss.) 1197  
*Plagius* L'Hér. (Chrysanthemum L.) 3964  
*Planarium* Desv. (Chætocalyx DC.) 1740  
*Planchonia* Bl. (Myrtac.) 2342  
— Dun. (Salpichroma Miers).  
— J. Gay (Polycarpæa Lam.) 603  
*Plancia* Neck. (Leontodon L.) 4198  
*Planera* Gmel. (Urtic.) 6585  
— Giseke (Costus L.) 7129  
*Planotia* Munro (Gramin) 8287  
**Plantagineæ** p. 330.  
*Plantaginella* (Rupp.) Mönch (Limosella L.).  
*Plantago* (Tourn.) L. (Plantagin.) 5867  
*Plantia* Herb. (Hexaglottis Vent.?) 7231  
**Platanaceæ** p. 379.  
*Platanaria* S. F. Gray (Sparganium L.) 7752  
*Platanocarpus* Korth. (Sarcocephalus Afz.) 3000  
*Platanthera* Rich. (Habenaria Willd.) 7066  
*Platanus* (Tourn.) L. (Platanac.) 6692  
*Platea* Bl. (Olacin.) 1247  
*Plateana* Salisb. (Narcissus L.) 7281  
*Platenia* Karst. (Cocos L.) 7736  
*Plathymenia* Benth. (Legumin.) 1981  
*Platonia* Mart. (Guttifer.) 651  
— Kth (Planotia Munro) 8287  
— Raf. (Zapania Lam.).  
*Platostoma* P. B. v. Platystoma P. B. 5728  
*Platunium* Juss. (Holmskioldia Retz) 5713  
*Platycapnos* Bernh. (Fumaria L.) 238  
*Platycarpha* Less. (Composit.) 4064  
*Platycarpidium* F. Müll. (Platysace Bge) 2744  
*Platycarpum* H. et B. (Rubiace.) 3051  
*Platycarya* Zucc. (Jugland.) 6699  
*Platycentrum* Naud. (Melastom.) 2453  
— Kl. (Begonia L.) 2695  
*Platychæta* Boiss. (Pulicaria Gärtn.) 3705  
*Platycheilus* Cass. (Trixis P. Br.) 4156  
*Platychilum* Delaunay (Hovea R. Br.) 1615  
*Platycladus* Spach (Thuya L.) 8328  
— Spach (Thuyopsis S. et Z.) 8326  
*Platyclinis* Benth. (Orchid.) 6758  
*Platyclinium* Henfr. (Begonia L.) 2695  
*Platycodon* A. DC. (Campanul.) 4275  
— Rchb. v. Platydaucun Rchb.  
*Platycoryne* Rchb. f. (Orchid.) 7083  
*Platycrater* S. et Z. (Saxifrag.) 2120  
*Platycyamus* Benth. (Legumin.) 1792  
*Platydaucun* Rchb. (Platyspermum Hoffm.).  
*Platydesma* H. Mann (Rutac.) 1065  
*Platyestes* Salisb. (Lachenalia Jacq.) 7488  
*Platygonia* Naud. (Trichosanthes L.) 2611  
*Platygyne* Merc. (Euphorb.) 6551  
*Platylepis* A. Rich. (Orchid.) 7012  
— Kth (Ascolepis Nees) 7941  
*Platylobium* Sm. (Legumin.) 1612  
*Platylophus* D. Don (Saxifrag.) 2160  
— Cass. (Centaurea L.) 4100  
*Platymerium* Bartl. (Inc. sed.) p. 490.  
*Platymetra* Salisb. (Tupistra Ker) 7383  
*Platymiscium* Vog. (Legumin.) 1839  
*Platynema* W. et A. (Tristellateia Thou.) 944  
*Platypetalum* R. Br. (Braya Sternb. et Hoppe) 310  
*Platypodium* Vog. (Legumin.) 1835  
*Platyptelea* J. Drumm. (Aphanopetalum Endl.) 2154  
*Platypteris* H. B. K. (Verbesina L.) 3832  
*Platypholis* Maxim. (Orobanch.) 5352  
*Platyraphe* Miq. (Pimpinella L.) 2814  
*Platyrhiza* Barb. Rodr. (Orchid.) 7111  
*Platyraphium* Cass. (Cnicus L.) 4078  
*Platysace* Bge (Umbellif.) \*2744  
*Platysema* Hoffm. (Centrosema DC.) 1781  
*Platysepalum* Welw. (Legumin.) 1688  
*Platysma* Bl. (Podochilus Bl.) 6970  
*Platyspermum* Hook. (Crucif.) 268  
— Hoffm. (Daucus L.) 2907  
*Platystachya* Beer (Tillandsia L.) 7192  
*Platystemma* Wall. (Gesner.) 5405  
*Platystemon* Benth. (Papaverac.) 213  
*Platystephium* Gardn. (Egletes Cass.) 3512  
*Platystigma* R. Br. (Euphorb.) 6448  
— Benth. (Meconella Nutt.) 214

- Platystigma* Wall. (*Baccaurea* Lour.) 6431  
*Platystoma* P. B. (Labiata) 5728  
*Platystylis* Bl. (*Lathyrus* L.) 1778  
— Sweet (*Liparis* L. C. Rich.) 6756  
*Platytheca* Steetz (*Tremandra*) 539  
*Platyzamia* Zucc. (*Dioon* Lindl.) 8344  
*Plazia* R. et P. (Composit.) 4111  
*Plecosperrum* Tréc. (Urtic.) 6607  
*Plecostigma* Turcz. (*Gagea* Salisb.) 7513  
*Plectaneia* Thou. (Apocyn.) 4619  
*Plectocephalus* Don (*Centaurea* L.) 4100  
*Plectocomia* Mart. (Palm.) 7713  
*Plectogyne* Link (*Aspidistra* Ker) 7382  
*Plectopoma* Hanst. (*Gloxinia* L'Hér.)  
*Plectranthera* Mart. (*Luxemburgia* St-Hil.) 1145  
*Plectranthus* L'Hér. (Labiata) 5735  
*Plectritis* DC. (Valerian.) 3380  
*Plectrocarpa* Gill. (Zygophyll.) 977  
*Plectronia* L. (Rubiaceae) 3247  
— (Burm.) G. Don (*Celastrus* L.f.)  
— Lour. (*Acanthopanax* Dcne) 2939  
*Plectrophora* Focke (*Comparettia* Pöpp. et Endl.) 6891  
*Plectrotropis* Schum. (*Vigna* Savi) 1815  
*Plectrurus* Raf. (*Tipularia* Nutt.) 6762  
*Pleea* Mchx (*Liliaceae*) 7540  
*Plegorhiza* Molina (Inc. sed.)  
*Pleiocarpa* Benth. (Apocyn.) 4586  
*Pleiochiton* Naud. (Melastom.) 2463  
*Pleiococca* F. Müll. (Rutac.) 1085  
*Pleiodon* Rchb. v. *Polyodon* H. B. K.  
*Pleioogyne* K. Koch (*Cotula* L.) 3968  
*Pleio gynium* Engl. (Anacard.) 1517  
*Pleiomerris* A. DC. (*Myrsine* L.) 4460  
*Pleione* D. Don (*Cœlogyne* Lindl.) 6800  
*Pleiosmilax* Seem. (*Smilax* L.) 7357  
*Pleiospora* Harv. (Legumin.) 1620  
*Pleio stemon* Sond. (*Securinega* Juss.) 6406  
*Pleiotaxis* Steetz (Composit.) 4115  
*Plenchia* Reissek (*Celastr.*) 1307  
— Raf. (*Glinus* Löffl.) 2731  
*Pleocarphus* Don (*Jungia* L. f.) 4158  
*Pleogyne* Miers (*Menisperm.*) 175  
*Pleomele* Salisb. (*Dracæna* L.) 7408  
*Pleonotoma* Miers (*Bignonia* L.) 5446  
*Pleopogon* Nutt. (*Lycurus* H. B. K.) 8099  
*Pleotheca* Wall. (*Spiradiclis* Bl.) 3100  
*Plerandra* A. Gray (*Araliac.*) 2966  
*Pleroma* D. Don (*Tibouchina* Aubl.) 2383  
*Plesmonium* Schott (*Aroid.*) 7786  
*Plethiandra* H. f. (Melastom.) 2483  
*Plethostephia* Miers (*Cordia* L.) 4992  
*Pleurachne* Schrad. (*Ficinia* Schrad.) 7936  
*Pleurandra* Labill. (*Hibbertia* Andr.) 44  
— DC. (*Hibbertia* Andr.) 44  
— Raf. (Inc. sed.) p. 490.  
*Pleurandropsis* H. Bn (Rutac.) 1049  
*Pleuranthe* Salisb. (*Protea* L.) 6219  
*Pleuranthium* Lindl. (Orchid.) 6817  
*Pleuraphis* Torr. (*Hilaria* H. B. K.) 8027  
*Pleuricospora* A. Gray (*Monotrop.*) 4390  
*Pleuripetalum* Becc. (Anonac.) + 72b  
*Pleurisanthes* H. Bn (Olacin.) 1252  
*Pleurobotryum* Barb. Rodr. (Orchid.) 7104  
*Pleurocalyptus* Brongn. (Myrtac.) 2308  
*Pleurocarpæa* Benth. (Composit.) 3403  
*Pleurocarpus* Kl. (*Rhyssocarpus* Endl.) 3160  
*Pleurochænia* Griseb. (*Miconia* R. et P.) 2462  
*Pleurocoffea* H. Bn (Rubiaceae) 3031  
*Pleurogyne* Eschsch. (Gentian.) 4957  
*Pleurolobus* J. St-Hil. (*Desmodium* Desv.) 1761  
*Pleuropappus* F. Müll. (*Angianthus* Wendl.) 3659  
*Pleuropetalum* H. f. (Amarant.) 5916  
— Bl. (*Villarezia* R. et P.) 1248  
*Pleurophora* Don (*Lythrar.*) 2498  
*Pleurophyllum* H. f. (Composit.) 3555  
*Pleuropitis* Trin. (*Arthraxon* P. B.) 8019  
*Pleuropogon* R. Br. (Gramin.) 8232  
*Pleuropterantha* Franch. (Chenopod.) 5984  
*Pleuropterus* Turcz. (*Polygonum* L.) 6084  
*Pleurospermum* Hoffm. (Umbellif.) 2879  
*Pleurostachys* Brongn. (*Rhynchospora* Vahl) 7955  
*Pleurostemon* Raf. (Inc. sed.) p. 490.  
*Pleurostigma* Hochst. (*Bouchea* Cham.) 5683  
*Pleurostyliia* W. et A. (Celastr.) 1286  
*Pleurotænia* Boiss. (*Peucedanum* L.) 2886  
*Pleurothallis* R. Br. (Orchid.) 6743  
*Pleurothyrium* Nees (Laurin.) 6202  
*Plexaure* Endl. (*Phreatia* Lindl.) 6782  
*Plinia* (Plum.) L. (*Eugenia* L.) 2327  
*Plinthanthesis* Steud. (*Danthonia* DC.) 8155  
*Plinthine* Rchb. (*Arenaria* L.) 583  
*Plinthus* Fenzl (Ficoid.) 2720  
*Plocama* Ait. (Rubiaceae) 3321  
*Plocandra* E. Mey. (*Chironia* L.) 4923  
*Plocoglottis* Bl. (Orchid.) 6846  
*Plocosperma* Benth. (Logan.) 4887  
*Plocostemma* Bl. (*Hoya* R. Br.) 4852  
*Plœsslea* Endl. (*Boswellia* Roxb.) 1154  
*Ploiarium* Korth. (*Archytæa* Mart.) 698  
*Plokiostigma* Schuch. (*Stackhousia* Sm.) 1316

- Plotia* Adans. (Myrsine L.)  
 — Neck. (*Ropourea* Aubl.)  
*Plottzia* Arn. (*Paronychia* Juss.) 5901  
*Pluchea* Cass. (Composit.) 3583  
*Plukenetia* (Plum.) L. (Euphorb.) 6549  
*Plumbagella* Spach (*Plumbago* L.) 4431  
*Plumbagidium* Spach (*Plumbago* L.) 4431  
**Plumbagineæ p. 248.**  
*Plumbago* L. (*Plumbagin.*) 4431  
 — Spach (*Plumbago* L.) 4431  
*Plumeria* (Tourn.) L. (Apocyn.) 4604  
*Plummera* A. Gray (Composit.) 3937  
*Pluridens* Neck. (*Bidens* L.) 3856  
*Pneumonanthe* (Gled.) Schmidt (*Gentiana* L.) 4955  
*Pneumonanthopsis* Miq. (*Voyria* Aubl.) 4929  
*Poa* L. (Gramin.) 8247  
*Poarchon* Allem. (*Trimezia* Salisb.) 7225  
*Poarium* Desv. (*Stemodia* L.) 5248  
*Pocockia* Boiss. (*Trigonella* L.) 1650  
 — Ser. (*Trigonella* L.) 1650  
*Podachænum* Benth. (Composit.) 3834  
*Podadenia* Thw. (Euphorb.) 6519  
*Podagraria* (Riv.) Mönch (*Ægopodium* L.)  
*Podalyria* Lam. (Legumin.) 1585  
*Podanthera* Wight (*Epipogon* Gmel.) 7049  
*Podanthes* Harv. (Asclep.) 4877  
*Podanthum* Boiss. (*Phyteuma* L.) 4294  
*Podanthus* Lag. (Composit.) 3773  
*Podia* Neck. (*Centaurea* L.) 4100  
*Podianthus* Schnitzl. (*Trichopus* Gärt.) 7350  
*Podiopetalum* Hochst. (*Dalbergia* L.) 1828  
*Podistera* S. Wats. (Umbellif.) 2815  
*Podobesleria* Ærst. (*Besleria* L.) 5438  
*Podocallis* Salisb. (*Massonia* Thunb.) 7484  
*Podocalyx* Kl. (*Richeria* Vahl) 6438  
*Podocarpus* L'Hér. (Conifer.) 8334  
*Podochilus* Bl. (Orchid.) 6970  
*Podococcus* Wendl. et Mann (Palm.) 7680  
*Podocoma* Cass. (Composit.) 3557  
 — Benth. (*Asteropsis* Less.) 3558  
*Podocytisus* Boiss. (*Laburnum* Griseb.) 1638  
*Podolasia* N. E. Brown (Aroid.) 7782  
*Podolepis* Labill. (Composit.) 3684  
*Podolobium* R. Br. (*Oxylobium* Andr.) 1588  
*Podolotus* Royle (*Astragalus* L.) 1720  
*Podonephelium* H. Bn (Sapind.) 1425  
*Podonosma* Boiss. (*Onosma* L.) 5066  
*Podoon* H. Bn (Phytolac.) 6068  
*Podopappus* H. et A. (*Podocoma* Cass.) 3557  
*Podopetalum* F. Müll. (Legumin.) 1873  
 — Gaudin (*Trochiscanthes* Koch).  
*Podophania* H. Bn (Composit.) 3433  
*Podophorus* Phil. (Gramin.) 8098  
*Podophyllum* L. (Berberid.) 200  
*Podopogon* Ehrenb. (Inc. sed.) p. 490.  
 — Raf. (*Stipa* L.).  
*Podopterus* H. et B. (Polygon.) 6096  
*Podoria* Pers. (*Boscia* Lour.) 444  
*Podosæmum* Desv. (*Muehlenbergia* Schreb.) 8096  
*Podosciadium* A. Gray (Umbellif.) 2852  
*Podosperma* Labill. (*Podotheca* Cass.) 3643  
*Podospermum* DC. (*Scorzonera* L.) 4219  
*Podostachys* Müll. Arg. (*Croton* L.) 6460  
*Podostaurus* Jungh. (*Bœnnighausenia* Rchb.) 1020  
**Podostemaceæ p. 343.**  
*Podostemon* Mchx (*Podostem.*) 6113  
*Podostigma* Ell. (Asclep.) 4744  
*Podotheca* Cass. (Composit.) 3643  
*Poecilandra* Tul. (Ochnac.) 1148  
*Poecilanthe* Benth. (Legumin.) 1838  
*Poecilochroma* Miers (Solan.) 5126  
*Poecilodermis* Schott (*Sterculia* L.) 791  
*Poecilostachys* Hack. (Gramin.) 8230  
*Poeciloneuron* Bedd. (Guttifer.) 661  
*Pœckia* Endl. (*Psilostachys* Hochst.) 5938  
*Pœppigia* Presl (Legumin.) 1900  
 — Bert. (*Rhaphithamnus* Miers) 5696  
 — Kunze (*Tecophilæa* Bert.) 7217  
*Poggendorffia* Karst. (*Tacsonia* Juss.) 2586  
*Pogochilus* Falc. (*Galeola* Bl.) 6973  
*Pogogyne* Benth. (Labiata.) 5778  
*Pogonanthra* Bl. (Melastom.) 2452  
 — Spach (*Scævola* L.).  
*Pogonanthus* Montr. (Inc. sed.) p. 490.  
*Pogonatherum* P. B. (Gramin.) 8004  
*Pogonella* Salisb. (*Simethis* Kth) 7419  
*Pogonetes* Lindl. (*Scævola* L.) 4237  
*Pogonia* Juss. (Orchid.) 7043  
 — Andr. (*Myoporum* Banks et Soland.) 5646  
*Pogoniopsis* Rchb. f. (Orchid.) 7044  
*Pogonolepis* Steetz (*Angianthus* Wendl.)  
*Pogonolobus* F. Müll. (*Cœlospermum* Bl.) 3274  
*Pogonophora* Miers (Euphorb.) 6446  
*Pogonophyllum* Didrichs. (*Micrandra* Benth.) 6451



- Pogonopsis* Presl (Inc. sed.) p. 490.  
*Pogonopus* Kl. (Rubiaceae) 3060  
*Pogonorhynchus* Crüg. (Miconia R. et P.) 2462  
*Pogonospermum* Hochst. (Schwa-bea Endl.) 5609  
*Pogonostigma* Boiss. (Tephrosia Pers.) 1682  
*Pogonostylis* Bertol. (Fimbristylis Vahl) 7932  
*Pogonotrophe* Miq. (Ficus L.) 6621  
*Pogonura* DC. (Perezia Lag.?) 4154  
*Pogopetalum* Benth. (Emmotum Desv.) 1241  
*Pogospermum* Brongn. (Catopsis Griseb.) 7191  
*Pogostemon* Desf. (Labiatae) 5747  
*Pogostoma* Schrad. (Capraria L.) 5280  
*Pohlana* Nees et Mart. (Zanthoxylum L.) 1067  
*Poicilla* Griseb. (Asclepiadaceae) 4816  
*Poidium* Nees (Poa L.) 8247  
*Poikilospermum* Zipp. (Urticaceae) 6674  
*Poinciana* (Tourn.) L. (Leguminosae) 1919  
*Poincinia* Hook. (Caesalpinia L.) 1910  
*Poinsettia* Grah. (Euphorbia L.) 6370  
*Poiretia* Vent. (Leguminosae) 1742  
— Cav. (Sprengelia Sm.) 4413  
— Sm. (Hovea R. Br.) 1615  
*Poissonia* H. Bn (Leguminosae) 1698  
*Poitaea* Vent. (Leguminosae) 1694  
*Poivreia* Comm. (Combretum L.) 2260  
*Pokornya* Montr. (Lumnitzera Willd.) 2257  
*Polakia* Stapf (Labiatae) 5794  
*Polanisia* Raf. (Capparidaceae) 430  
*Polemanna* E. et Z. (Umbelliferae) 2864  
— Berg (Dipcadi Medik.) 7492  
*Polembryon* A. Juss. (Esenbeckia Kl.) 1076  
**Polemoniaceae** p. 279.  
*Polemonium* (Tourn.) L. (Polemon.) 4970  
*Polea* Lour. (Polycarpaea Lam.?).  
— Ten. (Cypella Herb.) 7224  
*Polianthes* L. (Amaryllidaceae) 7333  
*Poliifolia* Buxb. (Andromeda L.)  
*Polidendron* Noé (Teucrium L.) 5864  
*Poliomintha* A. Gray (Labiatae) 5776  
*Polium* (Tourn.) Mönch (Teucrium L.) 5864  
*Pollalesta* H. B. K. (Oliganthus Cass.) 3414  
*Polia* Thunb. (Commelinaceae) 7571  
*Pollichia* Soland. (Illecebr.) 5898  
— Medik. (Trichodesma R. Br.) 5009  
— Willd. (Lamium L.) 5833  
*Pollinia* Trin. (Graminaceae) 8001  
*Poloa* DC. (Pulicaria Gärtner.) 3705  
*Polpoda* Presl (Ficoid.) 2735  
*Poltolobium* Presl (Andira Presl) 1851  
*Polyacantha* S. F. Gray (Centau-rea L.) 4100  
*Polyacanthus* Presl (Celastrus L.) 1288  
*Polyachyrus* Lag. (Compositae) 4151  
*Polyactidium* DC. (Erigeron L.) 3561  
*Polyactis* Less. (Erigeron L.) 3561  
*Polyactium* E. et Z. (Pelargonium L'Hér.) 985  
*Polyadenia* Nees (Lindera Thunb.) 6212  
*Polyalthia* Bl. (Anonaceae) 88  
*Polyantherix* Nees (Elymus L.) 8270  
*Polyanthes* Jacq. (Polyxena Kth) 7487  
*Polyanthus* Hort. Cliff. v. Polian-thes Jacq. 7333  
*Polyarrhena* Cass. (Detris Adans.) 3545  
*Polyaster* H. f. (Rutaceae) 1072  
*Polyboea* Kl. (Bernardia P. Br.) 6493  
— Kl. (Cavendishia Lindl.) 4314  
*Polycalymna* Sond. (Myriocephalus Benth.) 3657  
*Polycantha* Hill (Cnicus L.)  
*Polycardia* Juss. (Celastr.) 1291  
*Polycarena* Benth. (Scrophul.) 5230  
*Polycarpaea* Lam. (Caryophyll.) 603  
*Polycarpia* Webb v. Polycarpaea Lam. 603  
*Polycarpon* (Löfl.) L. (Caryophyll.) 596  
*Polycenia* Choisy (Hebenstretia L.) 5651  
*Polycephalos* Forsk. (Sphaeranthus L.) 3593  
*Polychætia* Less. (Nestlera Spreng.) 3677  
— Tausch (Tolpis Adans.) 4178  
*Polychilos* Breda (Phalaenopsis Bl.) 6937  
*Polychloena* G. Don (Melochia L.) 818  
*Polychroa* Lour. (Pellionia Gaud.) 6664  
*Polyclados* Phil. (Lepidophyllum H. et A.) 3499  
*Polyclathra* Bertol. (Cucurbit.) 2694  
*Polyclidia* Miers v. Polydiclis Miers.  
*Polycnemum* L. (Chenopod.) 5993  
*Polycœlium* A. DC. (Myoporum Banks et Soland.) 5646  
*Polycynis* Rehb. f. (Orchid.) 6879  
*Polycyrtus* Schlcht. (Peucedanum L.) 2886  
*Polydiclis* Miers (Nicotiana L.) 5158  
*Polydontia* Bl. (Pygeum Gärtner.) 2021  
*Polydora* Fenzl (Vernonia Schreb.) 3405  
*Polydragma* H. f. (Euphorb.) 6529  
*Polyechma* Hochst. (Hygrophila R. Br.) 5522  
*Polygala* (Tourn.) L. (Polygal.) 542  
— Adans. (Penæa L.).

**Polygaleæ p. 27.****Polygonaceæ p. 341.**

|   |      |
|---|------|
| <i>Polygonastrum</i> Mönch ( <i>Smilacina</i> Desf.)    | 7375 |
| <i>Polygonatum</i> (Tourn.) Adans. (Liliac.)            | 7371 |
| <i>Polygonella</i> Mchx (Polygon.)                      | 6083 |
| <i>Polygonum</i> L. (Polygon.)                          | 6084 |
| <i>Polygyne</i> Phil. ( <i>Plagiocheilus</i> Arn.)      | 3972 |
| <i>Polylepis</i> R. et P. (Rosac.)                      | 2064 |
| <i>Polylobium</i> E. et Z. ( <i>Leptononis</i> DC.)     | 1621 |
| <i>Polylophium</i> Boiss. (Umbellif.)                   | 2910 |
| <i>Polymeria</i> R. Br. (Convolvul.)                    | 5084 |
| <i>Polymnia</i> L. (Composit.)                          | 3744 |
| <i>Polymniastrum</i> Lam. ( <i>Polymnia</i> L.)         | 3744 |
| <i>Polynome</i> Salisb. ( <i>Dioscorea</i> L.)          | 7345 |
| <i>Polyodon</i> H. B. K. ( <i>Bouteloua</i> Lag.)       | 8169 |
| <i>Polyosma</i> Bl. (Saxifrag.)                         | 2141 |
| <i>Polyotus</i> Nutt. ( <i>Gomphocarpus</i> R. Br.)     | 4739 |
| <i>Polyozus</i> Lour. (Inc. sed.) p. 490.               |      |
| — Bl. ( <i>Psychotria</i> L.)                           | 3285 |
| <i>Polypappus</i> Less. ( <i>Baccharis</i> L.)          | 3575 |
| — Nutt. ( <i>Tessaria</i> R. et P.)                     | 3586 |
| <i>Polypara</i> Lour. ( <i>Houttuynia</i> Thunb.)       | 6138 |
| <i>Polyphema</i> Lour. ( <i>Artocarpus</i> L.)          | 6639 |
| <i>Polyphragmon</i> Desf. ( <i>Timonius</i> Rumph.)     | 3220 |
| <i>Polypleurum</i> Tayl. ( <i>Podostemon</i> Mchx)      | 6113 |
| <i>Polypogon</i> Desf. (Gramin.)                        | 8114 |
| <i>Polypompholiæ</i> Lehm. (Lentibular.)                | 5356 |
| <i>Polyporandra</i> Becc. (Celastr.)                    | 1259 |
| <i>Polypremum</i> L. (Logan.)                           | 4891 |
| — Adans. ( <i>Valerianella</i> Mönch)                   | 3381 |
| <i>Polypteris</i> Less. ( <i>Gaillardia</i> Foug.)      | 3935 |
| — Nutt. ( <i>Palafoxia</i> Lag.)                        | 3909 |
| <i>Polyrhaphis</i> Lindl. ( <i>Pappophorum</i> Schreb.) | 8184 |
| <i>Polyscalis</i> Wall. ( <i>Cyathula</i> Lour.)        | 5935 |
| <i>Polyschemone</i> Schott ( <i>Lychnis</i> L.)         | 577  |
| <i>Polyschisma</i> Turcz. ( <i>Pelargonium</i> L'Hér.)  | 985  |
| <i>Polyschistis</i> Presl (Inc. sed.) p. 490.           |      |
| <i>Polyscias</i> Forst. (Araliac.)                      | 2948 |
| <i>Polysolenia</i> H. f. (Rubiace.)                     | 3118 |
| <i>Polyspatha</i> Benth. (Commelin.)                    | 7575 |
| <i>Polysphæria</i> H. f. (Rubiace.)                     | 3239 |
| <i>Polyspora</i> Sweet ( <i>Gordonia</i> Ellis)         | 692  |
| <i>Polystachya</i> Hook. (Orchid.)                      | 6845 |
| <i>Polystegia</i> Rchb. f. ( <i>Hæmanthus</i> L.)       | 7311 |
| <i>Polystemma</i> Dcne (Asclep.)                        | 4818 |

|  |      |
|--|------|
| <i>Polystemon</i> Don ( <i>Belangera</i> Camb.)        | 2152 |
| <i>Polystigma</i> Meisn. ( <i>Byronia</i> Endl.)       | 1266 |
| <i>Polystorthia</i> Bl. ( <i>Pygeum</i> Gärtn.)        | 2021 |
| <i>Polytænia</i> DC. (Umbellif.)                       | 2896 |
| <i>Polytaxis</i> Bge ( <i>Jurinæa</i> Cass.)           | 4089 |
| <i>Polythecandra</i> Pl. et Tr. ( <i>Clusia</i> L.)    | 638  |
| <i>Polythrix</i> Nees ( <i>Crossandra</i> Salisb.)     | 5563 |
| <i>Polythysania</i> Hanst. ( <i>Alloplectus</i> Mart.) | 5386 |
| <i>Polytoca</i> R. Br. (Gramin.)                       | 7992 |
| <i>Polytrias</i> Hack. (Gramin.)                       | 8003 |
| <i>Polytropia</i> Presl ( <i>Rhynchosia</i> Lour.)     | 1825 |
| <i>Polyura</i> H. f. (Rubiace.)                        | 3101 |
| <i>Polyxena</i> Kth (Liliac.)                          | 7487 |
| <i>Polyzone</i> Endl. ( <i>Darwinia</i> Rudge)         | 2268 |
| <i>Polyzygus</i> Dalz. (Umbellif.)                     | 2867 |
| <i>Pomaderris</i> Labill. (Rhamn.)                     | 1343 |
| <i>Pomangium</i> Reinw. ( <i>Argostemma</i> Wall.)     |      |
| <i>Pomaria</i> Cav. ( <i>Cæsalpinia</i> L.)            | 1910 |
| <i>Pomasterium</i> Miq. ( <i>Actinostemma</i> Griff.)  | 2686 |
| <i>Pomatium</i> Gärtn. ( <i>Bertiera</i> Aubl.)        | 3149 |
| <i>Pomatocalpe</i> Breda ( <i>Cleisostoma</i> Bl.)     | 6950 |
| <i>Pomatosace</i> Maxim. (Primul.)                     | 4445 |
| <i>Pomatotheca</i> F. Müll. (Ficoid.)                  | 2728 |
| <i>Pomax</i> Soland. (Rubiace.)                        | 3340 |
| <i>Pombalia</i> Vand. ( <i>Ionidium</i> Vent.)         | 470  |
| <i>Pomelia</i> Durando ( <i>Daucus</i> L.)             | 2907 |
| <i>Pometia</i> Forst. (Sapind.)                        | 1422 |
| — Vell. ( <i>Pouteria</i> Aubl.)                       | 4495 |
| <i>Pomereula</i> Domb. ( <i>Miconia</i> R. et P.)      | 2462 |
| <i>Pommereulla</i> L. f. (Gramin.)                     | 8189 |
| <i>Pomphidia</i> Miers (Apocyn.)                       | 4587 |
| <i>Ponæa</i> Schreb. ( <i>Toulicia</i> Aubl.)          | 1382 |
| <i>Ponceletia</i> R. Br. ( <i>Sprengelia</i> Sm.)      | 4413 |
| — Thou. ( <i>Spartina</i> Schreb.)                     | 8158 |
| <i>Ponera</i> Lindl. (Orchid.)                         | 6820 |
| <i>Ponerorchis</i> Rchb. f. ( <i>Habenaria</i> Willd.) | 7066 |
| <i>Pongamia</i> Vent. (Legumin.)                       | 1847 |
| <i>Pongatium</i> Juss. ( <i>Sphenoclea</i> Gärtn.)     | 4291 |
| <i>Pontederia</i> L. (Ponteder.)                       | 7561 |
| <b>Pontederiaceæ p. 433.</b>                           |      |
| <i>Pontesia</i> Vell. ( <i>Riencourtia</i> Cass.)      | 3739 |
| <i>Ponthiera</i> R. Br. (Orchid.)                      | 6985 |
| <i>Pontinia</i> Fries ( <i>Lychnis</i> L.)             |      |
| <i>Pootia</i> Dennst. ( <i>Canscora</i> Lam.)          |      |
| — Miq. ( <i>Voacanga</i> Thou.)                        | 4611 |
| <i>Popowia</i> Endl. (Anonac.)                         | 91   |
| <i>Poppya</i> Röm. ( <i>Luffa</i> Tourn.)              | 2623 |
| — Rumph. ( <i>Trichosanthes</i> L.)                    | 2611 |
| <i>Populago</i> (Tourn.) Scop. ( <i>Caltha</i> L.)     |      |

- Populus* L. (Salicin.) 6713  
*Porana* (Tourn.) Burm. (Convul-  
vul.) 86  
*Poranthera* Rudge (Euphorb.) 6374  
*Poraqueiba* Aubl. (Olacin.) 1240  
*Porcelia* R. et P. (Anonac.) 68  
*Porcellites* Cass. (Hypochæris L.) 4197  
— Tausch (Hypochæris L.) 4197  
*Porlieria* R. et P. (Zygophyll.) 975  
*Porocarpus* Gärt. (Timonius  
Rumph.) 2220  
*Porocystis* Radlk. (Sapind.) 1383  
*Porophyllum* Vaill. (Composit.) 3919  
*Porospermum* F. Müll. (Umbellif.) 2933  
*Porostema* Schreb. (Nectandra  
Roland) 6201  
*Porotherinax* Griseb. et Wendl.  
(Thrinax L. f.) 7707  
*Porpa* Bl. (Triumfetta L. ?) 858  
*Porpax* Lindl. (Eria Lindl.) 6781  
— Salisb. (Aspidistra Ker) 7382  
*Porphyra* Lour. (Callicarpa L.) 5699  
*Porphyrocodon* H. f. (Crucif.) 293  
*Porphyrocoma* Hook. (Dianthera  
L.) 5621  
*Porphyroscias* Miq. (Angelica L.) 2881  
*Porphyrospatha* Engl. (Aroid.) 7827  
*Porphyrostachys* Rchb. f. (Ste-  
noptera Presl) 6989  
*Porphyrostemma* Grant (Compo-  
sit.) 3706  
*Porroteranthe* Steud. (Glyceria  
R. Br.) 8252  
*Porrum* (Tourn.) Mönch (Allium  
L.) 7476  
— Salisb. (Allium L.) 7476  
*Portalesia* Meyen (Nassauvia  
Juss.) 4159  
*Portea* Brongn. (Bromel.) 7166  
— Ten. (Juanulloa R. et P.).  
*Portenschlagia* Vis. (Umbellif.) 2834  
— Tratt. (Elæoden-  
dron Jacq.) 1301  
*Porterella* Torr. (Laurentia Neck.) 4253  
*Porteria* Hook. (Phyllactis Pers.).  
— Karst. (Phyllactis Pers.) 3376  
*Portesia* Cav. (Trichilia L.) 1190  
*Portlandia* P. Br. (Rubiace.) 3055  
*Portula* (Dill.) Mönch (Peplis L.).  
*Portulaca* (Tourn.) L. (Portul.) 605  
*Portulacaria* Jacq. (Portul.) 607  
**Portulacæ p. 31.**  
*Portuna* Nutt. (Pieris L.) 4346  
*Posidonia* Kön. (Naiad.) 7882  
*Poskea* Vatke (Boragin.) 5003  
*Posoqueria* Aubl. (Rubiace.) 3165  
*Possira* Aubl. (Swartzia Schreb.) 1896  
*Postia* Boiss. (Composit.) 3712  
*Potulia* Aubl. (Logan.) 4905  
*Potameia* Thou. (Laurin.) 6186  
*Potamobryon* Liebm. (Podostem.) 6119  
*Potamochloa* Griff. (Hygroryza  
Nees) 8078  
*Potamogeton* (Tourn.) L. (Naiad.) 7880  
*Potamophila* R. Br. (Gramin.) 8072  
— Schrank (Microtea  
Sw.) 6054  
*Potamopitys* Buxb. (Elatine L.).  
*Potaninia* Maxim. (Rosac.) 2056  
*Potentilla* L. (Rosac.) 2055  
*Poteranthera* Bong. (Melastom.) 2368  
*Poteridium* Spach (Poterium L.) 2066  
*Poterium* L. (Rosac.) 2066  
*Pothoidium* Schott (Aroid.) 7754  
*Pothomorphe* Miq. (Piper L.).  
*Pothos* L. (Aroid.) 7753  
— Adans. (Polianthes L.).  
*Pothuava* Gaud. (Bromel.) 7170  
*Pottsia* H. et A. (Apocyn.) 4628  
*Pouchetia* A. Rich. (Rubiace.) 3191  
*Poupartia* Comm. (Anacard.) 1520  
*Pourouma* Aubl. (Urtic.) 6650  
*Pourretia* R. et P. (Puya Molina) 7183  
— Willd. (Cavanillesia  
R. et P.) 776  
*Pourthiæa* Dcne (Rosac.) 2079  
*Pouslowia* Wight (Inc. sed.).  
*Pouteria* Aubl. (Sapot.) \*4495  
— Poir. (Labramia Sw.) 4496  
*Pouzolsia* Gaud. (Urtic.) 6669  
*Pozoa* Lag. (Azorella Lam.) 2746  
*Pozopsis* Hook. f. (Huanaca Cav.) 2753  
*Pradosia* Liai (Sapot.) +4483b  
*Præalstonia* Miers (Symplocos L.) 4527  
*Prætoria* H. Bn (Pipturus Wedd.) 6676  
*Prangos* Lindl. (Umbellif.) 2848  
*Praravinia* Korth. (Rubiace.) 3144  
*Prasanthea* Dcne (Paliavana  
Vand.) 5375  
*Prasiteles* Salisb. (Narcissus L.) 7281  
*Prasium* L. (Labiace.) 5850  
*Prasopepon* Naud. (Cucurbitella  
Walp.) 2669  
*Prasophyllum* R. Br. (Orchid.) 7025  
*Prasoxylon* Röm. (Disoxylum Bl.) 1175  
*Pratia* Gaud. (Lobeliace.) 4260  
— Wedd. (Hypsela Presl) 4258  
*Praxelis* Cass. (Eupatorium L.) 3460  
*Preauxia* Sch. Bip. (Chrysanthem-  
um L.) 3964  
*Premna* L. (Verben.) 5704  
*Prenanthes* (Vaill.) L. (Composit.) 4208  
*Preptanthe* Rchb. f. (Calanthe  
R. Br.) 6803  
*Prepusa* Mart. (Gentian.) 4949  
*Prescottia* Lindl. (Orchid.) 6984  
*Preslea* Mart. (Heliotropium L.) 5006  
*Preslia* Opiz (Labiace.) 5759  
*Prestelia* Sch. Bip. (Eremanthus  
L.) 3423  
*Prestinaria* Sch. Bip. (Coreopsis  
L.) 3849  
*Prestoea* H. f. (Palm.) 7648  
*Prestonia* R. Br. (Apocyn.) 4621  
*Prestoniopsis* Müll. Arg. (Dipla-  
denia A. DC.) 4671  
*Pretrea* J. Gay (Pedalin.) 5509

- Prevostea* Choisy (Breweria R. Br.) 5088  
*Prevotia* Adans. (Cerastium L.)  
*Priestleya* DC. (Legumin.) 1606  
*Prieuria* DC. (Ludwigia L.) 2524  
*Primula* (Dod.) L. (Primul.) 4435  
— Lour. (Hydrangea L.) 2111  
**Primulaceæ** p. 249.  
*Primulina* Hance (Gesner.) 5402  
*Pringlea* H. f. (Crucif.) 282  
*Pringleophytum* A. Gray (Acanth.) 5596  
*Prinodia* Griseb. (Ilex L.)  
*Prinos* L. (Ilex L.) 1265  
*Prinsepia* Royle (Rosac.) 2022  
*Printzia* Cass. (Composit.) 3697  
*Prionachne* Nees (Prionanthium Desv.) 8134  
*Prionanthes* Schrank (Trixis P. Br.) 4156  
*Prionanthium* Desv. (Gramin.) 8134  
*Prionitis* Delarb. (Falcaria Host) 2811  
— Ærst. (Barleria L.) 5565  
*Prionium* E. Mey. (Juncac.) 7612  
*Prionolepis* Pöpp. et Endl. (Liabum Adans.) 3990  
*Prionophyllum* Koch (Encholirion Mart.) 7184  
*Prionoplectus* Ærst. (Alloplectus Mart.) 5386  
*Prionopsis* Nutt. (Haplopappus Cass.) 3488  
*Prionosciadium* S. Wats. (Umbellif.) + 2918<sup>b</sup>  
*Prionosepalum* Steud. (Chætanthus R. Br.) 7914  
*Prionostachys* Hassk. (Aneilema R. Br.) 7676  
*Prionostemma* Miers (Hippocratea L.) 1312  
*Prionotis* R. Br. (Epacrid.) 4410  
*Prioria* Griseb. (Legumin.) 1968  
*Priotropis* W. et A. (Legumin.) 1633  
*Prismaria* Preuss (Erigeron L.)  
*Prismatocarpus* L'Hér. (Campanul.) 4285  
— L'Hér. (Specularia Heist.) 4298  
*Prismatomeris* Thw. (Rubiace.) 3273  
*Pristidia* Thw. (Gærtnera Lam.)  
*Pristimera* Miers (Hippocratea L.) 1312  
*Pristocarpa* E. Mey. (Athanasia L.) 3943  
*Pritchardia* Seem. et Wendl. (Palm.) 7705  
*Pritzelia* F. Müll. (Philydr.) 7566  
— Kl. (Begonia L.) 2695  
— Walp. (Trachymene Rudge) 2743  
*Priva* Adans. (Verben.) 5685  
*Problastes* Reinw. (Lumnitzera Willd.)  
*Proboscidea* L. C. Rich. (Rhynchanthera DC.) 2365  
*Proboscidea* Schmidel (Martynia L.) 5497  
*Probosciphora* Neck. (Rhinanthus L.)  
*Prochnyanthes* S. Wats. (Amaryll.) 7334  
*Prockia* L. (Tiliac.) 877  
*Prockiopsis* H. Bn (Bixin.) 507  
*Proclesia* Kl. (Cavendishia Lindl.) 4314  
*Procrassula* Griseb. (Sedum L.) 2183  
*Procris* Juss. (Urtic.) 6666  
*Proiphys* Herb. (Eurycles Salisb.) 7327  
*Prolongoa* Boiss. (Chrysanthemum L.) 3964  
*Promenæa* Lindl. (Zygopetalum Hook.) 6851  
*Pronacron* Cass. (Melampodium L.) 3751  
*Pronaya* Hügel (Pittospor.) 535  
*Prosartes* D. Don (Disporum Salisb.) 7549  
*Proscaphium* Korth. (Rubiace.) 3283  
*Proselia* D. Don (Chætanthera R. et P.) 4143  
*Proscypinaca* L. (Halorag.) 2227  
*Prosopanche* De Bary (Cytin.) 6130  
*Prosopia* Rchb. (Pedicularis L.)  
*Prosopis* L. (Legumin.) 1989  
*Prosorus* Dalz. (Phyllanthus L.) 6404  
*Prospero* Salisb. (Scilla L.) 7505  
*Prostanthera* Labill. (Labiata.) 5851  
*Prostea* Camb. (Sapind.) 1385  
*Prosthechea* Kn. et Westc. (Epidendrum L.) 6823  
*Prosthesis* Bl. (Alsodeia Thou.) 476  
*Protea* L. (Proteac.) 6219  
— L. (Leucadendron R. Br.) 6218  
**Proteaceæ** p. 351.  
*Proteinophallus* H. f. (Hydrosme Schott) 7792  
*Protopsis* Mart. (Composit.) 3117  
*Protionopsis* Bl. (Commiphora Jacq.) 1152  
*Protium* Burm. (Burserac.) 1156  
— W. et A. (Commiphora Jacq.) 1152  
*Protohopea* Miers (Symplocos L.) 4527  
*Protorhus* Engl. (Anacard.) 1536  
*Proustia* Lag. (Composit.) 4153  
*Provenzalia* Adans. (Calla L.) 7778  
*Prozetia* Neck. (Pouteria Aubl.)  
*Prumnopitys* Phil. (Podocarpus L'Hér.) 8334  
*Prunella* (Moris.) L. v. Brunella L. 5812  
*Prunopsis* André (Prunus L.) 2019  
*Prunus* (Tourn.) L. (Rosac.) 2019  
*Pryona* Miq. (Crudia Schreb.) 1963  
*Przewalskia* Maxim. (Solan.) 5144  
*Psacalium* Cass. (Senecio L.) 4025  
*Psamma* P. B. (Ammophila Host) 8126  
*Psammanthe* Hance (Sesuvium L.) 2723  
*Psammisia* Kl. (Vaccin.) 4303  
*Psammogeton* Edgew. (Umbellif.) 2909  
*Psammoseris* Boiss. (Crepis L.) 4190

- Psammotachys* Presl (Striga Lour.) 5304  
*Psammotropha* E. et Z. (Ficoid.) 2734  
*Psanacetum* Neck. (Tanacetum L.) 3986  
*Psanchum* Neck. (Cynanchum L.)  
*Psathura* Comm. (Rubiace.) 3310  
*Psathurochæta* DC. (Melanthera Rohr) 3827  
*Psathyrotes* A. Gray (Composit.) 3940  
*Psedera* Neck. (Hedera L.).  
*Pseudomelia* Neck. (Bromelia L.).  
*Pselium* Lour. (Pericampylus Miers) 149  
*Psephellus* Cass. (Centaurea L.) 4100  
*Pseudægle* Miq. (Citrus L.) 1102  
*Pseudais* Dcne (Thymel.) 6301  
*Pseudalangium* F. Müll. (Styli-  
dium Lour.) 2971  
*Pseudaleia* Thou. (Olax L.) 1211  
*Pseudaleioides* Thou. (Olax L.) 1211  
*Pseudanthus* Sieb. (Euphorb.) 6376  
— Wight (Nothosærua Wight) 5943  
*Pseudarthria* W. et A. (Legumin.) 1764  
*Pseudatalaya* H. Bn (Atalaya Bl.) 1380  
*Pseudehretia* Turcz. (Ilex L.) 1265  
*Pseudelephantopus* Boiss. (Ele-  
phantopus L.) 3428  
*Pseudepidendrum* Rchb. f. (Epi-  
dendrum L.) 6823  
*Pseuderanthemum* Radlk. (Acanth.) 5579  
*Pseueriopsis* Rchb. f. (Eriopsis Lindl.) 6856  
*Pseudima* Radlk. (Sapind.) 1434  
*Pseudiosma* A. Juss. (Inc. sed.)  
p. 490.  
*Pseudixora* Miq. (Randia L.) 3179  
*Pseudoacacia* (Tourn.) Mönch  
(Robinia L.).  
*Pseudobarleria* Anders. (Petalid-  
ium Nees) 5535  
— CErst. (Barleria L.) 5565  
*Pseudobesleria* CErst. (Besleria L.) 5438  
*Pseudocalyx* Radlk. (Acanth.) 5514  
*Pseudocarapa* Hemsl. (Meliac.) 1179  
*Pseudocarex* Miq. (Carex L.) 7988  
*Pseudocaryophyllus* Berg (Myr-  
tus L.) 2318  
*Pseudocentrum* Lindl. (Orchid.) 6987  
*Pseudochrosia* Bl. (Apocyn.) 4590  
*Pseudochænomeles* Carr. (Cydonia  
Tourn.) 2072  
*Pseudoconnarus* Radlk. (Connar.) 1570  
*Pseudocroton* Müll. Arg. (Eu-  
phorb.) 6482  
*Pseudocyperus* Micheli (Cyperus  
L.).  
*Pseudodictamnus* (Tourn.) Mönch  
(Ballota L.) 5836  
*Pseudodracontium* N. E. Brown  
(Aroid.) 7787  
*Pseudoeugenia* Scortech. (Euge-  
nia L.) 2327  
*Pseudofumaria* (Riv.) Medik.  
(Corydallis DC.).  
*Pseudogunnera* CErst. (Gunnera  
L.) 2229  
*Pseudolarix* Gord. (Conifer.) 8312  
*Pseudolmedia* Tréc. (Urtic.) 6629  
— Karst. (Olmedia  
R. et P.) 6628  
*Pseudomorus* Bur. (Urtic.) 6613  
*Pseudonephelium* Radlk. (Sapind.) 1418  
*Pseudopanax* K. Koch (Araliac.) 2950  
*Pseudophœnix* Wendl. et Dr.  
(Palm.) 7672  
*Pseudopholidia* A. DC. (Pholidia  
R. Br.) 5647  
*Pseudopteris* H. Bn (Sapind.) 1415  
*Pseudopyxis* Miq. (Rubiace.) 3319  
*Pseudorchis* Gray (Malaxis Sw.).  
*Pseudorhachicallis* Karst. (Mal-  
lostoma Karst.)  
*Pseudosciadium* H. Bn (Araliac.) 2921  
*Pseudoscordum* Herb. (Notho-  
scordum Kth) 7475  
*Pseudosechium* Naud. (Microse-  
chium Naud.) 2683  
*Pseudoseris* H. Bn (Composit.) 4104  
*Pseudosorocea* H. Bn (Sorocea  
A. St-Hil.) 6644  
*Pseudosmodingium* Engl. (Ana-  
card.) 1550  
*Pseudospermum* Spreng. (Physo-  
spermum Cusson).  
*Pseudospondias* Engl. (Anacard.) 1519  
*Pseudostachyum* Munro (Gramin.) 8296  
*Pseudostreblus* Bur. (Urtic.) 6597  
*Pseudotrewia* Miq. (Alchornea  
Sw.) 6511  
*Pseudotsuga* Carr. (Tsuga Carr.) 8314  
*Pseuduvaria* Miq. (Mitrephora  
Bl.) 97  
*Psiadia* Jacq. (Composit.) 3568  
*Psidiopsis* Berg (Myrtac.) 2315  
*Psidium* L. (Myrtac.) 2314  
*Psiguria* Neck. (Anguria Plum.) 2662  
*Psilactis* A. Gray (Composit.) 3537  
*Psilæa* Miq. (Linostoma Wall.) 6294  
*Psilanthus* H. f. (Rubiace.) 3262  
— Juss. (Tacsonia Juss.).  
*Psilathera* Link (Sesleria Scop.) 8198  
*Psilobium* Jack (Rubiace.) 3143  
*Psilocarphus* Nutt. (Composit.) 3601  
*Psilocarya* Torr. (Cyper.) 7931  
*Psilochenia* Nutt. (Crepis L.) 4190  
*Psilochilus* Barb. Rodr. (Orchid.) 7112  
*Psilogyne* DC. (Vitex L.) 5708  
*Psilolepus* Presl (Aspalathus L.) 1626  
*Psilonema* C. A. Mey. (Alyssum L.) 274  
*Psilopeganum* Hemsl. (Rutac.) 1021  
*Psilopogon* Hochst. (Arthraxon  
P. B.) 8019  
— Phil. (Picrosia Don) 4216  
*Psilosanthus* Neck. (Liatris  
Schreb.) 3469  
*Psilosolena* Presl (Peddiea Harv.) 6298



- Psilostachys* Hochst. (Amarant.) 5938  
 — Steud. (Dimeria R. Br.) 7996  
 — Turcz. (Cleidion Bl.) 6524  
*Psilostemon* DC. (Trachystemon Don) 5041  
*Psilostoma* Kl. (Plectronia L.) 3247  
*Psilostrophe* DC. (Riddelia Nutt.) 3896  
*Psilothamnus* DC. (Gamolepis Less.) 4035  
*Psilothonna* E. Mey. (Gamolepis Less.) 4035  
*Psilotrichum* Bl. (Amarant.) 5937  
*Psiloxylon* Thou. (Fropiera H. f.?) 2350  
*Psilurus* Trin. (Gramin.) 8271  
*Psithyrisma* Herb. (Symphyostemon Miers) 7251  
*Psittacanthus* Mart. (Loranthus L.) 6315  
*Psittacoglossum* Llav. et Lex. (Maxillaria R. et P.) 6885  
*Psittacoschoenus* Nees (Gahnia Forst.) 7967  
*Psolanum* Neck. (Solanum L.)  
*Psophocarpus* Neck. (Legumin.) 1818  
*Psoralea* L. (Legumin.) 1662  
*Psorophytum* Spach (Hypericum L.) 631  
*Psorospermum* Spach (Hypericin.) 636  
*Psychanthus* Spach (Polygala L.) 542  
*Psychechilus* Breda (Zeuxine Lindl.) 7000  
*Psychine* Desf. (Crucif.) 348  
*Psychotria* L. (Rubiaceae) 3285  
*Psychotrophum* P. Br. (Psychotria L.) 3285  
*Psychrogeton* Boiss. (Composit.) 3494  
*Psychrophila* C. Gay (Caltha L.) 13  
*Psydrax* Gärtner. (Plectronia L.) 3247  
*Psyllium* (Tourn.) Vent. (Plantago L.)  
*Psyllocarpus* Mart. et Zucc. (Rubiaceae) 3355  
*Psyllophora* Ehrh. (Carex L.) 7988  
*Psyllothamnus* Oliv. (Illecebr.) 5907  
*Psyloxylon* Neraud (Lagerstrœmia L.)  
*Ptæroxylon* E. et Z. (Sapind.) 1490  
*Ptarmica* (Tourn.) Neck. (Achillea L.) 3950  
*Ptelea* L. (Rutac.) 1083  
*Pteleocarpa* Oliv. (Olacin.) \*1244  
*Ptelidium* Thou. (Celastr.) 1283  
*Pterandra* A. Juss. (Malpigh.) 918  
*Pteranthera* Bl. (Vatica L.) 710  
*Pteranthus* Forsk. (Illecebr.) 5910  
*Pterichis* Lindl. (Orchid.) 6982  
*Pteridophyllum* S. et Z. (Fumar.) 233  
 — Thw. (Filicium Thw.) 1479  
*Pterigeron* DC. (Composit.) 3587  
*Pterigium* Corr. (Dipterocarpus Gärtner.)  
*Pterilema* Reinw. (Engelhardtia Lesch.) 6698  
*Pterisanthes* Bl. (Ampelid.) 1360  
*Pterium* Desv. (Cynosurus L.) 8242  
*Pternandra* Jack (Melastom.) 2482  
*Pterocalymma* Turcz. (Lagerstrœmia L.) 2512  
*Pterocalyx* Schrenk (Alexandra Bge) 6018  
*Pterocarpus* L. (Legumin.) 1837  
*Pterocarya* Kth (Jugland.) 6697  
 — Berg (Ecastaphyllum P. Br.)  
*Pterocaulon* Ell. (Composit.) 3594  
*Pterocelastrus* Meisn. (Celastr.) 1294  
*Pteroceltis* Maxim. (Urtic.) 6589  
*Pterocephalus* (Vaill.) Mönch (Scabiosa L.) 3386  
*Pteroceras* Hassk. (Sarcophilus R. Br.) 6940  
*Pterochæta* Boiss. (Pulicaria Gärtner.) 3705  
 — Steetz (Waitzia Wendl.) 3630  
*Pterochilus* H. et A. (Microstylis Nutt.) 6754  
*Pterochiton* T. et G. (Atriplex L.) 5979  
*Pterocladon* H. f. (Melastom.) 2457  
*Pterococcus* Hassk. (Plukenetia L.) 6549  
 — Pall. (Calligonum L.) 6079  
*Pterocællion* Turcz. (Inc. sed.) p. 490.  
*Pterocyclus* Kl. (Pleurospermum Hoffm.) 2879  
*Pterocymbium* R. Br. (Sterculia L.) 791  
*Pterodiscus* Hook. (Pedalin.) 5501  
*Pterodon* Vog. (Legumin.) 1854  
*Pterogastra* Naud. (Melastom.) 2380  
 — Naud. (Schwackæa Cogn.) 2381  
*Pteroglossaspis* Rchb. f. (Orchid.) 6850  
*Pteroglossis* Miers (Reyesia Clos) 5164  
*Pterogyne* Tul. (Legumin.) 1970  
*Pterolepis* Miq. (Melastom.) 2382  
 — DC. (Pterolepis Miq.) 2382  
 — Schrad. (Scirpus L.) 7934  
*Pterolobium* R. Br. (Legumin.) 1913  
 — Andr. (Pachyphragma DC.)  
*Pteroloma* Benth. (Desmodium Desv.) 1761  
 — Hochst. et Steud. (Dipterygium Dcne) 378  
*Pterolophus* Cass. (Centaurea L.) 4100  
*Pteroneuron* DC. (Cardamine L.) 253  
*Pteronia* L. (Composit.) 3503  
*Pterophora* Neck. (Pteronia L.) 3503  
 — Harv. (Dregea E. Mey.)  
*Pterophylla* D. Don (Weinmannia L.) 2166  
*Pterophyllus* Senil (Ginkgo L.) 8337

- Pterophyton* Cass. (*Actinomeris* Nutt.) 3831  
*Pteropodium* DC. (*Jacaranda* Juss.) 5489  
*Pteropogon* DC. (*Helipterum* DC.) 3631  
— Neck. (*Facelis* Cass.) 3622  
*Pteropyrum* Jaub. et Spach (Polygon.) 6080  
*Pteroscleria* Nees (Cyper.) 7975  
*Pteroselinum* Rchb. (*Peucedanum* L.) 2886  
*Pterosenecio* Sch. Bip. (*Senecio* L.) 4025  
*Pterosiphon* Turcz. (*Cedrela* L.) 1198  
*Pterospermum* Schreb. (*Stercul.*) 804  
*Pterospora* Nutt. (*Monotrop.*) 4382  
*Pterosporopsis* Kell. (*Sarcodes* Torr.) 4383  
*Pterostegia* F. et M. (Polygon.) 6076  
*Pterostelma* Wight (*Hoya* R. Br.) 4852  
*Pterostemon* Schau. (*Rosac.*) 2037  
*Pterostephanus* Kell. (*Anisocoma* T. et G.) 4196  
*Pterostigma* Benth. (*Adenosma* R. Br.) 5247  
*Pterostylis* R. Br. (*Orchid.*) 7028  
*Pterostyrax* S. et Z. (*Halesia* L.) 4528  
*Pterota* R. Br. (*Zanthoxylum* L.) 1067  
*Pterotheca* Cass. (*Composit.*) 3672  
— Presl (*Rhynchospora* Vahl) 7955  
*Pterothrix* DC. (*Composit.*) 3672  
*Pterotum* Lour. (*Inc. sed.*)  
*Pterygium* Corr. (*Dipterocarpus* Gärtn.) 706  
*Pterygocalyx* Maxim. (*Crawfurdia* Wall.) 4954  
*Pterygocarpus* Hochst. (*Dregea* E. Mey.) 4847  
*Pterygodium* Sw. (*Orchid.*) 7084  
*Pterygoloma* Hanst. (*Alloplectus* Mart.) 5386  
*Pterygopappus* H. f. (*Composit.*) 3620  
*Pterygostachyum* Nees (*Dimeria* R. Br.) 7996  
*Pterygota* Schott (*Sterculia* L.) 791  
*Ptilagrostis* Griseb. (*Stipa* L.) 8090  
*Ptilanthelium* Steud. (*Mesome-læna* Nees) 7958  
*Ptilepida* Raf. (*Actinella* Nutt.)  
*Ptilimnium* Raf. (*Discopleura* DC.)  
*Ptilocalyx* Torr. (*Coldenia* L.) 5001  
*Ptilochæta* Turcz. (*Malpigh.*) 943  
— Nees (*Rhynchospora* Vahl) 7955  
*Ptilocnema* D. Don (*Pholidota* Lindl.) 6802  
*Ptilomeris* Nutt. (*Actinolepis* DC.) 3890  
*Ptiloneilema* Steud. (*Melanocenchris* Nees) 8170  
*Ptilonella* Nutt. (*Blepharipappus* Hook.) 3865  
*Ptilophora* A. Gray (*Microseris* Don) 4172  
*Ptilosciadium* Steud. (*Rhynchospora* Vahl) 7955  
*Ptilosia* Tausch (*Picris* L.) 4189  
*Ptilostemon* Cass. (*Cnicus* L.) 4078  
*Ptilostephium* H. B. K. (*Tridax* L.) 3866  
*Ptilotrichum* C. A. Mey. (*Alyssum* L.) 274  
*Ptilotus* R. Br. (*Amarant.*) 5939  
*Ptilurus* D. Don (*Leuceria* Lag.) 4149  
*Ptosimopappus* Boiss. (*Centaurea* L.) 4100  
*Ptyas* Salisb. (*Aloe* L.) 7393  
*Ptycanthera* Dcne (*Asclep.*) 4817  
*Ptychandra* Scheff. (*Palm.*) \*7683  
*Ptychocarya* R. Br. (*Scirpodendron* Zipp.) 7945  
*Ptychococcus* Becc. (*Palm.*) \*7627  
*Ptychodon* Kl. (*Lafoensia* Vand.) 2505  
*Ptycholepis* Griseb. (*Blepharodon* Dcne) 4756  
*Ptychomeria* Benth. (*Gymnosiphon* Bl.) 6735  
*Ptychopetalum* Benth. (*Olacin.*) 1210  
*Ptychopyxis* Miq. (*Euphorb.*) 6523  
*Ptychoraphis* Becc. (*Palm.*) 7632  
*Ptychosema* Benth. (*Legumin.*) 1683  
*Ptychosperma* Labill. (*Palm.*) \*7630  
*Ptychostigma* Hochst. (*Galiniera* Del.) 3188  
*Ptychotis* DC. (*Carum* L.) 2806  
*Ptyssiglottis* T. Anders. (*Acanth.*) 5632  
*Ptyxostoma* Vahl (*Berardia* Brongn.?).  
*Pubeta* L. (*Duroia* L. f.)  
*Puccinellia* Parl. (*Atropis* Rupr.) 8253  
*Puelia* Franch. (*Gramin.*) 8293  
*Pueraria* DC. (*Legumin.*) 1810  
*Pugionella* Salisb. (*Strumaria* Jacq.) 7307  
*Pugionium* Gärtn. (*Crucif.*) 389  
*Pugiopappus* Torr. (*err. A. Gray*) (*Composit.*) 3850  
*Pukateria* Raoul (*Griselinia* Forst.) 2979  
*Pulchia* Arrab. (*Inc. sed.*)  
*Pulegium* Mill. (*Mentha* L.) 5758  
*Pulicaria* Gärtn. (*Composit.*) 3705  
*Pulmonaria* (Tourn.) L. (*Boragin.*) 5046  
*Pulsatilla* Tourn. (*Anemone* L.) 4  
*Pultenæa* Sm. (*Legumin.*) 1601  
*Pulvinaria* Fourn. (*Asclep.*) 4783  
*Pumilea* P. Br. (*Turnera* L.)  
*Pumilo* Schlecht. (*Rutidosia* DC.) 3646  
*Punduana* Steetz (*Vernonia* Schreb.) 3405  
*Puneeria* Stocks (*Withania* Pauq.) 5119  
*Punica* (Tourn.) L. (*Lythrar.*) 2516  
*Punicella* Turcz. (*Balaustion* Hook.) 2284  
*Pupalia* Juss. (*Amarant.*) 5936

- Purdiæa* Planch. (*Costæa* Rich.) 1271  
*Purkinjia* Presl (*Ardisia* Sw.) 4470  
*Purpurella* Naud. (*Tibouchina* Aubl.) 2383  
*Purshia* DC. (*Rosac.*) 2044  
— Dennst. (*Centranthera* R. Br.)  
— Raf. (*Myriophyllum* L.) 2230  
— Spreng. (*Onosmodium* Mchx) 5055  
*Puschkinia* Adans. (*Liliac.*) 7501  
*Putoria* Pers. (*Rubiace.*) 3320  
*Putranjiva* Wall. (*Euphorb.*) 6411  
*Putterlickia* Endl. (*Celastr.*) 1295  
*Putzeysia* Kl. (*Begonia* L.) 2695  
— Pl. et Lind. (*Billia* Peyr.) 1492  
*Puya* Molina (*Orchid.*) 7183  
*Pycnandra* Benth. (*Sapot.*) 4511  
*Pycnanthemum* Mchx (*Labiata.*) 5765  
*Pycnarrhena* Miers (*Menisperm.*) 162  
*Pycnobotrya* Benth. (*Apocyn.*) 4637  
*Pycnocephalum* DC. (*Eremanthus* L.) 3423  
*Pycnocomma* Benth. (*Euphorb.*) 6544  
*Pycnocomon* Link et Hoffmsg (Scabiosa L.) 3386  
*Pycnocycla* Lindl. (*Umbellif.*) 2769  
*Pycnolachne* Turcz. (*Lachnostachys* Hook.) 5665  
*Pycnoneurum* Dcne (*Asclep.*) 4778  
*Pycnophyllum* Remy (*Caryophyll.*) 600  
*Pycnorhachis* Benth. (*Asclep.*) 4850  
*Pycnosandra* Bl. (*Cyclostemon* Bl.) 6417  
*Pycnosorus* Benth. (*Craspedia* Forst.) 3666  
*Pycnospora* R. Br. (*Legumin.*) 1765  
*Pycnostachys* Hook. (*Labiata.*) 5741  
*Pycnostelma* Bge (*err.* Brongn.) (*Asclep.*) 4768  
*Pycneus* P. B. (*Cyperus* L.) 7923  
*Pygeum* Gärtn. (*Rosac.*) 2021  
*Pygmæa* H. f. (*Veronica* L.) 5293  
*Pyracantha* Röm. (*Cratægus* L.)  
*Pyramia* Cham. (*Melastom.*) 2359  
*Pyramidanthe* Miq. (*Melodorum* Dun.) 110  
*Pyramidium* Boiss. (*Crucif.*) 394  
*Pyramidocarpus* Oliv. (*Samyd.*) 2550  
*Pyramidoptera* Boiss. (*Umbellif.*) 2845  
*Pyrarda* Cass. (*Grangea* Adans.) 3510  
*Pyrenacantha* Hook. (*Olin.*) 1261  
*Pyrenaria* Bl. (*Ternstroem.*) 690  
*Pyrenoglyphis* Karst. (*Bactris* Jacq.) 7723  
*Pyrethron* Plum. (*Euphorbia* L.)  
*Pyrethrum* (Hall.) Gärtn. (*Chrysanthemum* L.) 3964  
— Medik. (*Spilanthes* Jacq.)  
*Pyrgosea* E. et Z. (*Crassula* L.) 2176  
*Pyrgus* Lour. (*Ardisia* Sw.) 4470  
*Pyrola* (Tourn.) L. (*Ericac.*) 4378  
— Alef. (*Pyrola* L.) 4378  
*Pyrolirion* Herb. (*Zephyranthes* Herb.) 7296  
*Pyrospermum* Miq. (*Kurrimia* Wall.) 1292  
*Pyrostegia* Presl (*Bignonia* L.) 5446  
*Pyrostoma* G.F.W. Mey. (*Vitex* L.) 5708  
*Pyrostria* Comm. (*Rubiace.*) 3251  
— Roxb. (*Timonius* Rumph.) 3220  
*Pyrranthus* Jack (*Lumnitzera* Willd.) 2257  
*Pyrrheima* Hassk. (*Commelin.*) 7585  
*Pyrrhopappus* DC. (*Composit.*) 4202  
— A. Rich. (*Lactuca* L.) 4206  
*Pyrrhosa* Bl. (*Myristica* L.)  
*Pyrrhotrichia* W. et A. (*Eriosema* DC.) 1826  
*Pyrrocoma* A. Gray (*Haplopappus* Cass.) 3488  
— Hook. (*Haplopappus* Cass.) 3488  
*Pyricularia* Mchx (*Santal.*) 6334  
*Pyrus* (Tourn.) L. (*Rosac.*) 2074  
*Pythagorea* Lour. (*Homalium* Jacq.) 2559  
— Raf. (*Lythrum* L.) 2497  
*Pythion* Mart. (*Amorphophallus* Bl.) 7791  
*Pythonium* Schott (*Thomsonia* Wall.) 7788  
*Pyxidantha* Mchx (*Diapensiace.*) 4417  
*Pyxidanthus* Naud. (*Blakea* L.) 2473  
*Pyxidium* Mönch (*Amarantus* L.) 5928  
*Pyxipoma* Fenzl (*Sesuvium* L.) 2723
- Q**
- Quadrella* Meisn. (*Capparis* L.) 446  
*Quadria* R. et P. (*Guevina* Molina) 6245  
*Quadriala* S. et Z. (*Buckleya* Torr.) 6342  
*Qualca* Aubl. (*Vochys.*) 559  
*Quamoclidion* Choisy (*Mirabilis* L.) 5870  
*Quamoclit* (Tourn.) Mönch (*Ipomæa* L.) 5077  
*Quapoya* Aubl. (*Clusia* L.) 638  
— Aubl. (*Rengifia* Pöpp. et Endl.) 640  
*Quaqua* N. E. Brown (*Asclep.*) 4871  
*Quararibea* Aubl. (*Malvac.*) 778  
*Quartinia* Endl. (*Lythrar.*) 2492  
— A. Rich. (*Pterolobium* R. Br.) 1913  
*Quassia* L. (*Simarub.*) 1106  
*Quebitea* Aubl. (*Dracontium* L.)  
*Quebrachia* Griseb. (*Schinopsis* Engl.) 1554  
*Quekettia* Lindl. (*Orchid.*) 6925  
*Queltia* Salisb. (*Narcissus* L.) 7281  
*Quelus* Vand. (*Fuchsia* L.) 2530  
*Quercus* (Tourn.) L. (*Cupulifer.*) 6708  
*Queria* (Löfl.) L. (*Caryophyll.*) 592



|   |      |
|---|------|
| <i>Queria</i> Gärtn. ( <i>Anychia</i> Mchx).                  |      |
| <i>Quesnelia</i> Gaud. (Bromel.)                              | 7165 |
| <i>Queteletia</i> Bl. ( <i>Physurus</i> L. C. Rich.)          | 6995 |
| <i>Quina</i> Aubl. (Guttifer.)                                | 663  |
| <i>Quilamum</i> Blanco ( <i>Crypteronia</i> Bl.)              | 2510 |
| <i>Quilesia</i> Blanco ( <i>Dichapetalum</i> Thou.)           | 1201 |
| <i>Quillaja</i> Molina (Rosac.)                               | 2034 |
| <i>Quinaria</i> Raf. ( <i>Parthenocissus</i> Planch.)         | 1364 |
| — Lour. ( <i>Clausena</i> Burm.)                              | 1098 |
| <i>Quinchamalium</i> Juss. (Santal.)                          | 6327 |
| <i>Quinio</i> Schlecht. ( <i>Cocculus</i> DC.)                | 148  |
| <i>Quinetia</i> Cass. (Composit.)                             | 3645 |
| <i>Quinquefolium</i> (Tourn.) Adans. ( <i>Potentilla</i> L.). |      |
| <i>Quinquelobus</i> Benj. (Inc. sed.) p. 490.                 |      |
| <i>Quinquelocularis</i> K. Koch ( <i>Campanula</i> L.)        | 4296 |
| <i>Quinsonia</i> Montr. ( <i>Pittosporum</i> Banks)           | 528  |
| <i>Quintilia</i> Endl. ( <i>Stauranthera</i> Benth.)          | 5432 |
| <i>Quintinia</i> A. DC. ( <i>Saxifrag.</i> )                  | 2129 |
| <i>Quisqualis</i> (Rumph.) L. (Combret.)                      | 2263 |
| <i>Quirisia</i> Comm. (Meliac.)                               | 1165 |
| <i>Quoya</i> Gaud. ( <i>Pityrodia</i> R. Br.)                 | 5672 |

**R**

|   |      |
|---|------|
| <i>Rabdochloa</i> P. B. ( <i>Leptochloa</i> P. B.)                        | 8181 |
| <i>Rabdosia</i> Hassk. ( <i>Plectranthus</i> L'Hér.)                      | 5735 |
| <i>Rabelaisia</i> Planch. ( <i>Lunasia</i> Blanco)                        | 1074 |
| <i>Rabenhorstia</i> Rehb. ( <i>Berzelia</i> Brongn.).                     |      |
| <i>Racapa</i> Röm. ( <i>Carapa</i> Aubl.)                                 | 1192 |
| <i>Racaria</i> Aubl. ( <i>Talisia</i> Aubl.)                              | 1405 |
| <i>Rachia</i> Kl. ( <i>Begonia</i> L.)                                    | 2695 |
| <i>Rachicallis</i> DC. (Rubiace.)   | 3060 |
| <i>Racka</i> Gmel. ( <i>Avicennia</i> L.).                                |      |
| <i>Racoubea</i> Aubl. ( <i>Homalium</i> Jacq.)                            | 2559 |
| <i>Radackea</i> Endl. (Inc. sed.) p. 490.                                 |      |
| <i>Radamara</i> Benth. (Scrophul.)  | 5319 |
| <i>Raddia</i> Bertol. ( <i>Olyra</i> L.)                                  | 8005 |
| — Miers ( <i>Salacia</i> L.)  | 1313 |
| <i>Raddisia</i> Leandro ( <i>Salacia</i> L.)                              | 1313 |
| <i>Radermachera</i> Zoll. et Mor. ( <i>Stereospermum</i> Cham.)           | 5480 |
| <i>Radermachia</i> Thunb. ( <i>Artocarpus</i> L.)                         | 6639 |
| <i>Radia</i> A. Rich. ( <i>Barbacenia</i> Vand.)                          | 7341 |
| <i>Radiana</i> Raf. ( <i>Cypselea</i> Turp.).                             |      |
| <i>Radiola</i> (Dill.) Gmel. (Linææ)                                      | 891  |
| <i>Radiusia</i> Rehb. ( <i>err.</i> <i>Radiusia</i> ( <i>Sophora</i> L.)) | 1871 |
| <i>Radojitskya</i> Turcz. ( <i>Lachnæa</i> L.)                            | 6289 |
| <i>Raffanaldia</i> Godr. (Crucif.)  | 412  |
| <i>Rafflesia</i> R. Br. (Cytin.)  | 6126 |
| <i>Rafinesquia</i> Nutt. (Composit.)                                      | 4224 |
| <i>Rafnia</i> Thunb. (Legumin.)   | 1618 |
| <i>Raillardia</i> Gaud. (Composit.)                                       | 4011 |
| <i>Raillardella</i> A. Gray (Composit.)                                   | 4012 |
| <i>Rajania</i> L. (Dioscor.)  | 7347 |
| — Walt. ( <i>Brunnichia</i> Banks)  | 6094 |
| <i>Raleighia</i> Gardn. (Samyd.)  | 2552 |
| <i>Ramatuela</i> H. B. K. (Combret.)                                      | 2254 |
| <i>Ramelia</i> H. Bn (Euphorb.)   | 6545 |
| <i>Rameya</i> H. Bn (Menisperm.)  | 167  |
| <i>Ramirozia</i> A. Rich. ( <i>Pœppigia</i> Presl)                        | 1900 |
| <i>Ramondia</i> L. C. Rich. (Gesner.)                                     | 5423 |
| <i>Ramphidia</i> Lindl. ( <i>Goodyera</i> R. Br.).                        |      |
| <i>Ramphocarpus</i> Neck. ( <i>Geranium</i> L.).                          |      |
| <i>Rampinia</i> C. B. Clarke ( <i>Heterospermum</i> Wall.)                | 2616 |
| <i>Ramtilla</i> DC. ( <i>Guizotia</i> Cass.)                              | 3841 |
| <i>Ramusia</i> E. Mey. ( <i>Asystasia</i> Bl.).                           |      |
| — Nees ( <i>Peristrophe</i> Nees).  |      |
| <i>Ranapalus</i> Kell. ( <i>Herpestis</i> Gärtn. f.)                      | 5253 |
| <i>Ranaria</i> Cham. ( <i>Herpestis</i> Gärtn. f.)                        | 5253 |
| <i>Rancagua</i> Pöpp. et Endl. ( <i>Lasthenia</i> Cass.)                  | 3892 |
| <i>Randalia</i> P. B. ( <i>Eriocaulon</i> L.)                             | 7891 |
| <i>Randia</i> L. (Rubiace.)   | 3179 |
| — B. et H. ( <i>Morelia</i> A. Rich.)                                     | 3180 |
| <i>Randonia</i> Cass. (Resedac.)  | 456  |
| <i>Ranisia</i> Salisb. ( <i>Gladiolus</i> L.)                             | 7275 |
| <b>Ranunculaceæ p. 1.</b>   |      |
| <i>Ranunculoides</i> Vaill. ( <i>Ranunculus</i> L.).                      |      |
| <i>Ranunculus</i> (Tourn.) L. ( <i>Ranunc.</i> )                          | 10   |
| <i>Raoulia</i> H. f. (Composit.)  | 3628 |
| <i>Rapala</i> Auct. v. <i>Roupala</i> Aubl.                               | 6249 |
| <i>Rapanea</i> Aubl. ( <i>Myrsine</i> L.)                                 | 4460 |
| <i>Rapatea</i> Aubl. ( <i>Rapateac.</i> )                                 | 7598 |
| <b>Rapateaceæ p. 345.</b>   |      |
| <i>Raphanistrocarpus</i> H. Bn (Cucurbit.)                                | 2626 |
| <i>Raphanistrum</i> Gärtn. ( <i>Raphanus</i> L.)                          | 411  |
| <i>Raphanocarpus</i> H. f. (Cucurbit.)                                    | 2625 |
| <i>Raphanus</i> (Tourn.) L. (Crucif.)                                     | 411  |
| — Gärtn. ( <i>Raphanus</i> L.)  | 411  |
| <i>Raphelingia</i> Dmrt. ( <i>Ornithogalum</i> L.?).                      |      |
| <i>Raphia</i> P. B. (Palm.)   | 7716 |
| <i>Raphidiocystis</i> H. f. (Cucurbit.)                                   | 2643 |
| <i>Raphidophora</i> Hassk. ( <i>Epipremum</i> Schott)                     | 7770 |
| — Hassk. v. <i>Raphidophora</i> Schott                                    | 7767 |
| <i>Raphidophyllum</i> Hochst. ( <i>Sopubia</i> Ham.)                      | 5310 |
| <i>Raphiolepis</i> Lindl. (Rosac.)  | 2080 |
| <i>Raphionacme</i> Harv. (Asclep.)  | 4707 |

- Raphione* Salisb. (*Allium* L.) 7476  
*Raphisanthe* Lilja (*Blumenbachia* Schrad.) 2574  
*Raphistemma* Wall. (*Asclep.*) 4766  
*Raphiostyles* Planch. (*Apodytes* E. Mey.) 1233  
*Raphis* Lour. (*Andropogon* L.) 8020  
*Rapinia* Montr. (*Verben.*) 5708  
— Lour. (*Sphenoclea* Gärtn.) 4291  
*Rapistrum* Desv. (*Crucif.*) 401  
— Pomel (*Rapistrum* Desv.) 401  
*Rapunculus* (Tourn.) Adans. (*Phyteuma* L.) 4294  
*Rapuntium* (Tourn.) Gärtn. (*LOBelia* L.) 4262  
*Raputia* Aubl. (*Rutac.*) 1012  
*Raram* Adans. (*Cenchrus* L.).  
*Raspailia* Presl (*Polypogon* Desf.) 8114  
*Raspalia* Brongn. (*Bruniac.*) 2217  
*Rathea* Karst. (*Synechanthus* Wendl.)  
*Rathkea* Schum. (*Ormocarpum* P. B.) 1747  
*Ratibida* Raf. (*Rudbeckia* L.) 3801  
*Ratonia* DC. (*Matayba* Aubl.) 1433  
*Ratzeburgia* Kth (*Gramin.*) 8005  
*Raukana* Seem. (*Panax* L.) 2934  
*Raussinia* Neck. (*Pachira* Aubl.).  
*Rauwenhoffia* Scheff. (*Anonac.*) 109  
*Rauwolfia* L. (*Apocyn.*) 4580  
— R. et P. (*Citharexylum* L.) 5694  
*Ravenala* Adans. (*Musac.*) 7153  
*Ravenia* Vell. (*Rutac.*) 1017  
— Bouché (*Inc. sed.*) p. 490.  
*Ravensara* Sonn. (*Laurin.*) 6176  
*Ravia* Nees et Mart. (*Rutac.*) 1015  
*Ravina* Erst. (*Rubiace.*) 3035  
*Rawsonia* Harv. (*Bixin.*) 508  
*Raxopitys* Senil (*Cunninghamia* R. Br.) 8317  
*Rayeria* Gaud. (*Alona* Lindl.) 5096  
*Razisea* Erst. (*Acanth.*) 5604  
*Razoumowskia* Hoffm. (*Arceuthobium* M. B.) 6317  
*Razumovia* Spreng. (*Centranthera* R. Br.) 5308  
*Rea* (Bert.) Dcne (*Dendroseris* Don) 4165  
*Reana* Brign. (*Euchlæna* Schrad.) 7989  
*Reaumuria* L. (*Tamariscin.*) 626  
*Rebis* Spach (*Ribes* L.) 2168  
*Reboudia* Coss. (*Erucaria* Gärtn.) 406  
*Reboulea* Kth (*Eatonia* Raf.) 8214  
*Recchia* Moç. et Sessé (*Rigiostachys* Planch.) 1112  
*Receveura* Vell. (*Hypericum* L.) 631  
*Rechsteineria* Rgl (*Gesnera* Mart.) 5377  
*Rectomitra* Bl. (*Kibessia* DC.) 2481  
*Redfieldia* Vasey (*Gramin.*) 8208  
*Redia* Casar. (*Cleidion* Bl.) 6524  
*Redoutea* Vent. (*Fugosia* Juss.) 764  
*Redowskia* Ch. et Schl. (*Crucif.*) 363  
*Reedia* F. Müll. (*Cyper.*) 7969  
*Reevesia* Lindl. (*Stercul.*) 800  
*Regelia* Schau. (*Myrtac.*) 2293  
— Hort. (*Verschaffeltia* Wendl.) 7664  
— Lem. (*Nidularium* Lem.) 7157  
*Regnaldia* H. Bn (*Chætocarpus* Thw.) 6538  
*Regnellia* Barb. Rodr. (*Orchid.*) 7105  
*Rehmannia* Libosch (*Gesner.*) 5416  
*Reichardia* Dennst. (*Tabernæmontana* L.) 4612  
— Roth (*Pterolobium* R. Br.) 1913  
— Roth (*Picridium* Desf.) 4209  
*Reichelia* Schreb. (*Hydrolea* L.) 4991  
*Reichenbachanthus* Barb. Rodr. (*Orchid.*) 7113  
*Reichenbachia* Spreng. (*Nyctagin.*) 5885  
*Reichenheimia* Kl. (*Begonia* L.) 2695  
*Reichertia* Karst. (*Schultesia* Mart.) 4945  
*Reidia* Wight (*Phyllanthus* L.) 6404  
*Reifferschiedia* Presl (*Dilleniace.*) 42  
*Reilia* Steud. (*Inc. sed.*) p. 491.  
*Reimaria* Flügge (*Gramin.*) 8044  
*Reineckea* Kth (*Liliac.*) 7381  
— Karst. (*Synechanthus* Wendl.).  
*Reinera* Dennst. (*Inc. sed.*).  
*Reineria* Mönch (*Tephrosia* Pers.).  
*Reinia* Franch. et Sav. (*Celastr.*) 1293  
*Reinhardtia* Liebm. (*Palm.*) 7659  
*Reinhardtia* Dmrt. (*Lineæ*) 893  
— Bl. (*Saurauja* Willd.) 685  
— Korth. (*Dupinia* Scop.) 676  
— Spreng. (*Breweria* R. Br.) 5088  
*Reiszekia* Endl. (*Rhamn.*) 1357  
*Rejoua* Gaud. (*Tabernæmontana* L.) 4612  
*Relchela* Steud. (*Calamagrostis* Roth) 8124  
*Relbunium* Endl. (*Rubiace.*) 3364  
*Relhamia* Gmel. (*Curtisia* Ait.).  
*Relhania* L'Hér. (*Composit.*) 3680  
*Remaclea* C. Morr. (*Trimezia* Salisb.) 7225  
*Rombertia* Adans. (*Diapensia* L.).  
*Remijia* DC. (*Rubiace.*) 3011  
*Remirea* Aubl. (*Cyper.*) 7951  
*Remusatia* Schott (*Aroid.*) 7821  
*Remya* Hillebr. (*Composit.*) 3480  
*Renanthera* Lour. (*Orchid.*) 6944  
*Renarda* Rgl (*Umbellif.*) 2878  
*Renardia* Turcz. (*Trimeria* Harv.) 518  
*Renealmia* L. f. (*Zingiberac.*) 7136

- Renealmia* Houtt. (Villarsia Vent.) 4964  
 — L. (Tillandsia L.) 7192  
 — R. Br. (Libertia Spreng.) 7243  
*Renggeria* Meisn. (Guttifer.) 639  
*Rengifo* Pöpp. et Endl. (Guttifer.) 640  
*Rennellia* Korth. (Rubiace.) 3270  
*Renschia* Vatke (Tinnea Kotschy et Peyr.) 5862  
*Rensselæria* Beck. (Peltandra Raf.) 7814  
*Repandra* Lindl. (Disa Berg.)  
*Reptonia* A. DC. (Myrsin.) 4478  
*Requienia* DC. (Tephrosia Pers.) 1682  
**Resedaceæ** p. 22.  
*Reseda* L. (Resedac.) 458  
*Resedella* Webb (Oligomeris Camb.) 459  
**Restiaceæ** p. 455.  
*Restiaria* Lour. (Inc. sed.)  
*Restio* L. (Restiac.) 7907  
*Restrepia* H. B. K. (Orchid.) 6747  
*Retama* Boiss. (Genista L.) 1641  
*Retamilia* Miers v. *Retanilla* Brongn. 1351  
*Retanilla* Brongn. (Rhamn.) 1351  
*Retinaria* Gärtner. (Gouania L.) 1355  
*Retiniphyllum* H. et B. (Rubiace.) 3209  
*Retinodendron* Korth. (Vatica L.) 710  
*Retinophleum* Karst. (Cercidium Tul.) 1922  
*Retinospora* S. et Z. (Chamæcyparis Spach) 8330  
*Rettbergia* Raddi (Chusquea Kth) 8260  
*Retzia* Thunb. (Solan.) 5154  
*Reussia* Dennst. (Pæderia L.)  
 — Endl. (Pontederia L.) 7561  
*Reutera* Boiss. (Pimpinella L.) 2814  
*Rererchonia* A. Gray (Euphorb.) 6403  
*Reyesia* Clos (Solan.) 5164  
*Reynaudia* Kth (Gramin.) 8077  
*Reynoldsia* A. Gray (Eschweilleria Zipp.) 2949  
*Reynosia* Griseb. (Rhamn.) + 1357<sup>c</sup>  
*Reynoutria* Houtt. (Inc. sed.)  
*Rhabarbarum* (Tourn.) Mönch (Rheum L.)  
*Rhabdadenia* Müll. Arg. (Apocyn.) 4675  
*Rhabdia* Mart. (Boragin.) 5002  
*Rhabdocrinum* Rehb. (Lloydia Salisb.) 7514  
*Rhabdosciadium* Boiss. (Umbellif.) 2827  
*Rhabdostigma* H. f. (Rubiace.) 3243  
*Rhabdothamnus* A. Cunn. (Gesner.) 5122  
*Rhabdotheca* Cass. (Microrhynchus Less.) 4212  
*Rhachicallis* Endl. v. *Rachicallis* DC.  
*Rhacoma* Adans. (Louzea DC.) 4099  
 — L. (Myginda L.) 1297  
*Rhadamanthus* Salisb. (Liliac.) 7490  
*Rhadinocarpus* Vog. (Chætocalyx DC.)  
*Rhagadioloides* Vaill. (Rhagadiolus Juss.)  
*Rhagadiolus* (Tourn.) Juss. (Composit.) 4183  
*Rhaganus* E. Mey. (Bersama Fresen.) 1498  
*Rhagodia* R. Br. (Chenopod.) 5967  
*Rhamnidium* Reissek (Rhamn.) 1330  
**Rhamneæ** p. 68 et 498.  
*Rhamnella* Miq. (Rhamn.) 1324  
*Rhamnicastrum* L. (Embelia Juss.)  
*Rhamnoides* (Tourn.) Mönch (Hippophae L.)  
*Rhamnopsis* Rehb. (Flacourtia Comm.)  
*Rhamnus* L. (Rhamn.) 1329  
 — Brongn. (Rhamnus L.) 1329  
*Rhamphicarpa* Benth. (Scrophul.) 5306  
*Rhamphidia* Lindl. (Hetæria Bl.) 7010  
*Rhanterium* Desf. (Composit.) 3711  
*Rhaphidospora* Nees (Justicia L.) 5611  
*Rhaphidophora* Schott (Aroid.) 7767  
*Rhapidophyllum* Wendl. et Dr. (Palm.) 7696  
*Rhaphiodon* Schau. (Hyptis Jacq.) 5744  
*Rhaphiolepis* Poir. v. *Raphiolepis* Lindl.  
*Rhaphiophallus* Schott (Hydrosme Schott) 7792  
*Rhaphiostyles* Planch. (Apodytes E. Mey.) 1233  
*Rhaphis* Lour. (Chrysopogon Trin.)  
*Rhaphispermum* Benth. (Scrophul.) 5320  
*Rhaphithamnus* Miers (Verben.) 5696  
*Rhapidophyllum* Wendl. (Palm.) 7696  
*Rhapis* L. f. (Palm.) + 7706<sup>d</sup>  
*Rhaponticum* (Lam.) (Centaurea L.) 4100  
*Rhaptocarpus* Miers (Echites L.) 4665  
*Rhaptomeris* Miers (Cyclea Arn.) 158  
*Rhaptoneura* Miers (Menisperm.) 146  
*Rhaptopetalum* Oliv. (Olin.) 1205  
*Rhaptostylum* H. et B. (Heisteria L.) 1207  
*Rhazya* Dene (Apocyn.) 4600  
*Rheedia* L. (Guttifer.) 656  
*Rheitrophyllum* Hassk. (Æschynanthus Jack) 5392  
*Rhektophyllum* N. F. Brown (Aroid.) 7794  
*Rhetinodendron* Meisn. (Composit.) 4010  
*Rhetinolepis* Cass. (Anthemis L.) 3953  
*Rhetsa* W. et A. (Zanthoxylum L.) 1067  
*Rheum* L. (Polygon.) 6086  
*Rhexia* L. (Melastom.) 2401  
 — Raddi (Tibouchina Aubl.) 2383

- Rhigiocarya* Miers (Chasmanthera Hochst.) 127  
*Rhigiophyllum* Hochst. (Campanul.) 4288  
*Rhigospira* Miers (Apocyn.) 4614  
*Rhigozum* Burch. (Bignon.) 5483  
*Rhinacanthus* Nees (Acanth.) 5620  
*Rhinactina* Less. (Aster L.) 3544  
*Rhinanthera* Bl. (Scolopia Schreb.) 511  
*Rhinanthus* L. (Scrophul.) 5338  
— M. B. (Rhynchocorys Griseb.) 5336  
*Rhiniachne* Hochst. (Thelepogon Roth) 8011  
*Rhinactia* Willd. (Jungia L. f.) 4158  
— Less. (Aster L.)  
*Rhinium* Schreb. (Doliocarpus Roland) 35  
*Rhinocarpus* Bert. (Anacardium Rottb.) 1509  
*Rhinolobium* Arn. (Schizoglossum E. Mey.) 4738  
*Rhinostigma* Miq. (Garcinia L.) 654  
*Rhinopetalum* Fisch. (Fritillaria L.) 7510  
*Rhinostegia* Turcz. (Thesium L.) 6329  
*Rhiparia* Hassk. (Ryparosa Bl.) p. 491.  
*Rhipidendron* Harv. (Aloe L.) 7393  
*Rhipidostigma* Hassk. (Maba Forst.) 4523  
*Rhipogonum* Forst. (Liliac.) 7358  
*Rhipsalis* Gärtn. (Cactæe) 2712  
*Rhizanthus* Dmrt. (Brugmansia Bl.)  
*Rhizobolus* Gärtn. (Caryocar L.) 664  
*Rhizobotrya* Tansch (Cochlearia L.) 281  
*Rhizocephalum* Wedd. (Lobeliac.) 4255  
*Rhizocephalus* Boiss. (Heleochloa Host) 8103  
*Rhizocorallon* Hall. v. Corallorhiza R. Br.  
*Rhizophora* L. (Rhizophor.) 2232  
**Rhizophoraceæ** p. 123.  
*Rhizosperma* Meyen. (Azolla Lam.)  
*Rhodactinia* Gardn. (Barnadesia Mut.) 4106  
*Rhodalsine* J. Gay (Arenaria L.) 583  
*Rhodamnia* Jack (Myrtac.) 2319  
*Rhodanthe* Lindl. (Helipterum DC.) 3631  
*Rhodax* Spach (Helianthemum Pers.) 462  
*Rhodiola* L. (Sedum L.) 2183  
*Rhodocalyx* Müll. Arg. (Apocyn.) 4669  
*Rhodochiton* Zucc. (Scrophul.) 5201  
*Rhodochlamys* Schau. (Salvia L.) 5793  
*Rhodocistus* Spach (Cistus L.) 461  
*Rhodoclada* Bak. (Lineæ) 905  
*Rhodocodon* Bak. (Liliac.) 7498  
*Rhodocoma* Nees (Restio L.) 7907  
*Rhododendron* L. (Ericac.) 4375  
*Rhodogeron* Griseb. (Composit.) 3585  
*Rhodolæna* Thou. (Chlænac.) 723  
*Rhodoleia* Hook. (Hamamelid.) 2206  
*Rhodolirion* Phil. (Hippeastrum Herb.) 7298  
*Rhodomirtus* DC. (Myrtac.) 2317  
*Rhodophiala* Presl (Hippeastrum Herb.) 7298  
*Rhodora* L. (Rhododendron L.) 4375  
*Rhodorhiza* Webb (Convolvulus L.) 5082  
*Rhodoseris* Turcz. (Onoseris DC.) 4113  
*Rhodosepala* Bak. (Melastom.) 2400  
*Rhodospatha* Pöpp. (Aroid.) 7766  
*Rhodosphæra* Engl. (Anacard.) 1539  
*Rhodostachys* Phil. (Bromel.) 7161  
*Rhodostoma* Scheidw. (Palicourea Aubl.) 3288  
*Rhodothamnus* Rehb. (Ericac.) 4367  
— Lindl. (Rhododendron L.) 4375  
*Rhodotypus* S. et Z. (Rosac.) 2021  
*Rhoeo* Ilance (Commelin.) 7593  
*Rhoiacarpus* A. DC. (Colpoon Berg) 6339  
*Rhoicissus* Planch. (Ampelid.) 1366  
*Rhomboda* Lindl. (Hetæria Bl.) 7010  
*Rhombolytrum* Link (Triodia R. Br.) 8207  
*Rhombospora* Korth. (Greenia W. et A.) 3071  
*Rhopala* Auct. v. Roupala Aubl. 6249  
*Rhopalephora* Hassk. (Aneilema R. Br.) 7576  
*Rhopaloblacte* Scheff. (Palm.) \*7634  
*Rhopalocarpus* Teijsm. et Binn. (Anaxagorea St-Hil.) 90  
*Rhopalocnemis* Jungh. (Balanophor.) 6365  
*Rhopalostigma* Phil. (Phrodus Miers) 5127  
— Schott (Staurostigma Scheidw.) 7833  
*Rhopalostylis* Wendl. et Dr. (Palm.) 7630  
— Kl. (Dalechampia L.) 6555  
*Rhopium* Schreb. (Phyllanthus L.) 6404  
*Rhuacophila* Bl. (Dianella L.) 7449  
*Rhus* L. (Anacard.) 551  
— Auct. (Lithræa Miers) 1542  
— L. (Cotinus Tourn.) 1543  
— DC. (Metopium P. Br.) 1549  
— Sonder. (Anaphrenium E. Mey.) 1547  
*Rhyacophila* Hochst. (Quartinia Endl.) 2492  
*Rhynchadenia* A. Rich. (Macradenia R. Br.) 6965  
*Rhynchanthera* DC. (Melastom.) 2365  
— Bl. (Corymbis Thou.) 6979  
*Rhynchanthus* H. f. (Zingiberac.) 7131

- Rhyncharrhena* F. Müll. (Pentatropis R. Br.) 4792  
*Rhynchelytrum* Nees (Tricholæna Schrad.) 8052  
*Rhynchocarpa* Schrad. (Kedrostis Medik.) 2657  
*Rhynchocarpus* Less. (Relhania L'Hér.) 3680  
— Reinw. (Cyrtandra Forst.) 5437  
*Rhynchocorys* Griseb. (Scrophul.) 5336  
*Rhynchodia* Benth. (Apocyn.) 4652  
*Rhynchodium* Presl (Psoralea L.) 1662  
*Rhynchoglossum* Bl. (Gesner.) 5418  
*Rhyncholacis* Tul. (Podostem.) 6107  
*Rhyncholepis* Miq. (Piper L.) 6141  
*Rhynchopera* Kl. (Pleurothallis R. Br.) 6743  
*Rhynchopetalum* Fresen. (Lobelia L.) 4262  
*Rhynchopsidium* DC. (Relhania L'Hér.) 3680  
*Rhynchopyle* Engl. (Aroid.) 7804  
*Rhynchorhiza* Boiss. (Boreava Jaub. et Spach).  
*Rhynchosia* Lour. (Legumin.) 1825  
*Rhynchospermum* Reinw. (Composit.) 3517  
— A. DC. (Rhynchodia Benth.) 4652  
— Lindl. (Trachelospermum Lem.) 4653  
*Rhynchospora* Vahl (Cyper.) 7955  
*Rhynchostele* Rchb. f. (Leiochilus Kn. et Westc.) 6912  
*Rhynchostemon* Steetz (Thomasia J. Gay) 834  
*Rhynchostigma* Benth. (Asclep.) 4833  
*Rhynchostylis* Bl. (Orchid.) 6939  
— Tausch (Chærophyllum L.) 2825  
*Rhynchotechum* Bl. (Gesner.) 5435  
*Rhynchotheca* R. et P. (Geran.) 992  
*Rhynea* DC. (Cassinia R. Br.) 3637  
*Rhyparia* Hassk. (Ryparosa Bl.) (Inc. sed.) p. 491.  
*Rhysospermum* Gärtn. f. (Notelæa Vent.) 4548  
*Rhysotæchum* Radlk. (Sapind.) 1445  
*Rhyssocarpus* Endl. (Rubiace.) 3160  
*Rhyssolobium* E. Mey. (Asclep.) 4821  
*Rhyssostelma* Dcne (Asclep.) 4732  
*Rhytachne* Desv. (Gramin.) 8008  
*Rhyticarpus* Sond. (Umbellif.) 2794  
*Rhyticaryum* Becc. (Olacin.) 1245  
*Rhytidandra* A. Gray (Stylidium Lour.) 2971  
*Rhytidanthe* Benth. (Leptorhynchos Less.) 3629  
*Rhytidophyllum* Mart. (Gesner.) 5382  
*Rhytidospermum* Sch. Bip. (Matri-caria L.) 3965  
*Rhytidosporum* F. Müll. (Marianthus Hügel) 532  
*Rhytidotus* H. f. (Rubiace.) 3216  
*Rhytiglossa* Nees (Dianthera L.) 5631  
*Rhytis* Lour. (Antidesma L.) 6433  
*Rhytispermum* Link (Lithospermum L.) 5056  
*Riana* Aubl. (Alsodeia Thou.) 476  
*Ribes* L. (Saxifrag.) 2168  
*Ribesioides* L. (Embelia Juss.).  
*Ricardia* Adans. (Richardsonia Kth).  
*Ricaurtea* Schreb. (Doliocarpus Roland) 85  
*Richardia* Houst. (Richardsonia Kth) 3358  
— Kth (Zantedeschia Spreng.) 7815  
*Richardsonia* Kth (Rubiace.) 3358  
*Richea* R. Br. (Epacrid.) 4415  
— Labill. (Craspedia Forst.) 3666  
*Richella* A. Gray (Anonac.) 93  
*Richeria* Vahl (Euphorb.) 6438  
*Richiæa* Thou. (Weihea Spreng.) 2242  
*Richteria* Kar. et Kir. (Chrysanthemum L.) 3964  
*Ricinella* Müll. Arg. (Adelia L.) 6504  
*Ricinocarpus* Desf. (Euphorb.) 6379  
*Ricinodendron* Müll. Arg. (Euphorb.) 6465  
*Ricinoides* (Tourn.) Mönch (Croton L.).  
*Ricinus* (Tourn.) L. (Euphorb.) 6562  
*Ricotia* L. (Crucif.) 266  
*Ridan* Adans. (Actinomeris Nutt.) 3831  
*Riddellia* Nutt. (Composit.) 3896  
*Ridolfia* Moris (Carum L.) 2806  
*Riedelia* Oliv. (Zingiberac.) 7135  
— Cham. (Lantana L.) 5679  
— Meisn. (Satyria Kl.) 4306  
*Riedleia* Vent. (Melochia L.) 818  
*Riencourtia* Cass. (Composit.) 3739  
*Riesenbachia* Presl (Onagrar.) 2534  
*Riessia* Kl. (Begonia L.) 2695  
*Rigidella* Lindl. (Irid.) 7227  
*Rigiolepis* H. f. (Vaccin) 4319  
*Rigioppapus* A. Gray (Composit.) 3910  
*Rigiostachys* Planch. (Simarub.) 1112  
*Rigocarpus* Neck. (Cucumis L.) 2633  
*Rima* Sonn. (Artocarpus L.) 6639  
*Rindera* Pall. (Boragin.) 5024  
*Rinopodium* Salisb. (Scilla L.) 7505  
*Rinorea* Aubl. (Alsodeia Thou.) 476  
*Rinzia* Schau. (Bæckeia L.) 2280  
*Riocreuxia* Dcne (Asclep.) 4864  
*Ripidium* Trin. (Erianthus Mchx) 8000  
*Ripogonum* Forst. v. *Rhipogonum* Forst. 7358  
*Riqueria* R. et P. (Rubiace. inc. sed.).  
*Rissoa* Arn. (Atalantia Corr.) 1101  
*Ritchia* R. Br. (Capparid.) 452  
*Rittera* Schreb. (Swartzia Schreb.) 1896  
*Rivea* Choisy (Convolvul.) 5070  
*Riveria* H. B. K. (Swartzia Schreb.) 1896



- Rivina* (Plum.) L. (Phytolac.) 6048  
*Rivinia* Auct. v. *Rivina* L. 6048  
*Rixea* C. Morr. (Inc. sed.) p. 491.  
*Rizoa* Cav. (*Gardoquia* R. et P.) 5777  
*Robbairia* Boiss. (*Polycarpæa* Lam.) 603  
*Robbia* A. DC. (*Malouetia* A. DC.) 4620  
*Robergia* Roxb. (*Phlebochiton* Wall.) 1521  
— Schreb. (*Rourea* Aubl.) 1568  
*Robertia* DC. (*Hypochæris* L.) 4197  
*Robertsia* Scop. (*Sideroxylon* L.) 4503  
*Robertsonia* Haw. (*Saxifraga* L.) 2092  
*Robina* Aubl. (*Lonchocarpus* H. B. K.)  
*Robinia* L. (Legumin.) 1691  
*Robinsonia* DC. (Composit.) 4009  
*Robiquetia* Gaud. (*Saccolabium* Bl.) 6946  
*Robsonia* Spach (*Ribes* L.) 2168  
*Robynsia* Martens et Gal. (*Pachyrhizus* Rich.) 1817  
*Rocama* Forsk. (*Trianthema* L.) 2724  
*Roccardia* Neck. (*Helipterum* DC.) 3631  
*Rochea* DC. (Crassul.) 2178  
— Salisb. (*Geissorhiza* Ker) 7260  
— Scop. (*Æschynomene* L.)  
*Rochefortia* Sw. (Boragin.) 5000  
*Rochelia* Rchb. (Boragin.) 5032  
— R. et S. (*Echinosperrum* Sw.) 5026  
*Rochonia* DC. (Composit.) 3504  
*Rodetia* Moq. (Amarant.) 5920  
*Rodigia* Spreng. (Composit.) 4187  
*Rodgersia* A. Gray (*Saxifrag.*) 2091  
*Rodriguezia* R. et P. (Orchid.) 6894  
*Rodschiedia* Miq. (*Securidaca* L.) 551  
*Rœa* Hügel (*Sphærolobium* Sm.) 1595  
*Rœbelia* Engel (Inc. sed.) p. 491.  
*Rœgneria* K. Koch (*Agropyrum* J. Gärt.) 8272  
*Ræhlingia* Dennst. (*Tetracera* L.)  
*Rœlla* L. (Campanul.) 4284  
*Rœmeria* DC. (Papaverac.) 227  
— Dennst. (*Scævola* L.) 4237  
— Mönch (*Amarantus* L.) 5928  
— Thunb. (*Anaphrenium* E. Mey.) 1547  
— Thunb. (*Myrsine* L.) 4460  
— Tratt. (*Steriphoma* Spreng.) 437  
— Zea (*Diarrhena* Raf.) 8225  
*Rœpera* A. Juss. (*Zygophyllum* L.) 969  
*Rœperia* F. Müll. (Capparid.) 432  
— Spreng. (*Ricinocarpus* Desf.) 6379  
*Rœperocharis* Rchb. f. (Orchid.) 7075  
*Rœslinia* Mönch (*Chironia* L.) 4923  
*Rœzlia* Rgl. (*Monochætum* Naud.) 2402  
*Rogeria* J. Gay (Pedalin.) 5505  
*Rogiera* Planch. (*Rondeletia* L.) 3063  
*Rohdea* Roth (Liliac.) 7384  
*Rohria* Vahl (*Berkheya* Ehrh.) 4060  
— Schreb. (*Tapura* Aubl.) 1203  
*Roia* Scop. (*Swietenia* L.)  
*Roioe* Adans. (*Morinda* L.)  
*Rokejeka* Forsk. (*Gypsophila* L.) 573  
*Rolandra* Rottb. (Composit.) 3429  
*Roldana* Llav. et Lex. (*Senecio* L.) 4025  
*Rolfinkia* Zenk. (*Centratherum* Cass.) 3397  
*Rollandia* Gaud. (Lobeliac.) 4243  
*Rollinia* St-Hil. (Anonac.) 106  
*Romana* Vell. (*Buddleia* L.) 4898  
*Romanzoffia* Cham. (Hydrophyll.) 4984  
*Romneya* Harv. (Papaverac.) 215  
*Romualdea* Tr. et Pl. (*Hippocratea* L.) 1312  
*Romulea* Maratti (Irid.) 7235  
*Ronabea* Aubl. (*Mapouria* Aubl.) 3286  
*Rondeletia* (Plum.) L. (Rubiace.) 3063  
*Ronnbergia* E. Morr. (Bromel.) 7175  
*Ronnovia* Buch. (*Omphalea* L.) 6561  
*Ropala* Auct. v. *Roupala* Aubl. 6249  
*Ropalocarpus* Boj. (Tiliac.) 880  
*Ropalopetalum* Griff. (*Artabotrys* R. Br.) 78  
*Rophostemon* Bl. (*Pogonia* Juss.) 7043  
*Rorella* Rupp. (*Drosera* L.)  
*Rorida* R. et S. (*Cleome* L.) 425  
*Roridula* L. (*Droserac.*) 2192  
— Forsk. (*Cleome* L.) 425  
*Roripa* Bess. (*Nasturtium* R. Br.) 245  
*Rosa* (Tourn.) L. (Rosac.) 2069  
**Rosaceæ** p. 111.  
*Rosea* Kl. (*Tricalysia* A. Rich.) 3202  
*Rosalesia* Llav. et Lex. (*Brickellia* Ell.) 3465  
*Rosanovia* Rgl. (*Sinningia* Nees) 5379  
*Roscheria* Wendl. (Palm.) 7675  
*Roscoca* Sm. (*Zingiberac.*) 7118  
— Roxb. (*Congea* Roxb.) 5723  
— Roxb. (*Sphenodesma* Jack) 5722  
*Roscyna* Spach (*Hypericum* L.) 631  
*Rosea* Mart. (*Iresine* L.) 5963  
— Kl. (*Tricalysia* A. Rich.) 3302  
*Rosenbachia* Rgl. (Verben.) 5717  
*Rosenbergia* Erst. (*Cobæa* Cav.) 4974  
*Rosenia* Thunb. (Composit.) 3681  
*Rosilla* Less. (*Dysodia* Cav.) 3923  
*Rosmarinus* (Tourn.) L. (Labiata) 5797  
*Rospidios* A. DC. (*Diospyros* L.) 4524  
*Rossenia* Vell. (*Cusparia* Humb.) 1014  
*Rossmæsslera* Rchb. (*Gilia* R. et P.)  
*Rossmannia* Kl. (*Begonia* L.) 2695  
*Rossolis* Adans. (*Drosera* L.)  
*Rostellaria* Gärt. f. (Sapot.) 4518  
— Nees (*Justicia* L.) 5611  
*Rostellularia* Rchb. (*Justicia* L.) 5611  
*Rostkoria* Desv. (Juncac.) 7609  
*Rostraria* Trin. (*Trisetum* Pers.) 8146

- Rotala* L. (Lythrar.) 2487  
*Rotherbe Klatt v. Botherbe* Steud. 7239  
*Rotheria* Meyen (Cruckshanksia H. et A.) 3207  
*Rothia* Pers. (Legumin.) 1623  
— Lam. (Hymenopappus L'Hér.) 3899  
— Schrad. (Andryala L.)  
*Rothmannia* Thunb. (Gardenia L.) 3181  
*Rothrockia* A. Gray (Asclep.) 4797  
*Rottbœllia* L. f. (Gramin.) 8006  
— Host (Lepturus R. Br.) 8269  
*Rottlera* Roxb. (Mallotus Lour.) 6522  
— Vahl (Didymocarpus Wall.) 5400  
— Willd. (Trewia L.) 6520  
*Rotula* Lour. (Rhabdia Mart.) 5002  
*Roubieva* Moq. (Chenopod.) 5974  
*Roucela* Dmrt. (Campanula L.) 4296  
*Roucheria* Planch. (Lineæ) 896  
*Rouhamon* Aubl. (Strychnos L.) 4912  
*Roulinia* Dcne (Asclep.) 4786  
— Brongn. (Nolina Mchx) 7410  
*Roumea* Poit. (Xylosma Forst.) 516  
— Wall. (Daphne L.)  
*Roupala* Aubl. (Proteac.) 6249  
*Roupellia* Wall. (Apocyn.) 4632  
*Rourea* Aubl. (Connar.) \*1568  
*Roureopsis* Planch. (Connar.) 1569  
*Roussea* Sm. (Saxifrag.) 2132  
— Spreng. (Pouteria Aubl.) 4495  
*Rousseauxia* DC. (Melastom.) 2423  
*Rousselia* Gaud. (Urtic.) 6686  
*Roussinia* Gaud. (Pandanus L.) 7743  
*Roxburghia* Banks (Stemona Lour.) 7353  
**Roxburghiaceæ v. Stemonaceæ.**  
*Roydsia* Roxb. (Stixis Lour.) 449  
*Royena* L. (Ebenac.) 4521  
*Roylea* Wall. (Labiât.) 5837  
— Nees (Pommereulla L. f.)  
*Ruagea* Karst. (Guarea L.) 1178  
*Rubachia* Berg (Marlieria Camb.) 2323  
*Rubentia* Comm. (Elæodendron Jacq.)  
*Rubia* (Tourn.) L. (Rubiaceæ) 3363  
**Rubiaceæ p. 170 et 500.**  
*Rubus* (Tourn.) L. (Rosac.) 2042  
*Ruckeria* DC. (Composit.) 4040  
*Ruckia* Rgl (Rhodostachys Phil.) 7161  
*Rudbeckia* L. (Composit.) 3801  
— Adans. (Conocarpus Gärtn.) 2253  
*Rudgea* Salisb. (Rubiaceæ) 3289  
*Rudolphia* Willd. (Legumin.) 1794  
— Medik. (Malpighia L.)  
*Rudolphorœmeria* Steud. (Kniphofia Salisb.) 7390  
*Ruehssia* Karst. (Marsdenia R. Br.) 4835  
*Ruellia* (Plum.) L. (Acanth.) 5529  
*Ruellia* Nees (Ruellia L.) 5529  
*Rueppelia* A. Rich. (Æschynomene L.) 1750  
*Rugelia* Shuttl. (Senecio L.) 4025  
*Rugenia* Neck. (Eugenia L.)  
*Ruisia* Cav. (Stercul.) 808  
— Hort. (Cossignia Comm.) 1466  
— Pav. (Peumus Pers.) 6161  
*Rulingia* R. Br. (Stercul.) 830  
— Ehrh. (Anacampseros L.) 611  
*Rumea* Poit. v. Roumea DC.  
*Rumex* L. (Polygon.) 6088  
*Rumfordia* DC. (Composit.) 3782  
*Rumia* Hoffm. (Trinia Hoffm.) 2796  
*Ruminia* Parl. (Leucoium L.) 7284  
*Rumphia* L. (Inc. sed.)  
*Runcina* Allemand (Inc. sed.)  
*Rungia* Nees (Acanth.) 5639  
*Rupalleya* Morière (Stropholirion Torr.) 7467  
*Rupicapnos* Pomel (Fumaria L.)  
*Ruppia* L. (Naiad.) 7881  
*Ruprechtia* C.A. Mey. (Polygon.) 6098  
— Rehb. (Plinthus Fenzl.)  
*Ruscus* (Tourn.) L. (Liliac.) 7359  
*Russeggera* Endl. (Lepidagathis Willd.) 5572  
*Russelia* Jacq. (Scrophul.) 5216  
— Kön. (Ormocarpum P. B.)  
*Rustia* Kl. (Rubiaceæ) 3054  
*Ruta* (Tourn.) L. (Rutac.) 1019  
— DC. (Ruta L.) 1019  
**Rutaceæ p. 52 et 496.**  
*Rutæa* Röm. (Turræa L.) 1167  
*Rutaria* Webb (Ruta L.) 1019  
*Rutera* Medik. (Psoralea L.)  
*Ruthea* Rolle (Lichtensteinia Ch. et Schl.) 2795  
*Rutica* Neck. (Urtica L.)  
*Rutidea* DC. (Rubiaceæ) 3265  
*Rutidochlamys* Sond. (Podolepis Labill.) 3684  
*Rutidosia* DC. (Composit.) 3646  
*Rutilia* Fl. Flum. (Inc. sed.)  
*Rutosma* A. Gray (Thamnosma Torr. et Frem.)  
*Ruttia* Harv. (Acanth.) 5599  
*Ruyschia* Jacq. (Ternstroem.) 668  
*Ruyschiana* Mill. (Dracocephalum L.) 5803  
*Ryana* Vahl (Bixin.) 502  
*Rydbeckia* Neck. (Anthericum L.)  
*Rykia* De Vriese (Pandanus L.) 7743  
*Ryandra* Salisb. (Knightia R. Br.) 6266  
*Rymia* Endl. (Euclea L.) 4522  
*Rynchostylis* Bl. v. Rhynchostylis Hassk.  
*Ryparia* Bl. (Ryparosa Bl.) (Inc. sed.) p. 491.  
*Ryparosa* Bl. (Inc. sed.) p. 491.

|   |      |
|---|------|
| <i>Ryssopterys</i> Bl. (Malpigh.)                         | 938  |
| <i>Rytachne</i> Desv. v. <i>Rhytachne</i> Desv.           |      |
| <i>Ryticarium</i> Becc. v. <i>Rhyticaryum</i> Becc.       | 1245 |
| <i>Rytidea</i> Spreng. v. <i>Rutidea</i> DC.              | 3265 |
| <i>Rytidoloma</i> Turcz. ( <i>Dictyanthus</i> Dcne)       | 4799 |
| <i>Rytidophyllum</i> Mart. v. <i>Rhytidophyllum</i> Endl. |      |
| <i>Rytidosperma</i> Steud. ( <i>Deschampsia</i> P. B.)    | 8145 |
| <i>Rytidostylis</i> H. et A. ( <i>Elatarium</i> Jacq.)    | 2677 |
| <i>Rytidotus</i> H. f. v. <i>Rhytidotus</i> H. f.         | 3216 |
| <i>Rytigynia</i> Bl. ( <i>Vangueria</i> Juss.)            | 3248 |

## S

|   |      |
|---|------|
| <i>Sabadilla</i> Brandt ( <i>Schoenocaulon</i> A. Gray) | 7560 |
| <i>Sabal</i> Adans. (Palm.)                             | 7692 |
| <i>Sabazia</i> Cass. (Composit.)                        | 3794 |
| <i>Sabbata</i> Vell. (Inc. sed.) p. 491.                |      |
| <i>Sabbatia</i> Adans. (Gentian.)                       | 4939 |
| — Mönch ( <i>Micromeria</i> Benth.)                     | 5773 |
| <i>Sabia</i> Colebr. (Sabiace.)                         | 1503 |
| <b>Sabiaceæ</b> p. 83.                                  |      |
| <i>Sabicea</i> Aubl. (Rubiace.)                         | 3131 |
| <i>Sabina</i> Hall. ( <i>Juniperus</i> L.)              |      |
| <i>Sabinea</i> DC. (Legumin.)                           | 1700 |
| <i>Sabulina</i> Rchb. ( <i>Arenaria</i> L.)             | 583  |
| <i>Saccellium</i> H. et B. (Boragin.)                   | 4995 |
| <i>Saccharum</i> L. (Gramin.)                           | 7999 |
| <i>Saccidium</i> Lindl. ( <i>Holothrix</i> L. C. Rich.) | 7064 |
| <i>Saccocalyx</i> Coss. et Durieu ( <i>Satureia</i> L.) | 5770 |
| <i>Saccochilus</i> Bl. ( <i>Saccolabium</i> Bl.)        | 6946 |
| <i>Saccoglottis</i> Mart. (Humiriace.)                  | 909  |
| <i>Saccolabium</i> Bl. (Orchid.)                        | 6946 |
| <i>Sacconia</i> Endl. ( <i>Chione</i> DC.)              | 3234 |
| <i>Saccopetalum</i> Benn. (Anonac.)                     | 115  |
| <i>Saccoplectus</i> CErst. ( <i>Alloplectus</i> Mart.)  | 5386 |
| <i>Saccularia</i> Kellog ( <i>Antirrhinum</i> L.)       | 5199 |
| <i>Sachsia</i> Griseb. (Composit.)                      | 3584 |
| <i>Sadymia</i> Griseb. ( <i>Samyda</i> L.)              | 2547 |
| <i>Sælanthus</i> Forsk. ( <i>Cissus</i> L.)             | 1367 |
| <i>Safran</i> Medik. ( <i>Crocus</i> L.)                |      |
| <i>Sageræa</i> Dalz. (Anonac.)                          | 64   |
| <i>Sageretia</i> Brongn. (Rhamn.)                       | 1334 |
| <i>Sagina</i> L. (Caryophyll.)                          | 586  |
| <i>Sagittaria</i> L. (Alism.)                           | 7865 |
| <i>Sagmen</i> Hill ( <i>Centaurea</i> L.)               |      |
| <i>Sagonea</i> Aubl. ( <i>Hydrolea</i> L.)              | 4991 |
| <i>Sagotia</i> H. Bn ( <i>Euphorb.</i> )                | 6477 |
| — Walp. ( <i>Desmodium</i> Desv.)                       | 1761 |
| <i>Sagræa</i> DC. ( <i>Clidemia</i> D. Don)             | 2470 |
| — Naud. ( <i>Ossæa</i> DC.)                             | 2476 |

|  |       |
|--|-------|
| <i>Saguerus</i> (Rumph.) Bl. ( <i>Arenga</i> Labill.)  | 7684  |
| <i>Sagus</i> (Rumph.) Bl. ( <i>Metroxylon</i> Rottb.)  | 7715  |
| <i>Sahagunia</i> Liebm. (Urtic.)                       | 6641  |
| <i>Saheria</i> Fenzl (Capparid.)                       | +442  |
| <i>Sahlbergia</i> Neck. ( <i>Gardenia</i> L.)          |       |
| <i>Saintlegeria</i> Cordem. ( <i>Chloranthus</i> Sw.)  | 6147  |
| <i>Saintmorysia</i> Endl. ( <i>Athanasia</i> L.)       | 3943  |
| <i>Sairanthus</i> G. Don ( <i>Nicotiana</i> L.)        | 5158  |
| <i>Saivala</i> Wall. ( <i>Blyxa</i> Thou.)             | 6723  |
| <i>Sajorium</i> Endl. ( <i>Plukenetia</i> L.)          |       |
| <i>Sakersia</i> H. f. ( <i>Melastom.</i> )             | 2442  |
| <i>Salabertia</i> Neck. ( <i>Tapirira</i> Aubl.)       |       |
| <i>Salacca</i> Reinw. v. <i>Zalacca</i> Reinw.         | 7709  |
| <i>Salacia</i> L. ( <i>Hippocrat.</i> )                | *1313 |
| <i>Salacistis</i> Rchb. f. ( <i>Hetæria</i> Bl.)       | 7010  |
| <i>Salaxis</i> Salisb. ( <i>Ericac.</i> )              | 4361  |
| — Kl. ( <i>Salaxis</i> Salisb.)                        | 4361  |
| <i>Salazaria</i> Torr. (Labiace.)                      | 5809  |
| <i>Saldanha</i> Vell. ( <i>Hillia</i> Jacq.)           | 3034  |
| <i>Saldanhæa</i> Bur. (Bignon.)                        | 5449  |
| <i>Saldinia</i> A. Rich. (Rubiace.)                    | 3298  |
| <i>Salicaria</i> (Tourn.) Mönch ( <i>Lythrum</i> L.)   |       |
| <b>Salicineæ</b> p. 381.                               |       |
| <i>Salicornia</i> (Tourn.) L. (Chenopod.)              | 6014  |
| <i>Salisburia</i> Sm. ( <i>Ginkgo</i> L.)              | 8337  |
| <i>Salisia</i> Lindl. ( <i>Kunzea</i> Rchb.)           | 2287  |
| — Rgl ( <i>Gloxinia</i> L'Hér.)                        | 5365  |
| <i>Salix</i> (Tourn.) L. (Salic.)                      | 6712  |
| <i>Salizaria</i> Torr. v. <i>Saluzaria</i> Torr.       | 5309  |
| <i>Salken</i> Adans. ( <i>Dalbergia</i> L.)            |       |
| <i>Salmalia</i> Schott ( <i>Bombax</i> L.)             | 771   |
| <i>Salmea</i> DC. (Composit.)                          | 3836  |
| <i>Salmeopsis</i> Benth. (Composit.)                   | 3837  |
| <i>Salmia</i> Cav. ( <i>Sansevieria</i> Thunb.)        |       |
| — Willd. ( <i>Carludovica</i> R. et P.)                | 7746  |
| <i>Salmonia</i> Scop. ( <i>Vochysia</i> Juss.)         |       |
| <i>Salomonina</i> Lour. (Polygal.)                     | 541   |
| <i>Salpianthus</i> H. et B. ( <i>Boldoa</i> Cav.)      | 5883  |
| <i>Salpichroa</i> Miers (Solan.)                       | 5135  |
| <i>Salpichroma</i> Miers v. <i>Salpichroa</i> Miers    | 5135  |
| <i>Salpiglossis</i> R. et P. (Solan.)                  | 5166  |
| <i>Salpinga</i> Mart. (Melastom.)                      | 2436  |
| — Naud. ( <i>Macrocentrum</i> H. f.)                   | 2435  |
| <i>Salpioxantha</i> Hook. ( <i>Geissomeria</i> Lindl.) | 5593  |
| <i>Salsa</i> Feuill. ( <i>Herreria</i> R. et P.)       |       |
| <i>Salsola</i> L. (Chenopod.)                          | 6027  |
| <i>Saltia</i> R. Br. (Amarant.)                        | 5931  |
| — R. Br. ( <i>Cometes</i> L.)                          | 5911  |
| <i>Saluzzia</i> Colla ( <i>Achimenes</i> P. Br.)       |       |
| <i>Salvadora</i> L. ( <i>Salvadorac.</i> )             | 4554  |
| <b>Salvadoraceæ</b> p. 260.                            |       |
| <i>Salvertia</i> A. St-Hil. (Vochys.)                  | 562   |
| <i>Salvia</i> L. (Labiace.)                            | 5793  |



- Salvia* Mönch (*Salvia* L.) 3793  
*Salviastrum* Scheele (Labiata) 5795  
*Salzmannia* DC. (Rubiaceae) 3231  
*Salzwedelia* Fl. Wett. (*Genista* L.) 1641  
*Samadera* Gärtner. v. *Samandura* L. 1113  
*Samandura* L. (*Simarub.*) 1113  
*Samara* L. (*Embelia* Burm.) 4466  
— Sw. (*Myrsine* L.) 4460  
*Samaropyxis* Miq. (*Hymenocardia* Wall.) 6437  
*Sambucus* (Tourn.) L. (*Caprifol.*) 2987  
*Sameraria* Desv. (*Isatis* L.) 375  
*Samodia* Baudo (Inc. sed.) p. 491.  
*Samoloides* Boerh. (*Scoparia* L.).  
*Samolus* (Tourn.) L. (*Primul.*) 4457  
*Samyda* L. (*Samyd.*) 2547  
**Samydaceae** p. 142.  
*Sanamunda* (Adans.) Zumag. (*Thymelaea* Endl.) 6274  
*Sanchezia* R. et P. (*Acanth.*) 5541  
*Sandersonia* Hook. (*Liliac.*) 7545  
*Sandoricum* Rumph. (*Meliac.*) 1173  
*Saufordia* Drumm. (*Geleznovia* Turcz.) 1045  
*Sanguinaria* (Dill.) L. (*Papaverac.*) 224  
*Sanguisorba* (Rupp.) L. (*Poterium* L.) 2066  
*Sanhilaria* Leandro (*Stiffia* Mik.) 4127  
*Sanicula* (Tourn.) L. (*Umbellif.*) 2763  
*Sanseviella* Rchb. (*Reineckea* Kth) 7381  
*Sansevieria* Thunb. (*Hæmodor.*) 7213  
*Sansovina* Scop. (*Staphylea* L.).  
**Santalaceae** p. 358.  
*Santaloides* L. (*Rourea* Aubl.).  
*Santalum* L. (*Santal.*) 6337  
*Santia* Savi (*Polypogon* Desv.) 8114  
— W. et A. (*Lasianthus* Jack) 3296  
*Santiria* Bl. (*Burser.*) 1163  
*Santolina* (Tourn.) L. (*Composit.*) 3951  
*Sanvitalia* Lam. (*Composit.*) 3778  
*Sanvitaliopsis* Sch. Bip. (*Zinnia* L.) 3777  
*Saouari* Aubl. (*Caryocar* L.) 664  
**Sapindaceae** p. 71 et 498.  
*Sapindus* L. (*Sapind.*) 1384  
*Sapium* P. Br. (*Euphorb.*) 6567  
*Saponaria* L. (*Caryophyll.*) 574  
*Sapota* (Plum.) Gärtner. (*Achras* L.) 4501  
— Gärtner. (*Chrysophyllum* L.) 4489  
**Sapotaceae** p. 252 et 501.  
*Sapranthus* Seem. (*Anonac.*) 69  
*Sapria* Griff. (*Cytin.*) 6128  
*Saprosma* Bl. (*Rubiaceae*) 3303  
*Saraca* L. (*Legumin.*) 1962  
*Saracha* R. et P. (*Solan.*) 5111  
*Sarania* Fisch. (*Fritillaria* L.) 7510  
*Saranthe* Körn. (*Zingiberac.*) 7143  
*Sarcandra* Gärtner. (*Chloranthus* Sw.) 6147  
*Sarcanthemum* Cass. (*Psiadia* Jacq.) 3568  
*Sarcanthidion* H. Bn (*Olacin.*) 1249  
*Sarcanthus* Lindl. (*Orchid.*) 5006  
— Anders. (*Heliotropium* L.) 5006  
*Sarcaulus* Radlk. (*Sapot.*) 4499  
*Sarcinanthus* Erst. (*Cyclanth.*) 7748  
*Sarcobatus* Nees (*Chenopod.*) 6042  
*Sarcocalyx* Walp. (*Aspalathus* L.) 1626  
— Zipp. (*Exocarpus* Labill.) 6352  
*Sarcocampsa* Miers (*Salacia* L.) 1313  
*Sarcocapnos* DC. (*Fumariac.*) 237  
*Sarcocarpon* Bl. (*Kadsura* Kæmpf.) 63  
*Sarcocaulon* DC. (*Geran.*) 982  
*Sarcocephalus* Afz. (*Rubiaceae*) 3000  
*Sarcochilus* R. Br. (*Orchid.*) 6940  
*Sarcochlamys* Gaud. (*Urtic.*) 6673  
*Sarcoclinium* Wight (*Agrostistachys* Dalz.) 6479  
*Sarcococca* Lindl. (*Euphorb.*) 6387  
*Sarcocodon* N. E. Brown (*Asclep.*) 4873  
*Sarcocolla* Kth (*Penæac.*) 6308  
*Sarcocordylis* Wall. (*Balanophora* Forst.) 6359  
*Sarcocyphula* Harv. (*Monostemma* Turcz.) 4791  
*Sarcodactylis* Gärtner. (*Citrus* L.) 1102  
*Sarcodes* Torr. (*Monotrop.*) 4383  
*Sarcodiscus* Griff. (*Kibara* Endl.) 6157  
*Sarcodum* Lour. (*Legumin.*) 1686  
*Sarcoglottis* Presl (*Spiranthes* L. C. Rich.) 6992  
*Sarcogonum* Don (*Muehlenbeckia* Meisn.) 6090  
*Sarcolæna* Thou. (*Chlænac.*) 720  
*Sarcolipes* E. et Z. (*Crassula* L.) 2176  
*Sarcolobus* R. Br. (*Asclep.*) 4820  
*Sarcomeris* Naud. (*Pachyanthus* A. Rich.) 2456  
*Sarcomphalus* P. Br. (*Rhamn.*) 1326  
*Sarcopetalum* F. Müll. (*Menisperm.*) 153  
*Sarcophyllum* E. Mey. (*Lebeckia* Thunb.) 1624  
*Sarcophyllus* Thunb. (*Aspalathus* L.) 1626  
*Sarcophysa* Miers (*Juanulloa* R. et P.) 5148  
*Sarcophyte* Sparrm. (*Balanophor.*) 6356  
*Sarcopodium* Lindl. (*Bulbophyllum* Thou.) 6767  
— Lindl. (*Dendrobium* Sw.) 6765  
*Sarcopoterium* Spach. (*Poterium* L.) 2066  
*Sarcopyramis* Wall. (*Melastom.*) 2430  
*Sarcosiphon* Bl. (*Bagnisia* Becc.) 6739  
*Sarcosperma* H. f. (*Sapot.*) 4497

- Sarcostemma* R. Br. (Asclep.) 4790  
 — Dcne. (Philibertia H. B. K.) 4726  
*Sarcostigma* W. et A. (Olacin.) 1256  
*Sarcostoma* Bl. (Dendrobium Sw.) 6765  
*Sarcostyles* Presl. (Hydrangea L.) 2111  
*Sarcotheca* Bl. (Lineæ) 901  
 — Turcz. (Schinus L.) 1541  
*Sarcotoechia* Radlk. (Sapind.) 1456  
*Sarcozygium* Bge (Zygophyll.) 970  
*Sardinia* Flor. Flum. (Guettarda L.).  
*Sariava* (Reinw.) Bl. (Symplocos L.). 4527  
*Saribus* Bl. (Livistona R. Br.)  
*Sarissus* Gärt. (Hydrophylax L.) 3342  
*Sarmentaria* Naud. (Adelobotrys DC.) 2409  
*Sarmienta* R. et P. (Gesner.) 5440  
*Sarna* Karst. (Apodanthes Poit.) 6125  
*Sarosantha* Korth. (Adinandra Jack) 678  
*Sarotes* Lindl. (Guichenotia Lindl.) 836  
*Sarothamnus* Wimm. (Cytisus L.) 1645  
*Sarotheca* Nees (Justicia L.) 5611  
*Sarothra* L. (Hypericum L.) 631  
*Sarothrostachys* Kl. (Sebastiania Spreng.) 6570  
*Sarracenia* L. (Sarracen.) 210  
**Sarraceniaceæ p. 10.**  
*Sarratia* Moq. (Amarantus L.) 5928  
*Sartoria* Boiss. (Onobrychis Gärt.) 1736  
*Sartwellia* A. Gray (Composit.) 3916  
*Sassafras* (Pison) Nees (Laurin.) 6205  
*Sassafridium* Meisn. (Laurin.) 6204  
*Sassea* Kl. (Begonia L.) 2695  
*Sassia* Molina (Oxalis L.).  
*Satanocrater* Schweinf. (Acanth.) 5548  
*Sattadia* Fourn. (Asclep.) 4751  
*Satureia* (Tourn.) L. (Labiata) 5770  
*Saturnia* Maratti (Allium L.) 7476  
 — Salisb. (Allium L.) 7476  
*Satyria* Kl. (Vaccin.) 4306  
*Satyridium* Lindl. (Satyrium Sw.) 7072  
*Satyrium* Sw. (Orchid.) 7072  
*Saubinetia* Remy (Verbesina L.) 3833  
*Saueria* Kl. (Begonia L.) 2695  
*Saul* Roxb. (Vatica L.).  
*Saundersia* Rehb. f. (Orchid.) 6904  
*Saurauja* Willd. (Ternstroem.) 685  
*Sauroglossum* Lindl. (Spiranthes L. C. Rich.) 6992  
*Sauromatum* Schott (Aroid.) 7846  
*Sauropus* Bl. (Euphorb.) 6401  
*Sauruopsis* Turcz. (Saururus L.) 6137  
*Saururus* (Plum.) L. (Piperac.) 6137  
*Saussurea* DC. (Composit.) 4086  
 — Cass. (Saussurea DC.) 4086  
 — Salisb. (Hosta Tratt.) 7389  
*Saussuria* Mönch (Nepeta L.) 5802  
*Sautiera* Dcne (Acanth.) 5557  
*Sauvagea* L. v. *Sauvagesia* L.
- Sauvagesia* L. (Violar.) 483  
*Sauvallea* Wright (Commelin.) 7592  
*Savastana* Schrank (Hierochloa Gmel.) 8087  
*Savastania* (Tibouchinia Aubl.) 2383  
*Savia* Willd. (Euphorb.) 6398  
*Savignya* DC. (Crucif.) 321  
*Saviniona* Webb. (Lavatera L.) 731  
*Saxegothea* Lindl. (Conifer.) 8332  
*Saxifraga* (Tourn.) L. (Saxifrag.) 2092  
 — Haw. (Saxifraga L.) 2092  
**Saxifragaceæ p. 115.**  
*Saxofridericia* Schomb. (Rapa-teac.) 7599  
*Scabiosa* (Tourn.) L. (Dipsac.) 3386  
*Scævola* L. (Goodeniaceæ) 4237  
*Scalesia* Arn. (Composit.) 3806  
*Scalia* Sims (Podolepis Labill.) 3684  
*Scaligera* Adans. (Aspalathus L.).  
*Scaligeria* DC. (Conopodium Koch) 2819  
*Scaliopsis* Walp. (Podolepis Labill.) 3684  
*Scandederis* Thou. (Dendrobium Sw.) 6765  
*Scandix* (Tourn.) L. (Umbellif.) 2828  
*Scapha* Choisy (Saurauja Willd.) 685  
*Scaphespermum* Mart. (Scaphopetalum Mast.) 826  
 — Edgew. (Seseli L.) 2835  
*Scaphispatha* Brongn. (Aroid.) 7841  
*Scaphium* Schott (Sterculia L.) 791  
*Scaphopetalum* Mast. (Stercul.) 826  
*Scaphyglottis* Pöpp. et Endl. (Orchid.) 6813  
*Scaredederis* Thou. (Dendrobium Sw.) 6765  
*Scelochilus* Kl. (Orchid.) 6892  
*Scepa* Lindl. (Aporosa Bl.) 6429  
*Scepasma* Bl. (Phyllanthus L.) 6404  
*Scepinia* Neck. (Pteronia L.) 3503  
*Scepocarpus* Wedd. (Urera Gaud.) 6658  
*Scepseothamnus* Cham. (Alibertia A. Rich.) 3159  
*Sceptranthus* Grah. (Cooperia Herb.) 7293  
*Sceptrocnide* Maxim. (Urtic.) 6656  
*Sceura* Forsk. (Avicennia L.) 5724  
*Schachtia* Karst. (Rubiaceæ) 3158  
*Schæfferia* Jacq. (Celastr.) 1299  
*Schæffnera* Sch. Bip. (Dicoma Cass.) 4129  
*Schætzelia* Sch. Bip. (Hinterhubera Sch. Bip.) 3547  
*Schætzellia* Sch. Bip. (Composit.) 3449  
 — Kl. (Onoseris DC.) 4113  
*Schaffnera* Benth. (Gramin.) 8036  
*Schamsia* Bronner (Vitis L. ?).  
*Schanginia* C. A. Mey. (Suaeda Forsk.) 6016  
*Schanera* Nees (Aydendron Nees) 6182  
*Schaueria* Nees (Acanth.) 5628  
 — Hassk. (Hyptis Jacq.) 5744

- Schedonnardus* Steud. (Gramin.) 8167  
*Schedonorus* P. B. (Bromus L.) 8257  
*Scheelea* Karst. (Attalea H. B. K.) 7739  
*Scheeria* Seem. (Achimenes P. Br.) 5366  
*Schefflera* Forst. (Araliac.) 2946  
*Scheidweileria* Kl. (Begonia L.) 2695  
*Schelhammera* R. Br. (Liliac.) 7541  
*Schelhammeria* Mönch (Carex L.) 7988  
*Schellingia* Steud. (Ægopogon H. et B.) 8028  
*Schelveria* Nees et Mart. (Angelonia H. B. K.) 5188  
*Schenkia* Griseb. (Erythræa DC.) 4937  
*Schenodorus* P. B. v. *Schedonorus* P. B.  
*Schepperia* Neck. (Cadaba Forsk.) 443  
*Schetti* Adans. (Ixora L.)  
*Scheuchzeria* L. (Naiad.) 7876  
*Schidiomyrtus* Schau. (Bæckeia L.) 2280  
*Schidospermum* Griseb. (Chlorophytum Ker) 7432  
*Schieckia* Meisn. (Hæmodor.) 7195  
— Karst. (Inc. sed.) p. 491.  
*Schiedea* Ch. et Schl. (Caryophyll.) 590  
— A. Rich. (Tertrea DC.) 3237  
*Schillera* Rchb. (Eriolæna DC.) 805  
*Schilleria* Kth (Piper L.) 6141  
*Schima* Reinw. (Ternstroëm.) 688  
*Schimpera* Steud. et Hochst. (Crucif.) 387  
*Schinnongia* Schrank (Inc. sed.).  
*Schinopsis* Engl. (Anacard.) 1554  
*Schinus* L. (Anacard.) 1541  
*Schismatoclada* Bak. (Rubiace.) 3014  
*Schismatoglottis* Zoll. et Mor. (Aroid.) 7800  
*Schismatopera* Kl. (Pera Mut.) 6579  
*Schismaxon* Steud. (Xyris L.) 7568  
*Schismoceras* Presl (Dendrobium Sw.) 6765  
*Schismus* P. Br. (Gramin.) 8245  
*Schistachne* Fig. et De Not. (Aristida L.) 8089  
*Schistanthe* Kunze (Alonsoa R. et P.) 5187  
*Schistocarpha* Less. (Composit.) 3992  
*Schistocodon* Schau. (Toxocarpus W. et A.) 4713  
*Schistogyne* H. et A. (Asclep.) 4764  
*Schistophragma* Benth. (Conobea Aubl.) 5252  
*Schistostephium* Less. (Composit.) 3980  
*Schivereckia* Andr. (Alyssum L.) 274  
*Schizachyrium* Nees (Andropogon L.) 8020  
*Schizandra* Mchx (Magnoliace.) \*62  
*Schizanthus* Turcz. (Miconia R. et P.) 2462  
*Schizanthus* Haw. (Narcissus L.) 7281  
*Schizanthus* R. et P. (Solan.) 5165  
*Schizobasis* Bak. (Liliac.) 7427  
*Schizocalyx* Wedd. (Rubiace.) 3033  
— Berg (Calycorectes Berg) 2328  
*Schizocalyx* Hochst. (Dobera Juss.) 4553  
— Scheele (Origanum L.) 5767  
*Schizocapsa* Hance (Taccac.) 7343  
*Schizocarpum* Schrad. (Cucurbit.) 2647  
*Schizocarya* Spach (Gaura L.) 2536  
*Schizocasia* Schott (Aroid.) 7820  
*Schizocentrum* Meisn. (Heeria Schlecht.) 2370  
*Schizochilus* Sond. (Orchid.) 7082  
*Schizochiton* Spreng. v. *Chizochiton* Bl.) 1176  
*Schizocodon* S. et Z. (Diapens.) 4420  
*Schizodium* Lindl. (Orchid.) 7078  
*Schizoglossum* E. Mey. (Asclep.) 4738  
*Schizogyne* Cass. (Inula L.) 3690  
*Schizolæna* Thou. (Chlænac.) 722  
*Schizolepis* Schrad. (Scleria Berg) 7981  
*Schizolobium* Vog. (Legumin.) 1920  
*Schizomeria* D. Don (Saxifrag.) 2157  
*Schizonephos* Griff. (Piper L.) 6141  
*Schizonotus* A. Gray (Asclep.) 4740  
*Schizopepon* Maxim. (Cucurbit.) 2685  
*Schizopetalon* Sims (Crucif.) 284  
*Schizophragma* S. et Z. (Saxifrag.) 2112  
*Schizophyllum* Nutt. (Lipochæta DC.) 3818  
*Schizopleura* Lindl. (Beaufortia R. Br.) 2292  
*Schizopogon* Rchb. (Andropogon L.)  
*Schizopsis* Bur. (Tynanthus Miers) 5442  
*Schizoptera* Turcz. (Composit.) 3753  
*Schizostachyum* Nees (Gramin.) 8300  
*Schizostemma* Dcne (Oxypetalum R. Br.) 4734  
*Schizostephanus* Hochst. (Cynanchum L.) 4779  
*Schizostigma* Arn. (Rubiace.) 3132  
— Arn. (Cucurbitella Walp.) 2669  
*Schizostylis* Backh. (Irid.) 7258  
*Schizotheca* Ehrenb. (Thalassia Soland.) 6731  
*Schizotechium* Fenzl (Stellaria L.) 581  
*Schizotrichia* Benth. (Composit.) 3925  
*Schkuhria* Roth (Composit.) 3902  
— Mönch (Siegesbeekia L.) 3783  
*Schlagintweitia* Griseb. (Hieracium L.) 4193  
*Schlechtendalia* Less. (Composit.) 4105  
— Spreng. (Mollia Mart.) 867  
— Willd. (Adenophyllum Pers.) 3921  
*Schlegelia* Miq. (Bignon.) 5494  
*Schleichera* Willd. (Sapind.) 1413  
*Schleidenia* Endl. (Heliotropium L.) 5006  
*Schlimia* Rgl (Lisianthus Aubl.) 4952  
*Schlimmia* Planch. (Orchid.) 6882  
*Schlosseria* Vukit. (Peucedanum L.) 2886

- Schlumbergera* Lem. (Epiphyllum Pfeiff.) 2711  
*Schlumbergeria* E. Morr. (Bromel.) 7189  
*Schmalzia* Desv. (Rhus L.) 1551  
*Schmardæa* Karst. (Elutheria Röm.) 1196  
*Schmidelia* L. (Allophylus L.) 1379  
*Schmidia* Wight (Thunbergia L. f.) 5515  
*Schmidtia* Steud. (Gramim.) 8186  
— Mönch (Tolpis Adans.) 4178  
— Tratt (Coleanthus Seid.) 8109  
*Schnella* Raddi (Bauhinia L.) 1937  
*Schnittspahnia* Sch. Bip. (Landtia Less.) 4049  
*Schnizleinia* Steud. (Hypoxis L.)  
— Steud. (Trochiscanthus Koch).  
*Schobera* Scop. (Heliotropium L.) 5006  
*Schoberia* C. A. Mey. (Suæda Forsk.) 6016  
*Schœnefeldia* Kth (Gramin.) 8159  
*Schœnia* Steetz (Composit.) 3639  
*Schœnidium* Nees (Ficinia Schrad.) 7936  
*Schœnissa* Salisb. (Allium L.) 7476  
*Schœnleinia* Kl. (Bathysa Presl) 3065  
*Schœnobiblos* Mart. et Zucc. (Thymel.) 6270  
*Schœnocaulon* A. Gray (Liliac.) 7560  
*Schœnocephalum* Seub. (Rapa-teac.) 7601  
*Schœnodoros* R. et S. v. Schedonorus P. B.  
*Schœnodum* Labill. (Lyginia R. Br.) 7903  
— Labill. (Leptocarpus R. Br.) 7911  
*Schœnolæna* Bge (Xanthosia Rudge) 2745  
*Schœnolirion* Torr. (Liliac.) 7424  
*Schœnoprasum* H. B. K. (Allium L.) 7476  
*Schœnopsis* P. B. (Cladium P. Br.)  
*Schœnorchis* Bl. (Orchid.) 6951  
*Schœnoxiphium* Nees (Cyper.) 7986  
*Schœnus* L. (Cyper.) 7961  
*Schœpfia* Schreb. (Olacin.) \*1221  
*Schœpflopsis* Miers (Schœpfia Schreb.) + 1221  
*Schollera* Rohr (Microtea Sw.) 6054  
— Roth (Oxycoccus Pers.) 4323  
— Schreb. (Heteranthera R. et P.) 7563  
*Schollia* Jacq. f. (Hoya R. Br.) 4852  
*Scholtzia* Schau. (Myrtac.) 2279  
*Schomburgkia* Lindl. (Orchid.) 6830  
— DC. (Geissopappus Benth.) 3879  
*Schotia* Jacq. (Legumin.) 1954  
*Schousbæa* Nicotra (Oryzopsis Mchx) 8085  
— Willd. (Cacoucia Aubl.) 2262  
— Schum. (Alchornea Sw.) 6511  
*Schoutenia* Korth. (Tiliac.) 873  
*Schoutensia* Endl. (Synoum Juss.) 1181  
*Schouwoia* DC. (Crucif.) 347  
*Schradera* Vahl (Rubiace.) 3113  
*Schraderia* Mönch (Salvia L.) 5793  
*Schrankia* Willd. (Legumin.) 1995  
— Medik. (Rapistrum Desv.).  
*Schrebera* Roxb. (Oleace.) 4537  
— Retz (Elæodendron Jacq.) 1301  
— Thunb. (Hartogia Thunb.) 1282  
*Schreibersia* Pohl (Augusta Pohl) 3070  
*Schrenkia* F. et M. (Hippomarathrum Link) 2775  
*Schtschowoskia* Rgl (Umbellif.) 2917  
*Schubertia* Mart. et Zucc. (Asclep.) 4730  
— Bl. (Horsfieldia Bl.) 2930  
— Mirb. (Taxodium L. C. Rich.) 8321  
*Schuebleria* Mart. (Curtia Ch. et Schl.) 4935  
*Schuechia* Endl. (Qualea Aubl.) 559  
*Schuermannia* F. Müll. (Darwinia Rudge) 2268  
*Schuffa* Spach (Fuchsia L.) 2530  
*Schultesia* Mart. (Gentian.) 4945  
— Roth (Wahlenbergia Schrad.) 4273  
— Schrad. (Gomphrena Schrad.) 5960  
— Spreng. (Chloris Sw.) 8163  
*Schultzia* Spreng. (Umbellif.) 2865  
— Nees (Herpetacanthus Nees) 5575  
*Schumacheria* Vahl (Dilleniace.) 39  
— Spreng. (Wormskioldia Spreng.) 2576  
*Schunda-Pana* Rheede (Caryota L.).  
*Schuurmansia* Bl. (Violar.) 486  
*Schwabea* Endl. (Acanth.) 5609  
*Schwackea* Cogn. (Melastom.) 2381  
*Schwægrichenia* Spreng. (Anigozanthos Labill.) 7206  
— Rchb. (Hedwigia Sw.).  
*Schwalbea* L. (Scrophul.) 5326  
*Schwannia* Endl. (Malpigh.) 961  
*Schwartzia* Vell. (Norantea Aubl.) 667  
*Schweiggeria* Spreng. (Violar.) 468  
— E. Mey. (Gladiolus L.) 7275  
— Mart. (Renggeria Meisn.) 639  
*Schuccinfurthia* A. Braun (Scrophul.) 5196  
*Schwœnitzia* Ell. (Monotrop.) 4384  
*Schwendenera* Schum. (Rubiace.) 3353, +3358  
*Schwenkfelda* Schreb. (Sabicea Aubl.) 3131  
*Schwenkfeldia* Willd. v. Schwenkfelda Schreb. 3131

- Schwenkia* L. (Solan.) 5171  
*Schwerinia* Karst. (Meriania Sw.) 2410  
*Schweyckerta* Gmel. (Limnanthemum Gmel.) 4965  
*Schyckowskyia* Endl. (Fleurya Gaud.) 6655  
*Sciadocarpus* Hassk. (Kibara Endl.) 6157  
*Sciadodaphne* Rehb. (Umbellaria Nutt.)  
*Sciadoseris* Kunze (Senecio L.) 4025  
*Sciadocalyx* Rgl (Isoloma Benth.) 5373  
*Sciadodendron* Griseb. (Araliac.) 2925  
*Sciadopanax* Seem. (Panax L.) 2934  
*Sciadophila* Phil. (Rhamnus L.) 1329  
*Sciadophyllum* P. Br. (Araliac.) 2944  
— Bl. (Heptapleurum Gärtn.) 2952  
*Sciadopitys* S. et Z. (Conifer.) 8316  
*Sciadotænia* Miers (Menisperm.) 178  
*Sciaphila* Bl. (Triurid.) 7861  
— Miers (Sciaphila Bl.) 7861  
*Scilla* L. (Liliac.) 7505  
*Scillopsis* Lem. (Lachenalia Jacq.) 7488  
*Scindapsus* Schott (Aroid.) 7771  
*Sciobia* Rehb. (Procris Juss.) 6666  
*Sciobium* Rehb. (Nasturtium R. Br.) 245  
*Sciophila* Gaud. (Procris Juss.) 6666  
*Sciophylla* Wib. (Maianthemum Wigg.) 7377  
*Sciothamnus* Endl. (Peucedanum L.) 2886  
*Scirpidium* Nees (Heleocharis R. Br.) 7929  
*Scirpodendron* Zipp. (Cyper.) 7945  
*Scirpo-Cyperus* Micheli (Pogonostylis Bertol.)  
*Scirpus* (Tourn.) L. (Cyper.) 7934  
*Sciuris* Nees et Mart. (Galipea Aubl.) 1011  
— Schreb. (Raputia Aubl.) 1012  
*Sclarea* (Tourn.) Mönch (Salvia L.) 5793  
*Sclerachne* R. Br. (Gramin.) 7994  
— Torr. (Thurberia Benth.) 8116  
*Scleranthus* L. (Illecebr.) 5913  
*Scleria* Berg (Cyper.) 7981  
— Nees (Scleria Berg) 7981  
*Sclerobasis* Cass. (Senecio L.) 4025  
*Sclerocalyx* Nees (Acanth.) 5542  
*Sclerocarpus* Jacq. (Composit.) 3798  
*Sclerocarya* Hochst. (Anacard.) 1518  
— Balf. (Poupartia Comm.) 1520  
*Sclerocephalus* Boiss. (Illecebr.) 5909  
*Sclerochaetium* Nees (Elynanthus Nees) 7963  
*Sclerochiton* Harv. (Acanth.) 5562  
*Sclerochlamys* F. Müll. (Kochia Roth) 5991  
*Sclerochloa* P. B. (Gramin.) 8244  
— Griseb. (Scleropoa Griseb.) 8256  
*Sclerochorton* Boiss. (Umbellif.) 2838  
*Sclerocroton* Hochst. (Excoecaria L.) 6571  
*Sclerolæna* R. Br. (Chenopod.) 6001  
*Scleroleima* H. f. (Abrotanella Cass.) 3974  
*Sclerolepis* Cass. (Composit.) 3439  
— Monn. (Rodigia Spreng.) 4187  
*Sclerolobium* Vog. (Legumin.) 1898  
*Scleromitron* W. et A. (Hedyotis L.) 3086  
*Scleronema* Benth. (Malvac.) 775  
— Brongn. et Gris (Xeronea Brongn. et Gris) 7414  
*Scleroolæna* H. Bn (Chlænac.) \*724  
*Scleroon* Benth. (Petitia Jacq.) 5701  
*Sclerophylax* Miers (Solan.) 5175  
*Sclerophyllum* Gaudin (Phæcasium Cass.) 4191  
*Scleropoa* Griseb. (Gramin.) 8256  
*Scleropogon* Phil. (Gramin.) 8190  
*Scleropteris* Scheidw. (Cirrhæa Lindl.) 6964  
*Scleropus* Schrad. (Amarantus L.) 5928  
*Scleropyron* Arn. (Santal.) 6346  
*Sclerosciadium* Koch (Capnophyllum Gärtn.) 2861  
*Sclerosperma* Wendl. et Mann (Palm.) 7687  
*Sclerostylis* Bl. (Atalantia Corr.) 1101  
*Sclerothamnus* R. Br. (Eutaxia R. Br.) 1603  
*Sclerotheca* A. DC. (Lobeliac.) 4251  
*Sclerothyryx* Presl (Loaseæ) 2569  
*Scleroxylum* Willd. (Ilex L.)  
*Scoliopus* Torr. (Liliac.) 7551  
*Scoliotheca* H. Bn (l) (Gesner.) 5373  
*Scolobus* Raf. (Thermopsis R. Br.)  
*Scolochloa* Link (Gramin.) 8250  
— Mert. et Koch (Arun-do L.) 8204  
*Scolopacium* E. et Z. (Erodium L'Hér.) 984  
*Scolopia* Schreb. (Bixin.) 511  
*Scolosanthus* Vahl (Rubiace.) 3235  
*Scolospermum* Less. (Baltimora L.) 3749  
*Scolymus* (Tourn.) L. (Composit.) 4164  
*Scoparia* L. (Scrophul.) 5279  
*Scopolia* Jacq. (Solan.) 5143  
— Forst. (Griselinia Forst.) 2979  
— L. f. (Daphne L.) 6271  
— Sm. (Toddalia Juss.) 1079  
*Scopolina* Schult. (Scopolia Jacq.) 5143  
*Scopularia* Lindl. (Holothrix L. C. Rich.) 7064  
*Scordium* (C. Bauh.) Cav. (Teucrium L.) 5864  
*Scorias* Raf. (Carya Nutt.) 6695  
*Scorodocarpus* Becc. (Olacin.) 1216  
*Scorododendron* Bl. (Lepis Bl.) 1393  
(1) Bull. Soc. Linn. Paris. 724 (1868). — Sp. 1' Columb.



- Scorodonia* (Ray) Mönch (*Teucrium* L.) 5864  
*Scorodosma* Bge (*Ferula* L.) 2884  
*Scorodoxylum* Nees (*Ruellia* L.) 5529  
*Scorpioides* (Tourn.) Mönch (*Scorpiurus* L.) 1727  
*Scorpiurus* L. (*Legumin.*) 1727  
*Scorpius* Medik. (*Coronilla* L.) 6412  
*Scortechinia* H. f. (*Euphorb.*) 4222  
*Scorzonella* Nutt. (*Composit.*) 4219  
*Scorzonera* L. (*Composit.*) 4219  
*Scorzoneroides* Vaill. (*Leontodon* L.) 2613  
*Scotanthus* Naud. (*Gymnopetalum* Arn.) 1613  
*Scottea* R. Br. (*Bossiaea* Vent.) 8270  
*Scribæa* Gärt. (*Cucubalus* L.) 4027  
*Scribneria* Hack. (*Gramin.*) 5209  
*Scrobicaria* Cass. (*Gynoxis* Cass.) 5209  
*Scrophularia* (Tourn.) L. (*Scrophul.*) 5209  
**Scrophularineæ p. 291.**  
*Scrotalaria* Ser. (*Teucrium* L.) 7988  
*Scuria* Raf. (*Carex* L.) 6315  
*Scurrula* G. Don (*Loranthus* L.) 5810  
*Scutellaria* (Herm.) L. (*Labi.*) 1333  
*Scutia* Comm. (*Rhamn.*) 6884  
*Scuticaria* Lindl. (*Orchid.*) 1161  
*Scutinanthe* Thw. (*Canarium* L.) 2486  
*Scutula* Lour. (*Memecylon* L.) 6362  
*Scybalium* Schott et Endl. (*Balanophor.*) 702  
*Scyphæa* Presl (*Marila* Sw.) 2575  
*Scyphanthus* G. Don (*Grammatocarpus* Presl) 1348  
*Scypharia* Miers (*Colletia* Comm.) 482  
*Scyphellandra* Thw. (*Violar.*) 3211  
*Scyphiphora* Gärt. (*Rubi.*) 3250  
*Scyphochlamys* Balf. f. (*Rubi.*) 4360  
*Scyphocoronis* A. Gray (*Toxanthus* Turcz.) 3198  
*Scyphogyne* Brongn. (*Ericac.*) 1430  
*Scyphostachys* Thw. (*Rubi.*) 1462  
*Scyphonichium* Radlk. (*Sapind.*) 1167  
*Scyphopetalum* Hiern (*Paranephelium* Miq.) 6626  
*Scyphostigma* Röm. (*Turraea* L.) 4527  
*Scyphosyce* H. Bn (*Urtic.*) 4138  
*Scyrtocarpus* Miers (*Symplocos* L.) 4606  
*Seytala* E. Mey. (*Oldenburgia* Less.) 1419  
*Seytalanthus* Walp. (*Skytanthus* Meyen) 1815  
*Seytalia* Gärt. (*Litchi* Sonn.) 5569  
*Seytalis* E. Mey. (*Vigna* Savi.) 4875  
*Seytanthus* T. Anders. (*Acanth.*) 4875  
— Hook. (*Hoodia* Sweet) 4875  
— Liebm. (*Cytinus* L.) 1288  
*Seytophyllum* E. et Z. (*Celastrus* L.) 1288  
*Szegleewia* Turcz. (*Symphorema* Roxb.) 5721  
*Szegleewia* Turcz. (*Pterospermum* Schreb.) 804  
*Szukinia* Turcz. (*Swertia* L.) 4958  
*Seaforthia* R. Br. (*Ptychosperma* Labill.) 7633  
*Sebæa* R. Br. (*Gentian.*) 4920  
*Sebastiana* Bertol. (*Chrysanthellum* Rich.) 3860  
*Sebastiania* Spreng. (*Euphorb.*) 6570  
*Sebastiano-Schaueria* Nees (*Acanth.*) 5582  
*Sebifera* Lour. (*Litsea* Lam.) 6208  
*Sebipira* Mart. (*Bowdichia* H. B. K.) 1880  
*Sebizia* Mart. (*Inc. sed.*) 6151  
*Sebophora* Neck. (*Myristica* L.) 8274  
*Secale* (Tourn.) L. (*Gramin.*) 8274  
*Secalidium* Schur (*Triticum* L.) 4712  
*Secamone* R. Br. (*Asclep.*) 2682  
*Sechiopsis* Naud. (*Cucurbit.*) 2680  
*Sechinum* P. Br. (*Cucurbit.*) 2680  
— Pöpp. et Endl. (*Cayaponia* Manso) 2673  
*Secondaria* A. DC. (*Apocyn.*) 4661  
*Secretania* Müll. Arg. (*Hyeronyma* Allem.) 6434  
*Securidaca* L. (*Polygal.*) 551  
— (Tourn.) Gärt. (*Securigera* DC.) 1657  
*Securigera* DC. (*Legumin.*) 1657  
*Securina* Medik. (*Securigera* DC.) 6406  
*Securinea* Juss. (*Euphorb.*) 5088  
*Seddera* Hochst. (*Breweria* R. Br.) 2209  
*Sedgwickia* Griff. (*Altingia* Nor.) 2183  
*Sedum* (Tourn.) L. (*Crassul.*) 5369  
*Seemannia* Rgl. (*Gesner.*) 967  
*Seetzenia* R. Br. (*Zygophyll.*) 6056  
*Sequieria* (Löfl.) L. (*Phytolac.*) 8012  
*Sehima* Forsk. (*Ischæmum* L.) 6501  
*Seidelia* H. Bn (*Euphorb.*) 6023  
*Seidlitzia* Bge (*Chenopod.*) 6023  
**Selagineæ p. 318.**  
*Selago* L. (*Selagin.*) 5653  
— Adans. (*Polycnemum* L.) 4955  
*Selatium* G. Don (*Gentiana* L.) 1185  
*Selbya* Röm. (*Aglaia* Lour.) 265  
*Selenia* Nutt. (*Crucif.*) 7089  
*Selenipedium* Rehb. f. (*Orchid.*) 302  
*Selenocarpæa* E. et Z. (*Heliophila* L.) 3100  
*Selenocera* Zipp. (*Spiradialis* Bl.) 5877  
*Selinocarpus* A. Gray (*Nyctagin.*) 2806  
*Selinopsis* Coss. et Durieu (*Carum* L.) 2876  
*Selinum* L. (*Umbellif.*) 5017  
*Selkirkia* Hemsl. (*Boragin.*) 4235  
*Selliera* Cav. (*Goodeni.*) 3790  
*Selloa* H. B. K. (*Composit.*) 3474  
— Spreng. (*Gymnosperma* Less.) 3474

- Sellowia* Roth (Rotala L.) 2487  
*Sellunia* Alef. (Vicia L.) 1776  
*Selmation* Fourn. (Asclep.) 4785  
*Selonia* Rgl (Eremurus M. B.) 7429  
*Selwynia* F. Müll. (Cocculus DC.) 148  
*Selysia* Cogn. (Cucurbit.) 2671  
*Semarillaria* R. et P. (Paullinia L.) 1370  
*Semecarpus* L. (Anacard.) 1560  
*Semeiandra* H. et A. (Onagrar.) 2532  
*Semeiocardium* Zoll. (Polygala L.) 542  
*Semeionotis* Schott (Dalbergia L.) 1828  
*Semcle* Kth (Liliac.) 7360  
*Semenowia* Rgl et Herder (Umbellif.) 2916  
*Semidopsis* Zumag. (Alnus Gärtn.) 6703  
*Semiramisia* Kl. (Vaccin.) 4312  
*Semonvillea* Gay (Ficoid.) 2738  
*Sempervivum* (Rupp.) L. (Crassul.) 2184  
*Senacia* Lam. (Inc. sed.) p. 491.  
— Comm. (Pittosporum Banks) 528  
*Senebiera* Poir. (Crucif.) 333  
*Senecillis* Gärtn. (Senecio L.) 4025  
*Senecio* (Tourn.) L. (Composit.) 4025  
— Cass. (Senecio L.) 4025  
*Senefeldera* Mart. (Euphorb.) 6559  
*Senega* Spach (Polygala L.) 542  
*Senites* Adans. (Zeugites Schreb.) 8227  
*Senkenbergia* Schau. (Nyctagin.) 5875  
*Senna* (Tourn.) Gärtn. (Cassia L.) 1929  
*Senra* Cav. (Malvac.) 761  
*Sentis* F. Müll. (Pholidia R. Br.) 5647  
*Septas* L. (Crassula L.) 2176  
— Lour. (Herpestis Gärtn. f.) 5253  
*Sequoia* Endl. (Conifer.) 8318  
*Serangium* Wood. (Monstera Adans.)  
*Seraphyta* F. et M. (Orchid.) 6808  
*Serapias* L. (Orchid.) 7056  
*Serenoa* H. f. (Palm.) 7701  
*Sergilus* Gärtn. (Baccharis L.) 3575  
*Seriania* Schum. v. *Serjania* Schum. 1369  
*Serianthus* Benth. (Legumin.) 2003  
*Sericobonia* Lind. (Jacobinia Moric.)  
*Sericocarpus* Nees (Composit.) 3543  
*Sericocoma* Fenzl (Amarant.) 5933  
*Sericodes* A. Gray (Zygophyll.) 965  
*Sericographis* Nees (Jacobinia Moric.) 5625  
*Sericospora* Nees (Inc. sed.) p. 491.  
*Sericostoma* Stocks (Boragin.) 5057  
*Sericrostis* Raf. (Muehlenbergia Meisn.)  
*Sericura* Hassk. (Pennisetum Pers.) 8057  
*Seridia* Juss. (Centaurea L.) 4100  
*Seringia* J. Gay (Stercul.) 832  
— Spreng. (Ptilidium Thou.) 1283  
*Seriola* D. Don (Hypochaeris L.) 4197  
— L. (Hypochaeris L.) 4197  
*Seriphium* L. (Stoebe L.) 3669  
*Seris* Less. (Composit.) 4126  
— Willd. (Onoseris DC.) 4113  
*Serissa* Comm. (Rubiace.) 3327  
*Serjania* (Plum.) Schum. (Sapind.) 1369  
*Serophyton* Benth. (Argithamnia Sw.) 6480  
*Serpæa* Gardn. (Oyedæa DC.) 3820  
*Serpicula* L. (Halorag.) 2226  
*Serpillum* Tourn. (Thymus L.)  
*Serra* Anct. v. *Senra* Cav. 761  
*Serræa* Cav. v. *Senra* Cav.  
*Serrafalcus* Parl. (Bromus L.) 8257  
*Serratula* (Rupp.) L. (Composit.) 4093  
— Cass. (Serratula L.) 4093  
*Serresia* Montr. (Inc. sed.) p. 491.  
*Serronia* Gaud. (Piper L.) 614  
*Serruria* Salisb. (Proteac.) 6222  
*Sersalisia* R. Br. (Sapot.) 4493  
— F. Müll. (Amorphospermum F. Müll.) 4485  
*Sertifera* Lindl. (Orchid.) 6978  
*Serturnera* Mart. (Pfaffia Mart.) 5953  
*Serveria* Neck. (Tigarea Aubl.)  
*Sesamella* Rchb. (Astrocarpus Neck.) 455  
*Sesamopteris* DC. (Sesamum L.) 5507  
*Sesamothamnus* Welw. (Pedalin.) 5506  
*Sesamum* L. (Pedalin.) 5507  
*Sesbania* Pers. (Legumin.) 1704  
*Seseli* L. (Umbellif.) 2835  
*Sesleria* Scop. (Gramin.) 8198  
— Nutt. (Buchloe Engelm.) 8182  
*Sesquicella* Alef. (Althæa L.)  
*Sessea* R. et P. (Solan.) 5152  
*Sestinia* Boiss. (Hymenocrater F. et M.) 5806  
*Sestochilos* Breda (Bulbophyllum Thou.) 6767  
*Sesuvium* L. (Ficoid.) 2723  
*Setaria* P. B. (Gramin.) 8055  
*Sethia* Kth (Erythroxylon L.) 897  
*Seubertia* Kth (Brodiaea Sm.) 7470  
— H. Wats. (Bellis L.) 3525  
*Seutera* Rchb. (Cynanchum L.) 4779  
*Sevada* Moq. (Suæda Forsk.) 6016  
*Severinia* Terr. (Atalantia Corr.) 1101  
*Severzowia* Rgl (Legumin.) 1724  
*Scymeria* Pursh (Scrophul.) 5314  
*Seymouria* Sw. (Pelargonium L'Hér.) 985  
*Shakua* Boj. (Poupartia Comm.) 1520  
*Shawia* Forst. (Olearia Mönch) 3551  
*Sheadendron* Bertol. (Combretum L.) 2260  
*Sheareria* S. L. Moore (Composit.) 3738  
*Sheffieldia* Forst. (Samolus L.) 4457  
*Shepherdia* Nutt. (Elæagn.) 6313  
*Sherardia* (Dill.) L. (Rubiace.) 3371  
— Adans. (Stachytarpheta Vahl).  
*Shorea* Roxb. (Dipterocarp.) 712  
*Shortia* T. et G. (Diapensiace.) 4419  
*Shringata* Jones (Trapa L.) 2541  
*Shultzia* Raf. (Obolaria L.)

- Shuterea* Choisy ( *Hewittia* W. et A.) 5079  
*Shuterea* W. et A. (Legumin.) 1787  
*Shuttleworthia* Meisn. (Verbena L.) 5687  
*Siagonanthus* Pöpp. et Endl. (Ornithidium Salisb.)  
*Sialodes* E. et Z. (Galenia L.) 2719  
*Sibangea* Oliv. (Euphorb.) 6416  
*Sibbaldia* L. (Potentilla L.) 2055  
*Sibiræa* Maxim. (Spiræa L.) 2025  
*Sibthorpia* L. (Scrophul.) 5277  
*Siburatia* Thou. (Mæsa Forsk.) 4459  
*Sicana* Naud. (Cucurbit.) 2641  
*Sicelium* P. Br. (Coccocypselum P. Br.) 3136  
*Sickingia* Willd. (Rubiace.) 3013  
*Sicklera* Röm. (Murraya L.) 1097  
— Sendtn. ( *Brachistus* Miers) 5115  
*Sickmannia* Nees ( *Ficinia* Schrad.) 7936  
*Sicydium* Schlecht. (Cucurbit.) 2681  
— A. Gray ( *Maximowiczia* Cogn.) 2666  
*Sicyocarpus* Boj. ( *Marsdenia* R. Br.) 4835  
*Sicyoides* Tourn. ( *Sicyos* L.) 2678  
*Sicyomorpha* Miers ( *Salacia* L.) 1313  
*Sicyos* L. (Cucurbit.) 2678  
*Sicyosperma* A. Gray (Cucurbit.) 2679  
*Sida* L. (Malvac.) 742  
*Sidalcea* A. Gray (Malvac.) 734  
*Sideranthus* Fraser ( *Haplopappus* Cass.) 3488  
*Sideritis* (Tourn.) L. ( *Labiata*.) 5820  
*Siderodendron* Schreb. ( *Ixora* L.) 3257  
*Sideroxyloides* Jacq. ( *Ixora* L.) 3257  
*Sideroxylon* L. (Sapot.) 4503  
— Auct. 4492, 4493, 1507  
— Willd. ( *Ilex* L.) + 1265  
*Siebera* J. Gay (Composit.) 4070  
— Presl ( *Anredera* Juss.) 6047  
— Rehb. ( *Platysace* Bge) 2744  
— Schrad. ( *Arenaria* L.) 5803  
*Sieberia* Spreng. ( *Habenaria* Willd.) 7066  
*Siegesbeckia* L. (Composit.) 3783  
*Sieglingia* Bernh. ( *Triodia* R. Br.) 8207  
*Siemssenia* Steetz ( *Podolepis* Labill.) 3684  
*Sierckingia* Rehb. f. (Orchid.) 6863  
*Sieversia* Willd. ( *Geum* L.) 2051  
*Sigillaria* Raf. ( *Smilacina* Desf.) 7375  
*Sigmatostylis* Rehb. f. (Orchid.) 6913  
*Sigmodostylis* Meisn. ( *Rhynchosia* Lour.) 1825  
*Silans* Bess. (Umbellif.) 2866  
*Silene* L. (Caryophyll.) 575  
*Silenopsis* Willk. ( *Lychnis* L.) 577  
*Siler* Scop. (Umbellif.) 2862  
*Siliquaria* Forsk. ( *Cleome* L.) 425  
*Siliquastrum* Tourn. ( *Adans.* *Cercis* L.)  
*Siloxerus* Labill. ( *Angianthus* Wendl.) 3659  
*Silphiosperma* Steetz (Composit.) 3522  
*Silphium* L. (Composit.) 3754  
*Silvæa* Phil. (Portul.) 620  
— H. et A. ( *Trigonostemon* Bl.) 6468  
— Meisn. ( *Endiandra* R. Br.) 6187  
*Silvia* Benth. (Scrophul.) 5317  
— Allem. ( *Endiandra* R. Br.) 6187  
— Vell. ( *Escobedia* R. et P.) 5295  
*Silvianthus* H. f. (Rubiace.) 3106  
*Silybum* (Vaill.) Gärtn. (Composit.) 4081  
*Simaba* Aubl. ( *Simarub.*) 1107  
*Simaruba* Aubl. ( *Simarub.*) 1110  
**Simarubaceæ** p. 57.  
*Simblocline* DC. ( *Diplostegium* H. B. K.) 3548  
*Simbuleta* Forsk. ( *Anarrhinum* Desf.) 5195  
*Simethis* Kth (Liliac.) 7419  
*Simira* Aubl. ( *Mapouria* Aubl.) 3286  
*Simmondsia* Nutt. (Euphorb.) 6384  
*Simocheilus* Kl. (Ericac.) 4358  
— Benth. ( *Simocheilus* Kl.) 4358  
*Simonisia* Nees ( *Beloperone* Nees) 5616  
*Simsia* R. Br. ( *Stirlingia* Endl.) 6230  
— Pers. ( *Encelia* Adans.) 3829  
*Simsimum* Bernh. ( *Sesamum* L.) 5507  
*Sinapidendron* Lowe. ( *err* Lour.) ( *Brassica* L.) 317  
*Sinapis* L. ( *Brassica* L.) 317  
*Sinapistrum* (Tourn.) Mönch ( *Cleome* L.)  
*Sinclairia* H. et A. ( *Liabum* Adans.) 3990  
*Sindora* Miq. (Legumin.) 1964  
*Singana* Aubl. (Inc. sed.) p. 491.  
*Sinningia* Nees (Gesner.) 5379  
— Hanst. ( *Sinningia* Nees) 5379  
*Siolmatra* H. Bn ( *Alsomitra* Röm.) 2689  
*Siona* Salisb. ( *Dichopogon* Kth) 7438  
*Sipanca* Aubl. (Rubiace.) 3074  
*Siparuna* Aubl. ( *Monimiac.*) 6168  
*Siphanthera* Pohl ( *Melastom.*) 2366  
*Siphisia* Raf. ( *Aristolochia* L.)  
*Siphobæa* H. Bn (1) (Gesner.) 5437b  
*Siphocampylus* Pohl ( *Lobeliac.*) 4250  
*Siphocodon* Turcz. ( *Campanul.*) 4290  
*Siphomeris* Boj. (Inc. sed.) p. 491.  
*Siphonacanthus* Nees ( *Ruellia* L.) 5529  
*Siphonandra* Kl. ( *Ceratostemma* Juss.) 4313  
— Turcz. ( *Chiococca* L.) 3229  
*Siphonantha* L. ( *Clerodendron* L.) 5712  
*Siphoneugenia* Berg ( *Eugenia* L.) 2327  
*Siphonia* Benth. ( *Lindenia* Benth.)  
— Schreb. ( *Hevea* Aubl.) 6453  
*Siphonidium* Armstrong ( *Euphrasia* L.) 5332  
(1) *Bull. Soc. Linn. Paris.* 733 (1888). — Sp. 1. *Madagasc.*



- Siphoniopsis* Karst. (Cola Schott) 795  
*Siphonodon* Griff. (Hippocrat.) 1314  
*Siphonoglossa* Erst. (Acanth.) 5615  
*Siphonostegia* Benth. (Scrophul.) 5327  
*Siphonostoma* Griseb. (Cerato-  
stemma Juss.) 4313  
*Siphonychia* T. et G. (Illecebr.) 5903  
*Sirium* Schreb. (Santalum L.) 6337  
*Sisarum* Tausch (Pimpinella L.).  
*Sismondæa* Delponde (Dioscorea  
L.) 7345  
*Sison* L. (Umbellif.) 2809  
*Sisymbrella* Spach (Sisymbrium  
L.) 290  
*Sisymbrium* (Tourn.) L. (Crucif.) 290  
*Sisyndite* E. Mey. (Zygophyll.) 963  
*Sisyranthus* E. Mey. (Asclep.) 4861  
*Sisyrinchium* L. (Irid.) 7248  
— R. Br. (Libertia  
Spreng.).  
*Sitanion* Raf. (Elymus L.) 8278  
*Sitocodium* Salisb. (Camassia  
Lindl.) 7506  
*Sitodium* Gärt. (Artocarpus L.) 6639  
*Sium* L. (Umbellif.) 2812  
— Adans. (Helosciadium Koch)  
*Skimmia* Thunb. (Rutac.) 1088  
*Skinnera* Forst. (Fuchsia L.) 2530  
*Skinneria* Choisy (Ipomæa L.) 5077  
*Skiophila* Hanst. (Episcia Mart.) 5384  
*Skirrophorus* DC. (Angianthus  
Wendl.) 3659  
— A. Gray (Angian-  
thus Wendl.) 3659  
*Skofitzia* Hassk. (Tradescantia L.) 7588  
*Skophium* Miq. (Xanthophyllum  
L.) + 555  
*Skytalanthus* Endl. (Skytanthus  
Meyen).  
*Skytanthus* Meyen (Apocyn.) 4606  
*Slackia* Griff. (Gesner.) 5431  
— Griff. (Iguanura Bl.) 7662  
*Sladenia* Kurz (Ternstroem.) 677  
*Slateria* Desv. (Ophiopogon Ker) 7211  
*Slevogtia* Rchb. (Enicostema Bl.) 4930  
*Sloanea* (Plum.) L. (Tiliac.) \*882  
*Sloetia* Teijsm. et Binn. (Urtic.) 6618  
*Smeathmannia* Soland. (Passiflor.) 2594  
*Smegmadermos* R. et P. (Quillaja  
Molina) 2034  
*Smegmaria* Willd. (Smegmader-  
mos R. et P.).  
*Smegmathamnium* Fenzl (Sapo-  
naria L.) 574  
*Smelophyllum* Radlk. (Sapind.) 1397  
*Smelowskia* C. A. Mey. (Crucif.) 294  
*Smilacina* Desf. (Liliac.) 7375  
*Smilax* (Tourn.) L. (Liliac.) 7357  
*Smirnowia* Bge (Legumin.) 1719  
*Smithia* Ait. (Legumin.) 1752  
— Gmel. (Humbertia Lam.) 5072  
*Smodingium* E. Mey. (Anacard.) 1546  
— H. Bn (Pseudo-  
smodingium Engl.) 1550  
*Smyrniopsis* Boiss. (Smyrnum L.) 2785  
*Smyrnum* (Tourn.) L. (Umbellif.) 2785  
*Smythia* Seem. (Rhamn.) 1319  
*Soala* Blanco (Inc. sed.) p. 492.  
*Soaresia* Sch. Bip. (Composit.) 3425  
— Allem. (Clarisia R. et P.) 6642  
*Sobolewskia* M. B. (Crucif.) 382  
*Sobralia* R. et P. (Orchid.) 6975  
*Sobreyra* R. et P. (Enhydra  
Lour.) 3786  
*Sobrya* Pers. (Enhydra Lour.) 3786  
*Socotora* Balf. f. (Apocyn.) 4638  
*Socratea* Karst. (Iriarteia R. et P.) 7650  
*Socratesia* Kl. (Cavendishia  
Lindl.) 4314  
*Sodada* Forsk. (Capparis L.) 440  
*Sodirola* André (Bromel.) 7185  
*Sœmmeringia* Mart. (Legumin.) 1751  
*Sogalgina* Cass. (Tridax L.) 3866  
*Soja* Savi (Glycine L.) 1788  
**Solanaceæ** p. 287.  
*Solandra* Sw. (Solan.) 5141  
— L. (Centella L.)  
— Miers (Lagunæa Cav.)  
*Solanum* (Tourn.) L. (Solan.) 5106  
*Solaria* Phil. (Liliac.) 7481  
*Soldanella* L. (Primul.) 4443  
*Soldevilla* Lag. (Hispidella Bar-  
nad.) 4179  
*Solea* Ging. (Hybanthus Jacq.) 471  
— Spreng. (Ionidium Vent.) 470  
*Soleirolia* Gaud. (Helxine Req.) 6685  
*Solena* Lour. (Melotheia L.) 2651  
— Willd. (Posoqueria Aubl.) 3165  
*Solenacanthus* Erst. (Ruellia L.) 5529  
*Solenachne* Steud. (Spartina  
Schreb.) 8158  
*Solenandra* H. f. (Rubiace.) 3046  
— P. B. (Galax L.) 4421  
*Solenantha* G. Don (Hymenan-  
thera R. Br.) 481  
*Solenanthus* Ledeb. (Boragin.) 5021  
*Solenidium* Lindl. (Orchid.) 6911  
*Soleniscia* DC. (Styphelia Sm.) 4391  
*Solenixora* H. Bn (Rubiace.) 3258  
*Solenocarpus* W. et A. (Anacard.) 1515  
*Solenocera* Zipp. (Inc. sed.) p. 491.  
*Solenogyne* Cass. (Legnophora  
Cass.).  
*Solenomelus* Miers (Irid.) 7253  
*Solenophora* Benth. (Gesner.) 5380  
*Solenopsis* Presl (Laurentia Neck.) 4253  
*Solenostemma* Hayne (Asclep.) 4724  
*Solenostemon* Schum. et Thonn  
(Labiata.) 5736  
*Solenostigma* Endl. (Celtis L.) 6588  
*Solenotheca* Nutt. (Tagetes L.) 3929  
*Solenotinus* Erst. (Viburnum L.) 2988  
*Solidago* L. (Composit.) 3493  
— Vaill. (Senecio L.).  
*Soliera* Cass. (Labiata.) 5772  
*Soliva* R. et P. (Composit.) 3973  
*Solivæa* Cass. (Soliva R. et P.) 3973

- Sollya* Lindl. (Pittospor.) 536  
*Solmsia* H. Bn (Tiliac.) 870  
*Solstitiaria* Hill (Centaurea L.)  
*Soltmannia* Kl. (Miconia R. et P.) 2462  
*Somalia* Oliv. (Acanth.) 5612  
*Somera* Salisb. (Scilla L.) 7505  
*Sommea* Bory (Acicarpa Juss.) 3389  
*Sommeria* Schlecht. (Rubiace.) 3154  
*Sommerauera* Hoppe (Arenaria L.) 583  
*Sommerfeldtia* Schum. (Drepanocarpus G. F. W. Mey.) 1833  
*Sommerfeltia* Less. (Composit.) 3546  
*Sommiera* Becc. (Palm.) 7667  
*Somphoxylon* Eichl. (Menisperm.) 180  
*Sonchidium* Pomel (Sonchus L.) 4211  
*Sonchus* (Tourn.) L. (Composit.) 4211  
*Sondaria* Dennst. (Inc. sed.)  
*Sondera* Lehm. (Drosera L.) 2188  
*Sonerita* Roxb. (Melastom.) 2428  
*Sonnea* Greene (Boragin.) 5028  
*Sonneratia* L. f. (Lythrar.) 2515  
*Sonninia* Rehb. (Diplolepis R. Br.) 4788  
*Sonzaya* L. March. (Canarium L.) 1161  
*Sophia* Adans. (Sisymbrium L.)  
*Sophisteques* Comm. (Ouratea Aubl.) 1140  
*Sophoclesia* Kl. (Vaccin.) 4325  
*Sophora* L. (Legumin.) 1871  
*Sophorocapnos* Turcz. (Corydalis DC.) 236  
*Sophronanthe* Benth. (Gratiola L.) 5258  
*Sophronia* Licht. (Lapeyrouisia Pourr.) 7265  
*Sophronitis* Lindl. (Orchid.) 6831  
*Sopubia* Ham. (Scrophul.) 5310  
*Soramia* Aubl. (Doliocarpus Roland) 35  
*Soranche* Salisb. (Sorocephalus R. Br.) 6224  
*Soranthus* Ledeb. (Peucedanum L.)  
*Sorbaria* A. Braun (Spiræa L.) 2025  
*Sorbus* (Tourn.) L. (Pyrus L.) 2074  
*Sorema* Lindl. (Nolana L.) 5097  
*Sorghum* Pers. (Andropogon L.) 802  
*Soridium* Miers (Sciaphila Bl.) 7861  
*Sorindeia* (Thou.) L. (Anacard.) 1533  
— L. March. (Euroschinus H. f.) 1538  
*Sorocea* A. St-Hil. (Urtic.) 6641  
*Sorocephalus* R. Br. (Proteac.) 6224  
*Sorostachys* Steud. (Cyperus L.) 7923  
*Sotor* Fenzl (Kigelia DC.) 5496  
*Soulamea* Lam. (Simarub.) 1128  
*Soulangia* Brongn. (Phyllea L.) 1337  
*Souleyetia* Gaud. (Inc. sed.) p. 491.  
*Souroubea* Aubl. (Ternstroem.) 670  
*Southwellia* Salisb. (Sterculia L.) 791  
*Souza* Vell. (Sisyrinchium L.) 7243  
*Sowerbaea* Sm. (Liliac.) 7460  
*Soyauxia* Hook. (Passiflor.) 2608  
*Soyeria* Monn. (Crepis L.) 4190  
*Soymida* A. Juss. (Meliac.) 1194  
*Spachea* A. Juss. (Malpigh.) 928  
*Spachia* Lilja (Fuchsia L.) 2530  
*Spadactis* Cass. (Atractylis L.) 4073  
*Spadonia* Less. (Moquinia DC.) 4124  
*Spadostyles* Benth. (Pultenaea Sm.) 1601  
*Spændoncea* Desf. (Cadia Forsk.) 1891  
*Spallanzania* DC. (Mussænda L.) 3107  
— Poll. (Agrimonia L.) 2062  
*Spananthe* Jacq. (Umbellif.) 2750  
*Spanioptilon* Less. (Cnicus L.) 4078  
*Spanoghea* Bl. (Alectryon Gärtn.) 1423  
*Spanotrichum* E. Mey. (Osmites L.) 3725  
*Sparattanthelium* Mart. (Combret.) 2266  
*Sparattosperma* Mart. (Bignon.) 5466  
*Sparattosyce* Bur. (Urtic.) 6622  
*Sparaxis* Ker (Irid.) 7273  
*Sparganophorus* Gärtn. (Composit.) 3390  
*Sparganium* (Tourn.) L. (Typhac.) 7752  
*Sparmannia* L. f. (Tiliac.) 861  
*Spartianthus* Link (Spartium L.) 1642  
*Spartidium* Pomel (Genista L.) 1641  
*Spartina* Schreb. (Gramin.) 8158  
*Spartium* L. (Legumin.) 1642  
— Adans. (Sarthamnus Wimm.)  
— Spach (Genista L.) 1641  
*Spartocytisus* Webb (Cytisus L.) 1645  
*Spartothamnus* A. Cunn. (Verben.) 5675  
— Webb (Cytisus L.) 1645  
*Spathandra* Guill. et Perr. (Mamecyclon L.)  
*Spatanthus* Sweet (Romulea Maratti) 7245  
*Spatalla* Salisb. (Proteac.) 6226  
*Spathanthem* Schott (Aroid.) 7838  
*Spathanthus* Desv. (Rapateac.) 7602  
*Spathelia* L. (Simarub.) 1134  
*Spathicarpa* Hook. (Aroid.) 7837  
*Spathiostemon* Bl. (Homonoia Lour.) 6527  
*Spathiphyllopsis* Teijsm. et Binn. (Spathiphyllum Schott) 7773  
*Spathiphyllum* Schott (Aroid.) 7773  
*Spathium* Edgew. (Aponogeton Thunb.) 7879  
— Lour. (Saururus L.) 6137  
*Spathodea* P. B. (Bignon.) 5477  
*Spathodithyros* Hassk. (Commelina L.) 7574  
*Spathoglottis* Bl. (Orchid.) 6784  
*Spatholobus* Hassk. (Legumin.) 1800  
*Spathoscapha* Erst. (Chamædorea Willd.)  
*Spathotecomia* Bur. (Newbouldia Seem.) 5175  
*Spathularia* St-Hil. (Amphirrhox Spreng.) 473  
*Spathyema* Raf. (Symplocarpus Salisb.) 7776  
*Spatularia* Haw. (Saxifraga L.) 2092

- Specklinia* Lindl. (*Pleurothallis* R. Br.) 6743  
*Specularia* Heist. (*Campanul.*) 4298  
*Speculum* Hall. (*Specularia* Heist.).  
*Speirantha* Bak. (*Liliac.*) 7380  
*Speirema* H.f.et T. (*Pratia* Gaud.) 4260  
*Spenceria* Trimen (*Rosac.*) 2061  
*Spermera* Mart. (*Aciotis* D. Don) 2388  
*Speranskia* H. Bn (*Euphorb.*) 6487  
*Spergella* Rchb. (*Sagina* L.) 586  
*Spergula* (Rupp.) L. (*Caryophyll.*) 593  
*Spergularia* Pers. (*Caryophyll.*) 594  
*Spergulastrum* Mchx (*Stellaria* L.) 581  
*Sperlingia* Vahl (*Hoya* R. Br.) 4852  
*Spermachiton* Llanos (*Sporobolus* R. Br.) 8111  
*Spermacoce* (Dill.) L. (*Rubiace.*) 3350  
*Spermadietyon* Roxb. (*Hamiltonia* Roxb.) 3316  
*Spermatura* Rchb. (*Osmorhiza* Raf.) 2822  
*Spermoxylum* Labill. (*Oxal.* L.) 1211  
*Spermodon* P. B. (*Rhynchospora* Vahl) 7955  
*Spermolepis* Brongn. et Gris (*Myrtac.*) 2305  
— Raf. (*Leptocaulis* Nutt.).  
*Spermophylla* Neck. (*Ursinia* Gärtn.) 4048  
*Sphacele* Benth. (*Labiata.*) 5788  
*Sphacophyllum* Benth. (*Composit.*) 3719  
*Sphaeralcea* A. St-Hil. (*Malvac.*) 1749  
*Sphaeranthus* L. (*Composit.*) 3593  
*Sphaeridiophora* Desv. (*Indigofera* L.) 1672  
*Sphaerine* Herb. (*Bomarea* Mirb.) 7331  
*Sphaeritis* E. et Z. (*Crassula* L.) 2176  
*Sphaerocardamum* Schau. (*Crucif.*) 313  
*Sphaerocarpos* Gmel. (*Globba* L.) 7115  
*Sphaerocarya* Dalz. (*Strombosia* Bl.) 1215  
— Wall. (*Pyrularia* Mchx) 6334  
*Sphaerocephalus* Lag. (*Nassauvia* Juss.) 4159  
*Sphaerochloa* P. B. (*Eriocaulon* L.) 7891  
*Sphaeroclinium* Sch. Bip. (*Matricaria* L.) 3965  
*Sphaerocodon* Benth. (*Asclep.*) 4834  
*Sphaerocoma* T. Anders. (*Caryophyll.*) 604  
*Sphaerodendron* Seem. (*Araliac.*) 2938  
*Sphaerogyne* Naud. (*Tococa* Aubl.) 2466  
*Sphaerolobium* Sm. (*Legumin.*) 1595  
*Sphaeroma* (Schlecht) Harv. (*Sphaeralcea* St-Hil.) 749  
*Sphaeromeria* Nutt. (*Tanacetum* L.) 3986  
*Sphaeromorphæa* DC. (*Composit.*) 3971  
*Sphærophora* Bl. (*Morinda* L.) 3269  
*Sphærophora* Sch. Bip. (*Eremanthus* L.) 3423  
*Sphærophysa* DC. (*Legumin.*) 1713  
*Sphæropus* Böckel. (*Scleria* Berg) 7981  
*Sphærorhizon* H. f. (*Scybalium* Schott et Endl.) 6362  
*Sphærosacme* Wall. (*Amoora* Roxb.) 1180  
*Sphæroschoenus* Nees (*Rhynchospora* Vahl) 7955  
*Sphærosepalum* Bak. (*Guttifer.*) 655  
*Sphærosicyos* H. f. (*Cucurbit.*) 2629  
*Sphærospora* Klatt (*Acidanthera* Hochst.) 7268  
— Sweet (*Gladiolus* L.) 7275  
*Sphærostachys* Miq. (*Piper* L.) 6141  
*Sphærostemon* Bl. (*Schizandra* Mchx) 62  
*Sphærostigma* Endl. (*Oenothera* L.) 2528  
*Sphærostylis* H. Bn (*Euphorb.*) 6548  
*Sphærotele* Link et Otto (*Urceolina* Rchb.) 7320  
*Sphaerotheramus* H. f. (*Anonac.*) 70  
*Sphaerothera* Ch. et Schl. (*Cono-bea* Aubl.) 5252  
*Sphaerothera* Presl (*Stenomesson* Herb.) 7322  
*Sphaerotherylax* Bisch. (*Podostem.*) 6116  
*Sphalanthus* Jack (*Quisqualis* L.) 2263  
*Sphallerocarpus* Bess. (*Conopodium* Koch) 2819  
*Sphanellolepis* Steud. (*Adelobotrys* DC.) 2409  
*Sphedamnocarpus* Planch. (*Malpigh.*) 935  
*Sphenandra* Benth. (*Scrophul.*) 5232  
*Sphenantha* Schrad. (*Cucurbita* L.) 2646  
*Sphenanthera* Hassk. (*Begonia* L.)  
*Sphenocarpus* Rich. (*Laguncularia* Gärtn.) 2259  
— Wall. (*Magnolia* L.) 58  
*Sphenoclea* Gärtn. (*Campanul.*) 4291  
*Sphenodesma* Jack (*Verben.*) 5722  
*Sphenogyne* R. Br. (*Ursinia* Gärtn.) 4048  
*Sphenopus* P. B. (*Gramin.*) 8218  
*Sphenosciadium* A. Gray (*Selinum* L.) 2876  
*Sphenostemon* H. Bn (*Illicin.*) 1268  
*Sphenostigma* Bak. (*Irid.*) 7237  
*Sphenostylis* E. Mey. (*Vigna* Savi) 1815  
*Sphenotoma* R. Br. (*Dracophyllum* Labill.) 4416  
*Sphinctacanthus* Benth. (*Acanth.*) 5633  
*Sphinctanthus* Benth. (*Rubiace.*) 3167  
*Sphincterostoma* Stschgl. (*Ander-sonia* R. Br.) 4414  
*Sphinctolobium* Vog. (*Lonchocarpus* H. B. K.) 1843

- Sphinctostoma* Benth. (*Marsdenia* R. Br.) 4835  
*Sphingium* F. Mey. (*Melolobium* E. et Z.) 1629  
*Sphondylium* (Tourn.) Hoffm. (*Heracleum* L.) 2888  
*Sphondylococca* Willd. (*Bergia* L.) + 629  
*Sphragidia* Thw. (*Cyclostemon* Bl.) 6417  
*Sphyrantha* H. f. (*Euphorb.*) 6535  
*Sphyrospermum* Pöpp. et Endl. (*Vaccin.*) 4324  
*Spicillaria* A. Rich. (*Petunga* DC.) 3194  
*Spiciviscum* Engelm. (*Phoradendron* Nutt.) 6319  
*Spiculæa* Lindl. (*Drakæa* Lindl.) 7030  
*Spielmannia* Medik. (*Oftia* Adans.) 5649  
*Spiesia* Neck. (*Oxytropis* DC.).  
*Spigelia* L. (Logan.) 4888  
*Spilacron* Cass. (*Centaurea* L.) 4100  
*Spilanthus* L. (*Composit.*) 3835  
*Spilanthus* L. v. *Spilanthus* L.) 3835  
*Spiloxene* Salisb. (*Hypoxis* L.) 7278  
*Spinacia* (Tourn.) L. (*Chenopod.*) 5977  
*Spinifex* L. (*Gramin.*) 8064  
*Spiracantha* H. B. K. (*Composit.*) 3430  
*Spiradiclis* Bl. (*Rubiace.*) 3100  
*Spiræa* L. (*Rosac.*) 2025  
— Camb. (*Spiræa* L.) 2025  
*Spiræanthemum* A. Gray (*Saxifrag.*) 2153  
*Spiræopsis* Miq. (*Saxifrag.*) 2165  
*Spiræanthus* F. et M. (*Spiræa* L.) 2025  
*Spiralepis* D. Don (*Leontonyx* Cass.) 3635  
*Spiranthera* St.-Hil. (*Rutac.*) 1005  
— Boj. (*Ipomæa* L.) 5077  
— Hook. (*Pronaya* Hügel) 535  
*Spiranthes* L. C. Rich. (*Orchid.*) 6992  
*Spiridanthus* Fenzl (*Monolopia* DC.) 3893  
*Spirillus* J. Gay (*Potamogeton* L.) 7880  
*Spirochæta* Turcz. (*Elephantopus* L.) 3428  
*Spiroconus* Stev. (*Trichodesma* R. Br.) 5009  
*Spirodela* Schleid. (*Lemna* L.) 7858  
*Spiro nema* Lindl. (*Commelin.*) 7590  
— Hochst. (*Clerodendron* L.) 5712  
*Spiropodium* F. Müll. (*Pluchea* Cass.) 3583  
*Spirorhynchus* Kar. et Kir. (*Crucif.*) 383  
*Spirostachys* S. Wats. (*Chenopod.*) 6007  
— Sond. (*Excoecaria* L.) 6571  
— Ung. (*Heterostachys* Ung.) 6008  
*Spirostemon* Griff. (*Parsonsia* R. Br.) 4627  
*Spirospermum* Thou. (*Menisperm.*) 151  
*Spirostigma* Nees (*Acanth.*) 5528  
*Spirostylis* Presl (*Loranthus* L.) 6315  
*Spirotheros* Raf. (*Stipa* L.).  
*Spirotropis* Tul. (*Legumin.*) 1881  
*Spitzelia* Sch. Bip. (*Picris* L.) 4189  
*Spixia* Schrank (*Centratherum* Cass.) 3397  
— Leandro (*Pera* Mut.) 6579  
*Splitgerbera* Miq. (*Boehmeria* Jacq.) 6667  
*Spodiopogon* Trin. (*Gramin.*) 8002  
*Spondias* L. (*Anacard.*) 1514  
— F. Müll. (*Pleiogynium* Engl.) 1517  
*Spondylantha* Presl (*Inc. sed.*) p. 491.  
*Spondylococca* Mitch. (*Callicarpa* L.) 5699  
*Spongotrichum* Nees (*Olearia* Mönch) 3551  
*Sponia* Comm. (*Trema* Lour.) 6590  
*Sporadanthus* F. Müll. (*Lepyrodia* R. Br.) 7906  
*Sporledera* Bernh. (*Ceratotheca* Endl.) 5508  
*Sporobolus* R. Br. (*Gramin.*) 8111  
*Sportella* Hance (*Cratægus* L.) 2076  
*Spraguea* Torr. (*Portul.*) 616  
*Sprekelia* Heist. (*Amaryll.*) 7297  
*Sprengelia* Sm. (*Epacrid.*) 4413  
— Schult. (*Melhania* Forsk.) 814  
*Springia* Müll. Arg. (*Ichnocarpus* R. Br.) 4643  
*Sprucea* Benth. (*Rubiace.*) 3049  
*Sprunnera* Sch. Bip. (*Codonoccephalum* Fenzl) 3689  
*Spyridium* Fenzl (*Rhamn.*) 1345  
*Squamataxus* Senil (*Saxegothea* Lindl.) 8332  
*Squamellaria* Becc. (*Rubiace.*) 3309  
*Squilla* (Gled.) Steinh. (*Urginea* Steinh.) 7496  
*Staavia* (Dahl) Thunb. (*Bruniac.*) 2219  
*Staberoha* Kth (*Restiac.*) 7917  
*Stachyacanthus* Nees (*Inc. sed.*) p. 491.  
*Stachyanthus* DC. (*Eremanthus* L.) 3423  
*Stachyarpagophora* Vaill. (*Achyranthes* L.).  
*Stachyarrhena* H. f. (*Rubiace.*) 3157  
*Stachycephalum* Sch. Bip. (*Composit.*) 3735  
*Stachychrysum* Boj. (*Adenantha* L.) 1985  
*Stachycrater* Turcz. (*Osmelia* Thw.) 2544  
*Stachyocnide* Bl. (*Pouzolzia* Gaud.) 6669  
*Stachyophorbe* Kl. (*Chamædorea* Willd.).  
*Stachyopogon* Kl. (*Aletris* L.) 7209  
*Stachys* (Tourn.) L. (*Labiata.*) 5829  
*Stachystemon* Planch. (*Euphorb.*) 6377

- Stachytarpha* Link (*Stachytarpheta* Vahl) 5684  
*Stachytarpheta* Vahl (Verben.) 5684  
*Stachyurus* S. et Z. (Ternstroem.) 686  
*Stackhousia* Sm. (*Stackhousiæ*) 1316  
**Stackhousiæ** p. 68.  
*Stadmannia* Lam. (Sapind.) 1427  
*Stæblorhiza* Endl. (Legumin.) 1707  
*Stæhelia* L. (Composit.) 4084  
*Stælia* Ch. et Schl. (Rubiace.) 3360  
*Stagmaria* Jack (Gluta L.) 1510  
*Stahlia* Bello (Legumin.) 1867  
*Stalagmites* Murr. (*Garcinia* L.) 654  
*Stanfordia* S. Wats. (Crucif.) 309b  
*Stangeria* E. Moore (Cycadac.) 8342  
*Stanhopea* Frost (Orchid.) 6871  
*Stanhopeastrum* Rchb. f. (*Stanhopea* Frost) 6871  
*Stanleya* Nutt. (Crucif.) 300  
*Stannia* Karst. (*Posoqueria* Aubl.) 3165  
*Stapelia* L. (Asclep.) 4882  
— Haw. (*Stapelia* L.) 4882  
*Staphidiastrum* Naud. (*Clidemia* D. Don) 2470  
*Staphidium* Naud. (*Clidemia* D. Don) 2470  
*Staphylea* L. (*Staphyleac.*) 1499  
**Staphyleaceæ** p. 83.  
*Staphylosyce* H. f. (*Physedra* H. f.) 2642  
*Staphylorhodos* Turcz. (Inc. sed.) p. 491.  
*Staphysagria* Spach (*Delphinium* L.) 25  
*Starbia* Thou. (*Alectra* Thunb.) 5298  
*Starckia* Juss. v. *Starkea* Willd.  
*Starkea* Willd. (*Liabum* Adans.) 3990  
*Stateria* Desv. (*Ophiopogon* Ker) 7211  
*Statice* L. (*Plumbagin.*) 4428  
— L. (*Armeria* Willd.) 4429  
*Stauntonia* DC. (Berberid.) 186  
*Stauracanthus* Link (*Ulex* L.) 1644  
*Stauranthera* Benth. (Gesner.) 5432  
*Stauranthus* Liebm. (Rutac.) 1093  
*Stauritis* Rchb. f. (*Stauropsis* Schreb.) 6935  
*Stauroglottis* Schau. (*Phalænopsis* Bl.) 6937  
*Staurogyne* Wall. (*Ebermaiera* Nees) 5518  
*Staurophragma* F. et M. (Scrophul.) 5185  
*Stauropsis* Rchb. f. (Orchid.) 6935  
*Staurospermum* Thonn. (*Mitracarpum* Zucc.) 3357  
*Staurostigma* Scheidw. (Aroid.) 7833  
*Staurothyra* Griff. (*Phyllanthus* L.) 6404  
*Stawellia* F. Müll. (Liliac.) 7457  
*Stechmannia* DC. (*Jurinea* Cass.) 4089  
*Steenhammera* Rchb. (*Mertensia* Roth) 5049  
*Steetzia* Sond. (*Olearia* Mönch) 3551  
*Steffensia* Kth (Piper L.) 6141  
*Steganotænia* Hochst. (*Peucedanum* L.) 2886  
*Steganotropis* Lehm. (*Centrosema* DC.) 1781  
*Stegia* DC. (*Lavatera* L.) 731  
*Stegnocarpus* Torr. (*Coldenia* L.) 5001  
*Stegnosperra* Benth. (Phytolac.) 6066  
*Stegolepis* Kl. (Rapateac.) 7600  
*Stegonotus* Cass. (*Arctotis* L.) 4054  
*Stegosia* Lour. (*Rottboellia* L. f.) 8006  
*Steigeria* Müll. Arg. (*Baloghia* Endl.) 6472  
*Steineria* Kl. (*Begonia* L.) 2695  
*Steinhelia* Dcne (Asclep.) 4721  
*Steinmannia* Phil. (Liliac.) 7495  
*Steiractis* DC. (*Olearia* Mönch) 3551  
*Steirema* Raf. (*Telanthra* R. Br.) 5955  
*Steirodiscus* Less. (Composit.) 3520  
*Steiroglossa* DC. (*Brachycome* Cass.) 3521  
*Steironema* Raf. (Primul.) 4449  
*Steirostemon* Phil. (Primul.) 4458  
*Stekhovia* De Vriese (*Goodenia* Sm.) 4233  
*Stelechocarpus* Bl. (Anonac.) 65  
*Stelechospermum* Bl. (Inc. sed.).  
*Stelephuros* Adans. (*Phleum* L.) 8105  
*Stelostylis* Drude (Cyclanth.) 7745  
*Stelis* Sw. (Orchid.) 6744  
*Stella* Medik. (*Astragalus* L.).  
*Stellaria* L. (Caryophyll.) 581  
— (Ray) Hall. (*Callitriche* L.)  
*Stellaris* Mönch. (Inc. sed.).  
— Steinh. (*Scilla* L.) 7505  
*Stellera* L. (Thymel.) 6280  
— Turcz. (*Swertia* L.) 4958  
*Stellularia* Benth. (Scrophul.) 5305  
*Stemmacantha* Cass. (*Serratula* L.) 4093  
*Stemmadenia* Benth. (Apocyn.) 4615  
*Stemmatella* Wedd. (Composit.) 3784  
*Stemmatium* Phil. (*Tristagma* Pöpp. et Endl.) 7463  
*Stemmatosiphon* Pohl (*Symplocos* L.) 4527  
*Stemmatospermum* P. B. (*Nastus* Juss.) 8228  
*Stemmodontia* Cass. (*Wedelia* Jacq.) 3814  
*Stemodia* L. (Scrophul.) 5248  
*Stemodiaca* P. Br. (*Lindenbergia* Link et Otto).  
*Stemona* Lour. (*Stemonac.*) 7353  
**Stemonaceæ** p. 420.  
*Stemonacanthus* Nees (*Ruellia* L.) 5529  
*Stemonoporus* Thw. (*Vateria* L.) 718  
*Stemonurus* Bl. (Olacin.) 1229  
— Bl. (*Gomphandra* Wall.) 1230  
*Stemoptera* Miers (*Apteria* Nutt.) 6737  
*Stenachænum* Benth. (Composit.) 3580



- Stenactis* Cass. (*Erigeron* L.) 3561  
 — Nees (*Erigeron* L.) 3561  
*Stenandrium* Nees (*Acanth.*) 5594  
*Stenanthemum* Reissek (*Rhamn.*) 1346  
*Stenanthera* R. Br. (*Astroloma* R. Br.) 4393  
*Stenanthium* A. Gray (*Liliac.*) 7557  
*Stenanthus* (Erst. (*Columnnea* L.) 5388  
*Stenarrhena* D. Don (*Salvia* L.) 5793  
*Stengelia* Sch. Bip. (*Vernonia* Schreb.) 3405  
*Stenia* Lindl. (*Orchid.*) 6880  
*Stenocalyx* Turcz. (*Malpigh.*) 943b  
 — Berg (*Eugenia* L.) 2327  
*Stenocarpus* R. Br. (*Proteac.*) 6262  
*Stenocephalum* Sch. Bip. (*Vernonia* Schreb.) 3405  
*Stenochasma* Miq. (*Broussonetia* Vent.) 6605  
 — Griff. (*Amomum* L.)  
*Stenochilus* R. Br. (*Eremophila* R. Br.) 5648  
*Stenochloa* Nutt. (*Dissanthelium* Trin.) 8210  
*Stenocline* DC. (*Composit.*) 3633  
*Stenocœlium* Ledeb. (*Seseli* L.) 2835  
*Stenocoryne* Lindl. (*Bifrenaria* Lindl.) 6860  
*Stenodiscus* Reissek (*Spyridium* Fenzl) 1345  
*Stenodon* Naud. (*Melastom.*) 2360  
*Stenogastra* Hanst. (*Sinningia* Nees) 5379  
*Stenoglossum* H. B. K. (*Orchid.*) 6810  
*Stenoglottis* Lindl. (*Orchid.*) 7060  
*Stenogonum* Nutt. (*Eriogonum* Rich.) 6070  
*Stenogyne* Benth. (*Labiât.*) 5849  
*Stenolobium* Benth. (*Calopogonium* Desv.) 1801  
 — D. Don (*Tecoma* Juss.) 5474  
*Stenolophus* Cass. (*Centaurea* L.) 4100  
*Stenomeria* Turcz. (*Asclep.*) 4758  
*Stenomeris* Planch. (*Dioscor.*) 7349  
*Stenomesson* Herb. (*Amaryll.*) 7322  
*Stenonema* Hook. (*Crucif.*) 280  
*Stenonia* H. Bn (*Euphorb.*) 6390  
 — Didrichs. (*Argithamnia* Sw.) 6480  
*Stenopetalum* R. Br. (*Crucif.*) 308  
*Stenophragma* Celak. (*Sisymbrium* L.) 890  
*Stenophyllum* Sch. Bip. (*Calea* L.) 3862  
*Stenoptera* Presl (*Orchid.*) 6989  
*Stenorrhynchus* L. C. Rich. (*Spiranthes* L. C. Rich.) 6992  
*Stenosemis* E. Mey. (*Anesorrhiza* Ch. et Schl.) 2874  
*Stenosiphon* Spach (*Onagrar.*) 2537  
*Stenosiphonium* Nees (*Acanth.*) 5553  
*Stenosolenium* Turcz. (*Arnebia* Forsk.) 5061  
*Stenospermation* Schott (*Aroid.*) 7764  
*Stenostachys* Turcz. (Inc. sed.) p. 491.  
*Stenostemum* Juss. (*Antirrhœa* Comm.) 3214  
*Stenostephanus* Nees (*Acanth.*) 5605  
*Stenostomum* Gärt. (*Antirrhœa* Comm.) 3214  
*Stenotænia* Boiss. (*Heracleum* L.) 2888  
*Stenotaphrum* Trin. (*Gramin.*) 8061  
*Stenotheca* Monn. (*Hieracium* L.) 4193  
*Stenotropis* Hassk. (*Erythrina* L.) 1793  
*Stenotus* Nutt. (*Haplopappus* Cass.) 3488  
*Stenurus* Salisb. (*Biarum* Schott) 7847  
*Stephanandra* S. et Z. (*Rosac.*) 2027  
*Stephananthus* Lehm. (*Baccharis* L.) 3575  
*Stephania* Lour. (*Menisperm.*) 154  
 — Willd. (*Steriphoma* Spreng.) 437  
*Stephanium* Schreb. (*Palicourea* Aubl.) 3288  
*Stephanocarpus* Spach (*Cistus* L.) 461  
*Stephanochilus* Coss. et Durieu (*Volutarella* Cass.) 4097  
*Stephanocoma* Less. (*Composit.*) 4081  
*Stephanodaphne* H. Bn (*Thymel.*) 6297  
*Stephanogastra* Karst. et Tr. (*Centronia* D. Don) 2414  
*Stephanolirion* Bak. (*Tristagma* Pöpp. et Edal.) 7463  
*Stephanomeria* Nutt. (*Composit.*) 4223  
 — Benth. (*Rafinesquia* Nutt.) 4224  
*Stephanopappus* Less. (*Nestlera* Spreng.) 3677  
*Stephanophyllum* Guill. (*Pæpalanthus* Mart) 7893  
*Stephanophysum* Pohl (*Ruellia* L.) 5529  
*Stephanopodium* Pöpp. et Endl. (*Dichapetal.*) 1202  
*Stephanostachys* Erst. (*Chamædorea* Willd.)  
*Stephanotella* Fourn. (*Asclep.*) 4838  
*Stephanotis* Thou. (*Asclep.*) 4837  
*Stephanotrichum* Naud. (*Heterotrichum* Naud.) 2465  
*Stephegyne* Korth. (*Rubiace.*) 3005  
*Steptorhamphus* Bge (*Lactuca* L.) 4206  
*Sterbeckia* Schreb. (*Singana* Aubl.)  
*Sterculia* L. (*Stercul.*) 791  
 — Cav. (*Sterculia* L.) 791  
**Sterculiaceæ** p. 41.  
*Stereochilus* Lindl. (*Sarcochilus* R. Br.) 6940  
*Stereoderma* Bl. (*Olea* L.) 4550  
*Stereosandra* Bl. (*Orchid.*) 7019  
*Stereospermum* Cham. (*Bignon.*) 5180  
*Stereoxylon* R. et P. (*Escallonia* L.) 2127  
*Sterigma* DC. (*Crucif.*) 418

- Sterigmanthe* Kl. et Garcke (*Euphorbia* L.) 6370  
*Sterigmotemon* M. et B. (*Sterigma* DC.) 418  
*Steripha* Banks (*Dichondra* Forst.) 5095  
*Steriphe* Phil. (Composit.) 3482  
*Steriphoma* Spreng. (Capparid.) 437  
*Steris* L. (*Hydrolea* L.) 4991  
*Sternbergia* W. et K. (*Amaryll.*) 7283  
*Sterrhymentia* Griseb. (*Sclerophylax* Miers) 5175  
*Steudeliaspreng.* (*Erythroxydon* L.) 897  
— Mart. (*Leonia* R. et P.) 477  
— Presl (*Adenogramma* Rchb.) 2736  
*Steudnera* K. Koch (*Aroid.*) 7817  
*Stevenia* Adams (*Arabis* L.) 247  
*Stevensia* Poit. (*Rondeletia* L.) 3063  
*Stevensonia* Duncan (*Phœnicophorium* Wendl.) 7663  
*Stevia* Cav. (Composit.) 3450  
*Stevogtia* Neck. (*Convolvulus* L.)  
*Stewartia* Auct. v. *Stuartia* L. 687  
*Stibadotheca* Kl. (*Begonia* L.) 3695  
*Stichoneuron* H. f. (*Stemonac.*) 7355  
*Stichophyllum* Phil. (*Pycnophyllum* Remy) 600  
*Stickmannia* Neck. (*Dichorisanthra* Mik.) 7586  
*Stictophyllum* Edgew. (*Tricholepis* DC.) 4094  
*Stiefla* Medik. (*Salvia* L.)  
*Stiffia* Mik. (Composit.) 4127  
*Stigmanthus* Lour. (Inc. sed.) p. 491.  
*Stigmaphyllon* A. Juss. (*Malpigh.*) 937  
*Stigmarota* Lour. (*Flacourtia* Comm.) 513  
*Stigmatococca* Willd. (Inc. sed.) p. 491.  
*Stigmatotheca* Sch. Bip. (*Chrysanthemum* L.) 3964  
*Stilaginella* Tul. (*Hyeronyma* Allem.) 6434  
*Stilago* Schreb. (*Antidesma* L.) 6433  
*Stilbanthus* H. f. (*Amarant.*) 5946  
*Stilbe* Berg (*Verben.*) 5662  
*Stilbocarpa* Dcne et Pl. (*Araliac.*) 2922  
*Stillingfleetia* Boj. (*Sapium* P. Br.) 6567  
*Stillingia* L. (*Euphorb.*) 6566  
*Stilpnogyne* DC. (Composit.) 4017  
*Stilpnopappus* Mart. (Composit.) 3412  
*Stilpnophyllum* H. f. (*Rubiace.*) 3012  
*Stilpnophytum* Less. (Composit.) 3982  
*Stima* Lindl. (*Orchid.*) 6880  
*Stimpsonia* Wright (*Primul.*) 4440  
*Stipa* L. (*Gramin.*) 8090  
*Stipagrostis* Nees (*Aristida* L.) 8089  
*Stipecoma* Müll. Arg. (*Apocyn.*) 4664  
*Stipellaria* Benth. (*Alchornea* Sw.) 6511  
*Stiphegyne* Korth. (*Rubiace.*) 3005  
*Stipularia* P. B. (*Rubiace.*) 3139  
— Haw. (*Spergularia* Pers.)  
*Stipulicida* Mchx (*Caryophyll.*) 602  
*Stirlingia* Endl. (*Proteac.*) 6230  
*Stissera* Giseke (*Curcuma* L.) 7122  
*Stisseria* Scop. (*Mimusops* L.)  
*Stixis* Lour. (Capparid.) 449  
*Stiza* E. Mey. (*Lebeckia* Thunb.) 1624  
*Stizolobium* Pers. (*Mucuna* Adans.) 1797  
*Stizolophus* Cass. (*Centaurea* L.) 4100  
*Stizophyllum* Miers (*Bignonia* L.) 5446  
*Stobæa* Thunb. (*Berkheya* Ehrh.) 4060  
*Stocksia* Benth. (*Sapind.*) 1464  
*Stœbe* (Riv.) L. (Composit.) 3669  
*Stœchas* (Tourn.) Mill. (*Lavandula* L.) 5746  
*Stœrkea* Crantz (*Dracæna* L.) 7408  
*Stokesia* L'Hér. (Composit.) 3418  
*Stolidia* H. Bn (*Olacin.*) 1217  
*Stomarrhena* DC. (*Astroloma* R. Br.) 4393  
*Stomatocalyx* Müll. Arg. (*Pimeleodendron* Hassk.) 6558  
*Stomotechium* Lehm. (*Anchusa* L.?) 5042  
*Stooria* Neck. (*Lobelia* L.) 4262  
*Stopinaca* Raf. (*Polygonella* Mchx) 6083  
*Storckia* Seem. (*Legumin.*) 1928  
*Storthocalyx* Radlk. (*Sapind.*) 1450  
*Strabonia* DC. (*Pulicaria* Gärtn.) 3705  
*Stracheya* Benth. (*Legumin.*) 1732  
*Strakæa* Presl (*Bragantia* Lour.) 6132  
*Strailia* Th. Dur. (*Myrtac.*) 2338  
*Stramonium* (Tourn.) Mönch (*Datura* L.)  
*Strangea* Meisn. (*Proteac.*) 6256  
*Strangweya* Bertol. (*Hyacinthus* L.) 7500  
*Stranvæsia* Lindl. (*Rosac.*) 2081  
*Strasburgeria* H. Bn (*Ternstroem.*) 689  
*Strateuma* Salisb. (*Orchis* L.) 7055  
*Stratiotes* L. (*Hydrocharid.*) 6729  
— Dill. (*Hydrocharis* L.)  
— Vaill. (*Hottonia* L.)  
*Straussia* A. Gray (*Rubiace.*) 3282  
*Stravadium* Juss. (*Barringtonia* Forst.) 2340  
*Strebanthus* Raf. (*Eryngium* L.)  
*Streblanthera* Steud. (*Trichodesma* R. Br.) 5009  
*Streblidia* Link (*Schœnus* L.) 7961  
*Streblocarpus* Arn. (*Mærua* R. Br.) 440  
*Streblochæta* Hochst. (*Danthonia* DC.) 8155  
*Streblorhiza* Endl. (*Legumin.*) 1707  
*Streblosa* Korth. (*Mapouria* Aubl.) 3286  
*Streblus* Lour. (*Urtic.*) 6602  
*Streckera* Sch. Bip. (*Leontodon* L.) 4198

- Streleskia* H. f. (*Wahlenbergia* Schrad.) 4273  
*Strelitzia* Ait. (Musac.) 7152  
*Strempelia* A. Rich. (*Psychotria* L.) 3285  
*Strempeliopsis* Benth. (Apocyn.) 4598  
*Strephium* Schrad. (*Olyra* L.) 8065  
*Strephonema* H. f. (*Lythrar.*) 2509  
*Strepsia* Nutt. (*Tillandsia* L.) 7192  
*Streptium* Roxb. (*Priva* Adans.) 5685  
*Streptachne* R. Br. (*Stipa* L.) 8090  
— Kth (*Aristida* L.) 8089  
*Streptanthera* Sweet (Irid.) 7262  
*Streptanthus* Nutt. (Crucif.) 250  
*Streptium* Roxb. (*Priva* Adans.)  
*Streptocalyx* Beer (Bromel.) 7168  
*Streptocarpus* Lindl. (Gesner.) 5413  
*Streptocaulon* W. et A. (Asclep.) 4702  
*Streptochaeta* Schrad. (Gramin.) 8081  
*Streptodesmia* A. Gray (*Adesmia* DC.) 1755  
*Streptoglossa* Steetz (*Pterigeron* DC.) 3587  
*Streptogyne* P. B. (Gramin.) 8231  
*Streptolirion* Edgew. (Commelin.) 7582  
*Streptoloma* Bge (Crucif.) 289  
*Streptopetalum* Hochst. (Turnerac.) 2577  
*Streptopus* Mehx (Liliac.) 7373  
*Streptosema* Presl (*Aspalathus* L.) 1626  
*Streptosolen* Miers (Solan.) 5169  
*Streptostachys* Desv. (*Panicum* L.) 8050  
*Streptostigma* Rgl (*Cacabus* Bernh.) 5128  
— Thw. (*Harpullia* Roxb.) 1480  
*Streptothamnus* F. Müll. (Bixin.) 501  
*Striga* Lour. (Scrophul.) 5304  
*Strigilia* Cav. (*Styrax* L.) 4529  
*Strigosella* Boiss. (*Malcolmia* R. Br.) 286  
*Strobidia* Miq. (Zingiberac.) 7133  
*Strobila* G. Don (*Arnebia* Forsk.) 5061  
*Strobilacanthus* Griseb. (Acanth.) 5576  
*Strobilanthes* Bl. (Acanth.) 5554  
*Strobilocarpus* Kl. (*Grubbia* Berg) 6354  
*Strobilorhachis* Link (*Aphelandra* R. Br.) 5592  
*Strobocalyx* Sch. Bip. (*Vernonia* Schreb.) 3405  
*Stroemia* Vahl (*Cadaba* Forsk.) 443  
*Stroganovia* Kar. et Kir. (Crucif.) 338  
*Stromanthe* Sond. (Zingiberac.) 1739  
*Strombocarpus* A. Gray (*Prosopis* L.) 1989  
*Strombosia* Bl. (Olacin.) 1215  
*Strongylocalyx* Bl. (*Eugenia* L.) 3272  
*Strongylodon* Vog. (Legumin.) 1795  
*Strongyloma* DC. (*Nassauvia* Juss.) 4159  
*Strongylosperma* Less. (*Cotula* L.) 3968  
*Stropha* Nor. (*Chloranthus* Sw.) 6147  
*Strophades* Boiss. (*Erysimum* L.) 295  
*Strophanthus* DC. (Apocyn.) 4633  
*Strophostoma* Turcz. (*Myosotis* L.) 5051  
*Strophis* Salisb. (*Dioscorea* L.) 7345  
*Stropholirion* Torr. (Liliac.) 7467  
*Strophopappus* DC. (*Stilpnopappus* Mart.) 3412  
*Strophostyles* Ell. (*Phaseolus* L.) 1813  
— E. Mey. (*Vigna* Savi) 1815  
*Struchium* P. Br. (*Sparganophorus* Gärtn.) 3390  
*Strukeria* Vell. (*Vochysia* Juss.) 561  
*Strumaria* Jacq. (Amaryll.) 7307  
*Strumpfia* Jacq. (Rubiace.) 3268  
*Struthanthus* Mart. (*Loranthus* L.) 6315  
*Struthia* L. (*Gnidia* L.)  
*Struthiola* L. (Thymel.) 6291  
*Struthium* Ser. (*Gypsophila* L.) 573  
*Struvea* Rehb. (*Torreya* Arn.)  
*Strychnodaphne* Nees (*Ocotea* Aubl.) 6198  
*Strychnos* L. (Logan.) 4912  
*Strychnodendron* Mart. (Legumin.) 1984  
*Strzeleckia* F. Müll. (*Flindersia* R. Br.) 1200  
*Stuartia* L. (Ternstroem.) 687  
*Stuartina* Sond. (Composit.) 3608  
*Stubendorfia* Schrenk (Crucif.) 346  
*Stuebelia* Pax (Capparid.) +437<sup>b</sup>  
*Sturmia* Gärtn. (*Antirrhoea* Comm.) 3214  
— Hoppe (*Mibora* Adans.) 8108  
— Rehb. (*Liparis* L. C. Rich.) 6756  
*Sturtia* R. Br. (*Gossypium* L.) 768  
*Stygnanthe* Hanst. (*Columnnea* L.) 5388  
*Stylago* Salisb. (*Strumaria* Jacq.) 7307  
*Stylandra* Nutt. (*Podostigma* Ell.) 4744  
*Stylanthus* Rehb. et Zoll. (*Mallostus* Lour.)  
*Stylaptera* Juss. (*Penæa* L.) 6307  
*Stylbocarpa* Dene et Pl. v. *Stilbocarpa* Dene et Pl. 2922  
*Stylesia* Nutt. (*Bahia* Lag.) 3901  
*Stylidium* Lour. (Cornac.) 2971  
— Sw. (*Candollea* Labill.) 4225  
*Stylimnus* Raf. (*Pluchea* Cass.) 3583  
*Stylipus* Raf. (*Geum* L.) 2051  
*Stylis* Lam. (*Stylidium* Lour.) 2971  
*Stylisma* Nutt. (*Breweria* R. Br.) 5088  
*Stylobasium* Desf. (Rosac.) 2018  
*Styloceras* A. Juss. (Euphorb.) 6385  
*Stylochiton* Leprieur (Aroid.) 7830  
*Stylocline* Nutt. (Composit.) 3603  
*Stylocoryne* Cav. (*Randia* L.) 3179  
— W. et A. (*Tarenna* Gärtn.) 3145  
*Stylodiscus* Benn. (*Bischofia* Bl.) 6426  
*Styloglossum* Breda (*Calanthe* R. Br.) 6803  
*Stylogyne* A. DC. (*Ardisia* Sw.) 4470  
*Stylolepis* Lehm. (*Podolepis* Labill.) 3684



- Stylancerus* Spreng. (*Angianthus* Wendl.) 3659  
*Stylopappus* Nutt. (*Troximon* Nutt.) 4199  
*Stylophorum* Nutt. (*Papaverac.*) 222  
*Stylosanthes* Sw. (*Legumin.*) 1757  
*Stylurus* Raf. (*Clematis* L.).  
— Salisb. (*Grevillea* L.).  
*Stypandra* R. Br. (*Liliac.*) 7451  
*Styphelia* Sm. (*Epacrid.*) 4391  
*Styphnolobium* Schott (*Sophora* L.) 1871  
*Styphonia* Nutt. (*Rhus* L.).  
*Styponema* Salisb. (*Stypandra* R. Br.) 7451  
**Styraceæ** p. 258.  
*Styrandra* Raf. (*Maianthemum* Wigg.) 7377  
*Styrax* (Tourn.) L. (*Styrac.*) 4529  
*Suæda* Forsk. (*Chenopod.*) 6016  
— Moq. (*Suæda* Forsk.) 6016  
*Suardia* Schrank (*Melinis* P. B.) 8038  
*Sublimia* Comm. (*Hyophorbe* Gärtn.) 7674  
*Subularia* L. (*Crucif.*) 316  
*Succisa* (Rupp.) Mönch (*Scabiosa* L.) 3386  
— Wallr. (*Cephalaria* Schrad.) 3385  
*Succoria* Medik. (*Crucif.*) 327  
*Succuta* Desmoul. (*Cuscuta* L.) 5104  
*Suchtelenia* Kar. (*Boragin.*) 5008  
*Suckleya* A. Gray (*Chenopod.*) 5981  
*Suffrenia* Bell. (*Rotala* L.) 2487  
— Miq. (*Ammannia* Houston) 2488  
*Sugerokia* Miq. (*Heloniopsis* A. Gray) 7535  
*Sugillaria* Salisb. (*Scilla* L.) 7505  
*Sukana* Raf. (*Celosia* L.) 5918  
*Suksdorfia* A. Gray (*Saxifrag.*) 2096  
*Sulipa* Blanco (Inc. sed.) p. 492.  
*Sulitra* Medik. (*Lessertia* DC.).  
*Sullivantia* T. et G. (*Saxifrag.*) 2097  
*Sulzeria* R. et B. (*Faramea* Aubl.) 3280  
*Sumach* Rupp. (*Rhus* L.).  
*Sumbaria* H. Bn (*Euphorb.*) 6483  
*Sunaptea* Griff. (*Vatica* L.) 710  
*Sunipia* Lindl. (*Orchid.*) 6768  
*Suprago* Gartn. (*Vernonia* Schreb.) 3405  
*Suregada* Bl. (*Gelonium* Roxb.) 6540  
*Suriana* L. (*Simarub.*) 1126  
*Suringaria* L. (*Myrtac.*) 2341  
*Surwala* Röml. (*Walsura* Roxb.) 1187  
*Susarium* Phil. (*Symphyostemon* Miers) 7251  
*Sussea* Gaud. (*Pandanus* L.) 7743  
*Susum* Bl. (*Flagellar.*) 7605  
*Sutera* Roth (*Scrophul.*) 5235  
*Sutera* DC. (*Rubiace.*) 3300  
*Sutherlandia* R. Br. (*Legumin.*) 1709  
— Gmel. (*Heritiera* Dryand.).  
*Sutrina* Lindl. (*Orchid.*) 6920  
*Suttonia* A. Rich. (*Myrsine* L.) 4460  
*Scitramia* Cham. (*Melastom.*) 2378  
*Swainsona* Salisb. (*Legumin.*) 1712  
*Swammerdamia* DC. (*Helichrysum* Gärtn.) 3632  
*Swantia* Alef. (*Vicia* L.) 1776  
*Swartzia* Schreb. (*Legumin.*) 1896  
— Gmel. (*Solandra* Sw.).  
*Smeelia* Spreng. (*Legumin.*) 1889  
— DC. (*Galactia* P. Br.) 1804  
*Srertia* L. (*Gentian.*) 4958  
*Swietenia* L. (*Meliac.*) 1195  
*Swintonia* Griff. (*Anacard.*) 1511  
*Syagrus* Mart. (*Cocos* L.) 7736  
*Syalita* Rheed. (Adans.) (*Dillenia* L.).  
*Syama* Jones (*Pupalia* Juss.) 5936  
*Sychinium* Desv. (*Dorstenia* L.) 6619  
*Sychnosepalum* Eichl. (*Menisperm.*) 168  
*Sycodium* Pomel (*Anvillea* DC.) 3713  
*Sycomorpe* Miq. (*Ficus* L.) 6621  
*Sycomorus* Gasparr. (*Ficus* L.) 6621  
*Sycopsis* Oliv. (*Hamamelid.*) 2197  
*Syena* Schreb. (*Mayaca* Aubl.) 7570  
*Sykesia* Arn. (*Gærtnera* Lam.) 4914  
*Sylitra* E. Mey. (*Legumin.*) 1681  
*Syllepsis* Fourn. (*Imperata* Cyr.) 7997  
*Syllysium* Meyen et Schau. (*Eugenia* L.) 2327  
*Symblomeria* Nutt. (*Albertinia* Spreng.) 3404  
*Symbolanthus* G. Don (*Lisianthus* Aubl.) 4952  
*Symbryon* Griseb. (*Piperac.*) 6146  
*Symea* Bak. (*Scleria* Berg) 7981  
*Symmeria* Benth. (*Polygon.*) 6099  
*Symmetria* Bl. (*Carallia* Roxb.) 2236  
*Sympegma* Bge (*Chenopod.*) 6041  
*Sympetaleia* A. Gray (*Loasæ*) 2566  
*Symphachne* P. B. (*Eriocaulon* L.) 7891  
*Symphocoronis* A. Gray (*Composit.*) 3649  
*Symphonia* L. f. (*Guttifer.*) 648  
*Symphoranthus* Mitch. (*Polypremum* L.).  
*Symphorema* Roxb. (*Verben.*) 5721  
*Symphoria* Pers. (*Symphoricarpos* Juss.) 2991  
*Symphoricarpos* (Dill.) Juss. (Caprifol.) 2991  
*Symphyandra* A. DC. (*Campanul.*) 4300  
*Symphydolon* Salisb. (*Gladiolus* L.) 7275  
*Symphyllanthus* Vahl (*Dichapetalum* Thou.) 1201  
*Symphyllia* H. Bn (*Adenochlæna* H. Bn) 6492  
*Symphylocarpus* Maxim. (*Composit.*) 3599  
*Symphyoglossum* Turcz. (*Cynanchum* L.) 4779

- Symphyloma* C. A. Mey. (*Hera-  
cleum* L.) 2888  
*Symphyomera* H. f. (*Cotula* L.) 3968  
*Symphyomyrtus* Schau. (*Euca-  
lyptus* L'Hér.) 2298  
*Symphyonema* R. Br. (Proteac.) 6234  
*Symphyopappus* Turcz. (Com-  
posit.) 3459  
*Symphyopetalum* J. Drumm.  
(*Nematolepis* Turcz.) 1051  
*Symphyostemon* Miers (Irid.) 7251  
— Kl. (*Polanisia*  
Raf.) 430  
*Symphyotrichum* Nees (*Aster* L.) 3544  
*Symphysia* Presl (*Hornemannia*  
Vahl) 4304  
*Symphysicarpus* Hassk. (Asclep.) 4844  
*Symphysodaphne* A. Rich. (*Mi-  
santeca* Ch. et Schl.) 6191  
*Symphytum* (Tourn.) L. (*Boragin.*) 5039  
*Sympieza* Lichtenst. (*Ericac.*) 4359  
*Sympleura* Miers (*Symplocos* L.) 4527  
*Symplocarpus* Salisb. (Aroid.) 7776  
*Symplocos* L. (*Styrac.*) 4527  
*Sympodium* K. Koch (*Carum* L.?) 2806  
*Synactinia* Rehb. (*Erica* L.)  
*Synadenium* Boiss. (*Euphorb.*) 6371  
*Synædrys* Lindl. (*Quercus* L.) 6708  
*Synandra* Nutt. (*Labiata.*) 5818  
— Schrad. (*Aphelandra*  
R. Br.) 5592  
*Synandrodaphne* Meisn. (Laurin.) 6203  
*Synandropadia* Engl. (Aroid.) 7836  
*Synantherias* Schott (Aroid.) 7790  
*Synaphea* R. Br. (Proteac.) 6231  
*Synapsis* Griseb. (*Scrophul.*) 5228  
*Synaptantha* H. f. (*Rubiace.*) 3096  
*Synaptolepis* Oliv. (*Thymel.*) 6296  
*Synarrhena* F. et M. (*Mimusops*  
L.) 4508  
*Synarthron* Cass. (*Senecio* L.) 4025  
*Synaspisma* Endl. (*Codiaeum*  
Rumph.) 6471  
*Synassa* Lindl. (*Spiranthes* L. C.  
Rich.) 6992  
*Syncarpha* DC. (*Helipterum* DC.) 3631  
*Syncarpia* Ten. (*Myrtac.*) 2301  
*Syncephalanthus* Bartl. (Com-  
posit.) 3924  
*Syncephalum* DC. (Composit.) 3679  
*Synchodendron* Boj. (Composit.) 3577  
*Synclisia* Benth. (*Menisperm.*) 143  
*Syncolostemon* E. Mey. (*Labiata.*) 5733  
*Syndesmanthus* Kl. (*Simocheilus*  
Kl.) 4358  
*Syndesmis* Wall. (*Gluta* L.) 1510  
*Syndesmon* Hoffmsg. (*Anemone* L.) 479  
*Syndiclis* H. f. (Laurin.) 6189  
*Synechanthus* Wendl. (*Palm.*) 7671  
*Synedrella* Gärtn. (Composit.) 3842  
*Syneilesis* Maxim. (*Senecio* L.) 4025  
*Synelcoseiadium* Boiss. (*Tordy-  
lium* L.) 2895  
*Synexemia* Raf. (*Phyllanthus* L.) 6404  
*Syngonium* Schott (Aroid.) 7828  
*Synima* Radlk. (Sapind.) 1455  
*Synisoona* H. Bn. (*Rubiace.*) 3225  
*Synmeria* Grah. (*Habenaria*  
Willd.) 7066  
*Synnarrhena* F. et M. (*Mimusops*  
L.) 4508  
*Synnema* Benth. (*Cardanthera*  
Ham.) 5521  
*Synnetia* Sweet v. *Synnotia* Sweet 7274  
*Synnotia* Sweet (Irid.) 7274  
*Synoecia* Miq. (*Ficus* L.) 6621  
*Synostemon* F. Müll. (*Phyllanthus*  
L.) 6404  
*Synoum* A. Juss. (*Meliace.*) 1181  
*Synphyllium* Griff. (*Curanga*  
Juss.) 5261  
*Synptera* Llanos (*Cleisostoma* Bl.) 6950  
*Synsepalum* Daniell (*Sideroxy-  
lon* L.) 4503  
*Synsiphon* Rgl. (*Liliac.*) 7517  
*Syntherisma* Walt. (*Panicum* L.) 8050  
*Synthlipsis* A. Gray (*Crucif.*) 368  
*Synthyris* Benth. (*Scrophul.*) 5289  
*Syntrichopappus* Torr. (Compo-  
sit.) 3900  
*Synzyganthera* R. et P. (*Lacis-  
tema* Sw.) 6714  
*Syoctonum* Bernh. (*Chenopo-  
dium* L.)  
*Syorchinchium* Hoffm. (*Sisyrin-  
chium* L.) 7248  
*Sypharissa* Salisb. (*Urginea*  
Steinh.) 7496  
*Syphomeris* Boj. (*Rubiace.*) 3315  
*Syrenia* Andr. (*Crucif.*) 298  
*Syrenopsis* Jaub. et Spach (*Iberi-  
della* Boiss.) 366  
*Syringa* (Rupp.) L. (*Oleace.*) 4539  
— Tourn. (*Philadelphus* L.)  
*Syringodea* H. f. (Irid.) 7233  
— D. Don (*Erica* L.) 4351  
*Syringosma* Mart. (*Forsteronia*  
G. F. W. Mey.) 4623  
*Syrmatium* Vog. (*Hosackia*  
Dougl.) 1661  
*Syrrhonema* Miers (*Menisperm.*) 173  
*Syrtocarpa* Miers (*Symplocos* L.) 4527  
*Syspene* Griseb. (*Genista* L.) 1641  
*Systemon* Rgl. (*Galipea* Aubl.)  
*Systrepha* Burch. (*Ceropegia* L.) 4863  
*Syziganthus* Steud. (*Gahnia* Forst.) 7967  
*Syzygium* Gärtn. (*Eugenia* L.) 2327  
*Szowitzia* F. et M. (*Umbellif.*) 2898

## T

- Tabacus* Mönch (*Nicotiana* L.) 5158  
*Tabebuia* Gomez (*Bignon.*) 5467  
*Taberna* Miers (*Apocyn.*) 4613  
*Tabernaemontana* (Plum.) L.  
(*Apocyn.*) 4612  
*Tacasaea* Dcne (*Asclep.*) 4706  
*Tacca* Forst. (*Taccac.*) 7342

**Taccaceæ p. 419.**

- Taccarum* Brongn. (Aroid.) 7832  
*Tuchia* Aubl. (Gentian.) 4950  
— Pers. (Tachigalia Aubl.) 1957  
*Tachiadenus* Griseb. (Gentian.) 4922  
*Tachibota* Aubl. (Inc. sed.) p. 491.  
*Tachigalia* Aubl. (Legumin.) 1957  
*Tacsonia* Juss. (Passiflor.) 2586  
*Tænais* Salisb. (Crinum L.) 7301  
*Tænidium* Targ. (Posidonia Kæn.) 7882  
*Tæniocarpum* Desv. (Pachyrhizus Rich.) 1817  
*Tæniochlæna* H. f. (Connar.) 1576  
*Tæniola* Salisb. (Ornithogalum L.) 7507  
*Tæniopetalum* Bge (Peucedanum L.) 2886  
— Vis. (Peucedanum L.) 2886  
*Tæniophyllum* Bl. (Orchid.) 6953  
*Tæniostema* Spach (Helianthemum Pers.) 462  
*Tænosapium* Müll. Arg. (Excoecaria L.) 6571  
*Tætsia* Medik. (Cordyline Comm.) 7409  
*Tafalla* Don (Composit.) 3612  
— R. et P. (Hedyosmum Sw.) 6149  
*Tagetes* (Tourn.) L. (Composit.) 3929  
*Tainia* Bl. (Orchid.) 6790  
*Tala* Blanco (Inc. sed.) p. 491.  
*Talasium* Spreng. (Panicum L.)  
*Talauma* Juss. (Magnoliac.) 57  
*Talguenea* Miers (Rhamm.) 1353  
*Taliera* Mart. (Corypha L.) 7691  
*Taligalea* Aubl. (Amasonia L.) 5690  
*Talinella* H. Bn (Portul.) 613  
*Talinopsis* A. Gray (Portul.) 610  
*Talinum* Adans. (Portul.) 612  
*Talisia* Aubl. (Sapind.) 1405  
*Talpinaria* Karst. (Pleurothallis R. Br.) 6743  
*Tamarindus* (Tourn.) L. Legumin.) 1952
- Tamariscineæ p. 32.**
- Tamarix* L. (Tamarisc.) 623  
*Tamatavia* H. f. (Rubiace.) 3189  
*Tambourissa* Sonn. (Monimiace.) 6153  
*Tammsia* Karst. (Rubiace.) 3155  
*Tamnus* Juss. v. *Tamus* L. 7348  
*Tamonea* Aubl. (Verben.) 5688  
— Aubl. (Miconia R. et P.) 2462  
*Tamonopsis* Griseb. (Lantana L.) 5679  
*Tampon* Aubl. (Inc. sed.)  
*Tamus* L. (Dioscor.) 7348  
*Tanacetum* (Tourn.) L. (Composit.) 3986  
— Neck. (Tanacetum L.) 3986  
*Tanæcium* Sw. (Bignon.) 5459  
*Tanakæa* Franch. et Sav. (Saxifrag.) 2090  
*Tandonia* H. Bn (Tannodia H. Bn) 6484
- Tandonia* Moq. (Boussingaultia H. B. K.) 6046  
*Tanghekolli* Adans. (Crinum L.)  
*Tanghinia* Thou. (Cerbera L.) 4589  
*Tanibouca* Aubl. (Terminalia L.) 2249  
*Tankervillia* Link (Phajus Lour.) 6786  
*Tannodia* H. Bn (Euphorb.) 6484  
*Tanulepis* Balf. f. (Asclep.) 4711  
*Taonabo* Aubl. (Dupinia Scop.) 676  
*Tapanara* Adans. (Pothos L.)  
*Tapanhucanga* Vand. (Inc. sed.)  
*Tapeinægle* Herb. (Tapeinanthus Herb.) 7282  
*Tapeinanthus* Herb. (Amaryll.) 7282  
*Tapcinanthus* Boiss. (Thuspeinanta Th. Dur.) 5823  
*Tapeinia* Juss. (Irid.) 7249  
*Tapeinochilus* Miq. (Zingiberac.) 7124  
*Tapeinophallus* H. Bn (Hydrosme Schott) 7792  
*Tapeinosperma* H. f. (Myrsin.) 4472  
*Tapcinostemon* Benth. (Gentian.) 4933  
*Tapeinotes* DC. (Sinningia Nees) 5379  
*Taphrospermum* C. A. Mey. (Cochlearia L.) 281  
*Tapia* (Pison) Adans. (Cratæva L.)  
*Tapina* Mart. (Sinningia Nees) 5379  
*Tapinanthus* Bl. (Loranthus L.)  
*Tapinocarpus* Dalz. (Theriophorum Bl.) 7852  
*Tapiria* B. et H. (Cyrtocarpa H. B. K.) 1523  
— H. f. (Phlebochiton Wall.) 1521  
— L. (Odina Roxb.) 1522  
*Tapirira* Aubl. (Anacard.) 1525  
— Aubl. (Tapirocarpus Sagot) +1156b  
*Tapirocarpus* Sagot (Burser.) +1156b  
*Tapogomea* Aubl. (Uragoga L.) 3294  
*Tapura* Aubl. (Dichapetal.) 1203  
*Taraktogenos* Hassk. (Bixin.) 524  
*Taralea* Aubl. (Dipteryx Schreb.) 1853  
*Taraxaconastrum* Vaill. (Hyoseris Juss.)  
*Taraxaconoides* Vaill. (Leontodon L.)  
*Taraxacum* Hall. (Composit.) 4201  
*Taraxia* Nutt. (Oenothera L.) 2528  
*Tarchonanthus* L. (Composit.) 3579  
*Tariri* Aubl. (Picramnia Sw. ?)  
*Tarennia* Gärtn. (Rubiace.) 3175  
*Tarrietia* Bl. (Stercul.) 793  
*Tasmannia* R. Br. (Drimys Forst.) 54  
*Tassadia* Dcne (Asclep.) 4754  
*Tatea* F. Müll. (Verben.) 5678  
— Seem. (Bikkia Reinw.) 3057  
*Tattia* Scop. (Napimoga Aubl.)  
*Taurostalix* Rchb. f. (Bulbophyllum Thou.) 6767  
*Tauscheria* Fisch. (Crucif.) 377  
*Tauschia* Schlecht. (Umbellif.) 2773  
— Preissler (Hornemannia Vahl) 4304

- Taverniera* DC. (Legumin.) 1735  
*Taxanthera* Neck. (Statice L.) 4428  
*Taxodium* L. C. Rich. (Conifer.) 8321  
*Taxotrophis* Bl. (Urtic.) 6600  
*Taxus* (Tourn.) L. (Conifer.) 8340  
*Tayotum* Bl. (Inc. sed.) p. 491.  
*Tchihatchewia* Boiss. (Crucif.) 370  
*Teclea* Del. (Toddalia Juss.) 1079  
*Tecmarsia* DC. (Pluchea Cass.) 3583  
*Tecoma* Juss. (Bignon.) 5474  
— DC. (Tabebuia Gomez) 5467  
*Tecomaria* Bur. (Tecoma Juss.) 5474  
*Tecomella* Seem. (Tecoma Juss.) 5474  
*Tecophilæa* Bert. (Hæmodor.) 7217  
*Tecticornia* H. f. (Chenopod.) 6011  
*Tectona* L. f. (Verben.) 5702  
*Teesdalia* R. Br. (Crucif.) 362  
*Teedia* Rudolphi (Scrophul.) 5204  
*Teganium* Schmid. (Nolana L.) 5097  
*Teinosolen* H. f. (Rubiace.) 3095  
*Teinostachyum* Munro (Gramin.) 8297  
*Tekel* Feuillée (Aristea Soland.).  
*Telanthera* R. Br. (Amarant.) 5955  
*Teleiandra* Nees (Ocotea Aubl.) 6198  
*Teleianthera* Endl. v. *Telanthera*  
R. Br. 5955  
*Telekia* Baumg. (Composit.) 3716  
*Telminostelma* Fourn. (Asclep.) 4784  
*Telephium* (Tourn.) L. (Ficoid.) 2729  
*Telfairea* Hook. (Cucurbit.) 2610  
*Telina* E. Mey. (Leptononis DC.) 1621  
*Telinaria* Presl (Cytisus L.) 1645  
*Teline* Webb (Cytisus L.) 1645  
*Teliostachya* Nees (Lepidagathis  
Willd.) 5572  
*Telipogon* H. B. K. (Orchid.) 6968  
*Tellima* R. Br. (Saxifrag.) 2100  
*Telmatophace* Schleid. (Lemna  
L.) 7858  
*Telmatophila* Mart. (Composit.) 3427  
*Telmissa* Fenzl (Sedum L.) 2183  
*Telogyne* H. Bn (Trigonostemon  
Bl.) 6468  
*Telepea* R. Br. (Proteac.) 6265  
*Teloxys* Moq. (Chenopod.) 5973  
*Tema* Adans. (Panicum L.).  
*Temmadenia* Miers (Apocyn.) 4666  
*Temminckia* De Vriese (Scævola  
L.) 4237  
*Temnocydia* Mart. (Bignonia  
Juss.).  
*Temnolepis* Bak. (Composit.) 3811  
*Temnopteryx* H. f. (Rubiace.) 3133  
*Templetonia* R. Br. (Legumin.) 1614  
*Temu* Berg (Myrtus L.) 2318  
*Temus* Molina (Myrtus L.) 2318  
*Tenageia* Rehb. (Juncus L.) 7610  
*Tenagocharis* Hochst. (Butomop-  
sis Kth) 7872  
*Tenaris* E. Mey. (Asclep.) 4848  
*Tendana* Rehb. f. (Micromeria  
Benth.) 5773  
*Tenorea* Colla (Trixis P. Br.) 4156  
*Tenoria* Denh. (Hygrophila  
R. Br.) 5522  
— Gasparr. (Ficus L.) 6621  
— Raf. (Zanthoxylum L.) 1067  
— Spreng. (Bupleurum  
L.) 2792  
*Tepesia* Gärtner. (Hamelia Jacq.) 3145  
*Tephis* Adans. (Polygonum L.) 6084  
*Tephranthus* Neck. (Phyllanthus  
L.) 6404  
*Tephroseris* Schur (Senecio L.).  
*Tephrosia* Pers. (Legumin.) 1682  
*Tephrothamnus* Sch. Bip. (Ver-  
nonia Schreb.) 3405  
*Tepion* Adans. (Verbesina L.).  
*Tepualia* Griseb. (Myrtac.) 2304  
*Teramnus* (P. Br.) Sw. (Legumin.) 1789  
*Terebinthus* Tourn. (Pistacia L.) 1528  
*Terminalia* L. (Combret.) \*2249  
— Auct. (Buchenavia  
Eichl.) 2251  
*Terminalis* Medik. (Dracæna L.) 7408  
*Terminthia* Berhn. (Rhus L.).  
*Ternatea* H. B. K. (Clitoria L.) 1783  
— (Tourn.) Adans. (Clito-  
ria L.).  
*Terniola* Tul. (Podostem.) 6101  
**Ternstroëmiaceæ** p. 35.  
*Ternstroëmia* L. (Dupinia Scop.) 676  
*Terobera* Steud. (Cladium P. Br.) 7966  
*Terpnanthus* Nees et Mart. (Spi-  
ranthera St-Hil.) 1005  
*Terpnophyllum* Thou. (Garcinia  
L.) 654  
*Terranea* Colla (Erigeron L.) 3561  
*Tersonia* Moq. (Phytolac.) 6065  
*Tertia* DC. (Rubiace.) 3237  
*Tesota* K. Müll. (Olneya A. Gray) 1696  
*Tessarandra* Miers (Linociera  
Sw.) 4547  
*Tessaranthium* Kell. (Frasera  
Wall.) 4959  
*Tessaria* R. et P. (Composit.) 3586  
*Tessiera* DC. (Spermacoce L.) 3350  
*Testudinaria* Salisb. (Dioscor.) 7346  
*Teta* Roxb. (Peliosanthes Andr.) 7210  
*Tetanosia* Rich. (Ximenia L.) 1208  
*Tetilla* DC. (Saxifrag.) 2110  
*Tetracanthus* Rich. (Pectis L.).  
*Tetracarpæa* H. f. (Saxifrag.) 2146  
*Tetracarpum* Mönch (Schkuhria  
Roth) 3902  
*Tetracarya* Maxim. (Boragin.) 5035  
*Tetracera* L. (Dilleniace.) 37  
*Tetracheilos* Lehm. (Acacia  
Willd.) 1997  
*Tetrachne* Nees (Gramin.) 8175  
*Tetrachyron* Schlecht. (Calea L.) 3862  
*Tetraclea* A. Gray (Labiata.) 5460  
*Tetractis* Hiern (Ebenac.) 4525  
*Tetracme* Bge (Crucif.) 283  
*Tetracoccus* Engelm. (Euphorb.) 6442  
*Tetracocyne* Turcz. (Ryana Vahl) 502

- Tetracrypta* Gardn. et Champ. (Anisophyllea R. Br.) 2247  
*Tetractinostigma* Hassk. (Aporosa Bl.) 6429  
*Tetractys* Spreng. (Inc. sed.) p. 491.  
*Tetractomia* H. f. (Rutac.) 1056  
*Tetradenia* Benth. (Labiata.) 5751  
— Nees (Litsea Lam.).  
*Tetradia* R. Br. (Stercul.) 797  
— Thou. (Tetrataxis H. f.) 2511  
*Tetradiclis* Stev. (Rutac.) 1024  
*Tetradium* Lour. (Evodia Forst.) 1058  
*Tetradymia* DC. (Composit.) 4030  
*Tetragamestus* Rchb. f. (Ponera Lindl.) 6820  
*Tetragastris* Gärtn. (Hedwigia Sw.) 1159  
— Gärtn. (Trewia L.) 6520  
*Tetraglochin* Pöpp. (Margaritarius R. et P.) 2063  
*Tetraglossa* Bedd. (Cleidion Bl.) 6524  
*Tetragonella* Miq. (Tetragonia L.) 2717  
*Tetragonia* L. (Ficoid.) 2717  
*Tetragonocarpus* Hassk. (Marsdenia R. Br.) 4835  
*Tetragonolobus* Scop. (Lotus L.) 1660  
*Tetragonosperma* Scheele (Tetragonotheca L.) 3804  
*Tetragonotheca* (Dill.) L. (Composit.) 3804  
*Tetragyne* Miq. (Inc. sed.) p. 491.  
*Tetrahit* (Dill.) Mönch (Galeopsis L.) 5830  
*Tetrahitum* Hoffmsg et Link (Stachys L.) 5829  
*Tetralepis* Steud. (Cyathochaete Nees) 7956  
*Tetralix* Griseb. (Inc. sed.) p. 491.  
*Tetralobus* A. DC. (Polypompholyx Lehm.) 5356  
*Tetralopha* H. f. (Rubiaceae) 3276  
*Tetrameles* R. Br. (Datisceae) 2699  
*Tetrameris* Naud. (Comolia DC.) 2385  
— Naud. (Tibouchina Aubl.) 2383  
*Tetramerista* Miq. (Ochnaceae) 1143  
— Kurz (Tetractomia H. f.) 1056  
*Tetramerium* Nees (Acanth.) 5641  
— (Juss.) Gärtn. (Faramea Aubl.) 3280  
*Tetramicra* Lindl. (Orchid.) 6827  
*Tetramolopium* Nees (Composit.) 3563  
— Nees (Diplostegium H. B. K.) 3548  
*Tetramorphæa* DC. (Centaurea L.) 4100  
*Tetranema* Benth. (Scrophul.) 5221  
*Tetranthera* Jacq. (Litsea Lam.) 6208  
*Tetranthus* Sw. (Composit.) 3732  
*Tetraotis* Reinw. (Enhydra Lour.) 3786  
*Tetrapanax* K. Koch (Fatsia Dcne et Pl.) 2940  
*Tetrapasma* Don (Discaria Hook.) 1349  
*Tetrapathæa* Raoul (Passiflora L.) 2584  
*Tetrapeltis* Wall. (Otochilus Lindl.) 6801  
*Tetrapetalum* Miq. (Anonac.) 66  
*Tetraphylax* De Vriese (Goodenia Sm.) 4233  
*Tetraphyle* E. et Z. (Crassula L.) 2176  
*Tetraphyllum* Griff. (Gesner.) 5408  
*Tetrapilus* Lour. (Olea L.) 4550  
*Tetraplacus* Radlk. (Scrophul.) 5245  
*Tetraplandra* H. Bn (Algernonia H. Bn) 6578  
*Tetraplasandra* A. Gray (Araliac.) 2967  
*Tetraplasium* Kunze (Tetilla DC.) 2110  
*Tetrapleura* Benth. (Legumin.) 1987  
— Parl. (Tornabenia Parl.) 2912  
*Tetrapogon* Desf. (Gramin.) 8173  
*Tetrapoma* Turcz. (Crucif.) 314  
*Tetrapora* Schau. (Bæckeia L.) 2280  
*Tetraptera* Phil. (Malvac.) 790  
— Miers (Burmannia L.) 6733  
*Tetrapterygium* F. et M. (Crucif.) 379  
*Tetrapteryx* Cav. (Malpigh.) 951  
*Tetrasia* P. B. (Elynanthus Nees) 7963  
*Tetrarrhena* R. Br. (Gramin.) 8084  
*Tetraspidium* Bak. (Scrophul.) 5299  
*Tetrestemon* Hook. (Myrrhinium Schott.) 2326  
*Tetrestigma* Planch. (Ampelid.) 1362  
*Tetrestylidium* Engl. (Olacin.) 1222  
*Tetrestylis* Barb. Rodr. (Passiflor.) 2585  
*Tetrataxis* H. f. (Lythrar.) 2511  
*Tetrateleia* Sond. (Polanisia Raf.) 430  
*Tetratheca* Sm. (Tremandr.) 538  
*Tetrathylacium* Pöpp. et Endl. (Violar.) 479  
*Tetrathyranthus* A. Gray (Clerodendron L.) 5712  
*Tetrathyrium* Benth. (Hamamelid.) 2204  
*Tetratome* Pöpp. et Endl. (Mollinedia R. et P.) 6155  
*Tetraulacium* Turcz. (Scrophul.) 5246  
*Tetrazygia* L. C. Rich. (Melastom.) 2461  
*Tetreilema* Turcz. (Inc. sed.) p. 491.  
*Tetrodus* Cass. (Helenium L.) 3934  
*Tetroncium* Willd. (Naiad.) 7877  
*Tetrorchidium* Pöpp. et Endl. (Euphorb.) 6447  
*Teucrium* H. f. (Verben.) 5715  
*Teucrium* L. (Labiata.) 5864  
— Tourn. (Teucrium L.).  
*Texiera* Jaub. et Spach (Crucif.) 386  
*Textoria* Miq. (Gilibertia R. et P.) 2955  
*Teysmannia* Rchb. f. et Zoll. (Palm.) 7694  
— Miq. (Pottsia H. et A.) 4628  
*Thacla* Spach (Caltha L.) 13  
*Thacombauia* Seem. (Euphorb.) 6443



- Thalamia* Spreng. (*Phyllocladus* L. C. Rich.) 8336  
*Thalasium* Spreng. (*Panicum* L.) 8050  
*Thalassia* Soland. (*Hydrocharid.*) 6731  
*Thalia* L. (*Zingiberac.*) 7141  
*Thalianthus* Kl. (*Myrosma* L.) 7142  
*Thalictrum* (Tourn.) L. (*Ranuncul.*) 3  
*Thaminophyllum* Harv. (*Composit.*) 3961  
*Thamnea* Soland. (*Bruniac.*) 2214  
*Thamnium* Kl. (*Scyphogyne* Brongn.) 4360  
*Thamnocalamus* Munro (*Arundinaria* Mchx) 8281  
*Thamnochortus* Berg (*Restiac.*) 7916  
*Thamnoscris* Phil. (*Inc. sed.*) p. 491.  
*Thamnosma* Torr. et Frem. (*Rutac.*) 1025  
*Thamnus* Kl. (*Simocheilus* Kl.) 4358  
*Thanatophorus* Zipp. (*Harpullia* Roxb.) 1480  
*Thapsandra* Griseb. (*Celsia* L.) 5184  
*Thapsia* (Tourn.) L. (*Umbellif.*) 2913  
*Thaspium* Nutt. (*Umbellif.*) 2875  
*Thaumaza* Salisb. (*Eriospermum* Jacq.) 7428  
*Thaumatococcus* Benth. (*Zingiberac.*) 7146  
*Thaumatophyllum* Schott (*Aroid.*) 7807  
*Thaumuria* Gaud. (*Parietaria* L.) 6683  
*Thea* L. (*Camellia* L.) 695  
*Thebesia* Neck. (*Knowltonia* Salisb.?).  
*Theca* Juss. (*Tectona* L. f.) 5702  
*Thecacoris* A. Juss. (*Euphorb.*) 6439  
*Thecanthes* Wikström (*Pimelea* Banks) 6269  
*Theccarpus* Boiss. (*Umbellif.*) 2843  
*Thecostele* Rehb. f. (*Orchid.*) 6843  
*Theka* (Rheede) St-Hil. (*Tectona* Thunb.).  
*Thela* Lour. (*Plumbago* L.) 4431  
*Thelaia* Alef. (*Pyrola* L.) 4378  
*Thelasis* Bl. (*Orchid.*) 6972  
*Theleophyton* Moq. (*Atriplex* L.) 5979  
*Thelepogon* Roth (*Gramin.*) 8011  
*Thelesperma* Less. (*Composit.*) 3854  
*Thelira* Thou. (*Parinarium* Juss.) 2011  
*Thelychiton* Endl. (*Dendrobium* Sw.) 6765  
*Thelygonum* L. (*Urtic.*) 6691  
*Thelymitra* Forst. (*Orchid.*) 7020  
*Thelypodium* Endl. (*Crucif.*) 251  
*Thelypogon* Spreng. v. *Telipogon* H. B. K. 6968  
*Thelysia* Salisb. (*Iris* L.) 7220  
*Thelythamnos* Spreng. (*Ursinia* Gärtn.) 4048  
*Themeda* Forsk. (*Gramin.*) 8021  
*Themis* Salisb. (*Brodiaea* Sm.) 7470  
*Themistoclesia* Kl. (*Vaccin.*) 4326  
*Thenardia* H. B. K. (*Apocyn.*) 4622  
*Thenardia* Benth. (*Forsteronia* G. F. W. Mey.) 4623  
— Moç. et Sessé (*Rhynchanthera* DC.) 2365  
*Thecobroma* L. (*Stercul.*) 823  
*Theodora* Medik. (*Schotia* Jacq.) 1954  
*Theodorea* Barb. Rodr. (*Orchid.*) 7106  
— Cass. (*Saussurea* DC.) 4086  
*Theodoria* Neck. (*Sterculia* L.).  
*Theophrasta* Juss. (*Myrsin.*) 4479  
— Lind. (*Chrysophyllum* L.) 4489  
— L. (*Clavija* R. et P.) 4480  
*Theopyxis* Griseb. (*Lysimachia* L.) 4448  
*Theresa* Clos (*Perilomia* H. B. K.) 5811  
*Theresia* K. Koch (*Fritillaria* L.) 7510  
*Theriophonum* Bl. (*Aroid.*) 7852  
*Thermia* Nutt. (*Thermopsis* R. Br.).  
*Thermophila* Miers (*Salacia* L.) 1313  
*Thermopsis* R. Br. (*Legumin.*) 1581  
*Therogeron* DC. (*Minuria* DC.) 3531  
*Therolepta* Raf. (*Marshallia* Schreb.) 3864  
*Theropogon* Maxim. (*Liliac.*) 7379  
*Thesidium* Sond. (*Santal.*) 6330  
*Thesiosyris* Spach (*Thesium* L.).  
*Thesium* L. (*Santal.*) 6329  
*Thespesia* Corr. (*Malvac.*) 766  
*Thespidium* F. Müll. (*Composit.*) 3588  
*Thespis* DC. (*Composit.*) 3570  
*Therenotia* DC. (*Composit.*) 4074  
*Theretia* L. (*Apocyn.*) 4588  
— Flor. Flum. (*Inc. sed.*).  
*Theyodis* A. Rich. (*Karamische-wia* F. et M.) 3090  
*Thibaudia* Pav. (*Vaccin.*) 4315  
*Thiebautia* Colla (*Bletia* R. et P.) 6787  
*Thieleodoxa* Cham. (*Alibertia* A. Rich.) 3159  
*Thiersia* H. Bn (*Rubiace.*) 3301  
*Thilia* Feuill. (*Fuchsia* L.) 2530  
*Thiloa* Eichl. (*Combret.*) 2261  
*Thinogeton* Benth. (*Cacabus* Bernh.) 5128  
*Thionia* Tr. et Pl. (*Sapind.*) 1373  
*Thiodia* Benn. (*Lætia* L.) 503  
— Griseb. (*Casearia* Jacq.) 2543  
*Thiolliera* Montr. (*Randia* L.) 3179  
*Thisantha* E. et Z. (*Crassula* L.) 2176  
*Thisbe* Falc. (*Herminium* L.) 7059  
*Thismia* Griff. (*Burmanniac.*) 6738  
*Thladiantha* Bge (*Cucurbit.*) 2624  
*Thladianthus* Kl. (*Myrosma* L. f.) 7142  
*Thlaspi* L. (*Crucif.*) 359  
*Thlaspidium* Spach (*Lepidium* L.) 336  
*Thlipsocarpus* Kunze (*Hyoseris* L.) 4177  
*Thoa* Aubl. (*Gnetum* L.) 8305  
*Thollonia* H. Bn (*Rosac.*) 2085  
*Thomasia* J. Gay (*Stercul.*) 834  
*Thompsonia* R. Br. (*Deidamia* Thou.) 2588  
*Thomsonia* Wall. (*Aroid.*) 7788  
*Thonningia* Vahl (*Balanophor.*) 6361

- Thoracosperma* Kl. (*Simocheilus* Kl.) 4358  
*Thoracostachyum* Kurz (*Mapania* Aubl.) 7944  
*Thorelia* Hance (*Lythrar.*) 2519  
*Thorntonia* Rchb. (*Pavonia* L.) 753  
*Thorealdsenia* Liebm. (*Orchid.* inc. sed.)  
*Thottea* Rottb. (*Aristoloch.*) 6133  
*Thouarea* Kth v. *Thuarea* Pers. 8063  
*Thouinia* Poit. (*Sapind.*) 1378  
— *Comm.* (*Cissus* L.) 1367  
— *Domb.* (*Lardizabala* R. et P.) \*182  
— *L. f.* (*Linociera* Sw.) 4547  
— *Sm.* (*Humbertia* Lam.) 5072  
*Thouinidium* Radlk. (*Sapind.*) 1381  
*Thosetia* F. Müll. (*Asclep.*) 4851  
*Thrasya* H. B. K. (*Panicum* L.) 8050  
*Thraulococcus* Radlk. (*Sapind.*) 1389  
*Threlkeldia* R. Br. (*Chenopod.*) 6003  
*Thrica* Gray (*Thrinicia* Roth).  
*Thrinax* L. f. (*Palm.*) 7707  
*Thrinicia* Roth (*Leontodon* L.) 4198  
*Thrixspermum* Lour. (*Sarcochilus* R. Br.) 6940  
*Thryallis* Mart. (*Malpigh.*) 923  
— *L.* (*Galphimia* Cav.) 924  
*Thryocephalon* Forst. (*Inc. sed.*) p. 491.  
*Thryptomene* Endl. (*Myrtac.*) 2276  
*Thuarea* Pers. (*Gramin.*) 8063  
*Thuiacarpus* Trautv. (*Juniperus* L.) 8331  
*Thuja* Auct. v. *Thuya* L. 8328  
*Thunbergia* L. f. (*Acanth.*) 5515  
*Thunia* Rchb. f. (*Phajus* Lour.) 6786  
*Thuraria* Molina (*Inc. sed.*) p. 491.  
*Thurberia* Benth. (*Gramin.*) 8116  
— *A. Gray* (*Gossypium* L.) \*768  
*Thurnheyssera* Mart. (*Symmeria* Benth.).  
*Thurnia* H. f. (*Juncac.*) 7613  
*Thurya* Boiss. et Bal. (*Caryophyll.*) 589  
*Thuya* L. (*Conifer.*) 8328  
*Thuyopsis* S. et Z. (*Conifer.*) 8326  
*Thyana* Ham. (*Thouinia* Poit.) 1378  
*Thylacantha* Nees et Mart. (*Angelonia* H. B. K.) 5188  
*Thylacanthus* Tul. (*Legumin.*) 1905  
*Thylachium* Lour. (*Capparid.*) 436  
*Thylacospermum* Fenzl (*Caryophyll.*) 588  
*Thymbza* (Tourn.) L. (*Labi.*) 5779  
*Thymelæa* Endl. (*Thymel.*) 6274  
**Thymelæaceæ** p. 353.  
*Thymelina* Hoffmsg (*Gnidia* L.) 6292  
*Thymophyllum* Lag. (*Composit.*) 3927  
*Thymopsis* Benth. (*Composit.*) 3914  
*Thymus* L. (*Labi.*) 5768  
*Thyopsis* Wedd. (*Tafalla* Don)  
*Thyridostachyum* Nees (*Rottboellia* L. f.) 8006  
*Thyrocarpus* Hance (*Boragin.*) 5018  
*Thyroma* Miers (*Apocyn.*) 4597  
*Thyrophora* Neck. (*Gentiana* L.).  
*Thyrsacanthus* Nees (*Acanth.*) 5636  
*Thyrsanthema* Neck. (*Chaptalia* Vent.) 4147  
*Thyrsanthus* Benth. (*Forsteronia* G. F. W. Mey.) 4623  
— *Ell.* (*Wistaria* Nutt.) 1689  
— *Schrank* (*Lysimachia* L.) 4448  
*Thyrsine* Gled. (*Cytinus* L.) 6124  
*Thyrsodium* Benth. (*Anacard.*) 1531  
*Thysanachne* Presl (*Arundinella* Raddi) 8037  
*Thysanella* A. Gray (*Polygonum* L.) 6084  
— *Salisb.* (*Thysanotus* R. Br.) 7436  
*Thysanocarpus* Hook. (*Crucif.*) 372  
*Thysanolæna* Nees (*Gramin.*) 8042  
*Thysanospermum* Champ. (*Rubi.*) 3048  
*Thysanotus* Poir. v. *Thysanotus* R. Br.  
*Thysanotus* R. Br. (*Liliac.*) 7436  
*Thysanus* Lour. (*Inc. sed.*) p. 491.  
*Thysselinum* Hoffm. (*Peucedanum* L.) 2886  
*Tiaranthus* Herb. (*Pancratium* L.) 7323  
*Tiarella* L. (*Saxifrag.*) 2099  
*Tiaridium* Lehm. (*Heliotropium* L.) 5006  
*Tibouchina* Aubl. (*Melastom.*) 2383  
*Ticorea* Aubl. (*Rutac.*) \*1016  
— *B. et H.* (*Cusparia* Humb.) 1014  
— *St-Hil.* (*Galipea* Aubl.) 1011  
*Ticorea* Aubl. (*Rutac.*) 1016  
*Tiedmannia* DC. (*Peucedanum* L.) 2886  
*Tigareia* Aubl. (*Doliocarpus* Roland) 35  
— *Pursh* (*Purshia* DC.) 2044  
*Tigilium* Kl. (*Croton* L.) 6460  
*Tigridia* Ker (*Irid.*) 7226  
*Tildenia* Miq. (*Peperomia* R. et P.) 6145  
*Tilesia* G. F. Mey. (*Wulffia* Neck.) 3805  
*Tilia* (Tourn.) L. (*Tiliac.*) 872  
**Tiliaceæ** p. 44.  
*Tiliacora* Colebr. (*Menisperm.*) 142  
*Tilingia* Rgl (*Selinum* L.) 2876  
*Tillæa* L. (*Crassul.*) 2173  
*Tillandsia* L. (*Bromel.*) 7192  
*Timæosia* Kl. (*Gypsophila* L.) 373  
*Timandra* Kl. (*Croton* L.) 6460  
*Timbalia* Clos (*Cratægus* L.) 2076  
*Timeroya* Montr. (*Nyctagin.*) 5890  
*Timmia* Gmel. (*Cyrtanthus* Ait.) 7309  
*Timonius* Rumph. (*Rubi.*) 3220  
*Tina* R. et S. (*Sapind.*) 1436

- Tinæa* Garcia (Lamarckia Mönch) 8243  
*Tinantia* Scheidw. (Commelin.) 7587  
— Martens (Senkenbergia Schau.) 5875  
*Tinea* Biv. (Habenaria Willd.) 7066  
— Spreng. (Prockia L.) 877  
*Tinguarra* Parl. (Umbellif.) 2821  
*Tinnea* Kotschy et Peyr. (Labiata) 5862  
*Tinomiscium* Miers (Menisperm.) 131  
*Tinopsis* Radlk. (Sapind.) 1436  
*Tinospora* Miers (Menisperm.) 130  
*Tinus* L. (Clethra L.) 4381  
— (Tourn.) Erst. (Viburnum L.) 2988  
*Tipuana* Benth. (Legumin.) 1834  
*Tipularia* Nutt. (Orchid.) 6762  
*Tiquilia* Pers. (Coldenia L.) 5001  
*Tirania* L. (Capparid.) 450  
*Tisonia* H. Bn (Bixin.) 506  
*Tissa* Adans. (Spergularia Pers.)  
*Tita* Scop. (Cassipourea Aubl.)  
*Titania* Endl. (Oberonia Lindl.) 6755  
*Tithonia* Desf. (Composit.) 3822  
*Tithymalopsis* Kl. et Garcke (Euphorbia L.) 6370  
*Tithymalus* (Tourn.) Gärt. (Euphorbia L.) 6670  
*Tittelbachia* Kl. (Begonia L.) 2695  
*Tittmannia* Brongn. (Bruniac.) 2215  
— Rchb. (Vandellia L.) 5264  
*Titragyne* Salisb. (Rohdea Roth) 7384  
*Tityrus* Salisb. (Narcissus L.) 7281  
*Tium* Medik. (Astragalus L.)  
*Tjongina* Adans. (Bæckeia L.)  
*Tobinia* Desv. (Zanthoxylum L.) 1067  
*Tococa* Aubl. (Melastom.) 2466  
*Tocoyena* Aubl. (Rubiaceae) 3166  
*Todaroa* Parl. (Umbellif.) 2833  
— A. Rich. (Campylocentrum Benth.) 6963  
*Toddalia* Juss. (Rutac.) 1079  
— Kth (Toddalia Juss.) 1079  
*Tœchima* Radlk. (Sapind.) 1451  
*Tofieldia* Huds. (Liliac.) 7538  
*Tollatia* Endl. (Layia H. et A.) 3876  
*Tolmiea* T. et G. (Saxifrag.) 2103  
— Hook. (Cladanthamnus Bong.) 4371  
*Tolonia* Brazza v. Thollonia H. Bn 2085  
*Tolpis* Adans. (Composit.) 4178  
*Toluisfera* L. (Myroxylon L.) 1887  
— Lour. (Loureiria Meisn.)  
*Tolypanthus* Bl. (Loranthus L.)  
*Tomanthea* DC. (err. Tornanthea) (Centaurea L.) 4100  
*Tomex* Forsk. (Dobera Juss.) 4553  
— L. (Callicarpa L.)  
— Thunb. (Litsea Lam.) 6208  
*Tommasinia* Bertol. (Peucedanum L.) 2886  
*Tomastyles* Montr. (Crosostyles Forst.) 2241  
*Tonabea* Juss. (Dupinia Scop.) 676  
*Tondin* Gmel. (Paullinia L.) 1370  
*Tonella* Nutt. (Scrophul.) 5219  
*Tonguea* Endl. (Sisymbrium L.) 290  
*Tonina* Aubl. (Eriocaul.) 7896  
*Tonningia* Neck (Cyanotis Don) 7581  
*Tonsella* Schreb. (Salacia L.) 1313  
*Tontanea* Aubl. (Coccocypselum P. Br.) 3136  
*Tontelea* Aubl. (Salacia L.) 1313  
*Toona* Röm. (Cedrela L.) 1198  
*Topobea* Aubl. (Melastom.) 2479  
*Tordyliopsis* DC. (Heracleum L.) 2888  
*Tordylium* (Tourn.) L. (Umbellif.) 2895  
*Torenia* L. (Scrophul.) 5263  
*Toricellia* DC. (Cornac.) 2985  
*Torilis* (Adans.) Hoffm. (Caucalis L.) 2908  
*Tormentilla* (Tourn.) L. (Potentilla L.) 2055  
*Tormalis* Medik. (Pyrus L.)  
*Torminaria* Schur (Pyrus L.) 2074  
*Tornabenia* Parl. (Umbellif.) 2912  
*Tornelia* Gutierrez (Monstera Adans.) 7768  
*Torpesia* Röm. (Trichilia L.) 1190  
*Torrentia* Vell. (Ichthyothere Mart.) 3742  
*Torresia* R. et P. (Hierochloa Gmel.) 8087  
*Torreya* Arn. (Conifer.) 8339  
— Raf. (Cyperus L.) 7923  
— Spreng. (Clerodendron L.) 5712  
*Torrubia* Vell. (Pisonia L.) 5886  
*Tortula* Roxb. (Priva Adans.) 5685  
*Torulinum* Desv. (Cyperus L.) 7923  
*Torymenes* Salisb. (Amomum L.) 7125  
*Tosagris* P. Br. (Muehlenbergia Schreb.) 8096  
*Touchardia* Gaud. (Urtic.) 6672  
*Touchiroa* Aubl. (Crudia Schreb.) 1963  
*Toullicia* Aubl. (Sapind.) 1382  
*Touloucouna* Röm. (Carapa Aubl.) 1192  
*Tounatea* Aubl. (Swartzia Schreb.) 1896  
*Tournefortia* L. (Boragin.) 5005  
*Tournesolia* Scop. (Chrozophora Neck.) 6486  
*Tourneuxia* Coss. (Composit.) 4221  
*Tournonia* Moq. (Chenopod.) 6044  
*Touroulia* Aubl. (Quiina Aubl.) 663  
*Tourretia* Juss. (Bignon.) 5487  
*Tovara* Adans. (Polygonum L.) 6084  
*Tovaria* R. et P. (Capparid.) 451  
— Neck. (Smilacina Desf.) 7375  
*Tovomita* Aubl. (Guttifer.) 647  
*Tovomitopsis* Pl. et Tr. (Chrysomys Pöpp. et Endl.) 646  
*Townsendia* Hook. (Composit.) 3534  
*Toxanthera* H. f. (Cucurbit.) 2656  
*Toxanthus* Turcz. (Composit.) 3650  
*Toxicodendron* Thunb. (Euphorb.) 6422  
— Gärt. (Allophylus L.) 1379  
*Toxicophloeia* Harv. (Acokanthera G. Don) 4578



- Toxocarpus* W. et A. (Asclep.) 4713  
*Toxophoenix* Schott (Astrocaryum G. F. W. Mey.) 7730  
*Toxosiphon* H. Bn (Rutac.) 1010  
*Toxostigma* A. Rich. (Arnebia Forsk.) 5061  
*Toxotropis* Turcz. (Corynella DC.) 1697  
*Tozzettia* Parl. (Fritillaria L.) 7510  
— Savi (Alopecurus L.) 8107  
*Tozzia* L. (Scrophul.) 5340  
*Tracanthelium* Schur (Phyteuma L.) 4294  
*Trachelanthus* Kl. (Begonia L.) 2695  
— Kunze (Solenanthus Ledeb.) 5021  
*Trachelium* (Tourn.) L. (Campanul.) 4301  
*Trachelocarpus* K. Müll. (Begonia L.) 2695  
*Trachelospermum* Lem. (Apocyn.) 4653  
*Trachodes* D. Don (Sonchus L.) 4211  
*Trachyandra* Kth (Anthericum L.) 7431  
*Trachycarpus* Wendl. (Palm.) + 7706<sup>c</sup>  
*Trachycaryon* Kl. (Adriana Gaud.) 6489  
*Trachydium* Lindl. (Umbellif.) 2779  
— B. et H. (Eremodaucus Bge) 2781  
*Trachylobium* Hayne (Legumin.) 1960  
*Trachylomia* Nees (Scleria Berg) 7981  
*Trachymarathrum* Tausch (Hippomarathrum Link) 2775  
*Trachymene* Rudge (Umbellif.) 2743  
— DC. (Platysace Bge) 2744  
*Trachynia* Link (Brachypodium P. B.) 8260  
*Trachynotia* Mchx (Spartina Schreb.) 8158  
*Trachyozus* Rchb. (Trachys Pers.) 8025  
*Trachyphrynium* Benth. (Zingiberac.) 7145  
*Trachyphyllum* Drude (Iriartea R. et P.) 7650  
*Trachypleurum* Rchb. (Bupleurum L.) 2792  
*Trachypogon* Nees (Gramin.) 8007  
*Trachyrhynchium* Nees (Cladium P. Br.) 7966  
*Trachys* Pers. (Gramin.) 8025  
*Trachysciadium* E. et Z. (Carum L.) 2806  
— Link (Carum L.) 2806  
*Trachyspermum* E. et Z. (Conopodium Koch ?).  
*Trachystachis* Dietr. (Trachys Pers.) 8025  
*Trachystemon* Don (Boragin.) 5041  
*Trachystigma* C. B. Clarke (Gesner.) 5404  
*Trachytella* DC. (Delima L.) 36  
*Tradescantia* L. (Commelin.) 7588  
*Tragacantha* (Tourn.) L. (Astragalus L.).  
*Tragantes* Wallr. (Eupatorium L.).  
*Traganthus* Kl. (Bernardia P. Br.) 6493  
*Traganum* Del. (Chenopod.) 6021  
*Tragia* (Plum.) L. (Euphorb.) 6552  
*Tragiopsis* Karst. (Sebastiania Spreng.) 6570  
*Tragium* Spreng. (Pimpinella L.) 2814  
*Tragoceros* H. B. K. (Composit.) 3775  
*Tragopogon* (Tourn.) L. (Composit.) 4217  
*Tragopogonoides* Vaill. (Urospermum Scop.).  
*Tragopyron* M. B. (Atraphaxis L.) 6081  
*Tragopsis* Pomel (Pimpinella L.) 2814  
*Tragoselinum* (Tourn.) Pomel (Pimpinella L.) 2814  
*Tragus* Hall. (Gramin.) 8029  
*Traillia* Lindl. (Schimpera Hochst. et Steud.) 387  
*Trallesia* Zumag. (Matricaria L.) 3965  
*Tralliana* Lour. (Inc. sed.) p. 491.  
*Trapa* L. (Onagrar.) 2541  
*Trapella* Oliv. (Pedalin.) 5504  
*Trasi* P. B. (Cladium P. Br.) 7966  
*Trasus* S. F. Gray (Carex L.) 7988  
*Trattinickia* Willd. (Burserac.) 1160  
— Pers. (Marshallia Schreb.) 3864  
*Traunsteinera* Rchb. (Orchis L.) 7055  
*Trautvetteria* F. et M. (Ranuncul.) 9  
*Traversia* H. f. (Senecio L.) 4025  
*Treculia* Dcne (Urtic.) 6637  
*Trechonætes* Miers (Solan.) 5131  
*Treichelia* Vatke (Campanul.) 4287  
*Treisia* Haw. (Euphorbia L.) 6370  
*Treisteria* Griff. (Curanga Juss.) 5261  
*Trema* Lour. (Urtic.) 6590  
*Tremandra* R. Br. (Tremandr.) 540  
**Tremandrea p. 27.**  
*Trematanthera* F. Müll. (Ternstroem.) 681  
*Tremanthus* Pers. (Styrax L.) 4529  
*Trematosperma* Urban (Olacin.) 1264  
*Trembleya* DC. (Melastom.) 2363  
*Trendelenburgia* Kl. (Begonia L.) 2695  
*Trentepohlia* Bockel. (Cyperus L.) 7923  
— Roth (Heliophila L.) 302  
*Trepocarpus* Nutt. (Umbellif.) 2903  
*Trepodandra* H. Bn (Menisperm.) 181  
*Tresanthera* Karst. (Rustia Kl.) 3054  
*Treutlera* H. f. (Asclep.) 4828  
*Trevesia* Vis. (Araliac.) 2953  
— B. et H. (Eschweileria Zipp.) 2949  
*Trevirana* Willd. (Achimenes P. Br.) 5366  
*Trevoa* Miers (Rhamn.) 1352  
*Trevouxia* Scop. (Luffa Tourn.) 2628  
*Trewia* L. (Euphorb.) 6520  
— Willd. (Mallotus Lour.) 6522  
*Triachne* Cass. (Nassauvia Juss.) 4159  
*Triachyrum* Hochst. (Sporobolus R. Br.) 8111

- Triacis* Griseb. (*Turnera* L.) 2581  
*Triactina* H. f. et T. (Crassul.) 2187  
*Triadenia* Miq. (*Trachelospermum* Lem.) 4653  
*Triadenum* Raf. (*Hypericum* L.)  
*Triadica* Lour. (*Sapium* P. Br.) 6567  
— Spach (*Hypericum* L.) 631  
*Triæna* H. B. K. (*Bouteloua* Lag.) 8169  
*Triænanthus* Nees (*Strobilanthes* Bl.) 5554  
*Triainolepis* H. f. (Rubiace.) 3291  
*Trianæa* Pl. et Lind. (*Dyssochro-  
ma* Lag.) 5140  
*Trianea* Karst. (*Limnobia* L. C. Rich.) 6725  
*Trianoptiles* Fenzl (Cyper.) 7959  
*Trianosperma* Mart. (*Cayaponia* Manso) 2673  
*Triantha* Nutt. (*Tofieldia* Huds.) 7538  
*Trianthema* (Savag.) L. (Ficoid.) 2724  
*Trianthus* H. f. (*Nassauvia* Juss.) 4159  
*Trias* Lindl. (Orchid.) 6771  
*Triaspis* Bisch. (Malpigh.) 946  
*Triathera* Desv. (*Bouteloua* Lag.) 8169  
*Tribeles* Phil. (*Pittosporum* Banks.) 528  
*Triblemma* R. Br. (*Bertolonia* Raddi) 2434  
*Tribolacis* Griseb. (*Turnera* L.) 2581  
*Tribonanthus* Endl. (*Hæmodor.*) 7203  
*Tribrachium* Lindl. (*Bulbophyl-  
lum* Thou.) 6767  
*Tribrachya* Korth. (Rubiace.) 3271  
*Tribula* Hill (*Athamanta* L.).  
*Tribuloides* Tourn. (*Trapa* L.).  
*Tribulopsis* R. Br. (*Tribulus* L.) 962  
*Tribulus* (Tourn.) L. (*Zygophyll.*) 962  
*Tricalysia* A. Rich. (Rubiace.) 3202  
*Tricardia* Torr. (*Hydrophyll.*) 4982  
*Tricaryum* Lour. (*Phyllanthus* L.) 6404  
*Tricentrum* DC. (*Comolia* DC.) 2385  
*Tricera* Sw. (*Buxus* L.) 6388  
*Triceraia* Willd. (*Turpinia* Vent.) 1501  
*Tricerastes* Presl (*Datisca* L.) 2698  
*Triceratia* A. Rich. (*Sicydium* Schlecht.) 2681  
*Tricercandra* A. Gray (*Chloran-  
thus* Sw.) 6147  
*Tricerma* Liebm. (*Maytenus* Feuill.) 1990  
*Triceros* Griff. (*Gomphogyne* Griff.) 2687  
— Lour. (*Turpinia* Vent.) 1501  
*Trichacanthus* Zoll. (Acanth.) 5558  
*Trichachne* Nees (*Panicum* L.) 8050  
*Trichadenia* Thw. (Bixin.) 522  
*Trichæta* P. B. (*Trisetum* Pers.) 8146  
*Trichandrum* Neck. (*Helichry-  
sum* Gärtn.) 3632  
*Trichantha* Hook. (Gesner.) 5387  
— Karst. (*Breweria* R. Br.) 5088  
*Trichanthemis* Rgl. (Composit.) 3954  
*Trichanthera* Kth (Acanth.) 5543  
— Ehrenb. (*Herman-  
nia* L.) 815  
*Trichanthodium* Sond. et F. Müll. (*Gnephosis* Cass.) 3660  
*Tricharis* Salisb. (*Dipcadi* Medik.) 7492  
*Trichasma* Walp. (*Argyrolobium* E. et Z.) 1636  
*Trichaurus* Arn. (*Tamarix* L.) 623  
*Trichelostylis* Lestib. (*Fimbri-  
stylis* Vahl) 7932  
*Trichera* Schrad. (*Scabiosa* L.) 3386  
*Tricherostigma* Kl. et Garcke (*Euphorbia* L.) 6370  
*Trichilia* L. (Meliace.) 1190  
— A. Juss. (*Trichilia* L.) 1190  
*Trichinium* R. Br. (Amarant.) 5941  
*Trichlora* Bak. (Liliac.) 7479  
*Trichloris* Fourn. (Gramin.) 8164  
*Trichoa* Pers. (*Anomospermum* Miers) 140  
*Trichoballia* Presl (*Elynanthus* Nees) 7963  
*Trichocalyx* Balf. f. (Acanth.) 5610  
*Trichocarpus* Schreb. (*Sloanea* L.) 882  
*Trichocarya* Miq. (Rosac.) 2012  
*Trichocaulon* N. E. Brown (Asclep.) 4876  
*Trichocentrum* Pöpp. et Endl. (Orchid.) 6893  
*Trichocephalus* Brongn. (*Phyllica* L.) 1337  
*Trichoceros* H. B. K. (Orchid.) 6969  
*Trichochæta* Steud. (*Rhyncho-  
spora* Vahl) 7955  
*Trichochloa* P. B. (*Muehlenber-  
gia* Schreb.) 8096  
*Trichocladus* Pers. (Hamamelid.) 2201  
*Trichocline* Cass. (Composit.) 4145  
*Trichocoronis* A. Gray (Compo-  
sit.) 3442  
*Trichocrepis* Vis. (*Pterotheca* Cass.) 4192  
*Trichodesma* R. Br. (Boragin.) 5009  
*Trichodia* Griff. (*Paropsia* Nor.) 2591  
*Trichodictidia* Cerv. (Ind. sed.) p. 491.  
*Trichodium* Mehx. (*Agrostis* L.) 8120  
*Trichodrymonia* (Erst. (*Episcia* Mart.) 5384  
*Trichogamila* P. Br. (*Styrax* L.) 4529  
*Trichoglottis* Bl. (Orchid.) 6941  
*Trichogonia* Gardn. (Composit.) 3455  
*Trichogyne* DC. (*Ifloga* Cass.) 3607  
*Tricholæna* Schrad. (Gramin.) 8052  
*Tricholepis* DC. (Composit.) 4094  
*Tricholobos* Turcz. (*Sisymbrium* L.) 290  
*Tricholobus* Bl. (Connar.) 1575  
*Tricholoma* Benth. (*Glossostigma* Arn.) 5274  
*Tricholophus* Spach. (*Polygala* L.) 542

- Trichonema* Ker (Romulea Maratti) 7245  
*Trichoneura* Anders. (Triodia R. Br.) 8207  
*Trichoon* Roth (Phragmites Trin.) 8205  
*Trichopetalum* Lindl. (Bottionæa Colla.) 7435  
*Trichophorum* Pers. (Eriophorum L.) 7935  
*Trichophyllum* Nutt. (Bahia Lag.) 3901  
*Trichopilia* Lindl. (Orchid.) 6897  
*Trichopodium* Lindl. (Trichopus Gardn.) 7350  
— Presl (Dalea L.) 1667  
*Trichopteris* Neck. (Scabiosa L.)  
*Trichopteryx* Nees (Gramin.) 8153  
*Trichoptilium* A. Gray (Composit.) 3939  
*Trichopus* Gärtn. (Dioscor.) 7350  
*Trichosacme* Zucc. (Asclep.) 4800  
*Trichosandra* Dcne (Asclep.) 4822  
*Trichosanthes* L. (Cucurbit.) 2611  
*Trichoscypha* H. f. (Anacard.) 1533  
— Oliv. (Sorindeia Thou.) 1533  
*Trichoseris* Endl. v. *Trochoseris* Endl.)  
*Trichosiphon* Schott (Sterculia L.) 791  
*Trichosma* Lindl. (Orchid.) 6799  
*Trichospermum* Bl. (Tiliac.) 868  
*Trichopira* H. B. K. (Composit.) 3843  
*Trichosporum* D. Don (*Æschynanthus* Jack) 5392  
*Trichostachys* H. f. (Rubiace.) 3295  
*Trichostegia* Turcz. (*Athrixia* Ker) 3686  
*Trichostema* L. (Labiata.) 5858  
*Trichostemma* Cass. (*Wedelia* Jacq.) 3814  
— R. Br. (*Vernonia* Schreb.) 3405  
*Trichostephus* Cass. (*Wedelia* Jacq.) 3814  
*Trichostigma* A. Rich. (*Villamilla* R. et P.) 6049  
*Trichothalamus* Lehm. (*Potentilla* L.) 2055  
*Trichotosia* Bl. (*Eria* Lindl.) 6781  
*Tricliceras* DC. (*Wormskioldia* Schum. et Thonn.) 2576  
*Triclinium* Raf. (*Sanicula* L.)  
*Triclisia* Benth. (Menisperm.) 169  
— Salisb. (*Kniphofia* Salisb.) 7390  
*Tricomaria* H. et A. (Malpigh.) 942  
*Tricondylus* Salisb. (*Lomatia* R. Br.) 6263  
*Tricoryne* R. Br. (Liliac.) 7455  
*Tricostularia* Nees (Cyper.) 7964  
*Tricratus* L'Hér. (*Abronia* Juss.) 5882  
*Tricuspidaria* R. et P. (Tiliac.) 889  
*Tricuspis* Pers. (*Tricuspidaria* R. et P.) 889  
— P. B. (*Triodia* R. Br.) 8207  
*Tricycla* Cav. (Nyctagin.) 5881  
*Tricyrtis* Wall. (Liliac.) 7548  
*Tridactylina* Sch. Bip. (*Chrysanthemum* L.) 3964  
*Tridactylites* Haw. (*Saxifraga* L.)  
*Tridax* L. (Composit.) 3866  
*Tridens* R. et S. (*Triodia* R. Br.) 8207  
*Tridentea* Haw. (*Stapelia* L.) 4882  
*Tridesmis* Lour. (*Croton* L.) 6460  
— Spach (*Cratoxylon* Bl.) 633  
*Tridia* Korth. (*Hypericum* L.) 631  
*Tridianisia* H. Bn (Olac.) +1250<sup>b</sup>  
*Tridimeris* H. Bn (Anonac.) 112  
*Tridophyllum* Neck. (*Potentilla* L.)  
*Tridynia* Raf. (*Lysimachia* L.)  
*Trientalis* (Rupp.) L. (Primul.) 4451  
*Trifolium* L. (Legumin.) 1653  
— Presl (*Trifolium* L.) 1653  
*Trifurcia* Herb. (*Alophia* Herb.) 7228  
*Trigastrotheca* F. Müll. (*Mollugo* L.) 2730  
*Trigella* Salisb. (*Cyanella* L.) 7215  
*Triglochis* (Rupp.) L. (Naiad.) 7875  
*Triglossum* Fisch. (*Arundinaria* Mchx) 8281  
*Trigonachras* Radlk. (Sapind.) 1453  
*Trigonea* Parl. (*Allium* L.) 7476  
*Trigonella* L. (Legumin.) 1650  
*Trigonia* Aubl. (Vochys.) 563  
*Trigoniastrium* Miq. (Polygal.) 552  
*Trigonidium* Lindl. (Orchid.) 6921  
*Trigonis* Jacq. (*Cupania* L.) 1428  
*Trigonocarpus* Wall. (*Kokoona* Thw.) 1280  
— Vell. (*Cupania* L.) 1428  
*Trigonocaryum* Trautv. (Boragin.) 5044  
*Trigono-chlamys* H. Bn (*Santiria* Bl.) 1163  
*Trigonopterum* Steetz (*Lipochaeta* DC.) 3818  
*Trigonosciadium* Boiss. (*Hera-cleum* L.) 2888  
*Trigonospermum* Less. (Composit.) 3743  
*Trigonostemon* Bl. (Euphorb.) 6468  
*Trigonothea* Sch. Bip. (*Melanthera* Rohr) 3827  
*Trigonotis* Stev. (Boragin.) 5050  
*Trigostemon* Bl. v. *Trigonostemon* Kl. 6468  
*Triguera* Cav. (Solan.) 5130  
— Cav. (*Hibiscus* L.) 762  
*Trigyneia* Schlecht. (Anonac.) 86  
*Trilepis* Nees (*Kobresia* Willd.) 7984  
*Trilepisium* Thou. (Inc. sed.) p. 491.

- Trilisa* Cass. (Composit.) 3471  
*Trilix* L. (Prockia L.) 877  
*Trillidium* Kth (Trillium L.) 7553  
*Trillium* L. (Liliac.) 7553  
*Trilopus* Mitch. (Hamamelis L.)  
*Trimenia* Seem. (Monimiac.) 6166  
*Trimeranthus* Cass. (Siegesbeckia L.) 3783  
— Karst. (Chætolepis Miq.) 2384  
*Trimeria* Harv. (Bixin) 518  
*Trimeris* Presl (Lobelia L.) 4262  
*Trimerisma* Presl (Platylophus Don) 2160  
*Trimeriza* Lindl. (Bragantia Lour.) 6132  
*Trimetra* Moç. (Borrchia Adans.) 3809  
*Trimezia* Salisb. (Irid.) 7225  
*Trimorphandra* Brongn. et Gris (Hibbertia Andr.) 44  
*Trimorphœa* Cass. (Erigeron L.) 3561  
*Trimorphopetalum* Bak. (Geran.) 1003  
*Trinaete* Gartn. (Jungia L. f.) 4158  
*Trinchinettia* Endl. (Geissopappus Benth.) 3879  
*Trineuria* Presl (Aspalathus L.) 1626  
*Trineuron* H. f. (Abrotanella Cass.) 3974  
*Trinia* Hoffm. (Umbellif.) 2796  
*Triniusa* Steud. (Bromus L.) 8257  
*Triodia* R. Br. (Gramin.) 8207  
*Triodon* DC. (Rubiace.) 3344  
*Triodus* Raf. (Carex L.) 7988  
*Triolena* Naud. (Melastom.) 2440  
*Trionma* H. f. (Burser.) 1153  
*Trionœa* Medik. (Hibiscus L.) 762  
*Trionum* Medik. (Hibiscus L.) 762  
*Triopteris* L. v. *Triopterys* A. Juss.  
*Triopterys* A. Juss. (Malpigh.) 950  
*Triorchis* Hall. (Spiranthes L. C. Rich.)  
*Triosteum* L. (Caprifol.) 2990  
*Tripetaleia* S. et Z. (Elliottia Mühlbg.) 4372  
*Tripetelus* Lindl. (Sambucus L.) 2987  
*Tripha* Nor. (Mischocarpus Bl.) 1459  
*Triphaca* Lour. (Sterculia L.) 791  
*Triphasia* Lour. (Rutac.) 1095  
*Triphelia* R. Br. (Actinodium Schau.) 2267  
*Triphora* Nutt. (Pogonia Juss.) 7043  
*Triphysaria* F. et M. (Orthocarpus Nutt.) 5322  
*Tripinna* Lour. (Vitex L. sec. cl. H. Bn (1).  
*Tripinnaria* Pers. v. *Tripinna* Lour.  
*Triplachiton* Alef. (Hibiscus L.)  
*Triplachne* Link (Gramin.) 8123  
*Tripladenia* Don (Kreysigia Rehb.) 7542  
*Triplandron* Benth. (Clusia L.) 638  
*Triplaris* (Löfl.) L. (Polygon.) 6097  
*Triplusandra* Seem. (Araliac.) 2968  
*Triplasis* P. B. (Triodia R. Br.) 8207  
*Triplateia* Benth. (Hymenella Moç. et Sessé) 584  
*Triplathera* Endl. (Bouteloua Lag.) 8169  
*Triplectrum* Don (Medinilla Gaud.) 2450  
*Tripleura* Lindl. (Zeuxine Lindl.) 7000  
*Tripleurospermum* Sch. Bip. (Matricaria L.) 3965  
*Triplima* Raf. (Carex L.) 7988  
*Triplocentron* Cass. (Centaurea L.) 4100  
*Triplolepis* Turcz. (Streptocaulon W. et A.) 4702  
*Triplosperma* G. Don (Ceropegia L.)  
*Triplostegia* Wall. (Dipsac.) 3382  
*Tripodanthera* Röm. (Gymnopen-talum Arn.) 2613  
*Tripogon* Roth (Gramin.) 8171  
*Tripolium* Nees (Aster L.) 3544  
*Tripsacum* L. (Gramin.) 7991  
*Tripteranthus* Wall. (Burmannia L.) 6733  
*Tripterella* Mchx (Burmannia L.) 6733  
*Tripteris* Less. (Composit.) 4045  
*Tripterium* Spach (Thalictrum L.) 3  
*Tripterocarpus* Meisn. (Bridgesia Bert.) 1375  
*Tripterococcus* Endl. (Stackhou-sia Sm.) 1316  
*Tripterospermum* Bl. (Crawfurdia Wall.) 4954  
*Tripterygium* H. f. (Celastr.) 1306  
*Triptilion* R. et P. (Composit.) 4160  
*Triptilodiscus* Turcz. (Helipterum DC.) 3631  
*Triptolemæa* Mart. (Dalbergia L.) 1828  
*Triquetra* Medik. (Astragalus L.)  
*Triraphis* R. Br. (Gramin.) 8191  
— Nees (Danthonia DC.) 8155  
*Trisanthus* Lour. (Centella L.) 2741  
*Triscenia* Griseb. (Gramin.) 8040  
*Trischidium* Tul. (Swartzia Schreb.) 1896  
*Trisciadia* H. f. (Rubiace.) 3120  
*Trisciadium* Phil. (Umbellif.) 2748  
*Trisema* H. f. (Dilleniace.) 43  
*Trisepalum* C. B. Clarke (Gesner.) 5409  
*Trisetaria* Forsk. (Gramin.) 8129  
*Trisetum* Pers. (Gramin.) 8146  
*Trisiola* Raf. (Uniola L.) 8234  
*Tristachya* Nees (Gramin.) 8152  
*Tristagma* Pöpp. et Endl. (Liliac.) 7463  
*Tristania* R. Br. (Myrtac.) 2300  
*Tristaniopsis* Brongn. et Gris (Tristania R. Br.) 2300  
*Tristegia* Rehb. f. (Hæmanthus L.) 7311  
*Tristegis* Nees (Melinis P. B.) 8038

(1) *Bull. Soc. Linn. Paris*. 716 (1888).

- Tristellaria* Rchb. (*Tristellateia* Thou.)  
*Tristellateia* Thou. (Malpigh.) 944  
*Tristemma* Juss. (Melastom.) 2393  
*Tristemon* Kl. (Scyphogyne Brongn.) 4360  
— Scheele (Cucurbita L.) 2646  
*Tristerix* Mart. (Loranthus L.) 6315  
*Tristicha* Thou. (Podostem.) 6100  
*Tristichocalyx* F. Müll. (Menisperm.) 150  
*Tristira* Radlk. (Sapind.) 1412  
*Tristiopsis* Radlk. (Sapind.) 1411  
*Tristylum* Turcz. (Hoferia Scop.) 679  
*Trisyngyne* H. Bn (Euphorb.) 6560  
*Tritænicum* Turcz. (Asteriscium Ch. et Schl.) 2755  
*Tritaxis* H. Bn (Euphorb.) 6457  
*Triteleia* Lindl. (Brodiaea Sm.) 7470  
*Tritheca* Miq. (Rotala L.) 2487  
*Trithrinax* Mart. (Palm.) 7698  
*Trithuria* H. f. (Centrolepid.) 7897  
*Trithyrocarpus* Hassk. (Commelina L.) 7574  
*Triticum* (Tourn.) L. (Gramin.) 8275  
*Tritoma* Ker (Kniphofia Salisb.) 7390  
*Tritomanthe* Link (Kniphofia Salisb.) 7390  
*Tritomium* Link (Kniphofia Salisb.) 7390  
*Tritomodon* Turcz. (Enkianthus Lour.) 4347  
*Tritonia* Ker (Irid.) 7272  
*Tritonixia* Klatt (Tritonia Ker) 7272  
*Tritophus* Lestib. (Kæmpferia L.) 7119  
*Triumfetta* (Plum.) L. (Tiliac.) 858  
**Triurideæ p. 451.**  
*Triuris* Miers (Triurid.) 7860  
*Trivalvaria* Miq. (Polyalthia Bl.) 88  
*Trixago* (Hall) Mönch (Stachys L.) 5829  
— Stev. (Bartsia L.) 5334  
*Trixis* P. Br. (Composit.) 4156  
— Cass. (Trixis P. Br.) 4156  
— Gärtn. (Proserpinaca L.) 2227  
— Sw. (Clibadium L.) 3741  
*Triscuxis* Lindl. (Orchid.) 6918  
*Trochera* L. C. Rich. (Ehretia Thunb.) 8082  
*Trochetia* DC. (Stercul.) 812  
*Trochiscanthes* Koch (Umbellif.) 2868  
*Trochocarpa* R. Br. (Epacrid.) 4398  
*Trochodendron* E. et Z. (Magnol.) 53  
*Trochomeria* H. f. (Cucurbit.) 2614  
*Trochomeriopsis* Cogn. (Cucurbit.) 2660  
*Trochoseris* Endl. (Troximon Nutt.)  
*Trochostigma* S. et Z. (Actinidia Lindl.) 684  
*Trollius* L. (Ranuncul.) 7  
*Tromotriche* Haw. (Stapelia L.) 4882  
*Tromsdorffia* Bl. (Dichrotrichum Reinw.) 5393  
*Tromsdorffia* Mart. (Hebanthe Mart.) 5962  
*Tronicena* Steud. (Æginetia L.) 5343  
*Troostoyckia* Miq. (Connar.) 1578  
*Tropæolum* L. (Geran.) 986  
*Trophianthus* Scheidw. (Aspasia Lindl.) 6900  
*Trophis* (P. Br.) L. (Urtic.) 6617  
*Tropidia* Lindl. (Orchid.) 6980  
*Tropidocarpum* Hook. (Crucif.) 309  
*Tropidolepis* Tausch (Chiliotrichium Cass.) 3550  
*Tropidopetalum* Turcz. (Inc. sed.) p. 491.  
*Tros* Haw. (Narcissus L.) 7281  
*Troschelia* Kl. (Schieckia Meisn.) 7195  
*Troximon* Nutt. (Composit.) 4199  
— Gärtn. (Krigia Schreb.) 4173  
*Trujanoa* Llav. et Lex. (Euphorb. inc. sed.)  
*Truncaria* DC. (Miconia R. et P.) 2462  
*Trymalium* Fenzl (Rhamn.) 1344  
*Trymatococcus* Pöpp. et Endl. (Urtic.) 6620  
*Tryphane* Rchb. (Arenaria L.) 583  
*Tryphera* Bl. (Glinus L.)  
*Tryphia* Lindl. (Holothrix L. C. Rich.) 7064  
*Tryphostemma* Harv. (Passiflor.) 2589  
*Tschudya* DC. (Leandra Raddi) 2454  
— Griseb. (Miconia R. et P.) 2462  
*Tsia* Adans. (Thea L.)  
*Tsiana* Gmel. (Costus L.) 7129  
*Tsuga* Carrière (Conifer.) 8314  
*Tsjerucanirum* Adans. (Cansjera Juss.?).  
*Tsjinkin* Adans. (Lagerstrœmia L.)  
*Tsubaki* (Kæmpf.) Adans. (Camellia L.)  
*Tsusiophyllum* Maxim. (Ericac.) 4377  
*Tsutsusi* (Kæmpf.) Adans. (Rhododendron L.)  
*Tuamina* Alef. (Vicia L.) 1776  
*Tuber* Cæsalp. (Melia L.)  
*Tuberaria* Dun. (Helianthemum Pers.) 462  
*Tuberosyles* Steetz (Composit.) 3443  
*Tubilium* Cass. (Pulicaria Gärtn.) 3705  
*Tubopadus* Pomel (Prunus L.) 2019  
*Tuchobasis* Turcz. (Conothamnus Labill.) 2291  
*Tuckermannia* Kl. (Corema Don) 6716  
— Nutt. (Coreopsis L.) 3849  
*Tuckeya* Gaud. (Pandanus L.) 7743  
*Tulasnea* Naud. (Poteranthera Bong.) 2368  
— Wight (Terniola Tul.) 6101  
*Tulbaghia* L. (Liliac.) 7462  
*Tulicia* Casar. v. Toulicia Aubl. 1382  
*Tulipa* (Tourn.) L. (Liliac.) 7511  
*Tulipastrum* Spach (Magnolia L.) 58  
*Tullia* Leavenw. (Pycnanthemum Mchx.) 5765



- Tulocarpus* H. et A. (*Guardiola* H. et B.) 3748  
*Tumboa* Welw. (*Welwitschia* H. f.) 8306  
*Tunga* Roxb. (*Hypolytrum* Rich.) 7942  
*Tunica* Scop. (*Caryophyll.*) 370  
*Tupa* G. Don (*Lobelia* L.) 4262  
*Tupeia* Ch. et Schl. (*Loranth.*) 6324  
— Bl. (*Henslowia* Bl.) 6345  
*Tupidanthus* H. f. et T. (*Araliac.*) 2969  
*Tupistra* Ker (*Liliac.*) 7383  
*Turaria* Molina v. *Thuraria* Molina.  
*Turbith* Tausch (*Athamanta* L.) 2832  
*Turczaninowia* DC. (*Aster* L.) 3544  
*Turgenia* Hoffm. (*Caucalis* L.) 2908  
*Turgeniopsis* Boiss. (*Caucalis* L.) 2908  
*Turgosea* Haw. (*Crassula* L.) 2176  
*Turia* Forsk. (*Luffa* Tourn.) 2628  
*Turnera* (Plum.) L. (*Turnerac.*) 2581  
— L. (*Piriqueta* Aubl.) 2578  
**Turneraceæ p. 144.**  
*Turpinia* Vent. (*Staphyl.*) 1501  
— H. et B. (*Barnadesia* Mut.) 4106  
— Llav. et Lex. (*Vernonia* Schreb.) 3405  
— Pers. (*Poiretia* Vent.) 1742  
— Raf. (*Rhus* L.) 1551  
*Turraea* L. (*Meliac.*) 1167  
*Turraeanthus* H. Bn (*Meliac.*) 1166  
*Turrigera* Dcne (*Asclep.*) 4733  
*Turritis* (Dill.) L. (*Arabis* L.) 247  
*Tursenia* Cass. (*Baccharis* L.) 3575  
*Tussaca* Raf. (*Goodyera* R. Br.) 7008  
*Tussacia* Rchb. (*Gesner.*) 5383  
— Kl. (*Catopsis* Griseb.) 7191  
*Tussilago* L. (*Composit.*) 3997  
*Tweedia* H. et A. (*Oxypetalum* R. Br.) 4734  
*Tydaea* Dcne (*Isoloma* Benth.) 5373  
*Tylacantha* Endl. v. *Thylacantha* Nees et Mart.  
*Tylanthus* Reissek (*Phyllea* L.) 1337  
*Tylloma* Don (*Chaetanthera* R. et P.) 4143  
*Tylochilus* Nees (*Cyrtopodium* R. Br.) 6847  
*Tyloderma* Miers (*Salacia* L.) 1313  
*Tylodontia* Griseb. (*Astephanus* R. Br.) 4716  
*Tyloglossa* Hochst. (*Justicia* L.) 5611  
*Tylomecon* Maxim. (*Stylophorum* Nutt.) 222  
*Tylomium* Presl (*Lobelia* L.) 4262  
*Tylosepalum* Kurz (*Trigonostemon* Bl.) 6468  
*Tylophora* R. Br. (*Asclep.*) 4826  
*Tylostylis* Bl. (*Callostylis* Bl.) 6797  
*Tylothrasia* Döll (*Panicum* L.) 8050  
*Tympananthe* Hassk. (*Dictyanthus* Dcne) 4799  
*Tynanthus* Miers (*Bignon.*) 5442  
*Typha* (Tourn.) L. (*Typhac.*) 7751  
**Typhaceæ p. 445.**  
*Typhalea* Neck. (*Urena* L.).  
*Typhoides* Mönch (*Phalaris* L.) 8085  
*Typhonium* Schott (*Aroid.*) 7853  
*Typhonodorum* Schott (*Aroid.*) 7816  
*Tyria* Kl. (*Bernardia* P. Br.) 6493  
— Kl. (*Macleania* Hook.) 4302  
*Tyrimnus* Cass. (*Composit.*) 4083  
*Tytonia* G. Don (*Hydrocera* Bl.) 1004  

**U**

*Uapaca* H. Bn (*Euphorb.*) 6428  
*Ubiaea* J. Gay (*Landtia* Less.) 4049  
*Ubium* (Rumph.) Gmel. (*Stemona* Lour)..  
*Ucacea* Cass. (*Blainvillea* Cass.) 3813  
*Ucacou* Adans. (*Synedrella* Gärtn.) 3842  
*Ucria* Auct. (*Nomen delendum*, Cf. B. et H. Gen. Pl. III. 464.)  
*Ucrista* Willd. (*Tocoyena* Aubl.) 3166  
*Udani* Rumph. (*Quisqualis* L.).  
*Udora* Nutt. (*Elodea* Mchx) 6720  
*Uebelina* Hochst. (*Caryophyll.*) 578  
*Ugni* Turcz. (*Myrtus* L.) 2318  
*Ugonia* Adans. v. *Hugonia* L.  
*Uhdea* Kth (*Montanoa* Llav. et Lex.) 3799  
*Uitenia* Nor. (*Erioglossum* Bl.).  
*Ulantha* Hook. (*Chloræa* Lindl.) 7051  
*Ulassium* (Rumph.) Rchb. (*Inc. sed. Euphorb.?*).  
*Ulex* L. (*Legumin.*) 1644  
*Ulloa* Pers. (*Juanulloa* R. et P.) 5148  
*Ullucus* Lozano (*Chenopod.*) 6045  
*Ulmaria* (Tourn.) Mönch (*Spiræa* L.).  
*Ulmus* L. (*Urtic.*) 6582  
*Ulobolus* Müll. Arg. (*Guettarda* L.) 3213  
*Uloptera* Fenzl (*Ferula* L.) 2884  
*Ulospermum* Link (*Capnophyl-lum* Gärtn.) 2861  
*Ulostoma* G. Don (*Gentiana* L.) 4955  
*Uluxia* Juss. (*Columellia* R. et P.) 5359  
**Umbelliferæ p. 155.**  
*Umbellularia* Nutt. (*Laurin.*) 6210  
*Umbilicaria* Pers. (*Cotyledon* L.).  
*Umbilicus* DC. (*Cotyledon* L.) 2182  
*Unanuea* R. et P. (*Stemodia* L.) 5248  
*Uncaria* Schreb. (*Rubiace.*) 3007  
— Burch. (*Harpagophytum* DC.) 5502  
*Uncariopsis* Karst. (*Rubiace.*) 3115  
*Uncifera* Lindl. (*Orchid.*) 6947  
*Uncinaria* Rchb. (*Uncaria* Schreb.).  
*Uncinia* Pers. (*Cyper.*) 7987  
*Unedo* Hoffmsg et Link (*Arbutus* L.) 4329  
*Ungeria* Schott et Endl. (*Stercul.*) 801  
*Ungernia* Bge (*Amaryll.*) 7289

- Ungnadia* Endl. (Sapind.) 1484  
*Unguacha* Hochst. (Strychnos L.) 4912  
*Unifolium* (Dodon.) Adans. (Mairanthemum Wigg.)  
*Uniola* L. (Gramin.) 8234  
*Unisema* Raf. (Pontederia L.) 7561  
*Unona* L. f. (Anonac.) 83  
*Unxia* Colla (Blennosperma Less.) 3906  
— H. B. K. (Villanova Lag.) 3907  
— L. f. (Melampodium L.) 3751  
*Upata* Adans. (Avicennia L.) 5724  
*Upoxis* Adans. v. *Hypoxis* L.  
*Urachne* Trin. (Oryzopsis Michx.) 8091  
*Uragoga* L. (Rubiaceae) 3294  
*Uralespis* Nutt. (Triodia R. Br.) 8207  
*Uralespis* Nutt. v. *Uralespis* Nutt. 8207  
*Urananthus* Benth. (Eustoma Salisb.) 4948  
*Urandra* Thw. (Lasianthera P. B.) 1228  
*Urania* Schreb. (Ravenala Adans.) 7153  
*Uranthera* Naud. (Acisanthera P. Br.) 2369  
*Uraria* Desv. (Legumin.) 1766  
*Uraspermum* Nutt. (Osmorhiza Raf.) 2822  
*Urbania* Vatke (Lyperia Benth.) 5234  
*Urceola* Roxb. (Apocyn.) 4641  
*Urceolaria* Herb. (Urceolina Rchb.) 7320  
— Coth. (Schradera Vahl) 3113  
*Urceolina* Rchb. (Amaryll.) 7320  
*Urena* (Dill.) L. (Malvac.) 752  
*Urena* Gaud. (Urtic.) 6658  
*Urechites* Müll. Arg. (Apocyn.) 4676  
*Urelytrum* Hack. (Gramin.) 8009  
*Urginea* Steinh. (Liliac.) 7496  
*Urmenetea* Phil. (Composit.) 4114  
*Urocarpus* Drumm. (Asterolasia F. Müll.) 1048  
*Urochloa* Nees (Gramin.) 8197  
*Urochloa* Kth (Panicum L.) 8050  
*Urodesmium* Naud. (Pachyloma DC.) 2403  
*Urodon* Turcz. (Pultenaea Sm.) 1601  
*Uromorus* Bur. (Paratrophis Bl.) 6612  
*Uropappus* Nutt. (Microseris Don) 4172  
*Uropedium* Lindl. (Selenipedium Rchb.) 7089  
*Uropetalum* Ker (Dipcadi Medik.) 7492  
*Urophyllum* Wall. (Rubiaceae) 3130  
*Uroskinnera* Lindl. (Scrophul.) 5223  
*Urospatha* Schott (Aroid.) 7783  
*Urospermum* Scop. (Composit.) 4218  
*Urostelma* Bge (Metaplexis R. Br.) 4793  
*Urostigma* Gaspar. (Ficus L.) 6621  
*Urostylis* Meisn. (Layia H. et A.)  
*Ursinia* Gärtner. (Composit.) 4048  
*Urtica* (Tourn.) L. (Urtic.) 6651  
**Urticaceae p. 373.**  
*Urvillea* H. B. K. (Sapind.) 1371  
*Usteria* Willd. (Logan.) 4907  
*Usubis* Burm. (Allophyllus L.) 1379  
*Utania* G. Don (Fagraea Thunb.) 4904  
*Uterveria* Bertol. (Capparis L.) 446  
*Utlaria* Bedd. (Asclep.) 4696  
*Utricularia* L. (Lentibular.) 5355  
*Uraria* L. (Anonac.) 67  
*Uva Ursi* (Tourn.) Mönch (Arctostaphylos Adans.)  
*Uvedalia* R. Br. (Mimulus L.)  
*Uvirandra* J. St-Hil. v. *Ouvirandra* Thou.  
*Urularia* L. (Liliac.) 7543  
*Uwarowia* Bge (Verbena L.) 5687  

**V**

*Vaccaria* (Dodon.) Mönch (Saponaria L.) 574  
**Vacciniaceae p. 241.**  
*Vaccinium* L. (Vaccin.) 4321  
*Vachellia* W. et A. (Acacia Willd.) 1997  
*Vada-Kodi* (Rheede) Adans. (Justicia L.)  
*Vagaria* Herb. (Amaryll.) 7326  
*Vaginarina* Kth (Vagaria Herb.) 7326  
— Pers. (Fuirena Rottb.) 7938  
*Vahea* Lam. (Apocyn.) 4563  
*Vahlia* Thunb. (Saxifrag.) 2098  
*Vahlodea* Fries (Deschampsia P. B.) 8145  
*Vaillantia* DC. (Rubiaceae) 3362  
*Valantia* L. v. *Vaillantia* DC. 3362  
*Valcarcelia* Lag. (Inc. sed.) p. 491.  
*Valdesia* R. et P. (Blakea L.) 2478  
*Valdia* Plum. (Clerodendron L.)  
*Valdivia* Remy (Saxifrag.) 2128  
*Valentiana* Raf. (Inc. sed.) p. 491.  
*Valentinia* Sw. (Casearia Jacq.) 2543  
*Valenzuelia* Bert. (Sapind.) 1374  
— Mut. (Picramnia Sw.) \*1136  
*Valeranda* Neck. (Orphium E. Mey.) 4924  
*Valeriana* L. (Valerian.) 3377  
**Valerianeae p. 187.**  
*Valerianella* Mönch (Valerian.) 3381  
*Valerianoides* Medik. (Verbena L.)  
*Valerianopsis* K. Müll. (Phyllactis Pers.) 3376  
*Valetonia* Th. Dur. (Olacin.) 1253  
*Valikaha* Adans. (Memecylon L.)  
*Vallaris* Burm. (Apocyn.) 4625  
*Vallea* Mut. (Tiliac.) 881  
*Vallesia* R. et P. (Apocyn.) 4579  
*Vallisneria* (Micheli) L. (Hydrocharid.) 6722  
*Vallota* Herb. (Amaryll.) 7308  
*Valoradia* Hochst. (Ceratostigma Bge) 4432  
*Vancouveria* Deane (Berberid.) 195  
*Vanda* R. Br. (Orchid.) 6945  
*Vandellia* L. (Scrophul.) 5264  
*Vandesia* Salisb. (Bomarea Mirb.) 7331  
*Vangueria* Juss. (Rubiaceae) 3248

- Vanguiera* Pers. v. *Vangueria* Juss. 3248  
*Vanhallia* R. et S. (*Bragantia* Lour.) 6132  
*Van Houttea* Lem. v. *Houttea* Dcne. 5374  
*Vanieria* Lour. (Inc. sed.) p. 492. — Montr. (*Trisema* H. f.) 43  
*Vanilla* Sw. (Orchid.) 6974  
*Vanillosma* Less. (*Vernonia* Schreb.)  
*Vanillosmopsis* Sch. Bip. (Composit.) 3401  
*Vantanea* Aubl. (Humiriace.) 906  
*Varasia* Phil. (*Gentiana* L.) 4955  
*Vareca* Gärtn. (*Casearia* Jacq.) 2543  
— Roxb. (*Alsodeia* Thou.) 476  
*Varennea* DC. (*Eysenhardtia* H. B. K.) 6165  
*Vargasia* Ernst (Ternstrœm.) 669  
— Bert. (*Thouinia* Poit.) 1378  
— DC. (*Galinsoga* R. et P.) 3861  
*Varilla* A. Gray (Composit.) 3796  
*Varronia* (P. Br.) L. (*Cordia* L.) 4992  
*Vartheimia* DC. (*Iphiona* Cass.) 3698  
*Vascoa* DC. (*Rafnia* Thunb.) 1618  
*Vasconcellea* A. St-Hil. (*Carica* L.) 2605  
*Vasconcellia* Mart. (*Arrabidaea* DC.) 5443  
*Vaseya* Thurb. (*Muehlenbergia* Schreb.) 8096  
*Vasiræa* H. (Tiliac.) 857  
*Vasquezia* Phil. (*Villanova* Lag.) 3907  
*Vatairea* Aubl. (*Pterocarpus* L.) 1837  
*Vateria* L. (*Dipterocarp.*) 718  
*Vatica* L. (*Dipterocarpaceae*) \*710  
*Vatkea* O. Hoffm. (*Pedalin.*) 5498  
*Vauanthes* Haw. (*Grammanthes* DC.) 2177  
*Vaupellia* Griseb. (*Pentarrhaphia* Lindl.) 5381  
*Vauquelinia* Corr. (Rosac.) 2036  
*Vauthiera* A. Rich. (*Lepidosperma* Labill.) 7965  
*Vavara* Benth. (Meliac.) 1189  
*Vavanga* Rohr (*Vangueria* Juss.) 3248  
*Veatchia* Kell. (*Brodiaea* Sm.) 7470  
*Vedela* Adans. (Inc. sed.)  
*Veitchia* Wendl. (Palm.) 7623  
— Lindl. (*Picea* Link) 8313  
*Velæa* DC. (*Arracacia* Bancroft) 2782  
*Velaga* Gärtn. (*Lagerstroemia* L.) 2512  
— Gärtn. (*Pterospermum* Schreb.) 804  
*Velarum* Schur (*Sisymbrium* L.) 290  
*Velasquezia* Bertol. (*Triplaris* L.) 6097  
*Velesia* L. (Caryophyll.) 568  
*Vella* L. (Crucif.) 325  
*Velleruca* Pomel (*Eruca* Tourn.)  
*Velleia* Sm. (*Goodeniaceae*) 4232  
*Vellosia* Vand. v. *Vellozia* Vand.
- Vellosiella* H. Bn (1). (Scrophul. inc. sed.)  
*Vellozia* Vand. (Amaryll.) 7340  
*Velophylla* C. B. Clarke (Podostem.) 6122  
*Velpeaulia* Gaud. (*Dolia* Lindl.) 5099  
*Veltheimia* Gled. (Liliac.) 7497  
*Veltis* Adans. (*Centaurea* L.)  
*Venana* Lam. (*Brexia* Thou.) 2131  
*Vendredia* H. Bn (*Rhetinodendron* Meisn.) 4010  
*Venegasia* DC. (Composit.) 3881  
*Venidium* Less. (Composit.) 4055  
*Veniera* Salisb. (*Narcissus* L.) 7281  
*Ventenata* Köl. (Gramin.) 8147  
*Ventenatia* P. B. (*Oncoba* Forsk.) 495  
— Cav. v. *Vintenatia* Cav.  
— Sm. (*Candollea* Labill.) 4225  
*Ventilago* Gärtn. (Rhamn.) \*1318  
*Veprcella* Naud. (Melastom.) 2422  
*Vepris* Comm. (*Toddalia* Juss.) 1079  
*Verataxus* Senil. (*Taxus* L.) 8340  
*Veratrum* (Tourn.) L. (Liliac.) 7556  
*Verbascum* (Tourn.) L. (Scrophul.) 5183  
*Verbena* (Tourn.) L. (Verben.) 5687  
*Verbenaca* Cæsalp. (*Lycopus* L.)  
**Verbenaceæ** p. 319.  
*Verbesina* L. (Composit.) 3832  
— Cass. (*Verbesina* L.) 3832  
*Vereia* Andr. (*Kalanchoe* Adans.) 2181  
*Verhuellia* Miq. (Piperac.) 6144  
*Verinea* Pomel (*Asphodelus* L.) 7416  
*Verlotia* Fourn. (Asclep.) 4836  
*Vermicularia* Mönch (*Stachytarpheta* Vahl).  
*Vermifuga* R. et P. (*Flaveria* Juss.) 3917  
*Vernicia* Lour. (*Aleurites* Forst.) 6458  
*Vernix* Adans. (*Allophylus* L.?).  
*Vernonella* Sond. (*Vernonia* Schreb.) 3405  
*Vernonia* Schreb. (Composit.) 3105  
*Veronica* (Tourn.) L. (Scrophul.) 5293  
*Veronicastrum* Heist. (*Veronica* L.).  
*Verreauxia* Benth. (*Goodeniaceae*) 4239  
*Verrucaria* Medik. (*Tournefortia* L.).  
*Verrucularia* A. Juss. (Malpigh.) 930  
*Verschaffeltia* Wendl. (Palm.) 7664  
*Verticillaria* R. et P. (*Rhedia* L.) 656  
*Verticordia* DC. (Myrtac.) 2270  
*Verulania* DC. (*Pavetta* L.) 3259  
*Verutina* Cass. (*Centaurea* L.) 4100  
*Vesalea* Martens et Gal. (*Abelia* R. Br.) 2993  
*Vesicaria* (Tourn.) Lam. (Crucif.) 272  
*Veslingia* Vis. (*Guizotia* Cass.) 3841
- (1) *Bull. Soc. Linn. Paris.* 715 (1888). — Sp. 1. Brasil.



- Vespuccia* Parl. (*Hydrocleis* L. C. Rich.) 7873  
*Vestia* Willd. (Solan.) 5156  
*Vetiveria* Virey (*Andropogon* L.) 8020  
*Vexillaria* Benth. (*Centrosema* DC.) 1781  
*Vialia* Vis. (*Melhania* Forsk.) 814  
*Vibo* Mönch (*Emex* Neck.) 6089  
*Viborgia* Thunb. (*Legumin.*) 1625  
— Mönch (*Cytisus* L.)  
*Viborquia* Ort. (*Eysenhardtia* H. B. K.) 1665  
*Viburnum* L. (*Caprifol.*) 2988  
*Vicarya* Wall. (*Myriopteron* Griff.) 4703  
*Vicatia* DC. (*Umbellif.*) 2775  
*Vicentia* Allem. (*Terminalia* L.) 2249  
*Vicia* (Tourn.) L. (*Legumin.*) 1776  
*Vicilla* Schur (*Vicia* L.) 1776  
*Vicioides* Mönch (*Vicia* L.)  
*Vicoa* Cass. (*Composit.*) 3702  
*Victoria* Lindl. (*Nymphæac.*) 208  
*Victoriperrea* Gaud. (*Freycinetia* Gaud.) 7744  
*Vidalia* Vell. (*Guttifer.*) +660<sup>b</sup>  
*Vieillardia* Brongn. (*Timeroya* Montr.) 5890  
— Montr. (*Castanospermum* A. Cunn.) 1874  
*Vieræa* Webb (*Composit.*) 3700  
*Vieusseuxia* Delaroche (*Moræa* L.) 7222  
*Vigia* Vell. (*Plukenetia* L.) 6549  
*Vigiera* Vell. (*Escallonia* L.) 2127  
— Vell. (*Jussiea* L.) 2522  
*Vigineixia* Pomel (*Picris* L.) 4189  
*Vigna* Savi (*Legumin.*) 1815  
*Vignea* P. B. (*Carex* L.) 7988  
*Vignaldia* A. Rich. (*Pentas* B. et H.) 3082  
*Vignantha* Schur (*Carex* L.) 7988  
*Vigolina* Poir. (*Galinsoga* R. et P.)  
*Viguiera* H. B. K. (*Composit.*) 3823  
*Vilfa* Adans. (*Agrostis* L.) 8120  
— R. Br. (*Sporobolus* R. Br.) 8111  
*Villamila* R. P. (*Phytolac.*) 6049  
*Villanora* Lag. (*Composit.*) 3907  
— Ort. (*Parthenium* L.) 3760  
*Villarezia* R. et P. (*Olacin.*) 1248  
*Villaria* Rolfe (*Rubiace.*) 3182  
— Guett. (*Berardia* Vell.) 4090  
*Villarsia* Vent. (*Gentian.*) 4964  
*Villebrunea* Gaud. (*Urtica* L.) 6677  
*Villughbeia* Scop. (*Ambelania* Aubl.) 4568  
*Vilmorinia* DC. (*Legumin.*) 1693  
*Viminaria* Sm. (*Legumin.*) 1596  
*Vinca* (Riv.) L. (*Apocyn.*) 4603  
*Vincentia* Boj. (*Grewia* L.) 848  
— Gaud. (*Cladium* P. Br.) 7966  
*Vincetoxicum* (Dodon.) Mönch (*Cynanchum* L.) 4779  
*Vinsonia* Gaud. (*Pandanus* L.)  
*Vintenatia* Cav. (*Astroloma* R. Br.) 4393  
*Vintenatia* Cav. (*Melichrus* R. Br.) 4395  
*Vinticena* Steud. (*Grewia* L.) 848  
*Viola* (Tourn.) L. (*Violar.*) 469  
*Violarieæ* p. 23 et 494.  
*Vionæa* Neck. (*Leucadendron* R. Br.) 6218  
*Viorna* Spach (*Clematis* L.) 1  
*Viræa* Vahl (*Picris* L.) 4189  
*Viraya* Gaud. (*Waitzia* Wendl.) 3630  
*Virchowia* Schenk (*Ilysanthes* Raf.) 5265  
*Virdika* Adans. (*Albuca* L.)  
*Virea* Adans. (*Leoutodon* L.)  
*Virecta* Sm. (*Rubiace.*) 3083  
— L. f. (*Sipanea* Aubl.) 3074  
*Vireya* Bl. (*Rhododendron* L.) 4375  
*Virga* Hill (*Dipsacus* L.)  
*Virga-Aurea* Tourn. (*Solidago* L.)  
*Virgilia* Lam. (*Legumin.*) 1864  
— L'Hér. (*Gaillardia* Foug.) 3935  
*Virgularia* R. et P. (*Gerardia* L.) 5318  
*Virletia* Sch. Bip. (*Bahia* Lag.) 3901  
*Virola* Aubl. (*Myristica* L.) 6151  
*Viscago* (Dill.) Mönch (*Silene* L.)  
*Viscaria* (Riv.) Röhl (*Lychnis* L.) 577  
*Viscoides* Jacq. (*Psychotria* L.)  
*Viscum* L. (*Loranth.*) 6316  
*Visenia* (Tourn.) Houtt. (*Melochia* L.) 818  
*Visiania* DC. (*Ligustrum* L.) 4551  
— Gaspar. (*Ficus* L.) 6621  
*Vismia* Vell. (*Hypericin.*) 635  
*Visnaga* Gärt. (*Ammi* L.) 2803  
*Visnea* L. f. (*Ternstroem.*) 672  
*Vitellaria* Gärt. f. (*Sapot.*) 4500  
*Vitenia* Nor. (*Erioglossum* Bl.) 1387  
*Vitex* L. (*Verben.*) 5708  
*Viticastrum* Presl (*Sphenodesma* Jack) 5722  
*Viticella* Mitch. (*Hydrophyllum* L.) 4975  
— Mönch (*Clematis* L.) 1  
*Vitiphænix* Becc (Palm.) +7633<sup>f</sup>  
*Vitis* L. (*Ampelid.*) 1358  
*Vitmannia* Vahl (*Samandura* L.) 1113  
— Turra (*Oxybaphus* Vahl) 5871  
*Vittadinia* A. Rich. (*Composit.*) 3562  
*Vittmannia* W. et A. (*Noltea* Rchb.) 1340  
*Viviania* Cav. (*Geran.*) 989  
— Colla (*Billiottia* DC.) 3156  
*Vlamingia* De Vriese (*Ionidium* Vent.) 470  
*Voacanga* Thou. (*Apocyn.*) 4611  
*Voandzeia* Thou. (*Legumin.*) 1816  
*Vochya* Vand. (*Vochysia* Juss.) 561  
*Vochysia* Juss. (*Vochys.*) 561  
*Vochysiaceæ* p. 28.  
*Voelkeria* Kl. et Karst. (*Dupinia* Scop.) 676

- Vogelia* Lam. (Plumbag.) 4433  
 — Gmel. (Burmanna L.) 6733  
*Voglera* Fl. Wett. (Genista L.) 1641  
*Vohiria* Lam. v. *Voyria* Aubl. 4929  
*Voigtia* Spreng. (Barnadesia Mut.) 4106  
 — Kl. (Bathysa Presl) 3065  
 — Roth (Andryala L.)  
*Volkameria* L. (Clerodendron L.) 5712  
 — P. Br. (Clethra L.) 4381  
*Volkmannia* Jacq. (Clerodendron L.) 5712  
*Volutarella* Cass. (Composit.) 4097  
*Volutaria* Cass. (Volutarella Cass.)  
*Volutella* Forsk. (Cassytha L.) 6214  
*Volvulus* Neck. (Convolvulus L.)  
*Vossia* Wall. (Gramin.) 8010  
*Votomita* Aubl. (Inc. sed.) p. 492.  
*Vouacapoua* Aubl. (Andira Lam.) 1851  
*Vouapa* Aubl. (Macrolobium Schreb.) 1946  
*Vouarana* Aubl. (Sapind.) 1429  
*Vouay* Aubl. (Geonoma Willd.) 7676  
*Voyara* Aubl. (Inc. sed.)  
*Voyria* Aubl. (Gentian.) 4929  
*Voyriella* Miq. (Gentian.) 4928  
*Vriesea* Lindl. (Tillandsia L.) 7192  
*Vriesia* Hassk. (Vandellia L.) 5264  
*Vrolikia* Spreng. (Heteranthia Nees et Mart.) 5177  
*Vrydagzyna* Bl. (Orchid.) 6997  
*Vulneraria* (Tourn.) Adans. (Anthyllis L.)  
*Vulpia* Gmel. (Festuca L.) 8254  
*Vyenomus* Presl (Evonymus L.) 1272
- W**
- Wachendorfia* L. (Hæmodor.) 7194  
*Waddingtonia* Phil. (Petunia Juss.) 5159  
*Wagatca* Dalz. (Legumin.) 1917  
*Wagneria* Kl. (Begonia L.) 2695  
*Wagneria* Lem. (Diervilla Tourn.) 2997  
*Wahabia* Fenzl (Barleria L.) 5565  
*Wahlbergella* Fries (Lychnis L.) 577  
*Wahlbomia* Thunb. (Tetracera L.) 37  
*Wahlenbergia* Schrad. (Carnul.) 4273  
 — Bl. (Tarenna Gärt.) 3175  
 — R. Br. (Dichapetalum Thou.) 1201  
 — Schum. et Thonn. (Enhydra Lour.) 3786  
*Wailesia* Lindl. (Dipodium R. Br.) 6842  
*Waitzia* Wendl. (Composit.) 3630  
 — Rchb. (Tritonia Ker) 7272  
*Walafrida* E. Mey. (Selago L.) 5653  
*Walcottia* F. Müll. (Lachnostachys Hook.) 5665  
*Walcutta* Medik. (Malvac.).  
*Waldeimia* Kar. et Kir. (Allardia Dcne?).  
*Waldschmidia* Wigg. (Limnanthemum Gmel.) 4965  
*Waldsteinia* Willd. (Rosac.) 2052  
*Walkera* Schreb. (Inc. sed.) p. 492.  
*Walkeria* Ehret. (Nolana L.)  
*Wallacea* Spruce (Ochnac.) 1150  
*Wallenia* Sw. (Myrsin.) 4462  
*Walleria* Kirk (Liliac.) 7547  
*Wallia* Alef. (Juglans L.) 6696  
*Wallichia* Roxb. (Palm.) 7682  
 — DC. (Eriolœna DC.) 805  
 — Reinw. (Urophyllum Wall.) 3130  
*Wallinia* Moq. (Lophiocarpus Turcz.) 5968  
*Wallisia* Rgl (Lisianthus Aubl.) 4952  
 — Rgl (Tillandsia L.) 7192  
*Wallrothia* Roth (Vitex L.) 5708  
 — Spreng. (Seseli L.) 2835  
*Walpersia* Harv. et Sond. (Legumin.) 1610  
 — Reissek (Phyllica L.) 1337  
*Walsura* Roxb. (Meliac.) 1187  
*Waltheria* L. (Stercul.) 820  
*Wangenheimia* Mönch (Gramin.) 8238  
 — Dietr. (Gilibertia R. et P.) 2955  
*Warburtonia* F. Müll. (Hibbertia Andr.) 44  
*Warcewitschia* (Cujusnam?) (l) Orchid.)  
*Warea* Nutt. (Crucif.) 301  
 — C. B. Clarke (Biswarea Cogn.) 2615  
*Waria* Aubl. (Xylopia L.) 111  
*Warionia* Coss. (Composit.) 4091  
*Warmingia* Rchb. (Orchid.) 6895  
 — Engl. (Spondias L.) 1514  
*Warrea* Lindl. (Orchid.) 6857  
*Warszewiczia* Kl. (Rubiace.) 3061  
*Warszewiczella* Rchb. f. (Zygo-petalum Hook.) 6851  
*Wartmannia* Müll. Arg. (Homalanthus A. Juss.) 6557  
*Washingtonia* Wendl. (Pritchardia Seem. et Wendl.) 7705  
 — Winsl. (Sequoia Endl.) 8318  
*Watsonia* Mill. (Irid.) 7266  
*Wattakaka* Hassk. (Dregea E. Mey.) 2847  
*Webbia* DC. (Vernonia Schreb.) 3405  
 — Spach (Hypericum Spach) 631  
 — Sch. Bip. (Conyza Less.) 3566  
*Webera* Gmel. (Bellucia Neck.) 2472  
 — Schreb. (Tarenna Gärt.) 3175  
*Websteria* S. H. Wright (Cyper.) 7928  
*Weddelia* Tul. (Podostem.) 6102

- Wedelia* Jacq. (Composit.) 3814  
 — Cass. (*Wedelia* Jacq.) 3814  
 — L. (*Allionia* L.) 5873  
*Wehelia* F. Müll. (Myrtac.) 2278  
*Weigela* Thunb. v. *Weigelia* Pers. 2997  
*Weigelia* Pers. (*Diervilla* Tourn.) 2997  
*Weigeltia* A. DC. (*Cybianthus* Mart.) 4463  
 — Rchb. (Inc. sed.)  
*Weihea* Spreng. (Rhizophor.) 2242  
 — Eckl. (*Geissorhiza* Ker) 7260  
 — Rchb. (*Burtonia* R. Br.)  
*Weilbachia* Kl. (*Begonia* L.) 2695  
*Weingærtneria* Bernh. (*Corynephorus* P. B.) 8144  
*Weinmannia* L. (Saxifrag.) 2166  
*Weinreichia* Rchb. (*Pterocarpus* L.) 1837  
*Weldenia* Schult. f. (Commelin.) 7596  
*Welfia* Wendl. (Palm.) 7679  
*Wellingtonia* Lindl. (*Sequoia* Lindl.) 8318  
 — Meisn. (*Meliosma* Bl.) 1504  
*Wellstedtia* Balf. f. (Boragin.) 5068  
*Welwitschia* H. f. (Gnetac.) 8306  
 — Rchb. (*Gilia* R. et P.) 4969  
*Wenderothia* Schlcht. (*Canavalia* Adans.) 1811  
*Wendia* Hoffm. (*Heracleum* L.) 2888  
*Wendlandia* Bartl. (Rubiace.) 3067  
 — Willd. (*Cocculus* DC.) 148  
*Wendtia* Meyen (Geran.) 993  
*Wensea* Wendl. (*Pogostemon* Desf.) 5747  
*Werneria* H. B. K. (Composit.) 4032  
*Wernisekia* Scop. (*Humiria* Aubl.)  
*Westia* Vahl (Legumin.) 1961  
*Westonia* Spreng. (*Rothia* Pers.) 1623  
*Westringia* Sm. (Labiata.) 5857  
*Wetria* H. Bn (*Alchornea* Sw.) 6511  
*Wettinia* Pöpp. (Palm.) 7653  
*Wheelera* Schreb. (Inc. sed.)  
*Whipplea* Torr. (Saxifrag.) 2126  
*Whiteheadia* Harv. (Liliac.) 7486  
*Whitfieldia* Hook. (Acanth.) 5547  
*Whitia* Bl. (*Cyrtandra* Forst.) 5437  
*Whitlavia* Hook. (*Phacelia* Juss.) 4978  
*Whitleya* Don (*Scopolia* Jacq.) 5143  
*Whitneya* A. Gray (Composit.) 3891  
*Wibelia* Rochel. (*Chondrilla* L.) 4205  
 — Pers. (*Paypayrola* Aubl.) 474  
*Wiborgia* Roth. (*Galinsoga* R. et P.) 3861  
 — Thunb. v. *Viborgia* Thunb. 1625  
*Wickstroemia* Schrad. (*Hæmocharis* Salisb.) 694  
 — Spreng. (*Eupatorium* L.) 3460  
*Wichuræa* Röm. (*Bomarea* Mirb.) 7331  
 — Nees (*Cryptandra* Sm.) 1347  
*Widdringtonia* Endl. (*Callitris* Vent.) 8324  
*Wiedemannia* F. et M. (Labiata.) 5832  
*Wiegmannia* Meyen (*Kadua* Ch. et Schl.) 3098  
*Wielandia* H. Bn (Euphorb.) 6397  
*Wierzbickia* Rchb. (*Arenaria* L.) 583  
*Wiestia* Sch. Bip. (*Lactuca* L.)  
*Wigandia* H. B. K. (*Hydrophyll.*) 4988  
 — Neck. (Disparago Gärtn.) 3670  
*Wiggersia* Alef. (*Vicia* L.) 1776  
*Wightia* Wall. (Scrophul.) 5211  
*Wikstroemia* Endl. (Thymel.) 6279  
*Wilbrandia* Manso (Cucurbit.) 2650  
*Wilckia* Scop. (*Malcolmia* R. Br.) 286  
*Wilhelmsia* K. Koch (*Koeleria* Pers.) 8216  
*Wilkiea* F. Müll. (*Kibara* Endl.) 6157  
*Wilkesia* A. Gray (Composit.) 3868  
*Willdenowa* Cav. (*Adenophyllum* Pers.) 3921  
*Willdenowia* Thunb. (Cyper.) 7921  
 — Gmel. (*Rondeletia* Gmel.) 3063  
*Willemetia* Brongn. (Noltea Rchb.) 1340  
 — Mærklin (*Chcnolea* Thunb.) 5996  
 — Neck. (*Chondrilla* L.) 4205  
*Williamia* H. Bn (*Phyllanthus* L.) 6404  
*Willichia* L. (*Sibthorpia* L.) 5277  
*Willisellus* Gray (*Elatine* L.)  
*Willkommia* Schultz (*Senecio* L.) 4025  
*Willoughbeia* Roxb. (Apocyn.) 4558  
*Willughbæya* Neck. (*Mikania* Willd.) 3462  
*Willughbeia* Kl. (Landolphia P. B.) 4562  
 — Scop. (*Ambelania* Aubl.) 4568  
*Wilsonia* R. Br. (Convolvul.) 5101  
 — Gill. et Hook. (*Dipyrena* Hook.) 5686  
*Wimmeria* Schlcht. (*Celastr.*) +1308  
 — Nees (*Beilschmiedia* Nees)  
*Winchia* A. DC. (Apocyn.) 4573  
*Windmannia* P. Br. v. *Weinmannia* L.  
*Windsoria* Nutt. (*Triodia* R. Br.) 8207  
*Winklera* Rgl. (Crucif.) 365  
*Wintera* H. et B. (*Drimys* Forst.) 54  
*Winterana* L. (*Canella* P. Br.) 490  
*Winterlia* Spreng. (*Rotala* L.) 2487  
*Wirtgenia* Jungh. (*Spondias* L.) 1514  
 — Jungh. (*Odina* Roxb.) 1522  
 — Sch. Bip. (*Aspilia* Thou.) 3817  
*Wislicenia* Engelm. (Capparid.) 433  
*Wisneria* M. Micheli (Alism.) 7869  
*Wissadula* Medik. (Malvac.) 746  
*Wistaria* Nutt. (Legumin.) 1689  
*Wisteria* Auct. v. *Wistaria* Nutt. 1689

- Withania* Pauq. (Solan.) 5119  
*Witheringia* L'Hér. (Bassovia Aubl.) 5113  
— Miers (Athenæa Sendtn.) 5108  
*Witsenia* Thunb. (Orchid.) 7256  
*Wittelsbachia* Mart. (Cochlospermum Kth) 492  
*Wittsteinia* F. Müll. (Ericac.) 4333  
*Wœhleria* Griseb. (Amarant.) 5958  
*Wolffia* Horkel (Lemnac.) 7859  
— Schreb. (Casearia Jacq.).  
— Spreng. (Inc. sed.).  
*Wolkensteinia* Rgl (Ouratea Aubl.) 1140  
*Wollastonia* DC. (Wedelia Jacq.) 3814  
*Woodfordia* Salisb. (Lythrar.) 2495  
*Woodvillea* DC. (Erigeron L.) 3561  
*Woollsia* F. Müll. (Lysinema R. Br.) 4408  
*Wormia* Rottb. (Dilleniace.) 40  
— Vahl (Ancistrocladus Wall.) 707  
*Wormskioldia* Schum. et Thonn. (Turnerac.) 2576  
— B. et H. (Streptopetalum Hochst.) 2577  
*Wredowia* Eckl. (Aristea Ait.) 7255  
*Wrenciala* A. Gray (Plagianthus Forst.) 737  
*Wrightia* R. Br. (Apocyn.) 4630  
— Soland. (Meriania Sw.) 2410  
— Roxb. (Wallichia Roxb.) 7682  
*Wrixonia* F. Müll. (Labiata.) 5853  
*Wuerschmittia* Sch. Bip. (Melanthera Rohr) 3827  
*Wuerthia* Rgl (Ixia L.) 7263  
*Wulfenia* Jacq. (Scrophul.) 5290  
*Wulffia* Neck. (Composit.) 3805  
*Wulfschlagelia* Rchb. f. (Orchid.) 6986  
*Wunderlichia* Riedel (Composit.) 4121  
*Wurmbea* Thunb. (Liliac.) 7512  
*Wurfbainia* Giseke (Amomum L.) 7125  
*Wurtzia* H. Bn (Phyllanthus L.) 6404  
*Wydleria* DC. (Carum L.) 2806  
*Wyethia* Nutt. (Composit.) 3821  
*Wylia* Hoffm. (Scandix L.) 2828
- X**
- Xanthe* Schreb. (Rengifa Pöpp. et Endl.) 640  
— Schreb. (Clusia L.) 638  
*Xanthidium* Delp. (Franseria Cav.) 3770  
*Xanthisma* DC. (Composit.) 3487  
*Xanthium* (Tourn.) L. (Composit.) 3771  
*Xantho* Remy (Lasthenia Cass.) 3892  
*Xanthocephalum* Willd. (Composit.) 3476  
*Xanthoceras* Bge (Sapind.) 1483  
*Xanthocercis* (Legumin.) 1829  
*Xanthochrysum* Turcz. (Helichrysum Gärtner.) 3632  
*Xanthochymus* Roxb. (Garcinia L.) 654  
*Xanthocoma* H. B. K. (Xanthocephalum Willd.) 3476  
*Xanthocromyon* Karst. (Trimezia Salisb.) 7225  
*Xanthogalum* Lallemant (Ferula L.) 2884  
*Xantholepis* Willd. (Cacosmia H. B. K.) 3878  
*Xantholinum* Rchb. (Linum L.) 892  
*Xanthonanthes* St-Lager v. Anthoxanthum L. 8086  
*Xanthophthalmum* Sch. Bip. (Chrysanthemum L.) 3964  
*Xanthophyllum* Roxb. (Polygal.) 555  
*Xanthophytum* Reinw. (Rubiace.) 3077  
*Xanthopsis* K. Koch (Centaurea L.) 4100  
*Xanthorhiza* Marsh. (Ranuncul.) 29  
*Xanthorrhiza* Sm. (Liliac.) 7401  
*Xanthoselinum* Schur (Peucedanum L.) 2886  
*Xanthosia* Rudge (Umbellif.) 2745  
*Xanthosoma* Schott (Aroid.) 7825  
*Xanthostemon* F. Müll. (Myrtac.) 2307  
*Xanthoxylon* R. Br. v. Zanthoxylum L.  
*Xatardia* Meisn. (Umbellif.) 2841  
*Xaveria* Endl. (Anemonopsis S. et Z.) 24  
*Xeniatrum* Salisb. (Clintonia Raf.) 7550  
*Xenismia* DC. (Oligocarpus Lers.) 4044  
*Xenocarpus* Cass. (Cineraria L.) 4022  
*Xenochloa* Lichtenst. (Inc. sed.) p. 492.  
*Xenophonta* Vell. (Barnadesia Mut.) 4106  
*Xenophya* Schott (Aroid.) 7842  
*Xenopoma* Willd. (Micromeria Benth.) 5773  
*Xeodolon* Salisb. (Scilla L.) 7505  
*Xerandra* Raf. (Iresine L.) 5963  
*Xeranthemum* (Tourn.) L. (Composit.) 4068  
— Neck. (Helipterum DC.).  
*Xeranthus* Miers (Grahamia Gill.) 608  
*Xerobius* Cass. (Egletes Cass.) 3512  
*Xerobotrys* Nutt. (Arctostaphylos Adans.) 4330  
*Xerocarpus* Guill. et Perr. (Rothia Pers.) 1623  
*Xerochlamys* Bak. (Chlœnac.) 725  
*Xerochloa* R. Br. (Gramin.) 8060  
*Xerocladia* Harv. (Legumin.) 1990  
*Xerococcus* Erst. (Rubiace.) 3126  
*Xeroloma* Cass. (Xeranthemum L.).  
*Xeronema* Brongn. et Gris (Liliac.) 7414  
*Xeropappus* Wall. (Dicoma Cass.) 4129  
*Xeropetalum* Del. (Dombeya Cav.) 810  
*Xerophyllum* Mchx (Liliac.) 7533  
*Xerophyta* Juss. (Vellozia Vand.) 7340

- Xerospermum* Bl. (Sapind.) 1420  
*Xerosiphon* Turcz. (*Gomphrena* L.) 5960  
*Xerotes* R.Br. (*Lomandra* Labill.) 7400  
*Xerothermus* DC. (*Osteospermum* L.) 4046  
*Xerotium* Bluff et Fing. (*Filago* L.) 3606  
*Xestæa* Griseb. (*Schultesia* Mart.) 4945  
*Ximenesia* Cav. (*Verbesina* L.) 3832  
*Ximonia* L. (*Olacin.*) 1208  
*Xiphidium* (Löfl.) Aubl. (*Hæmodor.*) 7200  
*Xiphion* Bak. (*Iris* L.) 7220  
— (Tourn.) Parl. (*Iris* L.) 7220  
*Xiphium* Salisb. (*Iris* L.)  
*Xiphizusa* Rchb.f. (*Bulbophyllum* Thou.) 6767  
*Xiphocarpus* Presl (*Tephrosia* Pers.) 1682  
*Xiphochæta* Pöpp. et Endl. (*Stilpnopappus* Mart.) 3412  
*Xiphocoma* Stev. (*Ranunculus* L.) 10  
*Xipholepis* Steetz (*Vernonia* Schreb.) 3405  
*Xiphosium* Griff. (*Eria* Lindl.) 6781  
*Xiphostylis* Gaspar. (*Trigonella* L.)  
*Xiphotheca* E. et Z. (*Priestleya* DC.) 1606  
*Xirænanthus* Mart. (*Pleurophora* Don) 2498  
*Xuaresia* R. et P. (*Capraria* L.) 5280  
*Xyladenius* Desv. (*Banara* Aubl.) 2548  
*Xylanthema* Neck. (*Cnicus* L.) 4078  
*Xylia* Benth. (*Legumin.*) 1983  
*Xylobium* Lindl. (*Orchid.*) 6861  
*Xylocarpus* Schreb. (*Carapa* Aubl.) 1192  
*Xylococcus* Nutt. (*Arctostaphylos* Adans.) 4330  
*Xylolæna* H. Bn (*Scleroolæna* H. Bn) \*726  
*Xylon* L. (*Bombax* L.).  
— (Tourn.) Mönch (*Gossypium* L.).  
*Xylomelum* Sm. (*Proteac.*) 6251  
*Xylophylla* Schreb. (*Phyllanthus* L.) 6404  
*Xylophia* L. (*Anonac.*) 111  
*Xylopicrum* P. Br. (*Xylophia* L.).  
*Xylopleurum* Spach (*Ænothera* L.) 2528  
*Xylorhiza* Nutt. (*Aster* L.) 3544  
— Salisb. (*Allium* L.) 7476  
*Xylosma* Forst. (*Bixin.*) 516  
*Xylosteon* (Tourn.) Juss. (*Lonicera* L.) 2995  
*Xylothea* Hochst. (*Oncoba* Forst.) 495  
*Xymalos* H. Bn (*Bixin.*) 498  
*Xynophylla* Montr. (*Exocarpus* Labill.) 6352  
*Xyphanthus* Raf. (*Erythrina* L.) 1793  
*Xypherus* Raf. (*Amphicarpæa* DC.).  
*Xyrideæ* p. 433.  
*Xyridanthe* Lindl. (*Helipterum* DC.) 3631  
*Xyridion* Klatt (*Iris* L.) 7220  
*Xyris* L. (*Xyrid.*) 7568  
*Xyroides* Thou. (*Xyris* L.).  
*Xysmalobium* R. Br. (*Asclep.*) 4737  
*Xystidium* Trin. (*Perotis* Ait.) 8033
- Y**
- Yangua* Spruce (*Cybista* Mart.) 5469  
*Yermolofia* Bolanger (*Lagochilus* Bge) 5835  
*Ymnostema* Neck. (*Lobelia* L.) 4262  
*Yoania* Maxim. (*Orchid.*) 7048  
*Youngia* Cass. (*Crepis* L.) 4190  
*Ypsilandra* Franch. (*Liliac.*) 7536  
*Yucca* (Lobel) L. (*Liliac.*) 7407  
*Yulania* Spach (*Magnolia* L.) 58
- Z**
- Zacintha* (Tourn.) Gärtn. (*Composit.*) 4186  
— Vell. (*Clavija* R. et P.) 4480  
*Zahlbrucknera* Rchb. (*Saxifrag.*) 2093  
*Zala* Lour. (*Pistia* L.) 7857  
*Zalacca* (Rumph.) Reinw. (*Palm.*) 7709  
*Zaleya* Burm. (*Trianthema* L.) 2724  
*Zaluzania* Pers. (*Composit.*) 3793  
*Zaluzianskia* J. W. Schmidt (*Scrophul.*) 5229  
*Zamaria* Raf. (*Randia* L.).  
*Zamia* L. (*Cycad.*) 8348  
*Zamioculcas* Schott (*Aroid.*) 7760  
*Zannichellia* (Micheli) L. (*Naiad.*) 7884  
*Zanonia* L. (*Cucurbit.*) 2688  
— (Plum.) Cram. (*Campelia* L. C. Rich.) 7591  
*Zantedeschia* Spreng. (*Aroid.*) 7815  
— K. Koch (*Schismatoglottis* Zoll. et Mor.) 7800  
*Zanthorhiza* L'Hér. v. *Xanthorhiza* Marsh. 29  
*Zanthoxylum* L. (*Rutac.*) 1067  
— Auct. (*Turpinia* Vent.) 1501  
*Zapania* Scop. (*Lippia* L.) 5680  
*Zara* Lour. (*Pistia* L.) 7857  
*Zarabellia* Cass. (*Melampodium* L.) 3751  
— Neck. (*Berkheya* Ehrh.) 4060  
*Zarcoa* Llanos (*Bridelia* Willd.) 6391  
*Zataria* Boiss. (*Labiata.*) 5769  
*Zauschneria* Presl (*Onagrar.*) 2521  
*Zea* (Micheli) L. (*Gramin.*) 7990  
*Zebrina* Schnitzl. (*Commelin.*) 7595  
*Zehlia* Hort. (*Lepezia* Cav.) 2533  
*Zehneria* R. et H. (*Cucumeropsis* Naud.) 2638  
— Endl. (*Melothria* L.) 2651  
*Zelkova* Spach (*Urtic.*) 6586



- Zenkeria* Trin. (Gramin.) 8136  
 — Arn. (Apuleia Mart.) 1934  
*Zenobia* D. Don (Ericac.) 4344  
*Zenopogon* Link (Anthyllis L.) 8277  
*Zeocriton* P. B. (Hordeum L.) 7216  
*Zephyra* D. Don (Hæmodor.) 7296  
*Zephyranthes* Herb. (Amaryll.) 296  
*Zerdana* Boiss. (Crucif.) 7128  
*Zerna* Panzer (Bromus L.)  
*Zerumbet* Lestib. (Zingiber Adans.) 7128  
 — Wendl. (Alpinia L.)  
*Zeugites* (P.Br.) Schreb. (Gramin.) 8227  
*Zeuxine* Lindl. (Orchid.) 7000  
*Zexmenia* Llav. et Lex. (Composit.) 3819  
*Zeyhera* Spreng. f. (Geigeria Griessel) 3709  
*Zeyheria* Mart. (Bignon.) 5471  
*Zichya* Hügel (Kennedyia Vent.) 1791  
*Zieria* Sm. (Rutac.) 1037  
*Zieridium* H. Bn (Rutac.) 1038  
*Ziervoglia* Neck. (Cynanchum L.) 5829  
*Zietenia* Gled. (Stachys L.) 398  
*Zilla* Forsk. (Crucif.) 7128  
*Zingiber* Adans. (Zingiberac.)  
**Zingiberaceæ p. 405.**  
*Zinnia* L. (Composit.) 3777  
*Zinowiewia* Turcz. (Celastr.) 1287  
*Zippelia* Bl. (Piperac.) 6140  
 — Rchb. (Brugmansia Bl.) 6127  
*Zisania* L. (Gramin.) 8071  
*Zisaniopsis* Döll. (Gramin.) 8070  
*Zizia* Koch (Carum L.) 2806  
*Ziziphora* L. (Rubiace.) 5800  
*Zizyphus* (Adans.) Juss. (Rhamn.) 1321  
*Zoegea* L. (Composit.) 4098  
*Zollernia* Mart. (Legumin.) 1892  
*Zollingeria* Kurz (Sapind.) 1392  
*Zollingeria* Sch. Bip. (Rhynchospermum Reinw.) 3517  
*Zollikoferia* DC. (Microrhynchus Less.) 4212  
 — Nees (Chondrilla L.) 4205  
*Zomicarpa* Schott (Aroid.) 7839  
*Zomicarpella* N.E. Brown (Aroid.) 7840  
*Zonanthus* Griseb. (Gentian.) 4951  
*Zornia* Gmel (Legumin.) 1759  
 — Münch (Lallemantia F. et M.) 5804  
*Zosima* Phil. (Philibertia H. B. K.) 4726  
*Zosimia* Hoffm. (Umbellif.) 2894  
*Zostera* L. (Najad.) 7887  
*Zosterospermon* P. B. (Rhynchospora Vahl) 7955  
*Zosterostylis* Bl. (Cryptostylis R. Br.) 7024  
*Zoysia* Willd. (Gramin.) 8035  
*Zozimia* DC. v. *Zosimia* Hoffm.  
*Zschokkia* Müll. Arg. (Lacmellia Karst.) 4570  
*Zucca* Conn. (Momordica Tourn.) 2627  
*Zuccagnia* Cav. (Legumin.) 1973  
 — Thunb. (Dipcadi Medik.) 7492  
*Zuccarinia* Bl. (Rubiace.) 3206  
*Zucchellia* Dene (Raphionacme Harv.) 4707  
*Zuckertia* H. Bn (Tragia L.) 6552  
*Zuelania* A. Rich. (Casearia Jacq.) 2543  
*Zulatia* Neck. (Miconia R. et P.) 2462  
*Zurloa* Ten. (Carapa Aubl.) 1192  
*Zwaardekronia* Korth. (Psychotria L.) 3285  
*Zwackhia* Sendtn. (Boragin.) 5060  
*Zwingeria* Schreb. (Simaba Aubl.) 1107  
*Zygadenus* Mchx (Liliac.) 7558  
*Zygia* Benth. (Albizzia Durazzo) 2000  
 — P. Br. (Pithecolobium Mart.) 2001  
 — Desv. (Micromeria Benth.)  
*Zygodia* Benth. (Apocyn.) 4640  
*Zygoglossum* Reinw. (Cirrhopetalum Lindl.) 6769  
*Zygogynium* H. Bn (Magnoliac.) 55  
*Zygolepis* Turcz. (Arytera Bl.) 1458  
*Zygomenes* Salisb. (Cyanotis Don) 7581  
*Zygoon* Hiern (Rubiace.) 3187  
*Zygopeltis* Fenzl (Heldreichia Boiss.) 356  
*Zygopetalum* Hook. (Orchid.) 6851  
**Zygophylleæ p. 49.**  
*Zygophyllum* L. (Zygophyll.) 969  
*Zygosepalum* Rchb. f. (Zygopetalum Hook.) 6851  
*Zygospermum* Thw. (Phyllanthus L.)  
*Zygostates* Lindl. (Orchid.) 6926  
*Zygostelma* Benth. (Asclep.) 4684  
 — Fourn. (Lagoa Th. Dur.) 4752  
*Zygostigma* Griseb. (Gentian.) 4940  
*Zymum* Nor. (Tristellateia Thou.)  
*Zyrphelis* Cass. (Mairia Nees) 3530

ELENCHUS

|   |      |
|---|------|
| Præfatio . . . . .                                  | v    |
| Genera vel nomina nova . . . . .                    | ix   |
| Nominum vocumque abbreviatorum explicatio . . . . . | xi   |
| Conspectus synopticus Ordinum . . . . .             | xvii |
| Index systematicus. . . . .                         | 1    |
| Addenda . . . . .                                   | 492  |
| Emendanda . . . . .                                 | 505  |
| Index alphabeticus generum et synonymorum. . . . .  | 509  |



